【CLAIMS】

【Claim 1】

A cosmetic composition applicator comprising:

an application layer for applying a cosmetic composition to the skin;

an elastic layer stacked on the top of the application layer; and

an anti-contamination layer stacked on the top of the elastic layer, wherein the anti-contamination layer comprises a wet polyurethane layer and an impermeable sheet stacked on the top thereof, and the impermeable sheet comprises at least one of polyurethane, polyethylene, polypropylene and polymers of polyethylene and polypropylene, and

wherein a top surface of the impermeable sheet comprises a hydrophobic coating layer.

【Claim 2】

The cosmetic composition applicator according to claim 1, wherein the anti-contamination layer comprises a wet polyurethane layer and a dry polyurethane sheet stacked on the top thereof.

【Claim 3】

The cosmetic composition applicator according to claim 1, wherein the impermeable sheet is a non-porous sheet having at most 5 pores per unit area of 5 cm x 5 cm of the sheet.

【Claim 4】

The cosmetic composition applicator according to claim 1, wherein the impermeable sheet comprises at least one surface irregularity on the top surface thereof, and the surface irregularity has a depth of 10-200 μm.

【Claim 5】

The cosmetic composition applicator according to claim 1, wherein the hydrophobic coating layer further comprises at least one of silicon compounds and fluorine compounds.

【Claim 6】

The cosmetic composition applicator according to claim 1, wherein the anti-contamination layer has a thickness of 0.05-3.0 mm.

【Claim 7】

The cosmetic composition applicator according to claim 1, wherein the anti-contamination layer has a tensile strength of 3-6 kg/cm^3.

【Claim 8】

The cosmetic composition applicator according to claim 1, wherein the anti-contamination layer has an elongation of 200%-700%.

【Claim 9】

The cosmetic composition applicator according to claim 1, wherein the coating layer has a thickness of 0.001-0.3 mm.

【Claim 10】

The cosmetic composition applicator according to any one of claims 1 to 9, wherein the impermeable sheet or coating layer of the anti-contamination layer is stacked on the underlying layer thereof through thermal adhesion at 100-250°C.

【Claim 11】

A cosmetic product comprising the cosmetic composition applicator as defined in any one of claims 1 to 9.

【Claim 12】

The cosmetic product according to claim 11, which is a makeup cosmetic product.