

1/35

FIG. 1




FIG. 2




FIG. 3




FIG. 4






FIG. 5




6/35

FIG. 6



7/35

FIG. 7




8/35

FIG. 8

Exp	Starting solid	Solvent	Time, days	XRPD, wet	XRPD, dry	XRPD, dry sample exposed to 50% RH
1	I+II+III+V+VI+VII	Acetonitrile	5	IV	III	I
2	I+II+III+V+VI+VII	Acetonitrile:water (98:2)	5	Low crystalline I	III	I
3	I+II+III+V+VI+VII	Ethyl acetate	5	Low crystalline I + some extra peaks	III	I


9/35

FIG. 9




10/35

FIG. 10



11/35

FIG. 11



12/35

FIG. 12




FIG. 13






FIG. 14




15/35

FIG. 15




16/35

FIG. 16




17/35

FIG. 17




18/35

FIG. 18



19/35

FIG. 19



20/35

FIG. 20






FIG. 21




22/35

FIG. 22




23/35

FIG. 23




24/35

FIG. 24



25/35

FIG. 25



26/35

FIG. 26





FIG. 27



27/35

FIG. 28





FIG. 29



28/35

FIG. 30





FIG. 31



29/35

FIG. 32





FIG. 33



30/35

FIG. 34





FIG. 35



31/35

FIG. 36





FIG. 37



32/35

FIG. 38




FIG. 39




FIG. 40




FIG. 41

