

FIG. 1A




FIG. 1B





FIG. 1C

Lung Cancer* (n=1566)		Bladder Cancer* (n=392)		Ovarian Cancer* (n=333)		Liver Cancer* (n=348)	
Age (mean, SD)	65 (10)	Age (mean, SD)	68 (11)	Age (mean, SD)	57 (12)	Age (mean, SD)	68 (9)
Gender	Male Female	Gender	Male Female	Stage	I II III-IV	Gender	Male Female unknown
Smoking		Urinary cytology		Histology		Stage	
Former/current	972 (62%)	Class I	36 (10%)	Serous	182 (55%)	I	123 (37%)
Never	594 (38%)	Class II	115 (31%)	Clear cell	64 (19%)	II	108 (33%)
Histology		Class III	73 (19%)	Endometrioid	43 (13%)	III	80 (24%)
Adenocarcinoma	1217 (78%)	Class IV	50 (13%)	Mucinous	14 (4%)	IV	19 (6%)
Squamous	221 (14%)	Class V	103 (27%)	Other epithelial	17 (5%)	unknown	18
Adenosquamous	18 (1%)	unknown	15	Non-epithelial	13 (4%)	Child-Pugh	
Small cell	23 (1%)	T stage		Non-Cancer (N=2759)		A	303 (88%)
Other	87 (6%)	<pT2	300 (77%)	Info Not Available		B	40 (12%)
Stage		≥pT2	90 (23%)			unknown	5
I	1126 (72%)	unknown	2			Virus	
II	233 (15%)	Grade				HBsAg+	57 (16%)
III-IV	203 (13%)	Low	77 (20%)			HCVAb+	141 (41%)
0	4 (0%)	High	315 (80%)			non-B non-C	147 (43%)
Non-Cancer (N=2178)		Nodal status				unknown	3
Age (mean, SD)	51 (11)	N+	42 (12%)			Non-Cancer (N=1033)	
Gender		N0	320 (88%)			Age (mean, SD)	65 (10)
Male	1129 (52%)	unknown	30			Gender	
Female	1049 (48%)	M stage				Male	239 (23%)
Smoking		M1	17 (5%)			Female	794 (77%)
Former/current	482 (22%)	M0	347 (95%)				
Never	1696 (78%)	Unknown	28				
Never	1696 (78%)	Non-Cancer (N=100)					
		Age (mean, SD)	64 (16)				
		Gender					
		Male	48 (48%)				
		Female	52 (52%)				

* Adapted from references 17, 19, 18, 20, respectively







FIG. 2G






FIG. 3B




FIG. 4A




FIG. 4B




FIG. 5