

FIG. 1




FIG. 2




FIG. 3





FIG. 4



4 / 14

FIG. 5




FIG. 6




FIG. 7

	No. of sequence simultaneously transmitted		Required No. of sequence per UE
	HARQ-ACK only / SR only	HARQ-ACK + SR	
Option 1-1	2	4	4 (or 3.5)
Option 1-2		2	4
Option 4-1	1	2	3 (1 bit), 5 (2 bits)
Option 4-2		1	4 (1 bit), 8 (2 bits)

FIG. 8

200




FIG. 9




FIG. 10




FIG. 11




FIG. 12

	No. of sequence simultaneously transmitted	
	HARQ-ACK only / SR only	HARQ-ACK + SR
Option 1-1	2	4
Option 1-2		2
Option 4-1	1	2
Option 4-2		1

FIG. 13

	No. of sequence simultaneously transmitted	
	HARQ-ACK only / SR only	HARQ-ACK + SR
Option 1-1	2	4
Option 1-2		2
Option 4-1	1	2
Option 4-2		1

FIG. 14




FIG. 15

	No. of sequence simultaneously transmitted		Required No. of sequence per UE
	HARQ-ACK only / SR only	HARQ-ACK + SR	
Option 1-1	2	4	4 (or 3.5)
Option 1-2		2	4
Option 4-1	1	2	3 (1 bit), 5 (2 bits)
Option 4-2		1	4 (1 bit), 8 (2 bits)
Proposal 3	2	2	3

FIG. 16

	No. of sequence simultaneously transmitted	
	HARQ-ACK only / SR only	HARQ-ACK + SR
Option 1-1	2	4
Option 1-2		2
Option 4-1	1	2
Option 4-2		1
Proposal 3	2	2

← ADDITIONAL MODE

FIG. 17




FIG. 18

