CLAIMS

1. The use of Organosilane and Benzalkonium in the manufacture of a disinfectant comprising:
    a) about 0.3% wt 3-(trimethoxysilyl)propyl dimethyl octadecyl ammonium chloride; and
    b) about 0.1% wt Benzalkonium chloride;

wherein the disinfectant is for providing, and provides, effective sanitising protection on human skin for about 24 hours or more.

2. The use according to claim 1, wherein the disinfectant comprises:
    a) 0.3 % wt 3-(trimethoxysilyl)propyl dimethyl octadecyl ammonium chloride; and
    b) 0.1 % wt Benzalkonium chloride.

3. The use according to claim 1 or 2, wherein the sanitising protection is against Coronavirus.

4. The use according to claim 1, 2 or 3, wherein the sanitising protection is against SARS-CoV-1 and/or SARS-CoV-2 (eg CoVid-19 causing Coronavirus).

5. The use according to any one of the preceding claims, comprising Phenoxyethanol which functions in the disinfectant as a preservative.

6. The use according to claim 5, wherein the Phenoxyethanol is present in the disinfectant at 0.7% - 1.3% wt.

7. The use according to claim 5, wherein the Phenoxyethanol is present in the disinfectant at 0.8% - 1.2% wt.

8. The use according to claim 5, wherein the Phenoxyethanol is present in the disinfectant at 0.9% - 1.1% wt.

9. The use according to claim 5, wherein the Phenoxyethanol is present in the disinfectant at about 1% wt.

10. The use according to any one of the preceding claims, comprising Ethylhexylglycerin which functions in the disinfectant as a preservative.

11. The use according to claim 9, wherein the Ethylhexylglycerin is present in the disinfectant at 0.07% - 0.13% wt.

12. The use according to claim 9, wherein the Ethylhexylglycerin is present in the disinfectant at 0.08% - 0.12% wt.

13. The use according to claim 9, wherein the Ethylhexylglycerin is present in the disinfectant at 0.09% - 0.11% wt.

14. The use according to claim 9, wherein the Ethylhexylglycerin is present in the disinfectant at about 0.1% wt.

15. The use according to any one of the preceding claims, wherein the sanitising protection is against one or more of E.hirae, P.aeruginosa, S.aureus, E coli, Norovirus, Candida, MRSA, Salmonella, Listeria, Flu Virus and MHV1 virus.

16. The use according to any one of the preceding claims, wherein the sanitising protection is against one or more of Enterococcus hirae, Pseudomonas aeruginosa, Staphylococcus aureus and Escherichia coli.

17. The use according to any one of the preceding claims wherein the disinfectant is for providing, and provides, effective sanitising protection on human hands for about 24 or more hours.

18. A disinfectant prepared according to the use of any one of the preceding claims.

19. A disinfectant substantially as below-

Component	**Approximate % by Weight**
Glycerin	2.0%
Phenoxyethanol	0.9%
Benzalkonium Chloride	0.1%
Ethylhexylglycerin	0.1%
3-(trimethoxysilyl)propyl dimethyl octadecyl ammonium chloride	0.3%
Water	to 100%