





FIG. 1



Number of Passage in MediV 105

FIG. 2




FIG. 3

		A/New Caledonia (log10 FFU/mL)				A/Hiroshima (log10 FFU/mL)				B/Malaysia (log10 FFU/mL)				A/Vietnam (log10 FFU/mL)			
		3 DPI		4 DPI		3 DPI		4 DPI		3 DPI		4 DPI		3 DPI		4 DPI	
	Sub Clone	Flask #1	Flask #2	Flask #1	Flask #2	Flask #1	Flask #2	Flask #1	Flask #2	Flask #1	Flask #2	Flask #1	Flask #2	Flask #1	Flask #2	Flask #1	Flask #2
	1-A	8.2 ± 0.06	8.2 ± 0.06	8.2 ± 0.06	8.4 ± 0.06	8.2 ± 0.15	8.1 ± 0.12	8.2 ± 0.06	8.2 ± 0.06	8.1 ± 0.06	8.1 ± 0.06	8.1 ± 0.06	8.1 ± 0.06	8.3 ± 0.00	8.3 ± 0.00	8.4 ± 0.06	8.5 ± 0.00
	1-B	8.3 ± 0.06	8.4 ± 0.06	8.4 ± 0.06	8.4 ± 0.10	8.3 ± 0.10	8.3 ± 0.12	8.2 ± 0.06	8.1 ± 0.12	8.1 ± 0.06	7.9 ± 0.06	7.8 ± 0.06	7.8 ± 0.12	8.3 ± 0.00	8.3 ± 0.06	8.5 ± 0.06	8.4 ± 0.06
	1-D	8.3 ± 0.00	8.3 ± 0.06	8.3 ± 0.10	8.3 ± 0.06	8.4 ± 0.06	8.2 ± 0.21	8.1 ± 0.06	8.1 ± 0.10	8.0 ± 0.06	8.0 ± 0.00	7.7 ± 0.06	7.7 ± 0.06	8.3 ± 0.00	8.4 ± 0.06	8.5 ± 0.06	8.5 ± 0.00
	1-C	8.4 ± 0.06	8.5 ± 0.06	8.4 ± 0.00	8.4 ± 0.10	8.2 ± 0.06	8.2 ± 0.06	8.2 ± 0.00	8.1 ± 0.06	7.9 ± 0.06	7.9 ± 0.06	7.6 ± 0.06	7.7 ± 0.10	8.2 ± 0.00	8.1 ± 0.06	8.4 ± 0.06	8.3 ± 0.06
	1-A	8.3 ± 0.10	8.2 ± 0.06	8.3 ± 0.06	8.3 ± 0.06	8.1 ± 0.07	8.1 ± 0.14	8.1 ± 0.00	8.2 ± 0.06	8.0 ± 0.06	8.0 ± 0.06	7.8 ± 0.06	7.8 ± 0.10	8.1 ± 0.06	8.1 ± 0.06	8.3 ± 0.06	8.3 ± 0.06
	1-B	8.3 ± 0.10	8.3 ± 0.06	8.3 ± 0.06	8.4 ± 0.06	8.1 ± 0.06	8.3 ± 0.10	8.2 ± 0.10	8.1 ± 0.12	8.1 ± 0.00	8.2 ± 0.06	8.0 ± 0.00	8.0 ± 0.00	8.3 ± 0.06	8.2 ± 0.00	8.4 ± 0.06	8.4 ± 0.06
	1-C	8.2 ± 0.06	8.1 ± 0.00	8.0 ± 0.06	8.1 ± 0.12	7.8 ± 0.10	7.9 ± 0.06	7.8 ± 0.12	8.0 ± 0.12	7.9 ± 0.00	8.0 ± 0.06	7.6 ± 0.06	7.7 ± 0.10	8.2 ± 0.12	8.2 ± 0.00	8.3 ± 0.06	8.3 ± 0.00
	Assay Control	9.1 ± 0.06	9.1 ± 0.06	9.2 ± 0.06	9.1 ± 0.10	8.3 ± 0.06	8.3 ± 0.00	8.2 ± 0.06	8.3 ± 0.06	7.9 ± 0.10	7.9 ± 0.10	8.1 ± 0.06	8.0 ± 0.06	8.2 ± 0.06	8.2 ± 0.10	8.3 ± 0.06	8.3 ± 0.06

FIG. 4





FIG. 5A

**FIG. 5B**




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10





FIG. 11A

**FIG. 11B**







FIG. 12A

**FIG. 12B**

**FIG. 13**




FIG. 14A




FIG. 14B




FIG. 14C




FIG. 15