
Claims

1. Indole derivatives of formula (I)







(I)





wherein

R^1 is hydrogen atom, halogen atom or C_1-C_4-alkoxy group;

R^2 is hydrogen atom, halogen atom, C_1-C_4-alkyl group or cyano group;

R^3 is selected from (1) –COOR; (2) –CN; (3) -$CONR^aR^b$;

(4)  ; (5)  ; (6)  ; (7)  ;

(8)  ; (9)  ; (10)  and (11) 

R^4 is hydrogen atom or halogen atom;

R^5 is hydrogen atom or C_1-C_4-alkyl group;

R^6 is selected from




(1) C_3-C_6-cycloalkyl;




(2) optionally substituted five- or six-membered aromatic ring with two nitrogen atoms;




(3) optionally substituted pyridyl;




(4) optionally substituted five-membered aromatic ring with one heteroatom selected from O or S;




(5)-CF_3; (6) -CH_2-CF_3; (7) -CH_2-CH_2-C≡CH; (8) –CH_2-CH_2-$CH(CH_3)_2$;




(9)  ; (10)  ; (11)  ;


(12)  ; (13)  ; (14)  ;

(15)  ; (16)  ; (17)  ;

(18)  ; (19)  ; (20)  ;

(21)  ; (22)  ; (23)  ;

(24)  ; (25)  ; (26)  and

(27)  ;

X is –CH– or nitrogen atom;

R is C_1-C_4 alkyl group;

R^a and R^b are independently from each other hydrogen atom; C_1-C_4 alkyl group or pyrrolidin-1-yl group;

R^c is hydrogen atom; C_1-C_4 alkyl or C_1-C_4 alkoxy group;

R^d is hydrogen atom; C_1-C_4 alkyl or C_3-C_6 cycloalkyl group;

R^e and R^f are independently from each other hydrogen atom; halogen atom; C_1-C_4 alkoxy; $-CF_3$; –CN or $–NH_2$ group;

and optical antipodes or racemates and/or salts thereof.

2. A compound of Claim 1 selected from the group of
1-(2,2,2-Trifluoro-acetylamino)-cyclopropanecarboxylic acid 4-[3-chloro-2-(2-methyl-2*H*-tetrazol-5-yl)-indol-1-yl]-benzylamide
3-Methoxy-isoxazole-5-carboxylic acid (1-{4-[3-chloro-2-(2-methyl-2*H*-tetrazol-5-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-amide
3-Methoxy-isoxazole-5-carboxylic acid (1-{4-[2-(2-methyl-2*H*-tetrazol-5-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-amide
1-(2,2,2-Trifluoro-acetylamino)-cyclopropanecarboxylic acid 4-[3-chloro-2-(2-methyl-2*H*-tetrazol-5-yl)-indol-1-yl]-2-fluorobenzylamide
3-Methoxy-*N*-[1-({4-[3-chloro-2-(5-methyl-1,3,4-oxadiazol-2-yl)-1*H*-indol-1-yl]benzyl}carbamoyl)cyclopropyl]isoxazole-5-carboxamide
1-(2,2,2-Trifluoro-acetylamino)-cyclopropanecarboxylic acid 4-[3-chloro-2-(5-methyl-[1,3,4]oxadiazol-2-yl)-indol-1-yl]-benzylamide
3-Methoxy-isoxazole-5-carboxylic acid (1-{4-[3-chloro-2-(1-methyl-1*H*-tetrazol-5-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-amide
1-(2,2,2-Trifluoro-acetylamino)-cyclopropanecarboxylic acid 4-[3-chloro-2-(1-methyl-1*H*-tetrazol-5-yl)-indol-1-yl]-benzylamide
3-Methoxy-isoxazole-5-carboxylic acid (1-{4-[3-chloro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-amide
3-Chloro-1-[4-({[1-(2,2,2-trifluoro-acetylamino)-cyclopropanecarbonyl]-amino}-methyl)-phenyl]-1*H*-indole-2-carboxylic acid methyl ester
3-Chloro-1-{4-[({1-[(3-methoxy-isoxazole-5-carbonyl)-amino]-cyclopropane-carbonyl}-amino)-methyl]-phenyl}-1*H*-indole-2-carboxylic acid methyl ester
1-(2,2,2-Trifluoro-acetylamino)-cyclopropanecarboxylic acid 4-[3-chloro-5-fluoro-2-(2-methyl-2*H*-tetrazol-5-yl)-indol-1-yl]-benzylamide
3-Methoxy-isoxazole-5-carboxylic acid (1-{4-[3-chloro-5-fluoro-2-(2-methyl-2*H*-tetrazol-5-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-amide
1-{4-[({1-[(3-Methoxy-isoxazole-5-carbonyl)-amino]-cyclopropanecarbonyl}-amino)-methyl]-phenyl}-1*H*-indole-2-carboxylic acid methyl ester

3-Methoxy-isoxazole-5-carboxylic acid (1-{4-[3-chloro-2-(2-methyl-2*H*-tetrazol-5-yl)-indol-1-yl]-2-fluorobenzylcarbamoyl}-cyclopropyl)-amide

3-Methoxy-isoxazole-5-carboxylic acid (1-{4-[3-chloro-2-(1,3- oxazol-5-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-amide

1-(2,2,2-Trifluoro-acetylamino)-cyclopropanecarboxylic acid 4-[3,5-dichloro-2-(2-methyl-2*H*-tetrazol-5-yl)-indol-1-yl]-benzylamide

3-Methoxy-isoxazole-5-carboxylic acid (1-{4-[3,5-dichloro-2-(2-methyl-2*H*-tetrazol-5-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-amide

1-(2,2,2-Trifluoro-acetylamino)-cyclopropanecarboxylic acid 4-[3-chloro-5-fluoro-2-(2-methyl-2*H*-tetrazol-5-yl)-indol-1-yl]-2-fluoro-benzylamide

3-Methoxy-isoxazole-5-carboxylic acid (1-{4-[3-chloro-5fluoro-2-(2-methyl-2*H*-tetrazol-5-yl)-indol-1-yl]-2-fluoro-benzylcarbamoyl}-cyclopropyl)-amide

3-Methoxy-isoxazole-5-carboxylic acid (1-{4-[3-cyano-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-amide

1-(2,2,2-Trifluoro-acetylamino)-cyclopropanecarboxylic acid 4-[3,5-dichloro-2-(2-methyl-2*H*-tetrazol-5-yl)-indol-1-yl]-2-fluoro-benzylamide

1-(2,2,2-Trifluoro-acetylamino)-cyclopropanecarboxylic acid 4-[3-chloro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-benzylamide

5-Cyclopropyl-isoxazole-3-carboxylic acid (1-{4-[3-chloro-2-(2-methyl-2*H*-tetrazol-5-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-amide

5-Methyl-pyrazine-2-carboxylic acid (1-{4-[3-chloro-2-(2-methyl-2*H*-tetrazol-5-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-amide

5-Methyl-isoxazole-3-carboxylic acid (1-{4-[3-chloro-2-(2-methyl-2*H*-tetrazol-5-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-amide

2-Chloro-*N*-(1-{4-[3-chloro-2-(2-methyl-2*H*-tetrazol-5-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-nicotinamide

N-(1-{4-[3-chloro-2-(2-methyl-2*H*-tetrazol-5-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-2-fluoro-isonicotinamide

1-(3,3,3,-Trifluoro-propionylamino)-cyclopropanecarboxylic acid 4-[3-chloro-2-(2-methyl-2*H*-tetrazol-5-yl)-indol-1-yl]-benzylamide

N-(1-{4-[3-chloro-2-(2-methyl-2*H*-tetrazol-5-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-5-trifluoromethyl-nicotinamide

N-(1-{4-[3-chloro-2-(2-methyl-2*H*-tetrazol-5-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-3-fluoro-benzamide

3-Chloro-1-[4-(1-{[1-(2,2,2-trifluoro-acetylamino)-cyclopropanecarbonyl]-amino}-ethyl)-phenyl]-1*H*-indole-2-carboxylic acid methylamide

1-(2,2,2-Trifluoro-acetylamino)-cyclopropanecarboxylic acid (1-{4-[3-chloro-2-(pyrrolidine-1-carbonyl)-indol-1-yl]-phenyl}-ethyl)-amide

3-Chloro-1-{4-[({1-[(3-methoxy-isoxazole-5-carbonyl)-amino]-cyclopropane-carbonyl}-amino)-methyl]-phenyl}-1*H*-indole-2-carboxylic acid ethyl ester

3-Chloro-1-{4-[({1-[(3-methoxy-isoxazole-5-carbonyl)-amino]-cyclopropane-carbonyl}-amino)-methyl]-phenyl}-1*H*-indole-2-carboxylic acid dimethylamide

1-(2,2,2-Trifluoro-acetylamino)-cyclopropanecarboxylic acid 4-[2-(2-methyl-2*H*-tetrazol-5-yl)-indol-1-yl]-benzylamide

3-Methoxy-isoxazole-5-carboxylic acid (1-{4-[3-chloro-5-fluoro-2-(5-methyl-[1,3,4]oxadiazol-2-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-amide

3-Methoxy-isoxazole-5-carboxylic acid (1-{4-[3-chloro-2-(5-methyl-oxazol-2-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-amide

3-Methoxy-isoxazole-5-carboxylic acid {1-[4-(3-chloro-2-cyano-indol-1-yl)-benzyl-carbamoyl]-cyclopropyl}-amide

(*R*)-1-(2,2,2-Trifluoro-acetylamino)-cyclopropanecarboxylic acid (1-{4-[3-chloro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-phenyl}-ethyl)-amide

(*R*)-3-Methoxy-isoxazole-5-carboxylic acid [1-(1-{4-[3-chloro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-phenyl}-ethylcarbamoyl)-cyclopropyl]-amide

3-Propyl-isoxazole-5-carboxylic acid (1-{4-[3-chloro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-amide

3-Methoxy-isoxazole-5-carboxylic acid {1-[4-(5-chloro-2-cyano-indol-1-yl)-benzylcarbamoyl]-cyclopropyl}-amide

N-{1-[4-(2-Cyano-5-methoxy-indol-1-yl)-benzylcarbamoyl]-cyclopropyl}-5-trifluoromethyl-nicotinamide

N-{1-[4-(2-Cyano-5-fluoro-indol-1-yl)-benzylcarbamoyl]-cyclopropyl}-5-trifluoromethyl-nicotinamide

N-(1-{4-[5-Fluoro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-5-trifluoromethyl-nicotinamide

3-Methoxy-isoxazole-5-carboxylic acid (1-{4-[5-fluoro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-amide

3-Methoxy-isoxazole-5-carboxylic acid {1-[4-(2-cyano-5-methoxy-indol-1-yl)-benzylcarbamoyl]-cyclopropyl}-amide

3-Methoxy-isoxazole-5-carboxylic acid {1-[4-(2-cyano-5-fluoro-indol-1-yl)-benzylcarbamoyl]-cyclopropyl}-amide

N-(1-{4-[3-Chloro-5-methoxy-2-(3-methyl-[1,2,4]oxadiazol-5-yl)-indol-1-yl]-benzyl-carbamoyl}-cyclopropyl)-5-trifluoromethyl-nicotinamide

3-Methoxy-isoxazole-5-carboxylic acid (1-{4-[3-chloro-5-methoxy-2-(3-methyl-[1,2,4]oxadiazol-5-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-amide

3-Methoxy-isoxazole-5-carboxylic acid {1-[4-(3-chloro-2-cyano-5-methoxy-indol-1-yl)-benzylcarbamoyl]-cyclopropyl}-amide

3-Methoxy-isoxazole-5-carboxylic acid (1-{4-[5-chloro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-amide

3-Chloro-1-[3-fluoro-4-({[1-(2,2,2-trifluoro-acetylamino)-cyclopropanecarbonyl]-amino}-methyl)-phenyl]-1*H*-indole-2-carboxylic acid methyl ester

3-Chloro-1-{3-fluoro-4-[({1-[(3-methoxy-isoxazole-5-carbonyl)-amino]-cyclo-propanecarbonyl}-amino)-methyl]-phenyl}-1*H*-indole-2-carboxylic acid methyl ester

3-Methoxy-isoxazole-5-carboxylic acid [1-({5-[2-(3-methyl-[1,2,4]oxadiazol-5-yl)-indol-1-yl]-pyridin-2-ylmethyl}-carbamoyl)-cyclopropyl]-amide

3-Methoxy-isoxazole-5-carboxylic acid [1-({5-[2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-pyridin-2-ylmethyl}-carbamoyl)-cyclopropyl]-amide

3-Methoxy-isoxazole-5-carboxylic acid [1-({5-[3-chloro-2-(3-methyl-[1,2,4]oxadiazol-5-yl)-indol-1-yl]-pyridin-2-ylmethyl}-carbamoyl)-cyclopropyl]-amide

3-Methoxy-isoxazole-5-carboxylic acid [1-({5-[3-chloro-5-fluoro-2-(2-methyl-2*H*-tetrazol-5-yl)-indol-1-yl]-pyridin-2-ylmethyl}-carbamoyl)-cyclopropyl]-amide

3-Methoxy-isoxazole-5-carboxylic acid [1-({5-[3-chloro-2-(2-methyl-2*H*-tetrazol-5-yl)-indol-1-yl]-pyridin-2-ylmethyl}-carbamoyl)-cyclopropyl]-amide

3-Methoxy-isoxazole-5-carboxylic acid [1-({5-[5-fluoro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-pyridin-2-ylmethyl}-carbamoyl)-cyclopropyl]-amide

3-Methoxy-isoxazole-5-carboxylic acid [1-({5-[3-chloro-5-fluoro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-pyridin-2-ylmethyl}-carbamoyl)-cyclopropyl]-amide

1-(2,2,2-Trifluoro-acetylamino)-cyclopropanecarboxylic acid 4-[3-chloro-5-methoxy-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-benzylamide

3-Methoxy-isoxazole-5-carboxylic acid (1-{4-[3-chloro-5-methoxy-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-amide

1-(2,2,2-Trifluoro-acetylamino)-cyclopropanecarboxylic acid 4-[3,5-dichloro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-benzylamide

3-Methoxy-isoxazole-5-carboxylic acid (1-{4-[3,5-dichloro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-amide

3-Methoxy-isoxazole-5-carboxylic acid (1-{4-[3-chloro-5-fluoro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-amide

3-Chloro-4-fluoro-1-{4-[({1-[(3-methoxy-isoxazole-5-carbonyl)-amino]-cyclopropanecarbonyl}-amino)-methyl]-phenyl}-1*H*-indole-2-carboxylic acid methyl ester

3-Chloro-4-fluoro-1-[4-({[1-(2,2,2-trifluoro-acetylamino)-cyclopropanecarbonyl]-amino}-methyl)-phenyl]-1*H*-indole-2-carboxylic acid methyl ester

2-Chloro-*N*-(1-{4-[3,5-dichloro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-nicotinamide

N-(1-{4-[3,5-Dichloro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-3-fluoro-benzamide

5-Methyl-pyrazine-2-carboxylic acid (1-{4-[3,5-dichloro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-amide

5-Methyl-isoxazole-3-carboxylic acid (1-{4-[3,5-dichloro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-amide

N-(1-{4-[3,5-Dichloro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-2-fluoro-isonicotinamide

5-Cyclopropyl-isoxazole-3-carboxylic acid (1-{4-[3,5-dichloro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-amide

N-(1-{4-[3,5-Dichloro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-5-trifluoromethyl-nicotinamide

2-Methylsulfanyl-pyrimidine-5-carboxylic acid (1-{4-[3-chloro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-amide

1-(3,3,3-Trifluoro-propionylamino)-cyclopropanecarboxylic acid 4-[5-methoxy-2-(3-methyl-[1,2,4]oxadiazol-5-yl)-indol-1-yl]-benzylamide

N-(1-{4-[5-Methoxy-2-(3-methyl-[1,2,4]oxadiazol-5-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-5-trifluoromethyl-nicotinamide

3-Methoxy-isoxazole-5-carboxylic acid (1-{4-[5-methoxy-2-(3-methyl-[1,2,4]oxadiazol-5-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-amide

1-(3,3,3-Trifluoro-propionylamino)-cyclopropanecarboxylic acid 4-[2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-benzylamide

N-(1-{4-[2-(5-Methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-5-trifluoromethyl-nicotinamide

N-(1-{4-[2-(3-Methyl-[1,2,4]oxadiazol-5-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-5-trifluoromethyl-nicotinamide

N-{1-[4-(2-Cyano-indol-1-yl)-benzylcarbamoyl]-cyclopropyl}-5-trifluoromethyl-nicotinamide

2-Chloro-*N*-(1-{4-[3-chloro-5-fluoro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-nicotinamide

N-(1-{4-[3-Chloro-5-fluoro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-3-fluoro-benzamide

5-Methyl-pyrazine-2-carboxylic acid (1-{4-[3-chloro-5-fluoro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-amide

5-Methyl-isoxazole-3-carboxylic acid (1-{4-[3-chloro-5-fluoro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-amide

N-(1-{4-[3-Chloro-5-fluoro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-2-fluoro-isonicotinamide

5-Cyclopropyl-isoxazole-3-carboxylic acid (1-{4-[3-chloro-5-fluoro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-amide

N-(1-{4-[3-Chloro-5-fluoro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-5-trifluoromethyl-nicotinamide

N-(1-{4-[3-Chloro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-2-fluoro-3-trifluoromethyl-benzamide

N-(1-{4-[3-Chloro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-3-fluoro-4-trifluoromethyl-benzamide

N-(1-{4-[3-Chloro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-3-fluoro-5-trifluoromethyl-benzamide

N-(1-{4-[3-Chloro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-2-fluoro-nicotinamide

N-(1-{4-[3-Chloro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-2-fluoro-5-trifluoromethyl-benzamide

N-(1-{4-[3-Chloro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-3-fluoro-isonicotinamide

N-(1-{4-[3-Chloro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-4-fluoro-3-trifluoromethyl-benzamide

N-(1-{4-[3-Chloro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-6-fluoro-nicotinamide

N-{1-[4-(5-Chloro-2-cyano-indol-1-yl)-benzylcarbamoyl]-cyclopropyl}-5-trifluoromethyl-nicotinamide

1-(3,3,3-Trifluoro-propionylamino)-cyclopropanecarboxylic acid 4-[5-fluoro-2-(3-methyl-[1,2,4]oxadiazol-5-yl)-indol-1-yl]-benzylamide

N-(1-{4-[5-Fluoro-2-(3-methyl-[1,2,4]oxadiazol-5-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-5-trifluoromethyl-nicotinamide

3-Methoxy-isoxazole-5-carboxylic acid (1-{4-[5-fluoro-2-(3-methyl-[1,2,4]oxadiazol-5-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-amide

2-Chloro-*N*-(1-{4-[3-chloro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-2-fluoro-benzylcarbamoyl}-cyclopropyl)-nicotinamide

N-(1-{4-[3-Chloro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-2-fluoro-benzylcarbamoyl}-cyclopropyl)-3-fluoro-benzamide

5-Methyl-pyrazine-2-carboxylic acid (1-{4-[3-chloro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-2-fluoro-benzylcarbamoyl}-cyclopropyl)-amide

5-Methyl-isoxazole-3-carboxylic acid (1-{4-[3-chloro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-2-fluoro-benzylcarbamoyl}-cyclopropyl)-amide

1-(3,3,3-Trifluoro-propionylamino)-cyclopropanecarboxylic acid 4-[3-chloro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-2-fluoro-benzylamide

N-(1-{4-[3-Chloro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-2-fluoro-benzylcarbamoyl}-cyclopropyl)-2-fluoro-isonicotinamide

5-Cyclopropyl-isoxazole-3-carboxylic acid (1-{4-[3-chloro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-2-fluoro-benzylcarbamoyl}-cyclopropyl)-amide

N-(1-{4-[3-Chloro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-2-fluoro-benzylcarbamoyl}-cyclopropyl)-5-trifluoromethyl-nicotinamide

1-(3,3,3-Trifluoro-propionylamino)-cyclopropanecarboxylic acid 4-[3-chloro-2-(3-methyl-[1,2,4]oxadiazol-5-yl)-indol-1-yl]-benzylamide

N-(1-{4-[3-Chloro-2-(3-methyl-[1,2,4]oxadiazol-5-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-2-fluoro-isonicotinamide

5-Cyclopropyl-isoxazole-3-carboxylic acid (1-{4-[3-chloro-2-(3-methyl-[1,2,4]oxadiazol-5-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-amide

N-(1-{4-[3-Chloro-2-(3-methyl-[1,2,4]oxadiazol-5-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-5-trifluoromethyl-nicotinamide

2-Fluoro-*N*-(1-{4-[5-methoxy-2-(3-methyl-[1,2,4]oxadiazol-5-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-nicotinamide

N-(1-{4-[3-Chloro-5-fluoro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-2-fluoro-nicotinamide

N-(1-{4-[3-Chloro-5-methoxy-2-(3-methyl-[1,2,4]oxadiazol-5-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-2-fluoro-nicotinamide

N-(1-{4-[3-Chloro-2-(2-methyl-2*H*-tetrazol-5-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-2-fluoro-nicotinamide

2-Fluoro-*N*-(1-{4-[5-fluoro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-nicotinamide

1-Methyl-1*H*-pyrazole-4-carboxylic acid (1-{4-[3-chloro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-amide

2-Oxo-imidazolidine-4-carboxylic acid (1-{4-[3-chloro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-amide

3-Ethyl-isoxazole-5-carboxylic acid (1-{4-[3-chloro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-amide

1-(3,3,3-Trifluoro-propionylamino)-cyclopropanecarboxylic acid 4-[5-methoxy-2-(5-methyl-[1,3,4]oxadiazol-2-yl)-indol-1-yl]-benzylamide

N-(1-{4-[5-Methoxy-2-(5-methyl-[1,3,4]oxadiazol-2-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-5-trifluoromethyl-nicotinamide

3-Methoxy-isoxazole-5-carboxylic acid (1-{4-[5-methoxy-2-(5-methyl-[1,3,4]oxadiazol-2-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-amide

1-(3,3,3-Trifluoro-propionylamino)-cyclopropanecarboxylic acid 4-[5-chloro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-benzylamide

N-(1-{4-[5-Chloro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-5-trifluoromethyl-nicotinamide

5-Methyl-pyrazine-2-carboxylic acid (1-{4-[3-chloro-5-methoxy-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-amide

N-(1-{4-[3-Chloro-5-methoxy-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-5-trifluoromethyl-nicotinamide

5-Methyl-pyrazine-2-carboxylic acid (1-{2-fluoro-4-[5-fluoro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-amide

N-(1-{2-Fluoro-4-[5-fluoro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-5-trifluoromethyl-nicotinamide

3-Methoxy-isoxazole-5-carboxylic acid (1-{2-fluoro-4-[5-fluoro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-amide

Isoxazole-5-carboxylic acid (1-{4-[3-chloro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-amide

5-Methyl-isoxazole-3-carboxylic acid (1-{4-[3-chloro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-amide

Tetrahydro-furan-2-carboxylic acid (1-{4-[3-chloro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-amide

Furan-3-carboxylic acid (1-{4-[3-chloro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-amide

2-Methyl-cyclopropanecarboxylic acid (1-{4-[3-chloro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-amide

1-Pent-4-ynoylamino-cyclopropanecarboxylic acid 4-[3-chloro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-benzylamide

1-(4-Methyl-pentanoylamino)-cyclopropanecarboxylic acid 4-[3-chloro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-benzylamide

1*H*-Pyrazole-4-carboxylic acid (1-{4-[3-chloro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-amide

1-Cyano-cyclopropanecarboxylic acid (1-{4-[3-chloro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-amide

Cyclobutanecarboxylic acid (1-{4-[3-chloro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-amide

Cyclopentanecarboxylic acid (1-{4-[3-chloro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-amide

Furan-2-carboxylic acid (1-{4-[3-chloro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-amide

N-(1-{4-[3-Chloro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-3-cyano-benzamide

1-(2-Thiophen-3-yl-acetylamino)-cyclopropanecarboxylic acid 4-[3-chloro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-benzylamide

1,5-Dimethyl-1*H*-pyrazole-3-carboxylic acid (1-{4-[3-chloro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-amide

4-Methyl-thiazole-5-carboxylic acid (1-{4-[3-chloro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-amide

2,4-Dimethyl-thiazole-5-carboxylic acid (1-{4-[3-chloro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-amide

1-(2-Acetylamino-3-hydroxy-propionylamino)-cyclopropanecarboxylic acid 4-[3-chloro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-benzylamide

5-Methyl-1*H*-pyrazole-3-carboxylic acid (1-{4-[3-chloro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-amide

2-Chloro-*N*-(1-{4-[3-chloro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-nicotinamide

N-(1-{4-[3-Chloro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-6-methyl-nicotinamide

N-(1-{4-[3-Chloro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-2-methyl-nicotinamide

2-Chloro-*N*-(1-{4-[3-chloro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-6-methyl-nicotinamide

6-Bromo-pyridine-2-carboxylic acid (1-{4-[3-chloro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-amide

N-(1-{4-[3-Chloro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-nicotinamide

Quinoline-3-carboxylic acid (1-{4-[3-chloro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-amide

6-Oxo-1,6-dihydro-pyridine-3-carboxylic acid (1-{4-[3-chloro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-amide

5-Methyl-pyrazine-2-carboxylic acid (1-{4-[3-chloro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-amide

6-Oxo-1,6-dihydro-pyridine-2-carboxylic acid (1-{4-[3-chloro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-amide

1-(3,3,3-Trifluoro-propionylamino)-cyclopropanecarboxylic acid 4-[3-chloro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-benzylamide

N-(1-{4-[3-Chloro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-2-fluoro-isonicotinamide

5-Cyclopropyl-isoxazole-3-carboxylic acid (1-{4-[3-chloro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-amide

Pyrimidine-5-carboxylic acid (1-{4-[3-chloro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-amide

Thiophene-3-carboxylic acid (1-{4-[3-chloro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-amide

5-Oxo-pyrrolidine-2-carboxylic acid (1-{4-[3-chloro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-amide

1-(3-Furan-3-yl-acryloylamino)-cyclopropanecarboxylic acid 4-[3-chloro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-benzylamide

N-(1-{4-[3-Chloro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-4-cyano-benzamide

1-(3-Furan-2-yl-acryloylamino)-cyclopropanecarboxylic acid 4-[3-chloro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-benzylamide

Thiophene-2-carboxylic acid (1-{4-[3-chloro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-amide

5-Methylsulfanyl-thiophene-2-carboxylic acid (1-{4-[3-chloro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-amide

[1,2,3]Thiadiazole-4-carboxylic acid (1-{4-[3-chloro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-amide

N-(1-{4-[3-Chloro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-3-methoxy-benzamide

N-(1-{4-[3-Chloro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-3-iodo-benzamide

N-(1-{4-[3-Chloro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-3-trifluoromethyl-benzamide

N-(1-{4-[3-Chloro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-3-fluoro-benzamide

N-(1-{4-[3-Chloro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-3-methyl-benzamide

N-(1-{4-[3-Chloro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-5-trifluoromethyl-nicotinamide

3-Methyl-isoxazole-4-carboxylic acid (1-{4-[3-chloro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-amide

Quinoline-3-carboxylic acid (1-{4-[3-chloro-2-(5-methyl-[1,3,4]oxadiazol-2-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-amide

1-(3,3,3-Trifluoro-propionylamino)-cyclopropanecarboxylic acid 4-[3-chloro-2-(5-methyl-[1,3,4]oxadiazol-2-yl)-indol-1-yl]-benzylamide

Pyrimidine-5-carboxylic acid (1-{4-[3-chloro-2-(5-methyl-[1,3,4]oxadiazol-2-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-amide

2-Methyl-pyrimidine-5-carboxylic acid (1-{4-[3-chloro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-amide

3-Amino-*N*-(1-{4-[3-chloro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-benzamide hydrochloride

3-Chloro-1-[4-({[1-(2,2,2-trifluoro-acetylamino)-cyclopropanecarbonyl]-amino}-methyl)-phenyl]-1*H*-indole-2-carboxylic acid amide

3-Chloro-1-{4-[({1-[(3-methoxy-isoxazole-5-carbonyl)-amino]-cyclopropane-carbonyl}-amino)-methyl]-phenyl}-1*H*-indole-2-carboxylic acid amide

1-(2,2,2-Trifluoro-acetylamino)-cyclopropanecarboxylic acid 4-[3-chloro-5-fluoro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-benzylamide

1-(2,2,2-Trifluoro-acetylamino)-cyclopropanecarboxylic acid ((*R*)-1-{4-[3-chloro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-2-fluoro-phenyl}-ethyl)-amide

3-Methoxy-isoxazole-5-carboxylic acid [1-((*R*)-1-{4-[3-chloro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-2-fluoro-phenyl}-ethylcarbamoyl)-cyclopropyl]-amide

3-Methoxy-isoxazole-5-carboxylic acid (1-{4-[3-chloro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-2-fluoro-benzylcarbamoyl}-cyclopropyl)-amide

3-Methoxy-isoxazole-5-carboxylic acid (1-{4-[3-chloro-2-(3-methyl-[1,2,4]oxadiazol-5-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-amide

1-(2,2,2-Trifluoro-acetylamino)-cyclopropanecarboxylic acid 4-[3-chloro-2-(3-methyl-[1,2,4]oxadiazol-5-yl)-indol-1-yl]-benzylamide

3-Methoxy-isoxazole-5-carboxylic acid (1-{4-[2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-amide

3-Methoxy-isoxazole-5-carboxylic acid (1-{4-[2-(3-methyl-[1,2,4]oxadiazol-5-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-amide

3-Methoxy-isoxazole-5-carboxylic acid (1-{4-[3-chloro-5-fluoro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-2-fluoro-benzylcarbamoyl}-cyclopropyl)-amide

3-Methoxy-isoxazole-5-carboxylic acid (1-{4-[3,5-difluoro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-amide


1-(2,2,2-Trifluoro-acetylamino)-cyclopropanecarboxylic acid 4-[3,5-difluoro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-benzylamide

3-Methoxy-isoxazole-5-carboxylic acid (1-{4-[5-fluoro-3-methyl-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-amide and

3-Methoxy-isoxazole-5-carboxylic acid (1-{4-[3-chloro-2-(4-methyl-5-oxo-4,5-dihydro-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-amide and optical antipodes or racemates and/or salts thereof.


3. Process for preparing the compounds of formula (I) as claimed in Claim 1 characterized by

a) reacting an indole derivative of formula (II)




(II)

- wherein the meaning of R^1, R^2 and R^3 is as described for the formula (I) in Claim 1 – with a boronic acid of formula (III)




(III)

- wherein the meaning of R^4 and R^5 is as described for the formula (I) in Claim 1 – then the so obtained indole derivative of formula (IV)




(IV)

- wherein the meaning of R^1, R^2, R^3, R^4 and R^5 is as described for the formula (I) in Claim 1 – is deprotected to yield an amine derivative of formula (V)



(V)


- wherein the meaning of R^1, R^2, R^3, R^4 and R^5 is as described for the formula (I) in Claim 1 – finally the latter is reacted with an acid derivative of formula (VI)



(VI)


- wherein the meaning of R^6 is as described for the formula (I) in Claim 1; or

b) reacting an indole derivative of formula (II)




(II)

- wherein the meaning of R^1, R^2 and R^3 is as described for the formula (I) in Claim 1 – with a boronic acid of formula (VII)




(VII)

then the so obtained indole derivative of formula (VIII)




(VIII)

- wherein the meaning of R^1, R^2 and R^3 is as described for the formula (I) in Claim 1 – is reacted with hydroxylamine hydrochloride to yield the indole derivative of formula (IX)




(IX)

- wherein the meaning of R^1, R^2 and R^3 is as described for the formula (I) in Claim 1 – the latter is hydrogenated to furnish an amine derivative of formula (X)



(X)


- wherein the meaning of R^1, R^2 and R^3 is as described for the formula (I) in Claim 1 – finally the latter is reacted with an acid derivative of formula (VI)



(VI)


- wherein the meaning of R^6 is as described for the formula (I) in Claim 1; or

c) reacting the amine derivatives of formula (V) or formula (X) – obtained according to the method described in method a) and method b) – with the amino acid derivative of formula (XI)




(XI)

and the so obtained indole derivative of formula (XII)




(XII)

- wherein the meaning of R^1, R^2, R^3, R^4 and R^5 is as described for the formula (I) in Claim 1 – is deprotected to yield an amine derivative of formula (XIII)



(XIII)

- wherein the meaning of R^1, R^2, R^3, R^4 and R^5 is as described for the formula (I) in Claim 1 – finally the latter is reacted with an acid derivative of formula (XIV)



(XIV)

- wherein the meaning of R^6 is as described for the formula (I) in Claim 1; and optionally an indole derivative of formula (I) obtained in process a) or b) or c) and optical antipodes or racemates and/or salts thereof can be transformed into an other compound of formula (I) and optical antipodes or racemates and/or salts thereof by introducing new substituents and/or modifying or removing the existing ones.

4. A pharmaceutical composition comprising a therapeutically effective amount of a compound of formula (I) as claimed in Claim 1 and optical antipodes or racemates and/or salts thereof as active ingredients and pharmaceutically acceptable auxiliary materials.

5. Process for manufacturing pharmaceutical composition having selective bradykinin B1 receptor antagonist effect characterized by mixing a therapeutically effective amount of a compound of formula (I) as claimed in Claim 1 and optical antipodes or racemates and/or salts thereof as active ingredients and auxiliary materials.

6. A compound of formula (I) as claimed in Claim 1 and optical antipodes or racemates and/or salt thereof for use as selective bradykinin B1 receptor antagonist.

7. A compound of formula (I) as claimed in Claim 1 and optical antipodes or racemates and/or salts thereof for use in the treatment or prevention of disorders associated with bradykinin B1 receptor activity.

8. A compound in accordance with claim 7 wherein disorder is selected from the group of pain and inflammation, including somatic musculo-skeletal pain, low-back


pain, repetitive motion disorders, myofascial pain syndrome, arthritis - including osteoarthritis, rheumatoid arthritis and gout - fibromyalgia, visceral pain, inflammatory skin disorders and skin injuries, complications associated with diabetes such as neuropathy, nephropathy, vasculopathy, retinopathy, cancer pain and inflammatory bowel disease.

9. Method of treatment and/or prevention of a disorder which requires inhibition of a bradykinin 1 receptor characterized by administering an effective amount of a compound of formula (I) as claimed in Claim 1 and optical antipodes or racemates and/or salts thereof as such or combined with pharmaceutically acceptable auxiliary materials and the like usually applied in pharmaceuticals to the mammal to be treated.

10. Method in accordance with claim 9 wherein disorder is selected from the group of pain and inflammation, including somatic musculo-skeletal pain, low-back pain, repetitive motion disorders, myofascial pain syndrome, arthritis - including osteoarthritis, rheumatoid arthritis and gout - fibromyalgia, visceral pain, inflammatory skin disorders and skin injuries, complications associated with diabetes such as neuropathy, nephropathy, vasculopathy, retinopathy, cancer pain and inflammatory bowel disease.

Claims





1. Indole derivatives of formula (I)







(I)

wherein




R1 is hydrogen atom, halogen atom or C1-C4-alkoxy group;
R2 is hydrogen atom, halogen atom, C1-C4-alkyl group or cyano group;
R3 is selected from (1) -COOR; (2) -CN; (3) -CONRaRb;




(4)  ; (5)  ; (6)  ; (7)  ;




(8)  ; (9)  ; (10)  and (11) 




R4 is hydrogen atom or halogen atom;
R5 is hydrogen atom or C1-C4-alkyl group;
R6 is selected from




(1) C3-C6-cycloalkyl;
(2) optionally substituted five- or six-membered aromatic ring with two nitrogen atoms;
(3) optionally substituted pyridyl;
(4) optionally substituted five-membered aromatic ring with one heteroatom selected from O or S;
(5)-CF3; (6) -CH2-CF3; (7) -CH2-CH2-C=CH; (8) -CH2-CH2-CH(CH3)2 ;




(9) ; (10) ; (11) ;

(12) ; (13) ; (14) ;


(15) ; (16) ; (17) ;

(18) ; (19) ; (20) ;

(21) ; (22) ; (23) ;

(24) ; (25) ; (26) 

and

(27) ;

X is -CH- or nitrogen atom;
R is C1-C4 alkyl group;
Ra and Rb are independently from each other hydrogen atom; C1-C4 alkyl group or pyrrolidin-1-yl group;
Rc is hydrogen atom; C1-C4 alkyl or C1-C4 alkoxy group;
Rd is hydrogen atom; C1-C4 alkyl or C3-C6 cycloalkyl group;
Re and Rf are independently from each other hydrogen atom; halogen atom; C1-C4 alkoxy; -CF3; -CN or -NH2 group;

and optical antipodes or racemates and/or salts thereof.

2. A compound of Claim 1 selected from the group of

1-(2,2,2-Trifluoro-acetylamino)-cyclopropanecarboxylic acid 4-[3-chloro-2-(2-methyl-2H-tetrazol-5-yl)-indol-1-yl]-benzylamide
3-Methoxy-isoxazole-5-carboxylic acid (1-{4-[3-chloro-2-(2-methyl-2H-tetrazol-5-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-amide
3-Methoxy-isoxazole-5-carboxylic acid (1-{4-[2-(2-methyl-2H-tetrazol-5-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-amide
1-(2,2,2-Trifluoro-acetylamino)-cyclopropanecarboxylic acid 4-[3-chloro-2-(2-methyl-2H-tetrazol-5-yl)-indol-1-yl]-2-fluorobenzylamide
3-Methoxy-N-[1-({4-[3-chloro-2-(5-methyl-1,3,4-oxadiazol-2-yl)-1H-indol-1-yl]benzyl}carbamoyl)cyclopropyl]isoxazole-5-carboxamide
1-(2,2,2-Trifluoro-acetylamino)-cyclopropanecarboxylic acid 4-[3-chloro-2-(5-methyl-[1,3,4]oxadiazol-2-yl)-indol-1-yl]-benzylamide
3-Methoxy-isoxazole-5-carboxylic acid (1-{4-[3-chloro-2-(1-methyl-1H-tetrazol-5-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-amide
1-(2,2,2-Trifluoro-acetylamino)-cyclopropanecarboxylic acid 4-[3-chloro-2-(1-methyl-1H-tetrazol-5-yl)-indol-1-yl]-benzylamide
3-Methoxy-isoxazole-5-carboxylic acid (1-{4-[3-chloro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-amide
3-Chloro-1-[4-({[1-(2,2,2-trifluoro-acetylamino)-cyclopropanecarbonyl]-amino}-methyl)-phenyl]-1H-indole-2-carboxylic acid methyl ester
3-Chloro-1-{4-[({1-[(3-methoxy-isoxazole-5-carbonyl)-amino]-cyclopropanecarbonyl}-amino)-methyl]-phenyl}-1H-indole-2-carboxylic acid methyl ester
1-(2,2,2-Trifluoro-acetylamino)-cyclopropanecarboxylic acid 4-[3-chloro-5-fluoro-2-(2-methyl-2H-tetrazol-5-yl)-indol-1-yl]-benzylamide
3-Methoxy-isoxazole-5-carboxylic acid (1-{4-[3-chloro-5-fluoro-2-(2-methyl-2H-tetrazol-5-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-amide
1-{4-[({1-[(3-Methoxy-isoxazole-5-carbonyl)-amino]-cyclopropanecarbonyl}-amino)-methyl]-phenyl}-1H-indole-2-carboxylic acid methyl ester
3-Methoxy-isoxazole-5-carboxylic acid (1-{4-[3-chloro-2-(2-methyl-2H-tetrazol-5-yl)-indol-1-yl]-2-fluorobenzylcarbamoyl}-cyclopropyl)-amide
3-Methoxy-isoxazole-5-carboxylic acid (1-{4-[3-chloro-2-(1,3-oxazol-5-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-amide
1-(2,2,2-Trifluoro-acetylamino)-cyclopropanecarboxylic acid 4-[3,5-dichloro-2-(2-methyl-2H-tetrazol-5-yl)-indol-1-yl]-benzylamide
3-Methoxy-isoxazole-5-carboxylic acid (1-{4-[3,5-dichloro-2-(2-methyl-2H-tetrazol-5-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-amide
1-(2,2,2-Trifluoro-acetylamino)-cyclopropanecarboxylic acid 4-[3-chloro-5-fluoro-2-(2-methyl-2H-tetrazol-5-yl)-indol-1-yl]-2-fluoro-benzylamide
3-Methoxy-isoxazole-5-carboxylic acid (1-{4-[3-chloro-5fluoro-2-(2-methyl-2H-tetrazol-5-yl)-indol-1-yl]-2-fluoro-benzylcarbamoyl}-cyclopropyl)-amide

3-Methoxy-isoxazole-5-carboxylic acid (1-{4-[3-cyano-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-amide

1-(2,2,2-Trifluoro-acetylamino)-cyclopropanecarboxylic acid 4-[3,5-dichloro-2-(2-methyl-2H-tetrazol-5-yl)-indol-1-yl]-2-fluoro-benzylamide

1-(2,2,2-Trifluoro-acetylamino)-cyclopropanecarboxylic acid 4-[3-chloro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-benzylamide

5-Cyclopropyl-isoxazole-3-carboxylic acid (1-{4-[3-chloro-2-(2-methyl-2H-tetrazol-5-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-amide

5-Methyl-pyrazine-2-carboxylic acid (1-{4-[3-chloro-2-(2-methyl-2H-tetrazol-5-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-amide

5-Methyl-isoxazole-3-carboxylic acid (1-{4-[3-chloro-2-(2-methyl-2H-tetrazol-5-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-amide

2-Chloro-N-(1-{4-[3-chloro-2-(2-methyl-2H-tetrazol-5-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-nicotinamide

N-(1-{4-[3-chloro-2-(2-methyl-2H-tetrazol-5-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-2-fluoro-isonicotinamide

1-(3,3,3,-Trifluoro-propionylamino)-cyclopropanecarboxylic acid 4-[3-chloro-2-(2-methyl-2H-tetrazol-5-yl)-indol-1-yl]-benzylamide

N-(1-{4-[3-chloro-2-(2-methyl-2H-tetrazol-5-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-5-trifluoromethyl-nicotinamide

N-(1-{4-[3-chloro-2-(2-methyl-2H-tetrazol-5-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-3-fluoro-benzamide

3-Chloro-1-[4-(1-{[1-(2,2,2-trifluoro-acetylamino)-cyclopropanecarbonyl]-amino}-ethyl)-phenyl]-1H-indole-2-carboxylic acid methylamide

1-(2,2,2-Trifluoro-acetylamino)-cyclopropanecarboxylic acid (1-{4-[3-chloro-2-(pyrrolidine-1-carbonyl)-indol-1-yl]-phenyl}-ethyl)-amide

3-Chloro-1-{4-[({1-[(3-methoxy-isoxazole-5-carbonyl)-amino]-cyclopropanecarbonyl}-amino)-methyl]-phenyl}-1H-indole-2-carboxylic acid ethyl ester

3-Chloro-1-{4-[({1-[(3-methoxy-isoxazole-5-carbonyl)-amino]-cyclopropanecarbonyl}-amino)-methyl]-phenyl}-1H-indole-2-carboxylic acid dimethylamide

1-(2,2,2-Trifluoro-acetylamino)-cyclopropanecarboxylic acid 4-[2-(2-methyl-2H-tetrazol-5-yl)-indol-1-yl]-benzylamide

3-Methoxy-isoxazole-5-carboxylic acid (1-{4-[3-chloro-5-fluoro-2-(5-methyl-[1,3,4]oxadiazol-2-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-amide

3-Methoxy-isoxazole-5-carboxylic acid (1-{4-[3-chloro-2-(5-methyl-oxazol-2-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-amide

3-Methoxy-isoxazole-5-carboxylic acid {1-[4-(3-chloro-2-cyano-indol-1-yl)-benzylcarbamoyl]-cyclopropyl}-amide

(R)-1-(2,2,2-Trifluoro-acetylamino)-cyclopropanecarboxylic acid (1-{4-[3-chloro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-phenyl}-ethyl)-amide

(R)-3-Methoxy-isoxazole-5-carboxylic acid [1-(1-{4-[3-chloro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-phenyl}-ethylcarbamoyl)-cyclopropyl]-amide

3-Propyl-isoxazole-5-carboxylic acid (1-{4-[3-chloro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-amide

3-Methoxy-isoxazole-5-carboxylic acid {1-[4-(5-chloro-2-cyano-indol-1-yl)-benzylcarbamoyl]-cyclopropyl}-amide

N-{1-[4-(2-Cyano-5-methoxy-indol-1-yl)-benzylcarbamoyl]-cyclopropyl}-5-trifluoromethyl-nicotinamide

N-{1-[4-(2-Cyano-5-fluoro-indol-1-yl)-benzylcarbamoyl]-cyclopropyl}-5-trifluoromethyl-nicotinamide

N-(1-{4-[5-Fluoro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-5-trifluoromethyl-nicotinamide

3-Methoxy-isoxazole-5-carboxylic acid (1-{4-[5-fluoro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-amide

3-Methoxy-isoxazole-5-carboxylic acid {1-[4-(2-cyano-5-methoxy-indol-1-yl)-benzylcarbamoyl]-cyclopropyl}-amide

3-Methoxy-isoxazole-5-carboxylic acid {1-[4-(2-cyano-5-fluoro-indol-1-yl)-benzylcarbamoyl]-cyclopropyl}-amide

N-(1-{4-[3-Chloro-5-methoxy-2-(3-methyl-[1,2,4]oxadiazol-5-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-5-trifluoromethyl-nicotinamide

3-Methoxy-isoxazole-5-carboxylic acid (1-{4-[3-chloro-5-methoxy-2-(3-methyl-[1,2,4]oxadiazol-5-yl)-indol-1-

yl]-benzylcarbamoyl}-cyclopropyl)-amide
3-Methoxy-isoxazole-5-carboxylic acid {1-[4-(3-chloro-2-cyano-5-methoxy-indol-1-yl)-benzylcarbamoyl]-cyclopropyl}-amide
3-Methoxy-isoxazole-5-carboxylic acid (1-{4-[5-chloro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-amide
3-Chloro-1-[3-fluoro-4-({[1-(2,2,2-trifluoro-acetylamino)-cyclopropanecarbonyl]-amino}-methyl)-phenyl]-1H-indole-2-carboxylic acid methyl ester
3-Chloro-1-{3-fluoro-4-[({1-[(3-methoxy-isoxazole-5-carbonyl)-amino]-cyclopropanecarbonyl}-amino)-methyl]-phenyl}-1H-indole-2-carboxylic acid methyl ester
3-Methoxy-isoxazole-5-carboxylic acid [1-({5-[2-(3-methyl-[1,2,4]oxadiazol-5-yl)-indol-1-yl]-pyridin-2-ylmethyl}-carbamoyl)-cyclopropyl]-amide
3-Methoxy-isoxazole-5-carboxylic acid [1-({5-[2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-pyridin-2-ylmethyl}-carbamoyl)-cyclopropyl]-amide
3-Methoxy-isoxazole-5-carboxylic acid [1-({5-[3-chloro-2-(3-methyl-[1,2,4]oxadiazol-5-yl)-indol-1-yl]-pyridin-2-ylmethyl}-carbamoyl)-cyclopropyl]-amide
3-Methoxy-isoxazole-5-carboxylic acid [1-({5-[3-chloro-5-fluoro-2-(2-methyl-2H-tetrazol-5-yl)-indol-1-yl]-pyridin-2-ylmethyl}-carbamoyl)-cyclopropyl]-amide
3-Methoxy-isoxazole-5-carboxylic acid [1-({5-[3-chloro-2-(2-methyl-2H-tetrazol-5-yl)-indol-1-yl]-pyridin-2-ylmethyl}-carbamoyl)-cyclopropyl]-amide
3-Methoxy-isoxazole-5-carboxylic acid [1-({5-[5-fluoro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-pyridin-2-ylmethyl}-carbamoyl)-cyclopropyl]-amide
3-Methoxy-isoxazole-5-carboxylic acid [1-({5-[3-chloro-5-fluoro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-pyridin-2-ylmethyl}-carbamoyl)-cyclopropyl]-amide
1-(2,2,2-Trifluoro-acetylamino)-cyclopropanecarboxylic acid 4-[3-chloro-5-methoxy-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-benzylamide
3-Methoxy-isoxazole-5-carboxylic acid (1-{4-[3-chloro-5-methoxy-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-amide
1-(2,2,2-Trifluoro-acetylamino)-cyclopropanecarboxylic acid 4-[3,5-dichloro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-benzylamide
3-Methoxy-isoxazole-5-carboxylic acid (1-{4-[3,5-dichloro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-amide
3-Methoxy-isoxazole-5-carboxylic acid (1-{4-[3-chloro-5-fluoro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-amide
3-Chloro-4-fluoro-1-{4-[({1-[(3-methoxy-isoxazole-5-carbonyl)-amino]-cyclopropanecarbonyl}-amino)-methyl]-phenyl}-1H-indole-2-carboxylic acid methyl ester
3-Chloro-4-fluoro-1-[4-({[1-(2,2,2-trifluoro-acetylamino)-cyclopropanecarbonyl]-amino}-methyl)-phenyl]-1H-indole-2-carboxylic acid methyl ester
2-Chloro-N-(1-{4-[3,5-dichloro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-benzylcarbamoyl} -cyclopropyl)-nicotinamide
N-(1-{4-[3,5-Dichloro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-benzylcarbamoyl} -cyclopropyl)-3-fluoro-benzamide
5-Methyl-pyrazine-2-carboxylic acid (1-{4-[3,5-dichloro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-amide
5-Methyl-isoxazole-3-carboxylic acid (1-{4-[3,5-dichloro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-amide
N-(1-{4-[3,5-Dichloro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-benzylcarbamoyl} -cyclopropyl)-2-fluoro-isonicotinamide
5-Cyclopropyl-isoxazole-3-carboxylic acid (1-{4-[3,5-dichloro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-amide
N-(1-{4-[3,5-Dichloro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-5-trifluoromethyl-nicotinamide
2-Methylsulfanyl-pyrimidine-5-carboxylic acid (1-{4-[3-chloro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-amide
1-(3,3,3-Trifluoro-propionylamino)-cyclopropanecarboxylic acid 4-[5-methoxy-2-(3-methyl-[1,2,4]oxadiazol-5-yl)-indol-1-yl]-benzylamide
N-(1-{4-[5-Methoxy-2-(3-methyl-[1,2,4]oxadiazol-5-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-5-trifluoromethyl-nicotinamide
3-Methoxy-isoxazole-5-carboxylic acid (1-{4-[5-methoxy-2-(3-methyl-[1,2,4]oxadiazol-5-yl)-indol-1-yl]-benzyl-

carbamoyl}-cyclopropyl)-amide
1-(3,3,3-Trifluoro-propionylamino)-cyclopropanecarboxylic acid 4-[2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-benzylamide
N-(1-{4-[2-(5-Methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-5-trifluoromethyl-nicotinamide
N-(1-{4-[2-(3-Methyl-[1,2,4]oxadiazol-5-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-5-trifluoromethyl-nicotinamide
N-{1-[4-(2-Cyano-indol-1-yl)-benzylcarbamoyl]-cyclopropyl}-5-trifluoromethyl-nicotinamide
2-Chloro-N-(1-{4-[3-chloro-5-fluoro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-nicotinamide
N-(1-{4-[3-Chloro-5-fluoro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-3-fluoro-benzamide
5-Methyl-pyrazine-2-carboxylic acid (1-{4-[3-chloro-5-fluoro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-amide
5-Methyl-isoxazole-3-carboxylic acid (1-{4-[3-chloro-5-fluoro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-amide
N-(1-{4-[3-Chloro-5-fluoro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-2-fluoro-isonicotinamide
5-Cyclopropyl-isoxazole-3-carboxylic acid (1-{4-[3-chloro-5-fluoro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-amide
N-(1-{4-[3-Chloro-5-fluoro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-5-trifluoromethyl-nicotinamide
N-(1-{4-[3-Chloro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-2-fluoro-3-trifluoromethyl-benzamide
N-(1-{4-[3-Chloro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-3-fluoro-4-trifluoromethyl-benzamide
N-(1-{4-[3-Chloro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-3-fluoro-5-trifluoromethyl-benzamide
N-(1-{4-[3-Chloro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-2-fluoro-nicotinamide
N-(1-{4-[3-Chloro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-2-fluoro-5-trifluoromethyl-benzamide
N-(1-{4-[3-Chloro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-3-fluoro-isonicotinamide
N-(1-{4-[3-Chloro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-4-fluoro-3-trifluoromethyl-benzamide
N-(1-{4-[3-Chloro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-6-fluoro-nicotinamide
N-{1-[4-(5-Chloro-2-cyano-indol-1-yl)-benzylcarbamoyl]-cyclopropyl}-5-trifluoromethyl-nicotinamide
1-(3,3,3-Trifluoro-propionylamino)-cyclopropanecarboxylic acid 4-[5-fluoro-2-(3-methyl-[1,2,4]oxadiazol-5-yl)-indol-1-yl]-benzylamide
N-(1-{4-[5-Fluoro-2-(3-methyl-[1,2,4]oxadiazol-5-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-5-trifluoromethyl-nicotinamide
3-Methoxy-isoxazole-5-carboxylic acid (1-{4-[5-fluoro-2-(3-methyl-[1,2,4]oxadiazol-5-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-amide
2-Chloro-N-(1-{4-[3-chloro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-2-fluoro-benzylcarbamoyl}-cyclopropyl)-nicotinamide
N-(1-{4-[3-Chloro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-2-fluoro-benzylcarbamoyl} -cyclopropyl)-3-fluoro-benzamide
5-Methyl-pyrazine-2-carboxylic acid (1-{4-[3-chloro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-2-fluoro-benzylcarbamoyl}-cyclopropyl)-amide
5-Methyl-isoxazole-3-carboxylic acid (1-{4-[3-chloro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-2-fluoro-benzylcarbamoyl}-cyclopropyl)-amide
1-(3,3,3-Trifluoro-propionylamino)-cyclopropanecarboxylic acid 4-[3-chloro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-2-fluoro-benzylamide
N-(1-{4-[3-Chloro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-2-fluoro-benzylcarbamoyl}-cyclopropyl)-2-fluoro-isonicotinamide
5-Cyclopropyl-isoxazole-3-carboxylic acid (1-{4-[3-chloro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-2-

fluoro-benzylcarbamoyl}-cyclopropyl)-amide
N-(1-{4-[3-Chloro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-2-fluoro-benzylcarbamoyl}-cyclopropyl)-5-trifluoromethyl-nicotinamide
1-(3,3,3-Trifluoro-propionylamino)-cyclopropanecarboxylic acid 4-[3-chloro-2-(3-methyl-[1,2,4]oxadiazol-5-yl)-indol-1-yl]-benzylamide
N-(1-{4-[3-Chloro-2-(3-methyl-[1,2,4]oxadiazol-5-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-2-fluoro-isonicotinamide
5-Cyclopropyl-isoxazole-3-carboxylic acid (1-{4-[3-chloro-2-(3-methyl-[1,2,4]oxadiazol-5-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-amide
N-(1-{4-[3-Chloro-2-(3-methyl-[1,2,4]oxadiazol-5-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-5-trifluoromethyl-nicotinamide
2-Fluoro-N-(1-{4-[5-methoxy-2-(3-methyl-[1,2,4]oxadiazol-5-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-nicotinamide
N-(1-{4-[3-Chloro-5-fluoro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-2-fluoro-nicotinamide
N-(1-{4-[3-Chloro-5-methoxy-2-(3-methyl-[1,2,4]oxadiazol-5-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-2-fluoro-nicotinamide
N-(1-{4-[3-Chloro-2-(2-methyl-2H-tetrazol-5-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-2-fluoro-nicotinamide
2-Fluoro-N-(1-{4-[5-fluoro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-nicotinamide
1-Methyl-1H-pyrazole-4-carboxylic acid (1-{4-[3-chloro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-amide
2-Oxo-imidazolidine-4-carboxylic acid (1-{4-[3-chloro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-amide
3-Ethyl-isoxazole-5-carboxylic acid (1-{4-[3-chloro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-amide
1-(3,3,3-Trifluoro-propionylamino)-cyclopropanecarboxylic acid 4-[5-methoxy-2-(5-methyl-[1,3,4]oxadiazol-2-yl)-indol-1-yl]-benzylamide
N-(1-{4-[5-Methoxy-2-(5-methyl-[1,3,4]oxadiazol-2-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-5-trifluoromethyl-nicotinamide
3-Methoxy-isoxazole-5-carboxylic acid (1-{4-[5-methoxy-2-(5-methyl-[1,3,4]oxadiazol-2-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-amide
1-(3,3,3-Trifluoro-propionylamino)-cyclopropanecarboxylic acid 4-[5-chloro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-benzylamide
N-(1-{4-[5-Chloro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-5-trifluoromethyl-nicotinamide
5-Methyl-pyrazine-2-carboxylic acid (1-{4-[3-chloro-5-methoxy-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-amide
N-(1-{4-[3-Chloro-5-methoxy-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-benzylcarbamoyl}-cyc1opropyl)-5-trifluoromethyl-nicotinamide
5-Methyl-pyrazine-2-carboxylic acid (1-{2-fluoro-4-[5-fluoro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-amide
N-(1-{2-Fluoro-4-[5-fluoro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-5-trifluoromethyl-nicotinamide
3-Methoxy-isoxazole-5-carboxylic acid (1-{2-fluoro-4-[5-fluoro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-amide
Isoxazole-5-carboxylic acid (1-{4-[3-chloro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl] -benzylcarbamoyl}-cyclopropyl)-amide
5-Methyl-isoxazole-3-carboxylic acid (1-{4-[3-chloro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-amide
Tetrahydro-furan-2-carboxylic acid (1-{4-[3-chloro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-amide
Furan-3-carboxylic acid (1-{4-[3-chloro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-amide
2-Methyl-cyclopropanecarboxylic acid (1-{4-[3-chloro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-amide
1-Pent-4-ynoylamino-cyclopropanecarboxylic acid 4-[3-chloro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-

yl]-benzylamide
1-(4-Methyl-pentanoylamino)-cyclopropanecarboxylic acid 4-[3-chloro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-benzylamide
1H-Pyrazole-4-carboxylic acid (1-{4-[3-chloro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-amide
1-Cyano-cyclopropanecarboxylic acid (1-{4-[3-chloro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-amide
Cyclobutanecarboxylic acid (1-{4-[3-chloro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl] -benzylcarbamoyl}-cyclopropyl)-amide
Cyclopentanecarboxylic acid (1-{4-[3-chloro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-amide
Furan-2-carboxylic acid (1-{4-[3-chloro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-amide
N-(1-{4-[3-Chloro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-3-cyano-benzamide
1-(2-Thiophen-3-yl-acetylamino)-cyclopropanecarboxylic acid 4-[3-chloro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-benzylamide
1,5-Dimethyl-1H-pyrazole-3-carboxylic acid (1-{4-[3-chloro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-amide
4-Methyl-thiazole-5-carboxylic acid (1-{4-[3-chloro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-amide
2,4-Dimethyl-thiazole-5-carboxylic acid (1-{4-[3-chloro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-amide
1-(2-Acetylamino-3-hydroxy-propionylamino)-cyclopropanecarboxylic acid 4-[3-chloro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-benzylamide
5-Methyl-1H-pyrazole-3-carboxylic acid (1-{4-[3-chloro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-amide
2-Chloro-N-(1-{4-[3-chloro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-nicotinamide
N-(1-{4-[3-Chloro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-6-methyl-nicotinamide
N-(1-{4-[3-Chloro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-2-methyl-nicotinamide
2-Chloro-N-(1-{4-[3-chloro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-6-methyl-nicotinamide
6-Bromo-pyridine-2-carboxylic acid (1-{4-[3-chloro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-amide
N-(1-{4-[3-Chloro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-nicotinamide
Quinoline-3-carboxylic acid (1-{4-[3-chloro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-amide
6-Oxo-1,6-dihydro-pyridine-3-carboxylic acid (1-{4-[3-chloro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-amide
5-Methyl-pyrazine-2-carboxylic acid (1-{4-[3-chloro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-amide
6-Oxo-1,6-dihydro-pyridine-2-carboxylic acid (1-{4-[3-chloro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-amide
1-(3,3,3-Trifluoro-propionylamino)-cyclopropanecarboxylic acid 4-[3-chloro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-benzylamide
N-(1-{4-[3-Chloro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-2-fluoro-isonicotinamide
5-Cyclopropyl-isoxazole-3-carboxylic acid (1-{4-[3-chloro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-amide
Pyrimidine-5-carboxylic acid (1-{4-[3-chloro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl] -benzylcarbamoyl}-cyclopropyl)-amide
Thiophene-3-carboxylic acid (1-{4-[3-chloro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-amide
5-Oxo-pyrrolidine-2-carboxylic acid (1-{4-[3-chloro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-amide

1-(3-Furan-3-yl-acryloylamino)-cyclopropanecarboxylic acid 4-[3-chloro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-benzylamide

N-(1-{4-[3-Chloro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-4-cyano-benzamide

1-(3-Furan-2-yl-acryloylamino)-cyclopropanecarboxylic acid 4-[3-chloro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-benzylamide

Thiophene-2-carboxylic acid (1-{4-[3-chloro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-amide

5-Methylsulfanyl-thiophene-2-carboxylic acid (1-{4-[3-chloro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-amide

[1,2,3]Thiadiazole-4-carboxylic acid (1-{4-[3-chloro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-amide

N-(1-{4-[3-Chloro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-3-methoxy-benzamide

N-(1-{4-[3-Chloro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-3-iodo-benzamide

N-(1-{4-[3-Chloro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-3-trifluoromethyl-benzamide

N-(1-{4-[3-Chloro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-3-fluoro-benzamide

N-(1-{4-[3-Chloro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-3-methyl-benzamide

N-(1-{4-[3-Chloro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-5-trifluoromethyl-nicotinamide

3-Methyl-isoxazole-4-carboxylic acid (1-{4-[3-chloro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-amide

Quinoline-3-carboxylic acid (1-{4-[3-chloro-2-(5-methyl-[1,3,4]oxadiazol-2-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-amide

1-(3,3,3-Trifluoro-propionylamino)-cyclopropanecarboxylic acid 4-[3-chloro-2-(5-methyl-[1,3,4]oxadiazol-2-yl)-indol-1-yl]-benzylamide

Pyrimidine-5-carboxylic acid (1-{4-[3-chloro-2-(5-methyl-[1,3,4]oxadiazol-2-yl)-indol-1-yl] -benzylcarbamoyl}-cyclopropyl)-amide

2-Methyl-pyrimidine-5-carboxylic acid (1-{4-[3-chloro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-amide

3-Amino-N-(1-{4-[3-chloro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-benzamide hydrochloride

3-Chloro-1-[4-({[1-(2,2,2-trifluoro-acetylamino)-cyclopropanecarbonyl]-amino}-methyl)-phenyl]-1H-indole-2-carboxylic acid amide

3-Chloro-1-{4-[({1-[(3-methoxy-isoxazole-5-carbonyl)-amino]-cyclopropanecarbonyl}-amino)-methyl]-phenyl}-1H-indole-2-carboxylic acid amide

1-(2,2,2-Trifluoro-acetylamino)-cyclopropanecarboxylic acid 4-[3-chloro-5-fluoro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-benzylamide

1-(2,2,2-Trifluoro-acetylamino)-cyclopropanecarboxylic acid ((R)-1-{4-[3-chloro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-2-fluoro-phenyl}-ethyl)-amide

3-Methoxy-isoxazole-5-carboxylic acid [1-((R)-1-{4-[3-chloro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-2-fluoro-phenyl}-ethylcarbamoyl)-cyclopropyl]-amide

3-Methoxy-isoxazole-5-carboxylic acid (1-{4-[3-chloro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-2-fluoro-benzylcarbamoyl}-cyclopropyl)-amide

3-Methoxy-isoxazole-5-carboxylic acid (1-{4-[3-chloro-2-(3-methyl-[1,2,4]oxadiazol-5-yl)-indol-1-yl]-benzylcarbamoyl} -cyclopropyl)-amide

1-(2,2,2-Trifluoro-acetylamino)-cyclopropanecarboxylic acid 4-[3-chloro-2-(3-methyl-[1,2,4]oxadiazol-5-yl)-indol-1-yl]-benzylamide

3-Methoxy-isoxazole-5-carboxylic acid (1-{4-[2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-benzylcarbamoyl} -cyclopropyl)-amide


3-Methoxy-isoxazole-5-carboxylic acid (1-{4-[2-(3-methyl-[1,2,4]oxadiazol-5-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-amide

3-Methoxy-isoxazole-5-carboxylic acid (1-{4-[3-chloro-5-fluoro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-2-fluoro-benzylcarbamoyl}-cyclopropyl)-amide

3-Methoxy-isoxazole-5-carboxylic acid (1-{4-[3,5-difluoro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-benzyl-carbamoyl}-cyclopropyl)-amide
1-(2,2,2-Trifluoro-acetylamino)-cyclopropanecarboxylic acid 4-[3,5-difluoro-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-benzylamide
3-Methoxy-isoxazole-5-carboxylic acid (1-{4-[5-fluoro-3-methyl-2-(5-methyl-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-amide and
3-Methoxy-isoxazole-5-carboxylic acid (1-{4-[3-chloro-2-(4-methyl-5-oxo-4,5-dihydro-[1,2,4]oxadiazol-3-yl)-indol-1-yl]-benzylcarbamoyl}-cyclopropyl)-amide and optical antipodes or racemates and/or salts thereof.


3. Process for preparing the compounds of formula (I) as claimed in Claim 1 **characterized by**

a) reacting an indole derivative of formula (II)




(II)

- wherein the meaning of R1, R2 and R3 is as described for the formula (I) in Claim 1 - with a boronic acid of formula (III)




(III)

- wherein the meaning of R4 and R5 is as described for the formula (I) in Claim 1 - then the so obtained indole derivative of formula (IV)




(IV)

- wherein the meaning of R1, R2, R3, R4 and R5 is as described for the formula (I) in Claim 1 - is deprotected to yield an amine derivative of formula (V)



(V)


- wherein the meaning of R1, R2, R3, R4 and R5 is as described for the formula (I) in Claim 1 - finally the latter is reacted with an acid derivative of formula (VI)



(VI)


- wherein the meaning of R6 is as described for the formula (I) in Claim 1; or

b) reacting an indole derivative of formula (II)




(II)

- wherein the meaning of R1, R2 and R3 is as described for the formula (I) in Claim 1 - with a boronic acid of formula (VII)




(VII)

then the so obtained indole derivative of formula (VIII)




(VIII)

- wherein the meaning of R1, R2 and R3 is as described for the formula (I) in Claim 1 - is reacted with hydroxylamine hydrochloride to yield the indole derivative of formula (IX)




(IX)

- wherein the meaning of R1, R2 and R3 is as described for the formula (I) in Claim 1 - the latter is hydrogenated to furnish an amine derivative of formula (X)



(X)


- wherein the meaning of R1, R2 and R3 is as described for the formula (I) in Claim 1 - finally the latter is reacted with an acid derivative of formula (VI)



(VI)


- wherein the meaning of R6 is as described for the formula (I) in Claim 1; or

c) reacting the amine derivatives of formula (V) or formula (X) - obtained according to the method described in method a) and method b) - with the amino acid derivative of formula (XI)




(XI)

and the so obtained indole derivative of formula (XII)




(XII)

- wherein the meaning of R1, R2, R3, R4 and R5 is as described for the formula (I) in Claim 1 - is deprotected to yield an amine derivative of formula (XIII)



(XIII)

- wherein the meaning of R1, R2, R3, R4 and R5 is as described for the formula (I) in Claim 1 - finally the latter is reacted with an acid derivative of formula (XIV)



(XIV)

- wherein the meaning of R6 is as described for the formula (I) in Claim 1; and optionally an indole derivative of formula (I) obtained in process a) or b) or c) and optical antipodes or racemates and/or salts thereof can be transformed into an other compound of formula (I) and optical antipodes or racemates and/or salts thereof by introducing new substituents and/or modifying or removing the existing ones.

4. A pharmaceutical composition comprising a therapeutically effective amount of a compound of formula (I) as claimed in Claim 1 and optical antipodes or racemates and/or salts thereof as active ingredients and pharmaceutically acceptable auxiliary materials.

5. Process for manufacturing pharmaceutical composition having selective bradykinin B1 receptor antagonist effect **characterized by** mixing a therapeutically effective amount of a compound of formula (I) as claimed in Claim 1 and optical antipodes or racemates and/or salts thereof as active ingredients and auxiliary materials.

6. A compound of formula (I) as claimed in Claim 1 and optical antipodes or racemates and/or salt thereof for use as selective bradykinin B1 receptor antagonist.

7. A compound of formula (I) as claimed in Claim 1 and optical antipodes or racemates and/or salts thereof for use in the treatment or prevention of disorders associated with bradykinin B1 receptor activity.

8. A compound in accordance with claim 7 wherein disorder is selected from the group of pain and inflammation, including somatic musculo-skeletal pain, low-back pain, repetitive motion disorders, myofascial pain syndrome, arthritis - including osteoarthritis, rheumatoid arthritis and gout - fibromyalgia, visceral pain, inflammatory skin disorders and skin injuries, complications associated with diabetes such as neuropathy, nephropathy, vasculopathy, retinopathy, cancer pain and inflammatory bowel disease.

9. Use of a compound of formula (I) as claimed in Claim 1 or optical antipodes or racemates or pharmaceutically acceptable salt or hydrate or solvate thereof for the manufacture of a medicament for prevention and/or treatment of a condition which requires inhibition of a bradykinin receptor.

10. Use according to Claim 9 wherein the bradykinin receptor is bradykinin B1 receptor.