

1
R
A(A2)
H
W
W
A(A4)
3
3
D
D
S
K
W
A(A1)
A(A3)
3
3
D
D
W
13
D
10
11
CONTROL UNIT
12
STORAGE DEVICE
2

Fig.1

Fig.2



FIRST AIRSPEED THRESHOLD F1
SECOND AIRSPEED THRESHOLD F2
SECOND AREA
FIRST AREA
THIRD AREA
FOURTH AREA
B
TEMPERATURE [°C]
AIRSPEED [m/s]
MAXIMUM TEMPERATURE T1 (V1)

Fig.3



START
STORE THERMAL COMFORT RANGE
S11
STORE FIRST AIRSPEED THRESHOLD
S12
CALCULATE MAXIMUM TEMPERATURE
S13
CALCULATE SECOND AIRSPEED THRESHOLD
S14
CONTROL TEMPERATURE CONTROL DEVICE AND AIRFLOW CONTROL DEVICE
S15
END

Fig.4



START
STORE THERMAL COMFORT RANGE
S21
STORE FIRST AIRSPEED THRESHOLD
S22
CALCULATE MINIMUM TEMPERATURE
S23
CALCULATE SECOND AIRSPEED THRESHOLD
S24
CONTROL TEMPERATURE CONTROL DEVICE AND AIRFLOW CONTROL DEVICE
S25
END

Fig.5

