

DRAWINGS

Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8




Fig. 9




Fig. 10





Fig. 11

Fig. 12




Fig. 13





Fig. 14

Fig. 15




Fig. 16





Fig. 17

Fig. 18




Fig. 19






Fig. 20

(A)



(B)



(C)





Fig. 21

(A)



(B)





Fig. 22

(A)



(B)






Fig. 23

(A)



(B)



(C)







Fig. 24*Fig. 25*

Fig. 26

(A)



(B)




Fig. 27




Fig. 28






Fig. 29

Fig. 30


*Fig. 31*200

Fig. 33




Fig. 34




Fig. 35




Fig. 36




Fig. 37

Direction in which two disposed fingers are arranged
(Direction of main dimension of finger rest)



*Fig. 38*

Fig. 39




Fig. 40








Fig. 41*Fig. 42*

Fig. 43

(A) Comparative example 1 ("No" nose rest)



(B) Comparative example 2 ("No" nose rest)



(C) Comparative example 3 ("No" nose rest)






Fig. 44

(A) Example 1 (Nose rest: "Provided")



(B) Example 2 (Nose rest: "Provided")



(C) Example 3 (Nose rest: "Provided")





Fig. 45

Fig. 46




Fig. 47

