


CLAIMS

1. A compound of Formula (I):



5

wherein:

A is CH or N;

E is O or is absent;

R is (a) a bicyclic heteroaryl comprising one or more heteroatom ring members
 10 independently selected from N, S or O, wherein said bicyclic heteroaryl is
 unsubstituted or is substituted with one or more substituents selected from
 the group consisting of deuterium, amino, alkylamino, dialkylamino, alkyl,
 halo, cyano, haloalkyl, hydroxy, hydroxyalkyl, and alkoxy; and wherein
 one or more N ring members of said bicyclic heteroaryl is optionally an N-
 15 oxide; or

(b) a five- or six-membered nitrogen-linked heterocycloalkyl ring fused to a
 phenyl or monocyclic heteroaryl, wherein said phenyl or heteroaryl is
 unsubstituted or is substituted with one or more substituent selected from
 the group consisting of deuterium, amino, alkylamino, dialkylamino, alkyl,
 20 halo, cyano, haloalkyl, hydroxy, hydroxyalkyl, and alkoxy;

R¹ is (1) R^m or -alkylenyl-R^m, where R^m is cycloalkyl, heterocycloalkyl, phenyl, or
 monocyclic heteroaryl;
 wherein each of said cycloalkyl, heterocycloalkyl, phenyl, and heteroaryl
 is unsubstituted or is substituted with one or more substituents R^x;
 25 wherein each R^x substituent is independently selected from the group
 consisting of: deuterium, halo, hydroxy, hydroxyalkyl, cyano,
 -NR^aR^b, -alkylenyl-NR^aR^b, oxo, alkyl, cyanoalkyl, haloalkyl,
 alkoxy, -S-alkyl, haloalkoxy, alkoxyalkyl-, alkenyl, alkynyl,
 -C(O)alkyl, -C(O)alkyl-O-alkyl, -CO₂alkyl, -CO₂H, -CONH₂,

- C(O)NH(alkyl), -C(O)NH(haloalkyl), -C(O)N(alkyl)₂,
 -C(O)NH(cycloalkyl), arylalkyl-, arylalkoxy-, aryloxy-, cycloalkyl-,
 cycloalkyloxy, (cycloalkyl)alkyl, heterocycloalkyl, aryl,
 (heterocycloalkyl)alkyl-, (heterocycloalkyl)alkoxy-,
 5 -C(O)cycloalkyl, -C(O)heterocycloalkyl, heteroaryl,
 (heteroaryl)alkyl-, -S(O)-alkyl, -SO₂-alkyl, -SO₂-aryl, -SO₂-
 fluoroalkyl, -N(R^c)-C(O)-alkyl, -N(R^c)-C(O)-aryl, -N(R^c)-CO₂-
 alkyl, -SO₂NH₂, -SO₂NH(alkyl), -SO₂N(alkyl)₂,
 -SO₂NH(cycloalkyl), and -N(H)(SO₂alkyl), or two adjacent R^x
 10 substituents on a phenyl or heteroaryl R^m groups taken together
 form methylenedioxy,
 wherein each of said cycloalkyl, heterocycloalkyl, aryl, and
 heteroaryl within R^x is unsubstituted or is substituted with one
 or more substituents independently selected from the group
 15 consisting of deuterium, alkyl, halo, hydroxy, cyano, alkoxy,
 amino, -C(O)alkyl, and -CO₂alkyl;
 wherein R^a and R^b are each independently H, alkyl, alkoxy,
 alkoxyalkyl, cyanoalkyl, or haloalkyl; and
 R^c is H, alkyl or arylalkyl-;
 20 (2) alkyl unsubstituted or substituted with one or more substituents selected
 from the group consisting of deuterium, halo, hydroxy, cyano, alkoxy,
 haloalkoxy, -NR^sR^t, -C(O)alkyl, CO₂alkyl, -CO₂H, -CONR^sR^t, -SOalkyl,
 -SO₂alkyl, and -SO₂NR^sR^t;
 where R^s and R^t are each independently H, alkyl, alkoxyalkyl, haloalkyl,
 25 -C(O)alkyl, or -CO₂alkyl; or
 (3) -N(Rⁿ)R^o;
 wherein Rⁿ is H, R^m, -alkylenyl-R^m, hydroxyalkyl, cyanoalkyl,
 alkoxyalkyl, haloalkyl, -CONR^hRⁱ, or -C(O)Rⁱ;
 where R^m is as defined in (1) above;
 30 R^h and Rⁱ are each independently H or alkyl, or R^h and Rⁱ taken
 together with the nitrogen to which they are attached form a

monocyclic heterocycloalkyl; and

R^1 is an alkyl unsubstituted or substituted with one or more substituents selected from the group consisting of: deuterium, halo, amino, hydroxy, alkoxy, cycloalkyl, heteroaryl, phenyl, and heterocycloalkyl, or a cycloalkyl, heterocycloalkyl, phenyl, or heteroaryl, each unsubstituted or substituted with one or more substituents selected from the group consisting of: deuterium, alkyl, halo, amino, hydroxy, and alkoxy; and

R^o is H or R^1 ;

10 R^2 and R^3 are each independently selected from the group consisting of H and deuterium:

wherein the compound of Formula I is not 1H-pyrrolo[3,2-c]pyridine-2-carboxylic acid (5-benzenesulfonyl-pyridin-2-ylmethyl)amide; or a pharmaceutically acceptable salt thereof.

15

2. The compound of claim 1, wherein A is CH.

3. The compound of claim 1, wherein A is N.


20 4. The compound of claim 1, wherein E is O.

5. The compound of claim 1, wherein E is absent.

25 6. The compound of claim 1, wherein R is an unsubstituted or substituted bicyclic heteroaryl.

7. The compound of claim 1, wherein R is an unsubstituted or substituted 8- or 9-membered heteroaryl.


30 8. The compound of claim 1, wherein R is:



each unsubstituted or substituted as in claim 1.

9. The compound of claim 1, wherein R is a five- or six-membered nitrogen-linked heterocycloalkyl ring fused to an unsubstituted or substituted phenyl or monocyclic heteroaryl.

10. The compound of claim 1, wherein R is



11. The compound of claim 1, wherein R^1 is R^m .

12. The compound of claim 1, wherein R^1 is -alkylenyl- R^m .

13. The compound of claim 1, wherein R^m is cycloalkyl, unsubstituted or substituted as in claim 1.

14. The compound of claim 1, wherein R^m is a heterocycloalkyl, unsubstituted or substituted as in claim 1.

15. The compound of claim 14, wherein the heterocycloalkyl is substituted with an alkyl, -C(O)alkyl, or monocyclic heterocycloalkyl group.

16. The compound of claim 1, wherein R^m is phenyl or a monocyclic heteroaryl, each unsubstituted or substituted as in claim 1.
- 5 17. The compound of claim 1, wherein R^m is phenyl, pyridinyl, pyrazolyl, pyrimidinyl, thiazolyl, or pyrazinyl, each unsubstituted or substituted as in claim 1.
18. The compound of claim 1, wherein the R^m group is substituted with one or more R^x substituents each independently selected from the group consisting of:
- 10 fluoro, chloro, bromo, hydroxy, hydroxymethyl, hydroxyethyl, cyano, amino, di(alkyl)amino, alkylamino, monofluoroalkyl, trifluoroalkyl, methoxy, ethoxy, trifluoromethoxy, acetyl, propionyl, butyryl, methoxycarbonyl, ethoxycarbonyl, tert-butoxycarbonyl, carboxyl, methylsulfonyl, ethylsulfonyl, trifluoromethylsulfonyl, methylamido, ethylamido, oxetanyl, pyrrolidinyl, tetrahydrofuranyl, piperidinyl,
- 15 tetrahydropyranyl, morpholinyl, piperazinyl, pyridinyl, imidazolyl, pyrrolyl, pyrimidinyl, and phenyl, each substituted or unsubstituted as in claim 1.
19. The compound of claim 1, wherein the R^m group is substituted with 1, 2, or 3 R^x substituents each independently selected from the group consisting of: fluoro,
- 20 trifluoromethyl, trifluoromethoxy, morpholinyl, 4-methyl-piperazinyl, piperidinyl, methoxy, cyano, acetyl, ethylamido, methylsulfonyl, ethylsulfonyl, cyano, chloro, dimethylamino, methyl, ethyl, propyl, isopropyl, isobutyl, butyryl, oxetanyl, tetrahydropyranyl, pyrrolidinyl, and 1-(3-oxetanyl)-piperidin-4-yl.
- 25 20. The compound of claim 1, wherein R^1 is an alkyl, unsubstituted or substituted with one or more substituents selected from the group consisting of halo, hydroxy, cyano, alkoxy, trifluoroalkyl, trifluoroalkoxy, amino, methylamino, dimethylamino, acetyl, methoxycarbonyl, amido, and methylsulfonyl.
- 30 21. The compound of claim 1, wherein R^1 is $-N(R^n)R^o$, and R^n is R^m or -alkylenyl- R^m .









22. The compound of claim 21, wherein R^n is hydroxyalkyl, cyanoalkyl, alkoxyalkyl, haloalkyl, $-\text{CONR}^h\text{R}^i$, or $-\text{C(O)}\text{R}^j$, where R^h and R^i are each independently H or alkyl, and R^j is hydroxymethyl, cycloalkyl, piperidinyl, or phenyl.







5








23. The compound of claim 1, wherein both R^2 and R^3 are H.









24. A compound selected from the group consisting of:









	1H-Pyrazolo[3,4-b]pyridine-5-carboxylic acid [5-(3,5-difluorobenzenesulfonyl)pyridin-2-ylmethyl]-amide;
	Imidazo[1,2-a]pyrimidine-6-carboxylic acid [5-(3,5-difluorobenzenesulfonyl)pyridin-2-ylmethyl]-amide;
	1H-Pyrrolo[3,2-c]pyridine-2-carboxylic acid [5-(3,5-difluorobenzenesulfonyl)pyridin-2-ylmethyl]-amide;
	Imidazo[1,2-a]pyridine-6-carboxylic acid [5-(3,5-difluorobenzenesulfonyl)pyridin-2-ylmethyl]-amide;
	Furo[2,3-c]pyridine-2-carboxylic acid [5-(3,5-difluorobenzenesulfonyl)pyridin-2-ylmethyl]-amide;
	1H-Pyrazolo[3,4-b]pyridine-5-carboxylic acid (5-benzenesulfonyl-pyrimidin-2-ylmethyl)-amide;

	1H-Pyrrolo[3,2-c]pyridine-2-carboxylic acid (5-benzenesulfonyl-pyrimidin-2-ylmethyl)-amide;
	Imidazo[1,2-a]pyridine-6-carboxylic acid (5-benzenesulfonyl-pyrimidin-2-ylmethyl)-amide;
	1H-Pyrrolo[3,2-c]pyridine-2-carboxylic acid [5-(3,5-difluoro-benzenesulfonyl)-pyridin-2-ylmethyl]-amide (racemic);
	Imidazo[1,2-a]pyridine-6-carboxylic acid [5-(3-trifluoromethyl-benzenesulfonyl)-pyridin-2-ylmethyl]-amide;
	Furo[2,3-c]pyridine-2-carboxylic acid (5-benzenesulfonyl-pyrimidin-2-ylmethyl)-amide;
	Imidazo[1,2-a]pyrimidine-6-carboxylic acid (5-benzenesulfonyl-pyrimidin-2-ylmethyl)-amide;
	Imidazo[1,2-a]pyridine-6-carboxylic acid [5-(3-trifluoromethoxy-benzenesulfonyl)-pyridin-2-ylmethyl]-amide;
	Imidazo[1,2-a]pyridine-6-carboxylic acid [5-(3,5-difluoro-benzenesulfonyl)-pyridin-2-ylmethyl]-amide (racemic);









	1H-Pyrazolo[3,4-b]pyridine-5-carboxylic acid [5-(3,5-difluorobenzenesulfonyl)-pyridin-2-ylmethyl]-amide (racemic);
	1H-Pyrazolo[3,4-b]pyridine-5-carboxylic acid [5-(3-trifluoromethylbenzenesulfonyl)-pyridin-2-ylmethyl]-amide;
	1H-Pyrrolo[3,2-c]pyridine-2-carboxylic acid [5-(3-trifluoromethylbenzenesulfonyl)-pyridin-2-ylmethyl]-amide;
	Imidazo[1,2-a]pyrimidine-6-carboxylic acid [5-(3-trifluoromethylbenzenesulfonyl)-pyridin-2-ylmethyl]-amide;
	1H-Pyrazolo[3,4-b]pyridine-5-carboxylic acid [5-(3-trifluoromethoxybenzenesulfonyl)-pyridin-2-ylmethyl]-amide;
	Imidazo[1,2-a]pyrimidine-6-carboxylic acid [5-(3-trifluoromethoxybenzenesulfonyl)-pyridin-2-ylmethyl]-amide;

	1H-Pyrrolo[3,2-c]pyridine-2-carboxylic acid [5-(3-trifluoromethoxy-benzenesulfonyl)-pyridin-2-ylmethyl]-amide;
	Furo[2,3-c]pyridine-2-carboxylic acid [5-(3-trifluoromethyl-benzenesulfonyl)-pyridin-2-ylmethyl]-amide;
	Furo[2,3-c]pyridine-2-carboxylic acid [5-(3-trifluoromethoxy-benzenesulfonyl)-pyridin-2-ylmethyl]-amide;
	Imidazo[1,2-a]pyrimidine-6-carboxylic acid [5-(3,5-difluoro-benzenesulfonyl)-pyridin-2-ylmethyl]-amide (racemic);
	Furo[2,3-c]pyridine-2-carboxylic acid [5-(3,5-difluoro-benzenesulfonyl)-pyridin-2-ylmethyl]-amide (racemic);
	Furo[2,3-c]pyridine-2-carboxylic acid [5-(piperidine-4-sulfonyl)-pyridin-2-ylmethyl]-amide;
	Imidazo[1,2-a]pyridine-6-carboxylic acid [5-(piperidine-4-sulfonyl)-pyridin-2-ylmethyl]-amide;








	Furo[2,3-c]pyridine-2-carboxylic acid [5-(3,5-difluorobenzenesulfonyl)-pyridin-2-ylmethyl]-amide (stereoisomer 1);
	Furo[2,3-c]pyridine-2-carboxylic acid [5-(3,5-difluorobenzenesulfonyl)-pyridin-2-ylmethyl]-amide (stereoisomer 2);
	Imidazo[1,2-a]pyridine-6-carboxylic acid [5-(4-morpholin-4-ylbenzenesulfonyl)-pyridin-2-ylmethyl]-amide;
	1H-Pyrazolo[3,4-b]pyridine-5-carboxylic acid [5-(4-morpholin-4-ylbenzenesulfonyl)-pyridin-2-ylmethyl]-amide;
	Furo[2,3-c]pyridine-2-carboxylic acid [5-(3-methoxybenzenesulfonyl)-pyridin-2-ylmethyl]-amide;
	Imidazo[1,2-a]pyrimidine-6-carboxylic acid [5-(3-methoxybenzenesulfonyl)-pyridin-2-ylmethyl]-amide;
	1H-Pyrazolo[3,4-b]pyridine-5-carboxylic acid [5-(3-methoxybenzenesulfonyl)-pyridin-2-ylmethyl]-amide;
	Imidazo[1,2-a]pyridine-6-carboxylic acid [5-(6-morpholin-4-ylpyridine-3-sulfonyl)-pyridin-2-ylmethyl]-amide;









	Imidazo[1,2-a]pyridine-6-carboxylic acid [5-(1-methyl-1H-pyrazole-4-sulfonyl)-pyridin-2-ylmethyl]-amide;
	Furo[2,3-c]pyridine-2-carboxylic acid [5-(4-morpholin-4-yl-benzenesulfonyl)-pyridin-2-ylmethyl]-amide;
	Imidazo[1,2-a]pyrimidine-6-carboxylic acid [5-(4-morpholin-4-yl-benzenesulfonyl)-pyridin-2-ylmethyl]-amide;
	Thieno[2,3-c]pyridine-2-carboxylic acid [5-(4-morpholin-4-yl-benzenesulfonyl)-pyridin-2-ylmethyl]-amide;
	Thieno[2,3-c]pyridine-2-carboxylic acid [5-(1-methyl-1H-pyrazole-4-sulfonyl)-pyridin-2-ylmethyl]-amide;
	1H-Pyrazolo[3,4-b]pyridine-5-carboxylic acid [5-(6-morpholin-4-yl-pyridine-3-sulfonyl)-pyridin-2-ylmethyl]-amide;
	1H-Pyrrolo[3,2-c]pyridine-2-carboxylic acid [5-(1-(tetrahydro-pyran-4-yl)-piperidine-4-sulfonyl)-pyridin-2-ylmethyl]-amide;
	Imidazo[1,2-a]pyridine-6-carboxylic acid [5-(1-propyl-1H-pyrazole-4-sulfonyl)-pyridin-2-ylmethyl]-amide;

	Imidazo[1,2-a]pyridine-6-carboxylic acid [5-(1-isopropyl-1H-pyrazole-4-sulfonyl)-pyridin-2-ylmethyl]-amide;
	Thieno[2,3-c]pyridine-2-carboxylic acid [5-(1-isopropyl-1H-pyrazole-4-sulfonyl)-pyridin-2-ylmethyl]-amide;
	Imidazo[1,2-a]pyridine-6-carboxylic acid {5-[6-(4-methyl-piperazin-1-yl)-pyridine-3-sulfonyl]-pyridin-2-ylmethyl}-amide;
	Imidazo[1,2-a]pyrimidine-6-carboxylic acid {5-[6-(4-methyl-piperazin-1-yl)-pyridine-3-sulfonyl]-pyridin-2-ylmethyl}-amide;
	Imidazo[1,2-a]pyrimidine-6-carboxylic acid {5-[4-(4-methyl-piperazin-1-yl)-benzenesulfonyl]-pyridin-2-ylmethyl}-amide;
	1,3-Dihydro-pyrrolo[3,4-c]pyridine-2-carboxylic acid [5-(3-trifluoromethyl-benzenesulfonyl)-pyridin-2-ylmethyl]-amide;








	1,3-Dihydro-pyrrolo[3,4-c]pyridine-2-carboxylic acid [5-(3-(trifluoromethoxy)benzenesulfonyl)-pyridin-2-ylmethyl]-amide;
	Furo[2,3-c]pyridine-2-carboxylic acid [5-(tetrahydropyran-4-sulfonyl)-pyridin-2-ylmethyl]-amide;
	Furo[2,3-c]pyridine-2-carboxylic acid [5-(6-morpholin-4-yl-pyridine-3-sulfonyl)-pyridin-2-ylmethyl]-amide;
	Thieno[2,3-c]pyridine-2-carboxylic acid [5-(tetrahydropyran-4-sulfonyl)-pyridin-2-ylmethyl]-amide;
	Thieno[2,3-c]pyridine-2-carboxylic acid [5-(6-morpholin-4-yl-pyridine-3-sulfonyl)-pyridin-2-ylmethyl]-amide;
	Imidazo[1,2-a]pyridine-6-carboxylic acid [5-(3,5-difluorobenzenesulfonyl)-pyridin-2-ylmethyl]-amide (racemic);
	Thieno[2,3-c]pyridine-2-carboxylic acid [5-(1-oxetan-3-yl-piperidine-4-sulfonyl)-pyridin-2-ylmethyl]-amide;
	2-Amino-5,7-dihydro-pyrrolo[3,4-d]pyrimidine-6-carboxylic acid (5-benzenesulfonyl-pyridin-2-ylmethyl)-amide;

	Imidazo[1,2-a]pyridine-6-carboxylic acid [5-(3,5-difluorobenzenesulfonyl)-pyridin-2-ylmethyl]-amide (racemic);
	1,3-Dihydro-pyrrolo[3,4-c]pyridine-2-carboxylic acid (5-cyclohexanesulfonyl)-pyridin-2-ylmethyl)-amide;
	Imidazo[1,2-a]pyridine-6-carboxylic acid [5-(tetrahydropyran-4-sulfonyl)-pyridin-2-ylmethyl]-amide;
	Furo[2,3-c]pyridine-2-carboxylic acid [5-(1-propyl-1H-pyrazole-4-sulfonyl)-pyridin-2-ylmethyl]-amide;
	Furo[2,3-c]pyridine-2-carboxylic acid [5-(1-isopropyl-1H-pyrazole-4-sulfonyl)-pyridin-2-ylmethyl]-amide;
	Furo[2,3-c]pyridine-2-carboxylic acid [5-(1-methyl-1H-pyrazole-4-sulfonyl)-pyridin-2-ylmethyl]-amide;
	Thieno[2,3-c]pyridine-2-carboxylic acid [5-(3,4-dimethoxybenzenesulfonyl)-pyridin-2-ylmethyl]-amide;
	Imidazo[1,2-a]pyridine-6-carboxylic acid [5-(3,4-dimethoxybenzenesulfonyl)-pyridin-2-ylmethyl]-amide;

	Furo[2,3-c]pyridine-2-carboxylic acid [5-(3,4-dimethoxy-benzenesulfonyl)-pyridin-2-ylmethyl]-amide;
	Furo[2,3-c]pyridine-2-carboxylic acid [5-(6-dimethylamino-pyridine-3-sulfonyl)-pyridin-2-ylmethyl]-amide;
	1H-Pyrazolo[3,4-b]pyridine-5-carboxylic acid {5-[6-(4-methyl-piperazin-1-yl)-pyridine-3-sulfonyl]-pyridin-2-ylmethyl}-amide;
	Imidazo[1,2-a]pyrimidine-6-carboxylic acid [5-(6-dimethylamino-pyridine-3-sulfonyl)-pyridin-2-ylmethyl]-amide;
	1H-Pyrazolo[3,4-b]pyridine-5-carboxylic acid [5-(3,4-dimethoxy-benzenesulfonyl)-pyridin-2-ylmethyl]-amide;
	Imidazo[1,2-a]pyridine-6-carboxylic acid [5-(1-oxetan-3-yl-piperidine-4-sulfonyl)-pyridin-2-ylmethyl]-amide;
	Furo[2,3-c]pyridine-2-carboxylic acid {5-[4-(4-methyl-piperazin-1-yl)-benzenesulfonyl]-pyridin-2-ylmethyl}-amide;








	1,3-Dihydro-pyrrolo[3,4-c]pyridine-2-carboxylic acid [5-(3,5-difluoro-benzenesulfonyl)-pyridin-2-ylmethyl]-amide;
	Imidazo[1,2-a]pyridine-6-carboxylic acid [5-(2-dimethylamino-thiazole-5-sulfonyl)-pyridin-2-ylmethyl]-amide;
	Thieno[2,3-c]pyridine-2-carboxylic acid [5-(2-dimethylamino-thiazole-5-sulfonyl)-pyridin-2-ylmethyl]-amide;
	Thieno[2,3-c]pyridine-2-carboxylic acid [5-(1-propyl-1H-pyrazole-4-sulfonyl)-pyridin-2-ylmethyl]-amide;
	Imidazo[1,2-a]pyridine-6-carboxylic acid [5-(3-trifluoromethyl-benzenesulfonyl)-pyrimidin-2-ylmethyl]-amide;
	Thieno[2,3-c]pyridine-2-carboxylic acid [5-(6-trifluoromethyl-pyridine-3-sulfonyl)-pyridin-2-ylmethyl]-amide;
	Furo[2,3-c]pyridine-2-carboxylic acid [5-(6-trifluoromethyl-pyridine-3-sulfonyl)-pyridin-2-ylmethyl]-amide;
	1,3-Dihydro-pyrrolo[3,4-c]pyridine-2-carboxylic acid [5-(1-isopropyl-1H-pyrazole-4-sulfonyl)-pyridin-2-ylmethyl]-amide;

	Furo[2,3-c]pyridine-2-carboxylic acid [5-(3-trifluoromethyl-benzenesulfonyl)-pyrimidin-2-ylmethyl]-amide;
	Imidazo[1,2-a]pyridine-6-carboxylic acid [5-(6-trifluoromethyl-pyridine-3-sulfonyl)-pyridin-2-ylmethyl]-amide;
	Imidazo[1,2-a]pyridine-6-carboxylic acid [5-(6-dimethylamino-pyridine-3-sulfonyl)-pyridin-2-ylmethyl]-amide;
	1H-Pyrazolo[3,4-b]pyridine-5-carboxylic acid [5-(6-dimethylamino-pyridine-3-sulfonyl)-pyridin-2-ylmethyl]-amide;
	1H-Pyrazolo[3,4-b]pyridine-5-carboxylic acid [5-(3-fluoro-5-morpholin-4-yl-benzenesulfonyl)-pyridin-2-ylmethyl]-amide;
	2-Amino-5,7-dihydro-pyrrolo[3,4-d]pyrimidine-6-carboxylic acid [5-(3,5-difluoro-benzenesulfonyl)-pyridin-2-ylmethyl]-amide;
	Furo[2,3-c]pyridine-2-carboxylic acid [5-(3-trifluoromethyl-benzenesulfonyl)-pyridin-2-ylmethyl]-amide (racemic);
	Furo[2,3-c]pyridine-2-carboxylic acid [5-(3-fluoro-5-morpholin-4-yl-benzenesulfonyl)-pyridin-2-ylmethyl]-amide;

	1,3-Dihydro-pyrrolo[3,4-c]pyridine-2-carboxylic acid [5-(3-(trifluoromethoxy)benzenesulfonyl)-pyridin-2-ylmethyl]-amide (racemic);
	Furo[2,3-c]pyridine-2-carboxylic acid [5-(3-(trifluoromethoxy)benzenesulfonyl)-pyridin-2-ylmethyl]-amide (racemic);
	Furo[2,3-c]pyridine-2-carboxylic acid [5-(4-pyrrolidin-1-yl-piperidine-1-sulfonyl)-pyridin-2-ylmethyl]-amide;
	Imidazo[1,2-a]pyridine-6-carboxylic acid [5-(6-methylpyridine-3-sulfonyl)-pyridin-2-ylmethyl]-amide;
	Furo[2,3-c]pyridine-2-carboxylic acid [5-(2-dimethylamino-thiazole-5-sulfonyl)-pyridin-2-ylmethyl]-amide;
	Furo[2,3-c]pyridine-2-carboxylic acid [5-(6-methylpyridine-3-sulfonyl)-pyridin-2-ylmethyl]-amide;
	Thieno[2,3-c]pyridine-2-carboxylic acid [5-(6-methylpyridine-3-sulfonyl)-pyridin-2-ylmethyl]-amide;
	Imidazo[1,2-a]pyridine-6-carboxylic acid [5-(3-ethanesulfonylbenzenesulfonyl)-pyridin-2-ylmethyl]-amide;

	1,3-Dihydro-pyrrolo[3,4-c]pyridine-2-carboxylic acid [5-(4-morpholin-4-yl-benzenesulfonyl)-pyridin-2-ylmethyl]-amide;
	1,3-Dihydro-pyrrolo[3,4-c]pyridine-2-carboxylic acid [5-(2-dimethylamino-thiazole-5-sulfonyl)-pyridin-2-ylmethyl]-amide;
	1,3-Dihydro-pyrrolo[3,4-c]pyridine-2-carboxylic acid [5-(1-methyl-1H-pyrazole-4-sulfonyl)-pyridin-2-ylmethyl]-amide;
	1,3-Dihydro-pyrrolo[3,4-c]pyridine-2-carboxylic acid [5-(3-fluoro-benzenesulfonyl)-pyridin-2-ylmethyl]-amide;
	Imidazo[1,2-a]pyridine-6-carboxylic acid [5-(3-trifluoromethoxy-benzenesulfonyl)-pyridin-2-ylmethyl]-amide (racemic);
	Furo[2,3-c]pyridine-2-carboxylic acid [5-(1-isobutyl-piperidine-4-sulfonyl)-pyridin-2-ylmethyl]-amide (racemic);
	Furo[2,3-c]pyridine-2-carboxylic acid [5-(1-oxetan-3-yl-piperidine-4-sulfonyl)-pyridin-2-ylmethyl]-amide;
	1,3-Dihydro-pyrrolo[3,4-c]pyridine-2-carboxylic acid [5-(1-oxetan-3-yl-piperidine-4-sulfonyl)-pyridin-2-ylmethyl]-amide;







	Furo[2,3-c]pyridine-2-carboxylic acid {5-[1-(tetrahydro-pyran-4-yl)-piperidine-4-sulfonyl]-pyridin-2-ylmethyl}-amide;
	1H-Pyrazolo[3,4-b]pyridine-5-carboxylic acid [5-(3-ethanesulfonyl-benzenesulfonyl)-pyridin-2-ylmethyl]-amide;
	1H-Pyrazolo[3,4-b]pyridine-5-carboxylic acid [5-(6-trifluoromethyl-pyridine-3-sulfonyl)-pyridin-2-ylmethyl]-amide;
	1,3-Dihydro-pyrrolo[3,4-c]pyridine-2-carboxylic acid [5-(1-butyl-piperidine-4-sulfonyl)-pyridin-2-ylmethyl]-amide;
	N-[[5-(3-ethylsulfonylphenyl)sulfonyl-2-pyridyl]methyl]furo[2,3-c]pyridine-2-carboxamide;
	N-[[5-[(6-amino-3-pyridyl)sulfonyl]-2-pyridyl]methyl]furo[2,3-c]pyridine-2-carboxamide;
	N-[[5-[[1-(2,2,2-trifluoroethyl)-4-piperidyl]sulfonyl]-2-pyridyl]methyl]imidazo[1,2-a]pyrimidine-6-carboxamide;
	N-[[5-(3,5-dimethoxyphenyl)sulfonyl-2-pyridyl]methyl]furo[2,3-c]pyridine-2-carboxamide;
	N-[[5-[[6-(4-methylpiperazin-1-yl)-3-pyridyl]sulfonyl]-2-pyridyl]methyl]furo[2,3-c]pyridine-2-carboxamide;

	N-[[5-(3-ethylsulfonylphenyl)sulfonyl]-2-pyridyl]methyl]-1,3-dihydropyrrolo[3,4-c]pyridine-2-carboxamide;
	N-[[5-(3-ethylsulfonylphenyl)sulfonyl]-2-pyridyl]methyl]furo[2,3-c]pyridine-2-carboxamide;
	N-[[5-(3,5-difluorophenyl)sulfonyl]-2-pyridyl]methyl]-1,3-dihydropyrrolo[3,4-c]pyridine-2-carboxamide;
	N-[[5-[(6-amino-3-pyridyl)sulfonyl]-2-pyridyl]methyl]furo[2,3-c]pyridine-2-carboxamide;
	N-[[5-[[1-(2,2,2-trifluoroethyl)-4-piperidyl]sulfonyl]-2-pyridyl]methyl]furo[2,3-c]pyridine-2-carboxamide;
	N-[[5-[(1-tetrahydropyran-4-yl)-4-piperidyl]sulfonyl]-2-pyridyl]methyl]-1,3-dihydropyrrolo[3,4-c]pyridine-2-carboxamide;
	N-[[5-[3-(trifluoromethyl)phenyl]sulfonyl]-2-pyridyl]methyl]-1,3-dihydropyrrolo[3,4-c]pyridine-2-carboxamide;









	N-[[5-[[1-(2-methoxyacetyl)-4-piperidyl]sulfonyl]-2-pyridyl]methyl]-1,3-dihydropyrrolo[3,4-c]pyridine-2-carboxamide;
	N-[[5-[[1-(2-methoxyacetyl)-4-piperidyl]sulfonyl]-2-pyridyl]methyl]furo[2,3-c]pyridine-2-carboxamide;
	N-[[5-(3-morpholinophenyl)sulfonyl]-2-pyridyl]methyl]furo[2,3-c]pyridine-2-carboxamide;
	N-[[5-(3-methylsulfonylphenyl)sulfonyl]-2-pyridyl]methyl]furo[2,3-c]pyridine-2-carboxamide;
	N-[[5-[(6-morpholino-3-pyridyl)sulfonyl]-2-pyridyl]methyl]-1,3-dihydropyrrolo[3,4-c]pyridine-2-carboxamide;
	N-[[5-(4-tetrahydropyran-4-ylpiperazin-1-yl)sulfonyl]-2-pyridyl]methyl]-1,3-dihydropyrrolo[3,4-c]pyridine-2-carboxamide;
	N-[[5-(4-tetrahydropyran-4-ylpiperazin-1-yl)sulfonyl]-2-pyridyl]methyl]furo[2,3-c]pyridine-2-carboxamide;

	N-[[5-[(1-tetrahydrofuran-3-yl)-4-piperidyl)sulfonyl]-2-pyridyl)methyl]furo[2,3-c]pyridine-2-carboxamide;
	N-[[5-[(1-tetrahydrofuran-3-yl)-4-piperidyl)sulfonyl]-2-pyridyl)methyl]-1,3-dihydropyrrolo[3,4-c]pyridine-2-carboxamide;
	N-[[5-[(1-butanoyl)-4-piperidyl)sulfonyl]-2-pyridyl)methyl]furo[2,3-c]pyridine-2-carboxamide;
	N-[[5-[[1-(2,2,2-trifluoroethyl)-4-piperidyl]sulfonyl]-2-pyridyl)methyl]furo[2,3-c]pyridine-2-carboxamide;
	N-[[5-[[1-(2,2,2-trifluoroethyl)-4-piperidyl]sulfonyl]-2-pyridyl)methyl]imidazo[1,2-a]pyrimidine-6-carboxamide;
	N-[[5-(3,5-dimethoxyphenyl)sulfonyl]-2-pyridyl)methyl]furo[2,3-c]pyridine-2-carboxamide;
	N-[[5-(3-methylsulfonylphenyl)sulfonyl]-2-pyridyl)methyl]-1H-pyrazolo[3,4-b]pyridine-5-carboxamide;

	<p>N-[[5-[[6-(4-methylpiperazin-1-yl)-3-pyridyl]sulfonyl]-2-pyridyl]methyl]furo[2,3-c]pyridine-2-carboxamide;</p>
	<p>N-[[5-(3-ethylsulfonylphenyl)sulfonyl]-2-pyridyl]methyl]-1,3-dihydropyrrolo[3,4-c]pyridine-2-carboxamide;</p>
	<p>N-[[5-(3-methylsulfonylphenyl)sulfonyl]-2-pyridyl]methyl]imidazo[1,2-a]pyridine-6-carboxamide;</p>
	<p>N-[[5-(2-pyrrolidin-1-ylthiazol-5-yl)sulfonyl]-2-pyridyl]methyl]furo[2,3-c]pyridine-2-carboxamide;</p>
	<p>N-[[5-(3,5-dimethoxyphenyl)sulfonyl]-2-pyridyl]methyl]-1H-pyrazolo[3,4-b]pyridine-5-carboxamide;</p>
	<p>N-[[5-(1-propylpyrazol-4-yl)sulfonyl]-2-pyridyl]methyl]-1,3-dihydropyrrolo[3,4-c]pyridine-2-carboxamide;</p>
	<p>N-[[5-[4-(oxetan-3-yl)piperazin-1-yl]sulfonyl]-2-pyridyl]methyl]furo[2,3-c]pyridine-2-carboxamide;</p>

	N-[[5-[4-(oxetan-3-yl)sulfonyl-2-pyridyl]methyl]-1,3-dihydropyrrolo[3,4-c]pyridine-2-carboxamide;
	N-[[5-[[1-(2,2,2-trifluoroethyl)-4-piperidyl]sulfonyl]-2-pyridyl]methyl]-1,3-dihydropyrrolo[3,4-c]pyridine-2-carboxamide;
	N-[[5-(3-fluoro-5-methoxyphenyl)sulfonyl-2-pyridyl]methyl]-1H-pyrazolo[3,4-b]pyridine-5-carboxamide;
	N-[[5-[2-[ethyl(methyl)amino]thiazol-5-yl]sulfonyl-2-pyridyl]methyl]imidazo[1,2-a]pyridine-6-carboxamide;
	N-[[5-[2-[ethyl(methyl)amino]thiazol-5-yl]sulfonyl-2-pyridyl]methyl]furo[2,3-c]pyridine-2-carboxamide;
	N-[[5-[2-[ethyl(methyl)amino]thiazol-5-yl]sulfonyl-2-pyridyl]methyl]-1,3-dihydropyrrolo[3,4-c]pyridine-2-carboxamide;





	<p>N-[[5-[(4-pyrrolidin-1-yl)-1-piperidyl]sulfonyl]-2-pyridyl]methyl]-1,3-dihydropyrrolo[3,4-c]pyridine-2-carboxamide;</p>
	<p>N-[[5-[(4-pyrrolidin-1-yl)-1-piperidyl]sulfonyl]-2-pyridyl]methyl]-1H-pyrazolo[3,4-b]pyridine-5-carboxamide;</p>
	<p>N-[[5-[(6-amino-3-pyridyl) sulfonyl]-2-pyridyl]methyl]-1,3-dihydropyrrolo[3,4-c]pyridine-2-carboxamide;</p>
	<p>N-[[5-(3-cyanophenyl)sulfonyl]-2-pyridyl]methyl]furo[2,3-c]pyridine-2-carboxamide;</p>
	<p>N-[[5-[[1-(2,2,2-trifluoroethyl)-4-piperidyl]sulfonyl]-2-pyridyl]methyl]imidazo[1,2-a]pyridine-6-carboxamide;</p>
	<p>N-[[5-[[1-(2,2,2-trifluoroethyl)-4-piperidyl]sulfonyl]-2-pyridyl]methyl]-1H-pyrazolo[3,4-b]pyridine-5-carboxamide;</p>

	N-[[5-(3-morpholinophenyl)sulfonyl]-2-pyridyl]methyl]imidazo[1,2-a]pyridine-6-carboxamide;
	N-[[5-(3-cyanophenyl)sulfonyl]-2-pyridyl]methyl]imidazo[1,2-a]pyridine-6-carboxamide;
	N-[[5-(3-cyanophenyl)sulfonyl]-2-pyridyl]methyl]-1H-pyrazolo[3,4-b]pyridine-5-carboxamide;
	N-[[5-(3-morpholinophenyl)sulfonyl]-2-pyridyl]methyl]-1H-pyrazolo[3,4-b]pyridine-5-carboxamide;
	N-[[5-(3-cyanophenyl)sulfonyl]-2-pyridyl]methyl]-1,3-dihydropyrrolo[3,4-c]pyridine-2-carboxamide;
	N-[[5-(3,5-difluorophenyl)sulfonyl]-2-pyridyl]methyl]-1,3-dihydropyrrolo[3,4-c]pyridine-2-carboxamide (enantiomer 1);
	N-[[5-(3,5-difluorophenyl)sulfonyl]-2-pyridyl]methyl]-1,3-dihydropyrrolo[3,4-c]pyridine-2-carboxamide (enantiomer 2);
	N-[[5-[(1-tetrahydropyran-4-yl)-4-piperidyl]sulfonyl]-2-pyridyl]methyl]imidazo[1,2-a]pyridine-6-carboxamide;

	N-[[5-[(1-tetrahydropyran-4-yl)-4-piperidyl)sulfonyl]-2-pyridyl)methyl]-1H-pyrazolo[3,4-b]pyridine-5-carboxamide;
	N-[[5-[[5-(trifluoromethyl)-3-pyridyl)sulfonyl]-2-pyridyl)methyl]furo[2,3-c]pyridine-2-carboxamide;
	N-[[5-[(5-chloro-3-pyridyl)sulfonyl]-2-pyridyl)methyl]-1H-pyrazolo[3,4-b]pyridine-5-carboxamide;
	N-[[5-[[5-(trifluoromethyl)-3-pyridyl)sulfonyl]-2-pyridyl)methyl]-1H-pyrazolo[3,4-b]pyridine-5-carboxamide;
	N-[[5-[[1-(2,2,2-trifluoroethyl)-4-piperidyl)sulfonyl]-2-pyridyl)methyl]-1H-pyrrolo[3,2-c]pyridine-2-carboxamide;
	N-[[5-(2-morpholinopyrimidin-5-yl)sulfonyl]-2-pyridyl)methyl]imidazo[1,2-a]pyridine-6-carboxamide;
	N-[[5-[[5-(trifluoromethyl)-3-pyridyl)sulfonyl]-2-pyridyl)methyl]imidazo[1,2-a]pyridine-6-carboxamide;

	N-[[5-[(5-chloro-3-pyridyl)sulfonyl]-2-pyridyl]methyl]furo[2,3-c]pyridine-2-carboxamide;
	N-[[5-[[5-(trifluoromethyl)-3-pyridyl)sulfonyl]-2-pyridyl]methyl]-1,3-dihydropyrrolo[3,4-c]pyridine-2-carboxamide;
	N-[[5-(1-propylpyrazol-4-yl)sulfonyl]-2-pyridyl]methyl]-1H-pyrrolo[3,2-c]pyridine-2-carboxamide;
	N-[[5-[(1-isobutyl-4-piperidyl)sulfinyl]-2-pyridyl]methyl]imidazo[1,2-a]pyridine-6-carboxamide;
	N-[[5-[[1-(2,2,2-trifluoroethyl)-4-piperidyl]sulfinyl]-2-pyridyl]methyl]imidazo[1,2-a]pyridine-6-carboxamide;
	N-[[5-[(5-cyano-3-pyridyl)sulfonyl]-2-pyridyl]methyl]furo[2,3-c]pyridine-2-carboxamide;
	N-[[5-(1-isopropylpyrazol-4-yl)sulfonyl]-2-pyridyl]methyl]-1H-pyrrolo[3,2-c]pyridine-2-carboxamide;

	N-[[5-(1-ethylpyrazol-4-yl)sulfonyl-2-pyridyl]methyl]furo[2,3-c]pyridine-2-carboxamide;
	N-[[5-(1-ethylpyrazol-4-yl)sulfonyl-2-pyridyl]methyl]-1,3-dihydropyrrolo[3,4-c]pyridine-2-carboxamide;
	N-[[5-(benzenesulfonyl)-2-pyridyl]methyl]-4,6-dihydro-1H-pyrrolo[3,4-c]pyrazole-5-carboxamide;
	N-[[5-(benzenesulfonyl)-2-pyridyl]methyl]-1-methyl-4,6-dihydropyrrolo[3,4-c]pyrazole-5-carboxamide;
	N-[[5-(1-piperidylsulfonyl)-2-pyridyl]methyl]-4,6-dihydro-1H-pyrrolo[3,4-c]pyrazole-5-carboxamide;
	tert-butyl 4-[[6-[(imidazo[1,2-a]pyridine-6-carbonylamino)methyl]-3-pyridyl]sulfinyl]piperidine-1-carboxylate;
	N-[[5-(3,5-difluorophenyl)sulfonylpyrimidin-2-yl]methyl]furo[2,3-c]pyridine-2-carboxamide;
	N-[[5-(benzenesulfonyl)-2-pyridyl]methyl]furo[2,3-c]pyridine-2-carboxamide;

	N-[[5-(benzenesulfonyl)-2-pyridyl]methyl]imidazo[1,2-a]pyridine-6-carboxamide;
	N-[[5-(benzenesulfonyl)-2-pyridyl]methyl]imidazo[1,2-a]pyrimidine-6-carboxamide;
	N-[[5-(benzenesulfonyl)-2-pyridyl]methyl]thieno[2,3-c]pyridine-2-carboxamide; and
	N-[[5-(benzenesulfonyl)pyrimidin-2-yl]methyl]thieno[2,3-c]pyridine-2-carboxamide;

and pharmaceutically acceptable salts thereof, stereoisomers thereof, and pharmaceutically acceptable salts of stereoisomers thereof.

25. A pharmaceutical composition comprising: (a) an effective amount of at least one compound of claim 1; and (b) a pharmaceutically acceptable carrier.

26. The pharmaceutical composition of claim 25, further comprising therapeutically effective amounts of one or more additional adjunctive active agents.

27. The pharmaceutical composition of claim 26, wherein said one or more additional adjunctive active agents are selected from the group consisting of cytotoxic agent, cisplatin, doxorubicin, taxotere, taxol, etoposide, irinotecan, camptostar, topotecan, paclitaxel, docetaxel, the epothilones, tamoxifen, 5-fluorouracil, methotrexate, temozolomide, cyclophosphamide, SCH 66336, tipifarnib (Zarnestra[®]), R115777, L778,123, BMS 214662, Iressa[®], Tarceva[®], C225,

- GLEEVEC[®], intron[®], Peg-Intron[®], aromatase combinations, ara-C, adriamycin, cytoxan, gemcitabine, Uracil mustard, Chlormethine, Ifosfamide, Melphalan, Chlorambucil, Pipobroman, Triethylenemelamine, Triethylenethiophosphoramine, Busulfan, Carmustine, Lomustine, Streptozocin, Dacarbazine, Floxuridine,
- 5 Cytarabine, 6-Mercaptopurine, 6-Thioguanine, Fludarabine phosphate, oxaliplatin, leucovorin, oxaliplatin (ELOXATIN[®]), Pentostatine, Vinblastine, Vincristine, Vindesine, Bleomycin, Dactinomycin, Daunorubicin, Doxorubicin, Epirubicin, Idarubicin, Mithramycin[™], Deoxycoformycin, Mitomycin-C, L-Asparaginase, Teniposide 17 α -Ethinylestradiol, Diethylstilbestrol, Testosterone, Prednisone,
- 10 Fluoxymesterone, Dromostanolone propionate, Testolactone, Megestrol acetate, Methylprednisolone, Methyltestosterone, Prednisolone, Triamcinolone, Chlorotrianisene, Hydroxyprogesterone, Aminoglutethimide, Estramustine, Medroxyprogesteroneacetate, Leuprolide, Flutamide, Toremifene, goserelin, Carboplatin, Hydroxyurea, Amsacrine, Procarbazine, Mitotane,
- 15 Mitoxantrone, Levamisole, Navelbene, Anastrozole, Letrozole, Capecitabine, Reloxafine, Droloxafine, Hexamethylmelamine, Avastin, herceptin, Bexxar, Velcade, Zevalin, Trisenox, Xeloda, Vinorelbine, Porfimer, Erbitux, Liposomal, Thiotepa, Altretamine, Melphalan, Trastuzumab, Lerozole, Fulvestrant, Exemestane, Ifosfomide, Rituximab, C225, Campath, leucovorin, and dexamethasone,
- 20 bicalutamide, carboplatin, chlorambucil, cisplatin, letrozole, megestrol, valrubicin, vinblastine, and NIASPAN[®]

28. The pharmaceutical composition of claim 25 further comprising a rescuing agent.
- 25 29. The pharmaceutical composition of claim 28, wherein the rescuing agent is selected from the group consisting of nicotinamide, nicotinic acid, and nicotinamide mononucleotide (NMN).
- 30 30. A method of treating a subject suffering from or diagnosed with a disease or medical condition mediated by NAMPT activity, comprising administering to the

subject in need of such treatment an effective amount of at least one compound of claim 1.

31. The method of claim 30, wherein the disease or medical condition is a solid or liquid tumor, non-small cell lung cancer, leukemia, lymphoma, ovarian cancer, glioma, breast cancer, uterine cancer, colon cancer, cervical cancer, lung cancer, prostate cancer, skin cancer, rhino-gastric tumors, colorectal cancer, CNS cancer, bladder cancer, pancreatic cancer, Hodgkin's disease, rheumatoid arthritis, diabetes, atherosclerosis, sepsis, aging, inflammation.

32. The method of claim 30, further comprising administering to the subject an effective amount of at least one compound selected from the group consisting of: a cytotoxic agent, cisplatin, doxorubicin, taxotere, taxol, etoposide, irinotecan, camptostar, topotecan, paclitaxel, docetaxel, the epothilones, tamoxifen, 5-fluorouracil, methotrexate, temozolomide, cyclophosphamide, SCH 66336, tipifarnib (Zarnestra[®]), R115777, I.778.123, BMS 214662, Iressa[®], Tarceva[®], C225, GLEEVEC[®], intron[®], Peg-Intron[®], aromatase combinations, ara-C, adriamycin, cytoxan, gemcitabine, Uracil mustard, Chloromethine, Ifosfamide, Melphalan, Chlorambucil, Pipobroman, Triethylenemelamine, Triethylenethiophosphoramine, Busulfan, Carmustine, Lomustine, Streptozocin, Dacarbazine, Floxuridine, Cytarabine, 6-Mercaptopurine, 6-Thioguanine, Fludarabine phosphate, leucovirin, oxaliplatin (ELOXATIN[®]), Pentostatine, vincristine, Vindesine, Bleomycin, Dactinomycin, Daunorubicin, Doxorubicin, Epirubicin, Idarubicin, MithramycinTM, Deoxycoformycin, Mitomycin-C, L-Asparaginase, Teniposide 17 α -Ethinylestradiol, Diethylstilbestrol, Testosterone, Prednisone, Fluoxymesterone, Dromostanolone propionate, Testolactone, Megestrol acetate, Methylprednisolone, Methyltestosterone, Prednisolone, Triamcinolone, Chlorotrianisene, Hydroxyprogesterone, Aminoglutethimide, Estramustine, Medroxyprogesteroneacetate, Leuprolide, Flutamide, Toremifene, goserelin, Carboplatin, Hydroxyurea, Amsacrine, Procarbazine, Mitotane, Mitoxantrone, Levamisole, Navelbene, Anastrozole, Letrazole, Capecitabine, Reloxafine, Droloxafine, Hexamethylmelamine, Avastin,


herceptin, Bexxar, Velcade, Zevalin, Trisenox, Xeloda, Vinorelbine, Porfimer, Erbitux, Liposomal, Thiotepa, Altretamine, Melphalan, Trastuzumab, Lerozole, Fulvestrant, Exemestane, Ifosfomide, Rituximab, C225, Campath, leucovorin, dexamethasone, bicalutamide, chlorambucil, letrozole, megestrol, valrubicin, 5 vinblastine, and NIASPAN[®].

33. The method of claim 30 further comprising administering an effective amount of a rescuing agent.

10 34. The pharmaceutical composition of claim 33, wherein the rescuing agent is selected from the group consisting of nicotinamide, nicotinic acid, and nicotinamide mononucleotide (NMN).

CLAIMS

1. A compound of Formula (I):



wherein:

A is CH or N;

E is O or is absent;

R is (a) a bicyclic heteroaryl comprising one or more heteroatom ring members independently selected from N, S or O, wherein said bicyclic heteroaryl is unsubstituted or is substituted with one or more substituents selected from the group consisting of deuterium, amino, alkylamino, dialkylamino, alkyl, halo, cyano, haloalkyl, hydroxy, hydroxyalkyl, and alkoxy; and wherein one or more N ring members of said bicyclic heteroaryl is optionally an N-oxide; or

(b) a five- or six-membered nitrogen-linked heterocycloalkyl ring fused to a phenyl or monocyclic heteroaryl, wherein said phenyl or heteroaryl is unsubstituted or is substituted with one or more substituent selected from the group consisting of deuterium, amino, alkylamino, dialkylamino, alkyl, halo, cyano, haloalkyl, hydroxy, hydroxyalkyl, and alkoxy;

R¹ is (1) R^m or -alkylenyl-R^m, where R^m is cycloalkyl, heterocycloalkyl, phenyl, or monocyclic heteroaryl;

wherein each of said cycloalkyl, heterocycloalkyl, phenyl, and heteroaryl is unsubstituted or is substituted with one or more substituents R^x;

wherein each R^x substituent is independently selected from the group consisting of: deuterium, halo, hydroxy, hydroxyalkyl, cyano, -NR^aR^b, -alkylenyl-NR^aR^b, oxo, alkyl, cyanoalkyl, haloalkyl, alkoxy, -S-alkyl, haloalkoxy, alkoxyalkyl-, alkenyl, alkynyl, -C(O)alkyl, -C(O)alkyl-O-alkyl, -CO₂alkyl, -CO₂H, -CONH₂,

- C(O)NH(alkyl), -C(O)NH(haloalkyl), -C(O)N(alkyl)₂,
 -C(O)NH(cycloalkyl), arylalkyl-, arylalkoxy-, aryloxy-, cycloalkyl,
 cycloalkyloxy, (cycloalkyl)alkyl, heterocycloalkyl, aryl,
 (heterocycloalkyl)alkyl-, (heterocycloalkyl)alkoxy-,
 5 -C(O)cycloalkyl, -C(O)heterocycloalkyl, heteroaryl,
 (heteroaryl)alkyl-, -S(O)-alkyl, -SO₂-alkyl, -SO₂-aryl, -SO₂-
 fluoroalkyl, -N(R^c)-C(O)-alkyl, -N(R^c)-C(O)-aryl, -N(R^c)-CO₂-
 alkyl, -SO₂NH₂, -SO₂NH(alkyl), -SO₂N(alkyl)₂,
 -SO₂NH(cycloalkyl), and -N(H)(SO₂alkyl), or two adjacent R^x
 10 substituents on a phenyl or heteroaryl R^m groups taken together
 form methylenedioxy,
 wherein each of said cycloalkyl, heterocycloalkyl, aryl, and
 heteroaryl within R^x is unsubstituted or is substituted with one
 or more substituents independently selected from the group
 15 consisting of deuterium, alkyl, halo, hydroxy, cyano, alkoxy,
 amino, -C(O)alkyl, and -CO₂alkyl;
 wherein R^a and R^b are each independently H, alkyl, alkoxy,
 alkoxyalkyl, cyanoalkyl, or haloalkyl; and
 R^c is H, alkyl or arylalkyl-;
 20 (2) alkyl unsubstituted or substituted with one or more substituents selected
 from the group consisting of deuterium, halo, hydroxy, cyano, alkoxy,
 haloalkoxy, -NR^sR^t, -C(O)alkyl, CO₂alkyl, -CO₂H, -CONR^sR^t, -SOalkyl,
 -SO₂alkyl, and -SO₂NR^sR^t;
 where R^s and R^t are each independently H, alkyl, alkoxyalkyl, haloalkyl,
 25 -C(O)alkyl, or -CO₂alkyl; or
 (3) -N(Rⁿ)R^o;
 wherein Rⁿ is H, R^m, -alkylenyl-R^m, hydroxyalkyl, cyanoalkyl,
 alkoxyalkyl, haloalkyl, -CONR^hRⁱ, or -C(O)R^j;
 where R^m is as defined in (1) above;
 30 R^h and Rⁱ are each independently H or alkyl, or R^h and Rⁱ taken
 together with the nitrogen to which they are attached form a

monocyclic heterocycloalkyl; and

R^j is an alkyl unsubstituted or substituted with one or more substituents selected from the group consisting of: deuterium, halo, amino, hydroxy, alkoxy, cycloalkyl, heteroaryl, phenyl, and heterocycloalkyl; or a cycloalkyl, heterocycloalkyl, phenyl, or heteroaryl, each unsubstituted or substituted with one or more substituents selected from the group consisting of: deuterium, alkyl, halo, amino, hydroxy, and alkoxy; and


R^o is H or R^i ;

- 10 R^2 and R^3 are each independently selected from the group consisting of H and deuterium;

wherein the compound of Formula I is not 1H-pyrrolo[3,2-c]pyridine-2-carboxylic acid (5-benzenesulfonyl-pyridin-2-ylmethyl)-amide; or a pharmaceutically acceptable salt thereof.


15

2. The compound of claim 1, wherein A is CH.
3. The compound of claim 1, wherein A is N.
- 20 4. The compound of claim 1, wherein E is O.
5. The compound of claim 1, wherein E is absent.
6. The compound of claim 1, wherein R is an unsubstituted or substituted bicyclic heteroaryl.
- 25 7. The compound of claim 1, wherein R is an unsubstituted or substituted 8- or 9-membered heteroaryl.
- 30 8. The compound of claim 1, wherein R is:



each unsubstituted or substituted as in claim 1.

9. The compound of claim 1, wherein R is a five- or six-membered nitrogen-linked heterocycloalkyl ring fused to an unsubstituted or substituted phenyl or monocyclic heteroaryl.



- 10 11. The compound of claim 1, wherein R¹ is R^m.

12. The compound of claim 1, wherein R¹ is -alkylenyl-R^m.

13. The compound of claim 1, wherein R^m is cycloalkyl, unsubstituted or substituted as in claim 1.

14. The compound of claim 1, wherein R^m is a heterocycloalkyl, unsubstituted or substituted as in claim 1.

- 20 15. The compound of claim 14, wherein the heterocycloalkyl is substituted with an alkyl, -C(O)alkyl, or monocyclic heterocycloalkyl group.







16. The compound of claim 1, wherein R^m is phenyl or a monocyclic heteroaryl, each unsubstituted or substituted as in claim 1.
- 5 17. The compound of claim 1, wherein R^m is phenyl, pyridinyl, pyrazolyl, pyrimidinyl, thiazolyl, or pyrazinyl, each unsubstituted or substituted as in claim 1.
18. The compound of claim 1, wherein the R^m group is substituted with one or more R^x substituents each independently selected from the group consisting of:
- 10 fluoro, chloro, bromo, hydroxy, hydroxymethyl, hydroxyethyl, cyano, amino, di(alkyl)amino, alkylamino, monofluoroalkyl, trifluoroalkyl, methoxy, ethoxy, trifluoromethoxy, acetyl, propionyl, butyryl, methoxycarbonyl, ethoxycarbonyl, tert-butoxycarbonyl, carboxyl, methylsulfonyl, ethylsulfonyl, trifluoromethylsulfonyl, methylamido, ethylamido, oxetanyl, pyrrolidinyl, tetrahydrofuranyl, piperidinyl,
- 15 tetrahydropyranyl, morpholinyl, piperazinyl, pyridinyl, imidazolyl, pyrrolyl, pyrimidinyl, and phenyl, each substituted or unsubstituted as in claim 1.
19. The compound of claim 1, wherein the R^m group is substituted with 1, 2, or 3 R^x substituents each independently selected from the group consisting of: fluoro,
- 20 trifluoromethyl, trifluoromethoxy, morpholinyl, 4-methyl-piperazinyl, piperidinyl, methoxy, cyano, acetyl, ethylamido, methylsulfonyl, ethylsulfonyl, cyano, chloro, dimethylamino, methyl, ethyl, propyl, isopropyl, isobutyl, butyryl, oxetanyl, tetrahydropyranyl, pyrrolidinyl, and 1-(3-oxetanyl)-piperidin-4-yl.
- 25 20. The compound of claim 1, wherein R^1 is an alkyl, unsubstituted or substituted with one or more substituents selected from the group consisting of halo, hydroxy, cyano, alkoxy, trifluoroalkyl, trifluoroalkoxy, amino, methylamino, dimethylamino, acetyl, methoxycarbonyl, amido, and methylsulfonyl.
- 30 21. The compound of claim 1, wherein R^1 is $-N(R^n)R^o$, and R^n is R^m or -alkylenyl- R^m .









22. The compound of claim 21, wherein R^n is hydroxyalkyl, cyanoalkyl, alkoxyalkyl, haloalkyl, $-\text{CONR}^h\text{R}^i$, or $-\text{C}(\text{O})\text{R}^j$, where R^h and R^i are each independently H or alkyl, and R^j is hydroxymethyl, cycloalkyl, piperidinyl, or phenyl.







5








23. The compound of claim 1, wherein both R^2 and R^3 are H.

24. A compound selected from the group consisting of:

	1H-Pyrazolo[3,4-b]pyridine-5-carboxylic acid [5-(3,5-difluorobenzenesulfonyl)-pyridin-2-ylmethyl]-amide;
	Imidazo[1,2-a]pyrimidine-6-carboxylic acid [5-(3,5-difluorobenzenesulfonyl)-pyridin-2-ylmethyl]-amide;
	1H-Pyrrolo[3,2-c]pyridine-2-carboxylic acid [5-(3,5-difluorobenzenesulfonyl)-pyridin-2-ylmethyl]-amide;
	Imidazo[1,2-a]pyridine-6-carboxylic acid [5-(3,5-difluorobenzenesulfonyl)-pyridin-2-ylmethyl]-amide;
	Furo[2,3-c]pyridine-2-carboxylic acid [5-(3,5-difluorobenzenesulfonyl)-pyridin-2-ylmethyl]-amide;
	1H-Pyrazolo[3,4-b]pyridine-5-carboxylic acid (5-benzenesulfonyl-pyrimidin-2-ylmethyl)-amide;

	1H-Pyrrolo[3,2-c]pyridine-2-carboxylic acid (5-benzenesulfonyl-pyrimidin-2-ylmethyl)-amide;
	Imidazo[1,2-a]pyridine-6-carboxylic acid (5-benzenesulfonyl-pyrimidin-2-ylmethyl)-amide;
	1H-Pyrrolo[3,2-c]pyridine-2-carboxylic acid [5-(3,5-difluoro-benzenesulfonyl)-pyridin-2-ylmethyl]-amide (racemic);
	Imidazo[1,2-a]pyridine-6-carboxylic acid [5-(3-trifluoromethyl-benzenesulfonyl)-pyridin-2-ylmethyl]-amide;
	Furo[2,3-c]pyridine-2-carboxylic acid (5-benzenesulfonyl-pyrimidin-2-ylmethyl)-amide;
	Imidazo[1,2-a]pyrimidine-6-carboxylic acid (5-benzenesulfonyl-pyrimidin-2-ylmethyl)-amide;
	Imidazo[1,2-a]pyridine-6-carboxylic acid [5-(3-trifluoromethoxy-benzenesulfonyl)-pyridin-2-ylmethyl]-amide;
	Imidazo[1,2-a]pyridine-6-carboxylic acid [5-(3,5-difluoro-benzenesulfonyl)-pyridin-2-ylmethyl]-amide (racemic);

	1H-Pyrazolo[3,4-b]pyridine-5-carboxylic acid [5-(3,5-difluorobenzenesulfonyl)-pyridin-2-ylmethyl]-amide (racemic);
	1H-Pyrazolo[3,4-b]pyridine-5-carboxylic acid [5-(3-trifluoromethylbenzenesulfonyl)-pyridin-2-ylmethyl]-amide;
	1H-Pyrrolo[3,2-c]pyridine-2-carboxylic acid [5-(3-trifluoromethylbenzenesulfonyl)-pyridin-2-ylmethyl]-amide;
	Imidazo[1,2-a]pyrimidine-6-carboxylic acid [5-(3-trifluoromethylbenzenesulfonyl)-pyridin-2-ylmethyl]-amide;
	1H-Pyrazolo[3,4-b]pyridine-5-carboxylic acid [5-(3-trifluoromethoxybenzenesulfonyl)-pyridin-2-ylmethyl]-amide;
	Imidazo[1,2-a]pyrimidine-6-carboxylic acid [5-(3-trifluoromethoxybenzenesulfonyl)-pyridin-2-ylmethyl]-amide;

	1H-Pyrrolo[3,2-c]pyridine-2-carboxylic acid [5-(3-trifluoromethoxy-benzenesulfonyl)-pyridin-2-ylmethyl]-amide;
	Furo[2,3-c]pyridine-2-carboxylic acid [5-(3-trifluoromethyl-benzenesulfonyl)-pyridin-2-ylmethyl]-amide;
	Furo[2,3-c]pyridine-2-carboxylic acid [5-(3-trifluoromethoxy-benzenesulfonyl)-pyridin-2-ylmethyl]-amide;
	Imidazo[1,2-a]pyrimidine-6-carboxylic acid [5-(3,5-difluoro-benzenesulfonyl)-pyridin-2-ylmethyl]-amide (racemic);
	Furo[2,3-c]pyridine-2-carboxylic acid [5-(3,5-difluoro-benzenesulfonyl)-pyridin-2-ylmethyl]-amide (racemic);
	Furo[2,3-c]pyridine-2-carboxylic acid [5-(piperidine-4-sulfonyl)-pyridin-2-ylmethyl]-amide;
	Imidazo[1,2-a]pyridine-6-carboxylic acid [5-(piperidine-4-sulfonyl)-pyridin-2-ylmethyl]-amide;








	Furo[2,3-c]pyridine-2-carboxylic acid [5-(3,5-difluorobenzenesulfinyl)-pyridin-2-ylmethyl]-amide (stereoisomer 1);
	Furo[2,3-c]pyridine-2-carboxylic acid [5-(3,5-difluorobenzenesulfinyl)-pyridin-2-ylmethyl]-amide (stereoisomer 2);
	Imidazo[1,2-a]pyridine-6-carboxylic acid [5-(4-morpholin-4-ylbenzenesulfonyl)-pyridin-2-ylmethyl]-amide;
	1H-Pyrazolo[3,4-b]pyridine-5-carboxylic acid [5-(4-morpholin-4-ylbenzenesulfonyl)-pyridin-2-ylmethyl]-amide;
	Furo[2,3-c]pyridine-2-carboxylic acid [5-(3-methoxybenzenesulfonyl)-pyridin-2-ylmethyl]-amide;
	Imidazo[1,2-a]pyrimidine-6-carboxylic acid [5-(3-methoxybenzenesulfonyl)-pyridin-2-ylmethyl]-amide;
	1H-Pyrazolo[3,4-b]pyridine-5-carboxylic acid [5-(3-methoxybenzenesulfonyl)-pyridin-2-ylmethyl]-amide;
	Imidazo[1,2-a]pyridine-6-carboxylic acid [5-(6-morpholin-4-ylpyridine-3-sulfonyl)-pyridin-2-ylmethyl]-amide;









	Imidazo[1,2-a]pyridine-6-carboxylic acid [5-(1-methyl-1H-pyrazole-4-sulfonyl)-pyridin-2-ylmethyl]-amide;
	Furo[2,3-c]pyridine-2-carboxylic acid [5-(4-morpholin-4-yl-benzenesulfonyl)-pyridin-2-ylmethyl]-amide;
	Imidazo[1,2-a]pyrimidine-6-carboxylic acid [5-(4-morpholin-4-yl-benzenesulfonyl)-pyridin-2-ylmethyl]-amide;
	Thieno[2,3-c]pyridine-2-carboxylic acid [5-(4-morpholin-4-yl-benzenesulfonyl)-pyridin-2-ylmethyl]-amide;
	Thieno[2,3-c]pyridine-2-carboxylic acid [5-(1-methyl-1H-pyrazole-4-sulfonyl)-pyridin-2-ylmethyl]-amide;
	1H-Pyrazolo[3,4-b]pyridine-5-carboxylic acid [5-(6-morpholin-4-yl-pyridine-3-sulfonyl)-pyridin-2-ylmethyl]-amide;
	1H-Pyrrolo[3,2-c]pyridine-2-carboxylic acid [5-[1-(tetrahydro-pyran-4-yl)-piperidine-4-sulfonyl]-pyridin-2-ylmethyl]-amide;
	Imidazo[1,2-a]pyridine-6-carboxylic acid [5-(1-propyl-1H-pyrazole-4-sulfonyl)-pyridin-2-ylmethyl]-amide;









	Imidazo[1,2-a]pyridine-6-carboxylic acid [5-(1-isopropyl-1H-pyrazole-4-sulfonyl)-pyridin-2-ylmethyl]-amide;
	Thieno[2,3-c]pyridine-2-carboxylic acid [5-(1-isopropyl-1H-pyrazole-4-sulfonyl)-pyridin-2-ylmethyl]-amide;
	Imidazo[1,2-a]pyridine-6-carboxylic acid {5-[6-(4-methyl-piperazin-1-yl)-pyridine-3-sulfonyl]-pyridin-2-ylmethyl}-amide;
	Imidazo[1,2-a]pyrimidine-6-carboxylic acid {5-[6-(4-methyl-piperazin-1-yl)-pyridine-3-sulfonyl]-pyridin-2-ylmethyl}-amide;
	Imidazo[1,2-a]pyrimidine-6-carboxylic acid {5-[4-(4-methyl-piperazin-1-yl)-benzenesulfonyl]-pyridin-2-ylmethyl}-amide;
	1,3-Dihydro-pyrrolo[3,4-c]pyridine-2-carboxylic acid [5-(3-trifluoromethyl-benzenesulfonyl)-pyridin-2-ylmethyl]-amide;

	<p>1,3-Dihydro-pyrrolo[3,4-c]pyridine-2-carboxylic acid [5-(3-trifluoromethoxy-benzenesulfonyl)-pyridin-2-ylmethyl]-amide;</p>
	<p>Furo[2,3-c]pyridine-2-carboxylic acid [5-(tetrahydropyran-4-sulfonyl)-pyridin-2-ylmethyl]-amide;</p>
	<p>Furo[2,3-c]pyridine-2-carboxylic acid [5-(6-morpholin-4-yl-pyridine-3-sulfonyl)-pyridin-2-ylmethyl]-amide;</p>
	<p>Thieno[2,3-c]pyridine-2-carboxylic acid [5-(tetrahydropyran-4-sulfonyl)-pyridin-2-ylmethyl]-amide;</p>
	<p>Thieno[2,3-c]pyridine-2-carboxylic acid [5-(6-morpholin-4-yl-pyridine-3-sulfonyl)-pyridin-2-ylmethyl]-amide;</p>
	<p>Imidazo[1,2-a]pyridine-6-carboxylic acid [5-(3,5-difluoro-benzenesulfonyl)-pyridin-2-ylmethyl]-amide (racemic);</p>
	<p>Thieno[2,3-c]pyridine-2-carboxylic acid [5-(1-oxetan-3-yl-piperidine-4-sulfonyl)-pyridin-2-ylmethyl]-amide;</p>
	<p>2-Amino-5,7-dihydro-pyrrolo[3,4-d]pyrimidine-6-carboxylic acid (5-benzenesulfonyl-pyridin-2-ylmethyl)-amide;</p>









	Imidazo[1,2-a]pyridine-6-carboxylic acid [5-(3,5-difluorobenzenesulfonyl)-pyridin-2-ylmethyl]-amide (racemic);
	1,3-Dihydro-pyrrolo[3,4-c]pyridine-2-carboxylic acid (5-cyclohexanesulfonyl-pyridin-2-ylmethyl)-amide;
	Imidazo[1,2-a]pyridine-6-carboxylic acid [5-(tetrahydropyran-4-sulfonyl)-pyridin-2-ylmethyl]-amide;
	Furo[2,3-c]pyridine-2-carboxylic acid [5-(1-propyl-1H-pyrazole-4-sulfonyl)-pyridin-2-ylmethyl]-amide;
	Furo[2,3-c]pyridine-2-carboxylic acid [5-(1-isopropyl-1H-pyrazole-4-sulfonyl)-pyridin-2-ylmethyl]-amide;
	Furo[2,3-c]pyridine-2-carboxylic acid [5-(1-methyl-1H-pyrazole-4-sulfonyl)-pyridin-2-ylmethyl]-amide;
	Thieno[2,3-c]pyridine-2-carboxylic acid [5-(3,4-dimethoxybenzenesulfonyl)-pyridin-2-ylmethyl]-amide;
	Imidazo[1,2-a]pyridine-6-carboxylic acid [5-(3,4-dimethoxybenzenesulfonyl)-pyridin-2-ylmethyl]-amide;










	Furo[2,3-c]pyridine-2-carboxylic acid [5-(3,4-dimethoxy-benzenesulfonyl)-pyridin-2-ylmethyl]-amide;
	Furo[2,3-c]pyridine-2-carboxylic acid [5-(6-dimethylamino-pyridine-3-sulfonyl)-pyridin-2-ylmethyl]-amide;
	1H-Pyrazolo[3,4-b]pyridine-5-carboxylic acid {5-[6-(4-methyl-piperazin-1-yl)-pyridine-3-sulfonyl]-pyridin-2-ylmethyl}-amide;
	Imidazo[1,2-a]pyrimidine-6-carboxylic acid [5-(6-dimethylamino-pyridine-3-sulfonyl)-pyridin-2-ylmethyl]-amide;
	1H-Pyrazolo[3,4-b]pyridine-5-carboxylic acid [5-(3,4-dimethoxy-benzenesulfonyl)-pyridin-2-ylmethyl]-amide;
	Imidazo[1,2-a]pyridine-6-carboxylic acid [5-(1-oxetan-3-yl-piperidine-4-sulfonyl)-pyridin-2-ylmethyl]-amide;
	Furo[2,3-c]pyridine-2-carboxylic acid {5-[4-(4-methyl-piperazin-1-yl)-benzenesulfonyl]-pyridin-2-ylmethyl}-amide;

	1,3-Dihydro-pyrrolo[3,4-c]pyridine-2-carboxylic acid [5-(3,5-difluoro-benzenesulfonyl)-pyridin-2-ylmethyl]-amide;
	Imidazo[1,2-a]pyridine-6-carboxylic acid [5-(2-dimethylamino-thiazole-5-sulfonyl)-pyridin-2-ylmethyl]-amide;
	Thieno[2,3-c]pyridine-2-carboxylic acid [5-(2-dimethylamino-thiazole-5-sulfonyl)-pyridin-2-ylmethyl]-amide;
	Thieno[2,3-c]pyridine-2-carboxylic acid [5-(1-propyl-1H-pyrazole-4-sulfonyl)-pyridin-2-ylmethyl]-amide;
	Imidazo[1,2-a]pyridine-6-carboxylic acid [5-(3-trifluoromethyl-benzenesulfonyl)-pyrimidin-2-ylmethyl]-amide;
	Thieno[2,3-c]pyridine-2-carboxylic acid [5-(6-trifluoromethyl-pyridine-3-sulfonyl)-pyridin-2-ylmethyl]-amide;
	Furo[2,3-c]pyridine-2-carboxylic acid [5-(6-trifluoromethyl-pyridine-3-sulfonyl)-pyridin-2-ylmethyl]-amide;
	1,3-Dihydro-pyrrolo[3,4-c]pyridine-2-carboxylic acid [5-(1-isopropyl-1H-pyrazole-4-sulfonyl)-pyridin-2-ylmethyl]-amide;

	Furo[2,3-c]pyridine-2-carboxylic acid [5-(3-trifluoromethyl-benzenesulfonyl)-pyrimidin-2-ylmethyl]-amide;
	Imidazo[1,2-a]pyridine-6-carboxylic acid [5-(6-trifluoromethyl-pyridine-3-sulfonyl)-pyridin-2-ylmethyl]-amide;
	Imidazo[1,2-a]pyridine-6-carboxylic acid [5-(6-dimethylamino-pyridine-3-sulfonyl)-pyridin-2-ylmethyl]-amide;
	1H-Pyrazolo[3,4-b]pyridine-5-carboxylic acid [5-(6-dimethylamino-pyridine-3-sulfonyl)-pyridin-2-ylmethyl]-amide;
	1H-Pyrazolo[3,4-b]pyridine-5-carboxylic acid [5-(3-fluoro-5-morpholin-4-yl-benzenesulfonyl)-pyridin-2-ylmethyl]-amide;
	2-Amino-5,7-dihydro-pyrrolo[3,4-d]pyrimidine-6-carboxylic acid [5-(3,5-difluoro-benzenesulfonyl)-pyridin-2-ylmethyl]-amide;
	Furo[2,3-c]pyridine-2-carboxylic acid [5-(3-trifluoromethyl-benzenesulfonyl)-pyridin-2-ylmethyl]-amide (racemic);
	Furo[2,3-c]pyridine-2-carboxylic acid [5-(3-fluoro-5-morpholin-4-yl-benzenesulfonyl)-pyridin-2-ylmethyl]-amide;

	1,3-Dihydro-pyrrolo[3,4-c]pyridine-2-carboxylic acid [5-(3-(trifluoromethoxy)-benzenesulfonyl)-pyridin-2-ylmethyl]-amide (racemic);
	Furo[2,3-c]pyridine-2-carboxylic acid [5-(3-(trifluoromethoxy)-benzenesulfonyl)-pyridin-2-ylmethyl]-amide (racemic);
	Furo[2,3-c]pyridine-2-carboxylic acid [5-(4-pyrrolidin-1-yl-piperidine-1-sulfonyl)-pyridin-2-ylmethyl]-amide;
	Imidazo[1,2-a]pyridine-6-carboxylic acid [5-(6-methyl-pyridine-3-sulfonyl)-pyridin-2-ylmethyl]-amide;
	Furo[2,3-c]pyridine-2-carboxylic acid [5-(2-dimethylamino-thiazole-5-sulfonyl)-pyridin-2-ylmethyl]-amide;
	Furo[2,3-c]pyridine-2-carboxylic acid [5-(6-methyl-pyridine-3-sulfonyl)-pyridin-2-ylmethyl]-amide;
	Thieno[2,3-c]pyridine-2-carboxylic acid [5-(6-methyl-pyridine-3-sulfonyl)-pyridin-2-ylmethyl]-amide;
	Imidazo[1,2-a]pyridine-6-carboxylic acid [5-(3-ethanesulfonyl-benzenesulfonyl)-pyridin-2-ylmethyl]-amide;

	1,3-Dihydro-pyrrolo[3,4-c]pyridine-2-carboxylic acid [5-(4-morpholin-4-yl-benzenesulfonyl)-pyridin-2-ylmethyl]-amide;
	1,3-Dihydro-pyrrolo[3,4-c]pyridine-2-carboxylic acid [5-(2-dimethylamino-thiazole-5-sulfonyl)-pyridin-2-ylmethyl]-amide;
	1,3-Dihydro-pyrrolo[3,4-c]pyridine-2-carboxylic acid [5-(1-methyl-1H-pyrazole-4-sulfonyl)-pyridin-2-ylmethyl]-amide;
	1,3-Dihydro-pyrrolo[3,4-c]pyridine-2-carboxylic acid [5-(3-fluoro-benzenesulfonyl)-pyridin-2-ylmethyl]-amide;
	Imidazo[1,2-a]pyridine-6-carboxylic acid [5-(3-trifluoromethoxy-benzenesulfonyl)-pyridin-2-ylmethyl]-amide (racemic);
	Furo[2,3-c]pyridine-2-carboxylic acid [5-(1-isobutyl-piperidine-4-sulfonyl)-pyridin-2-ylmethyl]-amide (racemic);
	Furo[2,3-c]pyridine-2-carboxylic acid [5-(1-oxetan-3-yl-piperidine-4-sulfonyl)-pyridin-2-ylmethyl]-amide;
	1,3-Dihydro-pyrrolo[3,4-c]pyridine-2-carboxylic acid [5-(1-oxetan-3-yl-piperidine-4-sulfonyl)-pyridin-2-ylmethyl]-amide;

	Furo[2,3-c]pyridine-2-carboxylic acid {5-[1-(tetrahydro-pyran-4-yl)-piperidine-4-sulfonyl]-pyridin-2-ylmethyl}-amide;
	1H-Pyrazolo[3,4-b]pyridine-5-carboxylic acid [5-(3-ethanesulfonyl-benzenesulfonyl)-pyridin-2-ylmethyl]-amide;
	1H-Pyrazolo[3,4-b]pyridine-5-carboxylic acid [5-(6-trifluoromethyl-pyridine-3-sulfonyl)-pyridin-2-ylmethyl]-amide;
	1,3-Dihydro-pyrrolo[3,4-c]pyridine-2-carboxylic acid [5-(1-butyl-piperidine-4-sulfonyl)-pyridin-2-ylmethyl]-amide;
	N-[[5-(3-ethylsulfonylphenyl)sulfonyl-2-pyridyl]methyl]furo[2,3-c]pyridine-2-carboxamide;
	N-[[5-[(6-amino-3-pyridyl)sulfonyl]-2-pyridyl]methyl]furo[2,3-c]pyridine-2-carboxamide;
	N-[[5-[[1-(2,2,2-trifluoroethyl)-4-piperidyl]sulfonyl]-2-pyridyl]methyl]imidazo[1,2-a]pyrimidine-6-carboxamide;
	N-[[5-(3,5-dimethoxyphenyl)sulfonyl-2-pyridyl]methyl]furo[2,3-c]pyridine-2-carboxamide;
	N-[[5-[[6-(4-methylpiperazin-1-yl)-3-pyridyl]sulfonyl]-2-pyridyl]methyl]furo[2,3-c]pyridine-2-carboxamide;

	N-[[5-(3-ethylsulfonylphenyl)sulfonyl]-2-pyridyl]methyl]-1,3-dihydropyrrolo[3,4-c]pyridine-2-carboxamide;
	N-[[5-(3-ethylsulfonylphenyl)sulfonyl]-2-pyridyl]methyl]furo[2,3-c]pyridine-2-carboxamide;
	N-[[5-(3,5-difluorophenyl)sulfonyl]-2-pyridyl]methyl]-1,3-dihydropyrrolo[3,4-c]pyridine-2-carboxamide;
	N-[[5-[(6-amino-3-pyridyl)sulfonyl]-2-pyridyl]methyl]furo[2,3-c]pyridine-2-carboxamide;
	N-[[5-[[1-(2,2,2-trifluoroethyl)-4-piperidyl]sulfonyl]-2-pyridyl]methyl]furo[2,3-c]pyridine-2-carboxamide;
	N-[[5-[(1-tetrahydropyran-4-yl)-4-piperidyl]sulfonyl]-2-pyridyl]methyl]-1,3-dihydropyrrolo[3,4-c]pyridine-2-carboxamide;
	N-[[5-[3-(trifluoromethyl)phenyl]sulfonyl]-2-pyridyl]methyl]-1,3-dihydropyrrolo[3,4-c]pyridine-2-carboxamide;









	N-[[5-[[1-(2-methoxyacetyl)-4-piperidyl]sulfonyl]-2-pyridyl]methyl]-1,3-dihydropyrrolo[3,4-c]pyridine-2-carboxamide;
	N-[[5-[[1-(2-methoxyacetyl)-4-piperidyl]sulfonyl]-2-pyridyl]methyl]furo[2,3-c]pyridine-2-carboxamide;
	N-[[5-(3-morpholinophenyl)sulfonyl]-2-pyridyl]methyl]furo[2,3-c]pyridine-2-carboxamide;
	N-[[5-(3-methylsulfonylphenyl)sulfonyl]-2-pyridyl]methyl]furo[2,3-c]pyridine-2-carboxamide;
	N-[[5-[(6-morpholino-3-pyridyl)sulfonyl]-2-pyridyl]methyl]-1,3-dihydropyrrolo[3,4-c]pyridine-2-carboxamide;
	N-[[5-(4-tetrahydropyran-4-ylpiperazin-1-yl)sulfonyl]-2-pyridyl]methyl]-1,3-dihydropyrrolo[3,4-c]pyridine-2-carboxamide;
	N-[[5-(4-tetrahydropyran-4-ylpiperazin-1-yl)sulfonyl]-2-pyridyl]methyl]furo[2,3-c]pyridine-2-carboxamide;








	N-[[5-[(1-tetrahydrofuran-3-yl)-4-piperidyl)sulfonyl]-2-pyridyl)methyl]furo[2,3-c]pyridine-2-carboxamide;
	N-[[5-[(1-tetrahydrofuran-3-yl)-4-piperidyl)sulfonyl]-2-pyridyl)methyl]-1,3-dihydropyrrolo[3,4-c]pyridine-2-carboxamide;
	N-[[5-[(1-butanoyl)-4-piperidyl)sulfonyl]-2-pyridyl)methyl]furo[2,3-c]pyridine-2-carboxamide;
	N-[[5-[[1-(2,2,2-trifluoroethyl)-4-piperidyl)sulfonyl]-2-pyridyl)methyl]furo[2,3-c]pyridine-2-carboxamide;
	N-[[5-[[1-(2,2,2-trifluoroethyl)-4-piperidyl)sulfonyl]-2-pyridyl)methyl]imidazo[1,2-a]pyrimidine-6-carboxamide;
	N-[[5-(3,5-dimethoxyphenyl)sulfonyl]-2-pyridyl)methyl]furo[2,3-c]pyridine-2-carboxamide;
	N-[[5-(3-methylsulfonylphenyl)sulfonyl]-2-pyridyl)methyl]-1H-pyrazolo[3,4-b]pyridine-5-carboxamide;

	<p>N-[[5-[[6-(4-methylpiperazin-1-yl)-3-pyridyl]sulfonyl]-2-pyridyl]methyl]furo[2,3-c]pyridine-2-carboxamide;</p>
	<p>N-[[5-(3-ethylsulfonylphenyl)sulfonyl-2-pyridyl]methyl]-1,3-dihydropyrrolo[3,4-c]pyridine-2-carboxamide;</p>
	<p>N-[[5-(3-methylsulfonylphenyl)sulfonyl-2-pyridyl]methyl]imidazo[1,2-a]pyridine-6-carboxamide;</p>
	<p>N-[[5-(2-pyrrolidin-1-ylthiazol-5-yl)sulfonyl-2-pyridyl]methyl]furo[2,3-c]pyridine-2-carboxamide;</p>
	<p>N-[[5-(3,5-dimethoxyphenyl)sulfonyl-2-pyridyl]methyl]-1H-pyrazolo[3,4-b]pyridine-5-carboxamide;</p>
	<p>N-[[5-(1-propylpyrazol-4-yl)sulfonyl-2-pyridyl]methyl]-1,3-dihydropyrrolo[3,4-c]pyridine-2-carboxamide;</p>
	<p>N-[[5-[4-(oxetan-3-yl)piperazin-1-yl]sulfonyl-2-pyridyl]methyl]furo[2,3-c]pyridine-2-carboxamide;</p>

	<p>N-[[5-[4-(oxetan-3-yl)piperazin-1-yl]sulfonyl-2-pyridyl]methyl]-1,3-dihydropyrrolo[3,4-c]pyridine-2-carboxamide;</p>
	<p>N-[[5-[[1-(2,2,2-trifluoroethyl)-4-piperidyl]sulfonyl]-2-pyridyl]methyl]-1,3-dihydropyrrolo[3,4-c]pyridine-2-carboxamide;</p>
	<p>N-[[5-(3-fluoro-5-methoxyphenyl)sulfonyl-2-pyridyl]methyl]-1H-pyrazolo[3,4-b]pyridine-5-carboxamide;</p>
	<p>N-[[5-[2-[ethyl(methyl)amino]thiazol-5-yl]sulfonyl-2-pyridyl]methyl]imidazo[1,2-a]pyridine-6-carboxamide;</p>
	<p>N-[[5-[2-[ethyl(methyl)amino]thiazol-5-yl]sulfonyl-2-pyridyl]methyl]furo[2,3-c]pyridine-2-carboxamide;</p>
	<p>N-[[5-[2-[ethyl(methyl)amino]thiazol-5-yl]sulfonyl-2-pyridyl]methyl]-1,3-dihydropyrrolo[3,4-c]pyridine-2-carboxamide;</p>





	<p>N-[[5-[(4-pyrrolidin-1-yl)-1-piperidyl]sulfonyl]-2-pyridyl]methyl]-1,3-dihydropyrrolo[3,4-c]pyridine-2-carboxamide;</p>
	<p>N-[[5-[(4-pyrrolidin-1-yl)-1-piperidyl]sulfonyl]-2-pyridyl]methyl]-1H-pyrazolo[3,4-b]pyridine-5-carboxamide;</p>
	<p>N-[[5-[(6-amino-3-pyridyl) sulfonyl]-2-pyridyl]methyl]-1,3-dihydropyrrolo[3,4-c]pyridine-2-carboxamide;</p>
	<p>N-[[5-(3-cyanophenyl)sulfonyl]-2-pyridyl]methyl]furo[2,3-c]pyridine-2-carboxamide;</p>
	<p>N-[[5-[[1-(2,2,2-trifluoroethyl)-4-piperidyl]sulfonyl]-2-pyridyl]methyl]imidazo[1,2-a]pyridine-6-carboxamide;</p>
	<p>N-[[5-[[1-(2,2,2-trifluoroethyl)-4-piperidyl]sulfonyl]-2-pyridyl]methyl]-1H-pyrazolo[3,4-b]pyridine-5-carboxamide;</p>

	N-[[5-(3-morpholinophenyl)sulfonyl-2-pyridyl]methyl]imidazo[1,2-a]pyridine-6-carboxamide;
	N-[[5-(3-cyanophenyl)sulfonyl-2-pyridyl]methyl]imidazo[1,2-a]pyridine-6-carboxamide;
	N-[[5-(3-cyanophenyl)sulfonyl-2-pyridyl]methyl]-1H-pyrazolo[3,4-b]pyridine-5-carboxamide;
	N-[[5-(3-morpholinophenyl)sulfonyl-2-pyridyl]methyl]-1H-pyrazolo[3,4-b]pyridine-5-carboxamide;
	N-[[5-(3-cyanophenyl)sulfonyl-2-pyridyl]methyl]-1,3-dihydropyrrolo[3,4-c]pyridine-2-carboxamide;
	N-[[5-(3,5-difluorophenyl)sulfonyl-2-pyridyl]methyl]-1,3-dihydropyrrolo[3,4-c]pyridine-2-carboxamide (enantiomer 1);
	N-[[5-(3,5-difluorophenyl)sulfonyl-2-pyridyl]methyl]-1,3-dihydropyrrolo[3,4-c]pyridine-2-carboxamide (enantiomer 2);
	N-[[5-[(1-tetrahydropyran-4-yl)-4-piperidyl)sulfonyl]-2-pyridyl]methyl]imidazo[1,2-a]pyridine-6-carboxamide;

	N-[[5-[(1-tetrahydropyran-4-yl)-4-piperidyl)sulfonyl]-2-pyridyl]methyl]-1H-pyrazolo[3,4-b]pyridine-5-carboxamide;
	N-[[5-[[5-(trifluoromethyl)-3-pyridyl)sulfonyl]-2-pyridyl]methyl]furo[2,3-c]pyridine-2-carboxamide;
	N-[[5-[(5-chloro-3-pyridyl)sulfonyl]-2-pyridyl]methyl]-1H-pyrazolo[3,4-b]pyridine-5-carboxamide;
	N-[[5-[[5-(trifluoromethyl)-3-pyridyl)sulfonyl]-2-pyridyl]methyl]-1H-pyrazolo[3,4-b]pyridine-5-carboxamide;
	N-[[5-[[1-(2,2,2-trifluoroethyl)-4-piperidyl)sulfonyl]-2-pyridyl]methyl]-1H-pyrrolo[3,2-c]pyridine-2-carboxamide;
	N-[[5-(2-morpholinopyrimidin-5-yl)sulfonyl]-2-pyridyl]methyl]imidazo[1,2-a]pyridine-6-carboxamide;
	N-[[5-[[5-(trifluoromethyl)-3-pyridyl)sulfonyl]-2-pyridyl]methyl]imidazo[1,2-a]pyridine-6-carboxamide;

	N-[[5-[(5-chloro-3-pyridyl)sulfonyl]-2-pyridyl]methyl]furo[2,3-c]pyridine-2-carboxamide;
	N-[[5-[[5-(trifluoromethyl)-3-pyridyl)sulfonyl]-2-pyridyl]methyl]-1,3-dihydropyrrolo[3,4-c]pyridine-2-carboxamide;
	N-[[5-(1-propylpyrazol-4-yl)sulfonyl]-2-pyridyl]methyl]-1H-pyrrolo[3,2-c]pyridine-2-carboxamide;
	N-[[5-[(1-isobutyl-4-piperidyl)sulfonyl]-2-pyridyl]methyl]imidazo[1,2-a]pyridine-6-carboxamide;
	N-[[5-[[1-(2,2,2-trifluoroethyl)-4-piperidyl]sulfonyl]-2-pyridyl]methyl]imidazo[1,2-a]pyridine-6-carboxamide;
	N-[[5-[(5-cyano-3-pyridyl)sulfonyl]-2-pyridyl]methyl]furo[2,3-c]pyridine-2-carboxamide;
	N-[[5-(1-isopropylpyrazol-4-yl)sulfonyl]-2-pyridyl]methyl]-1H-pyrrolo[3,2-c]pyridine-2-carboxamide;

	N-[[5-(1-ethylpyrazol-4-yl)sulfonyl-2-pyridyl]methyl]furo[2,3-c]pyridine-2-carboxamide;
	N-[[5-(1-ethylpyrazol-4-yl)sulfonyl-2-pyridyl]methyl]-1,3-dihydropyrrolo[3,4-c]pyridine-2-carboxamide;
	N-[[5-(benzenesulfonyl)-2-pyridyl]methyl]-4,6-dihydro-1H-pyrrolo[3,4-c]pyrazole-5-carboxamide;
	N-[[5-(benzenesulfonyl)-2-pyridyl]methyl]-1-methyl-4,6-dihydropyrrolo[3,4-c]pyrazole-5-carboxamide;
	N-[[5-(1-piperidylsulfonyl)-2-pyridyl]methyl]-4,6-dihydro-1H-pyrrolo[3,4-c]pyrazole-5-carboxamide;
	tert-butyl 4-[[6-[(imidazo[1,2-a]pyridine-6-carboxylamino)methyl]-3-pyridyl]sulfinyl]piperidine-1-carboxylate;
	N-[[5-(3,5-difluorophenyl)sulfonylpyrimidin-2-yl]methyl]furo[2,3-c]pyridine-2-carboxamide;
	N-[[5-(benzenesulfonyl)-2-pyridyl]methyl]furo[2,3-c]pyridine-2-carboxamide;

	N-[[5-(benzenesulfonyl)-2-pyridyl]methyl]imidazo[1,2-a]pyridine-6-carboxamide;
	N-[[5-(benzenesulfonyl)-2-pyridyl]methyl]imidazo[1,2-a]pyrimidine-6-carboxamide;
	N-[[5-(benzenesulfonyl)-2-pyridyl]methyl]thieno[2,3-c]pyridine-2-carboxamide; and
	N-[[5-(benzenesulfonyl)pyrimidin-2-yl]methyl]thieno[2,3-c]pyridine-2-carboxamide;

and pharmaceutically acceptable salts thereof, stereoisomers thereof, and pharmaceutically acceptable salts of stereoisomers thereof.

- 5 25. A pharmaceutical composition comprising: (a) an effective amount of at least one compound of claim 1; and (b) a pharmaceutically acceptable carrier.

26. The pharmaceutical composition of claim 25, further comprising therapeutically effective amounts of one or more additional adjunctive active agents.

10

27. The pharmaceutical composition of claim 26, wherein said one or more additional adjunctive active agents are selected from the group consisting of cytotoxic agent, cisplatin, doxorubicin, taxotere, taxol, etoposide, irinotecan, camptostar, topotecan, paclitaxel, docetaxel, the epothilones, tamoxifen, 5-fluorouracil,

- 15 methoxtrexate, temozolomide, cyclophosphamide, SCH 66336, tipifarnib (Zarnestra[®]), R115777, L778,123, BMS 214662, Iressa[®], Tarceva[®], C225,

- GLEEVEC[®], intron[®], Peg-Intron[®], aromatase combinations, ara-C, adriamycin, cytoxan, gemcitabine, Uracil mustard, Chloromethine, Ifosfamide, Melphalan, Chlorambucil, Pipobroman, Triethylenemelamine, Triethylenethiophosphoramine, Busulfan, Carmustine, Lomustine, Streptozocin, Dacarbazine, Floxuridine,
- 5 Cytarabine, 6-Mercaptopurine, 6-Thioguanine, Fludarabine phosphate, oxaliplatin, leucovorin, oxaliplatin (ELOXATIN[®]), Pentostatine, Vinblastine, Vincristine, Vindesine, Bleomycin, Dactinomycin, Daunorubicin, Doxorubicin, Epirubicin, Idarubicin, Mithramycin[™], Deoxycoformycin, Mitomycin-C, L-Asparaginase, Teniposide 17 α -Ethinylestradiol, Diethylstilbestrol, Testosterone, Prednisone,
- 10 Fluoxymesterone, Dromostanolone propionate, Testolactone, Megestrol acetate, Methylprednisolone, Methyltestosterone, Prednisolone, Triamcinolone, Chlorotrianisene, Hydroxyprogesterone, Aminoglutethimide, Estramustine, Medroxyprogesteroneacetate, Leuprolide, Flutamide, Toremifene, goserelin, Carboplatin, Hydroxyurea, Amsacrine, Procarbazine, Mitotane,
- 15 Mitoxantrone, Levamisole, Navelbene, Anastrozole, Letrazole, Capecitabine, Reloxafine, Droloxafine, Hexamethylmelamine, Avastin, herceptin, Bexxar, Velcade, Zevalin, Trisenox, Xeloda, Vinorelbine, Porfimer, Erbitux, Liposomal, Thiotepa, Altretamine, Melphalan, Trastuzumab, Lerozole, Fulvestrant, Exemestane, Ifosfomide, Rituximab, C225, Campath, leucovorin, and dexamethasone,
- 20 bicalutamide, carboplatin, chlorambucil, cisplatin, letrozole, megestrol, valrubicin, vinblastine, and NIASPAN[®].

28. The pharmaceutical composition of claim 25 further comprising a rescuing agent.

25

29. The pharmaceutical composition of claim 28, wherein the rescuing agent is selected from the group consisting of nicotinamide, nicotinic acid, and nicotinamide mononucleotide (NMN).

30. Use of a compound according to Claim 1 in the manufacture of a medicament for the treatment of a disease or medical condition mediated by NAMPT activity.

31. Use according to Claim 30, in which the medicament is for the treatment of a solid or liquid tumor, non-small cell lung cancer, leukemia, lymphoma, ovarian cancer, glioma, breast cancer, uterine cancer, colon cancer, cervical cancer, lung cancer, prostate cancer, skin cancer, rhino-gastric tumors, colorectal cancer, CNS cancer, bladder cancer, pancreatic cancer, Hodgkin's disease, rheumatoid arthritis, diabetes, atherosclerosis, sepsis, aging or inflammation.