




Fig. 1

UV/VIS Spectra of Extract of Cell Walls Fraction and Conventional Teas (Dilution 1:1000)




Fig. 2

UV/VIS Spectra of *Camellia* Bioactive Compositions (Dilution 1:4000)




Fig. 3

Absorbance Spectra of Extracts of Cell Walls Fraction and Conventional Teas
Applied on Vitro-Skin®
(Dry Matter Levels are Equalized)




Fig. 4

Absorbance Spectra of *Camellia* Bioactive Compositions Applied on Vitro-Skin®
(Dry Matter Levels are Equalized)






Fig. 5

**Fig. 6**

**Fig. 7A**




Fig. 7B





Fig. 8A

**Fig. 8B**




Fig. 9







Fig. 10

**Fig. 11**

**Fig. 12**

**Fig. 13**




Fig. 14




Fig. 15




Fig. 16




Fig. 17




Fig. 18





Fig. 19

**Fig. 20**




Fig. 21




Fig. 22




Fig. 23




Fig. 24




Fig. 25




Fig. 26




Fig. 27




Fig. 28




Fig. 29




Fig. 30




Fig. 31




Fig. 32









Fig. 33


**Fig. 34**


**Fig. 35**



**Fig. 36**



**Fig. 37**


**Fig. 38**

**Fig. 39**

**Fig. 40**

**Fig. 41****Fig. 42**

**Fig. 43****Fig. 44**

**Fig. 45**