


FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8A




FIG. 8B

Oral drug dosage form of Table 2




FIG. 9

Oral drug dosage form of Table 3




FIG. 10

Oral drug dosage form of Table 4




FIG. 11





FIG. 12




FIG. 13





FIG. 14

FIG. 15






FIG. 16A




FIG. 16B




FIG. 17




FIG. 18






FIG. 19A




Front-view image

FIG. 19B



Top-view image

FIG. 19C



Bottom-view image

FIG. 19D




FIG. 20




FIG. 21A




FIG. 21B












Time ^(a)	Front-view image ^(b)	Side-view image ^(c)	Position of the drug dosage form ^(d)	Status of the drug dosage form ^(e)
Before administration ^(a)			N/A ^(d)	N/A ^(e)
0.5h after administration ^(a)			Stomach ^(d)	Four arms extended out with relatively small angles. ^(e)
1.5h after administration ^(a)			Stomach ^(d)	Four arms extended out with relatively big angles. ^(e)
3h after administration ^(a)			Stomach ^(d)	Four arms fully extended out. ^(e)
4h after administration ^(a)			Stomach ^(d)	Four arms fully extended out. ^(e)
6h after administration ^(a)			Stomach ^(d)	Four arms fully extended out. ^(e)
8h after administration ^(a)			Stomach ^(d)	Four arms fully extended out. ^(e)
10h after administration ^(a)			Stomach ^(d)	Four arms fully extended out. ^(e)

FIG. 22A















Time	Front-view image	Side-view image	Position of the drug dosage form	Status of the drug dosage form
12h after administration			Stomach	Four arms fully extended out.
14h after administration			Stomach	Four arms fully extended out.
23h after administration			Stomach	Four arms fully extended out.
24h after administration			Stomach	Four arms fully extended out.
30h after administration			Stomach	Four arms fully extended out.
36h after administration			Stomach	Four arms fully extended out.
48h after administration			ileocecal valve	One arm extended out and three arms compacted.
52h after administration			transverse colon	Four arms compacted.

FIG. 22B




Pre-administration status; side-view image

FIG. 23A



Pre-administration status; top-view image

FIG. 23B



Post-administration status

FIG. 23C




FIG. 23D





FIG. 24A





FIG. 24B





FIG. 24C




FIG. 25





FIG. 26

FIG. 27
Tablet
Anteroposterior view



Tablet
Lateral view

