



**FIG. 1A**

**FIG. 1B**







FIG. 1C

**FIG. 2**





FIG. 3

**FIG. 4**




FIG. 5A




FIG. 5B





FIG. 5C

**FIG. 6**




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14





FIG. 15

FIG. 16







FIG. 17

*Legend*Superscript ^L = beta-D-oxy LNA unit

MeC = 5-methylcytosine unit

Subscript s = phosphorothioate internucleoside linkage

**FIG. 18A**




FIG. 18B




FIG. 19




FIG. 20




FIG. 21




FIG. 22

Dose group	End of dosing ($\mu\text{g}/\text{gram tissue}$)	End of recovery ($\mu\text{g}/\text{gram tissue}$)
SQ Q2W x 3	33.8 (19.1)	N.A.
1 capsule QD x 42	2.3 (1.2)	0.6 (0.2)
2 capsules QD x 42	4.0 (1.6)	0.9 (0.7)

FIG. 23




FIG. 24




FIG. 25A




FIG. 25B




FIG. 26




FIG. 27





FIG. 28

	No. animals	Mean AUC ₀₋₅ (ng·min/h)	SD	Mean C _{max} (ng/ml)	SD
CIVI008/SNAC	6	67.1	50.7	50.7	52.3
CIVI008/5-CNAC	10	122.5	98.6	106.9	91.2

FIG. 29



	No. Capsules	No. Animals	Mean AUC _{0-6h} (ng·h/ml)	SD	Mean C _{max} (ng/ml)	SD
Group B	2	10	97.0	87.9	60.8	64.6
Group C	1	10	144.8	101.2	116.9	114.1

FIG. 30




FIG. 31

Dry Blend




FIG. 32A

Freeze Dried




FIG. 32B



FIG. 33




FIG. 34