
CLAIMS

1. A compound of formula (IB):



(IB)

or a pharmaceutically acceptable salt thereof or a stereoisomer thereof;

wherein,




ring B is aryl, cycloalkyl or heterocyclyl;

R_2 is hydrogen, alkyl or cycloalkyl;

R_3 is hydrogen or alkyl;

alternatively, R_2 together with R_3 along with the ring atoms to which they are attached forms a fused phenyl ring;

R_4 at each occurrence is halo, alkyl or haloalkyl;

R_5 is ,  or ; wherein R_5' is hydrogen, alkyl, alkoxyalkyl or $–(CH_2)_{1-3}–NR_aR_b$; R_5'' is H or alkyl;

R_a and R_b are each independently hydrogen, alkyl, alkoxy or alkoxyalkyl; alternatively, R_a and R_b together with the nitrogen atom to which they are attached form an optionally substituted ring containing 0-2 additional heteroatoms that are independently N, O or S; wherein the optional substituent is one or more halo, alkyl, hydroxy, cyano, cyanoalkyl, haloalkyl, alkoxy, alkoxyalkyl, -COOH or –COO-alkyl;

R_6 at each occurrence is halo, alkyl, alkoxy or haloalkyl;

L_1 is *–CR_cR_d-C(O)– or absent; wherein * is point of attachment with phenyl ring;

R_c and R_d independently are hydrogen, alkyl or haloalkyl; alternatively, R_c and R_d together with the carbon atom to which they are attached form a cycloalkyl ring;


L_2 is –C(O)NH– or absent;

m is 0, 1 or 2;

p is 1; and

q is 0 to 3.


2. The compound of claim 1, having a compound of formula (ID):



(ID)

or a pharmaceutically acceptable salt thereof or a stereoisomer thereof.

3. The compound of claim 1, having a compound of formula (IE):




(IE)

or a pharmaceutically acceptable salt thereof or a stereoisomer thereof;

wherein, L_1 is *–CR_cR_d-C(O)–; wherein * is point of attachment with phenyl.

4. A compound of formula (IF):




(IF)

or a pharmaceutically acceptable salt thereof or a stereoisomer thereof;

wherein,

R_3 is hydrogen;


R_5 is  ; wherein R_5' is hydrogen, alkoxyalkyl or $–(CH_2)_{1-3}–NR_aR_b$; R_5'' is H or alkyl;

L_1 is *$–CR_cR_d$-C(O)–; wherein * is point of attachment with phenyl; and

M is 0.

5. The compound of claims 1 and 2, wherein ring B is monocyclic or bicyclic, cycloalkyl, aryl, heterocycloalkyl or heteroaryl.

6. The compound of claims 1 and 2, wherein R_2 is cycloalkyl.

7. The compound of claims 1 to 4, wherein R_5 is  .

8. The compound according to claim 7, wherein R_5' is $–(CH_2)_{1-3}–NR_aR_b$ and wherein R_a and R_b are each independently hydrogen or alkyl; alternatively, R_a and R_b together with the nitrogen atom to which they are attached to form an optionally

substituted ring containing 0-2 additional heteroatoms that are independently N, O or S; wherein the optional substituent is one or more halo, alkyl, hydroxy, haloalkyl or alkoxy.

9. The compound according to claim 8, wherein R_a and R_b together with the nitrogen atom to which they are attached form an optionally substituted heterocyclic ring containing 0-2 additional heteroatoms that are independently O, S or N.

10. The compound of claims 1 to 4, wherein L_1 is *–CR_cR_d-C(O)–; wherein * is the point of attachment with phenyl ring.

11. The compound of claim 1, wherein L_2 is *–C(O)NH–; wherein * is the point of attachment with ring B.

12. A compound selected from:

Compound No.	**IUPAC name**
1	(E)-N-(3'-(1-((5-cyclopropyl-1H-pyrazol-3-yl)amino)-1-oxopropan-2-yl)-[1,1'-biphenyl]-4-yl)-4-(dimethylamino)but-2-enamide;
2	(E)-N-(3'-(1-((5-cyclopropyl-1H-pyrazol-3-yl)amino)-1-oxopropan-2-yl)-[1,1'-biphenyl]-4-yl)-4-(dimethylamino)but-2-enamide (Isomer-1 of compound-1);
3	(E)-N-(3'-(1-((5-cyclopropyl-1H-pyrazol-3-yl)amino)-1-oxopropan-2-yl)-[1,1'-biphenyl]-4-yl)-4-(dimethylamino)but-2-enamide (Isomer-2 of compound-1);
4	(E)-N-(5'-(1-((5-cyclopropyl-1H-pyrazol-3-yl)amino)-1-oxopropan-2-yl)-2'-fluoro-[1,1'-biphenyl]-4-yl)-4-(dimethylamino)but-2-enamide;
5	(E)-N-(3'-(1-((5-cyclopropyl-1H-pyrazol-3-yl)amino)-1-oxopropan-2-yl)-4'-fluoro-[1,1'-biphenyl]-4-yl)-4-(dimethylamino)but-2-enamide;

7	(E)-N-(3'-(2-((5-cyclopropyl-1H-pyrazol-3-yl)amino)-2-oxoethyl)-[1,1'-biphenyl]-4-yl)-4-(dimethylamino)but-2-enamide;
8	(E)-4-(dimethylamino)-N-(3'-(1-((5-ethyl-1H-pyrazol-3-yl)amino)-1-oxopropan-2-yl)-[1,1'-biphenyl]-4-yl)but-2-enamide;
9	(E)-N-(3'-(1-((5-(tert-butyl)-1H-pyrazol-3-yl)amino)-1-oxopropan-2-yl)-[1,1'-biphenyl]-4-yl)-4-(dimethylamino)but-2-enamide;
10	(E)-N-(5-(3-(1-((5-cyclopropyl-1H-pyrazol-3-yl)amino)-1-oxopropan-2-yl)phenyl)pyridin-2-yl)-4-morpholinobut-2-enamide;
11	(E)-N-(5-(3-(1-((5-cyclopropyl-1H-pyrazol-3-yl)amino)-1-oxopropan-2-yl)phenyl)pyridin-2-yl)-4-morpholinobut-2-enamide (Isomer-1 of compound-10);
12	(E)-N-(5-(3-(1-((5-cyclopropyl-1H-pyrazol-3-yl)amino)-1-oxopropan-2-yl)phenyl)pyridin-2-yl)-4-morpholinobut-2-enamide (Isomer-2 of compound-10);
13	(E)-N-(3'-(1-((5-cyclopropyl-1H-pyrazol-3-yl)amino)-1-oxobutan-2-yl)-[1,1'-biphenyl]-4-yl)-4-(dimethylamino)but-2-enamide;
14	(E)-N-(3'-(1-((5-cyclopropyl-1H-pyrazol-3-yl)amino)-1-oxopropan-2-yl)-3-fluoro-[1,1'-biphenyl]-4-yl)-4-(dimethylamino)but-2-enamide;
15	(E)-N-(3'-(1-((5-cyclobutyl-1H-pyrazol-3-yl)amino)-1-oxopropan-2-yl)-[1,1'-biphenyl]-4-yl)-4-(dimethylamino)but-2-enamide;
16	(E)-N-(6-(3-(1-((5-cyclopropyl-1H-pyrazol-3-yl)amino)-1-oxopropan-2-yl)phenyl)pyridin-3-yl)-4-(dimethylamino)but-2-enamide;
17	(E)-N-(3'-(1-((5-cyclopropyl-1H-pyrazol-3-yl)amino)-1-oxopropan-2-yl)-2-fluoro-[1,1'-biphenyl]-4-yl)-4-(dimethylamino)but-2-enamide;
18	N-(3'-(1-((5-cyclopropyl-1H-pyrazol-3-yl)amino)-1-oxopropan-2-yl)-[1,1'-biphenyl]-4-yl)acrylamide;
19	N-(3'-(1-((5-cyclopropyl-1H-pyrazol-3-yl)amino)-1-oxopropan-2-yl)-3-fluoro-[1,1'-biphenyl]-4-yl)acrylamide;

20	N-(5-(3-(1-((5-cyclopropyl-1H-pyrazol-3-yl)amino)-1-oxopropan-2-yl)phenyl)pyridin-2-yl)acrylamide;
21	N-(5-(3-(1-((5-cyclopropyl-1H-pyrazol-3-yl)amino)-1-oxopropan-2-yl)phenyl)pyridin-2-yl)acrylamide (Isomer-1 of compound-20);
22	N-(5-(3-(1-((5-cyclopropyl-1H-pyrazol-3-yl)amino)-1-oxopropan-2-yl)phenyl)pyridin-2-yl)acrylamide (Isomer-2 of compound-20);
23	N-(5'-(1-((5-cyclopropyl-1H-pyrazol-3-yl)amino)-1-oxopropan-2-yl)-2',3-difluoro-[1,1'-biphenyl]-4-yl)acrylamide;
24	N-(6-(3-(1-((5-cyclopropyl-1H-pyrazol-3-yl)amino)-1-oxopropan-2-yl)phenyl)pyridin-3-yl)acrylamide;
25	2-(4'-acrylamido-3'-fluoro-[1,1'-biphenyl]-3-yl)-N-(5-cyclopropyl-1H-pyrazol-3-yl)-3-methylbutanamide;
26	2-(3-(5-acrylamidopyridin-2-yl)phenyl)-N-(5-cyclopropyl-1H-pyrazol-3-yl)butanamide;
27	2-(4'-acrylamido-3'-fluoro-[1,1'-biphenyl]-3-yl)-N-(5-cyclopropyl-1H-pyrazol-3-yl)butanamide;
28	(E)-N-(3'-(1-((5-cyclopentyl-1H-pyrazol-3-yl)amino)-1-oxopropan-2-yl)-3-fluoro-[1,1'-biphenyl]-4-yl)-4-(dimethylamino)but-2-enamide;
29	(E)-N-(5-cyclopropyl-1H-pyrazol-3-yl)-2-(3-(1-(4-(dimethylamino)but-2-enoyl)indolin-5-yl)phenyl)propanamide;
30	N-(3'-(1-((5-cyclopropyl-4-methyl-1H-pyrazol-3-yl)amino)-1-oxopropan-2-yl)-[1,1'-biphenyl]-4-yl)acrylamide;
31	(E)-N-(3'-(1-((5-cyclopropyl-1H-pyrazol-3-yl)amino)-1-oxobutan-2-yl)-3-fluoro-[1,1'-biphenyl]-4-yl)-4-(dimethylamino)but-2-enamide;
32	(E)-N-(3'-(1-((5-cyclopropyl-1H-pyrazol-3-yl)amino)-1-oxopropan-2-yl)-3-fluoro-[1,1'-biphenyl]-4-yl)-4-(diethylamino)but-2-enamide;
33	(E)-N-(3'-(1-((5-cyclopropyl-1H-pyrazol-3-yl)amino)-1-oxopropan-2-yl)-3-fluoro-[1,1'-biphenyl]-4-yl)-4-(pyrrolidin-1-yl)but-2-enamide;

34	(E)-N-(3'-(1-((5-cyclopropyl-1H-pyrazol-3-yl)amino)-1-oxopropan-2-yl)-3-fluoro-[1,1'-biphenyl]-4-yl)-4-morpholinobut-2-enamide;
35	(E)-N-(6-(3-(1-((5-cyclopropyl-1H-pyrazol-3-yl)amino)-1-oxopropan-2-yl)phenyl)pyridin-3-yl)-4-morpholinobut-2-enamide;
36	(E)-N-(6-(3-(1-((5-cyclopropyl-1H-pyrazol-3-yl)amino)-3-methyl-1-oxobutan-2-yl)phenyl)pyridin-3-yl)-4-(dimethylamino)but-2-enamide;
37	(E)-4-((6-(3-(1-((5-cyclopropyl-1H-pyrazol-3-yl)amino)-1-oxopropan-2-yl)phenyl)pyridin-3-yl)amino)-N,N-dimethylbut-2-enamide;
38	(E)-N-(6-(3-(1-((5-cyclopropyl-1H-pyrazol-3-yl)amino)-1-oxopropan-2-yl)phenyl)-2-fluoropyridin-3-yl)-4-(dimethylamino)but-2-enamide;
39	(E)-N-(6-(3-(1-((5-cyclopropyl-1H-pyrazol-3-yl)amino)-1-oxopropan-2-yl)phenyl)pyridin-3-yl)-4-(piperidin-1-yl)but-2-enamide;
40	(E)-N-(5-(3-(1-((5-cyclopropyl-1H-pyrazol-3-yl)amino)-1-oxopropan-2-yl)phenyl)pyridin-2-yl)-4-(piperidin-1-yl)but-2-enamide;
41	(E)-N-(5-(3-(1-((5-cyclopropyl-1H-pyrazol-3-yl)amino)-1-oxopropan-2-yl)phenyl)pyridin-2-yl)-4-methoxybut-2-enamide;
42	(E)-N-(5-(3-(1-((5-cyclopropyl-1H-pyrazol-3-yl)amino)-1-oxopropan-2-yl)phenyl)pyridin-2-yl)-4-(dimethylamino)but-2-enamide;
43	(E)-N-(3'-(1-((5-cyclopropyl-1H-pyrazol-3-yl)amino)-3-methyl-1-oxobutan-2-yl)-3-fluoro-[1,1'-biphenyl]-4-yl)-4-(dimethylamino)but-2-enamide;
44	(E)-N-(5-(3-(1-((5-cyclopropyl-1H-pyrazol-3-yl)amino)-3-methyl-1-oxobutan-2-yl)phenyl)pyridin-2-yl)-4-morpholinobut-2-enamide;
45	(E)-N-(5-(3-(1-((5-cyclopropyl-1H-pyrazol-3-yl)amino)-1-oxopropan-2-yl)phenyl)pyridin-2-yl)-4-(3-fluoropyrrolidin-1-yl)but-2-enamide;
46	(E)-N-(5-(3-(1-((5-cyclopropyl-1H-pyrazol-3-yl)amino)-1-oxopropan-2-yl)phenyl)pyridin-2-yl)-4-((S)-3-fluoropyrrolidin-1-yl)but-2-enamide;

47	(E)-N-(5-(3-(1-((5-cyclopropyl-1H-pyrazol-3-yl)amino)-1-oxopropan-2-yl)phenyl)pyridin-2-yl)-4-((S)-3-fluoropyrrolidin-1-yl)but-2-enamide (Isomer-1 of compound-46);
48	E)-N-(5-(3-(1-((5-cyclopropyl-1H-pyrazol-3-yl)amino)-1-oxopropan-2-yl)phenyl)pyridin-2-yl)-4-((S)-3-fluoropyrrolidin-1-yl)but-2-enamide (Isomer-2 of compound-46);
49	(E)-N-(5-(3-(1-((5-cyclopropyl-1H-pyrazol-3-yl)amino)-1-oxopropan-2-yl)phenyl)pyridin-2-yl)-4-((R)-3-fluoropyrrolidin-1-yl)but-2-enamide
50	(E)-N-(5-(3-(1-((5-cyclopropyl-1H-pyrazol-3-yl)amino)-1-oxopropan-2-yl)phenyl)pyridin-2-yl)-4-((R)-3-fluoropyrrolidin-1-yl)but-2-enamide (Isomer-1 of compound-49);
51	(E)-N-(5-(3-(1-((5-cyclopropyl-1H-pyrazol-3-yl)amino)-1-oxopropan-2-yl)phenyl)pyridin-2-yl)-4-((R)-3-fluoropyrrolidin-1-yl)but-2-enamide (Isomer-2 of compound-49);
52	(E)-N-(5-(3-(1-((5-cyclopropyl-1H-pyrazol-3-yl)amino)-1-oxopropan-2-yl)phenyl)pyridin-2-yl)-4-(pyrrolidin-1-yl)but-2-enamide;
53	(E)-N-(5-(3-(1-((5-cyclopropyl-1H-pyrazol-3-yl)amino)-1-oxopropan-2-yl)-phenyl)pyridin-2-yl)-4-(pyrrolidin-1-yl)but-2-enamide (Isomer-1 of compound-52);
54	(E)-N-(5-(3-(1-((5-cyclopropyl-1H-pyrazol-3-yl)amino)-1-oxopropan-2-yl)-phenyl)pyridin-2-yl)-4-(pyrrolidin-1-yl)but-2-enamide (Isomer-2 of compound-52);
55	(E)-N-(5-(3-(1-((5-cyclopropyl-1H-pyrazol-3-yl)amino)-1-oxopropan-2-yl)phenyl)pyridin-2-yl)-4-(diethylamino)but-2-enamide;
56	(E)-N-(5-(3-(1-((5-cyclopropyl-1H-pyrazol-3-yl)amino)-3-methyl-1-oxobutan-2-yl)phenyl)pyridin-2-yl)-4-(dimethylamino)but-2-enamide;
57	(E)-N-(5-(3-(1-((5-cyclopropyl-1H-pyrazol-3-yl)amino)-1-oxopropan-2-yl)phenyl)pyridin-2-yl)-4-(3-fluoropiperidin-1-yl)but-2-enamide;


58	(E)-N-(6-(3-(1-((5-cyclopropyl-1H-pyrazol-3-yl)amino)-1-oxopropan-2-yl)phenyl)-2-fluoropyridin-3-yl)-4-morpholinobut-2-enamide;
59	(E)-N-(5-(3-(1-((5-cyclopropyl-1H-pyrazol-3-yl)amino)-1-oxopropan-2-yl)phenyl)-6-fluoropyridin-2-yl)-4-morpholinobut-2-enamide;
60	(E)-N-(5-(3-(1-((5-cyclopropyl-1H-pyrazol-3-yl)amino)-1-oxopropan-2-yl)phenyl)pyridin-3-yl)-4-morpholinobut-2-enamide;
61	(E)-N-(3'-(1-((5-cyclopropyl-1H-pyrazol-3-yl)amino)-1-oxopropan-2-yl)-[1,1'-biphenyl]-3-yl)-4-morpholinobut-2-enamide;
62	(E)-N-(5-(3-(1-((5-cyclopropyl-1H-pyrazol-3-yl)amino)-1-oxopropan-2-yl)phenyl)pyridin-2-yl)-4-(methoxy(methyl)amino)but-2-enamide;
63	(E)-N-(5-(3-(1-((5-cyclopropyl-1H-pyrazol-3-yl)amino)-1-oxopropan-2-yl)phenyl)-3-fluoropyridin-2-yl)-4-morpholinobut-2-enamide;
64	(E)-N-(6-(3-(1-((5-cyclopropyl-1H-pyrazol-3-yl)amino)-1-oxopropan-2-yl)phenyl)-2-fluoropyridin-3-yl)-4-(3-fluoropyrrolidin-1-yl)but-2-enamide;
65	N-(3'-(1-((5-cyclopropyl-1H-pyrazol-3-yl)amino)-1-oxopropan-2-yl)-3-methoxy-[1,1'-biphenyl]-4-yl)acrylamide;
66	N-(3'-(1-((5-cyclopropyl-1H-pyrazol-3-yl)amino)-1-oxopropan-2-yl)-3-methyl-[1,1'-biphenyl]-4-yl)acrylamide;
67	N-(3'-(1-((5-cyclopropyl-1H-pyrazol-3-yl)amino)-1-oxopropan-2-yl)-3,5-dimethyl-[1,1'-biphenyl]-4-yl)acrylamide;
68	(E)-N-(5-(3-(1-((5-cyclopropyl-1H-pyrazol-3-yl)amino)-1-oxopropan-2-yl)phenyl)pyridin-2-yl)-4-((2-methoxyethyl)(methyl)amino)but-2-enamide;
69	(E)-N-(5-(3-(1-((5-cyclopropyl-1H-pyrazol-3-yl)amino)-1-oxopropan-2-yl)phenyl)pyridin-2-yl)-4-(1H-imidazol-1-yl)but-2-enamide;
70	(E)-N-(5-(3-(1-((5-cyclopropyl-1H-pyrazol-3-yl)amino)-1-oxopropan-2-yl)phenyl)pyridin-2-yl)-4-((S)-2-(methoxymethyl)pyrrolidin-1-yl)but-2-enamide;


71	(E)-N-(5-(3-(1-((5-cyclopropyl-1H-pyrazol-3-yl)amino)-1-oxopropan-2-yl)phenyl)pyridin-2-yl)-4-((S)-2-(methoxymethyl)pyrrolidin-1-yl)but-2-enamide (Isomer-1 of compound-70);
72	(E)-N-(5-(3-(1-((5-cyclopropyl-1H-pyrazol-3-yl)amino)-1-oxopropan-2-yl)phenyl)pyridin-2-yl)-4-((S)-2-(methoxymethyl)pyrrolidin-1-yl)but-2-enamide (Isomer-2 of compound-70);
73	N-(3'-(1-((5-cyclopropyl-1H-pyrazol-3-yl)amino)-1-oxopropan-2-yl)-2-methoxy-[1,1'-biphenyl]-4-yl)acrylamide;
74	N-((5-(3-(1-((5-cyclopropyl-1H-pyrazol-3-yl)amino)-1-oxopropan-2-yl)phenyl)pyridin-2-yl)methyl)acrylamide;
75	N-(3'-(1-((5-cyclopropyl-1H-pyrazol-3-yl)amino)-1-oxopropan-2-yl)-2-methyl-[1,1'-biphenyl]-4-yl)acrylamide;
76	2-(3-(1-acryloylindolin-5-yl)phenyl)-N-(5-cyclopropyl-1H-pyrazol-3-yl)propanamide;
77	(E)-N-(5-(3-(1-((5-cyclopropyl-1H-pyrazol-3-yl)amino)-1-oxopropan-2-yl)phenyl)pyridin-2-yl)-4-((2S,4S)-4-fluoro-2-(methoxymethyl)pyrrolidin-1-yl)but-2-enamide;
78	(E)-4-(3-cyanopyrrolidin-1-yl)-N-(5-(3-(1-((5-cyclopropyl-1H-pyrazol-3-yl)amino)-1-oxopropan-2-yl)phenyl)pyridin-2-yl)but-2-enamide;
79	N-(6-(3-(1-((5-cyclopropyl-1H-pyrazol-3-yl)amino)-1-oxopropan-2-yl)phenyl)pyrazin-2-yl)acrylamide;
80	(E)-N-(3'-(1-((5-cyclopropyl-1H-pyrazol-3-yl)amino)-1-oxopropan-2-yl)-3-fluoro-[1,1'-biphenyl]-4-yl)-4-((S)-3-fluoropyrrolidin-1-yl)but-2-enamide;
81	methyl ((E)-4-((5-(3-(1-((5-cyclopropyl-1H-pyrazol-3-yl)amino)-1-oxopropan-2-yl)phenyl)pyridin-2-yl)amino)-4-oxobut-2-en-1-yl)-L-prolinate;


82	(E)-4-((S)-2-(cyanomethyl)pyrrolidin-1-yl)-N-(5-(3-(1-((5-cyclopropyl-1H-pyrazol-3-yl)amino)-1-oxopropan-2-yl)phenyl)pyridin-2-yl)but-2-enamide;
83	4-acrylamido-N-(3-((5-ethyl-1H-pyrazol-3-yl)amino)phenyl)benzamide;
84	(E)-N-(5-cyclopropyl-1H-pyrazol-3-yl)-2-(3-(1-(4-(dimethylamino)but-2-enoyl)-1,2,3,6-tetrahydropyridin-4-yl)phenyl)propanamide;
85	(E)-N-(5-cyclopropyl-1H-pyrazol-3-yl)-2-(3-(1-(4-(dimethylamino)but-2-enoyl)piperidin-4-yl)phenyl)propanamide;
86	N-(3'-(2-((5-methyl-1H-pyrazol-3-yl)amino)-2-oxoethyl)-[1,1'-biphenyl]-4-yl)acrylamide;
87	N-(3'-(1-((5-ethyl-1H-pyrazol-3-yl)amino)-1-oxopropan-2-yl)-[1,1'-biphenyl]-4-yl)acrylamide;
88	N-(3'-(1-((5-(tert-butyl)-1H-pyrazol-3-yl)amino)-1-oxopropan-2-yl)-[1,1'-biphenyl]-4-yl)acrylamide;
89	(E)-N-(3-((1H-indazol-3-yl)amino)phenyl)-4-(4-(dimethylamino)but-2-enamido)benzamide;
90	N-(3'-(1-((1H-indazol-3-yl)amino)-1-oxopropan-2-yl)-[1,1'-biphenyl]-4-yl)acrylamide;
91	(E)-N-(3'-(1-((1H-indazol-3-yl)amino)-1-oxopropan-2-yl)-[1,1'-biphenyl]-4-yl)-4-(dimethylamino)but-2-enamide;
92	(E)-N-(6-(3-(1-((5-cyclopropyl-1H-pyrazol-3-yl)amino)-1-oxopropan-2-yl)phenyl)pyrazin-2-yl)-4-(pyrrolidin-1-yl)but-2-enamide;
93	(S,E)-N-(5-(3-(1-((5-cyclopropyl-1H-pyrazol-3-yl)amino)-1-oxopropan-2-yl)phenyl)pyridin-2-yl)-4-morpholinobut-2-enamide;
94	(E)-N-(5-cyclopropyl-1H-pyrazol-3-yl)-1-(3-(6-(4-(pyrrolidin-1-yl)but-2-enamido)pyridin-3-yl)phenyl)cyclopropane-1-carboxamide;


95	(E)-N-(5-(3-(1-((5-cyclopropyl-1H-pyrazol-3-yl)amino)-2-methyl-1-oxopropan-2-yl)phenyl)pyridin-2-yl)-4-(pyrrolidin-1-yl)but-2-enamide;


or a pharmaceutically acceptable salt or a stereoisomer thereof.


13. A compound of formula:  (Compound 46) or a pharmaceutically acceptable salt or a stereoisomer thereof.


14. A diastereomer of a compound of formula:  (Compound 46) or a pharmaceutically acceptable salt thereof.


15. A compound of formula:  (Compound 20) or a pharmaceutically acceptable salt or a stereoisomer thereof.


16. An enantiomer of a compound of formula:  (Compound 20) or a pharmaceutically acceptable salt thereof.


17. A compound of formula:  (Compound 44) or a pharmaceutically acceptable salt or a stereoisomer thereof.


18. A compound of formula:  (Compound 10) or a pharmaceutically acceptable salt or a stereoisomer thereof.


19. An enantiomer of a compound of formula:  (Compound 10) or a pharmaceutically acceptable salt thereof.


20. A compound of formula:  (Compound 52) or a pharmaceutically acceptable salt or a stereoisomer thereof.

21. An enantiomer of a compound of formula:  (Compound 52) or a pharmaceutically acceptable salt thereof.

22. A compound of formula:  (Compound 56) or a pharmaceutically acceptable salt or a stereoisomer thereof.

23. A compound of formula:  (Compound 40) or a pharmaceutically acceptable salt or a stereoisomer thereof.

24. A compound of formula:  (Compound 43) or a pharmaceutically acceptable salt or a stereoisomer thereof.

25. A compound of formula:  (Compound 57) or a pharmaceutically acceptable salt or a stereoisomer thereof.

26. A pharmaceutical composition comprising a compound of any one of claims 1 to 25, or a pharmaceutically acceptable salt or a stereoisomer thereof and at least one pharmaceutically acceptable excipient.

27. A compound according to any one of claims 1 to 25, or a pharmaceutically acceptable salt or a stereoisomer thereof, for use in the treatment of cancer.

28. A pharmaceutical composition according to claim 26 for use in treating a subject suffering from diseases and/or disorder associated with aberrant activity of selective transcriptional CDKs.

29. A pharmaceutical composition according to claim 26 for use in treating a subject suffering from diseases and/or disorder associated with aberrant activity of transcriptional CDK9, CDK12, CDK13 or CDK18.

30. A pharmaceutical composition according to claim 26 for use in treating a subject suffering from diseases and/or disorder associated with aberrant activity of transcriptional CDK7.

31. A compound according to any one of claims 1 to 25, or a pharmaceutically acceptable salt or a stereoisomer thereof, for use in inhibiting selective transcriptional CDKs in a subject.

32. A compound according to any one of claims 1 to 25, or a pharmaceutically acceptable salt or a stereoisomer thereof, for use in treating diseases and/or disorders mediated by selective transcriptional CDKs in a subject.

33. A compound or a pharmaceutically acceptable salt or a stereoisomer thereof for use according to claim 32, wherein the diseases and/or disorders mediated by selective transcriptional CDKs is selected from the group consisting of a cancer, an inflammatory disorder, an auto-inflammatory disorder and an infectious disease.

34. A compound or a pharmaceutically acceptable salt or a stereoisomer thereof for use according to claim 33, wherein the cancer is selected from the group consisting of a carcinoma, including that of the breast, liver, lung, colon, kidney, bladder, including small cell lung cancer, non-small cell lung cancer, head and neck, thyroid, esophagus, stomach, pancreas, ovary, gall bladder, cervix, prostate and skin, including squamous cell carcinoma; hematopoietic tumors of lymphoid lineage, including leukemia, acute lymphoblastic leukemia, acute lymphocytic leukemia, Hodgkins lymphoma, non-Hodgkins lymphoma, B-cell lymphoma, T- cell lymphoma, hairy cell lymphoma, myeloma, mantle cell lymphoma and Burkett's lymphoma; hematopoietic tumors of myeloid lineage, including acute and chronic myelogenous leukemias, myelodysplastic syndrome and promyelocytic leukemia; tumors of mesenchymal origin, including fibrosarcoma and rhabdomyosarcoma; tumors of the

central and peripheral nervous system, including astrocytoma, neuroblastoma, glioma and schwannomas; and other tumors, including seminoma, melanoma, osteosarcoma, teratocarcinoma, keratoatanthoma, xeroderma pigmentosum, thyroid follicular cancer and Kaposi's sarcoma.

35. A compound or a pharmaceutically acceptable salt or a stereoisomer thereof for use according to any one of claims 31 to 34, wherein the selective transcriptional CDKs are CDK7, CDK9, CDK12, CDK13 or CDK 18.

36. Use of a compound of any one of claims 1 to 25 in the manufacture of a medicament for the treatment of cancer.

37. Use of a pharmaceutical composition according to claim 26, in the manufacture of a medicament for treating a subject suffering from diseases and/or disorder associated with aberrant activity of selective transcriptional CDKs, wherein the diseases and/or disorders mediated by selective transcriptional CDKs is selected from the group consisting of a cancer, an inflammatory disorder, an auto-inflammatory disorder and an infectious disease.

38. Use of a pharmaceutical composition according to claim 26, in the manufacture of a medicament for treating a subject suffering from diseases and/or disorder associated with aberrant activity of transcriptional CDK9, CDK12, CDK13 or CDK18, wherein the diseases and/or disorders mediated by transcriptional CDK9, CDK12, CDK13 or CDK18 is selected from the group consisting of a cancer, an inflammatory disorder, an auto-inflammatory disorder and an infectious disease.

39. Use of a pharmaceutical composition according to claim 26, in the manufacture of a medicament for treating a subject suffering from diseases and/or disorder associated with aberrant activity of transcriptional CDK7, wherein the diseases and/or disorders mediated by transcriptional CDK7 is selected from the group

consisting of a cancer, an inflammatory disorder, an auto-inflammatory disorder and an infectious disease.

40. Use of a compound of any one of claims 1 to 25, in the manufacture of a medicament for inhibiting selective transcriptional CDKs in a subject, wherein the diseases and/or disorders mediated by selective transcriptional CDKs is selected from the group consisting of a cancer, an inflammatory disorder, an auto-inflammatory disorder and an infectious disease.

41. Use of a compound of any one of claims 1 to 25, in the manufacture of a medicament for treating diseases and/or disorders mediated by selective transcriptional CDKs in a subject, wherein the diseases and/or disorders mediated by selective transcriptional CDKs is selected from the group consisting of a cancer, an inflammatory disorder, an auto-inflammatory disorder and an infectious disease.

42. Use according to claim 41, wherein the cancer is selected from the group consisting of a carcinoma, including that of the breast, liver, lung, colon, kidney, bladder, including small cell lung cancer, non-small cell lung cancer, head and neck, thyroid, esophagus, stomach, pancreas, ovary, gall bladder, cervix, prostate and skin, including squamous cell carcinoma; hematopoietic tumors of lymphoid lineage, including leukemia, acute lymphoblastic leukemia, acute lymphocytic leukemia, Hodgkins lymphoma, non-Hodgkins lymphoma, B-cell lymphoma, T- cell lymphoma, hairy cell lymphoma, myeloma, mantle cell lymphoma and Burkett's lymphoma; hematopoietic tumors of myeloid lineage, including acute and chronic myelogenous leukemias, myelodysplastic syndrome and promyelocytic leukemia; tumors of mesenchymal origin, including fibrosarcoma and rhabdomyosarcoma; tumors of the central and peripheral nervous system, including astrocytoma, neuroblastoma, glioma and schwannomas; and other tumors, including seminoma, melanoma, osteosarcoma, teratocarcinoma, keratoatanthoma, xeroderma pigmentosum, thyroid follicular cancer and Kaposi's sarcoma.

43. Use according to any one of claims 40 to 42, wherein the selective transcriptional CDKs are CDK7, CDK9, CDK12, CDK13 or CDK 18.