What is claimed:

1. A printing cabinet for housing a printing device having a dispensing end that expels printed paper, comprising:

a housing having a substantially enclosed interior for receiving a printing device, the housing having a top surface and a bottom surface and opposing side surfaces each extending between the top surface and the bottom surface;

an opening formed in one of the opposing side surfaces of the housing, the opening aligned with the dispensing end of the printing device;

at least one L shaped hinged cover forming part of the top surface and providing access to the printing device;

a second hinged cover forming another part of the top surface and providing access to the dispensing end of the printing device; and

a paper tray positioned outside of the housing and aligned with the opening of the housing to receive the printed paper expelled by the printing device,

wherein the printing device is discrete from the housing and has a defined exterior surface.

2. The printing cabinet of claim 1, further comprising at least one hinged cover fixed to the housing.

3. The printing cabinet of claim 1, further comprising an interior shelf located within the housing defining an upper portion of the housing and a lower portion of the cabinet.

4. The printing cabinet of claim 3, wherein the upper portion of the housing includes a top surface having a step-up portion.

5. The printing cabinet of claim 4, wherein the at least one L-shaped hinged cover forms part of the step-up portion of the top surface of the upper portion of the housing.

6. The printing cabinet of claim 5, wherein the L-shaped hinged cover includes a window.

7. The printing cabinet of claim 1, further comprising at least one air filtration unit located within the housing and having at least one vent positioned on the outside of the housing.

8. The printing cabinet of claim 7, wherein the at least one air filtration unit comprises a fan which forces air from the interior of the housing to the outside of the housing through the at least one vent.

9. The printing cabinet of claim 7, further comprising a second air filtration unit located within the housing and having vents positioned on the outside of the housing.

10. The printing cabinet of claim 1, wherein the housing is made of stainless steel.

11. The printing cabinet of claim 1, further comprising at least one door fixed to the housing.

12. The printing cabinet of claim 1, further comprising a plurality of wheels fixed to a bottom surface of the housing and a handle fixed to a side of the housing such that the printing cabinet is portable.

13. The printing cabinet of claim 1, further comprising at least one data connection port located on the housing.

14. The printing cabinet of claim 1, further comprising a power outlet located on the housing.

15. The printing cabinet of claim 14, further comprising a battery located within the housing and being electrically connected to the power outlet.

16. The printing cabinet of claim 1, wherein the paper tray includes at least two prongs at one end for engaging with the opening of the housing and removably engaging the paper tray thereto.

17. A printing cabinet, comprising:

a housing having a substantially enclosed interior and an opening formed a side surface thereof;

an interior shelf located within the housing defining an upper portion and a lower portion of the cabinet, wherein the upper portion has a top surface with a step-up portion;

a paper tray positioned outside of the housing and in communication with the opening of the housing;

at least one L-shaped hinged cover that forms part of the step-up portion; of the top surface of the upper portion of the housing;

a second hinged cover fixed to the top surface of the upper portion of the housing adjacent to the step-up portion;

at least one air filtration unit located within the housing having vents positioned on an outside surface of the housing; and

at least one power source.