

Mean of CD3+CD4+
Percentage of cells
18.00
16.00
14.00
12.00
10.00
8.00
6.00
4.00
2.00
0.00
PBS in nude mice
ACI-24-125 in nude mice
ACI-24-125 in wt mice



wild type mice:
12 May 09
Mouse #3
CD3
CD4
12 May 09
Mouse #4
CD3
CD4
nude mice:
13 May 09
Mouse #5
CD3
CD4
13 May 09
Mouse #6
CD3
CD4

Figure 1




Figure 2




Figure 3

Fig. 4a




Fig. 4b




Fig. 4c




Fig. 4d




Figure 4

Fig. 5a




Fig. 5b




Figure 5




Figure 6




Figure 7




Figure 8




Figure 9




Figure 10




Figure 11




Figure 12




Figure 13




Fig. 14a




Fig. 14b




Fig. 14c




Fig. 14d

Figure 14




Figure 15




Figure 16




Figure 17





Figure 18



Mouse#5 and 6: nude mice
Mouse#7 and 8: wild-type mice




Figure 19




Figure 20




Figure 21



ACI-33-JSW-003 total IgG titers after 3 s.c. injections
O.D. at 1/100 dilution
4.0
3.5
3.0
2.5
2.0
1.5
1.0
0.5
0.0
ACI-33; s.c., nude mice
ACI-33; s.c., wild-type mice
anti-Tau5-20 [pY18]
anti-Tau5-20
anti-pTau protein
anti-Tau protein

Figure 22