



(51) International Patent Classification:

A61K 38/42 (2006.01) *A61P 17/02* (2006.01)
A61K 33/00 (2006.01)

(21) International Application Number:

PCT/EP2012/003086

(22) International Filing Date:

23 July 2012 (23.07.2012)

(25) Filing Language:

English

(26) Publication Language:

English

(30) Priority Data:

11006057.1 23 July 2011 (23.07.2011) EP

(71) Applicant (for all designated States except US):
SASTOMED GMBH; Brüsseler Strasse 2, 49124 Georgs-
marienhütte (DE).

(72) Inventor; and

(75) Inventor/Applicant (for US only): **SANDER, Michael**
[DE/DE]; Barenhorst 65, 33824 Werther (DE).

(74) Agent: **POLYPATENT**; Braunsberger Feld 29, 51429
Bergisch Gladbach (DE).

(81) Designated States (unless otherwise indicated, for every
kind of national protection available): AE, AG, AL, AM,

AO, AT, AU, AZ, BA, BB, BG, BH, BR, BW, BY, BZ,
CA, CH, CL, CN, CO, CR, CU, CZ, DE, DK, DM, DO,
DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, GT, HN,
HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KN, KP, KR,
KZ, LA, LC, LK, LR, LS, LT, LU, LY, MA, MD, ME,
MG, MK, MN, MW, MX, MY, MZ, NA, NG, NI, NO, NZ,
OM, PE, PG, PH, PL, PT, QA, RO, RS, RU, RW, SC, SD,
SE, SG, SK, SL, SM, ST, SV, SY, TH, TJ, TM, TN, TR,
TT, TZ, UA, UG, US, UZ, VC, VN, ZA, ZM, ZW.

(84) Designated States (unless otherwise indicated, for every
kind of regional protection available): ARIPO (BW, GH,
GM, KE, LR, LS, MW, MZ, NA, RW, SD, SL, SZ, TZ,
UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, RU, TJ,
TM), European (AL, AT, BE, BG, CH, CY, CZ, DE, DK,
EE, ES, FI, FR, GB, GR, HR, HU, IE, IS, IT, LT, LU, LV,
MC, MK, MT, NL, NO, PL, PT, RO, RS, SE, SI, SK, SM,
TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW,
ML, MR, NE, SN, TD, TG).

Published:

- with international search report (Art. 21(3))
- before the expiration of the time limit for amending the
claims and to be republished in the event of receipt of
amendments (Rule 48.2(h))

(54) Title: WOUND SPRAY

(57) Abstract: The present invention refers to a composition, comprising hemoglobin or myoglobin, wherein in at least 40% of said hemoglobin or myoglobin the oxygen binding site is charged by a non-O₂ ligand, and at least one further ingredient, a method for preparing said composition and the use of hemoglobin or myoglobin charged with a non-oxygen ligand for external treatment of wounds.



WO 2013/013799 A1