




Fig.1.

MARKUP DOCUMENT 108




Fig.2.

```

1      Counter #1: <span id="counterLabel1">0</span><br />
2      Counter #2: <span id="counterLabel2">0</span><br />
3      <script type="text/xml-script"> ~ 210
4          <page xmlns:script="http://schemas.microsoft.com/xml-script/2005">
5              <references> ~ 212
6                  <add src="../../ScriptLibrary/AtlasUI.js" />
7                  <add src="../../ScriptLibrary/AtlasControls.js" />
8              </references>
9              <components> ~ 214
10                 <counter id="counter1" />
11                 <counter id="counter2" value="10000" />
12                     <timer interval="500" enabled="true">
13                         <tick> ~ 306
14                             <invokeMethod target="counter1" method="increment" />
15                         </tick> ~ 308
16                     </timer> ~ 310
17                     <timer interval="500" enabled="true">
18                         <tick> ~ 316
19                             <invokeMethod target="counter2" method="decrement" />
20                         </tick> ~ 318
21                     </timer> ~ 312
22                     <label targetElement="counterLabel1">
23                         <bindings> ~ 314
24                             <binding dataContext="counter1" dataPath="value" property="text" />
25                         </bindings>
26                     </label> ~ 320
27                     <label targetElement="counterLabel2">
28                         <bindings>
29                             <binding dataContext="counter2" dataPath="value" property="text" />
30                         </bindings>
31                     </label>
32                 </components>
33             </page>
34         </script>

```

Fig.3.