

GROWTH HORMONE POLYPEPTIDES AND METHODS OF MAKING AND USING SAME

STATEMENT REGARDING FEDERALLY SPONSORED RESEARCH

[0001] This invention was made with government support under SBIR grant 2R44GM079873-02 awarded by the National Institutes of Health. The government has certain rights in the invention.

CROSS-REFERENCE TO RELATED APPLICATIONS

[0002] This application claims the priority benefit of U.S. Provisional Application Serial Nos. 61/185,112, filed June 8, 2009; 61/236,836, filed August 25, 2009; and 61/280,955, filed November 10, 2009, and U.S. Application Serial No. 12/699,761 and PCT Application Serial No. PCT/US10/23106, both filed February 3, 2010, all pending, which are hereby incorporated herein by reference in their entirety.

BACKGROUND OF THE INVENTION

[0003] Human growth hormone (hGH) is a hormone that participates in the regulation of human growth and development. Growth Hormone (herein after "GH"), also known as somatotrophin, represents a class of proteinaceous hormones produced and secreted by the somatotrophic cells of the anterior pituitary. Secretion of GH is stimulated by the growth hormone releasing hormone (GHRH) from the hypothalamus and suppressed by somatostatin. This pituitary hormone exhibits a number of biological effects including somatogenesis, lactation, activation of macrophages, insulin-like and diabetogenic effects among others (Chawla, R, K. (1983) Ann. Rev. Med. 34, 519; Edwards, C. K. et al. (1988) Science 239, 769; Thorner, M. O., et al. (1988) J. Clin. Invest. 81, 745). Human growth hormone is a member of a family of homologous hormones that include placental lactogens, prolactins, and other genetic and species variants of GH. GH regulates the secretion of Insulin-like growth factor (IGF-1, formerly known as somatomedin C), among other peptide hormones known collectively as somatomedins, which accounts for most of its biological activity.

[0004] A number of diseases and disorders are associated with the deficiency of GH. A deficiency can be congenital, acquired in childhood or in adult life, and can be partial or complete. In some cases, the deficiency is transient, but more commonly is permanent, and may occur in association with deficiencies of other pituitary hormones. Growth hormone deficiency in children leads to dwarfism, growth failure or short stature. Deficiency in adults is rare, but symptoms can include diminished body mass and poor bone density, and a number of psychological symptoms. Other hormonal or glandular disorders frequently coincide with deficiency of growth hormone.

[0005] Stimulating the increase in height in childhood is the most widely known effect of GH, and appears to function by at least two mechanisms: GH directly stimulates division and multiplication

of chondrocytes of cartilage, and GH also stimulates production of IGF-1. IGF-1 has growth-stimulating effects on a wide variety of tissues. Additional IGF-1 is generated within target tissues, making it apparently both an endocrine and an autocrine/paracrine hormone. IGF-1 also has stimulatory effects on osteoblast and chondrocyte activity to promote bone growth.

[0006] Human growth hormone (hGH) plays a key role in somatic growth through its effects on the metabolism of proteins, carbohydrates and lipids. In addition to its effects on somatic growth, hGH has been shown to stimulate blood cells in vitro (Derfalvi et al., 1998; Merchav et al.; 1988), to increase erythrocytes and hemoglobin counts (Valerio et al., 1997; Vihervuori et al., 1996), to enhance both proliferation and Ig production in plasma cell lines (Kimata and Yoshida, 1994) and to stimulate CD8⁺ cell counts and, to a lesser extent CD4⁺ cell counts (Geffner, 1997).

[0007] Injectable forms of GH have been marketed for GH deficiency in children and adults, Turner Syndrome, Prader-Willi Syndrome, and children small for gestational age. In addition, it has seen use in the battle against aging and for weight management, as well as the mobilization of cells capable of regenerating hematopoiesis in the peripheral blood.

[0008] The 22 kDa molecular weight of hGH is well below the threshold value for kidney filtration of about 70 kDa (Caliceti (2003) Adv Drug Deliv Rev 55:1261-1277), which contributes to the serum half-life of native hGH being less than 20 minutes in humans. Thus, commercial preparations of hGH must be dosed daily to achieve clinical benefit. A sustained-release form of GH, Nutropin Depot (Genentech and Alkermes) was approved by the FDA in 1999, allowing for fewer injections (every 2 or 4 weeks instead of daily); however, the product was discontinued in 2004.

[0009] Chemical modifications to a therapeutic protein can modify its in vivo clearance rate and subsequent serum half-life. One example of a common modification is the addition of a polyethylene glycol (PEG) moiety, typically coupled to the protein via an aldehyde or N-hydroxysuccinimide (NHS) group on the PEG reacting with an amine group (e.g. lysine side chain or the N-terminus). However, the conjugation step can result in the formation of heterogeneous product mixtures that need to be separated, leading to significant product loss and complexity of manufacturing and does not result in a completely chemically-uniform product. Also, the pharmacologic function of GH may be hampered if amino acid side chains in the vicinity of its binding site become modified by the PEGylation process. Other approaches include the genetic fusion of an Fc domain to the therapeutic GH protein. Conjugation of the Fc domain increases the size of the therapeutic protein, hence reducing the rate of clearance through the kidney.

Additionally, the Fc domain confers the ability to bind to, and be recycled from lysosomes by, the FcRn receptor, which results in increased pharmacokinetic half-life. Unfortunately, the Fc domain

does not fold efficiently during recombinant expression, and tends to form insoluble precipitates known as inclusion bodies. These inclusion bodies must be solubilized and functional protein must be renatured from the misfolded aggregate, a time-consuming, inefficient, and expensive process. Accordingly, there remains a need for growth hormone compositions that can increase the half-life and can be administered less frequently, but are safer and less complicated and costly to produce.

SUMMARY OF THE INVENTION

[0010] The present disclosure is directed to compositions and methods that can be useful for or the treatment of any disease, disorder or condition that is improved, ameliorated, or inhibited by the administration of growth hormone. In particular, the present invention provides compositions of fusion proteins comprising one or more extended recombinant polypeptides with a non-repetitive sequence and/or unstructured conformation (XTEN) linked to growth hormone (GH). In part, the present disclosure is directed to pharmaceutical compositions comprising the fusion proteins and the uses thereof for treating growth hormone-related diseases, disorders or conditions.

[0010a] In one aspect, there is provided an isolated fusion protein, comprising a growth hormone (GH) that is at least 90% identical to the human growth hormone amino acid sequence shown in Table 1, wherein said growth hormone is linked to an extended recombinant polypeptide (XTEN) of at least 200 amino acids residues, wherein the XTEN is characterized in that:

(a) the XTEN sequence comprises at least 200 contiguous amino acids that exhibits at least 90% sequence identity to a comparable length of an amino acid sequence selected from Table 3;

(b) the XTEN sequence lacks a predicted T-cell epitope when analyzed by TEPITOPE algorithm, wherein the TEPITOPE algorithm prediction for epitopes within the XTEN sequence is based on a score of -6 or greater;

(c) it has a subsequence score of less than 10;

(d) the sum of glycine (G), alanine (A), serine (S), threonine (T), glutamate (E) and proline (P) residues constitutes more than 90% of the total amino acid residues of the XTEN; and

(e) the XTEN sequence is substantially non-repetitive such that (i) at least 80% of the XTEN sequence consists of non-overlapping sequence motifs wherein each of the sequence motifs has 9 to 14 amino acid residues and wherein the sequence of any two contiguous amino acid residues does not occur more than twice in each of the sequence motifs; or (ii) the XTEN sequence contains no three contiguous amino acids that are identical unless the amino acids are serine residues, in which case no more than three contiguous amino acids are serine.

[0010b] In one aspect, there is provided a pharmaceutical composition comprising the isolated fusion protein as defined herein, and a pharmaceutically acceptable carrier.

[0010c] In one aspect, there is provided a method of producing a fusion protein comprising a growth hormone (GH) fused to one or more extended recombinant polypeptides (XTEN), comprising:

(a) providing host cell comprising a recombinant polynucleotide molecule encoding the fusion protein as defined herein;

(b) culturing the host cell under conditions permitting the expression of the fusion protein; and

(c) recovering the fusion protein.

[0010d] In one aspect, there is provided an isolated nucleic acid comprising a nucleotide sequence encoding the fusion protein as defined herein or the complement thereof.

[0010e] In one aspect, there is provided an expression vector comprising the nucleic acid as defined herein.

[0010f] In one aspect, there is provided an isolated host cell comprising the nucleic acid as defined herein.

[0010g] In one aspect, there is provided a fusion protein comprising a growth hormone (GH) for treating a growth-hormone related condition in a subject, comprising the fusion protein as defined herein.

[0010h] In one aspect, there is provided a kit, comprising the pharmaceutical composition as defined herein, a label identifying the pharmaceutical composition, and an instruction for storage, reconstitution and/or administration of the pharmaceutical compositions to a subject.

[0010i] In one aspect, there is provided a fusion protein, comprising an amino acid sequence that is at least 90% identical to the amino acid sequence of AE912-hGH-AE144 as shown in Table 36.

[0010j] In one aspect, there is provided a fusion protein, comprising the amino acid sequence of AE912-hGH-AE144 as shown in Table 36.

[0010k] In one aspect, there is provided the use of a therapeutically effective amount of a fusion protein as defined herein, in the manufacture of a medicament for treating a growth-hormone related condition in a subject.

[0011] In one embodiment, the invention provides an isolated fusion protein, comprising a growth hormone that is at least about 90%, or about 95%, or about 96%, or about 97%, or about 98%, or about 99% identical to an amino acid sequence selected from Table 1, wherein said growth hormone is linked to an extended recombinant polypeptide (XTEN) of at least about 100, or at least about 200, or at least about 400, or at least about 800, or at least about 900, or at least about 1000, or at least about 2000, up to about 3000 amino acids residues, wherein the XTEN is characterized in that (a) the XTEN comprises at least about 200 contiguous amino acids that exhibits at least about 90%, or about 95%, or about 96%, or about 97%, or about 98%, or about 99% identical to a comparable length of an amino acid sequence selected from a sequence shown in Table 3; (b) the XTEN sequence lacks a predicted T-cell epitope when analyzed by TEPITOPE algorithm, wherein the TEPITOPE algorithm prediction for epitopes within the XTEN sequence is based on a score of -5, or -6, or -7, or -8, or -9 or greater; (c) the XTEN has a subsequence score of less than 10, or less than 9, or less than 8, or less than 7, or less than 6, or less than 5, or even less; and (d) the sum of glycine (G), alanine (A), serine (S), threonine (T), glutamate (E) and proline (P) residues constitutes more than about 90%, or about 95%, or about 96%, or about 97%, or about 98%, or about 99% of the total amino acid residues of the XTEN. In one embodiment, the growth hormone of the isolated fusion protein is human growth hormone. In another embodiment, the isolated fusion protein comprises at least a second XTEN, wherein the fusion protein adopts a multiple-XTEN configuration shown in Table 5, or a variant thereof.

[0012] In another embodiment, the XTEN sequence of the GHXTEN fusion proteins is characterized in that is has greater than 90% random coil formation, or about 95%, or about 96%, or about 97%, or about 98%, or about 99% random coil formation as determined by GOR algorithm; and the XTEN sequence has less than 2% alpha helices and 2% beta-sheets as determined by the Chou-Fasman algorithm.

[0013] In another embodiment, the invention provides GHXTEN fusion proteins, wherein the XTEN is characterized in that the sum of asparagine and glutamine residues is less than 10% of the total amino acid

sequence of the XTEN, the sum of methionine and tryptophan residues is less than 2% of the total amino acid sequence of the XTEN, the XTEN sequence has less than 5% amino acid residues with a positive charge, the XTEN sequence has greater than 90% random coil formation, or about 95%, or about 96%, or about 97%, or about 98%, or about 99% random coil formation as determined by GOR algorithm; and the XTEN sequence has less than 2% alpha helices and 2% beta-sheets as determined by the Chou-Fasman algorithm.

[0014] In another embodiment, the invention provides GHXTEN fusion proteins, wherein the XTEN is characterized in that at least about 80%, or at least about 90%, or at least about 91%, or at least about 92%, or at least about 93%, or at least about 94%, or at least about 95%, or at least about 96%, or at least about 97%, or at least about 98%, or at least about 99% of the XTEN sequence consists of non-overlapping sequence motifs wherein each of the sequence motifs has about 9 to about 14 amino acid residues and wherein the sequence of any two contiguous amino acid residues does not occur more than twice in each of the sequence motifs the sequence motifs consist of four to six types of amino acids selected from glycine (G), alanine (A), serine (S), threonine (T), glutamate (E) and proline (P).

[0015] In some embodiments, no one type of amino acid constitutes more than 30% of the XTEN sequence of the GHXTEN. In other embodiments, the XTEN has a sequence in which no three contiguous amino acids are identical unless the amino acid is serine, in which case no more than three contiguous amino acids are serine residues. In still other embodiments, at least about 80%, or about 90%, or about 95%, or about 96%, or about 97%, or about 98%, or about 99%, or 100% of the XTEN sequence consists of non-overlapping sequence motifs, wherein each of the sequence motifs has 12 amino acid residues. In one embodiment, the XTEN sequence consists of non-overlapping sequence motifs, wherein the sequence motifs are from one or more sequences of Table 2.

[0016] In some embodiments, GHXTEN fusion proteins exhibits enhanced pharmacokinetic properties compared to GH not linked to XTEN, wherein the enhanced properties include but are not limited to longer terminal half-life, larger area under the curve, increased time in which the blood concentration remains within the therapeutic window, increased time between consecutive doses, and decreased dose in moles over time. In some embodiments, the terminal half-life of the GHXTEN fusion protein administered to a subject is increased at least about two fold, or at least about three-fold, or at least about four-fold, or at least about five-fold, or at least about six-fold, or at least about eight-fold, or at least about ten-fold, or at least about 20-fold, or at least about 40-fold, or at least about 60-fold, or at least about 100-fold, or even higher as compared to GH not linked to XTEN and administered to a subject at a comparable dose. In other embodiments, the enhanced pharmacokinetic property is reflected by the fact that the blood concentrations that remain within the therapeutic window for the GHXTEN fusion protein for a given period are at least about two fold, or at least about three-fold, or at least about four-fold, or at least about five-fold, or at least about six-fold, or at least about eight-fold, or at least about ten-fold longer, or at least about 20-fold, or at least about 40-fold, or at least about 60-fold, or at least about 100-fold compared to GH not linked to XTEN and administered to a subject at a comparable dose. The increase in half-life and time spent within the

therapeutic window permits less frequent dosing and decreased amounts of the fusion protein (in moles equivalent) that are administered to a subject, compared to the corresponding GH not linked to XTEN. In one embodiment, the therapeutically effective dose regimen results in a gain in time of at least two-fold, or at least three-fold, or at least four-fold, or at least five-fold, or at least six-fold, or at least eight-fold, or at least 10-fold, or at least about 20-fold, or at least about 40-fold, or at least about 60-fold, or at least about 100-fold between at least two consecutive $C_{\max}$ peaks and/or $C_{\min}$ troughs for blood levels of the fusion protein compared to the corresponding GH not linked to the fusion protein and administered using a comparable dose regimen to a subject.

[0017] In some embodiments, the XTEN enhances thermostability of a biologically active protein when linked to the biologically active protein wherein the thermostability is ascertained by measuring the retention of biological activity after exposure to a temperature of about 37°C for at least about 7 days of the biologically active protein in comparison to the XTEN linked to the biologically active protein. In one embodiment of the foregoing, the retention of biological activity is increased by at least about 50%, at least about 60%, at least about 70%, at least about 80%, at least about 90%, at least about 100%, or about 150%, at least about 200%, at least about 300%, or about 500% longer compared to the GH not linked to the XTEN comprises of the XTEN.

[0018] In some embodiments, the isolated fusion protein with at least a first XTEN comprises a GH wherein the GH is human growth hormone. In some embodiments, the isolated fusion protein further comprises a second XTEN, which can be identical or can be different from the first XTEN, and wherein the fusion protein adopts a multiple-XTEN configuration shown in Table 5. In one embodiment of the foregoing, the first and the second XTEN can each be a sequence selected from Table 3, or can exhibit at least at least about 80%, or at least about 90%, or at least about 91%, or at least about 92%, or at least about 93%, or at least about 94%, or at least about 95%, or at least about 96%, or at least about 97%, or at least about 98%, or at least about 99% or 100% sequence identity to a sequence selected from Table 3. In another embodiment, the isolated fusion protein comprising a second XTEN sequence adopts a multiple-XTEN configuration shown in Table 5.

[0019] In one embodiment, the isolated fusion protein is less immunogenic compared to the GH not linked to the XTEN, wherein immunogenicity is ascertained by, e.g., measuring production of IgG antibodies selectively binding to the biologically active protein after administration of comparable doses to a subject.

[0020] In some embodiments, the growth hormone peptide and the XTEN of the fusion protein is linked via a spacer, wherein the spacer sequence comprises between about 1 to about 50 amino acid residues that optionally comprises a cleavage sequence. In one embodiment, the cleavage sequence is susceptible to cleavage by a protease. Non-limiting examples of such protease include FXIa, FXIIa, kallikrein, FVIIa, FIXa, FXa, thrombin, elastase-2, granzyme B, MMP-12, MMP-13, MMP-17 or MMP-20, TEV, enterokinase, rhinovirus 3C protease, and sortase A.

[0021] In some embodiments, the isolated fusion protein is configured to have reduced binding affinity for a target receptor of the corresponding GH, as compared to the corresponding GH not linked to the fusion

protein. In one embodiment, the GHXTEN fusion protein exhibits binding affinity for a target receptor of the GH in the range of about 0.01%-30%, or about 0.1% to about 20%, or about 1% to about 15%, or about 2% to about 10% of the binding affinity of the corresponding GH that lacks the XTEN. In another embodiment, the GHXTEN fusion protein exhibits binding affinity for a target receptor of the GH that is reduced at least about 3-fold, or at least about 5-fold, or at least about 6-fold, or at least about 7-fold, or at least about 8-fold, or at least about 9-fold, or at least about 10-fold, or at least about 12-fold, or at least about 15-fold, or at least about 17-fold, or at least about 20-fold, or at least about 30-fold, or at least about 50-fold, or at least about 100-fold less binding affinity compared to GH not linked to XTEN. In a related embodiment, a fusion protein with reduced affinity can have reduced receptor-mediated clearance and a corresponding increase in half-life of at least about 3-fold, or at least about 5-fold, or at least about 6-fold, or at least about 7-fold, or at least about 8-fold, or at least about 9-fold, or at least about 10-fold, or at least about 12-fold, or at least about 15-fold, or at least about 17-fold, or at least about 20-fold, or at least about 30-fold, or at least about 50-fold, or at least about 100-fold longer compared to the corresponding GH that is not linked to the fusion protein.

[0022] In one embodiment, the invention provides an isolated GHXTEN fusion protein comprising an amino acids sequence that has at least about 80%, or at least about 90%, or at least about 91%, or at least about 92%, or at least about 93%, or at least about 94%, or at least about 95%, or at least about 96%, or at least about 97%, or at least about 98%, or at least about 99%, or 100% sequence identity to a sequence selected from Table 35, Table 36, and Table 37.

[0023] In some embodiments, the invention provides GHXTEN fusion proteins wherein the GHXTEN exhibits increased solubility of at least three-fold, or at least about four-fold, or at least about five-fold, or at least about six-fold, or at least about seven-fold, or at least about eight-fold, or at least about nine-fold, or at least about ten-fold, or at least about 15-fold, or at least a 20-fold, or at least 40-fold, or at least 60-fold at physiologic conditions compared to the GH not linked to the fusion protein.

[0024] In some embodiments, GHXTEN fusion proteins exhibit an increased apparent molecular weight as determined by size exclusion chromatography, compared to the actual molecular weight, wherein the apparent molecular weight is at least about 100 kD, or at least about 150 kD, or at least about 200 kD, or at least about 300 kD, or at least about 400 kD, or at least about 500 kD, or at least about 600kD, or at least about 700 kD, while the actual molecular weight of each GH component of the fusion protein is less than about 25 kD. Accordingly, the GHXTEN fusion proteins can have an Apparent Molecular Weight that is about 4-fold greater, or about 5-fold greater, or about 6-fold greater, or about 7-fold greater, or about 8-fold greater than the actual molecular weight of the fusion protein. In some cases, the isolated GHXTEN fusion protein of the foregoing embodiments exhibits an apparent molecular weight factor under physiologic conditions that is greater than about 4, or about 5, or about 6, or about 7, or about 8.

[0025] The invention contemplates GHXTEN fusion proteins compositions comprising, but not limited to GH selected from Table 1 (or fragments or sequence variants thereof), XTEN selected from Table 3 (or sequence variants thereof) that are in a configuration selected from Table 5. Generally, the resulting

GHXTEN will retain at least a portion of the biological activity of the corresponding GH not linked to the XTEN. In other cases, the GH component either becomes biologically active or has an increase in activity upon its release from the XTEN by cleavage of an optional cleavage sequence incorporated within spacer sequences into the GHXTEN.


[0026] In one embodiment of the GHXTEN composition, the invention provides a fusion protein of formula I:



wherein independently for each occurrence, GH is a growth hormone; x is either 0 or 1 and y is either 0 or 1 wherein $x+y \geq 1$; and XTEN is an extended recombinant polypeptide.


In some embodiments, the XTEN is fused to the growth hormone on an N- or C-terminus of the growth hormone. In some embodiments, the isolated fusion protein comprises a human growth hormone and a first and a second XTEN selected from AE912, AM923, AE144, and AE288.

[0027] In another embodiment of the GHXTEN composition, the invention provides a fusion protein of formula II:




wherein independently for each occurrence, GH is a growth hormone; S is a spacer sequence having between 1 to about 50 amino acid residues that can optionally include a cleavage sequence; x is either 0 or 1 and y is either 0 or 1 wherein $x+y \geq 1$; and XTEN is an extended recombinant polypeptide. .

[0028] In another embodiment, the invention provides an isolated fusion protein, wherein the fusion protein is of formula III:




wherein independently for each occurrence, GH is a growth hormone; S is a spacer sequence having between 1 to about 50 amino acid residues that can optionally include a cleavage sequence; x is either 0 or 1; y is either 0 or 1; z is either 0 or 1; and XTEN is an extended recombinant polypeptide.

[0029] In another embodiment, the invention provides an isolated fusion protein, wherein the fusion protein is of formula IV:




wherein independently for each occurrence, GH is a growth hormone; S is a spacer sequence having between 1 to about 50 amino acid residues that can optionally include a cleavage sequence; x is either 0 or 1; y is either 0 or 1; z is either 0 or 1; and XTEN is an extended recombinant polypeptide.

[0030] In another embodiment, the invention provides an isolated fusion growth hormone, wherein the fusion protein is of formula V:




wherein independently for each occurrence, GH is a growth hormone; S is a spacer sequence having between 1 to about 50 amino acid residues that can optionally include a cleavage sequence; x is either 0 or 1; y is either 0 or 1; and XTEN is an extended recombinant polypeptide.

[0031] In another embodiment, the invention provides an isolated fusion protein, wherein the fusion protein is of formula VI:



wherein independently for each occurrence, GH is a growth hormone; S is a spacer sequence having between 1 to about 50 amino acid residues that can optionally include a cleavage sequence; x is either 0 or 1; y is either 0 or 1; and XTEN is an extended recombinant polypeptide.

[0032] In another embodiment, the invention provides an isolated fusion protein, wherein the fusion protein is of formula VII:



wherein independently for each occurrence, GH is a growth hormone; S is a spacer sequence having between 1 to about 50 amino acid residues that can optionally include a cleavage sequence; x is either 0 or 1; y is either 0 or 1; and XTEN is an extended recombinant polypeptide.

[0033] In another embodiment, the invention provides an isolated fusion protein, wherein the fusion protein is of formula VIII:



wherein t is an integer that is greater than 0 (1, 2, 3, etc.); independently each of m, n, o, x, and y is an integer (0, 1, 2, 3, etc.), GH is a growth hormone; S is an spacer, optionally comprises a cleavage site; and XTEN is an extended recombinant polypeptide, with the proviso that: (1) $x + y > 1$, (2) when $t = 1$, $x > 0$ and $y > 0$, (3) when there is more than one GH, S, or XTEN, each GH, XTEN, or S are the same or are independently different; and (4) when $t > 1$, each m, n, o, x, or y within each subunit are the same or are independently different.

[0034] In some embodiments, administration of a therapeutically effective dose of a fusion protein of an embodiment of formulas I-VIII to a subject in need thereof can result in a gain in time of at least two-fold, or at least three-fold, or at least four-fold, or at least five-fold or more spent within a therapeutic window for the fusion protein compared to the corresponding GH not linked to the XTEN of and administered at a comparable dose to a subject. In other cases, administration of a therapeutically effective dose of a fusion protein of an embodiment of formulas I-VIII to a subject in need thereof can result in a gain in time between consecutive doses necessary to maintain a therapeutically effective dose regimen of at least 48 h, or at least 72 h, or at least about 96 h, or at least about 120 h, or at least about 7 days, or at least about 14 days, or at least about 21 days between consecutive doses compared to a GH not linked to XTEN and administered at a comparable dose.

[0035] The fusion proteins can be designed to have different configurations, N- to C-terminus, of a GH, XTEN, and optional spacer sequences, including but not limited to XTEN-GH, GH-XTEN, XTEN-S-GH, GH-S-XTEN, XTEN-GH-XTEN, GH-GH-XTEN, XTEN-GH-GH, GH-S-GH-XTEN, XTEN-GH-S-GH, and multimers thereof. The choice of configuration can, as disclosed herein, confer particular pharmacokinetic, physico/chemical, or pharmacologic properties.

[0036] In some embodiments, the isolated fusion protein is characterized in that: (i) it has a longer half-life compared to the corresponding growth hormone that lacks the XTEN; (ii) when a smaller molar amount of the fusion protein is administered to a subject in comparison to the corresponding growth hormone that lacks the XTEN administered to a subject under an otherwise equivalent dose regimen, the fusion protein achieves a comparable area under the curve (AUC) as the corresponding growth hormone that lacks the XTEN; (iii) when a smaller molar amount of the fusion protein is administered to a subject in comparison to the corresponding growth hormone that lacks the XTEN administered to a subject under an otherwise equivalent dose regimen, the fusion protein achieves a comparable therapeutic effect as the corresponding growth hormone that lacks the XTEN; (iv) when the fusion protein is administered to a subject less frequently in comparison to the corresponding growth hormone that lacks the XTEN administered to a subject using an otherwise equivalent molar amount, the fusion protein achieves a comparable area under the curve (AUC) as the corresponding growth hormone that lacks the XTEN; (v) when the fusion protein is administered to a subject less frequently in comparison to the corresponding growth hormone that lacks the XTEN administered to a subject using an otherwise equivalent molar amount, the fusion protein achieves a comparable therapeutic effect as the corresponding growth hormone that lacks the XTEN; (vi) when an accumulatively smaller molar amount of the fusion protein is administered to a subject in comparison to the corresponding growth hormone that lacks the XTEN administered to a subject under an otherwise equivalent dose period, the fusion protein achieves comparable area under the curve (AUC) as the corresponding growth hormone that lacks the XTEN; or (vii) when an accumulatively smaller molar amount of the fusion protein is administered to a subject in comparison to the corresponding growth hormone that lacks the XTEN administered to a subject under an otherwise equivalent dose period, the fusion protein achieves comparable therapeutic effect as the corresponding growth hormone that lacks the XTEN.

[0037] In one embodiment, the GHXTEN fusion proteins of formulas I-VIII described above exhibit a biological activity of at least about 0.1%, or at least about 0.1%, or at least about 1%, or at least about 2%, or at least about 3%, or at least about 4%, or at least about 5%, or at least about 10%, or at least about 20%, or at least about 30%, or at least about 40%, or at least about 50%, or at least about 60%, or at least about 70%, or at least about 80%, or at least about 90%, or at least about 95% of the biological activity compared to the GH not linked to the fusion protein. In another embodiment, the GHXTEN fusion proteins of formulas I-VIII bind the same receptors or ligands as the corresponding parental biologically active protein that is not covalently linked to the fusion protein.

[0038] The invention provides a method of producing a fusion protein comprising a growth hormone fused to one or more extended recombinant polypeptides (XTEN), comprising: (a) providing host cell comprising a recombinant polynucleotide molecule encoding the fusion protein (b) culturing the host cell under conditions permitting the expression of the fusion protein; and (c) recovering the fusion protein. In one embodiment of the method, the growth hormone of the fusion protein has at least 90% sequence identity to human growth hormone or a sequence selected from Table 1. In another embodiment of the method, the one or more XTEN of the expressed fusion protein has at least about 90%, or about 91%, or about 92%, or about

93%, or about 94%, or about 95%, or about 96%, or about 97%, or about 98%, or about 99% to about 100% sequence identity to a sequence selected from Table 3. In another embodiment of the method, the polynucleotide encoding the XTEN is codon optimized for enhanced expression of said fusion protein in the host cell. In another embodiment of the method, the host cell is a prokaryotic cell. In another embodiment of the method, the host cell is *E. coli*. In another embodiment of the method the isolated fusion protein is recovered from the host cell cytoplasm in substantially soluble form.

[0039] The invention provides isolated nucleic acids comprising a polynucleotide sequence selected from (a) a polynucleotide encoding the fusion protein of any of the foregoing embodiments, or (b) the complement of the polynucleotide of (a). In one embodiment, the invention provides an isolated nucleic acid comprising a polynucleotide sequence that has at least 80% sequence identity, or about 85%, or at least about 90%, or about 91%, or about 92%, or about 93%, or about 94%, or about 95%, or about 96%, or about 97%, or about 98%, or about 99% to about 100% sequence identity to (a) a polynucleotide sequence of comparable length selected from Table 35, Table 36, and Table 37; or (b) the complement of the polynucleotide of (a). The invention provides expression vectors comprising the nucleic acid of any of the embodiments hereinabove described in this paragraph. In one embodiment, the expression vector of the foregoing further comprises a recombinant regulatory sequence operably linked to the polynucleotide sequence. In another embodiment, the polynucleotide sequence of the expression vectors of the foregoing is fused in frame to a polynucleotide encoding a secretion signal sequence, which can be a prokaryotic signal sequence. In one embodiment, the secretion signal sequence is selected from OmpA, DsbA, and PhoA signal sequences.

[0040] The invention provides a host cell, which can comprise an expression vector disclosed in the foregoing paragraph. In one embodiment, the host cell is a prokaryotic cell. In another embodiment, the host cell is *E. coli*. In another embodiment, the host cell is a eukaryotic cell.

[0041] In one embodiment, the invention provides pharmaceutical compositions comprising the fusion protein of any of the foregoing embodiments and a pharmaceutically acceptable carrier. In another embodiment, the invention provides kits, comprising packaging material and at least a first container comprising the pharmaceutical composition of the foregoing embodiment and a label identifying the pharmaceutical composition and storage and handling conditions, and a sheet of instructions for the reconstitution and/or administration of the pharmaceutical compositions to a subject..

[0042] The invention provides a method of treating a growth-hormone related condition in a subject, comprising administering to the subject a therapeutically effective amount of the fusion protein of any of the foregoing embodiments. In one embodiment of the method, the growth-hormone related condition is selected from growth-hormone deficiency, Turner's Syndrome, Prader-Willi Syndrome, idiopathic short stature, AIDS wasting, multiple sclerosis, Crohn's disease, ulcerative colitis, and muscular dystrophy.

[0043] In some embodiments, the composition can be administered subcutaneously, intramuscularly, or intravenously. In one embodiment, the composition is administered at a therapeutically effective amount. In one embodiment, the therapeutically effective amount results in a gain in time spent within a therapeutic window for the fusion protein compared to the corresponding GH of the fusion protein not linked to the

fusion protein and administered at a comparable dose to a subject. The gain in time spent within the therapeutic window can at least three-fold longer than the corresponding GH not linked to the fusion protein, or alternatively, at least four-fold, or five-fold, or six-fold, or seven-fold, or eight-fold, or nine-fold, or at least 10-fold, or at least 20-fold, or at least about 30-fold, or at least about 50-fold, or at least about 100-fold longer than the corresponding GH not linked to the fusion protein. In some embodiments of the method of treatment, (i) a smaller molar amount of (e.g. of about two-fold less, or about three-fold less, or about four-fold less, or about five-fold less, or about six-fold less, or about eight-fold less, or about 100 fold-less or greater) the fusion protein is administered in comparison to the corresponding growth hormone that lacks the XTEN under an otherwise same dose regimen, and the fusion protein achieves a comparable area under the curve and/or a comparable therapeutic effect as the corresponding growth hormone that lacks the XTEN; (ii) the fusion protein is administered less frequently (e.g., every two days, about every seven days, about every 14 days, about every 21 days, or about, monthly) in comparison to the corresponding growth hormone that lacks the XTEN under an otherwise same dose amount, and the fusion protein achieves a comparable area under the curve and/or a comparable therapeutic effect as the corresponding growth hormone that lacks the XTEN; or (iii) an accumulative smaller molar amount (e.g. about 5%, or about 10%, or about 20%, or about 40%, or about 50%, or about 60%, or about 70%, or about 80%, or about 90% less) of the fusion protein is administered in comparison to the corresponding growth hormone that lacks the XTEN under the otherwise same dose regimen the fusion protein achieves a comparable area under the curve and/or a comparable therapeutic effect as the corresponding growth hormone that lacks the XTEN. The accumulative smaller molar amount is measure for a period of at least about one week, or about 14 days, or about 21 days, or about one month. In some embodiments of the method, the therapeutic effect is a measured parameter selected from IGF-1 concentrations, IGFBP3 concentration, height velocity, lean body mass, total body fat, trunk fat, response to insulin challenge, rate of division of chondrocytes, chondrocyte numbers, bone density, bone growth, and increase in epiphyseal plate width.

[0044] In another embodiment, invention provides a method of treating a disease, disorder or condition, comprising administering the pharmaceutical composition described above to a subject using multiple consecutive doses of the pharmaceutical composition administered using a therapeutically effective dose regimen. In one embodiment of the foregoing, the therapeutically effective dose regimen can result in a gain in time of at least three-fold, or alternatively, at least four-fold, or five-fold, or six-fold, or seven-fold, or eight-fold, or nine-fold, or at least 10-fold, or at least 20-fold, or at least about 30-fold, or at least about 50-fold, or at least about 100-fold longer time between at least two consecutive $C_{\max}$ peaks and/or $C_{\min}$ troughs for blood levels of the fusion protein compared to the corresponding GH of the fusion protein not linked to the fusion protein and administered at a comparable dose regimen to a subject. In another embodiment of the foregoing, the administration of the fusion protein results in improvement in at least one measured parameter of a growth hormone-related disease using less frequent dosing or a lower total dosage in moles of the fusion protein of the pharmaceutical composition compared to the corresponding biologically active protein

component(s) not linked to the fusion protein and administered to a subject d using a therapeutically effective regimen to a subject.

[0045] The invention further provides use of the compositions comprising the fusion protein of any of the foregoing embodiments in the preparation of a medicament for treating a disease, disorder or condition in a subject in need thereof. In one embodiment of the foregoing, the disease, disorder or condition is selected from group consisting of Turner's Syndrome, Prader-Willi Syndrome, idiopathic short stature, AIDS wasting, multiple sclerosis, Crohn's disease, ulcerative colitis, and muscular dystrophy. Any of the disclosed embodiments can be practiced alone or in combination depending on the interested application.

INCORPORATION BY REFERENCE

[0046] All publications, patents, and patent applications mentioned in this specification are herein incorporated by reference to the same extent as if each individual publication, patent, or patent application was specifically and individually indicated to be incorporated by reference.

BRIEF DESCRIPTION OF THE DRAWINGS

[0047] The features and advantages of the invention may be further explained by reference to the following detailed description and accompanying drawings that sets forth illustrative embodiments.

[0048] FIG. 1 shows schematic representations of exemplary GHXTEN fusion proteins (FIGS. 1A-H), all depicted in an N- to C-terminus orientation. FIG. 1A shows two different configurations of GHXTEN fusion proteins (100), each comprising a single growth hormone (GH) and an XTEN, the first of which has an XTEN molecule (102) attached to the C-terminus of a GH (103), and the second of which has an XTEN molecule attached to the N-terminus of a GH (103). FIG. 1B shows two different configurations of GHXTEN fusion proteins (100), each comprising a single GH, a spacer sequence and an XTEN, the first of which has an XTEN molecule (102) attached to the C-terminus of a spacer sequence (104) and the spacer sequence attached to the C-terminus of a GH (103) and the second of which has an XTEN molecule attached to the N-terminus of a spacer sequence (104) and the spacer sequence attached to the N-terminus of a GH (103). FIG. 1C shows two different configurations of GHXTEN fusion proteins (101), each comprising two molecules of a single GH and one molecule of an XTEN, the first of which has an XTEN linked to the C-terminus of a first GH and that GH is linked to the C-terminus of a second GH, and the second of which is in the opposite orientation in which the XTEN is linked to the N-terminus of a first GH and that GH is linked to the N-terminus of a second GH. FIG. 1D shows two different configurations of GHXTEN fusion proteins (101), each comprising two molecules of a single GH, a spacer sequence and one molecule of an XTEN, the first of which has an XTEN linked to the C-terminus of a spacer sequence and the spacer sequence linked to the C-terminus of a first GH which is linked to the C-terminus of a second GH, and the second of which is in the opposite orientation in which the XTEN is linked to the N-terminus of a spacer sequence and the spacer sequence is linked to the N-terminus of a first GH that that GH is linked to the N-terminus of a second GH. FIG. 1E shows two different configurations of GHXTEN fusion proteins (101), each comprising two molecules of a single GH, a spacer sequence and one molecule of an XTEN, the first of which has an XTEN

linked to the C-terminus of a first GH and the first GH linked to the C-terminus of a spacer sequence which is linked to the C-terminus of a second GH molecule, and the second of which is in the opposite configuration of XTEN linked to the N-terminus of a first GH which is linked to the N-terminus of a spacer sequence which in turn is linked to the N-terminus of a second molecule of GH. FIG. 1F shows a configuration of GHXTEN fusion protein (105), each comprising one molecule of GH and two molecules of an XTEN linked to the N-terminus and the C-terminus of the GH. FIG. 1G shows a configuration (106) of a single GH linked to two XTEN, with the second XTEN separated from the GH by a spacer sequence. FIG. 1H is a configuration (106) of a two GH linked to two XTEN, with the second XTEN linked to the C-terminus of the first GH and the N-terminus of the second GH, which is at the C-terminus of the GHXTEN.

[0049] FIG. 2 is a schematic illustration of exemplary polynucleotide constructs (FIGS. 2A-H) of GHXTEN genes that encode the corresponding GHXTEN polypeptides of FIG. 1; all depicted in a 5' to 3' orientation. In these illustrative examples the genes encode GHXTEN fusion proteins with one GH and XTEN (200); or one GH, one spacer sequence and one XTEN (200); two GH and one XTEN (201); or two GH, a spacer sequence and one XTEN (201); one GH and two XTEN (205); or two GH and two XTEN (206). In these depictions, the polynucleotides encode the following components: XTEN (202), GH (203), and spacer amino acids that can include a cleavage sequence (204), with all sequences linked in frame.

[0050] FIG. 3 is a schematic illustration of two exemplary monomeric GHXTEN and the ability of the monomeric fusion proteins to bind to a target receptor on a cell surface, with subsequent cell signaling. FIG. 3A shows a GHXTEN fusion protein (100) consisting of a GH (103) and an XTEN (102) and a second GHXTEN fusion protein (105) consisting of a GH linked to two XTEN (105). FIG. 3B shows the interaction of the GHXTEN with the GH on the C-terminus (100) and the GHXTEN with an XTEN on the C-terminus (105) with target receptors (108) to GH on a cell surface (107). In this case, binding to the receptor with high affinity is exhibited when GH has a free C-terminus, while the GHXTEN with a C-terminal XTEN does not bind tightly to the receptor, and disassociates, as seen in FIG. 3C. FIG. 3D shows that the bound GHXTEN (100) with high binding affinity remains bound to the receptor (106) and has been internalized into an endosome (110) within the cell, illustrating receptor-mediated clearance of the bound GH and triggering cell signaling (109), portrayed as stippled cytoplasm.

[0051] FIG. 4 is a schematic flowchart of representative steps in the assembly, production and the evaluation of a XTEN.

[0052] FIG. 5 is a schematic flowchart of representative steps in the assembly of a GHXTEN polynucleotide construct encoding a fusion protein. Individual oligonucleotides **501** are annealed into sequence motifs **502** such as a 12 amino acid motif ("12-mer"), which is subsequently ligated with an oligo containing BbsI, and KpnI restriction sites **503**. Additional sequence motifs from a library are annealed to the 12-mer until the desired length of the XTEN gene **504** is achieved. The XTEN gene is cloned into a stuffer vector. The vector encodes a Flag sequence **506** followed by a stopper sequence that is flanked by BsaI, BbsI, and KpnI sites **507** and an exendin-4 gene **508**, resulting in the gene **500** encoding an XTEN-GH fusion protein.

[0053] FIG. 6 is a schematic flowchart of representative steps in the assembly of a gene encoding fusion protein comprising a growth hormone (GH) and XTEN, its expression and recovery as a fusion protein, and its evaluation as a candidate GHXTEN product.

[0054] FIG. 7 is a schematic representation of the design of GHXTEN expression vectors with different processing strategies. FIG. 7A shows an exemplary expression vector encoding XTEN fused to the 3' end of the sequence encoding GH. Note that no additional leader sequences are required in this vector. FIG. 7B depicts an expression vector encoding XTEN fused to the 5' end of the sequence encoding GH with a CBD leader sequence and a TEV protease site. FIG. 7C depicts an expression vector as in FIG. 7B where the CBD and TEV processing site have been replaced with an optimized N-terminal leader sequence (NTS). FIG. 7D depicts an expression vector encoding an NTS sequence, an XTEN, a sequence encoding GH, and then a second sequence encoding an XTEN.

[0055] FIG. 8 is a schematic representation of the step-wise construction of GHXTEN genes that contain N-terminal XTEN encoding sequences linked to hGH and the subsequent linkage of sequences encoding either 144 or 288 XTEN linked to the C-terminus of XTEN, as described in Example 22.

[0056] FIG. 9 shows results of expression assays for the indicated constructs comprising GFP and XTEN sequences. The expression cultures were assayed using a fluorescence plate reader (excitation 395 nm, emission 510 nm) to determine the amount of GFP reporter present. The results, graphed as box and whisker plots, indicate that while median expression levels were approximately half of the expression levels compared to the "benchmark" CBD N-terminal helper domain, the best clones from the libraries were much closer to the benchmarks, indicating that further optimization around those sequences was warranted. The results also show that the libraries starting with amino acids MA had better expression levels than those beginning with ME (see Example 14).

[0057] FIG. 10 shows three randomized libraries used for the third and fourth codons in the N-terminal sequences of clones from LCW546, LCW547 and LCW552. The libraries were designed with the third and fourth residues modified such that all combinations of allowable XTEN codons were present at these positions, as shown. In order to include all the allowable XTEN codons for each library, nine pairs of oligonucleotides encoding 12 amino acids with codon diversities of third and fourth residues were designed, annealed and ligated into the NdeI/BsaI restriction enzyme digested stuffer vector pCW0551 (Stuffer-XTEN_AM875-GFP), and transformed into *E. coli* BL21Gold(DE3) competent cells to obtain colonies of the three libraries LCW0569, LCW0570, and LCW0571.

[0058] FIG. 11 shows a histogram of a retest of the top 75 clones after the optimization step, as described in Example 15, for GFP fluorescence signal, relative to the benchmark CBD_AM875 construct. The results indicated that several clones were now superior to the benchmark clones.

[0059] FIG. 12 is a schematic of a combinatorial approach undertaken for the union of codon optimization preferences for two regions of the N-terminus 48 amino acids. The approach created novel 48mers at the N-terminus of the XTEN protein for evaluation of the optimization of expression that resulted in leader sequences that may be a solution for expression of XTEN proteins where the XTEN is N-terminal to the GH.

[0060] FIG. 13 shows an SDS-PAGE gel confirming expression of preferred clones obtained from the XTEN N-terminal codon optimization experiments, in comparison to benchmark XTEN clones comprising CBD leader sequences at the N-terminus of the construct sequences, as described in Example 17.

[0061] FIG. 14 shows an SDS-PAGE gel of samples from a stability study of the fusion protein of XTEN_AE864 fused to the N-terminus of GFP (see Example 39). The GFP-XTEN was incubated in cynomolgus plasma and rat kidney lysate for up to 7 days at 37°C. In addition, GFP-XTEN administered to cynomolgus monkeys was also assessed. Samples were withdrawn at 0, 1 and 7 days and analyzed by SDS PAGE followed by detection using Western analysis and detection with antibodies against GFP.

[0062] FIG. 15 shows the results of a receptor binding assay for hGH in which the binding activity of hGH fused to K288 polypeptide is compared to free hGH, as described in Example 25.

[0063] FIG. 16 shows the results of in vitro binding affinity assay of hGH-AM864 (circles) and AM864-hGH (inverted triangles) to hGHR-Fc, as described in Example 25. Unmodified recombinant hGH (squares) is shown for comparison.

[0064] FIG. 17 shows the effects of heat treatment on stability of hGH and AM864-hGH, as described in Example 26. FIG. 17A is an SDS-PAGE gel of the two preparations treated at 25°C and 80°C for 15 minutes, while FIG. 17B shows the corresponding percentage of receptor binding activity of the 80°C sample relative to the 25°C treatment, indicating that the XTEN conferred heat stability and retention of activity to the hGH and the GHXTEN fusion protein.

[0065] FIG. 18 shows results of an ELISA-based assay to determine the ability of addition of a C-terminus XTEN to reduce binding affinity of GHXTEN to bind to GH receptor, as described in Example 25.

[0066] FIG. 19 shows SDS-PAGE analysis of hGH fused to K288, with samples from throughout the purification process, as described in Example 19.

[0067] FIG. 20 shows SDS-PAGE analysis of 5 µg of final purified protein of hGH fused to Y576 in the configurations of hGH-Y576 and Y576-hGH subjected to both non-reducing and reducing SDS-PAGE, as described in Example 24, using NuPAGE 4-12% Bis-Tris gel from Invitrogen according to manufacturer's specifications.

[0068] FIG. 21 shows size exclusion chromatography profiles of two GHXTEN constructs Y576-GH and hGH-Y576 (N- to C-terminus), shown as an overlay, as described in Example 24.

[0069] FIG. 22 shows the pharmacokinetic profile of two GHXTEN constructs Y576-GH and hGH-Y576 (N- to C-terminus) following intravenous administration to cynomolgus monkeys, as described in Example 30. The results show that the orientation (N- versus C-terminal) of hGH relative to the XTEN did not affect the clearance of the fusion proteins.

[0070] FIG. 23 shows the pharmacokinetic profile after a single dose of 5 mg/kg AM864-hGH administered subcutaneously to cynomolgus monkeys, with the derived equivalent hGH concentration shown (dashed line), as described in Example 30. Terminal half-life was calculated as 33 hours by WinNonLin using a single compartment fit.

[0071] FIG. 24 shows the results of IGF-1 secretion in cynomolgus monkeys in response to administration of hGH or the GHXTEN AM864-hGH at the doses indicated, as described in Example 27.

[0072] FIG. 25 shows the effects of administration of hGH or AM864-hGH at the indicated doses on body weight in a hypox rat model, as described in Example 28. The results show retention of biologic activity by the GHXTEN constructs that is equivalent in potency to hGH, yet with less frequent dosing.

[0073] FIG. 26 shows the comparative effects of administration of placebo, hGH, and AM864-hGH on growth of cartilage in the tibial epiphyseal plate in hypox rats, shown in histologic cross-sections of the tibia after 9 days of treatment, as described in Example 29.

[0074] FIG. 27 shows the pharmacokinetic results of four hGH GHXTEN fusion proteins administered to rats by the subcutaneous route, compared to unmodified recombinant hGH, as described in Example 31.

[0075] FIG. 28 shows the concentration profiles of three hGH XTEN constructs after subcutaneous administration to cynomolgus monkeys, as described in Example 32.

[0076] FIG. 29 shows the results of a pharmacokinetic study of three doses levels of the GHXTEN AE912-hGH-AE144 administered to male and female cynos SC at 0.3 (open circles), 1.5 (squares), and 7.5 mg/kg (triangles), as described in Example 33.

[0077] FIG. 30. Shows the results of IGF-1 levels in cynos in response to the administration of AE912-hGH-AE144, as described in Example 33 (same groups as per FIG. 29).

[0078] FIG. 31 shows the results of an experiment to compare bioavailability of the GHXTEN AE912-hGH-AE144 administered by three different routes, as described in Example 34. AE912-hGH-AE144 was administered to male and female cynos SC at 1.5 mg/kg via intravenous (triangle), subcutaneous (open circles), and intramuscular (squares) routes, with plasma concentrations of the GHXTEN shown in the figure.

[0079] FIG. 32 shows the effects of administration of vehicle (open circles), recombinant hGH dosed at 5 nmol/kg/day (closed circles), the GHXTEN AE912-hGH-AE144 at varying doses and dose frequency (closed triangles = 0.5 nmol/kg/day; open triangles = 1.5 nmol/day; squares = 3 nmol/kg/Q2D) on body weight in hypox rats, as described in Example 35.

[0080] FIG. 33 shows results of a modeled projection of the ability of hGH or the GHXTEN to maintain blood levels within a therapeutic window in the hypox rat model, based on results derived from the data portrayed in FIG. 32, using the same dosing groups.

[0081] FIG. 34 shows results of a size exclusion chromatography analysis of glucagon-XTEN construct samples measured against protein standards of known molecular weight, with the graph output as absorbance versus retention volume, as described in Example 37. The glucagon-XTEN constructs are 1) glucagon-Y288; 2) glucagon-Y144; 3) glucagon-Y72; and 4) glucagon-Y36. The results indicate an increase in apparent molecular weight with increasing length of XTEN moiety.

[0082] FIG. 35 shows the pharmacokinetic profile (plasma concentrations) in cynomolgus monkeys after single doses of different compositions of GFP linked to unstructured polypeptides of varying length, administered either subcutaneously or intravenously, as described in Example 38. The compositions were

GFP-L288, GFP-L576, GFP-XTEN_AF576, GFP-Y576 and XTEN_AD836-GFP. Blood samples were analyzed at various times after injection and the concentration of GFP in plasma was measured by ELISA using a polyclonal antibody against GFP for capture and a biotinylated preparation of the same polyclonal antibody for detection. Results are presented as the plasma concentration versus time (h) after dosing and show, in particular, a considerable increase in half-life for the XTEN_AD836-GFP, the composition with the longest sequence length of XTEN. The construct with the shortest sequence length, the GFP-L288 had the shortest half-life.

[0083] FIG 36 illustrates allometric scaling results for predicted human response to Ex4-XTEN_AE864 based on measured results from four animal species; i.e., mice, rats, cynomolgus monkeys and dogs. FIG. 36A shows measured terminal half-life versus body mass, with a predicted $T_{1/2}$ in humans of 139 h. FIG. 36B shows measured drug clearance versus body mass, with a predicted clearance rate value of 30 ml/h in humans. FIG. 36C shows measured volume of distribution versus body mass, with a predicted value of 5970 ml in humans.

[0084] FIG. 37 shows the near UV circular dichroism spectrum of Ex4-XTEN_AE864, performed as described in Example 42.

DETAILED DESCRIPTION OF THE INVENTION

[0085] Before the embodiments of the invention are described, it is to be understood that such embodiments are provided by way of example only, and that various alternatives to the embodiments of the invention described herein may be employed in practicing the invention. Numerous variations, changes, and substitutions will now occur to those skilled in the art without departing from the invention.

[0086] Unless otherwise defined, all technical and scientific terms used herein have the same meaning as commonly understood by one of ordinary skill in the art to which this invention belongs. Although methods and materials similar or equivalent to those described herein can be used in the practice or testing of the present invention, suitable methods and materials are described below. In case of conflict, the patent specification, including definitions, will control. In addition, the materials, methods, and examples are illustrative only and not intended to be limiting. Numerous variations, changes, and substitutions will now occur to those skilled in the art without departing from the invention.

DEFINITIONS

[0087] As used herein, the following terms have the meanings ascribed to them unless specified otherwise.

[0088] As used in the specification and claims, the singular forms “a”, “an” and “the” include plural references unless the context clearly dictates otherwise. For example, the term “a cell” includes a plurality of cells, including mixtures thereof.

[0089] The terms “polypeptide”, “peptide”, and “protein” are used interchangeably herein to refer to polymers of amino acids of any length. The polymer may be linear or branched, it may comprise modified amino acids, and it may be interrupted by non-amino acids. The terms also encompass an amino acid

polymer that has been modified, for example, by disulfide bond formation, glycosylation, lipidation, acetylation, phosphorylation, or any other manipulation, such as conjugation with a labeling component.

[0090] As used herein the term “amino acid” refers to either natural and/or unnatural or synthetic amino acids, including but not limited to glycine and both the D or L optical isomers, and amino acid analogs and peptidomimetics. Standard single or three letter codes are used to designate amino acids.

[0091] The term “natural L-amino acid” means the L optical isomer forms of glycine (G), proline (P), alanine (A), valine (V), leucine (L), isoleucine (I), methionine (M), cysteine (C), phenylalanine (F), tyrosine (Y), tryptophan (W), histidine (H), lysine (K), arginine (R), glutamine (Q), asparagine (N), glutamic acid (E), aspartic acid (D), serine (S), and threonine (T).

[0092] The term “non-naturally occurring,” as applied to sequences and as used herein, means polypeptide or polynucleotide sequences that do not have a counterpart to, are not complementary to, or do not have a high degree of homology with a wild-type or naturally-occurring sequence found in a mammal. For example, a non-naturally occurring polypeptide or fragment may share no more than 99%, 98%, 95%, 90%, 80%, 70%, 60%, 50% or even less amino acid sequence identity as compared to a natural sequence when suitably aligned.

[0093] The terms “hydrophilic” and “hydrophobic” refer to the degree of affinity that a substance has with water. A hydrophilic substance has a strong affinity for water, tending to dissolve in, mix with, or be wetted by water, while a hydrophobic substance substantially lacks affinity for water, tending to repel and not absorb water and tending not to dissolve in or mix with or be wetted by water. Amino acids can be characterized based on their hydrophobicity. A number of scales have been developed. An example is a scale developed by Levitt, M, et al., J Mol Biol (1976) 104:59, which is listed in Hopp, TP, et al., Proc Natl Acad Sci U S A (1981) 78:3824. Examples of “hydrophilic amino acids” are arginine, lysine, threonine, alanine, asparagine, and glutamine. Of particular interest are the hydrophilic amino acids aspartate, glutamate, and serine, and glycine. Examples of “hydrophobic amino acids” are tryptophan, tyrosine, phenylalanine, methionine, leucine, isoleucine, and valine.

[0094] A “fragment” is a truncated form of a native biologically active protein that retains at least a portion of the therapeutic and/or biological activity. A “variant” is a protein with sequence homology to the native biologically active protein that retains at least a portion of the therapeutic and/or biological activity of the biologically active protein. For example, a variant protein may share at least 70%, 75%, 80%, 85%, 90%, 95%, 96%, 97%, 98% or 99% amino acid sequence identity with the reference biologically active protein. As used herein, the term “biologically active protein moiety” includes proteins modified deliberately, as for example, by site directed mutagenesis, insertions, or accidentally through mutations.

[0095] A “host cell” includes an individual cell or cell culture which can be or has been a recipient for the subject vectors. Host cells include progeny of a single host cell. The progeny may not necessarily be completely identical (in morphology or in genomic or total DNA complement) to the original parent cell due to natural, accidental, or deliberate mutation. A host cell includes cells transfected in vivo with a vector of this invention.

[0096] “Isolated,” when used to describe the various polypeptides disclosed herein, means polypeptide that has been identified and separated and/or recovered from a component of its natural environment.

Contaminant components of its natural environment are materials that would typically interfere with diagnostic or therapeutic uses for the polypeptide, and may include enzymes, hormones, and other proteinaceous or non-proteinaceous solutes. As is apparent to those of skill in the art, a non-naturally occurring polynucleotide, peptide, polypeptide, protein, antibody, or fragments thereof, does not require “isolation” to distinguish it from its naturally occurring counterpart. In addition, a “concentrated”, “separated” or “diluted” polynucleotide, peptide, polypeptide, protein, antibody, or fragments thereof, is distinguishable from its naturally occurring counterpart in that the concentration or number of molecules per volume is generally greater than that of its naturally occurring counterpart. In general, a polypeptide made by recombinant means and expressed in a host cell is considered to be “isolated.”

[0097] An “isolated” polynucleotide or polypeptide-encoding nucleic acid or other polypeptide-encoding nucleic acid is a nucleic acid molecule that is identified and separated from at least one contaminant nucleic acid molecule with which it is ordinarily associated in the natural source of the polypeptide-encoding nucleic acid. An isolated polypeptide-encoding nucleic acid molecule is other than in the form or setting in which it is found in nature. Isolated polypeptide-encoding nucleic acid molecules therefore are distinguished from the specific polypeptide-encoding nucleic acid molecule as it exists in natural cells. However, an isolated polypeptide-encoding nucleic acid molecule includes polypeptide-encoding nucleic acid molecules contained in cells that ordinarily express the polypeptide where, for example, the nucleic acid molecule is in a chromosomal or extra-chromosomal location different from that of natural cells.

[0098] A “chimeric” protein contains at least one fusion polypeptide comprising regions in a different position in the sequence than that which occurs in nature. The regions may normally exist in separate proteins and are brought together in the fusion polypeptide; or they may normally exist in the same protein but are placed in a new arrangement in the fusion polypeptide. A chimeric protein may be created, for example, by chemical synthesis, or by creating and translating a polynucleotide in which the peptide regions are encoded in the desired relationship.

[0099] “Conjugated”, “linked,” “fused,” and “fusion” are used interchangeably herein. These terms refer to the joining together of two or more chemical elements or components, by whatever means including chemical conjugation or recombinant means. For example, a promoter or enhancer is operably linked to a coding sequence if it affects the transcription of the sequence. Generally, “operably linked” means that the DNA sequences being linked are contiguous, and in reading phase or in-frame. An “in-frame fusion” refers to the joining of two or more open reading frames (ORFs) to form a continuous longer ORF, in a manner that maintains the correct reading frame of the original ORFs. Thus, the resulting recombinant fusion protein is a single protein containing two or more segments that correspond to polypeptides encoded by the original ORFs (which segments are not normally so joined in nature).

[00100] In the context of polypeptides, a “linear sequence” or a “sequence” is an order of amino acids in a polypeptide in an amino to carboxyl terminus direction in which residues that neighbor each other in the

sequence are contiguous in the primary structure of the polypeptide. A “partial sequence” is a linear sequence of part of a polypeptide that is known to comprise additional residues in one or both directions.

[00101] “Heterologous” means derived from a genotypically distinct entity from the rest of the entity to which it is being compared. For example, a glycine rich sequence removed from its native coding sequence and operatively linked to a coding sequence other than the native sequence is a heterologous glycine rich sequence. The term “heterologous” as applied to a polynucleotide, a polypeptide, means that the polynucleotide or polypeptide is derived from a genotypically distinct entity from that of the rest of the entity to which it is being compared.

[00102] The terms “polynucleotides”, “nucleic acids”, “nucleotides” and “oligonucleotides” are used interchangeably. They refer to a polymeric form of nucleotides of any length, either deoxyribonucleotides or ribonucleotides, or analogs thereof. Polynucleotides may have any three-dimensional structure, and may perform any function, known or unknown. The following are non-limiting examples of polynucleotides: coding or non-coding regions of a gene or gene fragment, loci (locus) defined from linkage analysis, exons, introns, messenger RNA (mRNA), transfer RNA, ribosomal RNA, ribozymes, cDNA, recombinant polynucleotides, branched polynucleotides, plasmids, vectors, isolated DNA of any sequence, isolated RNA of any sequence, nucleic acid probes, and primers. A polynucleotide may comprise modified nucleotides, such as methylated nucleotides and nucleotide analogs. If present, modifications to the nucleotide structure may be imparted before or after assembly of the polymer. The sequence of nucleotides may be interrupted by non-nucleotide components. A polynucleotide may be further modified after polymerization, such as by conjugation with a labeling component.

[00103] The term “complement of a polynucleotide” denotes a polynucleotide molecule having a complementary base sequence and reverse orientation as compared to a reference sequence, such that it could hybridize with a reference sequence with complete fidelity.

[00104] “Recombinant” as applied to a polynucleotide means that the polynucleotide is the product of various combinations of *in vitro* cloning, restriction and/or ligation steps, and other procedures that result in a construct that can potentially be expressed in a host cell.

[00105] The terms “gene” or “gene fragment” are used interchangeably herein. They refer to a polynucleotide containing at least one open reading frame that is capable of encoding a particular protein after being transcribed and translated. A gene or gene fragment may be genomic or cDNA, as long as the polynucleotide contains at least one open reading frame, which may cover the entire coding region or a segment thereof. A “fusion gene” is a gene composed of at least two heterologous polynucleotides that are linked together.

[00106] “Homology” or “homologous” refers to sequence similarity or interchangeability between two or more polynucleotide sequences or two or more polypeptide sequences. When using a program such as BestFit to determine sequence identity, similarity or homology between two different amino acid sequences, the default settings may be used, or an appropriate scoring matrix, such as blosum45 or blosum80, may be selected to optimize identity, similarity or homology scores. Preferably, polynucleotides that are

homologous are those which hybridize under stringent conditions as defined herein and have at least 70%, preferably at least 80%, more preferably at least 90%, more preferably 95%, more preferably 97%, more preferably 98%, and even more preferably 99% sequence identity to those sequences.

[00107] "Ligation" refers to the process of forming phosphodiester bonds between two nucleic acid fragments or genes, linking them together. To ligate the DNA fragments or genes together, the ends of the DNA must be compatible with each other. In some cases, the ends will be directly compatible after endonuclease digestion. However, it may be necessary to first convert the staggered ends commonly produced after endonuclease digestion to blunt ends to make them compatible for ligation.

[00108] The terms "stringent conditions" or "stringent hybridization conditions" includes reference to conditions under which a polynucleotide will hybridize to its target sequence, to a detectably greater degree than other sequences (e.g., at least 2-fold over background). Generally, stringency of hybridization is expressed, in part, with reference to the temperature and salt concentration under which the wash step is carried out. Typically, stringent conditions will be those in which the salt concentration is less than about 1.5 M Na ion, typically about 0.01 to 1.0 M Na ion concentration (or other salts) at pH 7.0 to 8.3 and the temperature is at least about 30°C for short polynucleotides (e.g., 10 to 50 nucleotides) and at least about 60°C for long polynucleotides (e.g., greater than 50 nucleotides)—for example, "stringent conditions" can include hybridization in 50% formamide, 1 M NaCl, 1% SDS at 37°C, and three washes for 15 min each in 0.1×SSC/1% SDS at 60°C to 65°C. Alternatively, temperatures of about 65°C, 60°C, 55°C, or 42°C may be used. SSC concentration may be varied from about 0.1 to 2×SSC, with SDS being present at about 0.1%. Such wash temperatures are typically selected to be about 5°C to 20°C lower than the thermal melting point for the specific sequence at a defined ionic strength and pH. The T_m is the temperature (under defined ionic strength and pH) at which 50% of the target sequence hybridizes to a perfectly matched probe. An equation for calculating T_m and conditions for nucleic acid hybridization are well known and can be found in Sambrook, J. et al. (1989) *Molecular Cloning: A Laboratory Manual*, 2nd ed., vol. 1-3, Cold Spring Harbor Press, Plainview N.Y.; specifically see volume 2 and chapter 9. Typically, blocking reagents are used to block non-specific hybridization. Such blocking reagents include, for instance, sheared and denatured salmon sperm DNA at about 100-200 µg/ml. Organic solvent, such as formamide at a concentration of about 35-50% v/v, may also be used under particular circumstances, such as for RNA:DNA hybridizations. Useful variations on these wash conditions will be readily apparent to those of ordinary skill in the art.

[00109] The terms "percent identity" and "% identity," as applied to polynucleotide sequences, refer to the percentage of residue matches between at least two polynucleotide sequences aligned using a standardized algorithm. Such an algorithm may insert, in a standardized and reproducible way, gaps in the sequences being compared in order to optimize alignment between two sequences, and therefore achieve a more meaningful comparison of the two sequences. Percent identity may be measured over the length of an entire defined polynucleotide sequence, or may be measured over a shorter length, for example, over the length of a fragment taken from a larger, defined polynucleotide sequence, for instance, a fragment of at least 45, at least 60, at least 90, at least 120, at least 150, at least 210 or at least 450 contiguous residues. Such lengths are

exemplary only, and it is understood that any fragment length supported by the sequences shown herein, in the tables, figures or Sequence Listing, may be used to describe a length over which percentage identity may be measured.

[00110] “Percent (%) amino acid sequence identity,” with respect to the polypeptide sequences identified herein, is defined as the percentage of amino acid residues in a query sequence that are identical with the amino acid residues of a second, reference polypeptide sequence or a portion thereof, after aligning the sequences and introducing gaps, if necessary, to achieve the maximum percent sequence identity, and not considering any conservative substitutions as part of the sequence identity. Alignment for purposes of determining percent amino acid sequence identity can be achieved in various ways that are within the skill in the art, for instance, using publicly available computer software such as BLAST, BLAST-2, ALIGN or Megalign (DNASTAR) software. Those skilled in the art can determine appropriate parameters for measuring alignment, including any algorithms needed to achieve maximal alignment over the full length of the sequences being compared. Percent identity may be measured over the length of an entire defined polypeptide sequence, or may be measured over a shorter length, for example, over the length of a fragment taken from a larger, defined polypeptide sequence, for instance, a fragment of at least 15, at least 20, at least 30, at least 40, at least 50, at least 70 or at least 150 contiguous residues. Such lengths are exemplary only, and it is understood that any fragment length supported by the sequences shown herein, in the tables, figures or Sequence Listing, may be used to describe a length over which percentage identity may be measured.

[00111] The term “non-repetitiveness” as used herein in the context of a polypeptide refers to a lack or limited degree of internal homology in a peptide or polypeptide sequence. The term “substantially non-repetitive” can mean, for example, that there are few or no instances of four contiguous amino acids in the sequence that are identical amino acid types or that the polypeptide has a subsequence score (defined *infra*) of 10 or less or that there isn’t a pattern in the order, from N- to C-terminus, of the sequence motifs that constitute the polypeptide sequence. The term “repetitiveness” as used herein in the context of a polypeptide refers to the degree of internal homology in a peptide or polypeptide sequence. In contrast, a “repetitive” sequence may contain multiple identical copies of short amino acid sequences. For instance, a polypeptide sequence of interest may be divided into n-mer sequences and the number of identical sequences can be counted. Highly repetitive sequences contain a large fraction of identical sequences while non-repetitive sequences contain few identical sequences. In the context of a polypeptide, a sequence can contain multiple copies of shorter sequences of defined or variable length, or motifs, in which the motifs themselves have non-repetitive sequences, rendering the full-length polypeptide substantially non-repetitive. The length of polypeptide within which the non-repetitiveness is measured can vary from 3 amino acids to about 200 amino acids, about from 6 to about 50 amino acids, or from about 9 to about 14 amino acids.

“Repetitiveness” used in the context of polynucleotide sequences refers to the degree of internal homology in the sequence such as, for example, the frequency of identical nucleotide sequences of a given length.

Repetitiveness can, for example, be measured by analyzing the frequency of identical sequences.

[00112] A “vector” is a nucleic acid molecule, preferably self-replicating in an appropriate host, which transfers an inserted nucleic acid molecule into and/or between host cells. The term includes vectors that function primarily for insertion of DNA or RNA into a cell, replication of vectors that function primarily for the replication of DNA or RNA, and expression vectors that function for transcription and/or translation of the DNA or RNA. Also included are vectors that provide more than one of the above functions. An “expression vector” is a polynucleotide which, when introduced into an appropriate host cell, can be transcribed and translated into a polypeptide(s). An “expression system” usually connotes a suitable host cell comprised of an expression vector that can function to yield a desired expression product.

[00113] “Serum degradation resistance,” as applied to a polypeptide, refers to the ability of the polypeptides to withstand degradation in blood or components thereof, which typically involves proteases in the serum or plasma. The serum degradation resistance can be measured by combining the protein with human (or mouse, rat, monkey, as appropriate) serum or plasma, typically for a range of days (e.g. 0.25, 0.5, 1, 2, 4, 8, 16 days), typically at about 37°C. The samples for these time points can be run on a Western blot assay and the protein is detected with an antibody. The antibody can be to a tag in the protein. If the protein shows a single band on the western, where the protein’s size is identical to that of the injected protein, then no degradation has occurred. In this exemplary method, the time point where 50% of the protein is degraded, as judged by Western blots or equivalent techniques, is the serum degradation half-life or “serum half-life” of the protein.

[00114] The term “ $t_{1/2}$ ” as used herein means the terminal half-life calculated as $\ln(2)/K_{el}$. K_{el} is the terminal elimination rate constant calculated by linear regression of the terminal linear portion of the log concentration vs. time curve. Half-life typically refers to the time required for half the quantity of an administered substance deposited in a living organism to be metabolized or eliminated by normal biological processes. The terms “ $t_{1/2}$ ”, “terminal half-life”, “elimination half-life” and “circulating half-life” are used interchangeably herein.

[00115] “Apparent Molecular Weight Factor” or “Apparent Molecular Weight” are related terms referring to a measure of the relative increase or decrease in apparent molecular weight exhibited by a particular amino acid sequence. The Apparent Molecular Weight is determined using size exclusion chromatography (SEC) and similar methods compared to globular protein standards and is measured in “apparent kD” units. The Apparent Molecular Weight Factor is the ratio between the Apparent Molecular Weight and the actual molecular weight; the latter predicted by adding, based on amino acid composition, the calculated molecular weight of each type of amino acid in the composition.

[00116] The “hydrodynamic radius” or “Stokes radius” is the effective radius (R_h in nm) of a molecule in a solution measured by assuming that it is a body moving through the solution and resisted by the solution’s viscosity. In the embodiments of the invention, the hydrodynamic radius measurements of the XTEN fusion proteins correlate with the ‘Apparent Molecular Weight Factor’, which is a more intuitive measure. The “hydrodynamic radius” of a protein affects its rate of diffusion in aqueous solution as well as its ability to migrate in gels of macromolecules. The hydrodynamic radius of a protein is determined by its molecular weight as well as by its structure, including shape and compactness. Methods for determining the

hydrodynamic radius are well known in the art, such as by the use of size exclusion chromatography (SEC), as described in U.S. Patent Nos. 6,406,632 and 7,294,513. Most proteins have globular structure, which is the most compact three-dimensional structure a protein can have with the smallest hydrodynamic radius. Some proteins adopt a random and open, unstructured, or 'linear' conformation and as a result have a much larger hydrodynamic radius compared to typical globular proteins of similar molecular weight.

[00117] "Physiological conditions" refer to a set of conditions in a living host as well as *in vitro* conditions, including temperature, salt concentration, pH, that mimic those conditions of a living subject. A host of physiologically relevant conditions for use in *in vitro* assays have been established. Generally, a physiological buffer contains a physiological concentration of salt and is adjusted to a neutral pH ranging from about 6.5 to about 7.8, and preferably from about 7.0 to about 7.5. A variety of physiological buffers is listed in Sambrook et al. (1989). Physiologically relevant temperature ranges from about 25°C to about 38°C, and preferably from about 35°C to about 37°C.

[00118] A "reactive group" is a chemical structure that can be coupled to a second reactive group. Examples for reactive groups are amino groups, carboxyl groups, sulfhydryl groups, hydroxyl groups, aldehyde groups, azide groups. Some reactive groups can be activated to facilitate coupling with a second reactive group. Non-limiting examples for activation are the reaction of a carboxyl group with carbodiimide, the conversion of a carboxyl group into an activated ester, or the conversion of a carboxyl group into an azide function.

[00119] "Controlled release agent", "slow release agent", "depot formulation" or "sustained release agent" are used interchangeably to refer to an agent capable of extending the duration of release of a polypeptide of the invention relative to the duration of release when the polypeptide is administered in the absence of agent. Different embodiments of the present invention may have different release rates, resulting in different therapeutic amounts.

[00120] The terms "antigen", "target antigen" or "immunogen" are used interchangeably herein to refer to the structure or binding determinant that an antibody fragment or an antibody fragment-based therapeutic binds to or has specificity against.

[00121] The term "payload" as used herein refers to a protein or peptide sequence that has biological or therapeutic activity; the counterpart to the pharmacophore of small molecules. Examples of payloads include, but are not limited to, cytokines, enzymes, hormones and blood and growth factors. Payloads can further comprise genetically fused or chemically conjugated moieties such as chemotherapeutic agents, antiviral compounds, toxins, or contrast agents. These conjugated moieties can be joined to the rest of the polypeptide via a linker that may be cleavable or non-cleavable.

[00122] The term "antagonist", as used herein, includes any molecule that partially or fully blocks, inhibits, or neutralizes a biological activity of a native polypeptide disclosed herein. Methods for identifying antagonists of a polypeptide may comprise contacting a native polypeptide with a candidate antagonist molecule and measuring a detectable change in one or more biological activities normally associated with the

native polypeptide. In the context of the present invention, antagonists may include proteins, nucleic acids, carbohydrates, antibodies or any other molecules that decrease the effect of a biologically active protein.

[00123] The term “agonist” is used in the broadest sense and includes any molecule that mimics a biological activity of a native polypeptide disclosed herein. Suitable agonist molecules specifically include agonist antibodies or antibody fragments, fragments or amino acid sequence variants of native polypeptides, peptides, small organic molecules, etc. Methods for identifying agonists of a native polypeptide may comprise contacting a native polypeptide with a candidate agonist molecule and measuring a detectable change in one or more biological activities normally associated with the native polypeptide.

[00124] “Activity” for the purposes herein refers to an action or effect of a component of a fusion protein consistent with that of the corresponding native biologically active protein, wherein “biological activity” refers to an *in vitro* or *in vivo* biological function or effect, including but not limited to receptor binding, antagonist activity, agonist activity, or a cellular or physiologic response.

[00125] As used herein, “treatment” or “treating,” or “palliating” or “ameliorating” is used interchangeably herein. These terms refer to an approach for obtaining beneficial or desired results including but not limited to a therapeutic benefit and/or a prophylactic benefit. By therapeutic benefit is meant eradication or amelioration of the underlying disorder being treated. Also, a therapeutic benefit is achieved with the eradication or amelioration of one or more of the physiological symptoms associated with the underlying disorder such that an improvement is observed in the subject, notwithstanding that the subject may still be afflicted with the underlying disorder. For prophylactic benefit, the compositions may be administered to a subject at risk of developing a particular disease, or to a subject reporting one or more of the physiological symptoms of a disease, even though a diagnosis of this disease may not have been made.

[00126] A “therapeutic effect”, as used herein, refers to a physiologic effect, including but not limited to the cure, mitigation, amelioration, or prevention of disease in humans or other animals, or to otherwise enhance physical or mental wellbeing of humans or animals, caused by a fusion polypeptide of the invention other than the ability to induce the production of an antibody against an antigenic epitope possessed by the biologically active protein. Determination of a therapeutically effective amount is well within the capability of those skilled in the art, especially in light of the detailed disclosure provided herein.

[00127] The terms “therapeutically effective amount” and “therapeutically effective dose”, as used herein, refers to an amount of a biologically active protein, either alone or as a part of a fusion protein composition, that is capable of having any detectable, beneficial effect on any symptom, aspect, measured parameter or characteristics of a disease state or condition when administered in one or repeated doses to a subject. Such effect need not be absolute to be beneficial.

[00128] The term “therapeutically effective dose regimen”, as used herein, refers to a schedule for consecutively administered doses of a biologically active protein, either alone or as a part of a fusion protein composition, wherein the doses are given in therapeutically effective amounts to result in sustained beneficial effect on any symptom, aspect, measured parameter or characteristics of a disease state or condition.

I). GENERAL TECHNIQUES

[00129] The practice of the present invention employs, unless otherwise indicated, conventional techniques of immunology, biochemistry, chemistry, molecular biology, microbiology, cell biology, genomics and recombinant DNA, which are within the skill of the art. See Sambrook, J. *et al.*, “Molecular Cloning: A Laboratory Manual,” 3rd edition, Cold Spring Harbor Laboratory Press, 2001; “Current protocols in molecular biology”, F. M. Ausubel, *et al.* eds., 1987; the series “Methods in Enzymology,” Academic Press, San Diego, CA.; “PCR 2: a practical approach”, M.J. MacPherson, B.D. Hames and G.R. Taylor eds., Oxford University Press, 1995; “Antibodies, a laboratory manual” Harlow, E. and Lane, D. eds., Cold Spring Harbor Laboratory, 1988; “Goodman & Gilman’s The Pharmacological Basis of Therapeutics,” 11th Edition, McGraw-Hill, 2005; and Freshney, R.I., “Culture of Animal Cells: A Manual of Basic Technique,” 4th edition, John Wiley & Sons, Somerset, NJ, 2000, the contents of which are incorporated in their entirety herein by reference.

II). GROWTH HORMONE

[00130] The present invention relates in part to fusion protein compositions of growth hormone (GH), including human growth hormone (hGH).

(a) Growth hormone proteins

[00131] “Growth Hormone” or “GH” means a growth hormone protein and species and sequence variants thereof, and includes, but is not limited to, the 191 single-chain amino acid sequence of human GH. The GH can be the native, full-length protein or can be a truncated fragment or a sequence variant that retains at least a portion of the biological activity of the native protein. There are two known types of human GH (hereinafter “hGH”) derived from the pituitary gland: one having a molecular weight of about 22,000 daltons (22kD hGH) and the other having a molecular weight of about 20,000 daltons (20kD hGH). The 20kD hGH has an amino acid sequence that corresponds to that of 22kD hGH consisting of 191 amino acids except that 15 amino acid residues from the 32nd to the 46th of 22kD hGH are missing. Some reports have shown that the 20kD hGH has been found to exhibit lower risks and higher activity than 22kD hGH. The invention contemplates use of the 22 kD, the 20kD hGH, as well as species and sequence variants and truncated fragments thereof as being appropriate for use as a fusion partner with XTEN disclosed herein for GHXTEN compositions. The cloned gene for hGH has been expressed in a secreted form in *Escherichia coli* (United States Patent No. 4,898,830; Chang, C. N., *et al.*, Gene 55:189 [1987]) and its DNA and amino acid sequence has been reported (Goeddel, *et al.* Nature ,281:544 [1979]; Gray, *et al.*, Gene 39: 247[1985]).

[00132] The invention contemplates inclusion in the GHXTEN compositions sequences with homology to GH sequences, sequence fragments that are natural, such as from humans, non-human primates, mammals (including domestic animals), and non-natural sequence variants which retain at least a portion of the biologic activity or biological function of GH and/or that are useful for preventing, treating, mediating, or ameliorating a GH-related disease, deficiency, disorder or condition. Non-mammalian GH sequences are well-described in the literature. For example, a sequence alignment of fish GHs can be found in *Genetics and Molecular Biology* **2003** 26 p.295-300. An analysis of the evolution of avian GH sequences is presented

in *Journal of Evolutionary Biology* **2006** 19 p.844-854. In addition, native sequences homologous to human GH may be found by standard homology searching techniques, such as NCBI BLAST.

[00133] Effects of GH on the tissues of the body can generally be described as anabolic. Like most other protein hormones, native GH acts by interacting with a specific plasma membrane receptor, referred to as growth hormone receptor. GH acts on the liver and other tissues to stimulate production of IGF-1, which is responsible for the growth promoting effects of GH and also reflects the amount produced. IGF-1, in turn, has stimulatory effects on osteoblast and chondrocyte activity to promote bone growth. In one embodiment, the invention provides a GHXTEN that exhibits at least one of the properties of native GH hereinabove described herein.

[00134] In one embodiment, the GH incorporated into the subject compositions is a recombinant polypeptide with a sequence corresponding to a protein found in nature. In another embodiment, the GH is a sequence variant, fragment, homolog, or a mimetics of a natural sequence that retains at least a portion of the biological activity of the corresponding native GH. Table 1 provides a non-limiting list of sequences of GHs from a wide variety of mammalian species that are encompassed by the GHXTEN fusion proteins of the invention. Any of these GH sequences or homologous derivatives constructed by shuffling individual mutations between species or families that retain at least a portion of the biological activity of the native GH may be useful for the fusion proteins of this invention. GH that can be incorporated into a GHXTEN fusion protein can include a protein that exhibits at least about 80% sequence identity, or alternatively 81%, 82%, 83%, 84%, 85%, 86%, 87%, 88%, 89%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, or 100% sequence identity to a sequence selected from Table 1.

Table 1: Growth hormone amino acid sequences from animal species

Species GH	Amino Acid Sequence
Human	FPTIPLSRLFDNAMLRAHRLHQLAFDITYQEFEEAYIPKEQKYSFLQNPQTSLCFSESITP SNREETQQKSNLELLRISLLLIQSWLEPVQFLRSVFANSLVYGASDSNVYDLLKDLEEGI QTLMGRLEDGSPRTGQIFKQTYSKFDTNSHNDDALLKNYGLLYCFRKDMDKVETFLRI VQCRSVEGSCGF
Pig	FPAMPLSSLFANAVLRAQHLHQLAADTYKEFERAYIPEGQRYSIQNAQA AFCFSETIPA PTGKDEAQQRSDVELLRFSLLLIQSWLGPVQFLSRVFTNSLVFGTSDRVYEKLKDLEEG IQALMRELEDGSPRAGQILKQTYDKFDTNLRSDDALLKNYGLLS CFKKDLHKAETYL R V MKCRRFVESSCAF
Alpaca	FPAMPLSSLFANAVLRAQHLHQLAADTYKEFERTYIPEGQRYSIQNAQA AFCFSETIPAP TGKDEAQQRSDVELLRFSLLLIQSWLGPVQFLSRVFTNSLVFGTSDRVYEKLKDLEEGI QALMRELEDGSPRAGQILRQTYDKFDTNLRSDDALLKNYGLLS CFKKDLHKAETYL R V MKCRRFVESSCAF
Camel	FPAMPLSSLFANAVLRAQHLHQLAADTYKEFERTYIPEGQRYSIQNAQA AFCFSETIPAP TGKDEAQQRSDVELLRFSLLLIQSWLGPVQFLSRVFTNSLVFGTSDRVYEKLKDLEEGI QALMRELEDGSPRAGQILRQTYDKFDTNLRSDDALLKNYGLLS CFKKDLHKAETYL R V MKCRRFVESSCAF
Horse	FPAMPLSSLFANAVLRAQHLHQLAADTYKEFERAYIPEGQRYSIQNAQA AFCFSETIPA PTGKDEAQQRSDMELLRFSLLLIQSWLGPVQLLSRVFTNSLVFGTSDRVYEKLKRDLEEG IQALMRELEDGSPRAGQILKQTYDKFDTNLRSDDALLKNYGLLS CFKKDLHKAETYL R V MKCRRFVESSCAF
Elephant	FPAMPLSSLFANAVLRAQHLHQLAADTYKEFERAYIPEGQRYSIQNAQA AFCFSETIPA PTGKDEAQQRSDVELLRFSLLLIQSWLGPVQFLSRVFTNSLVFGTSDRVYEKLKDLEEG

Species GH	Amino Acid Sequence
	IQALMRELEDGSPRPGQVLKQTYDKFDTNMRSDDALLKNYGLLSCFKKDLHKAETYL RV MKCRRFVESSCAF
Red fox	FPAMPLSSLFANAVLRAQHLHQLAADTYKEFERAYIPEGQRYSIQNAQAACFSETIPA PTGKDEAQQRSDVELLRFSVLIIQSWLGPVQFLSRVFTNSLVFGTSDRVYEKLDLEEG IQALMRELEDGSPRAGQILKQTYDKFDTNLRSDALLKNYGLLSCFKKDLHKAETYL V MKCRRFVESSCAF
Dog	FPAMPLSSLFANAVLRAQHLHQLAADTYKEFERAYIPEGQRYSIQNAQAACFSETIPA PTGKDEAQQRSDVELLRFSLLIIQSWLGPVQFLSRVFTNSLVFGTSDRVYEKLDLEEG IQALMRELEDGSPRAGQILKQTYDKFDTNLRSDALLKNYGLLSCFKKDLHKAETYL V MKCRRFVESSCAF
Cat	FPAMPLSSLFANAVLRAQHLHQLAADTYKEFERAYIPEGQRYSIQNAQAACFSETIPA PTGKDEAQQRSDVELLRFSLLIIQSWLGPVQFLSRVFTNSLVFGTSDRVYEKLDLEEG IQALMRELEDGSPRGGQILKQTYDKFDTNLRSDALLKNYGLLSCFKKDLHKAETYL V MKCRRFVESSCAF
American mink	FPAMPLSSLFANAVLRAQHLHQLAADTYKDFERAYIPEGQRYSIQNAQAACFSETIPA PTGKDEAQQRSDMELLRFSLLIIQSWLGPVQFLSRVFTNSLVFGTSDRVYEKLDLEEG IQALMRELEDGSPRAGPILKQTYDKFDTNLRSDALLKNYGLLSCFKKDLHKAETYL V MKCRRFVESSCAF
Finback whale	FPAMPLSSLFANAVLRAQHLHQLAADTYKEFERAYIPEGQRYSIQNAQAACFSETIPA PTGKDEAQQRSDVELLRFSLLIIQSWLGPVQFLSRVFTNSLVFGTSDRVYEKLDLEEG IQALMRELEDGSPRAGQILKQTYDKFDTNMRSDDALLKNYGLLSCFKKDLHKAETYL V MKCRRFVESSCAF
Dolphin	FPAMPLSSLFANAVLRAQHLHQLAADTYKEFERAYIPEGQRYSIQNTQAACFSETIPAP TGKDEAQQRSDVELLRFSLLIIQSWLGPVQFLSRVFTNSLVFGTSDRVYEKLDLEEGI QALMRELEDGSPRAGQILKQTYDKFDTNMRSDDALLKNYGLLSCFKKDLHKAETYL V MKCRRFVESSCAF
Hippo	FPAMPLSSLFANAVLRAQHLHQLAADTYKEFERAYIPEGQRYSIQNTQAACFSETIPAP TGKDEAQQRSDVELLRFSLLIIQSWLGPVQFLSRVFTNSLVFGTSDRVYEKLDLEEGI QALMRELEDGSPRAGQILKQTYDKFDTNMRSDDALLKNYGLLSCFKKDLHKAETYL V MKCRRFVESSCAF
Rabbit	FPAMPLSSLFANAVLRAQHLHQLAADTYKEFERAYIPEGQRYSIQNAQAACFSETIPA PTGKDEAQQRSDMELLRFSLLIIQSWLGPVQFLSRFTNTLVFGTSDRVYEKLDLEEG IQALMRELEDGSPRVGQLLKQTYDKFDTNLRGDDALLKNYGLLSCFKKDLHKAETYL RV MKCRRFVESSCVF
Rat	FPAMPLSSLFANAVLRAQHLHQLAADTYKEFERAYIPEGQRYSIQNAQAACFSETIPA PTGKEEAQQRSDMELLRFSLLIIQSWLGPVQFLSRIFTNSLMFGTSDRVYEKLDLEEGI QALMQELEDGSPRIGQILKQTYDKFDANMRSDDALLKNYGLLSCFKKDLHKAETYL V MKCRRFAESSCAF
Mouse	FPAMPLSSLFSNAVLRAQHLHQLAADTYKEFERAYIPEGQRYSIQNAQAACFSETIPAP TGKEEAQQRSDMELLRFSLLIIQSWLGPVQFLSRIFTNSLMFGTSDRVYEKLDLEEGI QALMQELEDGSPRVGQILKQTYDKFDANMRSDDALLKNYGLLSCFKKDLHKAETYL V MKCRRFVESSCAF
Hamster	FPAMPLSSLFANAVLRAQHLHQLAADTYKEFERAYIPEGQRYSIQNAQTAFCFSETIPAP TGKEEAQQRSDMELLRFSLLIIQSWLGPVQFLSRIFTNSLMFGTSDRVYEKLDLEEGI QALMQELEDGSPRVGQILKQTYDKFDTNMRSDDALLKNYGLLSCFKKDLHKAETYL V MKCRRFVESSCAF
Mole rat	FPAMPLSNLFANAVLRAQHLHQLAADTYKEFERAYIPEGQRYSIQNAQAACFSETIPA PTGKEEAQQRSDMELLRFSLLIIQSWLGPVQFLSRVFTNSLVFGTSDRVFEKLDLEEGI QALMRELEDGSLRAGQLLKQTYDKFDTNMRSDDALLKNYGLLSCFKKDLHKAETYL V MKCRRFVESSCAF
Guinea pig	FPAMPLSSLFGNAVLRAQHLHQLAADTYKEFERTYIPEGQRYSIHNTQTAFCFSETIPAP TDKEEAQQRSDVELLHFSLLIIQSWLGPVQFLSRVFTNSLVFGTSDRVYEKLDLEEGI QALMRELEDGTPRAGQILKQTYDKFDTNLRSDALLKNYGLLSCFRKDLHRTETYL V MKCRRFVESSCAF
Ox	AFPAMSLSGLFANAVLRAQHLHQLAADTFKEFERTYIPEGQRYSIQNTQVAFCFSETIPA PTGKNEAQKSDLELLRISLLIIQSWLGPVQFLSRVFTNSLVFGTSDRVYEKLDLEEGI LALMRELEDGTPRAGQILKQTYDKFDTNMRSDDALLKNYGLLSCFRKDLHKTETYL R

Species GH	Amino Acid Sequence
	V MKCRRFGEASCAF
Sheep/ Goat	AFPAMSLSGLFANAVLRAQHLHQLAADTFKEFERTYIPEGQRYSIQNTQVAFCFSETIPAP PTGKNEAQQKSDLELLRISLLLIQSWLGPLQFLSRVFTNSLVFGTSDRVYEKLKDLEEGI LALMRELEDVTPRAGQILKQTYDKFDTNMRSDDALLKNYGLLSCFRKDLHKTETYLRL V MKCRRFGEASCAF
Red deer	FPAMSLSGLFANAVLRAQHLHQLAADTFKEFERTYIPEGQRYSIQNTQVAFCFSETIPAP TGKNEAQQKSDLELLRISLLLIQSWLGPLQFLSRVFTNSLVFGTSDRVYEKLKDLEEGI ALMRELEDGTPRAGQILKQTYDKFDTNMRSDDALLKNYGLLSCFRKDLHKTETYLRL V MKCRRFGEASCAF
Giraffe	AFPAMSLSGLFANAVLRAQHLHQLAADTFKEFERTYIPEGQRYSIQNTQVAFCFSETIPAP PTGKNEAQQKSDLELLRISLLLIQSWLGPLQFLSRVFTNSLVFGTSDRVYEKLKDLEEGI LALMRELEDGTPRAGQILKQTYDKFDTNMRSDDALLKNYGLLSCFRKDLHKTETYLRL V MKCRRFGEASCAF
Chevrotain-1	FPAMSLSGLFANAVLRVQHLHQLAADTFKEFERTYIPEGQRYSIQNTQVAFCFSETIPAP TGKNEAQQKSDLELLRISLLLIQSWLGPLQFLSRVFTNSLVFGTSDRVYEKLKDLEEGI ALMRELEDGPPRAGQILKQTYDKFDTNMRSDDALLKNYGLLSCFRKDLHKTETYLRL V MKCRRFGEASCAF
Slow loris	FPAMPLSSLFANAVLRAQHLHQLAADTYKEFERAYIPEGQRYSIQNAQAFCFSETIPAP PTGKDEAQQRSDMELLRFSLLLIQSWLGPVQLLSRVFTNSLVFGTSDRVYEKLKDLEEGI IQALMRELEDGSPRVGQILKQTYDKFDTNLRSDALLKNYGLLSCFKKDLHKAETYLRL V MKCRRFVESSCAF
Marmoset	FPTIPLSRLLDNAMLRAHRLHQLAFDITYQEFEEAYIPKEQKYSFLQNPQTSLCFSESIP ASKKETQQKSNLELLRMSLLLIQSWFEPVQFLSRVFTNSLVFGTSDRVYEKLKDLEEGI IQTLMGRLEDGSPRTGEIFMQTYRKFDVNSQNDALLKNYGLLYCFRKDMMDKVETFL RI VQCR-SVEGSCGF
BrTailed Possum	FPAMPLSSLFANAVLRAQHLHQLVADTYKEFERTYIPEAQRHSIQSTQTAFCFSETIPAP TGKDEAQQRSDVELLRFSLLLIQSWLSPVQFLSRVFTNSLVFGTSDRVYEKLKDLEEGI ALMQELEDGSSRGGLVLKTTYDKFDTNLRSDALLKNYGLLSCFKKDLHKAETYLRL V MKCRRFVESSCAF
Monkey (rhesus)	FPTIPLSRLFDNAMLRAHRLHQLAFDITYQEFEEAYIPKEQKYSFLQNPQTSLCFSESIP SNREETQQKSNLELLRISLLLIQSWLEPVQFLSRVFTNSLVFGTSDRVYEKLKDLEEGI QTLMGRLEDGSSRTGQIFKQTYSKFDTNSHNNDALLKNYGLLYCFRKDMMDKIETFLRI VQCR-SVEGSCGF

III). GROWTH HORMONE FUSION PROTEIN COMPOSITIONS

[00135] The present invention relates in part to fusion protein compositions of growth hormone (GH). In one aspect, the invention provides isolated monomeric fusion proteins of GH comprising the full-length sequence or sequence variants of GH covalently linked to extended recombinant recombinant polypeptides ("XTEN" or "XTENS"). As described more fully below, the fusion proteins optionally include spacer sequences that further comprise cleavage sequences to release the GH from the fusion protein when acted on by a protease, releasing GH from the XTEN sequence(s).

[00136] In one aspect, the invention provides an isolated fusion protein comprising at least a first biologically active growth hormone protein covalently linked to one or more extended recombinant polypeptides ("XTEN"), resulting in a growth hormone-XTEN fusion protein composition (hereinafter "GHXTEN"). In one embodiment, the growth hormone is human growth hormone or a sequence variant of hGH. As described more fully below, the fusion proteins optionally include spacer sequences that further comprise cleavage sequences to release the GH from the fusion protein when acted on by a protease.

[00137] The term “GHXTEN”, as used herein, is meant to encompass fusion polypeptides that comprise one or more payload regions each comprising a biologically active GH that mediates one or more biological or therapeutic activities associated with growth hormone and at least one other region comprising at least a first XTEN polypeptide that serves as a carrier.

[00138] The GH of the subject compositions, particularly those disclosed in Table 1, together with their corresponding nucleic acid and amino acid sequences, are well known in the art and descriptions and sequences are available in public databases such as Chemical Abstracts Services Databases (e.g., the CAS Registry), GenBank, The Universal Protein Resource (UniProt) and subscription provided databases such as GenSeq (e.g., Derwent). Polynucleotide sequences may be a wild type polynucleotide sequence encoding a given GH (e.g., either full length or mature), or in some instances the sequence may be a variant of the wild type polynucleotide sequence (e.g., a polynucleotide which encodes the wild type biologically active protein, wherein the DNA sequence of the polynucleotide has been optimized, for example, for expression in a particular species; or a polynucleotide encoding a variant of the wild type protein, such as a site directed mutant or an allelic variant. It is well within the ability of the skilled artisan to use a wild-type or consensus cDNA sequence or a codon-optimized variant of a GH to create GHXTEN constructs contemplated by the invention using methods known in the art and/or in conjunction with the guidance and methods provided herein, and described more fully in the Examples.

[00139] The GH for inclusion in the GHXTEN of the invention include any growth hormone or sequence variant of biologic, therapeutic, prophylactic, or diagnostic interest or function, or that is useful for mediating or preventing or ameliorating a disease, disorder or condition associated with growth, growth hormone deficiency or defect when administered to a subject. Of particular interest are GHXTEN fusion protein compositions for which an increase in a pharmacokinetic parameter, increased solubility, increased stability, or some other enhanced pharmaceutical property compared to native GH is sought, or for which increasing the terminal half-life would improve efficacy, safety, or result in reduce dosing frequency and/or improve patient compliance. Thus, the GHXTEN fusion protein compositions are prepared with various objectives in mind, including improving the therapeutic efficacy of the bioactive GH by, for example, increasing the *in vivo* exposure or the length that the GHXTEN remains within the therapeutic window when administered to a subject, compared to a GH not linked to XTEN.

[00140] In one embodiment, the GH incorporated into the subject compositions can be a recombinant polypeptide with a sequence corresponding to a protein found in nature. In another embodiment, the GH is a sequence variant, fragment, homolog, or mimetic of a natural sequence that retain at least a portion of the biological activity of the native GH. In non-limiting examples, a GH is a sequence that exhibits at least about 80% sequence identity, or alternatively 81%, 82%, 83%, 84%, 85%, 86%, 87%, 88%, 89%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, or at least about 99%, or 100% sequence identity to a protein sequence selected from Table 1. In one embodiment, a GHXTEN fusion protein comprises a single GH molecule linked to an XTEN (as described more fully below). In another embodiment, the GHXTEN comprises a first GH and a second molecule of the same GH, resulting in a fusion protein comprising the two

GH linked to one or more XTEN (for example, or two molecules of hGH). In some cases of the foregoing embodiments, the GH and XTEN components are of an N- to C-terminus configuration selected from Table 5. In another embodiment, the GHXTEN fusion protein comprises a single GH molecule linked to a first and a second XTEN, with an N- to C-terminus configuration of XTEN-GH-XTEN, in which the GH is a sequence that exhibits at least about 80% sequence identity, or alternatively 81%, 82%, 83%, 84%, 85%, 86%, 87%, 88%, 89%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, or at least about 99%, or 100% sequence identity to a protein sequence selected from Table 1, and the first and/or the second XTEN are sequences that exhibits at least about 80% sequence identity, or alternatively 81%, 82%, 83%, 84%, 85%, 86%, 87%, 88%, 89%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, or at least about 99%, or 100% sequence identity to a sequence selected from Table 3.

[00141] In general, the GH fusion partner component of the GHXTEN exhibits a binding specificity to a given target or another desired biological characteristic when used *in vivo* or when utilized in an *in vitro* assay. For example, the GHXTEN is an agonist, having the ability to bind to a transmembrane receptor for growth hormone. In one embodiment, the binding of GHXTEN to growth receptor leads to receptor dimerization and lead to at least a portion of the activation of intercellular signal transduction pathway compared to native growth hormone. In one embodiment, the GHXTEN bound to a transmembrane receptor for growth hormone would exhibit at least about 1%, or about 5%, or about 10%, or about 15%, or about 20%, or about 25%, or about 30%, or about 40%, or about 50%, or about 60%, or about 70%, or about 80%, or about 90%, or at least about 95% of the activation of intercellular signal transduction pathway compared to native growth hormone not linked to XTEN.

[00142] The subject GHXTEN of the present invention exhibits an enhancement of one or more pharmacokinetic parameters, which optionally is enhanced by release of GH from the fusion protein by cleavage of a spacer sequence. The GHXTEN with enhanced pharmacokinetic parameters permits less frequent dosing or an enhanced pharmacologic effect, such as but not limited to maintaining the biologically active GHXTEN within the therapeutic window between the minimum effective dose or blood concentration (C_{min}) and the maximum tolerated dose or blood concentration (C_{max}). In such cases, the linking of the GH to a fusion protein comprising a select XTEN sequence(s) can result in an improvement in these properties, making them more useful as therapeutic or preventive agents compared to GH not linked to XTEN.

IV). XTENDED RECOMBINANT POLYPEPTIDES

[00143] In one aspect, the invention provides XTEN polypeptide compositions that are useful as a fusion protein partner to which GH is linked, resulting in a GHXTEN fusion protein. XTEN are generally extended length polypeptides with non-naturally occurring, substantially non-repetitive sequences that are composed mainly of small hydrophilic amino acids, with the sequence having a low degree or no secondary or tertiary structure under physiologic conditions.

[00144] XTENs have utility as a fusion protein partners partner in that they serve as a “carrier”, conferring certain desirable pharmacokinetic, physicochemical and pharmaceutical properties when linked to a GH

protein to create a fusion protein. Such desirable properties include but are not limited to enhanced pharmacokinetic parameters and solubility characteristics, amongst other properties described herein. Such fusion protein compositions have utility to treat certain growth hormone-related diseases, disorders or conditions, as described herein. As used herein, "XTEN" specifically excludes antibodies or antibody fragments such as single-chain antibodies or Fc fragments of a light chain or a heavy chain.

[00145] In some embodiments, XTEN are long polypeptides having greater than about 100 to about 3000 amino acid residues, preferably greater than 400 to about 3000 residues when used as a carrier or cumulatively when more than one XTEN unit is used in a single fusion protein. In other embodiments, when used as a linker between fusion protein components or where an increase in half-life of the fusion protein is not needed but where an increase in solubility or other physico/chemical property for the GH fusion partner component is desired, an XTEN sequence shorter than 100 amino acid residues, such as about 96, or about 84, or about 72, or about 60, or about 48, or about 36 amino acid residues are incorporated into a fusion protein composition with the GH to effect the property.

[00146] The selection criteria for the XTEN to be linked to the biologically active proteins used to create the inventive fusion proteins compositions generally relate to attributes of physical/chemical properties and conformational structure of the XTEN that is, in turn, used to confer enhanced pharmaceutical and pharmacokinetic properties to the fusion proteins. The XTEN of the present invention exhibit one or more of the following advantageous properties: conformational flexibility, enhanced aqueous solubility, high degree of protease resistance, low immunogenicity, low binding to mammalian receptors, and increased hydrodynamic (or Stokes) radii; properties that make them particularly useful as fusion protein partners. Non-limiting examples of the properties of the fusion proteins comprising GH that is enhanced by XTEN include increases in the overall solubility and/or metabolic stability, reduced susceptibility to proteolysis, reduced immunogenicity, reduced rate of absorption when administered subcutaneously or intramuscularly, and enhanced pharmacokinetic properties such as longer terminal half-life and increased area under the curve (AUC), slower absorption after subcutaneous or intramuscular injection (compared to GH not linked to XTEN and administered by a similar route) such that the $C_{\max}$ is lower, which, in turn, results in reductions in adverse effects of the GH that, collectively, results in an increased period of time that a fusion protein of a GHXTEN composition administered to a subject retains therapeutic activity.

[00147] A variety of methods and assays are known in the art for determining the physical/chemical properties of proteins such as the compositions comprising the inventive XTEN; properties such as secondary or tertiary structure, solubility, protein aggregation, melting properties, contamination and water content. Such methods include analytical centrifugation, EPR, HPLC-ion exchange, HPLC-size exclusion, HPLC-reverse phase, light scattering, capillary electrophoresis, circular dichroism, differential scanning calorimetry, fluorescence, HPLC-ion exchange, HPLC-size exclusion, IR, NMR, Raman spectroscopy, refractometry, and UV/Visible spectroscopy. Additional methods are disclosed in Arnau et al, Prot Expr and

Purif (2006) 48, 1-13. Application of these methods to the invention would be within the grasp of a person skilled in the art.

[00148] Typically, XTEN are designed to behave like denatured peptide sequences under physiological conditions, despite the extended length of the polymer. Denatured describes the state of a peptide in solution that is characterized by a large conformational freedom of the peptide backbone. Most peptides and proteins adopt a denatured conformation in the presence of high concentrations of denaturants or at elevated temperature. Peptides in denatured conformation have, for example, characteristic circular dichroism (CD) spectra and are characterized by a lack of long-range interactions as determined by NMR. “Denatured conformation” and “unstructured conformation” are used synonymously herein. In some embodiments, the invention provides XTEN sequences that, under physiologic conditions, resemble denatured sequences largely devoid in secondary structure. In other cases, the XTEN sequences are substantially devoid of secondary structure under physiologic conditions. “Largely devoid,” as used in this context, means that less than 50% of the XTEN amino acid residues of the XTEN sequence contribute to secondary structure as measured or determined by the means described herein. “Substantially devoid,” as used in this context, means that at least about 60%, or about 70%, or about 80%, or about 90%, or about 95%, or at least about 99% of the XTEN amino acid residues of the XTEN sequence do not contribute to secondary structure, as measured or determined by the methods described herein.

[00149] A variety of methods have been established in the art to discern the presence or absence of secondary and tertiary structures in a given polypeptide. In particular, secondary structure can be measured spectrophotometrically, e.g., by circular dichroism spectroscopy in the “far-UV” spectral region (190-250 nm). Secondary structure elements, such as alpha-helix and beta-sheet, each give rise to a characteristic shape and magnitude of CD spectra. Secondary structure can also be predicted for a polypeptide sequence via certain computer programs or algorithms, such as the well-known Chou-Fasman algorithm (Chou, P. Y., *et al.* (1974) *Biochemistry*, 13: 222-45) and the Garnier-Osguthorpe-Robson (“GOR”) algorithm (Garnier J, Gibrat JF, Robson B. (1996), GOR method for predicting protein secondary structure from amino acid sequence. *Methods Enzymol* 266:540-553), as described in US Patent Application Publication No. 20030228309A1. For a given sequence, the algorithms can predict whether there exists some or no secondary structure at all, expressed as the total and/or percentage of residues of the sequence that form, for example, alpha-helices or beta-sheets or the percentage of residues of the sequence predicted to result in random coil formation (which lacks secondary structure).

[00150] In some embodiments, the XTEN sequences used in the inventive fusion protein compositions can have an alpha-helix percentage ranging from 0% to less than about 5% as determined by the Chou-Fasman algorithm. In other cases, the XTEN sequences of the fusion protein compositions have a beta-sheet percentage ranging from 0% to less than about 5% as determined by the Chou-Fasman algorithm. In some embodiments, the XTEN sequences of the fusion protein compositions have an alpha-helix percentage ranging from 0% to less than about 5% and a beta-sheet percentage ranging from 0% to less than about 5% as determined by the Chou-Fasman algorithm. In some embodiments, the XTEN sequences of the fusion

protein compositions have an alpha-helix percentage less than about 2% and a beta-sheet percentage less than about 2%. In other cases, the XTEN sequences of the fusion protein compositions have a high degree of random coil percentage, as determined by the GOR algorithm. In some embodiments, an XTEN sequence have at least about 80%, more preferably at least about 90%, more preferably at least about 91%, more preferably at least about 92%, more preferably at least about 93%, more preferably at least about 94%, more preferably at least about 95%, more preferably at least about 96%, more preferably at least about 97%, more preferably at least about 98%, and most preferably at least about 99% random coil, as determined by the GOR algorithm.

1. Non-repetitive Sequences

[00151] In some embodiments, XTEN sequences of the compositions are substantially non-repetitive. In general, repetitive amino acid sequences have a tendency to aggregate or form higher order structures, as exemplified by natural repetitive sequences such as collagens and leucine zippers, or form contacts resulting in crystalline or pseudocrystalline structures. In contrast, the low tendency of non-repetitive sequences to aggregate enables the design of long-sequence XTENs with a relatively low frequency of charged amino acids that would be likely to aggregate if the sequences were otherwise repetitive. Typically, the GHXTEN fusion proteins comprise XTEN sequences of greater than about 100 to about 3000 amino acid residues, preferably greater than 400 to about 3000 cumulative residues, wherein the sequences are substantially non-repetitive. In one embodiment, the XTEN sequences have greater than about 100 to about 3000 amino acid residues, preferably greater than 400 to about 3000 amino acid residues, in which no three contiguous amino acids in the sequence are identical amino acid types unless the amino acid is serine, in which case no more than three contiguous amino acids are serine residues. In the foregoing embodiment, the XTEN sequence would be substantially non-repetitive.

[00152] The degree of repetitiveness of a polypeptide or a gene are measured by computer programs or algorithms or by other means known in the art. Repetitiveness in a polypeptide sequence can, for example, be assessed by determining the number of times shorter sequences of a given length occur within the polypeptide. For example, a polypeptide of 200 amino acid residues has 192 overlapping 9-amino acid sequences (or 9-mer “frames”) and 198 3-mer frames, but the number of unique 9-mer or 3-mer sequences will depend on the amount of repetitiveness within the sequence. A score is generated (hereinafter “subsequence score”) that is reflective of the degree of repetitiveness of the subsequences in the overall polypeptide sequence. In the context of the present invention, “subsequence score” means the sum of occurrences of each unique 3-mer frame across a 200 consecutive amino acid sequence of the polypeptide divided by the absolute number of unique 3-mer subsequences within the 200 amino acid sequence. Examples of such subsequence scores derived from the first 200 amino acids of repetitive and non-repetitive polypeptides are presented in Example 44. In some embodiments, the present invention provides GHXTEN each comprising one or more XTEN in which the XTEN have a subsequence score less than 12, more preferably less than 10, more preferably less than 9, more preferably less than 8, more preferably less than 7, more preferably less than 6, and most preferably less than 5. In the embodiments hereinabove described in

this paragraph, an XTEN with a subsequence score less than about 10 (i.e., 9, 8, 7, etc.) is “substantially non-repetitive.”

[00153] The non-repetitive characteristic of XTEN impart to fusion proteins with GH a greater degree of solubility and less tendency to aggregate compared to polypeptides having repetitive sequences. These properties facilitate the formulation of XTEN-comprising pharmaceutical preparations containing extremely high drug concentrations, in some cases exceeding 100 mg/ml.

[00154] Furthermore, the XTEN polypeptide sequences of the embodiments are designed to have a low degree of internal repetitiveness in order to reduce or substantially eliminate immunogenicity when administered to a mammal. Polypeptide sequences composed of short, repeated motifs largely limited to three amino acids, such as glycine, serine and glutamate, may result in relatively high antibody titers when administered to a mammal despite the absence of predicted T-cell epitopes in these sequences. This may be caused by the repetitive nature of polypeptides, as it has been shown that immunogens with repeated epitopes, including protein aggregates, cross-linked immunogens, and repetitive carbohydrates are highly immunogenic and can, for example, result in the cross-linking of B-cell receptors causing B-cell activation. (Johansson, J., *et al.* (2007) *Vaccine*, 25 :1676-82 ; Yankai, Z., *et al.* (2006) *Biochem Biophys Res Commun*, 345 :1365-71 ; Hsu, C. T., *et al.* (2000) *Cancer Res*, 60:3701-5); Bachmann MF, *et al.* *Eur J Immunol*. (1995) 25(12):3445-3451).

2. Exemplary Sequence Motifs

[00155] The present invention encompasses XTEN that comprise multiple units of shorter sequences, or motifs, in which the amino acid sequences of the motifs are non-repetitive. In designing XTEN sequences, it was discovered that the non-repetitive criterion may be met despite the use of a “building block” approach using a library of sequence motifs that are multimerized to create the XTEN sequences. Thus, while an XTEN sequence may consist of multiple units of as few as four different types of sequence motifs, because the motifs themselves generally consist of non-repetitive amino acid sequences, the overall XTEN sequence is rendered substantially non-repetitive.

[00156] In one embodiment, XTEN have a non-repetitive sequence of greater than about 100 to about 3000 amino acid residues, preferably greater than 400 to about 3000 residues, wherein at least about 80%, or at least about 85%, or at least about 90%, or at least about 95%, or at least about 97%, or about 100% of the XTEN sequence consists of non-overlapping sequence motifs, wherein each of the motifs has about 9 to 36 amino acid residues. In other embodiments, at least about 80%, or at least about 85%, or at least about 90%, or at least about 95%, or at least about 97%, or about 100% of the XTEN sequence consists of non-overlapping sequence motifs wherein each of the motifs has 9 to 14 amino acid residues. In still other embodiments, at least about 80%, or at least about 85%, or at least about 90%, or at least about 95%, or at least about 97%, or about 100% of the XTEN sequence component consists of non-overlapping sequence motifs wherein each of the motifs has 12 amino acid residues. In these embodiments, it is preferred that the sequence motifs be composed mainly of small hydrophilic amino acids, such that the overall sequence has an unstructured, flexible characteristic. Examples of amino acids that are included in XTEN, are, e.g., arginine,

lysine, threonine, alanine, asparagine, glutamine, aspartate, glutamate, serine, and glycine. As a result of testing variables such as codon optimization, assembly polynucleotides encoding sequence motifs, expression of protein, charge distribution and solubility of expressed protein, and secondary and tertiary structure, it was discovered that XTEN compositions with enhanced characteristics mainly include glycine (G), alanine (A), serine (S), threonine (T), glutamate (E) and proline (P) residues wherein the sequences are designed to be substantially non-repetitive. In one embodiment, XTEN sequences have predominately four to six types of amino acids selected from glycine (G), alanine (A), serine (S), threonine (T), glutamate (E) or proline (P) that are arranged in a substantially non-repetitive sequence that is greater than about 100 to about 3000 amino acid residues, preferably greater than 400 to about 3000 residues in length. In some embodiments, XTEN have sequences of greater than about 100 to about 3000 amino acid residues, preferably greater than 400 to about 3000 residues, wherein at least about 80% of the sequence consists of non-overlapping sequence motifs wherein each of the motifs has 9 to 36 amino acid residues wherein each of the motifs consists of 4 to 6 types of amino acids selected from glycine (G), alanine (A), serine (S), threonine (T), glutamate (E) and proline (P), and wherein the content of any one amino acid type in the full-length XTEN does not exceed 30%. In other embodiments, at least about 90% of the XTEN sequence consists of non-overlapping sequence motifs wherein each of the motifs has 9 to 36 amino acid residues wherein the motifs consist of 4 to 6 types of amino acids selected from glycine (G), alanine (A), serine (S), threonine (T), glutamate (E) and proline (P), and wherein the content of any one amino acid type in the full-length XTEN does not exceed 30%. In other embodiments, at least about 90% of the XTEN sequence consists of non-overlapping sequence motifs wherein each of the motifs has 12 amino acid residues consisting of 4 to 6 types of amino acids selected from glycine (G), alanine (A), serine (S), threonine (T), glutamate (E) and proline (P), and wherein the content of any one amino acid type in the full-length XTEN does not exceed 30%. In yet other embodiments, at least about 90%, or about 91%, or about 92%, or about 93%, or about 94%, or about 95%, or about 96%, or about 97%, or about 98%, or about 99%, to about 100% of the XTEN sequence consists of non-overlapping sequence motifs wherein each of the motifs has 12 amino acid residues consisting of glycine (G), alanine (A), serine (S), threonine (T), glutamate (E) and proline (P), and wherein the content of any one amino acid type in the full-length XTEN does not exceed 30%.

[00157] In still other embodiments, XTENS comprise non-repetitive sequences of greater than about 100 to about 3000 amino acid residues, preferably greater than 400 to about 3000 amino acid residues wherein at least about 80%, or at least about 90%, or about 91%, or about 92%, or about 93%, or about 94%, or about 95%, or about 96%, or about 97%, or about 98%, or about 99% of the sequence consists of non-overlapping sequence motifs of 9 to 14 amino acid residues wherein the motifs consist of 4 to 6 types of amino acids selected from glycine (G), alanine (A), serine (S), threonine (T), glutamate (E) and proline (P), and wherein the sequence of any two contiguous amino acid residues in any one motif is not repeated more than twice in the sequence motif. In other embodiments, at least about 90%, or about 91%, or about 92%, or about 93%, or about 94%, or about 95%, or about 96%, or about 97%, or about 98%, or about 99% of an XTEN sequence consists of non-overlapping sequence motifs of 12 amino acid residues wherein the motifs consist

of 4 to 6 types of amino acids selected from glycine (G), alanine (A), serine (S), threonine (T), glutamate (E) and proline (P), and wherein the sequence of any two contiguous amino acid residues in any one sequence motif is not repeated more than twice in the sequence motif. In other embodiments, at least about 90%, or about 91%, or about 92%, or about 93%, or about 94%, or about 95%, or about 96%, or about 97%, or about 98%, or about 99% of an XTEN sequence consists of non-overlapping sequence motifs of 12 amino acid residues wherein the motifs consist of glycine (G), alanine (A), serine (S), threonine (T), glutamate (E) and proline (P), and wherein the sequence of any two contiguous amino acid residues in any one sequence motif is not repeated more than twice in the sequence motif. In yet other embodiments, XTENs consist of 12 amino acid sequence motifs wherein the amino acids are selected from glycine (G), alanine (A), serine (S), threonine (T), glutamate (E) and proline (P), and wherein the sequence of any two contiguous amino acid residues in any one sequence motif is not repeated more than twice in the sequence motif, and wherein the content of any one amino acid type in the full-length XTEN does not exceed 30%. In the foregoing embodiments hereinabove described in this paragraph, the XTEN sequences would be substantially non-repetitive.

[00158] In some embodiments, the invention provides compositions comprising non-repetitive XTEN sequence(s) of greater than about 100 to about 3000 amino acid residues, of cumulatively greater than 400 to about 3000 residues, wherein at least about 80%, or at least about 90%, or about 91%, or about 92%, or about 93%, or about 94%, or about 95%, or about 96%, or about 97%, or about 98%, or about 99% to about 100% of the sequence consists of multiple units of two or more non-overlapping sequence motifs selected from the amino acid sequences of Table 2. In some embodiments, the XTEN comprises non-overlapping sequence motifs in which about 80%, or at least about 90%, or about 91%, or about 92%, or about 93%, or about 94%, or about 95%, or about 96%, or about 97%, or about 98%, or about 99% to about 100% of the sequence consists of two or more non-overlapping sequences selected from a single motif family of Table 2, resulting in a “family” sequence in which the overall sequence remains substantially non-repetitive. Accordingly, in these embodiments, an XTEN sequence comprises multiple units of non-overlapping sequence motifs of the AD motif family, or the AE motif family, or the AF motif family, or the AG motif family, or the AM motif family, or the AQ motif family, or the BC family, or the BD family of sequences of Table 2. In other embodiments, the XTEN comprises motif sequences from two or more of the motif families of Table 2.

Table 2: XTEN Sequence Motifs of 12 Amino Acids and Motif Families

Motif Family*	MOTIF SEQUENCE
AD	GESPGGSSGSES
AD	GSEGSSGPGESS
AD	GSSESGSSEGGP
AD	GSGGEPSESGSS
AE, AM	GSPAGSPTSTEE
AE, AM, AQ	GSEPATSGSETP
AE, AM, AQ	GTSESATPESGP
AE, AM, AQ	GTSTEPSEGSAP
AF, AM	GSTSESPSGTAP

Motif Family*	MOTIF SEQUENCE
AF, AM	GTSTPESGSASP
AF, AM	GTSPSGESSTAP
AF, AM	GSTSSTAESPGP
AG, AM	GTPGSGTASSSP
AG, AM	GSSTPSGATGSP
AG, AM	GSSPSASTGTGP
AG, AM	GASPGTSSTGSP
AQ	GEPAGSPTSTSE
AQ	GTGEPSSTPASE
AQ	GSGPSTESAPTE
AQ	GSETPSGPSETA
AQ	GPSETSTSEPGA
AQ	GSPSEPTEGTSA
BC	GSGASEPTSTEP
BC	GSEPATSGTEPS
BC	GTSEPSTSEPGA
BC	GTSTEPSEPGSA
BD	GSTAGSETSTEA
BD	GSETATSGSETA
BD	GTSESATSESGA
BD	GTSTEASEGSAS

* Denotes individual motif sequences that, when used together in various permutations, results in a “family sequence”

[00159] In other embodiments, the GHXTEN composition comprises a non-repetitive XTEN sequence of greater than about 100 to about 3000 amino acid residues, preferably greater than 400 to about 3000 residues, wherein at least about 80%, or at least about 90%, or about 91%, or about 92%, or about 93%, or about 94%, or about 95%, or about 96%, or about 97%, or about 98%, or about 99% to about 100% of the sequence consists of non-overlapping 36 amino acid sequence motifs selected from one or more of the polypeptide sequences of Tables 8-11.

[00160] In those embodiments wherein the XTEN component of the GHXTEN fusion protein has less than 100% of its amino acids consisting of four to six amino acid selected from glycine (G), alanine (A), serine (S), threonine (T), glutamate (E) and proline (P), or less than 100% of the sequence consisting of the sequence motifs of Table 2, or less than 100% sequence identity with an XTEN from Table 3, the other amino acid residues are selected from any other of the 14 natural L-amino acids, but are preferentially selected from hydrophilic amino acids such that the XTEN sequence contains at least about 90%, or at least about 91%, or at least about 92%, or at least about 93%, or at least about 94%, or at least about 95%, or at least about 96%, or at least about 97%, or at least about 98%, or at least about 99% hydrophilic amino acids. The XTEN amino acids that are not glycine (G), alanine (A), serine (S), threonine (T), glutamate (E) and proline (P) are interspersed throughout the XTEN sequence, are located within or between the sequence motifs, or are concentrated in one or more short stretches of the XTEN sequence. In such cases where the XTEN component of the GHXTEN comprises amino acids other than glycine (G), alanine (A), serine (S),

threonine (T), glutamate (E) and proline (P), it is preferred that the amino acids not be hydrophobic residues and should not substantially confer secondary structure of the XTEN component. Hydrophobic residues that are less favored in construction of XTEN include tryptophan, phenylalanine, tyrosine, leucine, isoleucine, valine, and methionine. Additionally, one can design the XTEN sequences to contain few (e.g. less than 5%) or none of the following amino acids: cysteine (to avoid disulfide formation and oxidation), methionine (to avoid oxidation), asparagine and glutamine (to avoid desamidation). Thus, in some embodiments, the XTEN component of the GHXTEN fusion protein comprising other amino acids in addition to glycine (G), alanine (A), serine (S), threonine (T), glutamate (E) and proline (P) would have a sequence with less than 5% of the residues contributing to alpha-helices and beta-sheets as measured by the Chou-Fasman algorithm and have at least 90%, or at least about 95% or more random coil formation as measured by the GOR algorithm.

3. Length of Sequence

[00161] In another aspect of the present invention, the invention encompasses GHXTEN compositions comprising carriers of XTEN polypeptides with extended length sequences. The present invention makes use of the discovery that increasing the length of non-repetitive, unstructured polypeptides enhances the unstructured nature of the XTENs and correspondingly enhances the biological and pharmacokinetic properties of fusion proteins comprising the XTEN carrier. As described more fully in the Examples, proportional increases in the length of the XTEN, even if created by a fixed repeat order of single family sequence motifs (e.g., the four AE motifs of Table 2), result in a sequence with a higher percentage of random coil formation, as determined by GOR algorithm, compared to shorter XTEN lengths. In general, increasing the length of the unstructured polypeptide fusion partner, as described in the Examples, results in a fusion protein with a disproportional increase in terminal half-life compared to fusion proteins with unstructured polypeptide partners with shorter sequence lengths.

[00162] Non-limiting examples of XTEN contemplated for inclusion in the GHXTEN of the invention are presented in Table 3. In one embodiment, the invention provides GHXTEN compositions wherein the XTEN sequence length of the fusion protein(s) is greater than about 100 to about 3000 amino acid residues, and in some cases is greater than 400 to about 3000 amino acid residues, wherein the XTEN confers enhanced pharmacokinetic properties on the GHXTEN in comparison to GH not linked to XTEN. In some embodiments, the XTEN sequences of the GHXTEN compositions of the present invention can be about 100, or about 144, or about 288, or about 401, or about 500, or about 600, or about 700, or about 800, or about 900, or about 1000, or about 1500, or about 2000, or about 2500 or up to about 3000 amino acid residues in length. In other cases, the XTEN sequences can be about 100 to 150, about 150 to 250, about 250 to 400, 401 to about 500, about 500 to 900, about 900 to 1500, about 1500 to 2000, or about 2000 to about 3000 amino acid residues in length. In one embodiment, the GHXTEN can comprise an XTEN sequence wherein the sequence exhibits at least about 80% sequence identity, or alternatively 81%, 82%, 83%, 84%, 85%, 86%, 87%, 88%, 89%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, or 100% sequence identity to a XTEN selected from Table 3. In some embodiments, the XTEN sequence is designed for optimized expression as the N-terminal component of the GHXTEN by inclusion of encoding nucleotides for

an optimized N-terminal leader sequence (NTS) in the XTEN portion of the gene encoding the fusion protein. In one embodiment, the N-terminal XTEN sequence of the expressed GHXTEN has at least 90% sequence identity to the sequence of AE48 or AM48, AE624, or AE912 or AM923. In another embodiment, the XTEN has the N-terminal residues described in Examples 14-17.

[00163] In other embodiments, the GHXTEN fusion protein comprises a first and a second XTEN sequence, wherein the cumulative total of the residues in the XTEN sequences is greater than about 400 to about 3000 amino acid residues. In embodiments of the foregoing, the GHXTEN fusion protein comprises a first and a second XTEN sequence wherein the sequences each exhibit at least about 80% sequence identity, or alternatively 81%, 82%, 83%, 84%, 85%, 86%, 87%, 88%, 89%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, or 100% sequence identity to at least a first or additionally a second XTEN selected from Table 3. Examples where more than one XTEN is used in a GHXTEN composition include, but are not limited to constructs with an XTEN linked to both the N- and C-termini of at least one GH.

[00164] As described more fully below, the invention provides methods in which the GHXTEN is designed by selecting the length of the XTEN to confer a target half-life on a fusion protein administered to a subject. In general, XTEN lengths longer than about cumulative 400 residues incorporated into the GHXTEN compositions result in longer half-life compared to shorter cumulative lengths; e.g., shorter than about 280 residues. However, in another embodiment, GHXTEN fusion proteins are designed to comprise XTEN with a longer sequence length that is selected to additionally confer slower rates of systemic absorption after subcutaneous or intramuscular administration to a subject. In such embodiments, the C_{max} is reduced in comparison to a comparable dose of a GH not linked to XTEN, thereby contributing to the ability to keep the GHXTEN within the therapeutic window for the composition. Thus, the XTEN confers the property of a depot to the administered GHXTEN, in addition to the other physical/chemical properties described herein.

Table 3: XTEN Polypeptides

XTEN Name	Amino Acid Sequence
AE48	MAEPAGSPTSTEEGTPGSGTASSSPGSSTPSGATGSPGASPGTSSTGS
AM48	MAEPAGSPTSTEEGASPGTSSTGSPGSSTPSGATGSPGSSTPSGATGS
AE144	GSEPATSGSETPGTSESATPESGPGSEPATSGSETPGSPAGSPTSTEEGTSTEPSEGSAPGSEP ATSGSETPGSEPATSGSETPGSEPATSGSETPGTSTEPSEGSAPGTSESATPESGPGSEPATSG SETPGTSTEPSEGSAP
AF144	GTSTPESGSASPGTSPSGESSTAPGTSPSGESSTAPGSTSSTAESP GPGSTSES PSGTAPGSTSS TAESPGPGTSPSGESSTAPGTSTPESGSASPGTSSTAESP GPGTSPSGESSTAPGTSPSGESST APGTSPSGESSTAP
AE288	GTSESATPESGPGSEPATSGSETPGTSESATPESGPGSEPATSGSETPGTSESATPESGPGTST EPSEGSAPGSPAGSPTSTEEGTSESATPESGPGSEPATSGSETPGTSESATPESGPGSPAGSPT STEEGSPAGSPTSTEEGTSTEPSEGSAPGTSESATPESGPGTSESATPESGPGTSESATPESGP GSEPATSGSETPGSEPATSGSETPGSPAGSPTSTEEGTSTEPSEGSAPGTSTEPSEGSAPGSEP ATSGSETPGTSESATPESGPGTSTEPSEGSAP
AF504	GASPGTSSTGSPGSSPSASTGTGPGSSPSASTGTGPGTPGSGTASSSPGSSTPSGATGSPGSXP SASTGTGPGASPGTSSTGSPGTPGSGTASSSPGSSTPSGATGSPGTPGSGTASSSPGASPGTS STGSPGASPGTSSTGSPGTPGSGTASSSPGSSTPSGATGSPGASPGTSSTGSPGTPGSGTASSS PGSSTPSGATGSPGSXPASTGTGPGSSPSASTGTGPGSSTPSGATGSPGSSTPSGATGSPGA SPGTSTSTGSPGASPGTSSTGSPGASPGTSSTGSPGTPGSGTASSSPGASPGTSSTGSPGASPGT SSTGSPGASPGTSSTGSPGSSPSASTGTGPGTPGSGTASSSPGASPGTSSTGSPGASPGTSSTG SPGASPGTSSTGSPGSSTPSGATGSPGSSTPSGATGSPGASPGTSSTGSPGTPGSGTASSSPGS STPSGATGSPGSSTPSGATGSPGSSTPSGATGSPGSSPSASTGTGPGASPGTSSTGSP

XTEN Name	Amino Acid Sequence
AF540	GSTSSTAESPGPGSTSSTAESPGPGSTSESPSGTAPGSTSSTAESPGPGSTSSTAESPGPGTSTP ESGSASPGSTSESPSGTAPGTSPSGESSTAPGSTSESPSGTAPGSTSESPSGTAPGTSPSGESST APGSTSESPSGTAPGSTSESPSGTAPGTSPSGESSTAPGSTSESPSGTAPGSTSESPSGTAPGS TSESPSGTAPGTSTPESGSASPGSTSESPSGTAPGTSTPESGSASPGSTSTSSTAESPGPGSTSSTA ESPGPGTSTPESGSASPGTSTPESGSASPGSTSESPSGTAPGTSTPESGSASPGTSTPESGSASP GSTSESPSGTAPGSTSESPSGTAPGSTSESPSGTAPGSTSSTAESPGPGTSTPESGSASPGTSTP ESGSASPGSTSESPSGTAPGSTSESPSGTAPGTSTPESGSASPGSTSESPSGTAPGSTSESPSGT APGTSTPESGSASPGTSPSGESSTAPGSTSSTAESPGPGTSPSGESSTAPGSTSSTAESPGPGT STPESGSASPGSTSESPSGTAP
AD576	GSSESGSSEGGPGSGGEPSESGSSGSSESGSSEGGPGSSESGSSEGGPGSSESGSSEGGPGSSE SGSSEGGPGSSESGSSEGGPGSESPGGSSGSSESGSEGGPGSESGSSEGGPGSSESGSSEGGPG EGGPGSSESGSSEGGPGSGGEPSESGSSGSESPGGSSGSSESGSEGGPGSSESGSSEGGPGSSE SGSSESGSSEGGPGSGGEPSESGSSGSGGEPSESGSSGSEGGPGSESGSSEGGPGSSEGGPGSSE GEPSESGSSGSGGEPSESGSSGSGGEPSESGSSGSEGGPGSESGSSEGGPGSSEGGPGSSEGGPG SGSESGESPGGSSGSSESGSESPGGSSGSSESGSEGGPGSSESGSSEGGPGSSEGGPGSSEGGPG SGSESGSGGEPSESGSSGSGGEPSESGSSGSGGEPSESGSSGSEGGPGSSEGGPGSSEGGPGSSE PGGSSGSSESGSESPGGSSGSSESGSSEGGPGSSEGGPGSSEGGPGSSEGGPGSSEGGPGSSEGG ESGSSGSGGEPSESGSSGSESPGGSSGSSESGSEGGPGSSEGGPGSSEGGPGSSEGGPGSSEGG S
AE576	GSPAGSPTSTEEGTSESATPESGPGTSTEPSEGSAPGSPAGSPTSTEEGTSTEPSEGSAPGTST EPSEGSAPGTSESATPESGPGSEPATSGSETPGSEPATSGSETPGSPAGSPTSTEEGTSESATP ESGPGTSTEPSEGSAPGTSTEPSEGSAPGSPAGSPTSTEEGTSTEPSEGSAPGTSTEPSEGSAP GTSESATPESGPGTSTEPSEGSAPGTSESATPESGPGSEPATSGSETPGTSTEPSEGSAPGTST EPSEGSAPGTSESATPESGPGTSESATPESGPGSPAGSPTSTEEGTSESATPESGPGSEPATSG SETPGTSESATPESGPGTSTEPSEGSAPGTSTEPSEGSAPGTSTEPSEGSAPGTSTEPSEGSAP GTSTEPSEGSAPGTSTEPSEGSAPGSPAGSPTSTEEGTSTEPSEGSAPGTSTEPSEGSAPGTSTEP ATSGSETPGTSESATPESGPGSEPATSGSETPGTSESATPESGPGTSTEPSEGSAPGTSESATP ESGPGSPAGSPTSTEEGSPAGSPTSTEEGSPAGSPTSTEEGTSESATPESGPGTSTEPSEGSAP
AF576	GSTSSTAESPGPGSTSSTAESPGPGSTSESPSGTAPGSTSSTAESPGPGSTSSTAESPGPGTSTP ESGSASPGSTSESPSGTAPGTSPSGESSTAPGSTSESPSGTAPGSTSESPSGTAPGTSPSGESST APGSTSESPSGTAPGSTSESPSGTAPGTSPSGESSTAPGSTSESPSGTAPGSTSESPSGTAPGS TSESPSGTAPGTSTPESGSASPGSTSESPSGTAPGTSTPESGSASPGSTSTSSTAESPGPGSTSSTA ESPGPGTSTPESGSASPGTSTPESGSASPGSTSESPSGTAPGTSTPESGSASPGTSTPESGSASP GSTSESPSGTAPGSTSESPSGTAPGSTSESPSGTAPGSTSSTAESPGPGTSTPESGSASPGTSTP ESGSASPGSTSESPSGTAPGSTSESPSGTAPGTSTPESGSASPGSTSESPSGTAPGSTSESPSGT APGTSTPESGSASPGTSPSGESSTAPGSTSSTAESPGPGTSPSGESSTAPGSTSSTAESPGPGT STPESGSASPGSTSESPSGTAPGSTSSTAESPGPGTSTPESGSASPGTSTPESGSASP
AE624	MAEPAGSPTSTEEGTPGSGTASSPGSSTPSGATGSPGASPGTSSTGSPGSPAGSPTSTEEGT SESATPESGPGTSTEPSEGSAPGSPAGSPTSTEEGTSTEPSEGSAPGTSTEPSEGSAPGTSESA TPESGPGSEPATSGSETPGSEPATSGSETPGSPAGSPTSTEEGTSESATPESGPGTSTEPSEGS APGTSTEPSEGSAPGSPAGSPTSTEEGTSTEPSEGSAPGTSTEPSEGSAPGTSESATPESGPGT STEPSEGSAPGTSESATPESGPGSEPATSGSETPGTSTEPSEGSAPGTSTEPSEGSAPGTSESA TPESGPGTSESATPESGPGSPAGSPTSTEEGTSESATPESGPGSEPATSGSETPGTSESATPES GPGTSTEPSEGSAPGTSTEPSEGSAPGTSTEPSEGSAPGTSTEPSEGSAPGTSTEPSEGSAPGT STEPSEGSAPGSPAGSPTSTEEGTSTEPSEGSAPGTSESATPESGPGSEPATSGSETPGTSESA TPESGPGSEPATSGSETPGTSESATPESGPGTSTEPSEGSAPGTSESATPESGPGSPAGSPTST EEGSPAGSPTSTEEGSPAGSPTSTEEGTSESATPESGPGTSTEPSEGSAP
AD836	GSSESGSSEGGPGSSESGSSEGGPGSESPGGSSGSSESGSGGEPSESGSSGSESPGGSSGSSESG GGSSGSSESGSSESGSSEGGPGSSESGSSEGGPGSSESGSSEGGPGSSESGSSEGGPGSSEGGP GSESGESPGGSSGSSESGSSEGGPGSSESGSSEGGPGSSESGSSEGGPGSSESGSSEGGPG GSSESGSSEGGPGSSESGSSEGGPGSGGEPSESGSSGSESPGGSSGSSESGSSEGGPGSSEGGP GEPSESGSSGSEGGPGSESGSSGSEGGPGSGGEPSESGSSGSEGGPGSESGSSGSEGGPGSESG SEGGPGSGGEPSESGSSGSESPGGSSGSSESGSGGEPSESGSSGSGGEPSESGSSGSEGGPG GPGSGGEPSESGSSGSGGEPSESGSSGSEGGPGSESGSSEGGPGSSESGSSEGGPGSESGSSG EGSSGPGSESGSGGEPSESGSSGSESGSSEGGPGSSESGSSEGGPGSESGSSGSESGSGGE PSESGSSGSESGSGGEPSESGSSGSESGSSEGGPGSSESGSSEGGPGSSEGGPGSSEGGPG SEGSSGPGSESGSGGEPSESGSSGSESGSSEGGPGSESGSGGEPSESGSSGSEGGPGSSEGGP GSSGSSESGESPGGSSGSSESGSGGEPSESGSSGSEGGPGSESGSSEGGPGSSEGGPGSSEGG GGPGSSESGSSEGGPGSSESGSSEGGPGSGGEPSESGSSGSESGSSEGGPGSESGSSGSESGS

XTEN Name	Amino Acid Sequence
	GSGGPESES GSSGESGSSEGGPGESP GGGSSGESGSGGEPSES GSSGESPGGGSSGESGSG GEPSES GSS
AE864	GSPAGSPTSTEEGTSESATPESGPGTSTEPSEGSAPGSPAGSPTSTEEGTSTEPSEGSAPGTST EPSEGSAPGTSESATPESGPGSEPATSGSETPGSEPATSGSETPGSPAGSPTSTEEGTSESATP ESGPGTSTEPSEGSAPGTSTEPSEGSAPGSPAGSPTSTEEGTSTEPSEGSAPGTSTEPSEGSAP GTSESATPESGPGTSTEPSEGSAPGTSESATPESGPGSEPATSGSETPGTSTEPSEGSAPGTST EPSEGSAPGTSESATPESGPGTSESATPESGPGSPAGSPTSTEEGTSESATPESGPGSEPATSG SETPGTSESATPESGPGTSTEPSEGSAPGTSTEPSEGSAPGTSTEPSEGSAPGTSTEPSEGSAP GTSTEPSEGSAPGTSTEPSEGSAPGSPAGSPTSTEEGTSTEPSEGSAPGTSESATPESGPGSEPA ATSGSETPGTSESATPESGPGSEPATSGSETPGTSESATPESGPGTSTEPSEGSAPGTSESATP ESGPGSPAGSPTSTEEGTSPAGSPTSTEEGTSPAGSPTSTEEGTSESATPESGPGTSTEPSEGSAP GTSESATPESGPGSEPATSGSETPGTSESATPESGPGSEPATSGSETPGTSESATPESGPGTST EPSEGSAPGSPAGSPTSTEEGTSESATPESGPGSEPATSGSETPGTSESATPESGPGSPAGSPT STEEGTSPAGSPTSTEEGTSTEPSEGSAPGTSESATPESGPGTSESATPESGPGTSESATPESGP GSEPATSGSETPGSEPATSGSETPGSPAGSPTSTEEGTSTEPSEGSAPGTSTEPSEGSAPGSEP ATSGSETPGTSESATPESGPGTSTEPSEGSAP
AF864	GSTSESPSGTAPGTSPSGESSTAPGSTSESPSGTAPGSTSESPSGTAPGTSTPESGSASPGTSTP ESGSASPGTSESPSGTAPGSTSESPSGTAPGTSPSGESSTAPGSTSESPSGTAPGTSPSGESST APGTSPSGESSTAPGSTSSTAESP GPGTSPSGESSTAPGTSPSGESSTAPGSTSSTAESP GPGT STPESGSASPGTSTPESGSASPGTSESPSGTAPGSTSESPSGTAPGTSTPESGSASPGTSTSTA ESPGGTSTPESGSASPGTSESPSGTAPGTSPSGESSTAPGSTSSTAESP GPGTSPSGESSTAP GTSTPESGSASPGTSTSTAESP GPGTSTSTAESP GPGTSTSTAESP GPGTSTSTAESP GPGTSPS GESSTAPGSTSESPSGTAPGSTSESPSGTAPGTSTPESGPXXXGASASGAPSTXXXSES P TAPGSTSESPSGTAPGSTSESPSGTAPGSTSESPSGTAPGSTSESPSGTAPGSTSESPSGTAPG TSTPESGSASPGTSPSGESSTAPGTSPSGESSTAPGSTSSTAESP GPGTSPSGESSTAPGTSTPE SGSASPGTSESPSGTAPGSTSESPSGTAPGTSPSGESSTAPGSTSESPSGTAPGTSTPESGSAS PGTSTPESGSASPGTSESPSGTAPGTSTPESGSASPGTSTSTAESP GPGTSESPSGTAPGSTS ESPGTAPGTSPSGESSTAPGSTSSTAESP GPGTSPSGESSTAPGTSTPESGSASPGTSPSGESS TAPGTSPSGESSTAPGTSPSGESSTAPGSTSSTAESP GPGTSTSTAESP GPGTSPSGESSTAPG SSPSASTGTGPGSSTPSGATGSPGSSTPSGATGSP
AG864	GASPGTSSTGSPGSSPSASTGTGPGSSPSASTGTGPGTTPGSGTASSSPGSSTPSGATGSPGSSP SASTGTGPGASPGTSSTGSPGTPGSGTASSSPGSSTPSGATGSPGTPGSGTASSSPGASPGTS STGSPGASPGTSSTGSPGTPGSGTASSSPGSSTPSGATGSPGASPGTSSTGSPGTPGSGTASSSP PGSSTPSGATGSPGSSPSASTGTGPGSSPSASTGTGPGSSTPSGATGSPGSSTPSGATGSPGAS PGTSSTGSPGASPGTSSTGSPGASPGTSSTGSPGTPGSGTASSSPGASPGTSSTGSPGASPGTS STGSPGASPGTSSTGSPGSSPSASTGTGPGTTPGSGTASSSPGASPGTSSTGSPGASPGTSSTGS PGASPGTSSTGSPGSSTPSGATGSPGSSTPSGATGSPGASPGTSSTGSPGTPGSGTASSSPGSS TPSGATGSPGSSTPSGATGSPGSSTPSGATGSPGSSPSASTGTGPGASPGTSSTGSPGASPGT SSTGSPGTPGSGTASSSPGASPGTSSTGSPGASPGTSSTGSPGASPGTSSTGSPGASPGTSSTG SPGTPGSGTASSSPGSSTPSGATGSPGTPGSGTASSSPGSSTPSGATGSPGTPGSGTASSSPGS STPSGATGSPGSSTPSGATGSPGSSPSASTGTGPGSSPSASTGTGPGASPGTSSTGSPGTPGS GTASSSPGSSTPSGATGSPGSSPSASTGTGPGSSPSASTGTGPGASPGTSSTGSPGASPGTSST GSPGSSTPSGATGSPGSSPSASTGTGPGASPGTSSTGSPGSSPSASTGTGPGTTPGSGTASSSPG SSTPSGATGSPGSSTPSGATGSPGASPGTSSTGSP
AM875	GTSTEPSEGSAPGSEPATSGSETPGSPAGSPTSTEEGTSTSTAESP GPGTSTPESGSASPGTST ESPGTAPGSTSESPSGTAPGTSTPESGSASPGTSTPESGSASPGSEPATSGSETPGTSESATP ESGPGSPAGSPTSTEEGTSTEPSEGSAPGTSESATPESGPGTSTEPSEGSAPGTSTEPSEGSAP GSPAGSPTSTEEGTSTEPSEGSAPGTSTEPSEGSAPGTSESATPESGPGTSESATPESGPGTST EPSEGSAPGTSTEPSEGSAPGTSESATPESGPGTSTEPSEGSAPGSEPATSGSETPGSPAGSPT STEEGSSTPSGATGSPGTPGSGTASSSPGSSTPSGATGSPGTSTEPSEGSAPGTSTEPSEGSAP GSEPATSGSETPGSPAGSPTSTEEGTSPAGSPTSTEEGTSTSTAESP GPGTSESPSGTAPGTSPSGESS ATPESGPGSPAGSPTSTEEGTSPAGSPTSTEEGTSTSTAESP GPGTSESPSGTAPGTSPSGESS TAPGTPGSGTASSSPGSSTPSGATGSPGSSPSASTGTGPGSEPATSGSETPGTSESATPESGPG SEPATSGSETPGTSTSTAESP GPGTSTSTAESP GPGTSPSGESSTAPGSEPATSGSETPGSEPA TSGSETPGTSTEPSEGSAPGTSTSTAESP GPGTSTPESGSASPGTSESPSGTAPGTSTEPSEGS APGTSTEPSEGSAPGTSTEPSEGSAPGSSTPSGATGSPGSSPSASTGTGPGASPGTSSTGSPGS EPATSGSETPGTSESATPESGPGSPAGSPTSTEEGSSTPSGATGSPGSSPSASTGTGPGASPGT SSTGSPGTSESATPESGPGTSTEPSEGSAPGTSTEPSEGSAP
AE912	MAEPAGSPTSTEEGTTPGSGTASSSPGSSTPSGATGSPGASPGTSSTGSPGSPAGSPTSTEEGT

XTEN Name	Amino Acid Sequence
	SESATPESGPGTSTEPSEGSAPGSPAGSPTSTEEGTSTEPSEGSAPGTSTEPSEGSAPGTSESA TPESGPGSEPATSGSETPGSEPATSGSETPGSPAGSPTSTEEGTSESATPESGPGTSTEPSEGS APGTSTEPSEGSAPGSPAGSPTSTEEGTSTEPSEGSAPGTSTEPSEGSAPGTSESA TPESGPGTSESATPESGPGSEPATSGSETPGTSTEPSEGSAPGTSTEPSEGSAPGTSESA TPESGPGTSESATPESGPGSPAGSPTSTEEGTSESATPESGPGSEPATSGSETPGTSESATPES GPGTSTEPSEGSAPGTSTEPSEGSAPGTSTEPSEGSAPGTSTEPSEGSAPGTSTEPSEGSAPGT STEPSEGSAPGSPAGSPTSTEEGTSTEPSEGSAPGTSESATPESGPGSEPATSGSETPGTSESA TPESGPGSEPATSGSETPGTSESATPESGPGTSTEPSEGSAPGTSESATPESGPGSPAGSPTST EEGSPAGSPTSTEEGSPAGSPTSTEEGTSESATPESGPGTSTEPSEGSAPGTSESATPESGPGS EPATSGSETPGTSESATPESGPGSEPATSGSETPGTSESATPESGPGTSTEPSEGSAPGSPAGS PTSTEEGTSESATPESGPGSEPATSGSETPGTSESATPESGPGSPAGSPTSTEEGSPAGSPTST EEGTSTEPSEGSAPGTSESATPESGPGTSESATPESGPGTSESATPESGPGSEPATSGSETPGS EPATSGSETPGSPAGSPTSTEEGTSTEPSEGSAPGTSTEPSEGSAPGSEPATSGSETPGTSESA TPESGPGTSTEPSEGSAP
AM923	MAEPAGSPTSTEEGASPGTSSTGSPGSSTPSGATGSPGSSTPSGATGSPGTSTEPSEGSAPGS EPATSGSETPGSPAGSPTSTEEGSTSSTAESPGPGTSTPESGSASPGTSESPPSGTAPGTSESP SGTAPGTSTPESGSASPGTSTPESGSASPGSEPATSGSETPGTSESATPESGPGSPAGSPTSTE EGTSTEPSEGSAPGTSESATPESGPGTSTEPSEGSAPGTSTEPSEGSAPGSPAGSPTSTEEGTS TEPSEGSAPGTSTEPSEGSAPGTSESATPESGPGTSESATPESGPGTSTEPSEGSAPGTSTEPS EGSAPGTSESATPESGPGTSTEPSEGSAPGSEPATSGSETPGSPAGSPTSTEEGSSSTPSGATGS PGTPGSGTASSSPGSSTPSGATGSPGTSTEPSEGSAPGTSTEPSEGSAPGSEPATSGSETPGSP AGSPTSTEEGSPAGSPTSTEEGTSTEPSEGSAPGASASGAPSTGGTSESATPESGPGSPAGSP TSTEEGSPAGSPTSTEEGSTSSTAESPGPGTSESPPSGTAPGTSPSGESSTAPGTGSGTASS PGSSTPSGATGSPGSSPSASTGTGPGSEPATSGSETPGTSESATPESGPGSEPATSGSETPGST SSTAESPGPGTSSSTAESPGPGTSPSGESSTAPGSEPATSGSETPGSEPATSGSETPGTSE GSAPGSTSSTAESPGPGTSTPESGSASPGTSESPPSGTAPGTSTEPSEGSAPGTSTEPSEGSAP GTSTEPSEGSAPGSSTPSGATGSPGSSPSASTGTGPGASPGTSSTGSPGSEPATSGSETPGTSE SATPESGPGSPAGSPTSTEEGSSSTPSGATGSPGSSPSASTGTGPGASPGTSSTGSPGTSESATP ESGPGTSTEPSEGSAPGTSTEPSEGSAP
AM1318	GTSTEPSEGSAPGSEPATSGSETPGSPAGSPTSTEEGSTSSTAESPGPGTSTPESGSASPGSTS ESPSGTAPGTSESPPSGTAPGTSTPESGSASPGTSTPESGSASPGSEPATSGSETPGTSESATP ESGPGSPAGSPTSTEEGTSTEPSEGSAPGTSESATPESGPGTSTEPSEGSAPGTSTEPSEGSAP GSPAGSPTSTEEGTSTEPSEGSAPGTSTEPSEGSAPGTSESATPESGPGTSESATPESGPGTST EPSEGSAPGTSTEPSEGSAPGTSESATPESGPGTSTEPSEGSAPGSEPATSGSETPGSPAGSPT STEEGSSSTPSGATGSPGTGSGTASSSPGSSTPSGATGSPGTSTEPSEGSAPGTSTEPSEGSAP GSEPATSGSETPGSPAGSPTSTEEGSPAGSPTSTEEGTSTEPSEGSAPGPEPTGPAPSGGSEPA TSGSETPGTSESATPESGPGSPAGSPTSTEEGTSESATPESGPGSPAGSPTSTEEGSPAGSPTS TEEGTSESATPESGPGSPAGSPTSTEEGSPAGSPTSTEEGSTSSTAESPGPGTSESPPSGTAPG TSPSGESSTAPGTSESPPSGTAPGTSESPPSGTAPGTSPSGESSTAPGTSTEPSEGSAPGTSESA TPESGPGTSESATPESGPGSEPATSGSETPGTSESATPESGPGTSESATPESGPGTSTEPSEGS APGTSESATPESGPGTSTEPSEGSAPGTSPSGESSTAPGTSPSGESSTAPGTSPSGESSTAPGT STEPSEGSAPGSPAGSPTSTEEGTSTEPSEGSAPGSSPSASTGTGPGSSTPSGATGSPGSSTPS GATGSPGSSTPSGATGSPGSSTPSGATGSPGASPGTSSTGSPGASASGAPSTGGTSPSGESST APGSTSSTAESPGPGTSPSGESSTAPGTSESATPESGPGTSTEPSEGSAPGTSTEPSEGSAPGS SPSASTGTGPGSSTPSGATGSPGASPGTSSTGSPGTSTPESGSASPGTSPSGESSTAPGTSPSG ESSTAPGTSESATPESGPGSEPATSGSETPGTSTEPSEGSAPGSTSESPPSGTAPGTSESPPSGT APGTSTPESGSASPGSPAGSPTSTEEGTSESATPESGPGTSTEPSEGSAPGSPAGSPTSTEEGT SESATPESGPGSEPATSGSETPGSSTPSGATGSPGASPGTSSTGSPGSSTPSGATGSPGSTSES PSGTAPGTSPSGESSTAPGSTSSTAESPGPGSSTPSGATGSPGASPGTSSTGSPGTGSGTASS SPGSPAGSPTSTEEGSPAGSPTSTEEGTSTEPSEGSAP
BC 864	GTSTEPSEPGSAGTSTEPSEPGSAGSEPATSGTEPSGSGASEPTSTEPGSEPATSGTEPSGSE ATSGTEPSGSEPATSGTEPSGSGASEPTSTEPGTSTEPSEPGSAGSEPATSGTEPSGTSTEPSE PGSAGSEPATSGTEPSGSEPATSGTEPSGTSTEPSEPGSAGTSTEPSEPGSAGSEPATSGTEPS GSEPATSGTEPSGTSEPSTSEPGAGSGASEPTSTEPGTSEPSTSEPGAGSEPATSGTEPSGSE ATSGTEPSGTSTEPSEPGSAGTSTEPSEPGSAGSGASEPTSTEPGSEPATSGTEPSGSEPATSG TEPSGSEPATSGTEPSGSEPATSGTEPSGTSTEPSEPGSAGSEPATSGTEPSGSGASEPTSTEP GTSTEPSEPGSAGSEPATSGTEPSGSGASEPTSTEPGTSTEPSEPGSAGSGASEPTSTEPGSE ATSGTEPSGSGASEPTSTEPGSEPATSGTEPSGSGASEPTSTEPGTSTEPSEPGSAGSEPATSG TEPSGSGASEPTSTEPGTSTEPSEPGSAGSEPATSGTEPSGTSTEPSEPGSAGSEPATSGTEPS

[illegible]

4. XTEN segments

[00165] In one embodiment, the invention provides an isolated GHXTEN fusion protein wherein the cumulative length of the XTEN component is greater than about 100 to about 3000 amino acid residues containing at least one polypeptide sequence segment selected from Tables 3, 8, 9, 10, 11, and 12 and wherein at least about 90%, or at least about 91%, or at least about 92%, or at least about 93%, or at least about 94%, or at least about 95%, or at least about 96%, or at least about 97%, or at least about 98% or more of the remainder of the XTEN sequence by and large contains hydrophilic amino acids and less than about 2% of the remainder of the XTEN consists of hydrophobic or aromatic amino acids, or cysteine. In some embodiments, the XTEN contains multiple segments wherein the segments are identical or different. In another embodiment, the invention provides an isolated GHXTEN fusion protein wherein the cumulative length of the XTEN component is greater than about 100 to about 3000 amino acid residues and comprises at least one sequence segment of at least about 100 to about 923, or at least about 100 to about 875, or at least about 100 to about 576, or at least about 100 to about 288, or at least about 100 to about 144 amino acid residues wherein the sequence segment(s) consists of at least three different types of amino acids and the sum of glycine (G), alanine (A), serine (S), threonine (T), glutamate (E) and proline (P) residues in the sequence segment(s) constitutes at least about 90%, or at least about 91%, or at least about 92%, or at least about 93%, or at least about 94%, or at least about 95%, or at least about 96%, or at least about 97%, or at least about 98%, or at least about 99% of the total amino acid sequence of the sequence segment and at least about 90%, or at least about 91%, or at least about 92%, or at least about 93%, or at least about 94%, or at least about 95%, or at least about 96%, or at least about 97%, or at least about 98% of the remainder of the XTEN sequence(s) consist of hydrophilic amino acids and less than about 2% of the remainder of the XTEN sequence(s) consists of hydrophobic or aromatic amino acids, or cysteine. In another embodiment, the invention provides an isolated GHXTEN fusion protein wherein the cumulative length of the XTEN component is greater than about 100 to about 3000 amino acid residues and comprises at least one sequence

segment of at least about 200 to about 923, or at least about 200 to about 875, or at least about 200 to about 576, or at least about 200 to about 288 amino acid residues wherein the sequence segment(s) the sum of glycine (G), alanine (A), serine (S), threonine (T), glutamate (E) and proline (P) residues in the sequence segment(s) constitutes at least about 90%, or at least about 91%, or at least about 92%, or at least about 93%, or at least about 94%, or at least about 95%, or at least about 96%, or at least about 97%, or at least about 98%, or at least about 99% of the total amino acid sequence of the sequence segment and wherein the subsequence score of the segment is less than 12, more preferably less than 10, more preferably less than 9, more preferably less than 8, more preferably less than 7, more preferably less than 6, and most preferably less than 5, and at least about 90%, or at least about 91%, or at least about 92%, or at least about 93%, or at least about 94%, or at least about 95%, or at least about 96%, or at least about 97%, or at least about 98% of the remainder of the XTEN sequence(s) consist of hydrophilic amino acids and less than about 2% of the remainder of the XTEN sequence(s) consists of hydrophobic, aromatic or cysteine amino acids.

5. N-terminal XTEN expression-enhancing sequences

[00166] In some embodiments, the invention provides a short-length XTEN sequence incorporated as the N-terminal portion of the GHXTEN fusion protein. The expression of the fusion protein is enhanced in a host cell transformed with a suitable expression vector comprising an optimized N-terminal leader polynucleotide sequence (that encodes the N-terminal XTEN) incorporated into the polynucleotide encoding the binding fusion protein. It has been discovered, as described in Examples 14-17, that a host cell transformed with such an expression vector comprising an optimized N-terminal leader sequence (NTS) in the binding fusion protein gene results in greatly-enhanced expression of the fusion protein compared to the expression of a corresponding fusion protein from a polynucleotide not comprising the NTS, and obviates the need for incorporation of a non-XTEN leader sequence used to enhance expression. In one embodiment, the invention provides GHXTEN fusion proteins comprising an NTS wherein the expression of the binding fusion protein from the encoding gene in a host cell is enhanced about 50%, or about 75%, or about 100%, or about 150%, or about 200%, or about 400% compared to expression of a GHXTEN fusion protein not comprising the N-terminal XTEN sequence (where the encoding gene lacks the NTS).

[00167] In one embodiment, the N-terminal XTEN polypeptide of the GHXTEN comprises a sequence that exhibits at least about 80%, more preferably at least about 90%, more preferably at least about 91%, more preferably at least about 92%, more preferably at least about 93%, more preferably at least about 94%, more preferably at least about 95%, more preferably at least about 96%, more preferably at least about 97%, more preferably at least about 98%, more preferably at least about 99%, or exhibits 100% sequence identity to the amino acid sequence of AE48 or AM48, the respective amino acid sequences of which are as follows:

AE48: MAEPAGSPTSTEEGTPGSGTASSSPGSSTPSGATGSPGASPGTSSTGS

AM48: MAEPAGSPTSTEEGASPGTSSTGSPGSSTPSGATGSPGSSTPSGATGS

[00168] In another embodiment, the short-length N-terminal XTEN is linked to an XTEN of longer length to form the N-terminal region of the GHXTEN fusion protein, wherein the polynucleotide sequence encoding the short-length N-terminal XTEN confers the property of enhanced expression in the host cell, and wherein

the long length of the expressed XTEN contributes to the enhanced properties of the XTEN carrier in the fusion protein, as described above. In the foregoing, the short-length XTEN is linked to any of the XTEN disclosed herein (e.g., an XTEN of Table 3) and the resulting XTEN, in turn, is linked to the N-terminal of any of the GH disclosed herein (e.g., a GH of Table 1) as a component of the fusion protein. Alternatively, polynucleotides encoding the short-length XTEN (or its complement) is linked to polynucleotides encoding any of the XTEN (or its complement) disclosed herein and the resulting gene encoding the N-terminal XTEN, in turn, is linked to the 5' end of polynucleotides encoding any of the GH (or to the 3' end of its complement) disclosed herein. In some embodiments, the N-terminal XTEN polypeptide with long length exhibits at least about 80%, or at least about 90%, or at least about 91%, or at least about 92%, or at least about 93%, or at least about 94%, or at least about 95%, or at least about 96%, or at least about 97%, or at least about 98%, or at least 99%, or exhibits 100% sequence identity to an amino acid sequence selected from the group consisting of the sequences AE624, AE912, and AM923.

[00169] In any of the foregoing N-terminal XTEN embodiments described above, the N-terminal XTEN can have from about one to about six additional amino acid residues, preferably selected from GESTPA, to accommodate the restriction endonuclease restriction sites that would be employed to join the nucleotides encoding the N-terminal XTEN to the gene encoding the targeting moiety of the fusion protein. The methods for the generation of the N-terminal sequences and incorporation into the fusion proteins of the invention are described more fully in the Examples.

6. Net charge

[00170] In other embodiments, the XTEN polypeptides have an unstructured characteristic imparted by incorporation of amino acid residues with a net charge and/or reducing the proportion of hydrophobic amino acids in the XTEN sequence. The overall net charge and net charge density is controlled by modifying the content of charged amino acids in the XTEN sequences. In some embodiments, the net charge density of the XTEN of the compositions may be above +0.1 or below -0.1 charges/residue. In other embodiments, the net charge of a XTEN can be about 0%, about 1%, about 2%, about 3%, about 4%, about 5%, about 6%, about 7%, about 8%, about 9%, about 10%, about 11%, about 12%, about 13%, about 14%, about 15%, about 16%, about 17%, about 18%, about 19%, or about 20% or more.

[00171] Since most tissues and surfaces in a human or animal have a net negative charge, in some embodiments, the XTEN sequences are designed to have a net negative charge to minimize non-specific interactions between the XTEN containing compositions and various surfaces such as blood vessels, healthy tissues, or various receptors. Not to be bound by a particular theory, the XTEN can adopt open conformations due to electrostatic repulsion between individual amino acids of the XTEN polypeptide that individually carry a net negative charge and that are distributed across the sequence of the XTEN polypeptide. Such a distribution of net negative charge in the extended sequence lengths of XTEN can lead to an unstructured conformation that, in turn, can result in an effective increase in hydrodynamic radius. In preferred embodiments, the negative charge is conferred by incorporation of glutamic acid residues. Accordingly, in one embodiment the invention provides XTEN in which the XTEN sequences contain about

8, 10, 15, 20, 25, or even about 30% glutamic acid. Generally, the glutamic residues would be spaced uniformly across the XTEN sequence. In some cases, the XTEN can contain about 10-80, or about 15-60, or about 20-50 glutamic residues per 20kD of XTEN that can result in an XTEN with charged residues that would have very similar pKa, which can increase the charge homogeneity of the product and sharpen its isoelectric point, enhancing the physicochemical properties of the resulting GHXTEN fusion protein for, example, simplifying purification procedures.

[00172] The XTEN of the compositions of the present invention generally have no or a low content of positively charged amino acids. In some embodiments the XTEN may have less than about 10% amino acid residues with a positive charge, or less than about 7%, or less than about 5%, or less than about 2%, or less than about 1% amino acid residues with a positive charge. However, the invention contemplates constructs where a limited number of amino acids with a positive charge, such as lysine, are incorporated into XTEN to permit conjugation between the epsilon amine of the lysine and a reactive group on a peptide, a linker bridge, or a reactive group on a drug or small molecule to be conjugated to the XTEN backbone. In one embodiment of the foregoing, the XTEN has between about 1 to about 100 lysine residues, or about 1 to about 70 lysine residues, or about 1 to about 50 lysine residues, or about 1 to about 30 lysine residues, or about 1 to about 20 lysine residues, or about 1 to about 10 lysine residues, or about 1 to about 5 lysine residues, or alternatively only a single lysine residue. Using the foregoing lysine-containing XTEN, fusion proteins are constructed that comprises XTEN, a growth hormone, plus a chemotherapeutic agent useful in the treatment of growth-related diseases or disorders, wherein the maximum number of molecules of the agent incorporated into the XTEN component is determined by the numbers of lysines or other amino acids with reactive side chains (e.g., cysteine) incorporated into the XTEN.

[00173] In some embodiments, the XTEN sequence comprises charged residues separated by other residues such as serine or glycine, which leads to better expression or purification behavior. Based on the net charge, some XTENs have an isoelectric point (pI) of 1.0, 1.5, 2.0, 2.5, 3.0, 3.5, 4.0, 4.5, 5.0, 5.5, 6.0, or even 6.5. In preferred embodiments, the XTEN will have an isoelectric point between 1.5 and 4.5. In these embodiments, the XTEN incorporated into the GHXTEN fusion protein compositions of the present invention carry a net negative charge under physiologic conditions that contribute to the unstructured conformation and reduced binding of the XTEN component to mammalian proteins and tissues.

[00174] As hydrophobic amino acids impart structure to a polypeptide, the invention provides that the content of hydrophobic amino acids in the XTEN will typically be less than 5%, or less than 2%, or less than 1% hydrophobic amino acid content. In one embodiment, the amino acid content of methionine and tryptophan in the XTEN component of a GHXTEN fusion protein is typically less than 5%, or less than 2%, and most preferably less than 1%. In another embodiment, the XTEN will have a sequence that has less than 10% amino acid residues with a positive charge, or less than about 7%, or less than about 5%, or less than about 2% amino acid residues with a positive charge, the sum of methionine and tryptophan residues will be less than 2%, and the sum of asparagine and glutamine residues will be less than 10% of the total XTEN sequence.

7. Low immunogenicity

[00175] In another aspect, the invention provides compositions in which the XTEN sequences have a low degree of immunogenicity or are substantially non-immunogenic. Several factors can contribute to the low immunogenicity of XTEN, e.g., the non-repetitive sequence, the unstructured conformation, the high degree of solubility, the low degree or lack of self-aggregation, the low degree or lack of proteolytic sites within the sequence, and the low degree or lack of epitopes in the XTEN sequence.

[00176] Conformational epitopes are formed by regions of the protein surface that are composed of multiple discontinuous amino acid sequences of the protein antigen. The precise folding of the protein brings these sequences into a well-defined, stable spatial configurations, or epitopes, that can be recognized as “foreign” by the host humoral immune system, resulting in the production of antibodies to the protein or the activation of a cell-mediated immune response. In the latter case, the immune response to a protein in an individual is heavily influenced by T-cell epitope recognition that is a function of the peptide binding specificity of that individual’s HLA-DR allotype. Engagement of a MHC Class II peptide complex by a cognate T-cell receptor on the surface of the T-cell, together with the cross-binding of certain other co-receptors such as the CD4 molecule, can induce an activated state within the T-cell. Activation leads to the release of cytokines further activating other lymphocytes such as B cells to produce antibodies or activating T killer cells as a full cellular immune response.

[00177] The ability of a peptide to bind a given MHC Class II molecule for presentation on the surface of an APC (antigen presenting cell) is dependent on a number of factors; most notably its primary sequence. In one embodiment, a lower degree of immunogenicity is achieved by designing XTEN sequences that resist antigen processing in antigen presenting cells, and/or choosing sequences that do not bind MHC receptors well. The invention provides GHXTEN fusion proteins with substantially non-repetitive XTEN polypeptides designed to reduce binding with MHC II receptors, as well as avoiding formation of epitopes for T-cell receptor or antibody binding, resulting in a low degree of immunogenicity. Avoidance of immunogenicity is, in part, a direct result of the conformational flexibility of XTEN sequences; i.e., the lack of secondary structure due to the selection and order of amino acid residues. For example, of particular interest are sequences having a low tendency to adapt compactly folded conformations in aqueous solution or under physiologic conditions that could result in conformational epitopes. The administration of fusion proteins comprising XTEN, using conventional therapeutic practices and dosing, would generally not result in the formation of neutralizing antibodies to the XTEN sequence, and also reduce the immunogenicity of the GH fusion partner in the GHXTEN compositions.

[00178] In one embodiment, the XTEN sequences utilized in the subject fusion proteins can be substantially free of epitopes recognized by human T cells. The elimination of such epitopes for the purpose of generating less immunogenic proteins has been disclosed previously; see for example WO 98/52976, WO 02/079232, and WO 00/3317 which are incorporated by reference herein. Assays for human T cell epitopes have been described (Stickler, M., *et al.* (2003) *J Immunol Methods*, 281: 95-108). Of particular interest are peptide sequences that can be oligomerized without generating T cell epitopes or non-human sequences.

This is achieved by testing direct repeats of these sequences for the presence of T-cell epitopes and for the occurrence of 6 to 15-mer and, in particular, 9-mer sequences that are not human, and then altering the design of the XTEN sequence to eliminate or disrupt the epitope sequence. In some embodiments, the XTEN sequences are substantially non-immunogenic by the restriction of the numbers of epitopes of the XTEN predicted to bind MHC receptors. With a reduction in the numbers of epitopes capable of binding to MHC receptors, there is a concomitant reduction in the potential for T cell activation as well as T cell helper function, reduced B cell activation or upregulation and reduced antibody production. The low degree of predicted T-cell epitopes can be determined by epitope prediction algorithms such as, e.g., TEPITOPE (Sturniolo, T., *et al.* (1999) *Nat Biotechnol*, 17: 555-61), as shown in Example 45. The TEPITOPE score of a given peptide frame within a protein is the log of the K_d (dissociation constant, affinity, off-rate) of the binding of that peptide frame to multiple of the most common human MHC alleles, as disclosed in Sturniolo, T. *et al.* (1999) *Nature Biotechnology* 17:555). The score ranges over at least 20 logs, from about 10 to about -10 (corresponding to binding constraints of $10e^{10} K_d$ to $10e^{-10} K_d$), and can be reduced by avoiding hydrophobic amino acids that serve as anchor residues during peptide display on MHC, such as M, I, L, V, F. In some embodiments, an XTEN component incorporated into a GHXTEN does not have a predicted T-cell epitope at a TEPITOPE score of about -5 or greater, or -6 or greater, or -7 or greater, or -8 or greater, or at a TEPITOPE score of -9 or greater. As used herein, a score of “-9 or greater” would encompass TEPITOPE scores of 10 to -9, inclusive, but would not encompass a score of -10, as -10 is less than -9.

[00179] In another embodiment, the inventive XTEN sequences, including those incorporated into the subject GHXTEN fusion proteins, are rendered substantially non-immunogenic by the restriction of known proteolytic sites from the sequence of the XTEN, reducing the processing of XTEN into small peptides that can bind to MHC II receptors. In another embodiment, the XTEN sequence is rendered substantially non-immunogenic by the use a sequence that is substantially devoid of secondary structure, conferring resistance to many proteases due to the high entropy of the structure. Accordingly, the reduced TEPITOPE score and elimination of known proteolytic sites from the XTEN render the XTEN compositions, including the XTEN of the GHXTEN fusion protein compositions, substantially unable to be bound by mammalian receptors, including those of the immune system. In one embodiment, an XTEN of a GHXTEN fusion protein can have >100 nM K_d binding to a mammalian receptor, or greater than 500 nM K_d , or greater than 1 μ M K_d towards a mammalian cell surface or circulating polypeptide receptor.

[00180] Additionally, the non-repetitive sequence and corresponding lack of epitopes of XTEN limit the ability of B cells to bind to or be activated by XTEN. A repetitive sequence is recognized and can form multivalent contacts with even a few B cells and, as a consequence of the cross-linking of multiple T-cell independent receptors, can stimulate B cell proliferation and antibody production. In contrast, while a XTEN can make contacts with many different B cells over its extended sequence, each individual B cell may only make one or a small number of contacts with an individual XTEN due to the lack of repetitiveness of the sequence. Not being to be bound by any theory, XTENs typically have a much lower tendency to stimulate proliferation of B cells and thus an immune response. In one embodiment, the GHXTEN have

reduced immunogenicity as compared to the corresponding GH that is not fused. In one embodiment, the administration of up to three parenteral doses of a GHXTEN to a mammal result in detectable anti-GHXTEN IgG at a serum dilution of 1:100 but not at a dilution of 1:1000. In another embodiment, the administration of up to three parenteral doses of a GHXTEN to a mammal result in detectable anti-GH IgG at a serum dilution of 1:100 but not at a dilution of 1:1000. In another embodiment, the administration of up to three parenteral doses of a GHXTEN to a mammal result in detectable anti-XTEN IgG at a serum dilution of 1:100 but not at a dilution of 1:1000. In the foregoing embodiments, the mammal can be a mouse, a rat, a rabbit, or a cynomolgus monkey.

[00181] An additional feature of XTENS with non-repetitive sequences relative to sequences with a high degree of repetitiveness is non-repetitive XTENS form weaker contacts with antibodies. Antibodies are multivalent molecules. For instance, IgGs have two identical binding sites and IgMs contain 10 identical binding sites. Thus antibodies against repetitive sequences can form multivalent contacts with such repetitive sequences with high avidity, which can affect the potency and/or elimination of such repetitive sequences. In contrast, antibodies against non-repetitive XTENS may yield monovalent interactions, resulting in less likelihood of immune clearance such that the GHXTEN compositions can remain in circulation for an increased period of time.

8. Increased hydrodynamic radius

[00182] In another aspect, the present invention provides XTEN in which the XTEN polypeptides have a high hydrodynamic radius that confers a corresponding increased Apparent Molecular Weight to the GHXTEN fusion protein incorporating the XTEN. As detailed in Example 37, the linking of XTEN to GH sequences results in GHXTEN compositions that can have increased hydrodynamic radii, increased Apparent Molecular Weight, and increased Apparent Molecular Weight Factor compared to a GH not linked to an XTEN. For example, in therapeutic applications in which prolonged half-life is desired, compositions in which a XTEN with a high hydrodynamic radius is incorporated into a fusion protein comprising one or more GH can effectively enlarge the hydrodynamic radius of the composition beyond the glomerular pore size of approximately 3-5 nm (corresponding to an apparent molecular weight of about 70 kDa) (Caliceti. 2003. Pharmacokinetic and biodistribution properties of poly(ethylene glycol)-protein conjugates. Adv Drug Deliv Rev 55:1261-1277), resulting in reduced renal clearance of circulating proteins. The hydrodynamic radius of a protein is determined by its molecular weight as well as by its structure, including shape or compactness. Not to be bound by a particular theory, the XTEN can adopt open conformations due to electrostatic repulsion between individual charges of the peptide or the inherent flexibility imparted by the particular amino acids in the sequence that lack potential to confer secondary structure. The open, extended and unstructured conformation of the XTEN polypeptide can have a greater proportional hydrodynamic radius compared to polypeptides of a comparable sequence length and/or molecular weight that have secondary and/or tertiary structure, such as typical globular proteins. Methods for determining the hydrodynamic radius are well known in the art, such as by the use of size exclusion chromatography (SEC), as described in U.S. Patent Nos. 6,406,632 and 7,294,513. As the results of Example 37 demonstrate, the

addition of increasing lengths of XTEN results in proportional increases in the parameters of hydrodynamic radius, Apparent Molecular Weight, and Apparent Molecular Weight Factor, permitting the tailoring of GHXTEN to desired characteristic cut-off Apparent Molecular Weights or hydrodynamic radii.

Accordingly, in certain embodiments, the GHXTEN fusion protein can be configured with an XTEN such that the fusion protein can have a hydrodynamic radius of at least about 5 nm, or at least about 8 nm, or at least about 10 nm, or 12 nm, or at least about 15 nm. In the foregoing embodiments, the large hydrodynamic radius conferred by the XTEN in an GHXTEN fusion protein can lead to reduced renal clearance of the resulting fusion protein, leading to a corresponding increase in terminal half-life, an increase in mean residence time, and/or a decrease in renal clearance rate.

[00183] In another embodiment, an XTEN of a chosen length and sequence can be selectively incorporated into a GHXTEN to create a fusion protein that have, under physiologic conditions, an Apparent Molecular Weight of at least about 150 kDa, or at least about 300 kDa, or at least about 400 kDa, or at least about 500 kDa, or at least about 600 kDa, or at least about 700 kDa, or at least about 800 kDa, or at least about 900 kDa, or at least about 1000 kDa, or at least about 1200 kDa, or at least about 1500 kDa, or at least about 1800 kDa, or at least about 2000 kDa, or at least about 2300 kDa or more. In another embodiment, an XTEN of a chosen length and sequence can be selectively linked to a GH to result in a GHXTEN fusion protein that has, under physiologic conditions, an Apparent Molecular Weight Factor of at least three, alternatively of at least four, alternatively of at least five, alternatively of at least six, alternatively of at least eight, alternatively of at least 10, alternatively of at least 15, or an Apparent Molecular Weight Factor of at least 20 or greater. In another embodiment, the GHXTEN fusion protein has, under physiologic conditions, an Apparent Molecular Weight Factor that is about 4 to about 20, or is about 6 to about 15, or is about 8 to about 12, or is about 9 to about 10 relative to the actual molecular weight of the fusion protein.

V). GHXTEN STRUCTURAL CONFIGURATIONS AND PROPERTIES

[00184] The GH of the subject compositions are not limited to native, full-length polypeptides, but also include recombinant versions as well as biologically and/or pharmacologically active variants or fragments thereof. For example, it will be appreciated that various amino acid deletions, insertions and substitutions can be made in the GH to create variants without departing from the spirit of the invention with respect to the biological activity or pharmacologic properties of the GH. Examples of conservative substitutions for amino acids in polypeptide sequences are shown in Table 4. However, in embodiments of the GHXTEN in which the sequence identity of the GH is less than 100% compared to a specific sequence disclosed herein, the invention contemplates substitution of any of the other 19 natural L-amino acids for a given amino acid residue of the given GH, which may be at any position within the sequence of the GH, including adjacent amino acid residues. If any one substitution results in an undesirable change in biological activity, then one of the alternative amino acids can be employed and the construct evaluated by the methods described herein, or using any of the techniques and guidelines for conservative and non-conservative mutations set forth, for instance, in U.S. Pat. No. 5,364,934, the contents of which is incorporated by reference in its entirety, or

using methods generally known in the art. In addition, variants can include, for instance, polypeptides wherein one or more amino acid residues are added or deleted at the N- or C-terminus of the full-length native amino acid sequence of a GH that retains some if not all of the biological activity of the native peptide.

Table 4: Exemplary conservative amino acid substitutions

Original Residue	Exemplary Substitutions
Ala (A)	val; leu; ile
Arg (R)	lys; gin; asn
Asn (N)	gin; his; lys; arg
Asp (D)	glu
Cys (C)	ser
Gln (Q)	asn
Glu (E)	asp
Gly (G)	pro
His (H)	asn; gin; lys; arg
Ile (I)	leu; val; met; ala; phe; norleucine
Leu (L)	norleucine; ile; val; met; ala; phe
Lys (K)	arg; gin; asn
Met (M)	leu; phe; ile
Phe (F)	leu; val; ile; ala
Pro (P)	gly
Ser (S)	thr
Thr (T)	ser
Trp (W)	tyr
Tyr (Y)	trp; phe; thr; ser
Val (V)	ile; leu; met; phe; ala; norleucine

(a) GHXTEN Fusion Protein Configurations

[00185] The invention provides GHXTEN fusion protein compositions with the GH and XTEN components linked in specific N- to C-terminus configurations. In some embodiments, one or more GHs are linked to one or more XTENs, either at the N-terminus or at the C-terminus, with or without a spacer, to form a block copolymer, and the sequential arrangement of the GHs and the XTENs in the GHXTEN fusion protein are the same as the configuration known in the block copolymer chemistry. When there is more than one GH, XTEN, or spacer, each of the GH, the XTEN, or the spacer have the same or different sequences, and the GHs and/or XTENs are linked either continuously or alternately (regular or irregular). Thus, in all of the formulae provided herein, when there is more than one GH, XTEN, or spacer, each of the GH, XTEN, and spacer are the same or different. In some embodiments, the GHXTEN is a monomeric fusion protein with a GH linked to one XTEN polypeptide. In other embodiments, the GHXTEN is a monomeric fusion protein with a GH linked to two or more XTEN polypeptides. In still other embodiments, the GHXTEN is a monomeric fusion protein with two or more GH linked to one XTEN polypeptide. In still other embodiments, the GHXTEN is a monomeric fusion protein with two or more GH linked to two or more XTEN polypeptide. Table 5 provides non-limiting examples of configurations that are encompassed by the

GHXTEN fusion proteins of the invention; numerous other variations will be apparent to the ordinarily skilled artisan, including the incorporation the spacer and cleavage sequences disclosed herein or known in the art.

Table 5: GHXTEN configurations

Components*	Configuration**
Single GH; Single XTEN	GH-XTEN
	XTEN-GH
Single GH; Multiple XTEN	XTEN-GH-XTEN
	GH-XTEN-XTEN
	XTEN-XTEN-GH
	XTEN-GH-XTEN-XTEN
	XTEN-XTEN-GH-XTEN
	XTEN-XTEN-GH-XTEN
Multiple GH, Single XTEN	GH-XTEN-GH
	XTEN-GH-GH
	GH-GH-XTEN
	GH-XTEN-GH-GH
Multiple GH; Multiple XTEN	GH-XTEN-GH-XTEN
	XTEN-GH-XTEN-GH
	XTEN-XTEN-GH-XTEN-GH
	XTEN-XTEN-GH-GH
	GH-XTEN-XTEN-GH
	GH-GH-XTEN-XTEN
	GH-GH-XTEN-XTEN-GH
	GH-XTEN-GH-XTEN-GH

* Characterized as single for 1 component or multiple for 2 or more of that component

** Reflects N- to C-terminus configuration of the growth factor and XTEN components


[00186] The invention contemplates GHXTEN fusion proteins compositions comprising, but not limited to single or multiple GH selected from Table 1 (or fragments or sequence variants thereof), single or multiple XTEN selected from Table 3 (or sequence variants thereof) that are in a configuration shown in Table 5. Generally, the resulting GHXTEN retains at least a portion of the biological activity of the corresponding GH not linked to the XTEN. In other embodiments, the GH component either becomes biologically active or has an increase in activity upon its release from the XTEN by cleavage of an optional cleavage sequence incorporated within spacer sequences into the GHXTEN, described more fully below.

[00187] In one embodiment of the GHXTEN composition, the invention provides a fusion protein of formula I:




wherein independently for each occurrence, GH is a growth hormone; x is either 0 or 1 and y is either 0 or 1 wherein $x+y \geq 1$; and XTEN is an extended recombinant polypeptide.

[00188] In another embodiment of the GHXTEN composition, the invention provides a fusion protein of formula II:




wherein independently for each occurrence, GH is a growth hormone; S is a spacer sequence having between 1 to about 50 amino acid residues that can optionally include a cleavage sequence; x is either 0 or 1 and y is either 0 or 1 wherein $x+y \geq 1$; and XTEN is an extended recombinant polypeptide.

[00189] In another embodiment, the invention provides an isolated fusion protein, wherein the fusion protein is of formula III:




wherein independently for each occurrence, GH is a growth hormone; S is a spacer sequence having between 1 to about 50 amino acid residues that can optionally include a cleavage sequence; x is either 0 or 1; y is either 0 or 1; z is either 0 or 1; and XTEN is an extended recombinant polypeptide.

[00190] In another embodiment, the invention provides an isolated fusion protein, wherein the fusion protein is of formula IV:




wherein independently for each occurrence, GH is a growth hormone; S is a spacer sequence having between 1 to about 50 amino acid residues that can optionally include a cleavage sequence; x is either 0 or 1; y is either 0 or 1; z is either 0 or 1; and XTEN is an extended recombinant polypeptide.

[00191] In another embodiment, the invention provides an isolated fusion growth hormone, wherein the fusion protein is of formula V:




wherein independently for each occurrence, GH is a growth hormone; S is a spacer sequence having between 1 to about 50 amino acid residues that can optionally include a cleavage sequence; x is either 0 or 1; y is either 0 or 1; and XTEN is an extended recombinant polypeptide.

[00192] In another embodiment, the invention provides an isolated fusion protein, wherein the fusion protein is of formula VI:



wherein independently for each occurrence, GH is a growth hormone; S is a spacer sequence having between 1 to about 50 amino acid residues that can optionally include a cleavage sequence; x is either 0 or 1; y is either 0 or 1; and XTEN is an extended recombinant polypeptide.

[00193] In another embodiment, the invention provides an isolated fusion protein, wherein the fusion protein is of formula VII:



wherein independently for each occurrence, GH is a growth hormone; S is a spacer sequence having between 1 to about 50 amino acid residues that can optionally include a cleavage sequence; x is either 0 or 1; y is either 0 or 1; and XTEN is an extended recombinant polypeptide.

[00194] In another embodiment, the invention provides an isolated fusion protein, wherein the fusion protein is of formula VIII:



wherein t is an integer that is greater than 0 (1, 2, 3, etc.); independently each of m, n, o, x, and y is an integer (0, 1, 2, 3, etc.), GH is a growth hormone; S is an spacer, optionally comprising a cleavage site; and XTEN is an extended recombinant polypeptide, with the proviso that: (1) $x + y > 1$, (2) when $t = 1$, $x > 0$ and $y > 0$, (3) when there is more than one GH, S, or XTEN, each GH, XTEN, or S are the same or are independently different; and (4) when $t > 1$, each m, n, o, x, or y within each subunit are the same or are independently different.

[00195] In some embodiments, administration of a therapeutically effective amount of a fusion protein of an embodiment of formulas I-VIII to a subject in need thereof results in a gain in time of at least two-fold, or at least three-fold, or at least four-fold, or at least five-fold, or at least 10-fold, or at least 20-fold, or at least 40-fold, or at least 100-fold or more spent within a therapeutic window for the fusion protein compared to the corresponding GH not linked to the XTEN of and administered at a comparable amount administered to a subject. In other embodiments, administration of a therapeutically effective dose of a fusion protein of an embodiment of formulas I-VIII to a subject in need thereof can result in a gain in time between consecutive doses necessary to maintain a therapeutically effective dose regimen of at least 48 h, or at least 72 h, or at least about 96 h, or at least about 120 h, or at least about 7 days, or at least about 14 days, or at least about 21 days between consecutive doses compared to a GH not linked to XTEN and administered at a comparable dose.

[00196] Any spacer sequence group is optional in the fusion proteins encompassed by the invention. The spacer is provided to enhance expression of the fusion protein from a host cell or to decrease steric hindrance such that the GH component may assume its desired tertiary structure and/or interact appropriately with its target receptor. For spacers and methods of identifying desirable spacers, see, for example, George, *et al.* (2003) Protein Engineering 15:871–879, specifically incorporated by reference herein. In one embodiment, the spacer comprises one or more peptide sequences that are between 1–50 amino acid residues in length, or about 1–25 residues, or about 1–10 residues in length. Spacer sequences, exclusive of cleavage sites, can comprise any of the 20 natural L amino acids, and will preferably comprise hydrophilic amino acids that are sterically unhindered that can include, but not be limited to, glycine (G), alanine (A), serine (S), threonine (T), glutamate (E) and proline (P). In some cases, the spacer can be polyglycines or polyalanines, or is predominately a mixture of combinations of glycine and alanine residues. The spacer polypeptide exclusive of a cleavage sequence is largely to substantially devoid of secondary structure; e.g., less than about 10%, or less than about 5% as determined by the Chou-Fasman and/or GOR algorithms. In one embodiment, one or both spacer sequences in a GHXTEN fusion protein composition each further contains a cleavage sequence,

which are identical or different, wherein the cleavage sequence may be acted on by a protease to release the GH from the fusion protein.

[00197] In some embodiments, the incorporation of the cleavage sequence into the GHXTEN is designed to permit release of a GH that becomes active or more active upon its release from the XTEN. The cleavage sequences are located sufficiently close to the GH sequences, generally within 18, or within 12, or within 6, or within 2 amino acids of the GH sequence terminus, such that any remaining residues attached to the GH after cleavage do not appreciably interfere with the activity (e.g., such as binding to a receptor) of the GH, yet provide sufficient access to the protease to be able to effect cleavage of the cleavage sequence. In some embodiments, the cleavage site is a sequence that can be cleaved by a protease endogenous to the mammalian subject such that the GHXTEN can be cleaved after administration to a subject. In such cases, the GHXTEN can serve as a prodrug or a circulating depot for the GH. Examples of cleavage sites contemplated by the invention include, but are not limited to, a polypeptide sequence cleavable by a mammalian endogenous protease selected from FXIa, FXIIa, kallikrein, FVIIa, FIXa, FXa, FIIa (thrombin), Elastase-2, granzyme B, MMP-12, MMP-13, MMP-17 or MMP-20, or by non-mammalian proteases such as TEV, enterokinase, PreScission™ protease (rhinovirus 3C protease), and sortase A. Sequences known to be cleaved by the foregoing proteases and others are known in the art. Exemplary cleavage sequences and cut sites within the sequences are presented in Table 6, as well as sequence variants thereof. For example, thrombin (activated clotting factor II) acts on the sequence LTPRSLLV [Rawlings N.D., et al. (2008) *Nucleic Acids Res.*, **36**: D320], which would be cut after the arginine at position 4 in the sequence. Active FIIa is produced by cleavage of FII by FXa in the presence of phospholipids and calcium and is down stream from factor IX in the coagulation pathway. Once activated its natural role in coagulation is to cleave fibrinogen, which then in turn, begins clot formation. FIIa activity is tightly controlled and only occurs when coagulation is necessary for proper hemostasis. However, as coagulation is an on-going process in mammals, by incorporation of the LTPRSLLV sequence into the GHXTEN between the GH and the XTEN, the XTEN domain would be removed from the adjoining GH concurrent with activation of either the extrinsic or intrinsic coagulation pathways when coagulation is required physiologically, thereby releasing GH over time. Similarly, incorporation of other sequences into GHXTEN that are acted upon by endogenous proteases would provide for sustained release of GH that, in certain embodiments, provide a higher degree of activity for the GH from the “prodrug” form of the GHXTEN.

[00198] In some embodiments, only the two or three amino acids flanking both sides of the cut site (four to six amino acids total) are incorporated into the cleavage sequence. In other embodiments, the known cleavage sequence have one or more deletions or insertions or one or two or three amino acid substitutions for any one or two or three amino acids in the known sequence, wherein the deletions, insertions or substitutions result in reduced or enhanced susceptibility but not an absence of susceptibility to the protease, resulting in an ability to tailor the rate of release of the GH from the XTEN. Exemplary substitutions are shown in Table 6.

Table 6: Protease Cleavage Sequences

Protease Acting Upon Sequence	Exemplary Cleavage Sequence	Minimal Cut Site*
FXIa	KLTR↓VVGG	KD/FL/T/R↓VA/VE/GT/GV
FXIIa	TMTR↓IVGG	NA
Kallikrein	SPFR↓STGG	-/-/FL/R↓Y↓SR/RT/-/-
FVIIa	LQVR↓IVGG	NA
FIXa	PLGR↓IVGG	-/-/G/R↓-/-/-/-
FXa	IEGR↓TVGG	IA/E/GFP/R↓STI/VFS/-/G
FIIa (thrombin)	LTPR↓SLLV	-/-/PLA/R↓SAG/-/-/-
Elastase-2	LGPV↓SGVP	-/-/-/VIAT↓-/-/-/-
Granzyme-B	VAGD↓SLEE	V/-/-/D↓-/-/-/-
MMP-12	GPAG↓LGGA	G/PA/-/G↓L/-/G/-
MMP-13	GPAG↓LRGA	G/P/-/G↓L/-/GA/-
MMP-17	APLG↓LRLR	-/PS/-/-↓LQ/-/LT/-
MMP-20	PALP↓LVAQ	NA
TEV	ENLYFQ↓G	ENLYFQ↓G/S
Enterokinase	DDDK↓IVGG	DDDK↓IVGG
Protease 3C (PreScission™)	LEVLFQ↓GP	LEVLFQ↓GP
Sortase A	LPKT↓GSES	L/P/KEAD/T↓G/-/EKS/S

↓indicates cleavage site

NA: not applicable

* the listing of multiple amino acids before, between, or after a slash indicate alternative amino acids that can be substituted at the position; “-” indicates that any amino acid may be substituted for the corresponding amino acid indicated in the middle column

[00199] In one embodiment, a GH incorporated into a GHXTEN fusion protein have a sequence that exhibits at least about 80% sequence identity to a sequence from Table 1, alternatively at least about 81%, or about 82%, or about 83%, or about 84%, or about 85%, or about 86%, or about 87%, or about 88%, or about 89%, or about 90%, or about 91%, or about 92%, or about 93%, or about 94%, or about 95%, or about 96%, or about 97%, or about 98%, or about 99%, or about 100% sequence identity as compared with a sequence from Table 1. The GH of the foregoing embodiment can be evaluated for activity using assays or measured or determined parameters as described herein, and those sequences that retain at least about 40%, or about 50%, or about 55%, or about 60%, or about 70%, or about 80%, or about 90%, or about 95% or more activity compared to the corresponding native GH sequence would be considered suitable for inclusion in the subject GHXTEN. The GH found to retain a suitable level of activity can be linked to one or more XTEN polypeptides described hereinabove. In one embodiment, a GH found to retain a suitable level of activity can be linked to one or more XTEN polypeptides having at least about 80% sequence identity to a sequence from Table 3, alternatively at least about 81%, 82%, 83%, 84%, 85%, 86%, 87%, 88%, 89%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, or about 100% sequence identity as compared with a sequence of Table 3, resulting in a chimeric fusion protein.

[00200] Non-limiting examples of sequences of fusion proteins containing a single GH linked to a single XTEN are presented in Table 35. In one embodiment, a GHXTEN composition would comprise a fusion protein having at least about 80% sequence identity to a GHXTEN from Table 35, alternatively at least about 81%, 82%, 83%, 84%, 85%, 86%, 87%, 88%, 89%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, or about 100% sequence identity as compared with a GHXTEN from Table 35. Non-limiting examples of sequences of fusion proteins containing two molecules of XTEN linked to one or more GH are presented in Table 36, but the invention also contemplates substitution of other GH with sequences exhibiting at least about 90% sequence identity to a sequence selected from Table 1 linked to one or two XTEN, which may be the same or different, exhibiting at least about 90% sequence identity selected from Table 3. In the foregoing fusion proteins hereinabove described in this paragraph, the GHXTEN fusion protein can further comprise a cleavage sequence from Table 6; the cleavage sequence being located between the GH and the XTEN or between adjacent GH (if more than one GH is included in the GHXTEN). In some cases, the GHXTEN comprising the cleavage sequences will also have one or more spacer sequence amino acids between the GH and the cleavage sequence or the XTEN and the cleavage sequence to facilitate access of the protease; the spacer amino acids comprising any natural amino acid, including glycine and alanine as preferred amino acids. Non-limiting examples of GHXTEN comprising GH, XTEN, cleavage sequence(s) and spacer amino acids are presented in Table 37. However, the invention also contemplates substitution of any of the GH sequences of Table 1 for a GH sequence of Table 37, substitution of any XTEN sequence of Table 3 for an XTEN sequence of Table 37, and substitution of any cleavage sequence of Table 6 for a cleavage sequence of Table 37.

(b) Pharmacokinetic Properties of GHXTEN

[00201] The invention provides GHXTEN fusion proteins with enhanced pharmacokinetics compared to the GH not linked to XTEN that, when used at the dose determined for the composition by the methods described herein, can achieve a circulating concentration resulting in a pharmacologic effect, yet stay within the safety range for biologically active component of the composition for an extended period of time compared to a comparable dose of the GH not linked to XTEN. In such cases, the GHXTEN remains within the therapeutic window for the fusion protein composition for the extended period of time. As used herein, a "comparable dose" means a dose with an equivalent moles/kg for the active GH pharmacophore that is administered to a subject in a comparable fashion. It will be understood in the art that a "comparable dosage" of GHXTEN fusion protein would represent a greater weight of agent but would have essentially the same mole-equivalents of GH in the dose of the fusion protein and/or would have the same approximate molar concentration relative to the GH.

[00202] The pharmacokinetic properties of a GH that can be enhanced by linking a given XTEN to the GH include terminal half-life, area under the curve (AUC), $C_{\max}$ volume of distribution, and bioavailability providing enhanced utility in the treatment of growth hormone-related disorders, diseases and related conditions. The GH of the GHXTEN compositions can be a sequence that exhibits at least about 80% sequence identity, or alternatively 81%, 82%, 83%, 84%, 85%, 86%, 87%, 88%, 89%, 90%, 91%, 92%,

93%, 94%, 95%, 96%, 97%, 98%, 99%, or 100% sequence identity to a protein sequence selected from Table 1, linked to one or more XTEN that exhibit at least about 80% sequence identity, or alternatively 81%, 82%, 83%, 84%, 85%, 86%, 87%, 88%, 89%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, or 100% sequence identity to a protein sequence selected from Table 3.

[00203] As described more fully in the Examples pertaining to pharmacokinetic characteristics of fusion proteins comprising XTEN, it was surprisingly discovered that increasing the length of the XTEN sequence confers a disproportionate increase in the terminal half-life of a fusion protein comprising the XTEN. Accordingly, the invention provides GHXTEN fusion proteins comprising XTEN wherein the XTEN is selected to provide a targeted half-life for the GHXTEN composition administered to a subject. In some embodiments, the invention provides monomeric fusion proteins comprising XTEN wherein the XTEN is selected to confer an increase in the terminal half-life for the GHXTEN administered to a subject, compared to the corresponding GH not linked to the fusion protein and administered at a comparable dose, of at least about two-fold longer, or at least about three-fold, or at least about four-fold, or at least about five-fold, or at least about six-fold, or at least about seven-fold, or at least about eight-fold, or at least about nine-fold, or at least about ten-fold, or at least about 15-fold, or at least a 20-fold, or at least a 40-fold, or at least a 80-fold, or at least a 100-fold or greater an increase in terminal half-life compared to the GH not linked to the fusion protein. Exogenously administered human growth hormone has been reported to have a terminal half-life in humans of less than 15 minutes (Hindmarch, P.C., *et al.*, Clinical Endocrinology (2008) 30(4): 443-450), whereas various GHXTEN compositions disclosed herein that have been experimentally administered to various animals species, as described in the Examples, have resulted in terminal half-life values of several hours. Similarly, the GHXTEN fusion proteins can have an increase in AUC of at least about 50%, or at least about 60%, or at least about 70%, or at least about 80%, or at least about 90%, or at least about a 100%, or at least about 150%, or at least about 200%, or at least about 300%, or at least about 500%, or at least about 1000%, or at least about a 2000% increase in AUC compared to the corresponding GH not linked to the fusion protein and administered to a subject at a comparable dose. The pharmacokinetic parameters of a GHXTEN can be determined by standard methods involving dosing, the taking of blood samples at times intervals, and the assaying of the protein using ELISA, HPLC, radioassay, or other methods known in the art or as described herein, followed by standard calculations of the data to derive the half-life and other PK parameters.

[00204] The invention further provides GHXTEN comprising a first and a second GH molecule, optionally separated by a spacer sequence that may further comprise a cleavage sequence, or separated by a second XTEN sequence. In one embodiment, the GH has less activity when linked to the fusion protein compared to a corresponding GH not linked to the fusion protein. In such case, as illustrated in FIG. 38, the GHXTEN is designed such that upon administration to a subject, the GH component is gradually released by cleavage of the cleavage sequence(s), whereupon it regains activity or the ability to bind to its target receptor or ligand. Accordingly, the GHXTEN of the foregoing serves as a prodrug or a circulating depot, resulting in a longer terminal half-life compared to GH not linked to the fusion protein.

(c) Pharmacology and Pharmaceutical Properties of GHXTEN

[00205] The present invention provides GHXTEN compositions comprising GH covalently linked to XTEN that can have enhanced properties compared to GH not linked to XTEN, as well as methods to enhance the therapeutic and/or biologic activity or effect of the respective two GH components of the compositions. In addition, the invention provides GHXTEN compositions with enhanced properties compared to those art-known fusion proteins containing immunoglobulin polypeptide partners, polypeptides of shorter length and/or polypeptide partners with repetitive sequences. In addition, GHXTEN fusion proteins provide significant advantages over chemical conjugates, such as pegylated constructs, notably the fact that recombinant GHXTEN fusion proteins can be made in bacterial cell expression systems, which can reduce time and cost at both the research and development and manufacturing stages of a product, as well as result in a more homogeneous, defined product with less toxicity for both the product and metabolites of the GHXTEN compared to pegylated conjugates.

[00206] As therapeutic agents, the GHXTEN possesses a number of advantages over therapeutics not comprising XTEN including one or more of the following non-limiting exemplary enhance properties; increased solubility, increased thermal stability, reduced immunogenicity, increased apparent molecular weight, reduced renal clearance, reduced proteolysis, reduced metabolism, enhanced therapeutic efficiency, a lower effective therapeutic dose, increased bioavailability, increased time between dosages capable of maintain blood levels within the therapeutic window for the GH, a “tailored” rate of absorption, enhanced lyophilization stability, enhanced serum/plasma stability, increased terminal half-life, increased solubility in blood stream, decreased binding by neutralizing antibodies, decreased receptor-mediated clearance, reduced side effects, retention of receptor/ligand binding affinity or receptor/ligand activation, stability to degradation, stability to freeze-thaw, stability to proteases, stability to ubiquitination, ease of administration, compatibility with other pharmaceutical excipients or carriers, persistence in the subject, increased stability in storage (e.g., increased shelf-life), reduced toxicity in an organism or environment and the like. The net effect of the enhanced properties is that the GHXTEN results in enhanced therapeutic and/or biologic effect or improved patient compliance when administered to a subject with a growth hormone-related disease or disorder.

[00207] Specific assays and methods for measuring the physical and structural properties of expressed proteins are known in the art, including methods for determining properties such as protein aggregation, solubility, secondary and tertiary structure, melting properties, contamination and water content, etc. Such methods include analytical centrifugation, EPR, HPLC-ion exchange, HPLC-size exclusion, HPLC-reverse phase, light scattering, capillary electrophoresis, circular dichroism, differential scanning calorimetry, fluorescence, HPLC-ion exchange, HPLC-size exclusion, IR, NMR, Raman spectroscopy, refractometry, and UV/Visible spectroscopy. Additional methods are disclosed in Arnau et al, *Prot Expr and Purif* (2006) 48, 1-13. Application of these methods to the invention would be within the grasp of a person skilled in the art.

[00208] In a particular feature of the invention, XTEN as a fusion partner increases the solubility of the GH payload, particularly in the expression of GH, which is typically expressed as insoluble inclusion bodies in

transformed host cells, such as *E. coli* (see, e.g., Singh, S. M., et al. (2005) *J Biosci Bioeng*, 99: 303; Patra, A. K., et al. (2000) *Protein Expr Purif*, 18: 182). Accordingly, where enhancement of the pharmaceutical or physicochemical properties of the GH is desirable, such as the degree of aqueous solubility or stability, the length and/or the motif family composition of the first and the second XTEN sequences of the first and the second fusion protein may each be selected to confer a different degree of solubility and/or stability on the respective fusion proteins such that the overall pharmaceutical properties of the GHXTEN composition are enhanced. The GHXTEN fusion proteins can be constructed and assayed, using methods described herein, to confirm the physicochemical properties and the XTEN adjusted, as needed, to result in the desired properties. In one embodiment, the XTEN sequence of the GHXTEN is selected such that the fusion protein has an aqueous solubility that is within at least about 25% greater compared to a GH not linked to the fusion protein, or at least about 30%, or at least about 40%, or at least about 50%, or at least about 75%, or at least about 100%, or at least about 200%, or at least about 300%, or at least about 400%, or at least about 500%, or at least about 1000% greater than the corresponding GH not linked to the fusion protein.

[00209] The invention provides methods to produce and recover expressed GHXTEN from a host cell with enhanced solubility and ease of recovery compared to GH not linked to XTEN. In some embodiments, the method includes the steps of transforming a prokaryotic host cell (e.g. *E. coli*) with a polynucleotide encoding a GHXTEN with one or more XTEN components of cumulative sequence length greater than about 800, or greater than about 900, or greater than about 1000, or greater than about 1100 amino acid residues, expressing the GHXTEN fusion protein in the host cell, lysing the host cell to recover cytoplasmic contents, and acidifying the host cell cytoplasmic contents wherein the GH can remain in soluble form while the majority of host cell proteins are precipitated to insoluble form. In one embodiment of the foregoing, the post-expression crude host cell lysates can be acidified to a pH of less than about 5.0, or to a pH of less than about 4.7, or to a pH of less than about 4.5, or to a pH of less than about 4.2 and greater than about 50%, or about 60%, or about 70%, or about 80% or more of the expressed GH can be recovered in soluble form. In a feature of the foregoing embodiment, enriched GHXTEN can be separated from precipitated from host cell protein contaminants by centrifugation of the acidified lysate, a reflection of the increased solubility imparted to the GH by fusion to the XTEN carrier. In the embodiments hereinabove described in this paragraph, the XTEN of the GHXTEN fusion proteins can have at least about 80% sequence identity, or about 90%, or about 91%, or about 92%, or about 93%, or about 94%, or about 95%, or about 96%, or about 97%, or about 98%, or about 99%, to about 100% sequence identity to one or more XTEN selected from Table 3 and the GH can have at least about 80% sequence identity, or about 90%, or about 91%, or about 92%, or about 93%, or about 94%, or about 95%, or about 96%, or about 97%, or about 98%, or about 99%, or 100% sequence identity to a GH selected from Table 1 and the GHXTEN components can be in an N- to C-terminus configuration selected from Table 5.

[00210] In one embodiment, the invention provides GHXTEN compositions and methods to produce the compositions that can maintain the GH component within a therapeutic window for a greater period of time compared to comparable dosages of the corresponding GH not linked to XTEN. It will be understood in the

art that a "comparable dosage" of GHXTEN fusion protein would represent a greater weight of agent but would have the same approximate mole-equivalents of GH in the dose of the fusion protein and/or would have the same approximate molar concentration relative to the GH. The method to produce the compositions that can maintain the GH component within a therapeutic window includes the steps of selecting the XTEN appropriate for conjugation to a GH to provide the desired pharmacokinetic properties in view of a given dose and dose regiment, followed by assays to verify the pharmacokinetic properties, the activity of the GHXTEN fusion protein, and the safety of the administered composition. By the methods, GHXTEN can be produced that enables increased efficacy of the administered composition by maintaining the circulating concentrations of the GH within the therapeutic window for an enhanced period of time. As used herein, "therapeutic window" means that the amount of drug or biologic as a blood or plasma concentration range, which provides efficacy or a desired pharmacologic effect over time for the disease or condition without unacceptable toxicity, i.e. the range of the circulating blood concentrations between the minimal amount to achieve any positive therapeutic effect and the maximum amount which results in a response that is the response immediately before toxicity to the subject (at a higher dose or concentration). Additionally, therapeutic window generally encompasses an aspect of time; the maximum and minimum concentration that results in a desired pharmacologic effect over time that does not result in unacceptable toxicity or adverse events. A dosed composition that stays within the therapeutic window for the subject could also be said to be within the "safety range."

[00211] The characteristics of GHXTEN compositions of the invention, including functional characteristics or biologic and pharmacologic activity and parameters that result, are determined by any suitable screening assay known in the art for measuring the desired characteristic. The invention provides methods to assay the GHXTEN fusion proteins of differing composition or configuration in order to provide GHXTEN with the desired degree of biologic and/or therapeutic activity, as well as safety profile. Specific *in vivo* and *ex vivo* biological assays are used to assess the activity of each configured GHXTEN and/or GH component to be incorporated into GHXTEN, including but not limited to the assays of the Examples, those assays of Table 34, as well as the following assays or other such assays known in the art for assaying the properties and effects of GH. Assays can be conducted that allow determination of binding characteristics of the GHXTEN for GH receptors or a ligand, including binding constant (K_d), EC_{50} values, as well as their half-life of dissociation of the ligand-receptor complex ($T_{1/2}$). Binding affinity can be measured, for example, by a competition-type binding assay that detects changes in the ability to specifically bind to a receptor or ligand (see, e.g., Examples). Additionally, techniques such as flow cytometry or surface plasmon resonance can be used to detect binding events. The assays may comprise soluble receptor molecules, or may determine the binding to cell-expressed receptors. Such assays may include cell-based assays, including assays for proliferation, cell death, apoptosis and cell migration. Other possible assays may determine receptor binding of expressed polypeptides, wherein the assay may comprise soluble receptor molecules, or may determine the binding to cell-expressed receptors. The binding affinity of a GHXTEN for the target receptors or ligands of the corresponding GH can be assayed using binding or competitive binding assays, such as Biacore assays

with chip-bound receptors or binding proteins or ELISA assays, as described in US Patent 5,534,617, assays described in the Examples herein, radio-receptor assays, or other assays known in the art. In addition, GH sequence variants (assayed as single components or as GHXTEN fusion proteins) can be compared to the native GH using a competitive ELISA binding assay to determine whether they have the same binding specificity and affinity as the native GH, or some fraction thereof such that they are suitable for inclusion in GHXTEN. Functional assays can include the increase of IGF-1 secretion and/or generation within target cells as a result of exposure to GHXTEN, and/or the resulting stimulatory effects of IGF-1 on osteoblast and chondrocyte activity to promote bone growth; all are suitable parameters to assess the activity of GH for inclusion in the GHXTEN fusion protein or the resulting GHXTEN. In addition, human growth hormone (hGH) is known to play a role in somatic growth through its effects on the metabolism of proteins, carbohydrates and lipids, as well as the stimulation of the production of blood cells in vitro (Derfalvi et al., 1998; Merchav et al.; 1988), to increase numbers of erythrocytes and hemoglobin content in blood (Valerio et al., 1997; Vihervuori et al., 1996), as well as the enhancement of proliferation of and Ig production in plasma cell lines (Kimata and Yoshida, 1994), the stimulation of CD8⁺ cell counts and, to a lesser extent CD4⁺ cell counts (Geffner, 1997). Parameters that can be measured chronically include velocity of growth, physical maturation, and comparative bone rate of growth. All of the foregoing can be used to assess the activity of GH components to be incorporated into GHXTEN and the resulting GHXTEN.

[00212] Dose optimization is important for all drugs, especially for those with a narrow therapeutic window. For example, a standardized single dose of GH for all patients presenting with a diverse symptoms or abnormal clinical parameters may not always be effective. A consideration of these factors is well within the purview of the ordinarily skilled clinician for the purpose of determining the therapeutically or pharmacologically effective amount of the GHXTEN, versus that amount that would result in unacceptable toxicity and place it outside of the safety range, or insufficient potency such that clinical improvement is not achieved.

[00213] In many cases, the therapeutic window for GH in subjects of different ages or degree of disease have been established and are available in published literature or are stated on the drug label for approved products containing the GH. In other cases, the therapeutic window can be established for new compositions, including those GHXTEN of the disclosure. The methods for establishing the therapeutic window for a given composition are known to those of skill in the art (*see, e.g.,* Goodman & Gilman's The Pharmacological Basis of Therapeutics, 11th Edition, McGraw-Hill (2005)). For example, by using dose-escalation studies in subjects with the target disease or disorder to determine efficacy or a desirable pharmacologic effect, appearance of adverse events, and determination of circulating blood levels, the therapeutic window for a given subject or population of subjects can be determined for a given drug or biologic, or combinations of biologics or drugs. The dose escalation studies can evaluate the activity of a GHXTEN through metabolic studies in a subject or group of subjects that monitor physiological or biochemical parameters, as known in the art or as described herein for one or more parameters associated with the metabolic disease or disorder, or clinical parameters associated with a beneficial outcome for the

particular indication, together with observations and/or measured parameters to determine the no effect dose, adverse events, maximum tolerated dose and the like, together with measurement of pharmacokinetic parameters that establish the determined or derived circulating blood levels. The results can then be correlated with the dose administered and the blood concentrations of the therapeutic that are coincident with the foregoing determined parameters or effect levels. By these methods, a range of doses and blood concentrations can be correlated to the minimum effective dose as well as the maximum dose and blood concentration at which a desired effect occurs and above which toxicity occurs, thereby establishing the therapeutic window for the dosed therapeutic. Blood concentrations of the fusion protein (or as measured by the GH component) above the maximum would be considered outside the therapeutic window or safety range. Thus, by the foregoing methods, a C_{min} blood level would be established, below which the GHXTEN fusion protein would not have the desired pharmacologic effect, and a C_{max} blood level would be established that would represent the highest circulating concentration before reaching a concentration that would elicit unacceptable side effects, toxicity or adverse events, placing it outside the safety range for the GHXTEN. With such concentrations established, the frequency of dosing and the dosage can be further refined by measurement of the C_{max} and C_{min} to provide the appropriate dose and dose frequency to keep the fusion protein(s) within the therapeutic window. One of skill in the art can, by the means disclosed herein or by other methods known in the art, confirm that the administered GHXTEN remains in the therapeutic window for the desired interval or requires adjustment in dose or length or sequence of XTEN. Further, the determination of the appropriate dose and dose frequency to keep the GHXTEN within the therapeutic window establishes the therapeutically effective dose regimen; the schedule for administration of multiple consecutive doses using a therapeutically effective dose of the fusion protein to a subject in need thereof resulting in consecutive C_{max} peaks and/or C_{min} troughs that remain within the therapeutic window and results in an improvement in at least one measured parameter relevant for the target disease, disorder or condition. In some cases, the GHXTEN administered at an appropriate dose to a subject results in blood concentrations of the GHXTEN fusion protein that remains within the therapeutic window for a period at least about two-fold longer compared to the corresponding GH not linked to XTEN and administered at a comparable dose; alternatively at least about three-fold longer; alternatively at least about four-fold longer; alternatively at least about five-fold longer; alternatively at least about six-fold longer; alternatively at least about seven-fold longer; alternatively at least about eight-fold longer; alternatively at least about nine-fold longer or at least about ten-fold longer or greater compared to the corresponding GH not linked to XTEN and administered at a comparable dose. As used herein, an “appropriate dose” means a dose of a drug or biologic that, when administered to a subject, would result in a desirable therapeutic or pharmacologic effect and a blood concentration within the therapeutic window.

[00214] In one embodiment, the GHXTEN administered at a therapeutically effective dose regimen results in a gain in time of at least about three-fold longer; alternatively at least about four-fold longer; alternatively at least about five-fold longer; alternatively at least about six-fold longer; alternatively at least about seven-fold longer; alternatively at least about eight-fold longer; alternatively at least about nine-fold longer or at

least about ten-fold longer between at least two consecutive $C_{\max}$ peaks and/or $C_{\min}$ troughs for blood levels of the fusion protein compared to the corresponding biologically active protein of the fusion protein not linked to the fusion protein and administered at a comparable dose regimen to a subject. In another embodiment, the GHXTEN administered at a therapeutically effective dose regimen results in a comparable improvement in one, or two, or three or more measured parameter using less frequent dosing or a lower total dosage in moles of the fusion protein of the pharmaceutical composition compared to the corresponding biologically active protein component(s) not linked to the fusion protein and administered to a subject using a therapeutically effective dose regimen for the GH. The measured parameters include any of the clinical, biochemical, or physiological parameters disclosed herein, or others known in the art for assessing subjects with growth hormone-related disorders.

[00215] The invention provides isolated GHXTEN in which the binding affinity for GH target receptors or ligands by the GHXTEN can be at least about 10%, or at least about 20%, or at least about 30%, or at least about 40%, or at least about 50%, or at least about 60%, or at least about 70%, or at least about 80%, or at least about 90%, or at least about 95%, or at least about 99%, or at least about 100% or more of the affinity of a native GH not bound to XTEN for the target receptor or ligand. In some cases, the binding affinity K_d between the subject GHXTEN and a native receptor or ligand of the GHXTEN is at least about 10^{-4} M, alternatively at least about 10^{-5} M, alternatively at least about 10^{-6} M, or at least about 10^{-7} M, or at least about 10^{-8} M, or at least about 10^{-9} M of the affinity between the GHXTEN and a native receptor or ligand.

[00216] In other embodiments, the invention provides isolated GHXTEN fusion proteins specifically designed to have reduced binding affinity to the GH receptor. In one embodiments, such as fusion proteins comprising an XTEN fused to the C-terminus of the GH 1 about 97% sequence identity, or at least about 99% sequence identity to GH fusion proteins selected from AE912-hGH-AE144, AE912-hGH-AF144, AE912-hGH-AE288, AM923-hGH-AE144, AM923-hGH-AF144, AM923-hGH-AE288, and the sequences of Tables 36-37.

[00217] In some embodiments, the GHXTEN fusion proteins of the invention retain at least about 0.05%, or about 0.1%, or about 1%, or about 10%, or about 20%, or about 30%, or about 40%, or about 50%, or about 60%, or about 70%, or about 80%, or about 90%, or about 95%, or about 98%, or about 99% percent of the biological activity of the corresponding GH not linked to the fusion protein with regard to an *in vitro* biologic activity or pharmacologic effect known or associated with the use of the native GH in the treatment and prevention of growth hormone-related diseases, disorder and conditions. Non-limiting examples of activities or pharmacologic effects that can be assayed to assess the retained activity of the GHXTEN fusion proteins include signal transduction markers in cells with GH receptors, elicited IGF-1 concentrations, elicited IGFBP3 concentrations, changes in height velocity, lean body mass, total body fat, trunk fat, parameters associated with insulin resistance syndrome, measurement of division and multiplication rates of chondrocytes, changes in bone density, and bone growth (e.g. increase in epiphyseal plate width). In some embodiments, the activity of the GH component is manifest by the intact GHXTEN fusion protein, while in other cases the activity of the GH component would be primarily manifested upon

cleavage and release of the GH from the fusion protein by action of a protease that acts on a cleavage sequence incorporated into the GHXTEN fusion protein. In the foregoing, the GHXTEN is designed to reduce the binding affinity of the GH component for the receptor or ligand when linked to the XTEN but have restored or increased affinity when released from XTEN through the cleavage of cleavage sequence(s) incorporated into the GHXTEN sequence, as described more fully above.

[00218] In other cases, the GHXTEN can be designed to reduce the binding affinity of the GH component to the GH receptor to increase the terminal half-life of GHXTEN administered to a subject by reducing receptor-mediated clearance; e.g., by adding an XTEN to the C-terminus of the GH component of the fusion protein. In other cases, the GHXTEN are designed to reduce the binding affinity of the GH component to the GH receptor to reduce toxicity or side effects due to the administered composition.

[00219] Accordingly, the invention provides a method for increasing the terminal half-life of a GHXTEN by producing a single-chain fusion protein construct with a specific N- to C-terminus configuration of the components comprising at least a first GH and a first and a second XTEN, wherein the fusion protein in a first N- to C-terminus configuration of the GH and XTEN components has reduced receptor-mediated clearance (RMC) and a corresponding increase in terminal half-life compared to a GHXTEN in a second N- to C-terminus configuration. In one embodiment of the foregoing, the GHXTEN is configured, N- to C-terminus as XTEN-GH-XTEN, which has reduced receptor binding compared to a GHXTEN configures, N- to C-terminus XTEN-GH. In another embodiment of the foregoing, the GHXTEN is configured GH-XTEN. In the foregoing embodiments, the two XTEN molecules can be identical or they can be of a different sequence composition or length. Non-limiting examples of the foregoing embodiment with two XTEN linked to a single GH include the constructs AE912-hGH-AE144, AE912-hGH-AE288, AE864-hGH-AE144, AM923-hGH-AE144, and AM923-hGH-AE288. The invention contemplates other such constructs in which a GH from Table 1 and XTEN from Table 3 are substituted for the respective components of the foregoing examples, and are produced, for example, in a configuration from Table 5 such that the construct has reduced receptor mediated clearance compared to an alternative configuration of the respective components. In some embodiments, the foregoing method for increasing the terminal half-life provides configured GHXTEN that can result in an increase in the terminal half-life of at least about 30%, or about 50%, or about 75%, or about 100%, or about 150%, or about 200%, or about 300%, or about 400% or more compared to the half-life of a GHXTEN in a second configuration where receptor binding is not reduced. The invention takes advantage of the fact that certain ligands wherein reduced binding affinity to a receptor, either as a result of a decreased on-rate or an increased off-rate, may be effected by the obstruction of either the N- or C-terminus (as shown in FIG. 3), and using that terminus as the linkage to another polypeptide of the composition, whether another molecule of a GH, an XTEN, or a spacer sequence results in the reduced binding affinity. The choice of the particular configuration of the GHXTEN fusion protein reduces the degree of binding affinity to the receptor such that a reduced rate of receptor-mediated clearance is achieved. Generally, activation of the receptor is coupled to RMC such that binding of a polypeptide to its receptor without activation does not lead to RMC, while activation of the receptor leads to RMC. However, in some

cases, particularly where the ligand has an increased off rate, the ligand may nevertheless be able to bind sufficiently to initiate cell signaling without triggering receptor mediated clearance, with the net result that the GHXTEN remains bioavailable. In such cases, the configured GHXTEN has an increased half-life compared to those configurations that lead to a higher degree of RMC.

[00220] In cases where a reduction in binding affinity to the growth hormone receptor is desired in order to reduce receptor-mediated clearance but retention of at least a portion of the biological activity is also desired, sufficient binding affinity to obtain the desired receptor activation must nevertheless be maintained e.g., by initiation of signal transduction. Thus, in one embodiment, the invention provides a GHXTEN configured such that the binding affinity of the GHXTEN for a target receptor is in the range of about 0.01%-40%, or about 0.01%-30%, or about 0.01%-20% of the binding affinity compared to a corresponding GHXTEN in a configuration wherein the binding affinity is not reduced. The binding affinity of the configured BXTEN is thus preferably reduced by at least about 60%, or at least about 70%, or at least about 80%, or at least about 90%, or at least about 95%, or at least about 99%, or at least about 99.99% as compared to the binding affinity of a corresponding GHXTEN in a configuration wherein the binding affinity of the GH component to the target receptor is not reduced or compared to the GH not linked to the fusion protein, determined under comparable conditions. Expressed differently, the GH component of the configured GHXTEN has a binding affinity that is as small as about 0.01%, or at least about 0.1%, or at least about 1%, or at least about 2%, or at least about 3%, or at least about 4%, or at least about 5%, or at least about 10%, or at least about 20%, or at least about 30%, or at least 40% of that of the corresponding GH component of a GHXTEN in a configuration wherein the binding affinity of the GH component is not reduced. In the foregoing embodiments, the binding affinity of the configured GHXTEN for the target receptor are “substantially reduced” compared to a corresponding native GH or a GHXTEN with a configuration in which the binding affinity of the corresponding GH component is not reduced. Accordingly, the present invention provides compositions and methods to produce compositions with reduced RMC by configuring the GHXTEN, examples of which are provided above, so as to be able to bind and activate a sufficient number of receptors to obtain a desired *in vivo* biological response yet avoid activation of more receptors than is required for obtaining such response. The increased half-life permits higher dosages and reduced frequency of dosing compared to GH not linked to XTEN or compared to GHXTEN configurations wherein the GH component retains sufficient biological or pharmacological activity to result in a composition with clinical efficacy maintained despite reduced dosing frequency.

VI). USES OF THE COMPOSITIONS OF THE PRESENT INVENTION

[00221] In another aspect, the invention provides a method for achieving a beneficial effect in a disease, disorder or condition mediated by GH. The present invention addresses disadvantages and/or limitations of GH that have a relatively short terminal half-life and/or a narrow therapeutic window.

[00222] Most processes involved in growth of the body are regulated by multiple peptides and hormones, and such peptides and hormones, as well as analogues thereof, have found utility in the treatment of growth

hormone-related diseases, disorders and conditions. However, the use of commercially-available growth hormones, has met with less than optimal success in the management of subjects afflicted with such diseases, disorders and conditions. In particular, dose optimization and frequency of dosing is important for peptide and hormone biologics used in the treatment of growth hormone-related diseases and disorders. The fact that growth hormone has a short half-life, necessitates frequent dosing in order to achieve clinical benefit, which results in difficulties in the management of such patients.

[00223] In one embodiment, the invention provides a method for achieving a beneficial affect in a subject with a growth hormone-related disease, disorder or condition comprising the step of administering to the subject a therapeutically- or prophylactically-effective amount of a GHXTEN wherein said administration results in the improvement of one or more biochemical or physiological parameters or clinical endpoints associated with a growth hormone-related disease, disorder or condition. The effective amount produces a beneficial effect in helping to treat (e.g., cure or reduce the severity) or prevent (e.g., reduce the likelihood of onset or severity) a growth hormone-related disease, disorder or condition. In some cases, the method for achieving a beneficial effect includes administering a therapeutically effective amount of a GHXTEN fusion protein composition to treat a subject with a growth hormone-related disease, disorder, or condition, including, but not limited to, congenital or acquired GH deficiency in adults and children, Turner's Syndrome, Prader-Willi Syndrome, chronic renal failure, intrauterine growth retardation, idiopathic short stature, AIDS wasting, obesity, multiple sclerosis, aging, fibromyalgia, Crohn's disease, ulcerative colitis, muscular dystrophy, low muscle mass (e.g. bodybuilding), low bone density, or any other indication for which GH can be utilized (but for which endogenous growth hormone levels in a subject are not necessarily deficient).

[00224] In another embodiment, the invention provides a method of stimulating IGF-1 production in individuals with GH deficiency. The method comprises the step of administering therapeutically effective amount of GHXTEN to a subject that results in the increased blood levels and/or duration in increased blood levels of IGF-1 compared to a subject receiving a GH not linked to an XTEN and administered at a comparable dose. In some cases, the increase in IGF-1 is at least about 20%, or at least about 30%, or at least about 40%, or at least about 50%, or at least about 75%, or at least about 100%, or at least about 200%, or at least about 300%. In another embodiment, the invention provides a method of stimulating the division and numbers of chondrocytes. The method comprises the step of administering therapeutically effective amount of GHXTEN that results in the increased production of chondrocytes by at least about 20%, or at least about 30%, or at least about 40%, or at least about 50%, or at least about 75%, or at least about 100%, or at least about 200%, or at least about 300% compared to a subject receiving a GH not linked to an XTEN and administered at a comparable dose. In another embodiment, the invention provides a method comprising the step of administering therapeutically effective amount of GHXTEN that results in increased bone growth as measured by increase in epiphyseal plate width by at least about 20%, or at least about 30%, or at least about 40%, or at least about 50%, or at least about 75%, or at least about 100%, or at least about 200%, or at

least about 300% compared to a subject receiving a GH not linked to an XTEN and administered at a comparable dose.

[00225] As a result of the enhanced PK parameters of GHXTEN, as described herein, the GH is administered using longer intervals between doses compared to the corresponding GH not linked to XTEN to prevent, treat, alleviate, reverse or ameliorate symptoms or clinical abnormalities of the growth hormone-related disease, disorder or condition or prolong the survival of the subject being treated.

[00226] The methods of the invention includes administration of consecutive doses of a therapeutically effective amount of the GHXTEN for a period of time sufficient to achieve and/or maintain the desired parameter or clinical effect, and such consecutive doses of a therapeutically effective amount establishes the therapeutically effective dose regimen for the GHXTEN; i.e., the schedule for consecutively administered doses of the fusion protein composition, wherein the doses are given in therapeutically effective amounts to result in a sustained beneficial effect on any clinical sign or symptom, aspect, measured parameter or characteristic of a metabolic disease state or condition, including, but not limited to, those described herein. In one embodiment, the method comprises administering a therapeutically-effective amount of a pharmaceutical composition comprising a GHXTEN fusion protein composition comprising a GH linked to an XTEN sequence(s) and at least one pharmaceutically acceptable carrier to a subject in need thereof that results in greater improvement in at least one parameter, physiologic condition, or clinical outcome mediated by the GH component(s) (non-limiting examples of which are described above) compared to the effect mediated by administration of a pharmaceutical composition comprising a GH not linked to XTEN and administered at a comparable dose. In one embodiment, the pharmaceutical composition is administered at a therapeutically effective dose. In another embodiment, the pharmaceutical composition is administered using multiple consecutive doses using a therapeutically effective dose regimen (as defined herein) for the length of the dosing period.

[00227] A therapeutically effective amount of the GHXTEN varies according to factors such as the disease state, age, sex, and weight of the individual, and the ability of the antibody or antibody portion to elicit a desired response in the individual. A therapeutically effective amount is also one in which any toxic or detrimental effects of the GHXTEN are outweighed by the therapeutically beneficial effects. A prophylactically effective amount refers to an amount of GHXTEN required for the period of time necessary to achieve the desired prophylactic result.

[00228] For the inventive methods, longer acting GHXTEN compositions are preferred, so as to improve patient convenience, to increase the interval between doses and to reduce the amount of drug required to achieve a sustained effect. In one embodiment, a method of treatment comprises administration of a therapeutically effective dose of a GHXTEN to a subject in need thereof that results in a gain in time spent within a therapeutic window established for the fusion protein of the composition compared to the corresponding GH component(s) not linked to the fusion protein and administered at a comparable dose to a subject. In some cases, the gain in time spent within the therapeutic window is at least about three-fold, or at least about four-fold, or at least about five-fold, or at least about six-fold, or at least about eight-fold, or at

least about 10-fold, or at least about 20-fold, or at least about 40-fold, or at least about 80-fold, or at least about 100-fold longer, compared to the corresponding GH component not linked to the fusion protein and administered at a comparable dose to a subject. The methods further provide that administration of multiple consecutive doses of a GHXTEN administered using a therapeutically effective dose regimen to a subject in need thereof results in a gain in time between consecutive $C_{\max}$ peaks and/or $C_{\min}$ troughs for blood levels of the fusion protein compared to the corresponding GH not linked to the fusion protein and administered using a dose regimen established for that GH. In the foregoing embodiment, the gain in time spent between consecutive $C_{\max}$ peaks and/or $C_{\min}$ troughs is at least about three-fold, or at least about four-fold, or at least about five-fold, or at least about six-fold, or at least about eight-fold, or at least about 10-fold, or at least about 20-fold, or at least about 40-fold or at least about 80-fold, or at least about 100-fold longer, compared to the corresponding GH component not linked to the fusion protein and administered using a dose regimen established for that GH. In the embodiments hereinabove described in this paragraph the administration of the fusion protein results in an improvement in at least one of the parameters (disclosed herein as being useful for assessing the subject diseases, conditions or disorders) using a lower unit dose in moles of fusion protein compared to the corresponding GH component not linked to the fusion protein and administered at a comparable unit dose or dose regimen to a subject.

[00229] The method of treatment comprises administration of a GHXTEN using a therapeutically effective dose regimen to effect improvements in one or more parameters associated with growth hormone diseases, disorders or conditions. In some embodiments, administration of the GHXTEN to a subject results in an improvement in one or more of the biochemical, physiologic, or clinical parameters that is of greater magnitude than that of the corresponding GH component not linked to XTEN, determined using the same assay or based on a measured clinical parameter. In other embodiments, administration of the GHXTEN to a subject using a therapeutically effective dose regimen results in activity in one or more of the biochemical, physiologic, or clinical parameters that is of longer duration than the activity of one of the single GH components not linked to XTEN, determined using that same assay or based on a measured clinical parameter. In one embodiment of the foregoing, the administration of the GHXTEN to a subject using a therapeutically effective dose regimen results in an improvement in peak concentrations and area under the curve of blood IGF-1 levels of at least about 10%, or about 20%, or about 30%, or about 40%, or about 50%, or about 60%, or about 70%, or about 80%, or about 90%, or about 100% or more in the subject compared to a comparable dose of GH not linked to XTEN administered to a subject. In another embodiment of the foregoing, the administration of the GHXTEN to a subject using a therapeutically effective dose regimen results in increased weight gain in the subject of at least about 10%, or about 20%, or about 30%, or about 40%, or about 50% or more compared to a comparable dose regimen of GH not linked to XTEN administered to a subject.

[00230] The invention further contemplates that GHXTEN used in accordance with the methods provided herein is administered in conjunction with other treatment methods and pharmaceutical compositions useful for treating growth hormone-related diseases, disorders, and conditions, or conditions for which growth

hormone is adjunctive therapy; e.g., insulin resistance and poor glycemic control. Such compositions, include for example, DPP-IV inhibitors, insulin, insulin analogues, PPAR gamma agonists, dual-acting PPAR agonists, GLP-1 agonists or analogues, PTP1B inhibitors, SGLT inhibitors, insulin secretagogues, RXR agonists, glycogen synthase kinase-3 inhibitors, insulin sensitizers, immune modulators, beta-3 adrenergic receptor agonists, Pan-PPAR agonists, 11beta-HSD1 inhibitors, biguanides, alpha-glucosidase inhibitors, meglitinides, thiazolidinediones, sulfonylureas and other diabetes medicants known in the art, or anti-hypertensive drugs, calcium channel blockers, and related products. In some embodiments, the administration of a GHXTEN permits use of lower dosages of the co-administered pharmaceutical composition to achieve a comparable clinical effect or measured parameter for the disease, disorder or condition in the subject.

[00231] In another aspect, the invention provides a method of designing the GHXTEN compositions with desired pharmacologic or pharmaceutical properties. The GHXTEN fusion proteins are designed and prepared with various objectives in mind (compared to the GH components not linked to the fusion protein), including improving the therapeutic efficacy for the treatment of growth hormone-related diseases, disorders, and conditions, enhancing the pharmacokinetic characteristics of the fusion proteins compared to the GH, lowering the dose or frequency of dosing required to achieve a pharmacologic effect, enhancing the pharmaceutical properties, and to enhance the ability of the GH components to remain within the therapeutic window for an extended period of time.

[00232] In general, the steps in the design and production of the fusion proteins and the inventive compositions, as illustrated in FIGS. 4-6, include: (1) the selection of GHs (e.g., native proteins, analogs or derivatives with activity) to treat the particular disease, disorder or condition; (2) selecting the XTEN that will confer the desired PK and physicochemical characteristics on the resulting GHXTEN (e.g., the administration of the composition to a subject results in the fusion protein being maintained within the therapeutic window for a greater period compared to GH not linked to XTEN); (3) establishing a desired N- to C-terminus configuration of the GHXTEN to achieve the desired efficacy or PK parameters; (4) establishing the design of the expression vector encoding the configured GHXTEN; (5) transforming a suitable host with the expression vector; and (6) expression and recovery of the resultant fusion protein. For those GHXTEN for which an increase in half-life (greater than 24 h) or an increased period of time spent within a therapeutic window is desired, the XTEN chosen for incorporation generally has at least about 500, or about 576, or about 864, or about 875, or about 912, or about 923 amino acid residues where a single XTEN is to be incorporated into the GHXTEN. In another embodiment, the GHXTEN comprises a first XTEN of the foregoing lengths, and a second XTEN of about 144, or about 288, or about 576, or about 864, or about 875, or about 912, or about 923 amino acid residues.

[00233] In other embodiments, where an increase in half-life is not required, but an increase in a pharmaceutical property (e.g., solubility) is desired, a GHXTEN is designed to include XTEN of shorter lengths. In some embodiments of the foregoing, the GHXTEN comprises a GH linked to an XTEN having at least about 24, or about 36, or about 48, or about 60, or about 72, or about 84, or about 96 amino acid

residues, in which the solubility of the fusion protein under physiologic conditions is at least three-fold greater than the corresponding GH not linked to XTEN, or alternatively, at least four-fold, or five-fold, or six-fold, or seven-fold, or eight-fold, or nine-fold, or at least 10-fold, or at least 20-fold, or at least 30-fold, or at least 50-fold, or at least 60-fold or greater than GH not linked to XTEN. In one embodiment of the foregoing, the GH is human growth hormone.

[00234] In another aspect, the invention provides methods of making GHXTEN compositions to improve ease of manufacture, result in increased stability, increased water solubility, and/or ease of formulation, as compared to the native GH. In one embodiment, the invention includes a method of increasing the water solubility of a GH comprising the step of linking the GH to one or more XTEN such that a higher concentration in soluble form of the resulting GHXTEN can be achieved, under physiologic conditions, compared to the GH in an un-fused state. Factors that contribute to the property of XTEN to confer increased water solubility of GHs when incorporated into a fusion protein include the high solubility of the XTEN fusion partner and the low degree of self-aggregation between molecules of XTEN in solution. In some embodiments, the method results in a GHXTEN fusion protein wherein the water solubility is at least about 20%, or at least about 30% greater, or at least about 50% greater, or at least about 75% greater, or at least about 90% greater, or at least about 100% greater, or at least about 150% greater, or at least about 200% greater, or at least about 400% greater, or at least about 600% greater, or at least about 800% greater, or at least about 1000% greater, or at least about 2000% greater, or at least about 4000% greater, or at least about 6000% greater under physiologic conditions, compared to the un-fused GH.

[00235] In another embodiment, the invention includes a method of increasing the shelf-life of a GH comprising the step of linking the GH with one or more XTEN selected such that the shelf-life of the resulting GHXTEN is extended compared to the GH in an un-fused state. As used herein, shelf-life refers to the period of time over which the functional activity of a GH or GHXTEN that is in solution or in some other storage formulation remains stable without undue loss of activity. As used herein, "functional activity" refers to a pharmacologic effect or biological activity, such as the ability to bind a receptor or ligand, or an enzymatic activity, or to display one or more known functional activities associated with a GH, as known in the art. A GH that degrades or aggregates generally has reduced functional activity or reduced bioavailability compared to one that remains in solution. Factors that contribute to the ability of the method to extend the shelf life of GHs when incorporated into a fusion protein include increased water solubility, reduced self-aggregation in solution, and increased heat stability of the XTEN fusion partner. In particular, the low tendency of XTEN to aggregate facilitates methods of formulating pharmaceutical preparations containing higher drug concentrations of GHs, and the heat-stability of XTEN contributes to the property of GHXTEN fusion proteins to remain soluble and functionally active for extended periods. In one embodiment, the method results in GHXTEN fusion proteins with "prolonged" or "extended" shelf-life that exhibit greater activity relative to a standard that has been subjected to the same storage and handling conditions. The standard may be the un-fused full-length GH. In one embodiment, the method includes the step of formulating the isolated GHXTEN with one or more pharmaceutically acceptable excipients that

enhance the ability of the XTEN to retain its unstructured conformation and for the GHXTEN to remain soluble in the formulation for a time that is greater than that of the corresponding un-fused GH. In one embodiment, the method comprises linking a GH to one or more XTEN to create a GHXTEN fusion protein results in a solution that retains greater than about 100% of the functional activity, or greater than about 105%, 110%, 120%, 130%, 150% or 200% of the functional activity of a standard when compared at a given time point and when subjected to the same storage and handling conditions as the standard, thereby increasing its shelf-life.

[00236] Shelf-life may also be assessed in terms of functional activity remaining after storage, normalized to functional activity when storage began. GHXTEN fusion proteins of the invention with prolonged or extended shelf-life as exhibited by prolonged or extended functional activity retains about 50% more functional activity, or about 60%, 70%, 80%, or 90% more of the functional activity of the equivalent GH not linked to XTEN when subjected to the same conditions for the same period of time. For example, a GHXTEN fusion protein of the invention comprising human growth hormone fused to one or more XTEN sequences retains about 80% or more of its original activity in solution for periods of up to 2 weeks, or 4 weeks, or 6 weeks or longer under various temperature conditions. In some embodiments, the GHXTEN retains at least about 50%, or about 60%, or at least about 70%, or at least about 80%, and most preferably at least about 90% or more of its original activity in solution when heated at 80°C for 10 min. In other embodiments, the GHXTEN retains at least about 50%, preferably at least about 60%, or at least about 70%, or at least about 80%, or alternatively at least about 90% or more of its original activity in solution when heated or maintained at 37°C for about 7 days. In another embodiment, GHXTEN fusion protein retains at least about 80% or more of its functional activity after exposure to a temperature of about 30°C to about 70°C over a period of time of about one hour to about 18 hours. In the foregoing embodiments hereinabove described in this paragraph, the retained activity of the GHXTEN is at least about two-fold, or at least about three-fold, or at least about four-fold, or at least about five-fold, or at least about six-fold greater at a given time point than that of the corresponding GH not linked to the fusion protein.

VII). THE NUCLEIC ACIDS SEQUENCES OF THE INVENTION

[00237] The present invention provides isolated polynucleic acids encoding GHXTEN chimeric fusion proteins and sequences complementary to polynucleic acid molecules encoding GHXTEN chimeric fusion proteins, including homologous variants thereof. In another aspect, the invention encompasses methods to produce polynucleic acids encoding GHXTEN chimeric fusion proteins and sequences complementary to polynucleic acid molecules encoding GHXTEN chimeric fusion protein, including homologous variants thereof. In general, and as illustrated in FIGS. 4-6, the methods of producing a polynucleotide sequence coding for a GHXTEN fusion protein and expressing the resulting gene product include assembling nucleotides encoding GH and XTEN, ligating the components in frame, incorporating the encoding gene into an expression vector appropriate for a host cell, transforming the appropriate host cell with the expression vector, and culturing the host cell under conditions causing or permitting the fusion protein to be expressed

in the transformed host cell, thereby producing the biologically-active GHXTEN polypeptide, which is recovered as an isolated fusion protein by standard protein purification methods known in the art. Standard recombinant techniques in molecular biology is used to make the polynucleotides and expression vectors of the present invention .

[00238] In accordance with the invention, nucleic acid sequences that encode GHXTEN (or its complement) is used to generate recombinant DNA molecules that direct the expression of GHXTEN fusion proteins in appropriate host cells. Several cloning strategies are suitable for performing the present invention, many of which is used to generate a construct that comprises a gene coding for a fusion protein of the GHXTEN composition of the present invention, or its complement. In some embodiments, the cloning strategy is used to create a gene that encodes a monomeric GHXTEN that comprises at least a first GH and at least a first XTEN polypeptide, or their complement. In one embodiment of the foregoing, the gene comprises a sequence encoding a hGH or sequence variant. In other embodiments, the cloning strategy is used to create a gene that encodes a monomeric GHXTEN that comprises nucleotides encoding at least a first molecule of GH or its complement and a first and at least a second XTEN or their complement that is used to transform a host cell for expression of the fusion protein of the GHXTEN composition. In the foregoing embodiments hereinabove described in this paragraph, the genes can further comprise nucleotides encoding spacer sequences that also encodes cleavage sequence(s).

[00239] In designing a desired XTEN sequences, it was discovered that the non-repetitive nature of the XTEN of the inventive compositions is achieved despite use of a "building block" molecular approach in the creation of the XTEN-encoding sequences. This was achieved by the use of a library of polynucleotides encoding peptide sequence motifs, described above, that are then ligated and/or multimerized to create the genes encoding the XTEN sequences (see FIGS. 4 and 5 and Examples). Thus, while the XTEN(s) of the expressed fusion protein may consist of multiple units of as few as four different sequence motifs, because the motifs themselves consist of non-repetitive amino acid sequences, the overall XTEN sequence is rendered non-repetitive. Accordingly, in one embodiment, the XTEN-encoding polynucleotides comprise multiple polynucleotides that encode non-repetitive sequences, or motifs, operably linked in frame and in which the resulting expressed XTEN amino acid sequences are non-repetitive.

[00240] In one approach, a construct is first prepared containing the DNA sequence corresponding to GHXTEN fusion protein. DNA encoding the GH of the compositions is obtained from a cDNA library prepared using standard methods from tissue or isolated cells believed to possess GH mRNA and to express it at a detectable level. Libraries is screened with probes containing, for example, about 20 to 100 bases designed to identify the GH gene of interest by hybridization using conventional molecular biology techniques. The best candidates for probes are those that represent sequences that are highly homologous for human growth hormone, and should be of sufficient length and sufficiently unambiguous that false positives are minimized, but may be degenerate at one or more positions. If necessary, the coding sequence can be obtained using conventional primer extension procedures as described in Sambrook, *et al.*, *supra*, to detect precursors and processing intermediates of mRNA that may not have been reverse-transcribed into cDNA.

One can then use polymerase chain reaction (PCR) methodology to amplify the target DNA or RNA coding sequence to obtain sufficient material for the preparation of the GHXTEN constructs containing the GH gene(s). Assays can then be conducted to confirm that hybridizing full-length genes are the desired GH gene(s). By these conventional methods, DNA can be conveniently obtained from a cDNA library prepared from such sources. The GH encoding gene(s) is also be obtained from a genomic library or created by standard synthetic procedures known in the art (e.g., automated nucleic acid synthesis using, for example one of the methods described in Engels et al. (Agnew. Chem. Int. Ed. Engl., 28:716-734 1989)), using DNA sequences obtained from publicly available databases, patents, or literature references. Such procedures are well known in the art and well described in the scientific and patent literature. For example, sequences can be obtained from Chemical Abstracts Services (CAS) Registry Numbers (published by the American Chemical Society) and/or GenBank Accession Numbers (e.g., Locus ID, NP_XXXXX, and XP_XXXXX) Model Protein identifiers available through the National Center for Biotechnology Information (NCBI) webpage, available on the world wide web at ncbi.nlm.nih.gov that correspond to entries in the CAS Registry or GenBank database that contain an amino acid sequence of the protein of interest or of a fragment or variant of the protein. For such sequence identifiers provided herein, the summary pages associated with each of these CAS and GenBank and GenSeq Accession Numbers as well as the cited journal publications (e.g., PubMed ID number (PMID)) are each incorporated by reference in their entireties, particularly with respect to the amino acid sequences described therein. In one embodiment, the GH encoding gene encodes a protein from any one of Table 1, or a fragment or variant thereof.

[00241] A gene or polynucleotide encoding the GH portion of the subject GHXTEN protein, in the case of an expressed fusion protein that comprises a single GH is then be cloned into a construct, which is a plasmid or other vector under control of appropriate transcription and translation sequences for high level protein expression in a biological system. In a later step, a second gene or polynucleotide coding for the XTEN is genetically fused to the nucleotides encoding the N- and/or C-terminus of the GH gene by cloning it into the construct adjacent and in frame with the gene(s) coding for the GH. This second step occurs through a ligation or multimerization step. In the foregoing embodiments hereinabove described in this paragraph, it is to be understood that the gene constructs that are created can alternatively be the complement of the respective genes that encode the respective fusion proteins.

[00242] The gene encoding for the XTEN can be made in one or more steps, either fully synthetically or by synthesis combined with enzymatic processes, such as restriction enzyme-mediated cloning, PCR and overlap extension, including methods more fully described in the Examples. The methods disclosed herein can be used, for example, to ligate short sequences of polynucleotides encoding XTEN into longer XTEN genes of a desired length and sequence. In one embodiment, the method ligates two or more codon-optimized oligonucleotides encoding XTEN motif or segment sequences of about 9 to 14 amino acids, or about 12 to 20 amino acids, or about 18 to 36 amino acids, or about 48 to about 144 amino acids, or about 144 to about 288 or longer, or any combination of the foregoing ranges of motif or segment lengths.

[00243] Alternatively, the disclosed method is used to multimerize XTEN-encoding sequences into longer sequences of a desired length; e.g., a gene encoding 36 amino acids of XTEN can be dimerized into a gene encoding 72 amino acids, then 144, then 288, etc. Even with multimerization, XTEN polypeptides can be constructed such that the XTEN-encoding gene has low or virtually no repetitiveness through design of the codons selected for the motifs of the shortest unit used, which can reduce recombination and increase stability of the encoding gene in the transformed host. Genes encoding XTEN with non-repetitive sequences is assembled from oligonucleotides using standard techniques of gene synthesis. The gene design can be performed using algorithms that optimize codon usage and amino acid composition. In one method of the invention, a library of relatively short XTEN-encoding polynucleotide constructs is created and then assembled, as illustrated in FIGS. 4 and 5. This can be a pure codon library such that each library member has the same amino acid sequence but many different coding sequences are possible. Such libraries can be assembled from partially randomized oligonucleotides and used to generate large libraries of XTEN segments comprising the sequence motifs. The randomization scheme can be optimized to control amino acid choices for each position as well as codon usage. Exemplary methods to achieve the foregoing are disclosed in the Examples.

Polynucleotide libraries

[00244] In another aspect, the invention provides libraries of polynucleotides that encode XTEN sequences that is used to assemble genes that encode XTEN of a desired length and sequence.

[00245] In certain embodiments, the XTEN-encoding library constructs comprise polynucleotides that encode polypeptide segments of a fixed length. As an initial step, a library of oligonucleotides that encode motifs of 9-14 amino acid residues can be assembled. In a preferred embodiment, libraries of oligonucleotides that encode motifs of 12 amino acids are assembled.

[00246] The XTEN-encoding sequence segments can be dimerized or multimerized into longer encoding sequences. Dimerization or multimerization can be performed by ligation, overlap extension, PCR assembly or similar cloning techniques known in the art. This process of can be repeated multiple times until the resulting XTEN-encoding sequences have reached the organization of sequence and desired length, providing the XTEN-encoding genes. As will be appreciated, a library of polynucleotides that encodes, e.g., 12 amino acid motifs can be dimerized and/or ligated into a library of polynucleotides that encode 36 amino acids. Libraries encoding motifs of different lengths; e.g., 9-14 amino acid motifs leading to libraries encoding 27 to 42 amino acids are contemplated by the invention. In turn, the library of polynucleotides that encode 27 to 42 amino acids, and preferably 36 amino acids (as described in the Examples) can be serially dimerized into a library containing successively longer lengths of polynucleotides that encode XTEN sequences of a desired length for incorporation into the gene encoding the GHXTEN fusionprotein, as disclosed herein. In some embodiments, libraries are assembled of polynucleotides that encode amino acids that are limited to specific sequence XTEN families; e.g., AD, AE, AF, AG, AM, or AQ sequences of Table 2. In other embodiments, libraries comprise sequences that encode two or more of the motif family sequences from Table 2. The names and sequences of representative, non-limiting polynucleotide

sequences of libraries that encode 36mers are presented in Tables 8-11, and the methods used to create them are described more fully in the Examples. In other embodiments, libraries that encode XTEN are constructed from segments of polynucleotide codons linked in a randomized sequence that encode amino acids wherein at least about 80%, or at least about 90%, or at least about 91%, or at least about 92%, or at least about 93%, or at least about 94%, or at least about 95%, or at least about 97%, or at least about 98%, or at least about 99% of the codons are selected from the group consisting of codons for glycine (G), alanine (A), serine (S), threonine (T), glutamate (E) and proline (P) amino acids. The libraries can be used, in turn, for serial dimerization or ligation to achieve polynucleotide sequence libraries that encode XTEN sequences, for example, of 48, 72, 144, 288, 576, 864, 875, 912, 923, 1318 amino acids, or up to a total length of about 3000 amino acids, as well as intermediate lengths, in which the encoded XTEN can have one or more of the properties disclosed herein, when expressed as a component of a GHXTEN fusion protein. In some cases, the polynucleotide library sequences may also include additional bases used as "sequencing islands," described more fully below.

[00247] FIG. 5 is a schematic flowchart of representative, non-limiting steps in the assembly of a XTEN polynucleotide construct and a GHXTEN polynucleotide construct in the embodiments of the invention. Individual oligonucleotides **501** are annealed into sequence motifs **502** such as a 12 amino acid motif ("12-mer"), which is subsequently ligated with an oligo containing BbsI, and KpnI restriction sites **503**. Additional sequence motifs from a library are annealed to the 12-mer until the desired length of the XTEN gene **504** is achieved. The XTEN gene is cloned into a stuffer vector. The vector optionally encodes a Flag sequence **506** followed by a stuffer sequence that is flanked by BsaI, BbsI, and KpnI sites **507** and, in this case, a single GH gene (encoding hGH in this example) **508**, resulting in the gene encoding a GHXTEN comprising a single GH **500**. A non-exhaustive list of the XTEN names for polynucleotides encoding XTEN and precursor sequences is provided in Table 7.

Table 7: DNA sequences of XTEN and precursor sequences

XTEN Name	DNA Nucleotide Sequence
AE48	ATGGCTGAACCTGCTGGCTCTCCAACCTCCACTGAGGAAGGTACCCCGGGTAGCGGTA CTGCTTCTTCCTCTCCAGGTAGCTCTACCCCTTCTGGTGCAACCGGCTCTCCAGGTGCT TCTCCGGGCACCAGCTCTACCGGTCT
AM48	ATGGCTGAACCTGCTGGCTCTCCAACCTCCACTGAGGAAGGTGCATCCCGGGCACC GCTCTACCGGTTCTCCAGGTAGCTCTACCCCGTCTGGTGCTACCGGCTCTCCAGGTAGC TCTACCCCGTCTGGTGCTACTGGCTCT
AE144	GGTAGCGAACCGGCAACTTCCGGCTCTGAAACCCAGGTACTTCTGAAAGCGCTACTC CTGAGTCTGGCCCAGGTAGCGAACCTGCTACCTCTGGCTCTGAAACCCAGGTAGCCC GGCAGGCTCTCCGACTTCCACCGAGGAAGGTACCTCTACTGAACTTCTGAGGGTAGC GCTCCAGGTAGCGAACCGGCAACCTCTGGCTCTGAAACCCAGGTAGCGAACCTGCTA CCTCCGGCTCTGAACTCCAGGTAGCGAACCGGCTACTTCCGGTTCTGAACTCCAGG TACCTCTACCGAACCTTCCGAAGGCAGCGCACCAGGTACTTCTGAAAGCGCAACCCCT GAATCCGGTCCAGGTAGCGAACCGGCTACTTCTGGCTCTGAGACTCCAGGTACTTCTA CCGAACCGTCCGAAGGTAGCGCACCA
AF144	GGTACTTCTACTCCGGAAGCGGTTCCGCATCTCCAGGTACTTCTCCTAGCGGTGAATC TTCTACTGCTCCAGGTACCTCTCCTAGCGGCGAATCTTCTACTGCTCCAGGTTCTACCA GCTCTACCGCTGAATCTCCTGGCCAGGTTCTACCAGCGAATCCCGTCTGGCACCGC ACCAGGTTCTACTAGCTCTACCGCAGAATCTCCGGGTCCAGGTACTTCCCCTAGCGGT GAATCTTCTACTGCTCCAGGTACCTCTACTCCGGAAGCGGCTCCGCATCTCCAGGTTCT

XTEN Name	DNA Nucleotide Sequence
	TACTAGCTCTACTGCTGAATCTCCTGGTCCAGGTACCTCCCCTAGCGGCGAATCTTCTA CTGCTCCAGGTACCTCTCCTAGCGGCGAATCTTCTACCGCTCCAGGTACCTCCCCTAGC GGTGAATCTTCTACCGCACCA
AE288	GGTACCTCTGAAAGCGCAACTCCTGAGTCTGGCCCAGGTAGCGAACCTGCTACCTCCG GCTCTGAGACTCCAGGTACCTCTGAAAGCGCAACCCCGGAATCTGGTCCAGGTAGCGA ACCTGCAACCTCTGGCTCTGAAACCCCAGGTACCTCTGAAAGCGCTACTCCTGAATCT GGCCCAGGTACTTCTACTGAACCGTCCGAGGGCAGCGCACCAGGTAGCCCTGCTGGCT CTCCAACCTCCACCGAAGAAGGTACCTCTGAAAGCGCAACCCCTGAATCCGGCCCAGG TAGCGAACCGGCAACCTCCGGTTCTGAAACCCCAGGTACTTCTGAAAGCGCTACTCCT GAGTCCGGCCCAGGTAGCCCGGCTGGCTCTCCGACTTCCACCGAGGAAGGTAGCCCGG CTGGCTCTCCAACCTTCTACTGAAGAAGGTACTTCTACCGAACCTTCCGAGGGCAGCGC ACCAGGTACTTCTGAAAGCGCTACCCCTGAGTCCGGCCCAGGTACTTCTGAAAGCGCT ACTCCTGAATCCGGTCCAGGTACTTCTGAAAGCGCTACCCCGGAATCTGGCCCAGGTA GCGAACCGGCTACTTCTGGTTCTGAAACCCCAGGTAGCGAACCGGCTACCTCCGGTTC TGAAACTCCAGGTAGCCCAGCAGGCTCTCCGACTTCCACTGAGGAAGGTACTTCTACT GAACCTTCCGAAGGCAGCGCACCAGGTACCTCTACTGAACCTTCTGAGGGCAGCGCTC CAGGTAGCGAACCTGCAACCTCTGGCTCTGAAACCCCAGGTACCTCTGAAAGCGCTAC TCCTGAATCTGGCCCAGGTACTTCTACTGAACCGTCCGAGGGCAGCGCACCA
AE576	GGTAGCCCGGCTGGCTCTCCTACCTCTACTGAGGAAGGTACTTCTGAAAGCGCTACTC CTGAGTCTGGTCCAGGTACCTCTACTGAACCGTCCGAAGGTAGCGCTCCAGGTAGCCC AGCAGGCTCTCCGACTTCCACTGAGGAAGGTACTTCTACTGAACCTTCCGAAGGCAGC GCACCAGGTACCTCTACTGAACCTTCTGAGGGCAGCGCTCCAGGTACTTCTGAAAGCG CTACCCCGGAATCTGGCCCAGGTAGCGAACCGGCTACTTCTGGTTCTGAAACCCCAGG TAGCGAACCGGCTACCTCCGGTTCTGAAACTCCAGGTAGCCCGGCAGGCTCTCCGACC TCTACTGAGGAAGGTACTTCTGAAAGCGCAACCCCGGAGTCCGGCCCAGGTACCTCTA CCGAACCGTCTGAGGGCAGCGCACCAGGTACTTCTACCGAACCGTCCGAGGGTAGCG CACCAGGTAGCCCAGCAGGTTCTCCTACCTCCACCGAGGAAGGTACTTCTACCGAACCC GTCCGAGGGTAGCGCACCAGGTACCTCTACTGAACCTTCTGAGGGCAGCGCTCCAGGT ACTTCTGAAAGCGCTACCCCGGAGTCCGGTCCAGGTACTTCTACTGAACCGTCCGAAG GTAGCGCACCAGGTACTTCTGAAAGCGCAACCCCTGAATCCGGTCCAGGTAGCGAACCC GGTACTTCTGGCTCTGAGACTCCAGGTACTTCTACCGAACCGTCCGAAGGTAGCGCA CCAGGTACTTCTACTGAACCGTCTGAAGGTAGCGCACCAGGTACTTCTGAAAGCGCAA CCCCGGAATCCGGCCCAGGTACCTCTGAAAGCGCAACCCCGGAGTCCGGCCCAGGTA GCCCTGCTGGCTCTCCAACCTCCACCGAAGAAGGTACCTCTGAAAGCGCAACCCCTGA ATCCGGCCCAGGTAGCGAACCGGCAACCTCCGGTTCTGAAACCCCAGGTACCTCTGAA AGCGTACTCCGGAGTCTGGCCCAGGTACCTCTACTGAACCGTCTGAGGGTAGCGCTC CAGGTACTTCTACTGAACCGTCCGAAGGTAGCGCACCAGGTACTTCTACCGAACCGTC CGAAGGCAGCGCTCCAGGTACCTCTACTGAACCTTCCGAGGGCAGCGCTCCAGGTACC TCTACCGAACCTTCTGAAGGTAGCGCACCAGGTACTTCTACCGAACCGTCCGAGGGTA GCGCACCAGGTAGCCCAGCAGGTTCTCCTACCTCCACCGAGGAAGGTACTTCTACCGA ACCGTCCGAGGGTAGCGCACCAGGTACCTCTGAAAGCGCAACTCCTGAGTCTGGCCCCA GGTAGCGAACCTGCTACCTCCGGCTCTGAGACTCCAGGTACCTCTGAAAGCGCAACCC CGAATCTGGTCCAGGTAGCGAACCTGCAACCTCTGGCTCTGAAACCCCAGGTACCTC TGAAAGCGCTACTCCTGAATCTGGCCCAGGTACTTCTACTGAACCGTCCGAGGGCAGC GCACCAGGTACTTCTGAAAGCGCTACTCCTGAGTCCGGCCCAGGTAGCCCGGCTGGCT CTCCGACTTCCACCGAGGAAGGTAGCCCGGCTGGCTCTCCAACCTTCTACTGAAGAAGG TAGCCCGGCAGGCTCTCCGACCTCTACTGAGGAAGGTACTTCTGAAAGCGCAACCCCG GAGTCCGGCCCAGGTACCTCTACCGAACCGTCTGAGGGCAGCGCACCA
AF576	GGTCTACTAGCTCTACCGCTGAATCTCCTGGCCCAGGTTCCACTAGCTCTACCGCAGA ATCTCCGGGCCCAGGTTCTACTAGCGAATCCCCCTTCTGGTACCGCTCCAGGTTCTACTA GCTCTACCGCTGAATCTCCGGGTCCAGGTTCTACCAGCTCTACTGCAGAATCTCCTGGC CCAGGTACTTCTACTCCGGAAGCGGTTCCGCTTCTCCAGGTTCTACCAGCGAATCTCC TTCTGGCACCGCTCCAGGTACCTCTCCTAGCGGCGAATCTTCTACCGCTCCAGGTTCTA CTAGCGAATCTCCTTCTGGCACTGCACCAGGTTCTACCAGCGAATCTCCTTCTGGCACC GCTCCAGGTACCTCTCCTAGCGGCGAATCTTCTACCGCTCCAGGTTCTACTAGCGAATC TCCTTCTGGCACTGCACCAGGTTCTACCAGCGAATCTCCTTCTGGCACCGCTCCAGGTA CCTCTCCTAGCGGCGAATCTTCTACCGCTCCAGGTTCTACTAGCGAATCTCCTTCTGGC ACTGCACCAGGTTCTACTAGCGAATCTCCTTCTGGCACTGCACCAGGTTCTACCAGCG

XTEN Name	DNA Nucleotide Sequence
	AATCTCCGTCTGGCACTGCACCAGGTACCTCTACCCCTGAAAGCGGTTCCGCTTCTCCA GGTTCTACTAGCGAATCTCCTTCTGGTACCGCTCCAGGTACTTCTACCCCTGAAAGCGG CTCCGCTTCTCCAGGTTCCACTAGCTCTACCGCTGAATCTCCGGGTCCAGGTTCTACTA GCTCTACTGCAGAATCTCCTGGCCAGGTACCTCTACTCCGGAAGCGGCTCTGCATC TCCAGGTACTTCTACCCCTGAAAGCGGTTCTGCATCTCCAGGTTCTACTAGCGAATCCC CGTCTGGTACCGCACCAGGTACTTCTACCCCGGAAAGCGGCTCTGCTTCTCCAGGTAC TTCTACCCCGGAAAGCGGCTCCGCATCTCCAGGTTCTACTAGCGAATCTCCTTCTGGTA CCGCTCCAGGTTCTACCAGCGAATCCCCGTCTGGTACTGCTCCAGGTTCTACCAGCGA ATCTCCTTCTGGTACTGCACCAGGTTCTACTAGCTCTACTGCAGAATCTCCTGGCCAG GTACCTCTACTCCGGAAGCGGCTCTGCATCTCCAGGTACTTCTACCCCTGAAAGCGG TTCTGCATCTCCAGGTTCTACTAGCGAATCTCCTTCTGGCACTGCACCAGGTTCTACCA GCGAATCTCCGTCTGGCACTGCACCAGGTACCTCTACCCCTGAAAGCGGTTCCGCTTCT CCAGGTTCTACTAGCGAATCTCCTTCTGGCACTGCACCAGGTTCTACCAGCGAATCTCC GTCTGGCACTGCACCAGGTACCTCTACCCCTGAAAGCGGTTCCGCTTCTCCAGGTACTT CTCCGAGCGGTGAATCTTCTACCGCACCAGGTTCTACTAGCTCTACCGCTGAATCTCCG GGCCAGGTACTTCTCCGAGCGGTGAATCTTCTACTGCTCCAGGTTCCACTAGCTCTAC TGCTGAATCTCCTGGCCAGGTACTTCTACTCCGGAAGCGGTTCCGCTTCTCCAGGTT CTACTAGCGAATCTCCGTCTGGCACCAGGTACTTCTACTAGCTCTACTGCAGAATCT CCTGGCCAGGTACCTCTACTCCGGAAGCGGCTCTGCATCTCCAGGTACTTCTACCC TGAAAGCGGTTCTGCATCTCCA
AE624	ATGGCTGAACCTGCTGGCTCTCCAACCTCCACTGAGGAAGGTACCCCGGGTAGCGGTA CTGCTTCTTCTCTCCAGGTAGCTCTACCCCTTCTGGTGCAACCGGCTCTCCAGGTGCT TCTCCGGGCACCAGCTCTACCGGTTCTCCAGGTAGCCCGGCTGGCTCTCCTACCTCTAC TGAGGAAGGTACTTCTGAAAGCGCTACTCCTGAGTCTGGTCCAGGTACCTCTACTGAA CCGTCCGAAGGTAGCGCTCCAGGTAGCCAGCAGGCTCTCCGACTTCCACTGAGGAAG GTACTTCTACTGAACCTTCCGAAGGCAGCGCACCAGGTACCTCTACTGAACCTTCTGA GGGCAGCGCTCCAGGTACTTCTGAAAGCGCTACCCCGGAATCTGGCCAGGTAGCGA ACCGGCTACTTCTGGTTCTGAAACCCAGGTAGCGAACCGGCTACCTCCGGTTCTGAA ACTCCAGGTAGCCCGGCAGGCTCTCCGACCTCTACTGAGGAAGGTACTTCTGAAAGCG CAACCCCGGAGTCCGGCCAGGTACCTCTACCGAACCGTCTGAGGGCAGCGCACCAG GTACTTCTACCGAACCGTCCGAGGGTAGCGCACCAGGTAGCCAGCAGGTTCTCCTAC CTCCACCGAGGAAGGTACTTCTACCGAACCGTCCGAGGGTAGCGCACCAGGTACCTCT ACTGAACCTTCTGAGGGCAGCGCTCCAGGTACTTCTGAAAGCGCTACCCCGGAGTCCG GTCCAGGTACTTCTACTGAACCGTCCGAAGGTAGCGCACCAGGTACTTCTGAAAGCGC AACCCCTGAATCCGGTCCAGGTAGCGAACCGGCTACTTCTGGCTCTGAGACTCCAGGT ACTTCTACCGAACCGTCCGAAGGTAGCGCACCAGGTACTTCTACTGAACCGTCTGAAG GTAGCGCACCAGGTACTTCTGAAAGCGCAACCCCGGAATCCGGCCAGGTACCTCTGA AAGCGCAACCCCGAGTCCGGCCAGGTAGCCCTGCTGGCTCTCCAACCTCCACCGAA GAAGGTACCTCTGAAAGCGCAACCCCTGAATCCGGCCAGGTAGCGAACCGGCAACC TCCGGTTCTGAAACCCAGGTACCTCTGAAAGCGCTACTCCGGAGTCTGGCCAGGT CCTCTACTGAACCGTCTGAGGGTAGCGCTCCAGGTACTTCTACTGAACCGTCCGAAGG TAGCGCACCAGGTACTTCTACCGAACCGTCCGAAGGCAGCGCTCCAGGTACCTCTACT GAACCTTCCGAGGGCAGCGCTCCAGGTACCTCTACCGAACCTTCTGAAGGTAGCGCAC CAGGTACTTCTACCGAACCGTCCGAGGGTAGCGCACCAGGTAGCCAGCAGGTTCTCC TACCTCCACCGAGGAAGGTACTTCTACCGAACCGTCCGAGGGTAGCGCACCAGGTACC TCTGAAAGCGCAACTCCTGAGTCTGGCCAGGTAGCGAACCTGCTACCTCCGGCTCTG AGACTCCAGGTACCTCTGAAAGCGCAACCCCGGAATCTGGTCCAGGTAGCGAACCTGC AACCTCTGGCTCTGAAACCCAGGTACCTCTGAAAGCGCTACTCCTGAATCTGGCCCA GGTACTTCTACTGAACCGTCCGAGGGCAGCGCACCAGGTACTTCTGAAAGCGCTACTC CTGAGTCCGGCCAGGTAGCCCGGCTGGCTCTCCGACTTCCACCGAGGAAGGTAGCCC GGCTGGCTCTCCAACCTTCTACTGAAGAAGGTAGCCCGGCAGGCTCTCCGACCTCTACT GAGGAAGGTACTTCTGAAAGCGCAACCCCGGAGTCCGGCCAGGTACCTCTACCGAA CCGTCTGAGGGCAGCGCACCA
AM875	GGTACTTCTACTGAACCGTCTGAAGGCAGCGCACCAGGTAGCGAACCGGCTACTTCCG GTTCTGAAACCCAGGTAGCCAGCAGGTTCTCCAACCTTCTACTGAAGAAGGTTCTAC CAGCTCTACCGCAGAATCTCCTGGTCCAGGTACCTCTACTCCGGAAGCGGCTCTGCA TCTCCAGGTTCTACTAGCGAATCTCCTTCTGGCACTGCACCAGGTTCTACTAGCGAATC CCCGTCTGGTACTGCTCCAGGTACTTCTACTCCTGAAAGCGGTTCCGCTTCTCCAGGTA CCTCTACTCCGGAAGCGGTTCTGCATCTCCAGGTAGCGAACCGGCAACCTCCGGCTC

XTEN Name	DNA Nucleotide Sequence
	TGAAACCCAGGTACCTCTGAAAGCGCTACTCCTGAATCCGGCCCAGGTAGCCCGGCA GGTCTCTCCGACTTCCACTGAGGAAGGTACCTCTACTGAACCTTCTGAGGGCAGCGCTC CAGGTACTTCTGAAAGCGCTACCCCGGAGTCCGGTCCAGGTACTTCTACTGAACCGTC CGAAGGTAGCGCACCAGGTACTTCTACCGAACCGTCCGAGGGTAGCGCACCAGGTAG CCCAGCAGGTTCTCCTACCTCCACCGAGGAAGGTACTTCTACCGAACCGTCCGAGGGT AGCGCACCAGGTACTTCTACCGAACCTTCCGAGGGCAGCGCACCAGGTACTTCTGAAA GCGTACCCCTGAGTCCGGCCCAGGTACTTCTGAAAGCGCTACTCCTGAATCCGGTCC AGGTACCTCTACTGAACCTTCCGAAGGCAGCGCTCCAGGTACCTCTACCGAACCGTCC GAGGGCAGCGCACCAGGTACTTCTGAAAGCGCAACCCCTGAATCCGGTCCAGGTACTT CTACTGAACCTTCCGAAGGTAGCGCTCCAGGTAGCGAACCTGCTACTTCTGGTTCTGA AACCCAGGTAGCCCGGCTGGCTCTCCGACCTCCACCGAGGAAGGTAGCTCTACCCCG TCTGGTGCTACTGGTTCTCCAGGTACTCCGGGCAGCGGTACTGCTTCTTCCCTCTCCAGG TAGCTCTACCCCTTCTGGTGCTACTGGCTCTCCAGGTACCTCTACCGAACCGTCCGAGG GTAGCGCACCAGGTACCTCTACTGAACCGTCTGAGGGTAGCGCTCCAGGTAGCGAACCC GGCAACCTCCGGTTCTGAAACTCCAGGTAGCCCTGCTGGCTCTCCGACTTCTACTGAG GAAGGTAGCCCGGCTGGTTCTCCGACTTCTACTGAGGAAGGTACTTCTACCGAACCTT CCGAAGGTAGCGCTCCAGGTGCAAGCGCAAGCGGCGCGCCAAGCACGGGAGGTACTT CTGAAAGCGCTACTCCTGAGTCCGGCCCAGGTAGCCCGGCTGGCTCTCCGACTTCCAC CGAGGAAGGTAGCCCGGCTGGCTCTCCAACCTTCTACTGAAGAAGGTTCTACCAGCTCT ACCGCTGAATCTCCTGGCCCAGGTCTACTAGCGAATCTCCGTCTGGCACCAGCACCAG GTACTTCCCTAGCGGTGAATCTTCTACTGCACCAGGTACCCCTGGCAGCGGTACCGC TTCTTCCCTCTCCAGGTAGCTCTACCCCGTCTGGTGCTACTGGCTCTCCAGGTTCTAGCC CGTCTGCATCTACCGGTACCGGCCAGGTAGCGAACCCGGCAACCTCCGGCTCTGAAAC TCCAGGTACTTCTGAAAGCGCTACTCCGGAATCCGGCCCAGGTAGCGAACCCGGCTACT TCCGGCTCTGAAACCCAGGTTCCACCAGCTCTACTGCAGAATCTCCGGGCCAGGTT CTACTAGCTCTACTGCAGAATCTCCGGGTCCAGGTACTTCTCCTAGCGGCGAATCTTCT ACCGCTCCAGGTAGCGAACCCGGCAACCTCTGGCTCTGAAACTCCAGGTAGCGAACCTG CAACCTCCGGCTCTGAAACCCAGGTACTTCTACTGAACCTTCTGAGGGCAGCGCACC AGGTTCTACCAGCTCTACCGCAGAATCTCCTGGTCCAGGTACCTCTACTCCGGAAGC GGCTCTGCATCTCCAGGTTCTACTAGCGAATCTCCTTCTGGCACTGCACCAGGTACTTC TACCGAACCGTCCGAAGGCAGCGCTCCAGGTACCTCTACTGAACCTTCCGAGGGCAGC GCTCCAGGTACCTCTACCGAACCTTCTGAAGGTAGCGCACCAGGTAGCTCTACTCCGT CTGGTGCAACCGGCTCCCAAGGTTCTAGCCCGTCTGCTTCCACTGGTACTGGCCAGGT GCTTCCCGGGCACCAGCTCTACTGGTTCTCCAGGTAGCGAACCTGCTACCTCCGGTTC TGAAACCCAGGTACCTCTGAAAGCGCAACTCCGGAGTCTGGTCCAGGTAGCCCTGCA GGTCTCTCTACCTCCACTGAGGAAGGTAGCTCTACTCCGTCTGGTGCAACCGGCTCCCC AGGTTCTAGCCCGTCTGCTTCCACTGGTACTGGCCCAGGTGCTTCCCCGGGCACCAGCT CTACTGGTTCTCCAGGTACCTCTGAAAGCGCTACTCCGGAGTCTGGCCCAGGTACCTCT ACTGAACCGTCTGAGGGTAGCGCTCCAGGTACTTCTACTGAACCGTCCGAAGGTAGCG CACCA
AE864	GGTAGCCCGGCTGGCTCTCCTACCTCTACTGAGGAAGGTACTTCTGAAAGCGCTACTC CTGAGTCTGGTCCAGGTACCTCTACTGAACCGTCCGAAGGTAGCGCTCCAGGTAGCCC AGCAGGCTCTCCGACTTCCACTGAGGAAGGTACTTCTACTGAACCTTCCGAAGGCAGC GCACCAGGTACCTCTACTGAACCTTCTGAGGGCAGCGCTCCAGGTACTTCTGAAAGCG CTACCCCGGAATCTGGCCCAGGTAGCGAACCGGCTACTTCTGGTTCTGAAACCCAGG TAGCGAACCGGCTACCTCCGGTCTGAAACTCCAGGTAGCCCGGCAGGCTCTCCGACC TCTACTGAGGAAGGTACTTCTGAAAGCGCAACCCCGGAGTCCGGGCCAGGTACCTCTA CCGAACCGTCTGAGGGCAGCGCACCAGGTACTTCTACCGAACCGTCCGAGGGTAGCG CACCAGGTAGCCAGCAGGTTCTCCTACCTCCACCGAGGAAGGTACTTCTACCGAACCC GTCCGAGGGTAGCGCACCAGGTACCTCTACTGAACCTTCTGAGGGCAGCGCTCCAGGT ACTTCTGAAAGCGCTACCCCGGAGTCCGGTCCAGGTACTTCTACTGAACCGTCCGAAG GTAGCGCACCAGGTACTTCTGAAAGCGCAACCCCTGAATCCGGTCCAGGTAGCGAACCC GGCTACTTCTGGCTCTGAGACTCCAGGTACTTCTACCGAACCGTCCGAAGGTAGCGCA CCAGGTACTTCTACTGAACCGTCTGAAGGTAGCGCACCAGGTACTTCTGAAAGCGCAA CCCCAGGAATCCGGGCCAGGTACCTCTGAAAGCGCAACCCCGGAGTCCGGGCCAGGTA GCCCTGCTGGCTCTCCAACCTCCACCGAAGAAGGTACCTCTGAAAGCGCAACCCCTGA ATCCGGGCCAGGTAGCGAACCGGCAACCTCCGGTCTGAAACCCAGGTACCTCTGAA AGCGCTACTCCGGAGTCTGGCCCAGGTACCTCTACTGAACCGTCTGAGGGTAGCGCTC CAGGTACTTCTACTGAACCGTCCGAAGGTAGCGCACCAGGTACTTCTACCGAACCGTC

XTEN Name	DNA Nucleotide Sequence
	CGAAGGCAGCGCTCCAGGTACCTCTACTGAACCTTCCGAGGGCAGCGCTCCAGGTACC TCTACCGAACCTTCTGAAGGTAGCGCACCAGGTACTTCTACCGAACCGTCCGAGGGTA GCGCACCAGGTAGCCCAGCAGGTTCTCCTACCTCCACCGAGGAAGGTACTTCTACCGA ACCGTCCGAGGGTAGCGCACCAGGTACCTCTGAAAGCGCAACTCCTGAGTCTGGCCCA GGTAGCGAACCTGCTACCTCCGGCTCTGAGACTCCAGGTACCTCTGAAAGCGCAACCC CGGAATCTGGTCCAGGTAGCGAACCTGCAACCTCTGGCTCTGAAACCCAGGTACCTC TGAAAGCGCTACTCCTGAATCTGGCCCAGGTACTTCTACTGAACCGTCCGAGGGCAGC GCACAGGTACTTCTGAAAGCGCTACTCCTGAGTCCGGCCAGGTAGCCCGGCTGGCT CTCCGACTTCCACCGAGGAAGGTAGCCCGGCTGGCTCTCCAACCTTCTACTGAAGAAGG TAGCCCGGCAGGCTCTCCGACCTCTACTGAGGAAGGTACTTCTGAAAGCGCAACCCCG GAGTCCGGCCAGGTACCTCTACCGAACCGTCTGAGGGCAGCGCACCAGGTACCTCTG AAAGCGCAACTCCTGAGTCTGGCCCAGGTAGCGAACCTGCTACCTCCGGCTCTGAGAC TCCAGGTACCTCTGAAAGCGCAACCCCGGAATCTGGTCCAGGTAGCGAACCTGCAACC TCTGGCTCTGAAACCCAGGTACCTCTGAAAGCGCTACTCCTGAATCTGGCCCAGGTA CTTCTACTGAACCGTCCGAGGGCAGCGCACCAGGTAGCCCTGCTGGCTCTCCAACCTC CACCGAAGAAGGTACCTCTGAAAGCGCAACCCCTGAATCCGGCCAGGTAGCGAACC GGCAACCTCCGGTTCTGAAACCCAGGTACTTCTGAAAGCGCTACTCCTGAGTCCGGC CCAGGTAGCCCGGCTGGCTCTCCGACTTCCACCGAGGAAGGTAGCCCGGCTGGCTCTC CACTTCTACTGAAGAAGGTACTTCTACCGAACCTTCCGAGGGCAGCGCACCAGGTAC TTCTGAAAGCGCTACCCCTGAGTCCGGCCAGGTACTTCTGAAAGCGCTACTCCTGAA TCCGGTCCAGGTACTTCTGAAAGCGCTACCCCGGAATCTGGCCAGGTAGCGAACCGG CTACTTCTGGTTCTGAAACCCAGGTAGCGAACCGGCTACCTCCGGTTCTGAAACTCC AGGTAGCCAGCAGGCTCTCCGACTTCCACTGAGGAAGGTACTTCTACTGAACCTTCC GAAGGCAGCGCACCAGGTACCTCTACTGAACCTTCTGAGGGCAGCGCTCCAGGTAGC GAACCTGCAACCTCTGGCTCTGAAACCCAGGTACCTCTGAAAGCGCTACTCCTGAAT CTGGCCAGGTACTTCTACTGAACCGTCCGAGGGCAGCGCACCA
AF864	GGTTCTACCAGCGAATCTCCTTCTGGCACCAGCTCCAGGTACCTCTCCTAGCGGCGAATC TTCTACCGCTCCAGGTTCTACTAGCGAATCTCCTTCTGGCACTGCACCAGGTTCTACTA GCGAATCCCCGTCTGGTACTGCTCCAGGTACTTCTACTCCTGAAAGCGGTTCCGCTTCT CCAGGTACCTCTACTCCGAAAGCGGTTCTGCATCTCCAGGTTCTACCAGCGAATCTC CTTCTGGCACCAGCTCCAGGTTCTACTAGCGAATCCCCGTCTGGTACCGCACCAGGTACT TCTCCTAGCGGCGAATCTTCTACCGCACCAGGTTCTACTAGCGAATCTCCGTCTGGCAC TGCTCCAGGTACTTCTCCTAGCGGTGAATCTTCTACCGCTCCAGGTACTTCCCCTAGCG GCGAATCTTCTACCGCTCCAGGTTCTACTAGCTCTACTGCAGAATCTCCGGGCCAGGT ACCTCTCCTAGCGGTGAATCTTCTACCGCTCCAGGTACTTCTCCGAGCGGTGAATCTTC TACCGTCCAGGTTCTACTAGCTCTACTGCAGAATCTCCTGGCCAGGTACCTCTACTC CGAAGCGGCTCTGCATCTCCAGGTACTTCTACCCCTGAAAGCGGTTCTGCATCTCC AGGTTCTACTAGCGAATCTCCTTCTGGCACTGCACCAGGTTCTACCAGCGAATCTCCGT CTGGCACTGCACCAGGTACCTCTACCCCTGAAAGCGGTTCCGCTTCTCCAGGTTCTACC AGCTCTACCGCAGAATCTCCTGGTCCAGGTACCTCTACTCCGAAAGCGGCTCTGCAT CTCCAGGTTCTACTAGCGAATCTCCTTCTGGCACTGCACCAGGTACTTCTCCGAGCGGT GAATCTTCTACCGCACCAGGTTCTACTAGCTCTACCGCTGAATCTCCGGGCCAGGTA CTTCTCCGAGCGGTGAATCTTCTACTGCTCCAGGTACCTCTACTCCTGAAAGCGGTTCT GCATCTCCAGGTTCCACTAGCTCTACCGCAGAATCTCCGGGCCAGGTTCTACTAGCTC TACTGCTGAATCTCCTGGCCAGGTTCTACTAGCTCTACTGCTGAATCTCCGGGTCCAG GTTCTACCAGCTCTACTGCTGAATCTCCTGGTCCAGGTACCTCCCCGAGCGGTGAATCT TCTACTGCACCAGGTTCTACTAGCGAATCTCCTTCTGGCACTGCACCAGGTTCTACCAG CGAATCTCCGTCTGGCACTGCACCAGGTACCTCTACCCCTGAAAGCGGTCCXXXXXX XXXXXTGCAAGCGCAAGCGGCGCGCAAGCACGGGAXXXXXXXXXXTAGCGAATCTCCT TCTGGTACCGCTCCAGGTTCTACCAGCGAATCCCCGTCTGGTACTGCTCCAGGTTCTAC CAGCGAATCTCCTTCTGGTACTGCACCAGGTTCTACTAGCGAATCTCCTTCTGGTACCG CTCCAGGTTCTACCAGCGAATCCCCGTCTGGTACTGCTCCAGGTTCTACCAGCGAATCT CCTTCTGGTACTGCACCAGGTACTTCTACTCCGAAAGCGGTTCCGCATCTCCAGGTAC TTCTCCTAGCGGTGAATCTTCTACTGCTCCAGGTACCTCTCCTAGCGGCGAATCTTCTA CTGCTCCAGGTTCTACCAGCTCTACTGCTGAATCTCCGGGTCCAGGTACTTCCCCGAGC GGTGAATCTTCTACTGCACCAGGTACTTCTACTCCGAAAGCGGTTCCGCTTCTCCAGG TTCTACCAGCGAATCTCCTTCTGGCACCAGCTCCAGGTTCTACTAGCGAATCCCCGTCTG GTACCGCACCAGGTACTTCTCCTAGCGGCGAATCTTCTACCGCACCAGGTTCTACTAG CGAATCCCCGTCTGGTACCGCACCAGGTACTTCTACCCCGAAAGCGGCTCTGCTTCT

XTEN Name	DNA Nucleotide Sequence
	CCAGGTA CT TCTACCCCGGAAAGCGGCTCCGCATCTCCAGGTTCTACTAGCGAATCTC CTTCTGGTACCGCTCCAGGTA CT TCTACCCCTGAAAGCGGCTCCGCTTCTCCAGGTTCC ACTAGCTCTACCGCTGAATCTCCGGGTCCAGGTTCTACCAGCGAATCTCCTTCTGGCAC CGCTCCAGGTTCTACTAGCGAATCCCCGTCTGGTACCGCACCAGGTA CT TCTCCTAGCG GCGAATCTTCTACCGCACCAGGTTCTACCAGCTCTACTGCTGAATCTCCGGGTCCAGGT ACTCCCCGAGCGGTGAATCTTCTACTGCACCAGGTA CT TCTACTCCGGAAAGCGGTT CCGCTTCTCCAGGTACCTCCCCTAGCGGCGAATCTTCTACTGCTCCAGGTACCTCTCCT AGCGGCGAATCTTCTACCGCTCCAGGTACCTCCCCTAGCGGTGAATCTTCTACCGCAC CAGGTTCTACTAGCTCTACTGCTGAATCTCCGGGTCCAGGTTCTACCAGCTCTACTGCT GAATCTCCTGGTCCAGGTACCTCCCCGAGCGGTGAATCTTCTACTGCACCAGGTTCTA GCCCTTCTGCTTCCACCGGTACCGGCCAGGTAGCTCTACTCCGTCTGGTGCAACTGGC TCTCCAGGTAGCTCTACTCCGTCTGGTGCAACCGGCTCCCCA XXXX was inserted in two areas where no sequence information is available.
AG864	GGTGCTTCCCCGGGCACCAGCTCTACTGGTTCTCCAGGTTCTAGCCCGTCTGCTTCTAC TGGTACTGGTCCAGGTTCTAGCCCTTCTGCTTCCACTGGTACTGGTCCAGGTACCCCGG GTAGCGGTACCGCTTCTTCTTCTCCAGGTAGCTCTACTCCGTCTGGTGCTACCGGCTCT CCAGGTTCTAACCCTTCTGCATCCACCGGTACCGGCCAGGTGCTTCTCCGGGCACCA GCTCTACTGGTTCTCCAGGTACCCCGGGCAGCGGTACCGCATCTTCTTCTCCAGGTAGC TCTACTCCTTCTGGTGCAACTGGTTCTCCAGGTACTCCTGGCAGCGGTACCGCTTCTTC TTCTCCAGGTGCTTCTCCTGGTACTAGCTCTACTGGTTCTCCAGGTGCTTCTCCGGGCA CTAGCTCTACTGGTTCTCCAGGTACCCCGGGTAGCGGTACTGCTTCTTCTCTCCAGGT AGCTCTACCCCTTCTGGTGCAACCGGCTCTCCAGGTGCTTCTCCGGGCACCAGCTCTAC CGGTTCTCCAGGTACCCCGGGTAGCGGTACCGCTTCTTCTTCTCCAGGTAGCTCTACTC CGTCTGGTGCTACCGGCTCTCCAGGTTCTAACCCTTCTGCATCCACCGGTACCGGCCCA GGTTCTAGCCCTTCTGCTTCCACCGGTACTGGCCCAGGTAGCTCTACCCCTTCTGGTG TACCGGCTCCCCAGGTAGCTCTACTCCTTCTGGTGCAACTGGCTCTCCAGGTGCATCTC CGGGCACTAGCTCTACTGGTTCTCCAGGTGCATCCCCTGGCACTAGCTCTACTGGTTCT CCAGGTGCTTCTCCTGGTACCAGCTCTACTGGTTCTCCAGGTACTCCTGGCAGCGGTAC CGCTTCTTCTTCTCCAGGTGCTTCTCCTGGTACTAGCTCTACTGGTTCTCCAGGTGCTTC TCCGGGCACTAGCTCTACTGGTTCTCCAGGTGCTTCCCCGGGCACTAGCTCTACCGGTT CTCCAGGTTCTAGCCCTTCTGCATCTACTGGTACTGGCCCAGGTACTCCGGGCAGCGGT ACTGCTTCTTCTCTCCAGGTGCATCTCCGGGCACTAGCTCTACTGGTTCTCCAGGTGC ATCCCTTGGCACTAGCTCTACTGGTTCTCCAGGTGCTTCTCCTGGTACCAGCTCTACTG GTTCTCCAGGTAGCTCTACTCCGTCTGGTGCAACCGGTTCCCCAGGTAGCTCTACTCCT TCTGGTGCTACTGGCTCCCCAGGTGCATCCCCTGGCACCAGCTCTACCGGTTCTCCAGG TACCCCGGGCAGCGGTACCGCATCTTCTCTCCAGGTAGCTCTACCCCGTCTGGTGCTA CCGTTCCCCAGGTAGCTCTACCCCGTCTGGTGCAACCGGCTCCCCAGGTAGCTCTACT CCGCTGGTGCAACCGGCTCCCCAGGTTCTAGCCCGTCTGCTTCCACTGGTACTGGCCC AGGTGCTTCCCCGGGCACCAGCTCTACTGGTTCTCCAGGTGCATCCCCGGGTACCAGC TCTACCGGTTCTCCAGGTACTCCTGGCAGCGGTACTGCATCTTCTCTCCAGGTGCTTC TCCGGGCACCAGCTCTACTGGTTCTCCAGGTGCATCTCCGGGCACTAGCTCTACTGGTT CTCCAGGTGCATCCCCTGGCACTAGCTCTACTGGTTCTCCAGGTGCTTCTCCTGGTACC AGCTCTACTGGTTCTCCAGGTACCCCTGGTAGCGGTACTGCTTCTTCTCTCCAGGTAG CTCTACTCCGTCTGGTGCTACCGGTTCTCCAGGTACCCCGGGTAGCGGTACCGCATCTT CTTCTCCAGGTAGCTCTACCCCGTCTGGTGCTACTGGTTCTCCAGGTACTCCGGGCAGC GGTACTGCTTCTTCTCTCCAGGTAGCTCTACCCCTTCTGGTGCTACTGGCTCTCCAGG TAGCTCTACCCCGTCTGGTGCTACTGGCTCCCCAGGTTCTAGCCCTTCTGCATCCACCG GTACCGGTCCAGGTTCTAGCCCGTCTGCATCTACTGGTACTGGTCCAGGTGCATCCCCG GGCACTAGCTCTACCGGTTCTCCAGGTACTCCTGGTAGCGGTACTGCTTCTTCTTCTCC AGGTAGCTCTACTCCTTCTGGTGCTACTGGTTCTCCAGGTTCTAGCCCTTCTGCATCCA CCGGTACCGGCCAGGTTCTAGCCCGTCTGCTTCTACCGGTACTGGTCCAGGTGCTTCT CCGGGTACTAGCTCTACTGGTTCTCCAGGTGCATCTCCTGGTACTAGCTCTACTGGTTC TCCAGGTAGCTCTACTCCGTCTGGTGCAACCGGCTCTCCAGGTTCTAGCCCTTCTGCAT CTACCGGTACTGGTCCAGGTGCATCCCCTGGTACCAGCTCTACCGGTTCTCCAGGTTCT AGCCCTTCTGCTTCTACCGGTACCGGTCCAGGTACCCCTGGCAGCGGTACCGCATCTTC CTCTCCAGGTAGCTCTACTCCGTCTGGTGCAACCGGTTCCCCAGGTAGCTCTACTCCTT CTGGTGCTACTGGCTCCCCAGGTGCATCCCCTGGCACCAGCTCTACCGGTTCTCCA

XTEN Name	DNA Nucleotide Sequence
AM923	ATGGCTGAACCTGCTGGCTCTCCAACCTCCACTGAGGAAGGTGCATCCCCGGGCACCA GCTCTACCGGTTCTCCAGGTAGCTCTACCCCGTCTGGTGCTACCGGCTCTCCAGGTAGC TCTACCCCGTCTGGTGCTACTGGCTCTCCAGGTACTTCTACTGAACCGTCTGAAGGCAG CGCACCAGGTAGCGAACCGGCTACTTCCGGTTCTGAAACCCAGGTAGCCCAGCAGGT TCTCCAACCTTCTACTGAAGAAGGTTCTACCAGCTCTACCGCAGAATCTCCTGGTCCAG GTACCTCTACTCCGGAAGCGGCTCTGCATCTCCAGGTTCTACTAGCGAATCTCCTTCT GGCACTGCACCAGGTTCTACTAGCGAATCCCCGTCTGGTACTGCTCCAGGTACTTCTAC TCCTGAAAGCGGTTCCGCTTCTCCAGGTACCTCTACTCCGGAAGCGGTTCTGCATCTC CAGGTAGCGAACCGGCAACCTCCGGCTCTGAAACCCAGGTACCTCTGAAAGCGCTAC TCCTGAATCCGGCCCAGGTAGCCCGGCAGGTTCTCCGACTTCCACTGAGGAAGGTACC TCTACTGAACCTTCTGAGGGCAGCGCTCCAGGTACTTCTGAAAGCGCTACCCCGGAGT CCGGTCCAGGTACTTCTACTGAACCGTCCGAAGGTAGCGCACCAGGTACTTCTACCGA ACCGTCCGAGGGTAGCGCACCAGGTAGCCCAGCAGGTTCTCCTACCTCCACCGAGGAA GGTACTTCTACCGAACCGTCCGAGGGTAGCGCACCAGGTACTTCTACCGAACCTTCCG AGGGCAGCGCACCAGGTACTTCTGAAAGCGCTACCCCTGAGTCCGGCCCAGGTACTTC TGAAAGCGCTACTCCTGAATCCGGTCCAGGTACCTCTACTGAACCTTCCGAAGGCAGC GCTCCAGGTACCTCTACCGAACCGTCCGAGGGCAGCGCACCAGGTACTTCTGAAAGCG CAACCCCTGAATCCGGTCCAGGTACTTCTACTGAACCTTCCGAAGGTAGCGCTCCAGG TAGCGAACCTGCTACTTCTGGTTCTGAAACCCAGGTAGCCCGGCTGGCTCTCCGACC TCCACCGAGGAAGGTAGCTCTACCCCGTCTGGTGCTACTGGTTCTCCAGGTACTCCGG GCAGCGGTACTGTTCTTCTCTCCAGGTAGCTCTACCCCTTCTGGTGCTACTGGCTCT CCAGGTACCTCTACCGAACCGTCCGAGGGTAGCGCACCAGGTACCTCTACTGAACCGT CTGAGGGTAGCGCTCCAGGTAGCGAACCGGCAACCTCCGGTTCTGAAACTCCAGGTAG CCCTGCTGGCTCTCCGACTTCTACTGAGGAAGGTAGCCCGGCTGGTTCTCCGACTTCTA CTGAGGAAGGTACTTCTACCGAACCTTCCGAAGGTAGCGCTCCAGGTGCAAGCGCAA GCGGCGCGCCAAGCACGGGAGGTACTTCTGAAAGCGCTACTCCTGAGTCCGGCCCAG GTAGCCCGGCTGGCTCTCCGACTTCCACCGAGGAAGGTAGCCCGGCTGGCTCTCCAAC TTCTACTGAAGAAGGTTCTACCAGCTCTACCGCTGAATCTCCTGGCCAGGTTCTACTA GCGAATCTCCGTCTGGCACCACAGGTACTTCCCTAGCGGTGAATCTTCTACTGC ACCAGGTACCCCTGGCAGCGGTACCCTTCTTCTCTCCAGGTAGCTCTACCCCGTCTG GTGCTACTGGCTCTCCAGGTTCTAGCCCGTCTGCATCTACCGGTACCGGCCAGGTAG CGAACCGGCAACCTCCGGCTCTGAAACTCCAGGTACTTCTGAAAGCGCTACTCCGGAA TCCGGCCCAGGTAGCGAACCGGCTACTTCCGGCTCTGAAACCCAGGTTCCACCAGCT CTACTGCAGAATCTCCGGGCCAGGTTCTACTAGCTCTACTGCAGAATCTCCGGGTCC AGGTACTTCTCCTAGCGGCGAATCTTCTACCGCTCCAGGTAGCGAACCGGCAACCTCT GGCTCTGAAACTCCAGGTAGCGAACCTGCAACCTCCGGCTCTGAAACCCAGGTACTT CTACTGAACCTTCTGAGGGCAGCGCACCAGGTTCTACCAGCTCTACCGCAGAATCTCC TGGTCCAGGTACCTCTACTCCGGAAGCGGCTCTGCATCTCCAGGTTCTACTAGCGAA TCTCCTTCTGGCACTGCACCAGGTACTTCTACCGAACCGTCCGAAGGCAGCGCTCCAG GTACCTCTACTGAACCTTCCGAGGGCAGCGCTCCAGGTACCTCTACCGAACCTTCTGA AGGTAGCGCACCAGGTAGCTCTACTCCGTCTGGTGCAACCGGCTCCCCAGGTTCTAGC CCGTCTGCTTCCACTGGTACTGGCCCAGGTGCTTCCCCGGGCACCAGCTCTACTGGTTC TCCAGGTAGCGAACCTGCTACCTCCGGTTCTGAAACCCAGGTACCTCTGAAAGCGCA ACTCCGGAGTCTGGTCCAGGTAGCCCTGCAGGTTCTCCTACCTCCACTGAGGAAGGTA GCTCTACTCCGTCTGGTGCAACCGGCTCCCCAGGTTCTAGCCCGTCTGCTTCCACTGGT ACTGGCCCAGGTGCTTCCCCGGGCACCAGCTCTACTGGTTCTCCAGGTACCTCTGAAA GCGCTACTCCGGAGTCTGGCCCAGGTACCTCTACTGAACCGTCTGAGGGTAGCGCTCC AGGTACTTCTACTGAACCGTCCGAAGGTAGCGCACCA
AE912	ATGGCTGAACCTGCTGGCTCTCCAACCTCCACTGAGGAAGGTACCCCGGGTAGCGGTA CTGCTTCTTCTCTCCAGGTAGCTCTACCCCTTCTGGTGCAACCGGCTCTCCAGGTGCT TCTCCGGGCACCAGCTCTACCGGTTCTCCAGGTAGCCCGGCTGGCTCTCCTACCTCTAC TGAGGAAGGTACTTCTGAAAGCGCTACTCCTGAGTCTGGTCCAGGTACCTCTACTGAA CCGTCCGAAGGTAGCGCTCCAGGTAGCCCAGCAGGCTCTCCGACTTCCACTGAGGAAG GTACTTCTACTGAACCTTCCGAAGGCAGCGCACCAGGTACCTCTACTGAACCTTCTGA GGGCAGCGCTCCAGGTACTTCTGAAAGCGCTACCCCGAATCTGGCCCAGGTAGCGA ACCGGCTACTTCTGGTTCTGAAACCCAGGTAGCGAACCGGCTACCTCCGGTTCTGAA ACTCCAGGTAGCCCGGCAGGCTCTCCGACCTCTACTGAGGAAGGTACTTCTGAAAGCG CAACCCCGGAGTCCGGCCCAGGTACCTCTACCGAACCGTCTGAGGGCAGCGCACCAG GTACTTCTACCGAACCGTCCGAGGGTAGCGCACCAGGTAGCCCAGCAGGTTCTCCTAC

XTEN Name	DNA Nucleotide Sequence
	CTCCACCGAGGAAGGTACTTCTACCGAACCGTCCGAGGGTAGCGCACCAGGTACCTCT ACTGAACCTTCTGAGGGCAGCGCTCCAGGTACTTCTGAAAGCGCTACCCCGGAGTCCG GTCCAGGTACTTCTACTGAACCGTCCGAAGGTAGCGCACCAGGTACTTCTGAAAGCGC AACCCCTGAATCCGGTCCAGGTAGCGAACCGGCTACTTCTGGCTCTGAGACTCCAGGT ACTTCTACCGAACCGTCCGAAGGTAGCGCACCAGGTACTTCTACTGAACCGTCTGAAG GTAGCGCACCAGGTACTTCTGAAAGCGCAACCCCGGAATCCGGGCCAGGTACCTCTGA AAGCGCAACCCCGGAGTCCGGCCCAGGTAGCCCTGCTGGCTCTCCAACCTCCACCGAA GAAGGTACCTCTGAAAGCGCAACCCCTGAATCCGGGCCAGGTAGCGAACCGGCAACC TCCGGTTCTGAAACCCAGGTACCTCTGAAAGCGCTACTCCGGAGTCTGGCCAGGTA CCTCTACTGAACCGTCTGAGGGTAGCGCTCCAGGTACTTCTACTGAACCGTCCGAAGG TAGCGCACCAGGTACTTCTACCGAACCGTCCGAAGGCAGCGCTCCAGGTACCTCTACT GAACCTTCCGAGGGCAGCGCTCCAGGTACCTCTACCGAACCTTCTGAAGGTAGCGCAC CAGGTACTTCTACCGAACCGTCCGAGGGTAGCGCACCAGGTAGCCCAGCAGGTTCTCC TACCTCCACCGAGGAAGGTACTTCTACCGAACCGTCCGAGGGTAGCGCACCAGGTACC TCTGAAAGCGCAACTCCTGAGTCTGGCCCAGGTAGCGAACCTGCTACCTCCGGCTCTG AGACTCCAGGTACCTCTGAAAGCGCAACCCCGGAATCTGGTCCAGGTAGCGAACCTGC AACCTCTGGCTCTGAAACCCAGGTACCTCTGAAAGCGCTACTCCTGAATCTGGCCCA GGTACTTCTACTGAACCGTCCGAGGGCAGCGCACCAGGTACTTCTGAAAGCGCTACTC CTGAGTCCGGCCCAGGTAGCCCGGCTGGCTCTCCGACTTCCACCGAGGAAGGTAGCCC GGCTGGCTCTCCAACCTTCTACTGAAGAAGGTAGCCCGGCAGGCTCTCCGACCTCTACT GAGGAAGGTACTTCTGAAAGCGCAACCCCGGAGTCCGGGCCAGGTACCTCTACCGAA CCGTCTGAGGGCAGCGCACCAGGTACCTCTGAAAGCGCAACTCCTGAGTCTGGCCCAG GTAGCGAACCTGCTACCTCCGGCTCTGAGACTCCAGGTACCTCTGAAAGCGCAACCC GGAATCTGGTCCAGGTAGCGAACCTGCAACCTCTGGCTCTGAAACCCAGGTACCTCT GAAAGCGCTACTCCTGAATCTGGCCCAGGTACTTCTACTGAACCGTCCGAGGGCAGCG CACCAGGTAGCCCTGCTGGCTCTCCAACCTCCACCGAAGAAGGTACCTCTGAAAGCGC AACCCCTGAATCCGGGCCAGGTAGCGAACCGGCAACCTCCGGTTCTGAAACCCAGGT ACTTCTGAAAGCGCTACTCCTGAGTCCGGCCCAGGTAGCCCGGCTGGCTCTCCGACTT CCACCGAGGAAGGTAGCCCGGCTGGCTCTCCAACCTTCTACTGAAGAAGGTACTTCTAC CGAACCTTCCGAGGGCAGCGCACCAGGTACTTCTGAAAGCGCTACCCCTGAGTCCGGC CCAGGTACTTCTGAAAGCGCTACTCCTGAATCCGGTCCAGGTACTTCTGAAAGCGCTA CCCCGGAATCTGGCCCAGGTAGCGAACCCGGTACTTCTGGTTCTGAAACCCAGGTAG CGAACCGGTACTTCTCCGGTTCTGAAACTCCAGGTAGCCCAGCAGGCTCTCCGACTTCC ACTGAGGAAGGTACTTCTACTGAACCTTCCGAAGGCAGCGCACCAGGTACCTCTACTG AACCTTCTGAGGGCAGCGCTCCAGGTAGCGAACCTGCAACCTCTGGCTCTGAAACCC AGGTACCTCTGAAAGCGCTACTCCTGAATCTGGCCCAGGTACTTCTACTGAACCGTCC GAGGGCAGCGCACCA
AM1318	GGTACTTCTACTGAACCGTCTGAAGGCAGCGCACCAGGTAGCGAACCGGCTACTTCCG GTTCTGAAACCCAGGTAGCCCAGCAGGTTCTCCAACCTTCTACTGAAGAAGGTTCTAC CAGCTCTACCGCAGAATCTCCTGGTCCAGGTACCTCTACTCCGGAAGCGGCTCTGCA TCTCCAGGTTCTACTAGCGAATCTCCTTCTGGCACTGCACCAGGTTCTACTAGCGAATC CCCGTCTGGTACTGCTCCAGGTACTTCTACTCCTGAAAGCGGTTCCGCTTCTCCAGGTA CCTCTACTCCGGAAGCGGTTCTGCATCTCCAGGTAGCGAACCGGCAACCTCCGGCTC TGAAACCCAGGTACCTCTGAAAGCGCTACTCCTGAATCCGGGCCAGGTAGCCCGGCA GGTTCTCCGACTTCCACTGAGGAAGGTACCTCTACTGAACCTTCTGAGGGCAGCGCTC CAGGTACTTCTGAAAGCGCTACCCCGGAGTCCGGTCCAGGTACTTCTACTGAACCGTC CGAAGGTAGCGCACCAGGTACTTCTACCGAACCGTCCGAGGGTAGCGCACCAGGTAG CCCAGCAGGTTCTCCTACCTCCACCGAGGAAGGTACTTCTACCGAACCGTCCGAGGGT AGCGCACCAGGTACTTCTACCGAACCTTCCGAGGGCAGCGCACCAGGTACTTCTGAAA GCGCTACCCCTGAGTCCGGGCCAGGTACTTCTGAAAGCGCTACTCCTGAATCCGGTCC AGGTACCTCTACTGAACCTTCCGAAGGCAGCGCTCCAGGTACCTCTACCGAACCGTCC GAGGGCAGCGCACCAGGTACTTCTGAAAGCGCAACCCCTGAATCCGGTCCAGGTACTT CTACTGAACCTTCCGAAGGTAGCGCTCCAGGTAGCGAACCTGCTACTTCTGGTTCTGA AACCCAGGTAGCCCGGCTGGCTCTCCGACCTCCACCGAGGAAGGTAGCTCTACCCCG TCTGGTGCTACTGGTTCTCCAGGTACTCCGGGCAGCGGTACTGCTTCTCCTCTCCAGG TAGCTCTACCCCTTCTGGTGCTACTGGCTCTCCAGGTACCTCTACCGAACCGTCCGAGG GTAGCGCACCAGGTACCTCTACTGAACCGTCTGAGGGTAGCGCTCCAGGTAGCGAACCC GGCAACCTCCGGTTCTGAAACTCCAGGTAGCCCTGCTGGCTCTCCGACTTCTACTGAG GAAGGTAGCCCGGCTGGTTCTCCGACTTCTACTGAGGAAGGTACTTCTACCGAACCTT

XTEN Name	DNA Nucleotide Sequence
	CCGAAGGTAGCGCTCCAGGTCCAGAACCAACGGGGCCGGCCCCAAGCGGAGGTAGCG AACCGGCAACCTCCGGCTCTGAAACCCAGGTACCTCTGAAAGCGCTACTCCTGAATC CGGCCCAGGTAGCCCGGCAGGTTCTCCGACTTCCACTGAGGAAGGTACTTCTGAAAGC GCTACTCCTGAGTCCGGCCCAGGTAGCCCGGCTGGCTCTCCGACTTCCACCGAGGAAG GTAGCCCGGCTGGCTCTCCAACCTTCTACTGAAGAAGGTACTTCTGAAAGCGCTACTCC TGAGTCCGGCCCAGGTAGCCCGGCTGGCTCTCCGACTTCCACCGAGGAAGGTAGCCCG GCTGGCTCTCCAACCTTCTACTGAAGAAGGTTCTACCAGCTCTACCGCTGAATCTCCTGG CCCAGGTTCTACTAGCGAATCTCCGCTTGGCACCACCGAGGTACTTCCCCTAGCGGT GAATCTTCTACTGCACCAGGTTCTACCAGCGAATCTCCTTCTGGCACCCTCCAGGTTT TACTAGCGAATCCCCGTCTGGTACCGCACCAGGTACTTCTCCTAGCGGCGAATCTTCTA CCGCACCAGGTACTTCTACCGAACCTTCCGAGGGCAGCGCACCAGGTACTTCTGAAAG CGTACCCCTGAGTCCGGCCCAGGTACTTCTGAAAGCGCTACTCCTGAATCCGGTCCA GGTAGCGAACCGGCAACCTCTGGCTCTGAAACCCAGGTACCTCTGAAAGCGCTACTC CGGAATCTGGTCCAGGTACTTCTGAAAGCGCTACTCCGGAATCCGGTCCAGGTACCTC TACTGAACCTTCTGAGGGCAGCGCTCCAGGTACTTCTGAAAGCGCTACCCCGGAGTCC GGTCCAGGTACTTCTACTGAACCGTCCGAAGGTAGCGCACCAGGTACCTCCCCTAGCG GCGAATCTTCTACTGCTCCAGGTACCTCTCCTAGCGGCGAATCTTCTACCGCTCCAGGT ACCTCCCCTAGCGGTGAATCTTCTACCGCACCAGGTACTTCTACCGAACCGTCCGAGG GTAGCGCACCAGGTAGCCAGCAGGTTCTCCTACCTCCACCGAGGAAGGTACTTCTAC CGAACCGTCCGAGGGTAGCGCACCAGGTTCTAGCCCTTCTGCTTCCACCGGTACCGGC CCAGGTAGCTCTACTCCGTCTGGTGCAACTGGCTCTCCAGGTAGCTCTACTCCGTCTGG TGCAACCGGCTCCCCAGGTAGCTCTACCCCGTCTGGTGCTACCGGCTCTCCAGGTAGC TCTACCCCGTCTGGTGCAACCGGCTCCCCAGGTGCATCCCCGGGTACTAGCTCTACCG GTTCTCCAGGTGCAAGCGCAAGCGGCGCGCCAAGCACGGGAGGTACTTCTCCGAGCG GTGAATCTTCTACCGCACCAGGTTCTACTAGCTCTACCGCTGAATCTCCGGGGCCAGGT ACTTCTCCGAGCGGTGAATCTTCTACTGCTCCAGGTACCTCTGAAAGCGCTACTCCGG AGTCTGGCCCAGGTACCTCTACTGAACCGTCTGAGGGTAGCGCTCCAGGTACTTCTAC TGAACCGTCCGAAGGTAGCGCACCAGGTTCTAGCCCTTCTGCATCTACTGGTACTGGC CCAGGTAGCTCTACTCCTTCTGGTGCTACCGGCTCTCCAGGTGCTTCTCCGGGTACTAG CTCTACCGGTTCTCCAGGTACTTCTACTCCGGAAAGCGGTTCCGCATCTCCAGGTACTT CTCCTAGCGGTGAATCTTCTACTGCTCCAGGTACCTCTCCTAGCGGCGAATCTTCTACT GCTCAGGTACTTCTGAAAGCGCAACCCCTGAATCCGGTCCAGGTAGCGCAACCGGCTA CTTCTGGCTCTGAGACTCCAGGTACTTCTACCGAACCGTCCGAAGGTAGCGCACCAGG TTCTACCAGCGAATCCCCCTTCTGGTACTGCTCCAGGTTCTACCAGCGAATCCCCCTTCTG GCACCGCACCAGGTACTTCTACCCCTGAAAGCGGCTCCGCTTCTCCAGGTAGCCCGGC AGGCTCTCCGACCTCTACTGAGGAAGGTACTTCTGAAAGCGCAACCCCGGAGTCCGGC CCAGGTACCTCTACCGAACCGTCTGAGGGCAGCGCACCAGGTAGCCCTGCTGGCTCTC CAACCTCCACCGAAGAAGGTACCTCTGAAAGCGCAACCCCTGAATCCGGGCCAGGTA GCGAACCGGCAACCTCCGGTTCTGAAACCCAGGTAGCTCTACCCCGTCTGGTGCTAC CGGTTCCCCAGGTGCTTCTCCTGGTACTAGCTCTACCGGTTCTCCAGGTAGCTCTACCC CGTCTGGTGCTACTGGCTCTCCAGGTTCTACTAGCGAATCCCCGTCTGGTACTGCTCCA GGTACTTCCCCTAGCGGTGAATCTTCTACTGCTCCAGGTTCTACCAGCTCTACCGCAGA ATCTCCGGGTCCAGGTAGCTCTACCCCTTCTGGTGCAACCGGCTCTCCAGGTGCATCCC CGGTACCAGCTCTACCGGTTCTCCAGGTACTCCGGGTAGCGGTACCGGTTCTTCTCTCT CCAGGTAGCCCTGCTGGCTCTCCGACTTCTACTGAGGAAGGTAGCCCGGCTGGTTCTC CGACTTCTACTGAGGAAGGTACTTCTACCGAACCTTCCGAAGGTAGCGCTCCA
BC864	GGTACTTCCACCGAACCATCCGAACCAGGTAGCGCAGGTACTTCCACCGAACCATCCG AACCTGGCAGCGCAGGTAGCGAACCGGCAACCTCTGGTACTGAACCATCAGGTAGCG GCGCATCCGAGCCTACCTCTACTGAACCAGGTAGCGAACCGGCTACCTCCGGTACTGA GCCATCAGGTAGCGAACCGGCAACTTCCGGTACTGAACCATCAGGTAGCGAACCGGC AACTTCCGGCACTGAACCATCAGGTAGCGGTGCATCTGAGCCGACCTCTACTGAACCA GGTACTTCTACTGAACCATCTGAGCCGGGCAGCGCAGGTAGCGAACCAAGCTACTTCTG GCACTGAACCATCAGGTACTTCTACTGAACCATCCGAACCAGGTAGCGCAGGTAGCGA ACCTGCTACCTCTGGTACTGAGCCATCAGGTAGCGAACCGGCTACCTCTGGTACTGAA CCATCAGGTACTTCTACCGAACCATCCGAGCCTGGTAGCGCAGGTACTTCTACCGAAC CATCCGAGCCAGGCAGCGCAGGTAGCGAACCGGCAACCTCTGGCACTGAGCCATCAG GTAGCGAACCAAGCAACTTCTGGTACTGAACCATCAGGTACTAGCGAGCCATCTACTTC CGAACCAAGGTGCAGGTAGCGGCGCATCCGAACCTACTTCCACTGAACCAAGGTACTAGC GAGCCATCCACCTCTGAACCAAGGTGCAGGTAGCGAACCGGCAACTTCCGGCACTGAA

XTEN Name	DNA Nucleotide Sequence
	CCATCAGGTAGCGAACC GGCTACCTCTGGTACTGAACCATCAGGTACTTCTACCGAAC CATCCGAGCCTGGTAGCGCAGGTACTTCTACCGAACCATCCGAGCCAGGCAGCGCAG GTAGCGGTGCATCCGAGCCGACCTCTACTGAACCAGGTAGCGAACCAGCAACTTCTGG CACTGAGCCATCAGGTAGCGAACCAGCTACCTCTGGTACTGAACCATCAGGTAGCGAA CCGGCTACTTCCGGCACTGAACCATCAGGTAGCGAACCAGCAACCTCCGGTACTGAAC CATCAGGTACTTCCACTGAACCATCCGAACCGGGTAGCGCAGGTAGCGAACC GGCAA CTTCCGGCACTGAACCATCAGGTAGCGGTGCATCTGAGCCGACCTCTACTGAACCAGG TACTTCTACTGAACCATCTGAGCCGGGCGAGCGCAGGTAGCGAACCTGCAACCTCCGGC ACTGAGCCATCAGGTAGCGGCGCATCTGAACCAACCTCTACTGAACCAACCTTCCA CCGAACCATCTGAGCCAGGCAGCGCAGGTAGCGGCGCATCTGAACCAACCTCTACTG AACCAAGGTAGCGAACCAGCAACTTCTGGTACTGAACCATCAGGTAGCGGCGCATCTG AGCCTACTTCCACTGAACCAGGTAGCGAACC GGCAACTTCCGGCACTGAACCATCAGG TAGCGGTGCATCTGAGCCGACCTCTACTGAACCAGGTACTTCTACTGAACCATCTGAG CCGGGCGAGCGCAGGTAGCGAACC GGCAACTTCCGGCACTGAACCATCAGGTAGCGGT GCATCTGAGCCGACCTCTACTGAACCAGGTACTTCTACTGAACCATCTGAGCCGGGCA GCGCAGGTAGCGAACCAGCTACTTCTGGCACTGAACCATCAGGTACTTCTACTGAACC ATCCGAACCAGGTAGCGCAGGTAGCGAACCTGCTACCTCTGGTACTGAGCCATCAGGT ACTTCTACTGAACCATCCGAGCCGGGTAGCGCAGGTACTTCCACTGAACCATCTGAAC CTGGTAGCGCAGGTACTTCCACTGAACCATCCGAACCAGGTAGCGCAGGTACTTCTAC TGAACCATCCGAGCCGGGTAGCGCAGGTACTTCCACTGAACCATCTGAACCTGGTAGC GCAGGTACTTCCACTGAACCATCCGAACCAGGTAGCGCAGGTACTAGCGAACCATCCA CCTCCGAACCAGGCGCAGGTAGCGGTGCATCTGAACCGACTTCTACTGAACCAGGTAC TTCCACTGAACCATCTGAGCCAGGTAGCGCAGGTACTTCCACCGAACCATCCGAACCA GGTAGCGCAGGTACTTCCACCGAACCATCCGAACCTGGCAGCGCAGGTAGCGAACCG GCAACCTCTGGTACTGAACCATCAGGTAGCGGTGCATCCGAGCCGACCTCTACTGAAC CAGGTAGCGAACCAGCAACTTCTGGCACTGAGCCATCAGGTAGCGAACCAGCTACCTC TGGTACTGAACCATCAGGTAGCGAACC GGCAACCTCTGGCACTGAGCCATCAGGTAGC GAACCAGCAACTTCTGGTACTGAACCATCAGGTACTAGCGAGCCATCTACTTCCGAAC CAGGTGCAGGTAGCGAACCTGCAACCTCCGGCACTGAGCCATCAGGTAGCGGCGCAT CTGAACCAACCTCTACTGAACCAGGTACTTCCACCGAACCATCTGAGCCAGGCGAGCGC AGGTAGCGAACCTGCAACCTCCGGCACTGAGCCATCAGGTAGCGGCGCATCTGAACC AACCTCTACTGAACCAGGTACTTCCACCGAACCATCTGAGCCAGGCGAGCGCA
BD864	GGTAGCGAAACTGCTACTTCCGGCTCTGAGACTGCAGGTACTAGTGAATCCGCAACTA GCGAATCTGGCGCAGGTAGCACTGCAGGCTCTGAGACTTCCACTGAAGCAGGTACTAG CGAGTCCGCAACCAGCGAATCCGGCGCAGGTAGCGAAACTGCTACCTCTGGCTCCGA GACTGCAGGTAGCGAAACTGCAACCTCTGGCTCTGAAACTGCAGGTACTTCCACTGAA GCAAGTGAAGGCTCCGCATCAGGTACTTCCACCGAAGCAAGCAAGGCTCCGCATCA GGTACTAGTGAGTCCGCAACTAGCGAATCCGGGTGCAGGTAGCGAAACCGCTACCTCTG GTTCCGAAACTGCAGGTACTTCTACCGAGGCTAGCGAAGGTTCTGCATCAGGTAGCAC TGCTGGTTCCGAGACTTCTACTGAAGCAGGTACTAGCGAATCTGCTACTAGCGAATCC GGCGCAGGTACTAGCGAATCCGCTACCAGCGAATCCGGCGCAGGTAGCGAAACTGCA ACCTCTGGTTCCGAGACTGCAGGTACTAGCGAGTCCGCTACTAGCGAATCTGGCGCAG GTACTTCCACTGAAGCTAGTGAAGGTTCTGCATCAGGTAGCGAAACTGCTACTTCTGG TTCCGAAACTGCAGGTAGCGAAACCGCTACCTCTGGTTCCGAAACTGCAGGTACTTCT ACCGAGGCTAGCGAAGGTTCTGCATCAGGTAGCACTGCTGGTTCCGAGACTTCTACTG AAGCAGGTACTAGCGAGTCCGCTACTAGCGAATCTGGCGCAGGTACTTCCACTGAAGC TAGTGAAGGTTCTGCATCAGGTAGCGAAACTGCTACTTCTGGTTCCGAAACTGCAGGT AGCACTGCTGGCTCCGAGACTTCTACCGAAGCAGGTAGCACTGCAGGTTCCGAAACTT CCACTGAAGCAGGTAGCGAAACTGCTACCTCTGGCTCTGAGACTGCAGGTACTAGCGA ATCTGCTACTAGCGAATCCGGCGCAGGTACTAGCGAATCCGCTACCAGCGAATCCGGC GCAGGTAGCGAAACTGCAACCTCTGGTTCCGAGACTGCAGGTACTAGCGAATCTGCTA CTAGCGAATCCGGCGCAGGTACTAGCGAATCCGCTACCAGCGAATCCGGCGCAGGTA GCGAAACTGCAACCTCTGGTTCCGAGACTGCAGGTAGCGAAACCGCTACCTCTGGTTC CGAAACTGCAGGTACTTCTACCGAGGCTAGCGAAGGTTCTGCATCAGGTAGCACTGCT GGTTCCGAGACTTCTACTGAAGCAGGTAGCGAAACTGCTACTTCCGGCTCTGAGACTG CAGGTACTAGTGAATCCGCAACTAGCGAATCTGGCGCAGGTAGCACTGCAGGCTCTGA GACTTCCACTGAAGCAGGTAGCACTGCTGGTTCCGAAACCTCTACCGAAGCAGGTAGC ACTGCAGGTTCTGAAACCTCCACTGAAGCAGGTACTTCCACTGAGGCTAGTGAAGGCT CTGCATCAGGTAGCACTGCTGGTTCCGAAACCTCTACCGAAGCAGGTAGCACTGCAGG

XTEN Name	DNA Nucleotide Sequence
	TTCTGAAACCTCCACTGAAGCAGGTACTTCCACTGAGGCTAGTGAAGGCTCTGCATCA GGTAGCACTGCAGGTTCTGAGACTTCCACCGAAGCAGGTAGCGAAACTGCTACTTCTG GTTCCGAAACTGCAGGTACTTCCACTGAAGCTAGTGAAGGTTCCGCATCAGGTACTAG TGAGTCCGCAACCAGCGAATCCGGCGCAGGTAGCGAAACCGCAACCTCCGGTTCTGA AACTGCAGGTACTAGCGAATCCGCAACCAGCGAATCTGGCGCAGGTACTAGTGAGTC CGCAACCAGCGAATCCGGCGCAGGTAGCGAAACCGCAACCTCCGGTTCTGAAACTGC AGGTACTAGCGAATCCGCAACCAGCGAATCTGGCGCAGGTAGCGAAACTGCTACTTCC GGCTCTGAGACTGCAGGTACTTCCACCGAAGCAAGCGAAGGTTCCGAGACTTCTAG CCACCGAGGCTAGTGAAGGCTCTGCATCAGGTAGCACTGCTGGCTCCGAGACTTCTAG CGAAGCAGGTAGCACTGCAGGTTCCGAAACTTCCACTGAAGCAGGTAGCGAAACTGC TACCTCTGGCTCTGAGACTGCAGGTACTAGCGAATCTGCTACTAGCGAATCCGGCGCA GGTACTAGCGAATCCGCTACCAGCGAATCCGGCGCAGGTAGCGAAACTGCAACCTCT GGTCCGAGACTGCAGGTAGCGAAACTGCTACTTCCGGCTCCGAGACTGCAGGTAGCG AAACTGCTACTTCTGGCTCCGAAACTGCAGGTACTTCTACTGAGGCTAGTGAAGGTTT CGCATCAGGTACTAGCGAGTCCGCAACCAGCGAATCCGGCGCAGGTAGCGAAACTGC TACCTCTGGCTCCGAGACTGCAGGTAGCGAAACTGCAACCTCTGGCTCTGAAACTGCA GGTACTAGCGAATCTGCTACTAGCGAATCCGGCGCAGGTACTAGCGAATCCGCTACCA GCGAATCCGGCGCAGGTAGCGAAACTGCAACCTCTGGTCCGAGACTGCA

[00248] One may clone the library of XTEN-encoding genes into one or more expression vectors known in the art. To facilitate the identification of well-expressing library members, one can construct the library as fusion to a reporter protein. Non-limiting examples of suitable reporter genes are green fluorescent protein, luciferase, alkaline phosphatase, and beta-galactosidase. By screening, one can identify short XTEN sequences that can be expressed in high concentration in the host organism of choice. Subsequently, one can generate a library of random XTEN dimers and repeat the screen for high level of expression. Subsequently, one can screen the resulting constructs for a number of properties such as level of expression, protease stability, or binding to antiserum.

[00249] One aspect of the invention is to provide polynucleotide sequences encoding the components of the fusion protein wherein the creation of the sequence has undergone codon optimization. Of particular interest is codon optimization with the goal of improving expression of the polypeptide compositions and to improve the genetic stability of the encoding gene in the production hosts. For example, codon optimization is of particular importance for XTEN sequences that are rich in glycine or that have very repetitive amino acid sequences. Codon optimization is performed using computer programs (Gustafsson, C., et al. (2004) *Trends Biotechnol*, **22**: 346-53), some of which minimize ribosomal pausing (Coda Genomics Inc.). In one embodiment, one can perform codon optimization by constructing codon libraries where all members of the library encode the same amino acid sequence but where codon usage is varied. Such libraries can be screened for highly expressing and genetically stable members that are particularly suitable for the large-scale production of XTEN-containing products. When designing XTEN sequences one can consider a number of properties. One can minimize the repetitiveness in the encoding DNA sequences. In addition, one can avoid or minimize the use of codons that are rarely used by the production host (e.g. the AGG and AGA arginine codons and one leucine codon in *E. coli*). In the case of *E. coli*, two glycine codons, GGA and GGG, are rarely used in highly expressed proteins. Thus codon optimization of the gene encoding XTEN sequences can be very desirable. DNA sequences that have a high level of glycine tend to have a

high GC content that can lead to instability or low expression levels. Thus, when possible, it is preferred to choose codons such that the GC-content of XTEN-encoding sequence is suitable for the production organism that will be used to manufacture the XTEN.

[00250] Optionally, the full-length XTEN-encoding gene comprises one or more sequencing islands. In this context, sequencing islands are short-stretch sequences that are distinct from the XTEN library construct sequences and that include a restriction site not present or expected to be present in the full-length XTEN-encoding gene. In one embodiment, a sequencing island is the sequence

5'-AGGTGCAAGCGCAAGCGGCGCGCCAAGCACGGGAGGT-3'. In another embodiment, a sequencing island is the sequence

5'-AGGTCCAGAACCAACGGGGCCGGCCCCAAGCGGAGGT-3'.

[00251] As an alternative, one can construct codon libraries where all members of the library encode the same amino acid sequence but where codon usage for the respective amino acids in the sequence is varied. Such libraries can be screened for highly expressing and genetically stable members that are particularly suitable for the large-scale production of XTEN-containing products.

[00252] Optionally, one can sequence clones in the library to eliminate isolates that contain undesirable sequences. The initial library of short XTEN sequences allows some variation in amino acid sequence. For instance one can randomize some codons such that a number of hydrophilic amino acids can occur in a particular position. During the process of iterative multimerization one can screen the resulting library members for other characteristics like solubility or protease resistance in addition to a screen for high-level expression.

[00253] Once the gene that encodes the XTEN of desired length and properties is selected, it is genetically fused to the nucleotides encoding the N- and/or the C-terminus of the GH gene(s) by cloning it into the construct adjacent and in frame with the gene coding for GH or, optionally, adjacent to a spacer sequence. The invention provides various permutations of the foregoing, depending on the GHXTEN to be encoded. For example, a gene encoding a GHXTEN fusion protein comprising a GH and two XTEN, such as embodied by formula VI, as depicted above, the gene would have polynucleotides encoding GH, encoding two XTEN, which can be identical or different in composition and sequence length. In one non-limiting embodiment of the foregoing, the GH polynucleotides would encode human growth hormone and the polynucleotides encoding the N-terminus XTEN would encode AE912 and the polynucleotides encoding the C-terminus XTEN would encode AE144. The step of cloning the GH genes into the XTEN construct can occur through a ligation or multimerization step. As shown in FIG. 2, the constructs encoding GHXTEN fusion proteins can be designed in different configurations of the components XTEN **202**, GH **203**, and spacer sequences **204**. In one embodiment, as illustrated in FIG. 2A, the construct comprises polynucleotide sequences complementary to, or those that encode a monomeric polypeptide of components in the following order (5' to 3') GH **203** and XTEN **202**, or the reverse order. In another embodiment, as illustrated in FIG. 2B, the construct comprises polynucleotide sequences complementary to, or those that encode a monomeric polypeptide of components in the following order (5' to 3') GH **203**, spacer sequence **204**, and XTEN **202**,

or the reverse order. In another embodiment, as illustrated in FIG. 2C, the construct **201** encodes a monomeric GHXTEN comprising polynucleotide sequences complementary to, or those that encode components in the following order (5' to 3'): two molecules of GH **203** and XTEN **202**, or the reverse order. In another embodiment, as illustrated in FIG. 2D, the construct comprises polynucleotide sequences complementary to, or those that encode a monomeric polypeptide of components in the following order (5' to 3'): two molecules of GH **203**, spacer sequence **204**, and XTEN **202**, or the reverse order. In another embodiment, as illustrated in FIG. 2E, the construct comprises polynucleotide sequences complementary to, or those that encode a monomeric polypeptide of components in the following order (5' to 3'): GH **203**, spacer sequence **204**, a second molecule of GH **203**, and XTEN **202**, or the reverse order. In another embodiment, as illustrated in FIG. 2F, the construct comprises polynucleotide sequences complementary to, or those that encode a monomeric polypeptide of components in the following order (5' to 3'): GH **203**, XTEN **202**, GH **203**, and a second XTEN **202**, or the reverse sequence. The spacer polynucleotides can optionally comprise sequences encoding cleavage sequences. As will be apparent to those of skill in the art, other permutations of the foregoing are possible.

[00254] The invention also encompasses polynucleotides comprising XTEN-encoding polynucleotide variants that have a high percentage of sequence identity to (a) a polynucleotide sequence from Table 7, or (b) sequences that are complementary to the polynucleotides of (a). A polynucleotide with a high percentage of sequence identity is one that has at least about an 80% nucleic acid sequence identity, alternatively at least about 81%, alternatively at least about 82%, alternatively at least about 83%, alternatively at least about 84%, alternatively at least about 85%, alternatively at least about 86%, alternatively at least about 87%, alternatively at least about 88%, alternatively at least about 89%, alternatively at least about 90%, alternatively at least about 91%, alternatively at least about 92%, alternatively at least about 93%, alternatively at least about 94%, alternatively at least about 95%, alternatively at least about 96%, alternatively at least about 97%, alternatively at least about 98%, and alternatively at least about 99% nucleic acid sequence identity to (a) or (b) of the foregoing, or that can hybridize with the target polynucleotide or its complement under stringent conditions.

[00255] Homology, sequence similarity or sequence identity of nucleotide or amino acid sequences may also be determined conventionally by using known software or computer programs such as the BestFit or Gap pairwise comparison programs (GCG Wisconsin Package, Genetics Computer Group, 575 Science Drive, Madison, Wis. 53711). BestFit uses the local homology algorithm of Smith and Waterman (Advances in Applied Mathematics. 1981. 2: 482-489), to find the best segment of identity or similarity between two sequences. Gap performs global alignments: all of one sequence with all of another similar sequence using the method of Needleman and Wunsch, (Journal of Molecular Biology. 1970. 48:443-453). When using a sequence alignment program such as BestFit, to determine the degree of sequence homology, similarity or identity, the default setting may be used, or an appropriate scoring matrix may be selected to optimize identity, similarity or homology scores.

[00256] Nucleic acid sequences that are “complementary” are those that are capable of base-pairing according to the standard Watson-Crick complementarity rules. As used herein, the term “complementary sequences” means nucleic acid sequences that are substantially complementary, as may be assessed by the same nucleotide comparison set forth above, or as defined as being capable of hybridizing to the polynucleotides that encode the GHXTEN sequences under stringent conditions, such as those described herein.

[00257] The resulting polynucleotides encoding the GHXTEN chimeric fusion proteins can then be individually cloned into an expression vector. The nucleic acid sequence is inserted into the vector by a variety of procedures. In general, DNA is inserted into an appropriate restriction endonuclease site(s) using techniques known in the art. Vector components generally include, but are not limited to, one or more of a signal sequence, an origin of replication, one or more marker genes, an enhancer element, a promoter, and a transcription termination sequence. Construction of suitable vectors containing one or more of these components employs standard ligation techniques which are known to the skilled artisan. Such techniques are well known in the art and well described in the scientific and patent literature.

[00258] Various vectors are publicly available. The vector may, for example, be in the form of a plasmid, cosmid, viral particle, or phage. The invention provides for the use of plasmid vectors containing replication and control sequences that are compatible with and recognized by the host cell, and are operably linked to the GHXTEN gene for controlled expression of the GHXTEN fusion proteins. The vector ordinarily carries a replication site, as well as sequences that encode proteins that are capable of providing phenotypic selection in transformed cells. Such vector sequences are well known for a variety of bacteria, yeast, and viruses. Useful expression vectors that can be used include, for example, segments of chromosomal, non-chromosomal and synthetic DNA sequences. "Expression vector" refers to a DNA construct containing a DNA sequence that is operably linked to a suitable control sequence capable of effecting the expression of the DNA encoding the fusion protein in a suitable host. Such control sequences include a promoter to effect transcription, an optional operator sequence to control such transcription, a sequence encoding suitable mRNA ribosome binding sites, and sequences that control termination of transcription and translation. Other suitable vectors include, but are not limited to, derivatives of SV40 and pcDNA and known bacterial plasmids such as col EI, pCRI, pBR322, pMal-C2, pET, pGEX as described by Smith, et al., Gene 57:31-40 (1988), pMB9 and derivatives thereof, plasmids such as RP4, phage DNAs such as the numerous derivatives of phage I such as NM98 9, as well as other phage DNA such as M13 and filamentous single stranded phage DNA; yeast plasmids such as the 2 micron plasmid or derivatives of the 2m plasmid, as well as centomeric and integrative yeast shuttle vectors; vectors useful in eukaryotic cells such as vectors useful in insect or mammalian cells; vectors derived from combinations of plasmids and phage DNAs, such as plasmids that have been modified to employ phage DNA or the expression control sequences; and the like. The requirements are that the vectors are replicable and viable in the host cell of choice. Low- or high-copy number vectors may be used as desired.

[00259] Promoters suitable for use in expression vectors with prokaryotic hosts include the β -lactamase and lactose promoter systems [Chang et al., *Nature*, 275:615 (1978); Goeddel et al., *Nature*, 281:544 (1979)], alkaline phosphatase, a tryptophan (trp) promoter system [Goeddel, *Nucleic Acids Res.*, 8:4057 (1980); EP 36,776], and hybrid promoters such as the tac promoter [deBoer et al., *Proc. Natl. Acad. Sci. USA*, 80:21-25 (1983)], all would be operably linked to the DNA encoding GHXTEN polypeptides. Promoters for use in bacterial systems can also contain a Shine-Dalgarno (S.D.) sequence, operably linked to the DNA encoding GHXTEN polypeptides.

[00260] The invention contemplates use of other expression systems including, for example, a baculovirus expression system with both non-fusion transfer vectors, such as, but not limited to pVL941 Summers, et al., *Virology* 84:390-402 (1978)), pVL1393 (Invitrogen), pVL1392 (Summers, et al., *Virology* 84:390-402 (1978) and Invitrogen) and pBlueBacIII (Invitrogen), and fusion transfer vectors such as, but not limited to, pAc7 00 (Summers, et al., *Virology* 84:390-402 (1978)), pAc701 and pAc70-2 (same as pAc700, with different reading frames), pAc360 (Invitrogen) and pBlueBacHisA, B, C (; Invitrogen) can be used.

[00261] Mammalian expression vectors can comprise an origin of replication, a suitable promoter and enhancer, and also any necessary ribosome binding sites, polyadenylation site, splice donor and acceptor sites, transcriptional termination sequences, and 5' flanking nontranscribed sequences. DNA sequences derived from the SV40 splice, and polyadenylation sites may be used to provide the required nontranscribed genetic elements. Mammalian expression vectors contemplated for use in the invention include vectors with inducible promoters, such as the dihydrofolate reductase promoters, any expression vector with a DHFR expression cassette or a DHFR/methotrexate co-amplification vector such as pED (Randal J. Kaufman, 1991, Randal J. Kaufman, *Current Protocols in Molecular Biology*, 16,12 (1991)). Alternatively a glutamine synthetase/methionine sulfoximine co-amplification vector, such as pEE14 (Celltech). A vector that directs episomal expression under the control of the Epstein Barr Virus (EBV) or nuclear antigen (EBNA) can be used such as pREP4 (Invitrogen), pCEP4 (Invitrogen), pMEP4 (Invitrogen), pREP8 (Invitrogen), pREP9 (Invitrogen), and pEBVHis (Invitrogen).

[00262] Selectable mammalian expression vectors for use in the invention include, but are not limited to, pRc/CMV (Invitrogen), pRc/RSV (Invitrogen) and the like. Vaccinia virus mammalian expression vectors (*see*, for example, Randall J. Kaufman, *Current Protocols in Molecular Biology* 16.12 (Frederick M. Ausubel, et al., eds. Wiley 1991) that can be used in the present invention include, but are not limited to, pSC11, pMJ601 pTKgptFISand the like.

[00263] Yeast expression systems that can also be used in the present invention include, but are not limited to, the non-fusion pYES2 vector (Invitrogen), the fusion pYESHisA, B, C (Invitrogen), pRS vectors and the like.

[00264] In addition, the expression vector containing the chimeric GHXTEN fusion protein-encoding polynucleotide molecule may include drug selection markers. Such markers aid in cloning and in the selection or identification of vectors containing chimeric DNA molecules. For example, genes that confer resistance to neomycin, puromycin, hygromycin, dihydrofolate reductase (DHFR) inhibitor, guanine

phosphoribosyl transferase (GPT), zeocin, and histidinol are useful selectable markers. Alternatively, enzymes such as herpes simplex virus thymidine kinase (tk) or chloramphenicol acetyltransferase (CAT) may be employed. Immunologic markers also can be employed. Any known selectable marker may be employed so long as it is capable of being expressed simultaneously with the nucleic acid encoding a gene product. Further examples of selectable markers are well known to one of skill in the art and include reporters such as enhanced green fluorescent protein (EGFP), beta-galactosidase (β -gal) or chloramphenicol acetyltransferase (CAT).

[00265] In one embodiment, the polynucleotide encoding a GHXTEN fusion protein composition is fused C-terminally to an N-terminal signal sequence appropriate for the expression host system. Signal sequences are typically proteolytically removed from the protein during the translocation and secretion process, generating a defined N-terminus. A wide variety of signal sequences have been described for most expression systems, including bacterial, yeast, insect, and mammalian systems. A non-limiting list of preferred examples for each expression system follows herein. Preferred signal sequences are OmpA, PhoA, and DsbA for *E. coli* expression. Signal peptides preferred for yeast expression are ppL-alpha, DEX4, invertase signal peptide, acid phosphatase signal peptide, CPY, or INU1. For insect cell expression the preferred signal sequences are sexta adipokinetic hormone precursor, CP1, CP2, CP3, CP4, TPA, PAP, or gp67. For mammalian expression the preferred signal sequences are IL2L, SV40, IgG kappa and IgG lambda.

[00266] In another embodiment, a leader sequence, potentially comprising a well-expressed, independent protein domain, can be fused to the N-terminus of the GHXTEN sequence, separated by a protease cleavage site. While any leader peptide sequence which does not inhibit cleavage at the designed proteolytic site can be used, sequences in preferred embodiments will comprise stable, well-expressed sequences such that expression and folding of the overall composition is not significantly adversely affected, and preferably expression, solubility, and/or folding efficiency are significantly improved. A wide variety of suitable leader sequences have been described in the literature. A non-limiting list of suitable sequences includes maltose binding protein, cellulose binding domain, glutathione S-transferase, 6xHis tag, FLAG tag, hemagglutinin tag, and green fluorescent protein. The leader sequence can also be further improved by codon optimization, especially in the second codon position following the ATG start codon, by methods well described in the literature and hereinabove.

[00267] Various *in vitro* enzymatic methods for cleaving proteins at specific sites are known. Such methods include use of enterokinase (DDDK), Factor Xa (IDGR), thrombin (LVPRGS), PreScission™ (LEVLFQGP), TEV protease (EQLYFQG), 3C protease (ETLFQGP), Sortase A (LPETG), Granzyme B (D/X, N/X, M/N or S/X), inteins, SUMO, DAPase (TAGZyme™), *Aeromonas* aminopeptidase, Aminopeptidase M, and carboxypeptidases A and B. Additional methods are disclosed in Arnau, *et al.*, Protein Expression and Purification 48: 1-13 (2006).

[00268] In other cases, the invention provides constructs and methods of making constructs comprising an polynucleotide sequence optimized for expression that encodes at least about 20 to about 60 amino acids

with XTEN characteristics that can be included at the N-terminus of an XTEN carrier encoding sequence (in other words, the polynucleotides encoding the 20-60 encoded optimized amino acids are linked in frame to polynucleotides encoding an XTEN component that is N-terminal to GH) to promote the initiation of translation to allow for expression of XTEN fusions at the N-terminus of proteins without the presence of a helper domain. In an advantage of the foregoing, the sequence does not require subsequent cleavage, thereby reducing the number of steps to manufacture XTEN-containing compositions. As described in more detail in the Examples, the optimized N-terminal sequence has attributes of an unstructured protein, but may include nucleotide bases encoding amino acids selected for their ability to promote initiation of translation and enhanced expression. In one embodiment of the foregoing, the optimized polynucleotide encodes an XTEN sequence with at least about 90% sequence identity to AE912. In another embodiment of the foregoing, the optimized polynucleotide encodes an XTEN sequence with at least about 90% sequence identity to AM923. In another embodiment of the foregoing, the optimized polynucleotide encodes an XTEN sequence with at least about 90% sequence identity to AE48. In another embodiment of the foregoing, the optimized polynucleotide encodes an XTEN sequence with at least about 90% sequence identity to AM48. In one embodiment, the optimized polynucleotide NTS comprises a sequence that exhibits at least about 80%, at least about 85%, at least about 90%, at least about 91%, at least about 92%, at least about 93%, at least about 94%, at least about 95%, at least about 96%, at least about 97%, at least about 98%, or at least about 99%, sequence identity to a sequence or its complement selected from

AE 48: 5'-

ATGGCTGAACCTGCTGGCTCTCCAACCTCCACTGAGGAAGGTACCCCGGGTAGCGGTACTGCTT
CTTCCTCTCCAGGTAGCTCTACCCCTTCTGGTGCAACCGGCTCTCCAGGTGCTTCTCCGGGCACC
AGCTCTACCGGTTCTCCA-3'

and

AM 48: 5'-

ATGGCTGAACCTGCTGGCTCTCCAACCTCCACTGAGGAAGGTGCATCCCGGGCACCAGCTCTA
CCGGTTCTCCAGGTAGCTCTACCCCGTCTGGTGCTACCGGCTCTCCAGGTAGCTCTACCCCGTCT
GGTGCTACTGGCTCTCCA-3'

[00269] In another embodiment, the protease site of the leader sequence construct is chosen such that it is recognized by an *in vivo* protease. In this embodiment, the protein is purified from the expression system while retaining the leader by avoiding contact with an appropriate protease. The full-length construct is then injected into a patient. Upon injection, the construct comes into contact with the protease specific for the cleavage site and is cleaved by the protease. In the case where the uncleaved protein is substantially less active than the cleaved form, this method has the beneficial effect of allowing higher initial doses while avoiding toxicity, as the active form is generated slowly *in vivo*. Some non-limiting examples of *in vivo* proteases which are useful for this application include tissue kallikrein, plasma kallikrein, trypsin, pepsin, chymotrypsin, thrombin, and matrix metalloproteinases, or the proteases of Table 6.

[00270] In this manner, a chimeric DNA molecule coding for a monomeric GHXTEN fusion protein is generated within the construct. Optionally, this chimeric DNA molecule may be transferred or cloned into another construct that is a more appropriate expression vector. At this point, a host cell capable of expressing the chimeric DNA molecule can be transformed with the chimeric DNA molecule. The vectors containing the DNA segments of interest can be transferred into the host cell by well-known methods, depending on the type of cellular host. For example, calcium chloride transfection is commonly utilized for prokaryotic cells, whereas calcium phosphate treatment, lipofection, or electroporation may be used for other cellular hosts. Other methods used to transform mammalian cells include the use of polybrene, protoplast fusion, liposomes, electroporation, and microinjection. *See, generally, Sambrook, et al., supra.*

[00271] The transformation may occur with or without the utilization of a carrier, such as an expression vector. Then, the transformed host cell is cultured under conditions suitable for expression of the chimeric DNA molecule encoding of GHXTEN.

[00272] The present invention also provides a host cell for expressing the monomeric fusion protein compositions disclosed herein. Examples of suitable eukaryotic host cells include, but are not limited to mammalian cells, such as VERO cells, HELA cells such as ATCC No. CCL2, CHO cell lines, COS cells, WI38 cells, BHK cells, HepG2 cells, 3T3 cells, A549 cells, PC12 cells, K562 cells, 293 cells, Sf9 cells and Cvi cells. Examples of suitable non-mammalian eukaryotic cells include eukaryotic microbes such as filamentous fungi or yeast are suitable cloning or expression hosts for encoding vectors. *Saccharomyces cerevisiae* is a commonly used lower eukaryotic host microorganism. Others include *Schizosaccharomyces pombe* (Beach and Nurse, Nature, 290: 140 [1981]; EP 139,383 published 2 May 1985); *Kluyveromyces* hosts (U.S. Pat. No. 4,943,529; Fleer et al., Bio/Technology, 9:968-975 (1991)) such as, e.g., *K. lactis* (MW98-8C, CBS683, CBS4574; Louvencourt et al., J. Bacteriol., 737 [1983]), *K. fragilis* (ATCC 12,424), *K. bulgaricus* (ATCC 16,045), *K. wickerhamii* (ATCC 24,178), *K. waltii* (ATCC 56,500), *K. drosophilum* (ATCC 36,906; Van den Berg et al., Bio/Technology, 8:135 (1990)), *K. thermotolerans*, and *K. marxianus*; *Yarrowia* (EP 402,226); *Pichia pastoris* (EP 183,070; Sreekrishna et al., J. Basic Microbiol., 28:265-278 [1988]); *Candida*; *Trichoderma reesia* (EP 244,234); *Neurospora crassa* (Case et al., Proc. Natl. Acad. Sci. USA, 76:5259-5263 [1979]); *Schwanniomyces* such as *Schwanniomyces occidentalis* (EP 394,538 published 31 Oct. 1990); and filamentous fungi such as, e.g., *Neurospora*, *Penicillium*, *Tolypocladium* (WO 91/00357 published 10 Jan. 1991), and *Aspergillus* hosts such as *A. nidulans* (Ballance et al., Biochem. Biophys. Res. Commun., 112:284-289 [1983]; Tilburn et al., Gene, 26:205-221 [1983]; Yelton et al., Proc. Natl. Acad. Sci. USA, 81: 1470-1474 [1984]) and *A. niger* (Kelly and Hynes, EMBO J., 4:475-479 [1985]). Methylotropic yeasts are suitable herein and include, but are not limited to, yeast capable of growth on methanol selected from the genera consisting of *Hansenula*, *Candida*, *Kloeckera*, *Pichia*, *Saccharomyces*, *Torulopsis*, and *Rhodotorula*. A list of specific species that are exemplary of this class of yeasts may be found in C. Anthony, The Biochemistry of Methylotrophs, 269 (1982).

[00273] Other suitable cells that can be used in the present invention include, but are not limited to, prokaryotic host cells strains such as *Escherichia coli*, (e.g., strain DH5- α), *Bacillus subtilis*, *Salmonella*

typhimurium, or strains of the genera of *Pseudomonas*, *Streptomyces* and *Staphylococcus*. Non-limiting examples of suitable prokaryotes include those from the genera: *Actinoplanes*; *Archaeoglobus*; *Bdellovibrio*; *Borrelia*; *Chloroflexus*; *Enterococcus*; *Escherichia*; *Lactobacillus*; *Listeria*; *Oceanobacillus*; *Paracoccus*; *Pseudomonas*; *Staphylococcus*; *Streptococcus*; *Streptomyces*; *Thermoplasma*; and *Vibrio*. Non-limiting examples of specific strains include: *Archaeoglobus fulgidus*; *Bdellovibrio bacteriovorus*; *Borrelia burgdorferi*; *Chloroflexus aurantiacus*; *Enterococcus faecalis*; *Enterococcus faecium*; *Lactobacillus johnsonii*; *Lactobacillus plantarum*; *Lactococcus lactis*; *Listeria innocua*; *Listeria monocytogenes*; *Oceanobacillus iheyensis*; *Paracoccus zeaxanthinifaciens*; *Pseudomonas mevalonii*; *Staphylococcus aureus*; *Staphylococcus epidermidis*; *Staphylococcus haemolyticus*; *Streptococcus agalactiae*; *Streptomyces griseolosporeus*; *Streptococcus mutans*; *Streptococcus pneumoniae*; *Streptococcus pyogenes*; *Thermoplasma acidophilum*; *Thermoplasma volcanium*; *Vibrio cholerae*; *Vibrio parahaemolyticus*; and *Vibrio vulnificus*.

[00274] Host cells containing the polynucleotides of interest can be cultured in conventional nutrient media (e.g., Ham's nutrient mixture) modified as appropriate for activating promoters, selecting transformants or amplifying genes. The culture conditions, such as temperature, pH and the like, are those previously used with the host cell selected for expression, and will be apparent to the ordinarily skilled artisan. Cells are typically harvested by centrifugation, disrupted by physical or chemical means, and the resulting crude extract retained for further purification. For compositions secreted by the host cells, supernatant from centrifugation is separated and retained for further purification. Microbial cells employed in expression of proteins can be disrupted by any convenient method, including freeze-thaw cycling, sonication, mechanical disruption, or use of cell lysing agents, all of which are well known to those skilled in the art. Embodiments that involve cell lysis may entail use of a buffer that contains protease inhibitors that limit degradation after expression of the chimeric DNA molecule. Suitable protease inhibitors include, but are not limited to leupeptin, pepstatin or aprotinin. The supernatant then may be precipitated in successively increasing concentrations of saturated ammonium sulfate.

[00275] Gene expression may be measured in a sample directly, for example, by conventional Southern blotting, Northern blotting to quantitate the transcription of mRNA [Thomas, Proc. Natl. Acad. Sci. USA, 77:5201-5205 (1980)], dot blotting (DNA analysis), or in situ hybridization, using an appropriately labeled probe, based on the sequences provided herein. Alternatively, antibodies may be employed that can recognize specific duplexes, including DNA duplexes, RNA duplexes, and DNA-RNA hybrid duplexes or DNA-protein duplexes. The antibodies in turn may be labeled and the assay may be carried out where the duplex is bound to a surface, so that upon the formation of duplex on the surface, the presence of antibody bound to the duplex can be detected.

[00276] Gene expression, alternatively, may be measured by immunological or fluorescent methods, such as immunohistochemical staining of cells or tissue sections and assay of cell culture or body fluids or the detection of selectable markers, to quantitate directly the expression of gene product. Antibodies useful for immunohistochemical staining and/or assay of sample fluids may be either monoclonal or polyclonal, and may be prepared in any mammal. Conveniently, the antibodies may be prepared against a native sequence

GH polypeptide or against a synthetic peptide based on the DNA sequences provided herein or against exogenous sequence fused to GH and encoding a specific antibody epitope. Examples of selectable markers are well known to one of skill in the art and include reporters such as enhanced green fluorescent protein (EGFP), beta-galactosidase (β -gal) or chloramphenicol acetyltransferase (CAT).

[00277] Expressed GHXTEN polypeptide product(s) may be purified via methods known in the art or by methods disclosed herein. Procedures such as gel filtration, affinity purification, salt fractionation, ion exchange chromatography, size exclusion chromatography, hydroxyapatite adsorption chromatography, hydrophobic interaction chromatography and gel electrophoresis may be used; each tailored to recover and purify the fusion protein produced by the respective host cells. Some expressed GHXTEN may require refolding during isolation and purification. Methods of purification are described in Robert K. Scopes, *Protein Purification: Principles and Practice*, Charles R. Castor (ed.), Springer-Verlag 1994, and Sambrook, *et al., supra*. Multi-step purification separations are also described in Baron, *et al.*, *Crit. Rev. Biotechnol.* 10:179-90 (1990) and Below, *et al.*, *J. Chromatogr. A.* 679:67-83 (1994).

VIII). PHARMACEUTICAL COMPOSITIONS

[00278] The present invention provides pharmaceutical compositions comprising GHXTEN. In one embodiment, the pharmaceutical composition comprises the GHXTEN fusion protein and at least one pharmaceutically acceptable carrier. GHXTEN polypeptides of the present invention can be formulated according to known methods to prepare pharmaceutically useful compositions, whereby the polypeptide is combined in admixture with a pharmaceutically acceptable carrier vehicle, such as aqueous solutions or buffers, pharmaceutically acceptable suspensions and emulsions. Examples of non-aqueous solvents include propyl ethylene glycol, polyethylene glycol and vegetable oils. Therapeutic formulations are prepared for storage by mixing the active ingredient having the desired degree of purity with optional physiologically acceptable carriers, excipients or stabilizers, as described in Remington's *Pharmaceutical Sciences* 16th edition, Osol, A. Ed. (1980), in the form of lyophilized formulations or aqueous solutions.

[00279] The pharmaceutical compositions can be administered orally, intranasally, parenterally or by inhalation therapy, and may take the form of tablets, lozenges, granules, capsules, pills, ampoules, suppositories or aerosol form. They may also take the form of suspensions, solutions and emulsions of the active ingredient in aqueous or nonaqueous diluents, syrups, granulates or powders. In addition, the pharmaceutical compositions can also contain other pharmaceutically active compounds or a plurality of compounds of the invention.

[00280] More particularly, the present pharmaceutical compositions may be administered for therapy by any suitable route including oral, rectal, nasal, topical (including transdermal, aerosol, buccal and sublingual), vaginal, parenteral (including subcutaneous, subcutaneous by infusion pump, intramuscular, intravenous and intradermal), intravitreal, and pulmonary. It will also be appreciated that the preferred route will vary with the condition and age of the recipient, and the disease being treated.

[00281] In one embodiment, the pharmaceutical composition is administered subcutaneously. In this embodiment, the composition may be supplied as a lyophilized powder to be reconstituted prior to administration. The composition may also be supplied in a liquid form, which can be administered directly to a patient. In one embodiment, the composition is supplied as a liquid in a pre-filled syringe such that a patient can easily self-administer the composition.

[00282] Extended release formulations useful in the present invention may be oral formulations comprising a matrix and a coating composition. Suitable matrix materials may include waxes (e.g., carnauba, bees wax, paraffin wax, ceresine, shellac wax, fatty acids, and fatty alcohols), oils, hardened oils or fats (e.g., hardened rapeseed oil, castor oil, beef tallow, palm oil, and soya bean oil), and polymers (e.g., hydroxypropyl cellulose, polyvinylpyrrolidone, hydroxypropyl methyl cellulose, and polyethylene glycol). Other suitable matrix tabletting materials are microcrystalline cellulose, powdered cellulose, hydroxypropyl cellulose, ethyl cellulose, with other carriers, and fillers. Tablets may also contain granulates, coated powders, or pellets. Tablets may also be multi-layered. Multi-layered tablets are especially preferred when the active ingredients have markedly different pharmacokinetic profiles. Optionally, the finished tablet may be coated or uncoated.

[00283] The coating composition may comprise an insoluble matrix polymer and/or a water soluble material. Water soluble materials can be polymers such as polyethylene glycol, hydroxypropyl cellulose, hydroxypropyl methyl cellulose, polyvinylpyrrolidone, polyvinyl alcohol, or monomeric materials such as sugars (e.g., lactose, sucrose, fructose, mannitol and the like), salts (e.g., sodium chloride, potassium chloride and the like), organic acids (e.g., fumaric acid, succinic acid, lactic acid, and tartaric acid), and mixtures thereof. Optionally, an enteric polymer may be incorporated into the coating composition. Suitable enteric polymers include hydroxypropyl methyl cellulose, acetate succinate, hydroxypropyl methyl cellulose, phthalate, polyvinyl acetate phthalate, cellulose acetate phthalate, cellulose acetate trimellitate, shellac, zein, and polymethacrylates containing carboxyl groups. The coating composition may be plasticised by adding suitable plasticisers such as, for example, diethyl phthalate, citrate esters, polyethylene glycol, glycerol, acetylated glycerides, acetylated citrate esters, dibutylsebacate, and castor oil. The coating composition may also include a filler, which can be an insoluble material such as silicon dioxide, titanium dioxide, talc, kaolin, alumina, starch, powdered cellulose, MCC, or polacrilin potassium. The coating composition may be applied as a solution or latex in organic solvents or aqueous solvents or mixtures thereof. Solvents such as water, lower alcohol, lower chlorinated hydrocarbons, ketones, or mixtures thereof may be used.

[00284] The compositions of the invention may be formulated using a variety of excipients. Suitable excipients include microcrystalline cellulose (e.g. Avicel PH102, Avicel PH101), polymethacrylate, poly(ethyl acrylate, methyl methacrylate, trimethylammonioethyl methacrylate chloride) (such as Eudragit RS-30D), hydroxypropyl methylcellulose (Methocel K100M, Premium CR Methocel K100M, Methocel E5, Opadry®), magnesium stearate, talc, triethyl citrate, aqueous ethylcellulose dispersion (Surelease®), and protamine sulfate. The slow release agent may also comprise a carrier, which can comprise, for example, solvents, dispersion media, coatings, antibacterial and antifungal agents, isotonic and absorption delaying

agents. Pharmaceutically acceptable salts can also be used in these slow release agents, for example, mineral salts such as hydrochlorides, hydrobromides, phosphates, or sulfates, as well as the salts of organic acids such as acetates, propionates, malonates, or benzoates. The composition may also contain liquids, such as water, saline, glycerol, and ethanol, as well as substances such as wetting agents, emulsifying agents, or pH buffering agents. Liposomes may also be used as a carrier.

[00285] In another embodiment, the compositions of the present invention are encapsulated in liposomes, which have demonstrated utility in delivering beneficial active agents in a controlled manner over prolonged periods of time. Liposomes are closed bilayer membranes containing an entrapped aqueous volume. Liposomes may also be unilamellar vesicles possessing a single membrane bilayer or multilamellar vesicles with multiple membrane bilayers, each separated from the next by an aqueous layer. The structure of the resulting membrane bilayer is such that the hydrophobic (non-polar) tails of the lipid are oriented toward the center of the bilayer while the hydrophilic (polar) heads orient towards the aqueous phase. In one embodiment, the liposome may be coated with a flexible water soluble polymer that avoids uptake by the organs of the mononuclear phagocyte system, primarily the liver and spleen. Suitable hydrophilic polymers for surrounding the liposomes include, without limitation, PEG, polyvinylpyrrolidone, polyvinylmethylether, polymethyloxazoline, polyethyloxazoline, polyhydroxypropyloxazoline, polyhydroxypropylmethacrylamide, polymethacrylamide, polydimethylacrylamide, polyhydroxypropylmethacrylate, polyhydroxyethylacrylate, hydroxymethylcellulose hydroxyethylcellulose, polyethyleneglycol, polyaspartamide and hydrophilic peptide sequences as described in U.S. Pat. Nos. 6,316,024; 6,126,966; 6,056,973; 6,043,094, the contents of which are incorporated by reference in their entirety.

[00286] Liposomes may be comprised of any lipid or lipid combination known in the art. For example, the vesicle-forming lipids may be naturally-occurring or synthetic lipids, including phospholipids, such as phosphatidylcholine, phosphatidylethanolamine, phosphatidic acid, phosphatidylserine, phosphatidylglycerol, phosphatidylinositol, and sphingomyelin as disclosed in U.S. Pat. Nos. 6,056,973 and 5,874,104. The vesicle-forming lipids may also be glycolipids, cerebroside, or cationic lipids, such as 1,2-dioleoyloxy-3-(trimethylamino) propane (DOTAP); N-[1-(2,3,-ditetradecyloxy)propyl]-N,N-dimethyl-N-hydroxyethylammonium bromide (DMRIE); N-[1 [(2,3,-dioleoyloxy)propyl]-N,N-dimethyl-N-hydroxyethylammonium bromide (DORIE); N-[1-(2,3-dioleoyloxy)propyl]-N,N,N-trimethylammonium chloride (DOTMA); 3 [N-(N',N'-dimethylaminoethane) carbamoyl] cholesterol (DC-Chol); or dimethyldioctadecylammonium (DDAB) also as disclosed in U.S. Pat. No. 6,056,973. Cholesterol may also be present in the proper range to impart stability to the vesicle as disclosed in U.S. Pat. Nos. 5,916,588 and 5,874,104.

[00287] Additional liposomal technologies are described in U.S. Pat. Nos. 6,759,057; 6,406,713; 6,352,716; 6,316,024; 6,294,191; 6,126,966; 6,056,973; 6,043,094; 5,965,156; 5,916,588; 5,874,104; 5,215,680; and 4,684,479, the contents of which are incorporated herein by reference. These describe liposomes and lipid-coated microbubbles, and methods for their manufacture. Thus, one skilled in the art,

considering both the disclosure of this invention and the disclosures of these other patents could produce a liposome for the extended release of the polypeptides of the present invention.

[00288] For liquid formulations, a desired property is that the formulation be supplied in a form that can pass through a 25, 28, 30, 31, 32 gauge needle for intravenous, intramuscular, intraarticular, or subcutaneous administration.

[00289] Administration via transdermal formulations can be performed using methods also known in the art, including those described generally in, e.g., U.S. Pat. Nos. 5,186,938 and 6,183,770, 4,861,800, 6,743,211, 6,945,952, 4,284,444, and WO 89/09051, incorporated herein by reference in their entireties. A transdermal patch is a particularly useful embodiment with polypeptides having absorption problems. Patches can be made to control the release of skin-permeable active ingredients over a 12 hour, 24 hour, 3 day, and 7 day period. In one example, a 2-fold daily excess of a polypeptide of the present invention is placed in a non-volatile fluid. The compositions of the invention are provided in the form of a viscous, non-volatile liquid. The penetration through skin of specific formulations may be measures by standard methods in the art (for example, Franz et al., J. Invest. Derm. 64:194-195 (1975)). Examples of suitable patches are passive transfer skin patches, iontophoretic skin patches, or patches with microneedles such as Nicoderm.

[00290] In other embodiments, the composition may be delivered via intranasal, buccal, or sublingual routes to the brain to enable transfer of the active agents through the olfactory passages into the CNS and reducing the systemic administration. Devices commonly used for this route of administration are included in U.S. Pat. No. 6,715,485. Compositions delivered via this route may enable increased CNS dosing or reduced total body burden reducing systemic toxicity risks associated with certain drugs. Preparation of a pharmaceutical composition for delivery in a subdermally implantable device can be performed using methods known in the art, such as those described in, e.g., U.S. Pat. Nos. 3,992,518; 5,660,848; and 5,756,115.

[00291] Osmotic pumps may be used as slow release agents in the form of tablets, pills, capsules or implantable devices. Osmotic pumps are well known in the art and readily available to one of ordinary skill in the art from companies experienced in providing osmotic pumps for extended release drug delivery. Examples are ALZA's DUROS™; ALZA's OROS™; Osmotica Pharmaceutical's Osmodex™ system; Shire Laboratories' EnSoTrol™ system; and Alzet™. Patents that describe osmotic pump technology are U.S. Pat. Nos. 6,890,918; 6,838,093; 6,814,979; 6,713,086; 6,534,090; 6,514,532; 6,361,796; 6,352,721; 6,294,201; 6,284,276; 6,110,498; 5,573,776; 4,200,0984; and 4,088,864, the contents of which are incorporated herein by reference. One skilled in the art, considering both the disclosure of this invention and the disclosures of these other patents could produce an osmotic pump for the extended release of the polypeptides of the present invention.

[00292] Syringe pumps may also be used as slow release agents. Such devices are described in U.S. Pat. Nos. 4,976,696; 4,933,185; 5,017,378; 6,309,370; 6,254,573; 4,435,173; 4,398,908; 6,572,585; 5,298,022; 5,176,502; 5,492,534; 5,318,540; and 4,988,337, the contents of which are incorporated herein by reference.

One skilled in the art, considering both the disclosure of this invention and the disclosures of these other patents could produce a syringe pump for the extended release of the compositions of the present invention. A.

IX). PHARMACEUTICAL KITS

[00293] In another aspect, the invention provides a kit to facilitate the use of the GHXTEN polypeptides. The kit comprises the pharmaceutical composition provided herein, a label identifying the pharmaceutical composition, and an instruction for storage, reconstitution and/or administration of the pharmaceutical compositions to a subject. In some embodiment, the kit comprises, preferably: (a) an amount of a GHXTEN fusion protein composition sufficient to treat a disease, condition or disorder upon administration to a subject in need thereof; and (b) an amount of a pharmaceutically acceptable carrier; together in a formulation ready for injection or for reconstitution with sterile water, buffer, or dextrose; together with a label identifying the GHXTEN drug and storage and handling conditions, and a sheet of the approved indications for the drug, instructions for the reconstitution and/or administration of the GHXTEN drug for the use for the prevention and/or treatment of a approved indication, appropriate dosage and safety information, and information identifying the lot and expiration of the drug. In another embodiment of the foregoing, the kit can comprise a second container that can carry a suitable diluent for the GHXTEN composition, which will provide the user with the appropriate concentration of GHXTEN to be delivered to the subject.

EXAMPLES

[00294] Example 1: Construction of XTEN_AD36 motif segments

[00295] The following example describes the construction of a collection of codon-optimized genes encoding motif sequences of 36 amino acids. As a first step, a stuffer vector pCW0359 was constructed based on a pET vector and that includes a T7 promoter. pCW0359 encodes a cellulose binding domain (CBD) and a TEV protease recognition site followed by a stuffer sequence that is flanked by BsaI, BbsI, and KpnI sites. The BsaI and BbsI sites were inserted such that they generate compatible overhangs after digestion. The stuffer sequence is followed by a truncated version of the GFP gene and a His tag. The stuffer sequence contains stop codons and thus E. coli cells carrying the stuffer plasmid pCW0359 form non-fluorescent colonies. The stuffer vector pCW0359 was digested with BsaI and KpnI to remove the stuffer segment and the resulting vector fragment was isolated by agarose gel purification. The sequences were designated XTEN_AD36, reflecting the AD family of motifs. Its segments have the amino acid sequence [X]₃ where X is a 12mer peptide with the sequences: GESPGGSSGSES, GSEGSSGPGESE, GSSESGSSEGGP, or GSGGEPSESGSS. The insert was obtained by annealing the following pairs of phosphorylated synthetic oligonucleotide pairs:

AD1for: AGGTGAATCTCCDGGTGGYTCYAGCGGTTTCYGARTC
 AD1rev: ACCTGAYTCRGAACCGCTRGARCCACCHGGAGATTC
 AD2for: AGGTAGCGAAGGTTCTTCYGGTCCDGGYGARTCYTC
 AD2rev: ACCTGARGAYTCRCCHGGACCRGAAGAACCTTCGCT
 AD3for: AGGTTTCYTCYGAAAGCGGTTCTTCYGARGGYGGTCC

AD3rev: ACCTGGACCRCCYTCRGAAGAACCGCTTTTCRGARGA
 AD4for: AGGTTTCYGGTGGYGAACCDTCYGARTCTGGTAGCTC

[00296] We also annealed the phosphorylated oligonucleotide 3KpnIstopperFor: AGGTTCTGTCTTCACTCGAGGGTAC and the non-phosphorylated oligonucleotide pr_3KpnIstopperRev: CCTCGAGTGAAGACGA. The annealed oligonucleotide pairs were ligated, which resulted in a mixture of products with varying length that represents the varying number of 12mer repeats ligated to one BbsI/KpnI segment. The products corresponding to the length of 36 amino acids were isolated from the mixture by preparative agarose gel electrophoresis and ligated into the BsaI/KpnI digested stuffer vector pCW0359. Most of the clones in the resulting library designated LCW0401 showed green fluorescence after induction, which shows that the sequence of XTEN_AD36 had been ligated in frame with the GFP gene and that most sequences of XTEN_AD36 had good expression levels.

[00297] We screened 96 isolates from library LCW0401 for high level of fluorescence by stamping them onto agar plate containing IPTG. The same isolates were evaluated by PCR and 48 isolates were identified that contained segments with 36 amino acids as well as strong fluorescence. These isolates were sequenced and 39 clones were identified that contained correct XTEN_AD36 segments. The file names of the nucleotide and amino acid constructs for these segments are listed in Table 8.

Table 8: DNA and Amino Acid Sequences for 36-mer motifs

File name	Amino acid sequence	Nucleotide sequence
LCW0401_001_ GFP-N_A01.ab1	GSGGEPSESGSSGSPGG SSGSESGSPGGSSGSES	GGTTCTGGTGGCGAACCGTCCGAGTCTGGTAGC TCAGGTGAATCTCCGGGTGGCTCTAGCGGTTCC GAGTCAGGTGAATCTCCTGGTGGTTCCAGCGGT TCCGAGTCA
LCW0401_002_ GFP-N_B01.ab1	GSEGSSGPGESSGSPGG SSGSESGSSESGSSEGGP	GGTAGCGAAGGTTCTTCTGGTCCTGGCGAGTCT TCAGGTGAATCTCCTGGTGGTTCCAGCGGTTCT GAATCAGGTTCCCTCCGAAAGCGGTTCTTCCGAG GGCGGTCCA
LCW0401_003_ GFP-N_C01.ab1	GSSSEGSSEGGPGSSESG SSEGGPGSPGGSSGSES	GGTTCTCTGAAAGCGGTTCTTCCGAAGGTGGT CCAGGTTCCTCTGAAAGCGGTTCTTCTGAGGGT GGTCCAGGTGAATCTCCGGGTGGCTCCAGCGGT TCCGAGTCA
LCW0401_004_ GFP-N_D01.ab1	GSGGEPSESGSSGSSESG SSEGGPGSGGEPSESGSS	GGTTCGGTGGCGAACCGTCTGAATCTGGTAGC TCAGGTTCCTCTGAAAGCGGTTCTTCCGAGGGT GGTCCAGGTTCTGGTGGTGAACCTTCCGAGTCT GGTAGTCA
LCW0401_007_ GFP-N_F01.ab1	GSSEGSSEGGPGSEGS GPGESSGSEGSSEGGP	GGTTCTTCCGAAAGCGGTTCTTCTGAGGGTGGT CCAGGTAGCGAAGGTTCTTCCGGTCCAGGTGAG TCTTCAGGTAGCGAAGGTTCTTCTGGTCTGGT GAATCTTCA
LCW0401_008_ GFP-N_G01.ab1	GSSEGSSEGGPGSPGG SSGSESGSEGSSEGGP	GGTTCTCTGAAAGCGGTTCTTCCGAGGGTGGT CCAGGTGAATCTCCAGGTGGTTCCAGCGGTTCT GAGTCAGGTAGCGAAGGTTCTTCTGGTCCAGGT GAATCTTCA
LCW0401_012_ GFP-N_H01.ab1	GSGGEPSESGSSGSGGEP SESGSSGSEGSSEGGP	GGTTCTGGTGGTGAACCGTCTGAGTCTGGTAGC TCAGGTTCGGTGGCGAACCATCCGAATCTGGT AGCTCAGGTAGCGAAGGTTCTTCCGGTCCAGGT GAGTCTTCA
LCW0401_015_ GFP-N_A02.ab1	GSSEGSSEGGPGSEGS GPGESSGSPGGSSGSES	GGTTCTTCCGAAAGCGGTTCTTCCGAAGGCGGT CCAGGTAGCGAAGGTTCTTCTGGTCCAGGCGAA TCTTCAGGTGAATCTCCTGGTGGCTCCAGCGGT TCTGAGTCA

File name	Amino acid sequence	Nucleotide sequence
LCW0401_016_ GFP-N_B02.ab1	GSSESGSSEGGPGSSESG SSEGGPGSSESGSSEGGP	GGTTCCTCCGAAAGCGGTTCTTCTGAGGGCGGT CCAGGTTCTCCGAAAGCGGTTCTTCCGAGGGC GGTCCAGGTTCTTCTGAAAGCGGTTCTTCCGAG GGCGGTCCA
LCW0401_020_ GFP-N_E02.ab1	GSGGEPSESGSSGSESGS GPGESSGSSESGSSEGGP	GGTTCGGTGGCGAACCGTCCGAATCTGGTAGC TCAGGTAGCGAAGGTTCTTCTGGTCCAGGCGAA TCTTCAGGTTCTTCTGAAAGCGGTTCTTCTGAG GGCGGTCCA
LCW0401_022_ GFP-N_F02.ab1	GSGGEPSESGSSGSESG SSEGGPGSGGEPSESGSS	GGTTCGGTGGCGAACCGTCCGAATCTGGTAGC TCAGGTTCTTCCGAAAGCGGTTCTTCTGAAGGT GGTCCAGGTTCCGGTGGCGAACCTTCTGAATCT GGTAGCTCA
LCW0401_024_ GFP-N_G02.ab1	GSGGEPSESGSSGSESG SSEGGPGESPGSSGSES	GGTTCGGTGGCGAACCGTCCGAATCTGGTAGC TCAGGTTCTTCCGAAAGCGGTTCTTCTGAAGGT GGTCCAGGTGAATCTCCAGGTGGTTCTAGCGGT TCTGAATCA
LCW0401_026_ GFP-N_H02.ab1	GSGGEPSESGSSGSESPGG SSGSESGSESGSPGESS	GGTTCGGTGGCGAACCGTCTGAGTCTGGTAGC TCAGGTGAATCTCCTGGTGGCTCCAGCGGTTCT GAATCAGGTAGCGAAGGTTCTTCTGGTCCTGGT GAATCTTCA
LCW0401_027_ GFP-N_A03.ab1	GSGGEPSESGSSGSESPGG SSGSESGSGGEPSESGSS	GGTTCGGTGGCGAACCTTCCGAATCTGGTAGC TCAGGTGAATCTCCGGGTGGTTCTAGCGGTTCT GAGTCAGGTTCTGGTGGTGAACCTTCCGAGTCT GGTAGCTCA
LCW0401_028_ GFP-N_B03.ab1	GSSESGSSEGGPGSSESG SSEGGPGSSESGSSEGGP	GGTTCCTCTGAAAGCGGTTCTTCTGAGGGCGGT CCAGGTTCTTCCGAAAGCGGTTCTTCCGAGGGC GGTCCAGGTTCTTCCGAAAGCGGTTCTTCTGAA GGCGGTCCA
LCW0401_030_ GFP-N_C03.ab1	GESPGSSGSESGSESGS GPGESSGSESGSPGESS	GGTGAATCTCCGGGTGGCTCCAGCGGTTCTGAG TCAGGTAGCGAAGGTTCTTCCGGTCCGGGTGAG TCCTCAGGTAGCGAAGGTTCTTCCGGTCTGGT GAGTCTTCA
LCW0401_031_ GFP-N_D03.ab1	GSGGEPSESGSSGSGGEP SESGSSGSSESGSSEGGP	GGTTCGGTGGCGAACCTTCCGAATCTGGTAGC TCAGGTTCCGGTGGTGAACCTTCTGAATCTGGT AGCTCAGGTTCTTCTGAAAGCGGTTCTTCCGAG GGCGGTCCA
LCW0401_033_ GFP-N_E03.ab1	GSGGEPSESGSSGSGGEP SESGSSGSGGEPSESGSS	GGTTCGGTGGCGAACCTTCTGAATCTGGTAGC TCAGGTTCCGGTGGCGAACCATCCGAGTCTGGT AGCTCAGGTTCCGGTGGTGAACCATCCGAGTCT GGTAGCTCA
LCW0401_037_ GFP-N_F03.ab1	GSGGEPSESGSSGSESG SSEGGPGSESGSPGESS	GGTTCGGTGGCGAACCTTCTGAATCTGGTAGC TCAGGTTCTTCCGAAAGCGGTTCTTCTGAGGGC GGTCCAGGTAGCGAAGGTTCTTCTGGTCCGGGC GAGTCTTCA
LCW0401_038_ GFP-N_G03.ab1	GSGGEPSESGSSGSESGS GPGESSGSGGEPSESGSS	GGTTCGGTGGTGAACCGTCCGAGTCTGGTAGC TCAGGTAGCGAAGGTTCTTCTGGTCCGGGTGAG TCTTCAGGTTCTGGTGGCGAACCGTCCGAATCT GGTAGCTCA
LCW0401_039_ GFP-N_H03.ab1	GSGGEPSESGSSGSESPGG SSGSESGSGGEPSESGSS	GGTTCGGTGGCGAACCGTCCGAATCTGGTAGC TCAGGTGAATCTCCTGGTGGTCCAGCGGTTCC GAGTCAGGTTCTGGTGGCGAACCTTCCGAATCT GGTAGCTCA
LCW0401_040_ GFP-N_A04.ab1	GSSESGSSEGGPGSGGEP SESGSSGSSESGSSEGGP	GGTTCCTCCGAAAGCGGTTCTTCCGAGGGCGGT CCAGGTTCCGGTGGTGAACCATCTGAATCTGGT AGCTCAGGTTCTTCTGAAAGCGGTTCTTCTGAA GGTGGTCCA
LCW0401_042_ GFP-N_C04.ab1	GSESGSPGESSGSESPGG SSGSESGSESGSPGESS	GGTAGCGAAGGTTCTTCCGGTCTGGTGAAGTCT TCAGGTGAATCTCCAGGTGGCTCTAGCGGTTCC GAGTCAGGTAGCGAAGGTTCTTCTGGTCCTGGC GAGTCTTCA

File name	Amino acid sequence	Nucleotide sequence
LCW0401_046_ GFP-N_D04.ab1	GSSESGSSEGGPGSSESG SSEGGPGSSESGSSEGGP	GGTTCCTCTGAAAGCGGTTCTTCCGAAGGCGGT CCAGGTTCTTCCGAAAGCGGTTCTTCTGAGGGC GGTCCAGGTTCTTCCGAAAGCGGTTCTTCTGAG GGTGGTCCA
LCW0401_047_ GFP-N_E04.ab1	GSGGEPSESGSSGSPGG SSGSESGESPGGSSGSES	GGTTCCTGGTGGCGAACCTTCCGAGTCTGGTAGC TCAGGTGAATCTCCGGGTGGTTCTAGCGGTTCC GAGTCAGGTGAATCTCCGGGTGGTTCCAGCGGT TCTGAGTCA
LCW0401_051_ GFP-N_F04.ab1	GSGGEPSESGSSGSESGS GPGESSGESPGGSSGSES	GGTTCCTGGTGGCGAACCATCTGAGTCTGGTAGC TCAGGTAGCGAAGGTTCTTCCGGTCCAGGCGAG TCTTCAGGTGAATCTCCTGGTGGCTCCAGCGGT TCTGAGTCA
LCW0401_053_ GFP-N_H04.ab1	GSPGGSSGSESGESPGG SSGSESGESPGGSSGSES	GGTGAATCTCCTGGTGGTTCCAGCGGTTCCGAG TCAGGTGAATCTCCAGGTGGCTCTAGCGGTTCC GAGTCAGGTGAATCTCCTGGTGGTTCTAGCGGT TCTGAATCA
LCW0401_054_ GFP-N_A05.ab1	GSEGSSGPGESSGSESGS GPGESSGSGGEPSESGSS	GGTAGCGAAGGTTCTTCCGGTCCAGGTGAATCT TCAGGTAGCGAAGGTTCTTCTGGTCTGGTGAA TCCTCAGGTTCCGGTGGCGAACCATCTGAATCT GGTAGCTCA
LCW0401_059_ GFP-N_D05.ab1	GSGGEPSESGSSGSESGS GPGESSGESPGGSSGSES	GGTTCCTGGTGGCGAACCATCCGAATCTGGTAGC TCAGGTAGCGAAGGTTCTTCTGGTCTGGCGAA TCTTCAGGTGAATCTCCAGGTGGCTCTAGCGGT TCCGAATCA
LCW0401_060_ GFP-N_E05.ab1	GSGGEPSESGSSGSESGS SSEGGPGSGGEPSESGSS	GGTTCCTGGTGGCGAACCGTCCGAATCTGGTAGC TCAGGTTCTCTGAAAGCGGTTCTTCCGAGGGT GGTCCAGGTTCCGGTGGTGAACCTTCTGAGTCT GGTAGCTCA
LCW0401_061_ GFP-N_F05.ab1	GSSESGSSEGGPGSGGEP SESGSSGSESGSGPGESE	GGTTCCTCTGAAAGCGGTTCTTCTGAGGGCGGT CCAGGTTCTGGTGGCGAACCATCTGAATCTGGT AGTCAGGTAGCGAAGGTTCTTCCGGTCCGGGT GAATCTTCA
LCW0401_063_ GFP-N_H05.ab1	GSGGEPSESGSSGSESGS GPGESSGSESGSGPGESE	GGTTCCTGGTGGTGAACCGTCCGAATCTGGTAGC TCAGGTAGCGAAGGTTCTTCTGGTCTGGCGAG TCTTCAGGTAGCGAAGGTTCTTCTGGTCTGGT GAATCTTCA
LCW0401_066_ GFP-N_B06.ab1	GSGGEPSESGSSGSESGS SSEGGPGSGGEPSESGSS	GGTTCCTGGTGGCGAACCATCCGAGTCTGGTAGC TCAGGTTCTTCCGAAAGCGGTTCTTCCGAAGGC GGTCCAGGTTCTGGTGGTGAACCGTCCGAATCT GGTAGCTCA
LCW0401_067_ GFP-N_C06.ab1	GSGGEPSESGSSGSPGG SSGSESGESPGGSSGSES	GGTTCCTGGTGGCGAACCTTCCGAATCTGGTAGC TCAGGTGAATCTCCGGGTGGTTCTAGCGGTTCC GAATCAGGTGAATCTCCAGGTGGTTCTAGCGGT TCCGAATCA
LCW0401_069_ GFP-N_D06.ab1	GSGGEPSESGSSGSGGEP SESGSSGESPGGSSGSES	GGTTCCTGGTGGTGAACCATCTGAGTCTGGTAGC TCAGGTTCCGGTGGCGAACCGTCCGAGTCTGGT AGTCAGGTGAATCTCCGGGTGGTTCCAGCGGT TCCGAATCA
LCW0401_070_ GFP-N_E06.ab1	GSEGSSGPGESSGSESGS SSEGGPGSESGSGPGESE	GGTAGCGAAGGTTCTTCTGGTCCGGGCGAATCC TCAGGTTCTTCCGAAAGCGGTTCTTCCGAAGGT GGTCCAGGTAGCGAAGGTTCTTCCGGTCTGGT GAATCTTCA
LCW0401_078_ GFP-N_F06.ab1	GSSESGSSEGGPGESPGG SSGSESGESPGGSSGSES	GGTTCCTCTGAAAGCGGTTCTTCTGAAGGCGGT CCAGGTGAATCTCCGGGTGGCTCCAGCGGTTCT GAATCAGGTGAATCTCCTGGTGGCTCCAGCGGT TCCGAGTCA
LCW0401_079_ GFP-N_G06.ab1	GSEGSSGPGESSGSESGS GPGESSGSGGEPSESGSS	GGTAGCGAAGGTTCTTCTGGTCCAGGCGAGTCT TCAGGTAGCGAAGGTTCTTCCGGTCTGGCGAG TCTTCAGGTTCCGGTGGCGAACCGTCCGAATCT GGTAGCTCA

[00298] Example 2: Construction of XTEN_AE36 segments

[00299] A codon library encoding XTEN sequences of 36 amino acid length was constructed. The XTEN sequence was designated XTEN_AE36. Its segments have the amino acid sequence $[X]_3$ where X is a 12mer peptide with the sequence: GSPAGSPTSTEE, GSEPATSGSE TP, GTSESA TPESGP, or GTSTEPSEGSAP. The insert was obtained by annealing the following pairs of phosphorylated synthetic oligonucleotide pairs:

AE1for: AGGTAGCCCDGCGGGYTCTCCDACYTCYACYGARGA

AE1rev: ACCTTCYTCRGTRGARGTHGGAGARCCWGCHGGGCT

AE2for: AGGTAGCGAACCKGCWACYTCYGGYTCTGARACYCC

AE2rev: ACCTGGRGTYTCAGARCCRGARGTWGCMGGTTCGCT

AE3for: AGGTACYTCTGAAAGCGCWACYCCKGARTCYGGYCC

AE3rev: ACCTGGRCCRGAYTCMGGRTWGCGCTTTCAGARGT

AE4for: AGGTACYTCTACYGAACCKTCYGARGGYAGCGCWCC

AE4rev: ACCTGGWCGCTRCCTCRGAMGGTTCRGTAGARGT

[00300] We also annealed the phosphorylated oligonucleotide 3KpnIstopperFor:

AGGTTCTGCTTCACTCGAGGGTAC and the non-phosphorylated oligonucleotide pr_3KpnIstopperRev: CCTCGAGTGAAGACGA. The annealed oligonucleotide pairs were ligated, which resulted in a mixture of products with varying length that represents the varying number of 12mer repeats ligated to one BbsI/KpnI segment. The products corresponding to the length of 36 amino acids were isolated from the mixture by preparative agarose gel electrophoresis and ligated into the BsaI/KpnI digested stuffer vector pCW0359. Most of the clones in the resulting library designated LCW0402 showed green fluorescence after induction which shows that the sequence of XTEN_AE36 had been ligated in frame with the GFP gene and most sequences of XTEN_AE36 show good expression.

[00301] We screened 96 isolates from library LCW0402 for high level of fluorescence by stamping them onto agar plate containing IPTG. The same isolates were evaluated by PCR and 48 isolates were identified that contained segments with 36 amino acids as well as strong fluorescence. These isolates were sequenced and 37 clones were identified that contained correct XTEN_AE36 segments. The file names of the nucleotide and amino acid constructs for these segments are listed in Table 9.

Table 9: DNA and Amino Acid Sequences for 36-mer motifs

File name	Amino acid sequence	Nucleotide sequence
LCW0402_002_ GFP-N_A07.ab1	GSPAGSPTSTEEGTSE SATPESGPGTSTEPSE GSAP	GGTAGCCCGGCAGGCTCTCCGACCTCTACTGAGGAA GGTACTTCTGAAAGCGCAACCCCGGAGTCCGGCCCA GGTACCTCTACCGAACCGTCTGAGGGCAGCGCACCA
LCW0402_003_ GFP-N_B07.ab1	GTSTEPSEGSAPGTST EPSEGSAPGTSTEPSE GSAP	GGTACTTCTACCGAACCGTCCGAAGGCAGCGCTCCA GGTACCTCTACTGAACCTTCCGAGGGCAGCGCTCCA GGTACCTCTACCGAACCTTCTGAAGGTAGCGCACCA
LCW0402_004_ GFP-N_C07.ab1	GTSTEPSEGSAPGTSE SATPESGPGTSESATP ESGP	GGTACCTCTACCGAACCGTCTGAAGGTAGCGCACCA GGTACCTCTGAAAGCGCAACTCCTGAGTCCGGTCCA GGTACTTCTGAAAGCGCAACCCCGGAGTCTGGCCCA

File name	Amino acid sequence	Nucleotide sequence
LCW0402_005_ GFP-N_D07.ab1	GTSTEPSEGSAPGTSE SATPESGPGTSESATP ESGP	GGTACTTCTACTGAACCGTCTGAAGGTAGCGCACCA GGTACTTCTGAAAGCGCAACCCCGGAATCCGGCCCA GGTACCTCTGAAAGCGCAACCCCGGAGTCCGGCCCA
LCW0402_006_ GFP-N_E07.ab1	GSEPATSGSETPGTSE SATPESGPGSPAGSPT STEE	GGTAGCGAACCGGCAACCTCCGGCTCTGAAACCCCA GGTACCTCTGAAAGCGCTACTCCTGAATCCGGCCCA GGTAGCCCGGCAGGTTCTCCGACTTCCACTGAGGAA
LCW0402_008_ GFP-N_F07.ab1	GTSESATPESGPGSEP ATSGSETPGTSTEPSE GSAP	GGTACTTCTGAAAGCGCAACCCCTGAATCCGGTCCA GGTAGCGAACCGGCTACTTCTGGCTCTGAGACTCCA GGTACTTCTACCGAACCGTCCGAAGGTAGCGCACCA
LCW0402_009_ GFP-N_G07.ab1	GSPAGSPTSTEEGSPA GSPTSTEEGSEPATSG SETP	GGTAGCCCGGCTGGCTCTCCAACCTCCACTGAGGAA GGTAGCCCGGCTGGCTCTCCAACCTCCACTGAAGAA GGTAGCGAACCGGCTACCTCCGGCTCTGAAACTCCA
LCW0402_011_ GFP-N_A08.ab1	GSPAGSPTSTEEGTSE SATPESGPGTSTEPSE GSAP	GGTAGCCCGGCTGGCTCTCCTACCTCTACTGAGGAA GGTACTTCTGAAAGCGCTACTCCTGAGTCTGGTCCA GGTACCTCTACTGAACCGTCCGAAGGTAGCGCTCCA
LCW0402_012_ GFP-N_B08.ab1	GSPAGSPTSTEEGSPA GSPTSTEEGTSTEPSE GSAP	GGTAGCCCTGCTGGCTCTCCGACTTCTACTGAGGAA GGTAGCCCGGCTGGTCTCCGACTTCTACTGAGGAA GGTACTTCTACCGAACCTTCCGAAGGTAGCGCTCCA
LCW0402_013_ GFP-N_C08.ab1	GTSESATPESGPGTST EPSEGSAPGTSTEPSE GSAP	GGTACTTCTGAAAGCGCTACTCCGGAGTCCGGTCCA GGTACCTCTACCGAACCGTCCGAAGGCAGCGCTCCA GGTACTTCTACTGAACCTTCTGAGGGTAGCGCTCCA
LCW0402_014_ GFP-N_D08.ab1	GTSTEPSEGSAPGSPA GSPTSTEEGTSTEPSE GSAP	GGTACCTCTACCGAACCTTCCGAAGGTAGCGCTCCA GGTAGCCCGGCAGGTTCTCCTACTTCCACTGAGGAA GGTACTTCTACCGAACCTTCTGAGGGTAGCGCACCA
LCW0402_015_ GFP-N_E08.ab1	GSEPATSGSETPGSPA GSPTSTEEGTSESATP ESGP	GGTAGCGAACCGGCTACTTCCGGCTCTGAGACTCCA GGTAGCCCTGCTGGCTCTCCGACCTCTACCGAAGAA GGTACCTCTGAAAGCGCTACCCCTGAGTCTGGCCCA
LCW0402_016_ GFP-N_F08.ab1	GTSTEPSEGSAPGTSE SATPESGPGTSESATP ESGP	GGTACTTCTACCGAACCTTCCGAGGGCAGCGCACCA GGTACTTCTGAAAGCGCTACCCCTGAGTCCGGCCCA GGTACTTCTGAAAGCGCTACTCCTGAATCCGGTCCA
LCW0402_020_ GFP-N_G08.ab1	GTSTEPSEGSAPGSEP ATSGSETPGSPAGSPT STEE	GGTACTTCTACTGAACCGTCTGAAGGCAGCGCACCA GGTAGCGAACCGGCTACTTCCGGTCTGAAACCCCA GGTAGCCCGCAGGTTCTCCAACCTTCTACTGAAGAA
LCW0402_023_ GFP-N_A09.ab1	GSPAGSPTSTEEGTSE SATPESGPGSEPATSG SETP	GGTAGCCCTGCTGGCTCTCCAACCTCCACCGAAGAA GGTACCTCTGAAAGCGCAACCCCTGAATCCGGCCCA GGTAGCGAACCGGCAACCTCCGGTCTGAAACCCCA
LCW0402_024_ GFP-N_B09.ab1	GTSESATPESGPGSPA GSPTSTEEGSPAGSPT STEE	GGTACTTCTGAAAGCGCTACTCCTGAGTCCGGCCCA GGTAGCCCGGCTGGCTCTCCGACTTCCACCGAGGAA GGTAGCCCGGCTGGCTCTCCAACCTTCTACTGAAGAA
LCW0402_025_ GFP-N_C09.ab1	GTSTEPSEGSAPGTSE SATPESGPGTSTEPSE GSAP	GGTACCTCTACTGAACCTTCTGAGGGCAGCGCTCCA GGTACTTCTGAAAGCGCTACCCCGGAGTCCGGTCCA GGTACTTCTACTGAACCGTCCGAAGGTAGCGCACCA
LCW0402_026_ GFP-N_D09.ab1	GSPAGSPTSTEEGTST EPSEGSAPGSEPATSG SETP	GGTAGCCCGGCAGGCTCTCCGACTTCCACCGAGGAA GGTACCTCTACTGAACCTTCTGAGGGTAGCGCTCCA GGTAGCGAACCGGCAACCTCTGGCTCTGAAACCCCA
LCW0402_027_ GFP-N_E09.ab1	GSPAGSPTSTEEGTST EPSEGSAPGTSTEPSE GSAP	GGTAGCCCGCAGGCTCTCCGACTTCCACTGAGGAA GGTACTTCTACTGAACCTTCCGAAGGCAGCGCACCA GGTACCTCTACTGAACCTTCTGAGGGCAGCGCTCCA
LCW0402_032_ GFP-N_H09.ab1	GSEPATSGSETPGTSE SATPESGPGSPAGSPT STEE	GGTAGCGAACCTGCTACCTCCGGTCTGAAACCCCA GGTACCTCTGAAAGCGCAACTCCGGAGTCTGGTCCA GGTAGCCCTGCAGGTTCTCCTACCTCCACTGAGGAA
LCW0402_034_ GFP-N_A10.ab1	GTSESATPESGPGTST EPSEGSAPGTSTEPSE GSAP	GGTACCTCTGAAAGCGCTACTCCGGAGTCTGGCCCA GGTACCTCTACTGAACCGTCTGAGGGTAGCGCTCCA GGTACTTCTACTGAACCGTCCGAAGGTAGCGCACCA
LCW0402_036_ GFP-N_C10.ab1	GSPAGSPTSTEEGTST EPSEGSAPGTSTEPSE GSAP	GGTAGCCCGGCTGGTCTCCGACTTCCACCGAGGAA GGTACCTCTACTGAACCTTCTGAGGGTAGCGCTCCA GGTACCTCTACTGAACCTTCCGAAGGCAGCGCTCCA
LCW0402_039_ GFP-N_E10.ab1	GTSTEPSEGSAPGTST EPSEGSAPGTSTEPSE GSAP	GGTACTTCTACCGAACCGTCCGAGGGCAGCGCTCCA GGTACTTCTACTGAACCTTCTGAAGGCAGCGCTCCA GGTACTTCTACTGAACCTTCCGAAGGTAGCGCACCA

File name	Amino acid sequence	Nucleotide sequence
LCW0402_040_ GFP-N_F10.ab1	GSEPATSGSETPGTSE SATPESGPGTSTEPSE GSAP	GGTAGCGAACCTGCAACCTCTGGCTCTGAAACCCCA GGTACCTCTGAAAGCGCTACTCCTGAATCTGGCCCA GGTACTTCTACTGAACCGTCCGAGGGCAGCGCACCA
LCW0402_041_ GFP-N_G10.ab1	GTSTEPSEGSAPGSPA GSPTSTEEGTSTEPSE GSAP	GGTACTTCTACCGAACCGTCCGAGGGTAGCGCACCA GGTAGCCCGAGCAGGTTCTCCTACCTCCACCGAGGAA GGTACTTCTACCGAACCGTCCGAGGGTAGCGCACCA
LCW0402_050_ GFP-N_A11.ab1	GSEPATSGSETPGTSE SATPESGPGSEPATSG SETP	GGTAGCGAACCGGCAACCTCCGGCTCTGAAACTCCA GGTACTTCTGAAAGCGCTACTCCGGAATCCGGCCCA GGTAGCGAACCGGCTACTTCCGGCTCTGAAACCCCA
LCW0402_051_ GFP-N_B11.ab1	GSEPATSGSETPGTSE SATPESGPGSEPATSG SETP	GGTAGCGAACCGGCAACCTCCGGCTCTGAAACCCCA GGTACTTCTGAAAGCGCTACTCCTGAGTCTGGCCCA GGTAGCGAACCTGCTACCTCTGGCTCTGAAACCCCA
LCW0402_059_ GFP-N_E11.ab1	GSEPATSGSETPGSEP ATSGSETPGTSTEPSE GSAP	GGTAGCGAACCGGCAACCTCTGGCTCTGAAACTCCA GGTAGCGAACCTGCAACCTCCGGCTCTGAAACCCCA GGTACTTCTACTGAACCTTCTGAGGGCAGCGCACCA
LCW0402_060_ GFP-N_F11.ab1	GTSESATPESGPGSEP ATSGSETPGSEPATSG SETP	GGTACTTCTGAAAGCGCTACCCGGAATCTGGCCCA GGTAGCGAACCGGCTACTTCTGGTTCTGAAACCCCA GGTAGCGAACCGGCTACCTCCGGTTCTGAAACTCCA
LCW0402_061_ GFP-N_G11.ab1	GTSTEPSEGSAPGTST EPSEGSAPGTSESATP ESGP	GGTACCTCTACTGAACCTTCCGAAGGCAGCGCTCCA GGTACCTCTACCGAACCGTCCGAGGGCAGCGCACCA GGTACTTCTGAAAGCGCAACCCCTGAATCCGGTCCA
LCW0402_065_ GFP-N_A12.ab1	GSEPATSGSETPGTSE SATPESGPGTSESATP ESGP	GGTAGCGAACCGGCAACCTCTGGCTCTGAAACCCCA GGTACCTCTGAAAGCGCTACTCCGGAATCTGGTCCA GGTACTTCTGAAAGCGCTACTCCGGAATCCGGTCCA
LCW0402_066_ GFP-N_B12.ab1	GSEPATSGSETPGSEP ATSGSETPGTSTEPSE GSAP	GGTAGCGAACCTGCTACCTCCGGCTCTGAAACTCCA GGTAGCGAACCGGCTACTTCCGGTTCTGAAACTCCA GGTACCTCTACCGAACCTTCCGAAGGCAGCGCACCA
LCW0402_067_ GFP-N_C12.ab1	GSEPATSGSETPGTST EPSEGSAPGSEPATSG SETP	GGTAGCGAACCTGCTACTTCTGGTTCTGAAACTCCA GGTACTTCTACCGAACCGTCCGAGGGTAGCGCTCCA GGTAGCGAACCTGCTACTTCTGGTTCTGAAACTCCA
LCW0402_069_ GFP-N_D12.ab1	GTSTEPSEGSAPGTST EPSEGSAPGSEPATSG SETP	GGTACCTCTACCGAACCGTCCGAGGGTAGCGCACCA GGTACCTCTACTGAACCGTCTGAGGGTAGCGCTCCA GGTAGCGAACCGGCAACCTCCGGTTCTGAAACTCCA
LCW0402_073_ GFP-N_F12.ab1	GTSTEPSEGSAPGSEP ATSGSETPGSPAGSPT STEE	GGTACTTCTACTGAACCTTCCGAAGGTAGCGCTCCA GGTAGCGAACCTGCTACTTCTGGTTCTGAAACCCCA GGTAGCCCGGCTGGCTCTCCGACCTCCACCGAGGAA
LCW0402_074_ GFP-N_G12.ab1	GSEPATSGSETPGSPA GSPTSTEEGTSESATP ESGP	GGTAGCGAACCGGCTACTTCCGGCTCTGAGACTCCA GGTAGCCCGAGTGGTTCTCCAACCTCTACTGAGGAA GGTACTTCTGAAAGCGCTACCCCTGAATCTGGTCCA
LCW0402_075_ GFP-N_H12.ab1	GTSESATPESGPGSEP ATSGSETPGTSESATP ESGP	GGTACCTCTGAAAGCGCAACTCCTGAGTCTGGCCCA GGTAGCGAACCTGCTACCTCCGGCTCTGAGACTCCA GGTACCTCTGAAAGCGCAACCCCGGAATCTGGTCCA

[00302] Example 3: Construction of XTEN_AF36 segments

[00303] A codon library encoding sequences of 36 amino acid length was constructed. The sequences were designated XTEN_AF36. Its segments have the amino acid sequence [X]₃ where X is a 12mer peptide with the sequence: GSTSESPSGTAP, GTSTPESGSASP, GTSPSGESSTAP, or GSTSSTAESPGP. The insert was obtained by annealing the following pairs of phosphorylated synthetic oligonucleotide pairs:

AF1for: AGGTTCTACYAGCGAATCYCCKTCTGGYACYGCWCC

AF1rev: ACCTGGWGCRCRCCAGAMGGRGATTCGCTRGTAGA

AF2for: AGGTACYTCTACYCCKGAAAGCGGYTCYGCWTCTCC

AF2rev: ACCTGGAGAWGCRGARCCGCTTTCMGGRTAGARGT

AF3for: AGGTACYTCYCKAGCGGYGAATCTTCTACYGCWCC

AF3rev: ACCTGGWGCRTAGAAAGATTCRCCGCTMGGRGARGT

AF4for: AGGTTCYACYAGCTCTACYGCWGAATCTCCKGGYCC

AF4rev: ACCTGGRCCMGAGATTCWGCRGTAGAGCTRGRGA

[00304] We also annealed the phosphorylated oligonucleotide 3KpnIstopperFor:

AGGTTCGTCTTCACTCGAGGGTAC and the non-phosphorylated oligonucleotide pr_3KpnIstopperRev: CCTCGAGTGAAGACGA. The annealed oligonucleotide pairs were ligated, which resulted in a mixture of products with varying length that represents the varying number of 12mer repeats ligated to one BbsI/KpnI segment. The products corresponding to the length of 36 amino acids were isolated from the mixture by preparative agarose gel electrophoresis and ligated into the BsaI/KpnI digested stuffer vector pCW0359. Most of the clones in the resulting library designated LCW0403 showed green fluorescence after induction which shows that the sequence of XTEN_AF36 had been ligated in frame with the GFP gene and most sequences of XTEN_AF36 show good expression.

[00305] We screened 96 isolates from library LCW0403 for high level of fluorescence by stamping them onto agar plate containing IPTG. The same isolates were evaluated by PCR and 48 isolates were identified that contained segments with 36 amino acids as well as strong fluorescence. These isolates were sequenced and 44 clones were identified that contained correct XTEN_AF36 segments. The file names of the nucleotide and amino acid constructs for these segments are listed in Table 10.

Table 10: DNA and Amino Acid Sequences for 36-mer motifs

File name	Amino acid sequence	Nucleotide sequence
LCW0403_004_ GFP-N_A01.ab1	GTSTPESGSASPGTSP SGESSTAPGTSPSGES STAP	GGTACTTCTACTCCGGAAGCGGTTCCGCATCTCCA GGTACTTCTCCTAGCGGTGAATCTTCTACTGCTCCAG GTACCTCTCCTAGCGGCGAATCTTCTACTGCTCCA
LCW0403_005_ GFP-N_B01.ab1	GTSPSGESSTAPGSTS STAESPGPGTSPSGES STAP	GGTACTTCTCCGAGCGGTGAATCTTCTACCGCACCA GGTTCTACTAGCTCTACCGCTGAATCTCCGGGCCAG GTACTTCTCCGAGCGGTGAATCTTCTACTGCTCCA
LCW0403_006_ GFP-N_C01.ab1	GSTSSTAESPGPGTSP SGESSTAPGTSTPESG SASP	GGTTCACCAGCTCTACTGCTGAATCTCCTGGTCCAG GTACCTCTCCTAGCGGTGAATCTTCTACTGCTCCAGG TACTTCTACTCCTGAAAGCGGCTCTGCTTCTCCA
LCW0403_007_ GFP-N_D01.ab1	GSTSSTAESPGPGST STAESPGPGTSPSGES STAP	GGTTCTACCAGCTCTACTGCAGAATCTCCTGGCCCAG GTTCCACCAGCTCTACCGCAGAATCTCCGGGTCCAG GTACTTCCCTAGCGGTGAATCTTCTACCGCACCA
LCW0403_008_ GFP-N_E01.ab1	GSTSSTAESPGPGTSP SGESSTAPGTSTPESG SASP	GGTTCTACTAGCTCTACTGCTGAATCTCCTGGCCCAG GTACTTCTCCTAGCGGTGAATCTTCTACCGCTCCAGG TACCTCTACTCCGGAAGCGGTTCTGCATCTCCA
LCW0403_010_ GFP-N_F01.ab1	GSTSSTAESPGPGTST PESGSASPGSTSESPS GTAP	GGTTCTACCAGCTCTACCGCAGAATCTCCTGGTCCAG GTACCTCTACTCCGGAAGCGGCTCTGCATCTCCAG GTTCTACTAGCGAATCTCCTTCTGGCACTGCACCA
LCW0403_011_ GFP-N_G01.ab1	GSTSSTAESPGPGTST PESGSASPGTSTPESG SASP	GGTTCTACTAGCTCTACTGCAGAATCTCCTGGCCCAG GTACCTCTACTCCGGAAGCGGCTCTGCATCTCCAG GTACTTCTACCCCTGAAAGCGGTTCTGCATCTCCA
LCW0403_012_ GFP-N_H01.ab1	GSTSESPSGTAPGTSP SGESSTAPGSTSESPS GTAP	GGTTCTACCAGCGAATCTCCTTCTGGCACCGCTCCAG GTACCTCTCCTAGCGGCGAATCTTCTACCGCTCCAGG TTCTACTAGCGAATCTCCTTCTGGCACTGCACCA
LCW0403_013_ GFP-N_A02.ab1	GSTSSTAESPGPGST STAESPGPGTSPSGES STAP	GGTTCACCAGCTCTACTGCAGAATCTCCGGGCCCA GGTTCTACTAGCTCTACTGCAGAATCTCCGGGTCCAG GTACTTCTCCTAGCGGCGAATCTTCTACCGCTCCA
LCW0403_014_	GSTSSTAESPGPGTST	GGTTCCTACTAGCTCTACTGCAGAATCTCCTGGCCCAG

File name	Amino acid sequence	Nucleotide sequence
GFP-N_B02.ab1	PESGSASPGSTSESPS GTAP	GTACCTCTACCCCTGAAAGCGGCTCTGCATCTCCAG GTTCTACCAGCGAATCCCCGTCTGGCACCACCA
LCW0403_015_ GFP-N_C02.ab1	GSTSSTAESPGPGSTS STAESPGPGTSPSGES STAP	GGTTCTACTAGCTCTACTGCTGAATCTCCGGGTCCAG GTTCTACCAGCTCTACTGCTGAATCTCCTGGTCCAGG TACCTCCCCGAGCGGTGAATCTTCTACTGCACCA
LCW0403_017_ GFP-N_D02.ab1	GSTSSTAESPGPGSTS ESPSGTAPGSTSTAE SPGP	GGTTCTACCAGCTCTACCGCTGAATCTCCTGGCCAG GTTCTACCAGCGAATCCCCGTCTGGCACCACCA GTTCTACTAGCTCTACCGCTGAATCTCCGGGTCCA
LCW0403_018_ GFP-N_E02.ab1	GSTSSTAESPGPGSTS STAESPGPGSTSSTAE SPGP	GGTTCTACCAGCTCTACCGCAGAATCTCCTGGCCCA GGTTCCACTAGCTCTACCGCTGAATCTCCTGGTCCAG GTTCTACTAGCTCTACCGCTGAATCTCCTGGTCCA
LCW0403_019_ GFP-N_F02.ab1	GSTSESPSGTAPGSTS STAESPGPGSTSSTAE SPGP	GGTTCTACTAGCGAATCCCCTTCTGGTACTGCTCCAG GTTCCACTAGCTCTACCGCTGAATCTCCTGGCCAGG TTCCACTAGCTCTACTGCAGAATCTCCTGGTCCA
LCW0403_023_ GFP-N_H02.ab1	GSTSESPSGTAPGSTS ESPSGTAPGSTSESPS GTAP	GGTTCTACTAGCGAATCTCCTTCTGGTACCGCTCCAG GTTCTACCAGCGAATCCCCGTCTGGTACTGCTCCAGG TTCTACCAGCGAATCTCCTTCTGGTACTGCACCA
LCW0403_024_ GFP-N_A03.ab1	GSTSSTAESPGPGSTS STAESPGPGSTSSTAE SPGP	GGTTCCACCAGCTCTACTGCTGAATCTCCTGGCCAG GTTCTACCAGCTCTACTGCTGAATCTCCGGGCCAGG TTCCACCAGCTCTACCGCTGAATCTCCGGGTCCA
LCW0403_025_ GFP-N_B03.ab1	GSTSSTAESPGPGSTS STAESPGPGTSPSGES STAP	GGTTCCACTAGCTCTACCGCAGAATCTCCTGGTCCAG GTTCTACTAGCTCTACTGCTGAATCTCCGGGTCCAGG TACCTCCCCTAGCGGCGAATCTTCTACCGCTCCA
LCW0403_028_ GFP-N_D03.ab1	GSSPSASTGTGPGSST PSGATGSPGSSTPSGA TGSP	GGTTCTAGCCCTTCTGCTTCCACCGGTACCGGCCAG GTAGCTCTACTCCGTCTGGTGCAACTGGCTCTCCAGG TAGCTCTACTCCGTCTGGTGCAACCGGCTCCCCA
LCW0403_029_ GFP-N_E03.ab1	GTSPSGESSTAPGTST PESGSASPGSTSSTAE SPGP	GGTACTTCCCCTAGCGGTGAATCTTCTACTGCTCCAG GTACCTCTACTCCGGAAAGCGGCTCCGCATCTCCAG GTTCTACTAGCTCTACTGCTGAATCTCCTGGTCCA
LCW0403_030_ GFP-N_F03.ab1	GSTSSTAESPGPGSTS STAESPGPGTSTPESG SASP	GGTTCTACTAGCTCTACCGCTGAATCTCCGGGTCCAG GTTCTACCAGCTCTACTGCAGAATCTCCTGGCCAGG TACTTCTACTCCGGAAAGCGGTTCGGCTTCTCCA
LCW0403_031_ GFP-N_G03.ab1	GTSPSGESSTAPGSTS STAESPGPGTSTPESG SASP	GGTACTTCTCCTAGCGGTGAATCTTCTACCGCTCCAG GTTCTACCAGCTCTACTGCTGAATCTCCTGGCCAGG TACTTCTACCCCGAAAGCGGCTCCGCTTCTCCA
LCW0403_033_ GFP-N_H03.ab1	GSTSESPSGTAPGSTS STAESPGPGSTSSTAE SPGP	GGTTCTACTAGCGAATCCCCTTCTGGTACTGCACCAG GTTCTACCAGCTCTACTGCTGAATCTCCGGGCCAGG TTCCACCAGCTCTACCGCAGAATCTCCTGGTCCA
LCW0403_035_ GFP-N_A04.ab1	GSTSSTAESPGPGSTS ESPSGTAPGSTSTAE SPGP	GGTTCCACCAGCTCTACCGCTGAATCTCCGGGCCCA GGTTCTACCAGCGAATCCCCTTCTGGCACTGCACCA GGTTCTACTAGCTCTACCGCAGAATCTCCGGGCCCA
LCW0403_036_ GFP-N_B04.ab1	GSTSSTAESPGPGTSP SGESSTAPGTSTPESG SASP	GGTTCTACCAGCTCTACTGCTGAATCTCCGGGTCCAG GTACTTCCCCGAGCGGTGAATCTTCTACTGCACCAG GTACTTCTACTCCGGAAAGCGGTTCCGCTTCTCCA
LCW0403_039_ GFP-N_C04.ab1	GSTSESPSGTAPGSTS ESPSGTAPGTSPSGES STAP	GGTTCTACCAGCGAATCCCCTTCTGGCACCAGCTCCAG GTTCTACTAGCGAATCCCCGTCTGGTACCGCACCAG GTACTTCTCCTAGCGGCGAATCTTCTACCGCACCA
LCW0403_041_ GFP-N_D04.ab1	GSTSESPSGTAPGSTS ESPSGTAPGTSTPESG SASP	GGTTCTACCAGCGAATCCCCTTCTGGTACTGCTCCAG GTTCTACCAGCGAATCCCCTTCTGGCACCACCA GTACTTCTACCCCTGAAAGCGGCTCCGCTTCTCCA
LCW0403_044_ GFP-N_E04.ab1	GTSTPESGSASPGSTS STAESPGPGSTSSTAE SPGP	GGTACCTCTACTCCTGAAAGCGGTTCTGCATCTCCAG GTTCCACTAGCTCTACCGCAGAATCTCCGGGCCAG GTTCTACTAGCTCTACTGCTGAATCTCCTGGCCCA
LCW0403_046_ GFP-N_F04.ab1	GSTSESPSGTAPGSTS ESPSGTAPGTSPSGES STAP	GGTTCTACCAGCGAATCCCCTTCTGGCACTGCACCA GGTTCTACTAGCGAATCCCCTTCTGGTACCGCACCAG GTACTTCTCCGAGCGGCGAATCTTCTACTGCTCCA
LCW0403_047_ GFP-N_G04.ab1	GSTSSTAESPGPGSTS STAESPGPGSTSESPS GTAP	GGTTCTACTAGCTCTACCGCTGAATCTCCTGGCCAG GTTCCACTAGCTCTACCGCAGAATCTCCGGGCCAG GTTCTACTAGCGAATCCCCTTCTGGTACCGCTCCA

File name	Amino acid sequence	Nucleotide sequence
LCW0403_049_ GFP-N_H04.ab1	GSTSSTAESPGPGSTS STAESPGPGTSTPESG SASP	GGTTCACCAGCTCTACTGCAGAATCTCCTGGCCCA GGTTCTACTAGCTCTACCGCAGAATCTCCTGGTCCAG GTACCTCTACTCCTGAAAGCGGTTCGCGATCTCCA
LCW0403_051_ GFP-N_A05.ab1	GSTSSTAESPGPGSTS STAESPGPGSTSESPS GTAP	GGTTCTACTAGCTCTACTGCTGAATCTCCGGGCCCCAG GTTCTACTAGCTCTACCGCTGAATCTCCGGGTCCAGG TTCTACTAGCGAATCTCCTTCTGGTACCGCTCCA
LCW0403_053_ GFP-N_B05.ab1	GTSPSGESSTAPGSTS ESPSGTAPGSTSSTAE SPGP	GGTACCTCCCCGAGCGGTGAATCTTCTACTGCACCA GGTTCTACTAGCGAATCCCCTTCTGGTACTGCTCCAG GTTCCACCAGCTCTACTGCAGAATCTCCGGGTCCA
LCW0403_054_ GFP-N_C05.ab1	GSTSESPSGTAPGTSP SGESSTAPGSTSSTAE SPGP	GGTTCTACTAGCGAATCCCCGTCTGGTACTGCTCCAG GTACTTCCCCCTAGCGGTGAATCTTCTACTGCTCCAGG TTCTACCAGCTCTACCGCAGAATCTCCGGGTCCA
LCW0403_057_ GFP-N_D05.ab1	GSTSSTAESPGPGSTS ESPSGTAPGTSPSGES STAP	GGTTCTACCAGCTCTACCGCTGAATCTCCTGGCCCCAG GTTCTACTAGCGAATCTCCGTCTGGCACCACCGCACCAG GTACTTCCCCCTAGCGGTGAATCTTCTACTGCACCA
LCW0403_058_ GFP-N_E05.ab1	GSTSESPSGTAPGSTS ESPSGTAPGTSTPESG SASP	GGTTCTACTAGCGAATCTCCTTCTGGCACTGCACCAG GTTCTACCAGCGAATCTCCGTCTGGCACTGCACCAG GTACCTCTACCCCTGAAAGCGGTTCGCTTCTCCA
LCW0403_060_ GFP-N_F05.ab1	GTSTPESGSASPGSTS ESPSGTAPGSTSSTAE SPGP	GGTACCTCTACTCCGGAAGCGGTTCGCGATCTCCA GGTTCTACCAGCGAATCCCCGTCTGGCACCACCGACCA GGTTCTACTAGCTCTACTGCTGAATCTCCGGGCCCCA
LCW0403_063_ GFP-N_G05.ab1	GSTSSTAESPGPGTSP SGESSTAPGTSPSGES STAP	GGTTCTACTAGCTCTACTGCAGAATCTCCGGGCCCCA GGTACCTCTCCTAGCGGTGAATCTTCTACCGCTCCAG GTACTTCTCCGAGCGGTGAATCTTCTACCGCTCCA
LCW0403_064_ GFP-N_H05.ab1	GTSPSGESSTAPGTSP SGESSTAPGTSPSGES STAP	GGTACCTCCCCCTAGCGGCGAATCTTCTACTGCTCCAG GTACCTCTCCTAGCGGCGAATCTTCTACCGCTCCAGG TACCTCCCCCTAGCGGTGAATCTTCTACCGCACCA
LCW0403_065_ GFP-N_A06.ab1	GSTSSTAESPGPGTST PESGSASPGSTSESPS GTAP	GGTTCCTACTAGCTCTACTGCTGAATCTCCTGGCCCCAG GTACTTCTACTCCGGAAGCGGTTCGCTTCTCCAGG TTCTACTAGCGAATCTCCGTCTGGCACCACCGACCA
LCW0403_066_ GFP-N_B06.ab1	GSTSESPSGTAPGTSP SGESSTAPGTSPSGES STAP	GGTTCTACTAGCGAATCTCCGTCTGGCACTGCTCCAG GTACTTCTCCTAGCGGTGAATCTTCTACCGCTCCAGG TACTTCCCCCTAGCGGCGAATCTTCTACCGCTCCA
LCW0403_067_ GFP-N_C06.ab1	GSTSESPSGTAPGTST PESGSASPGSTSSTAE SPGP	GGTTCTACTAGCGAATCTCCTTCTGGTACCGCTCCAG GTACTTCTACCCCTGAAAGCGGCTCCGCTTCTCCAGG TTCCACTAGCTCTACCGCTGAATCTCCGGGTCCA
LCW0403_068_ GFP-N_D06.ab1	GSTSSTAESPGPGSTS STAESPGPGSTSESPS GTAP	GGTTCCTACTAGCTCTACTGCTGAATCTCCTGGCCCCAG GTTCTACCAGCTCTACCGCTGAATCTCCTGGCCCCAGG TTCTACCAGCGAATCTCCGTCTGGCACCACCGACCA
LCW0403_069_ GFP-N_E06.ab1	GSTSESPSGTAPGTST PESGSASPGTSTPESG SASP	GGTTCTACTAGCGAATCCCCGTCTGGTACCGCACCA GGTACTTCTACCCCGGAAGCGGCTCTGCTTCTCCAG GTACTTCTACCCCGGAAGCGGCTCCGCATCTCCA
LCW0403_070_ GFP-N_F06.ab1	GSTSESPSGTAPGTST PESGSASPGTSTPESG SASP	GGTTCTACTAGCGAATCCCCGTCTGGTACTGCTCCAG GTACTTCTACTCCTGAAAGCGGTTCGCTTCTCCAGG TACCTCTACTCCGGAAGCGGTTCGTCATCTCCA

[00306] Example 4: Construction of XTEN_AG36 segments

[00307] A codon library encoding sequences of 36 amino acid length was constructed. The sequences were designated XTEN_AG36. Its segments have the amino acid sequence $[X]_3$ where X is a 12mer peptide with the sequence: GTPGSGTASSSP, GSSTPSGATGSP, GSSPSASTGTGP, or GASPGTSSTGSP. The insert was obtained by annealing the following pairs of phosphorylated synthetic oligonucleotide pairs:

AG1for: AGGTACYCKGGYAGCGGTACYGCWTCCTTCYTCTCC

AG1rev: ACCTGGAGARGAAGAWGCRGTACCGCTRCCMGGRGT

AG2for: AGGTAGCTCTACYCKTCTGGTGCWACYGGYTCTCC

AG2rev: ACCTGGRGARCCRGTWGCACCAGAMGGRGTAGAGCT

AG3for: AGGTTCTAGCCCKTCTGCWTCYACYGGTACYGGYCC

AG3rev: ACCTGGRCCRGTAACRGTRGAWGCAGAMGGGCTAGA

AG4for: AGGTGCWTCYCKGGYACYAGCTCTACYGGTTCTCC

AG4rev: ACCTGGAGAACCRGTAGAGCTRGTRCCMGGRGAWGC

[00308] We also annealed the phosphorylated oligonucleotide 3KpnIstopperFor:

AGGTTCTGTTCTTCACTCGAGGGTAC and the non-phosphorylated oligonucleotide pr_3KpnIstopperRev:

CCTCGAGTGAAGACGA. The annealed oligonucleotide pairs were ligated, which resulted in a mixture of products with varying length that represents the varying number of 12mer repeats ligated to one BbsI/KpnI segment. The products corresponding to the length of 36 amino acids were isolated from the mixture by preparative agarose gel electrophoresis and ligated into the BsaI/KpnI digested stuffer vector pCW0359. Most of the clones in the resulting library designated LCW0404 showed green fluorescence after induction which shows that the sequence of XTEN_AG36 had been ligated in frame with the GFP gene and most sequences of XTEN_AG36 show good expression.

[00309] We screened 96 isolates from library LCW0404 for high level of fluorescence by stamping them onto agar plate containing IPTG. The same isolates were evaluated by PCR and 48 isolates were identified that contained segments with 36 amino acids as well as strong fluorescence. These isolates were sequenced and 44 clones were identified that contained correct XTEN_AG36 segments. The file names of the nucleotide and amino acid constructs for these segments are listed in Table 11.

Table 11: DNA and Amino Acid Sequences for 36-mer motifs

File name	Amino acid sequence	Nucleotide sequence
LCW0404_001_ GFP-N_A07.ab1	GASPGTSSTGSPGTPG SGTASSSPGSSTPSGA TGSP	GGTGCATCCCCGGGCACTAGCTCTACCGGTTCTCCA GGTACTCCTGGTAGCGGTACTGCTTCTTCTTCTCCAG GTAGCTCTACTCCTTCTGGTGCTACTGGTTCTCCA
LCW0404_003_ GFP-N_B07.ab1	GSSTPSGATGSPGSSP SASTGTGPGSSTPSGA TGSP	GGTAGCTCTACCCCTTCTGGTGCTACCGGCTCTCCAG GTTCTAGCCCGTCTGCTTCTACCGGTACCGGTCCAGG TAGCTCTACCCCTTCTGGTGCTACTGGTTCTCCA
LCW0404_006_ GFP-N_C07.ab1	GASPGTSSTGSPGSSP SASTGTGPGSSTPSGA TGSP	GGTGCATCTCCGGGTACTAGCTCTACCGGTTCTCCAG GTTCTAGCCCTTCTGCTTCCACTGGTACCGGCCCCAGG TAGCTCTACCCCGTCTGGTGCTACTGGTTCCCCA
LCW0404_007_ GFP-N_D07.ab1	GTPGSGTASSSPGSST PSGATGSPGASPGTSS TGSP	GGTACTCCGGGCAGCGGTACTGCTTCTTCTCTCCAG GTAGCTCTACCCCTTCTGGTGCAACTGGTTCCCCAGG TGCATCCCCCTGGTACTAGCTCTACCGGTTCTCCA
LCW0404_009_ GFP-N_E07.ab1	GTPGSGTASSSPGASP GTSSTGSPGSRPSAST GTGP	GGTACCCCTGGCAGCGGTACTGCTTCTTCTTCTCCAG GTGCTTCCCCCTGGTACCAGCTCTACCGGTTCTCCAGG TTCTAGACCTTCTGCATCCACCGGTACTGGTCCA
LCW0404_011_ GFP-N_F07.ab1	GASPGTSSTGSPGSST PSGATGSPGASPGTSS TGSP	GGTGCATCTCCTGGTACCAGCTCTACCGGTTCTCCAG GTAGCTCTACTCCTTCTGGTGCTACTGGCTCTCCAGG TGCTTCCCCGGGTACCAGCTCTACCGGTTCTCCA
LCW0404_012_ GFP-N_G07.ab1	GTPGSGTASSSPGSST PSGATGSPGSSTPSGA TGSP	GGTACCCCGGGCAGCGGTACCGCATCTTCTCTCCA GGTAGCTCTACCCCGTCTGGTGCTACCGGTTCCCCAG GTAGCTCTACCCCGTCTGGTGCAACCGGTCCCCA
LCW0404_014_ GFP-N_H07.ab1	GASPGTSSTGSPGASP GTSSTGSPGASPGTSS TGSP	GGTGCATCTCCGGGCACTAGCTCTACTGGTTCTCCAG GTGCATCCCCCTGGCACTAGCTCTACTGGTTCTCCAGG TGCTTCTCTGGTACCAGCTCTACTGGTTCTCCA
LCW0404_015_ GFP-N_A08.ab1	GSSTPSGATGSPGSSP SASTGTGPGASPGTSS	GGTAGCTCTACTCCGTCTGGTGCAACCGGCTCCCCA GGTTCTAGCCCGTCTGCTTCCACTGGTACTGGCCCAG

File name	Amino acid sequence	Nucleotide sequence
	TGSP	GTGCTTCCCCGGGCACCAGCTCTACTGGTTCTCCA
LCW0404_016_ GFP-N_B08.ab1	GSSTPSGATGSPGSST PSGATGSPGTPGSGT ASSSP	GGTAGCTCTACTCCTTCTGGTGCTACCGGTTCCCCAG GTAGCTCTACTCCTTCTGGTGCTACTGGTTCCCCAGG TACTCCGGGCAGCGGTACTGCTTCTTCTCTCCA
LCW0404_017_ GFP-N_C08.ab1	GSSTPSGATGSPGSST PSGATGSPGASPGTSS TGSP	GGTAGCTCTACTCCGTCTGGTGCAACCGGTTCCCCAG GTAGCTCTACTCCTTCTGGTGCTACTGGCTCCCCAGG TGCATCCCCCTGGCACCAGCTCTACCGGTTCTCCA
LCW0404_018_ GFP-N_D08.ab1	GTPGSGTASSSPGSSP SASTGTGPGSSTPSGA TGSP	GGTACTCCTGGTAGCGGTACCGCATCTTCTCTCCAG GTTCTAGCCCTTCTGCATCTACCGGTACCGGTTCCAGG TAGCTCTACTCCTTCTGGTGCTACTGGCTCTCCA
LCW0404_023_ GFP-N_F08.ab1	GASPGTSSTGSPGSSP SASTGTGPGTPGSGT ASSSP	GGTGCTTCCCCGGGCACCTAGCTCTACCGGTTCTCCAG GTTCTAGCCCTTCTGCATCTACTGGTACTGGCCAGG TACTCCGGGCAGCGGTACTGCTTCTTCTCTCCA
LCW0404_025_ GFP-N_G08.ab1	GSSTPSGATGSPGSST PSGATGSPGASPGTSS TGSP	GGTAGCTCTACTCCGTCTGGTGCTACCGGCTCTCCAG GTAGCTCTACCCCTTCTGGTGCAACCGGCTCCCCAGG TGCTTCTCCGGGTACCAGCTCTACTGGTTCTCCA
LCW0404_029_ GFP-N_A09.ab1	GTPGSGTASSSPGSST PSGATGSPGSSPSAST GTGP	GGTACCCCTGGCAGCGGTACCGCTTCTTCTCTCCAG GTAGCTCTACCCCGTCTGGTGCTACTGGCTCTCCAGG TTCTAGCCCGTCTGCATCTACCGGTACCGGCCCA
LCW0404_030_ GFP-N_B09.ab1	GSSTPSGATGSPGTPG SGTASSSPGTPGSGTA SSSP	GGTAGCTCTACTCCTTCTGGTGCAACCGGCTCCCCAG GTACCCCGGGCAGCGGTACCGCATCTTCTCTCCAG GTACTCCGGGTAGCGGTACTGCTTCTTCTCTCCA
LCW0404_031_ GFP-N_C09.ab1	GTPGSGTASSSPGSST PSGATGSPGASPGTSS TGSP	GGTACCCCGGGTAGCGGTACTGCTTCTTCTCTCCAG GTAGCTCTACCCCTTCTGGTGCAACCGGCTCTCCAGG TGCTTCTCCGGGCACCAGCTCTACCGGTTCTCCA
LCW0404_034_ GFP-N_D09.ab1	GSSTPSGATGSPGSST PSGATGSPGASPGTSS TGSP	GGTAGCTCTACCCCGTCTGGTGCTACCGGCTCTCCAG GTAGCTCTACCCCGTCTGGTGCAACCGGCTCCCCAG GTGCATCCCCGGGTACTAGCTCTACCGGTTCTCCA
LCW0404_035_ GFP-N_E09.ab1	GASPGTSSTGSPGTPG SGTASSSPGSSTPSGA TGSP	GGTGCTTCTCCGGGCACCAGCTCTACTGGTTCTCCAG GTACCCCGGGCAGCGGTACCGCATCTTCTTCTCCAG GTAGCTCTACTCCTTCTGGTGCAACTGGTTCTCCA
LCW0404_036_ GFP-N_F09.ab1	GSSPSASTGTGPGSST PSGATGSPGTPGSGT ASSSP	GGTTCTAGCCCGTCTGCTTCCACCGGTACTGGCCAG GTAGCTCTACCCCGTCTGGTGCAACTGGTTCCCCAGG TACCCCTGGTAGCGGTACCGCTTCTTCTCTCCA
LCW0404_037_ GFP-N_G09.ab1	GASPGTSSTGSPGSSP SASTGTGPGSSTPSGA TGSP	GGTGCTTCTCCGGGCACCAGCTCTACTGGTTCTCCAG GTTCTAGCCCTTCTGCATCCACCGGTACCGGTCCAGG TAGCTCTACCCCTTCTGGTGCAACCGGCTCTCCA
LCW0404_040_ GFP-N_H09.ab1	GASPGTSSTGSPGSST PSGATGSPGSSTPSGA TGSP	GGTGCATCCCCGGGCACCAGCTCTACCGGTTCTCCA GGTAGCTCTACCCCGTCTGGTGCTACCGGCTCTCCAG GTAGCTCTACCCCGTCTGGTGCTACTGGCTCTCCA
LCW0404_041_ GFP-N_A10.ab1	GTPGSGTASSSPGSST PSGATGSPGTPGSGT ASSSP	GGTACCCCTGGTAGCGGTACTGCTTCTTCTCTCCAG GTAGCTCTACTCCGTCTGGTGCTACCGGTTCTCCAGG TACCCCGGGTAGCGGTACCGCATCTTCTCTCCA
LCW0404_043_ GFP-N_C10.ab1	GSSPSASTGTGPGSST PSGATGSPGSSTPSGA TGSP	GGTTCTAGCCCTTCTGCTTCCACCGGTACTGGCCAG GTAGCTCTACCCCTTCTGGTGCTACCGGCTCCCCAGG TAGCTCTACTCCTTCTGGTGCAACTGGCTCTCCA
LCW0404_045_ GFP-N_D10.ab1	GASPGTSSTGSPGSSP SASTGTGPGSSPSAST GTGP	GGTGCTTCTCCTGGCACCAGCTCTACTGGTTCTCCAG GTTCTAGCCCTTCTGCTTCTACCGGTACTGGTCCAGG TTCTAGCCCTTCTGCATCCACTGGTACTGGTCCA
LCW0404_047_ GFP-N_F10.ab1	GTPGSGTASSSPGASP GTSSTGSPGASPGTSS TGSP	GGTACTCCTGGCAGCGGTACCGCTTCTTCTTCTCCAG GTGCTTCTCCTGGTACTAGCTCTACTGGTTCTCCAGG TGCTTCTCCGGGCACTAGCTCTACTGGTTCTCCA
LCW0404_048_ GFP-N_G10.ab1	GSSTPSGATGSPGASP GTSSTGSPGSSTPSGA TGSP	GGTAGCTCTACCCCGTCTGGTGCTACCGGTTCCCCAG GTGCTTCTCCTGGTACTAGCTCTACCGGTTCTCCAGG TAGCTCTACCCCGTCTGGTGCTACTGGCTCTCCA
LCW0404_049_ GFP-N_H10.ab1	GSSTPSGATGSPGTPG SGTASSSPGSSTPSGA TGSP	GGTAGCTCTACCCCGTCTGGTGCTACTGGTTCTCCAG GTACTCCGGGCAGCGGTACTGCTTCTTCTCTCCAGG TAGCTCTACCCCTTCTGGTGCTACTGGCTCTCCA
LCW0404_050_	GASPGTSSTGSPGSSP	GGTGCATCTCCTGGTACCAGCTCTACTGGTTCTCCAG

File name	Amino acid sequence	Nucleotide sequence
GFP-N_A11.ab1	SASTGTGPGSSTPSGA TGSP	GTTCTAGCCCTTCTGCTTCTACCGGTACCGGTCCAGG TAGCTCTACTCCTTCTGGTGCTACCGGTTCTCCA
LCW0404_051_ GFP-N_B11.ab1	GSSTPSGATGSPGSST PSGATGSPGSSTPSGA TGSP	GGTAGCTCTACCCCGTCTGGTGCTACTGGTCTCCAG GTAGCTCTACTCCTTCTGGTGCTACTGGTCCCCAGG TAGCTCTACCCCGTCTGGTGCAACTGGTCTCCA
LCW0404_052_ GFP-N_C11.ab1	GASPGTSSTGSPGTPG SGTASSSPGASPGTSS TGSP	GGTGCATCCCCGGGTACCAGCTCTACCGGTTCTCCA GGTACTCCTGGCAGCGGTACTGCATCTTCCTCTCCAG GTGCTTCTCCGGGCACCAGCTCTACTGGTTCTCCA
LCW0404_053_ GFP-N_D11.ab1	GSSTPSGATGSPGSSP SASTGTGPGASPGTSS TGSP	GGTAGCTCTACTCCTTCTGGTGCAACTGGTCTCCAG GTTCTAGCCCGTCTGCATCCACTGGTACCGGTCCAGG TGCTTCCCCTGGCACCAGCTCTACCGGTTCTCCA
LCW0404_057_ GFP-N_E11.ab1	GASPGTSSTGSPGSST PSGATGSPGSSPSAST GTGP	GGTGCATCTCCTGGTACTAGCTCTACTGGTCTCCAG GTAGCTCTACTCCGTCTGGTGCAACCGGCTCTCCAGG TTCTAGCCCTTCTGCATCTACCGGTACTGGTCCA
LCW0404_060_ GFP-N_F11.ab1	GTPGSGTASSSPGSST PSGATGSPGASPGTSS TGSP	GGTACTCCTGGCAGCGGTACCGCATCTTCCTCTCCAG GTAGCTCTACTCCGTCTGGTGCAACTGGTCCCCAGG TGCTTCTCCGGGTACCAGCTCTACCGGTTCTCCA
LCW0404_062_ GFP-N_G11.ab1	GSSTPSGATGSPGTPG SGTASSSPGSSTPSGA TGSP	GGTAGCTCTACCCCGTCTGGTGCAACCGGCTCCCCA GGTACTCCTGGTAGCGGTACCGCTTCTTCTTCTCCAG GTAGCTCTACTCCGTCTGGTGCTACCGGCTCCCCA
LCW0404_066_ GFP-N_H11.ab1	GSSPSASTGTGPGSSP SASTGTGPGASPGTSS TGSP	GGTTCTAGCCCTTCTGCATCCACCGGTACCGGCCCCAG GTTCTAGCCCGTCTGCTTCTACCGGTACTGGTCCAGG TGCTTCTCCGGGTACTAGCTCTACTGGTCTCCA
LCW0404_067_ GFP-N_A12.ab1	GTPGSGTASSSPGSST PSGATGSPGNSPSAST GTGP	GGTACCCCGGGTAGCGGTACCGCTTCTTCTTCTCCAG GTAGCTCTACTCCGTCTGGTGCTACCGGCTCTCCAGG TTCTAACCCCTTCTGCATCCACCGGTACCGGCCCCA
LCW0404_068_ GFP-N_B12.ab1	GSSPSASTGTGPGSSP PSGATGSPGASPGTSS TGSP	GGTTCTAGCCCTTCTGCATCTACTGGTACTGGCCCAG GTAGCTCTACTCCTTCTGGTGCTACCGGCTCTCCAGG TGCTTCTCCGGGTACTAGCTCTACCGGTTCTCCA
LCW0404_069_ GFP-N_C12.ab1	GSSTPSGATGSPGASP GTSSTGSPGTPGSGTA SSSP	GGTAGCTCTACCCCTTCTGGTGCAACCGGCTCTCCAG GTGCATCCCCGGGTACCAGCTCTACCGGTTCTCCAG GTACTCCGGGTAGCGGTACCGCTTCTTCTCTCCA
LCW0404_070_ GFP-N_D12.ab1	GSSTPSGATGSPGSST PSGATGSPGSSTPSGA TGSP	GGTAGCTCTACTCCGTCTGGTGCAACCGGTTCCCCAG GTAGCTCTACCCCTTCTGGTGCAACCGGCTCCCCAGG TAGCTCTACCCCTTCTGGTGCAACTGGTCTCCA
LCW0404_073_ GFP-N_E12.ab1	GASPGTSSTGSPGTPG SGTASSSPGSSTPSGA TGSP	GGTGCTTCTCCTGGCACTAGCTCTACCGGTTCTCCAG GTACCCCTGGTAGCGGTACCGCATCTTCTCTCCAGG TAGCTCTACTCCTTCTGGTGCTACTGGTCCCCA
LCW0404_075_ GFP-N_F12.ab1	GSSTPSGATGSPGSSP SASTGTGPGSSPSAST GTGP	GGTAGCTCTACCCCGTCTGGTGCTACTGGTCCCCAG GTTCTAGCCCTTCTGCATCCACCGGTACCGGTCCAGG TTCTAGCCCGTCTGCATCTACTGGTACTGGTCCA
LCW0404_080_ GFP-N_G12.ab1	GASPGTSSTGSPGSSP SASTGTGPGSSPSAST GTGP	GGTGCTTCCCCGGGCACCAGCTCTACTGGTCTCCAG GTTCTAGCCCGTCTGCTTCTACTGGTACTGGTCCAGG TTCTAGCCCTTCTGCTTCCACTGGTACTGGTCCA
LCW0404_081_ GFP-N_H12.ab1	GASPGTSSTGSPGSSP SASTGTGPGTPGSGT ASSSP	GGTGCTTCCCCGGGTACCAGCTCTACCGGTTCTCCAG GTTCTAGCCCTTCTGCTTCTACCGGTACCGGTCCAGG TACCCCTGGCAGCGGTACCGCATCTTCCTCTCCA

[00310] Example 5: Construction of XTEN_AE864

[00311] XTEN_AE864 was constructed from serial dimerization of XTEN_AE36 to AE72, 144, 288, 576 and 864. A collection of XTEN_AE72 segments was constructed from 37 different segments of XTEN_AE36. Cultures of E. coli harboring all 37 different 36-amino acid segments were mixed and plasmid was isolated. This plasmid pool was digested with BsaI/NcoI to generate the small fragment as the insert. The same plasmid pool was digested with BbsI/NcoI to generate the large fragment as the vector. The insert

and vector fragments were ligated resulting in a doubling of the length and the ligation mixture was transformed into BL21Gold(DE3) cells to obtain colonies of XTEN_AE72.

[00312] This library of XTEN_AE72 segments was designated LCW0406. All clones from LCW0406 were combined and dimerized again using the same process as described above yielding library LCW0410 of XTEN_AE144. All clones from LCW0410 were combined and dimerized again using the same process as described above yielding library LCW0414 of XTEN_AE288. Two isolates LCW0414.001 and LCW0414.002 were randomly picked from the library and sequenced to verify the identities. All clones from LCW0414 were combined and dimerized again using the same process as described above yielding library LCW0418 of XTEN_AE576. We screened 96 isolates from library LCW0418 for high level of GFP fluorescence. 8 isolates with right sizes of inserts by PCR and strong fluorescence were sequenced and 2 isolates (LCW0418.018 and LCW0418.052) were chosen for future use based on sequencing and expression data.

[00313] The specific clone pCW0432 of XTEN_AE864 was constructed by combining LCW0418.018 of XTEN_AE576 and LCW0414.002 of XTEN_AE288 using the same dimerization process as described above.

[00314] Example 6: Construction of XTEN_AM144

[00315] A collection of XTEN_AM144 segments was constructed starting from 37 different segments of XTEN_AE36, 44 segments of XTEN_AF36, and 44 segments of XTEN_AG36.

[00316] Cultures of *E. coli* harboring all 125 different 36-amino acid segments were mixed and plasmid was isolated. This plasmid pool was digested with BsaI/NcoI to generate the small fragment as the insert. The same plasmid pool was digested with BbsI/NcoI to generate the large fragment as the vector. The insert and vector fragments were ligated resulting in a doubling of the length and the ligation mixture was transformed into BL21Gold(DE3) cells to obtain colonies of XTEN_AM72.

[00317] This library of XTEN_AM72 segments was designated LCW0461. All clones from LCW0461 were combined and dimerized again using the same process as described above yielding library LCW0462. 1512 Isolates from library LCW0462 were screened for protein expression. Individual colonies were transferred into 96 well plates and cultured overnight as starter cultures. These starter cultures were diluted into fresh autoinduction medium and cultured for 20-30h. Expression was measured using a fluorescence plate reader with excitation at 395 nm and emission at 510 nm. 192 isolates showed high level expression and were submitted to DNA sequencing. Most clones in library LCW0462 showed good expression and similar physicochemical properties suggesting that most combinations of XTEN_AM36 segments yield useful XTEN sequences. 30 isolates from LCW0462 were chosen as a preferred collection of XTEN_AM144 segments for the construction of multifunctional proteins that contain multiple XTEN segments. The file names of the nucleotide and amino acid constructs for these segments are listed in Table 12.

Table 12: DNA and amino acid sequences for AM144 segments

Clone	Sequence Trimmed	Protein Sequence
LCW462_r1	GGTACCCCGGGCAGCGGTACCGCATCTTCCTCTCCAG GTAGCTCTACCCCGTCTGGTGCTACCGGTTCCCCAGG TAGCTCTACCCCGTCTGGTGCAACCGGCTCCCCAGGT	GTPGSGTASSSPGSST PSGATGSPGSSTPSGA TGSPGSPAGSPTSTEE

Clone	Sequence Trimmed	Protein Sequence
	AGCCCGGCTGGCTCTCCTACCTCTACTGAGGAAGGTA CTTCTGAAAGCGCTACTCCTGAGTCTGGTCCAGGTAC CTCTACTGAACCGTCCGAAGGTAGCGTCCAGGTTCT AGCCCTTCTGCATCCACCGGTACCGGCCAGGTTCTA GCCCGTCTGCTTCTACCGGTACTGGTCCAGGTGCTTCT CCGGGTACTAGCTCTACTGGTTCTCCAGGTACCTCTA CCGAACCGTCCGAGGGTAGCGCACCAGGTACCTCTAC TGAACCGTCTGAGGGTAGCGCTCCAGGTAGCGAACC GGCAACCTCCGGTTCTGAAACTCCA	GTSESATPESGPGTST EPSEGSAPGSSPSAST GTGPGSSPSASTGTGP GASPGTSSTGSPGTST EPSEGSAPGTSTEPSE GSAPGSEPATSGSETP
LCW462_r5	GGTTCTACCAGCGAATCCCCCTTCTGGCACTGCACCAG GTTCTACTAGCGAATCCCCCTTCTGGTACCGCACCAGG TACTTCTCCGAGCGGCGAATCTTCTACTGCTCCAGGT ACCTCTACTGAACCTTCCGAAGGCAGCGCTCCAGGTA CCTCTACCGAACCGTCCGAGGGCAGCGCACCAGGTAC TTCTGAAAGCGCAACCCCTGAATCCGGTCCAGGTGCA TCTCCTGGTACCAGCTCTACCGGTTCTCCAGGTAGCTC TACTCCTTCTGGTGCTACTGGCTCTCCAGGTGCTTCCC CGGGTACCAGCTCTACCGGTTCTCCAGGTTCTACTAG CGAATCTCCTTCTGGCACTGCACCAGGTTCTACCAGC GAATCTCCGTCTGGCACTGCACCAGGTACCTCTACCC CTGAAAGCGGTTCCGCTTCTCCA	GSTSESPSGTAPGSTS ESPSGTAPGTSPSGES STAPGTSTEPSEGSAP GTSTEPSEGSAPGTSE SATPESGPGASPGTSS TGSPGSSTPSGATGSP GASPGTSSTGSPGSTS ESPSGTAPGSTSES GTAPGTSTPESGSASP
LCW462_r9	GGTACTTCTACCGAACCTTCCGAGGGCAGCGCACCAG GTACTTCTGAAAGCGCTACCCCTGAGTCCGGCCCCAGG TACTTCTGAAAGCGCTACTCCTGAATCCGGTCCAGGT ACCTCTACTGAACCTTCTGAGGGCAGCGCTCCAGGTA CTTCTGAAAGCGCTACCCCGGAGTCCGGTCCAGGTAC TTCTACTGAACCGTCCGAAGGTAGCGCACCAGGTACT TCTACTGAACCTTCCGAAGGTAGCGCTCCAGGTAGCG AACCTGCTACTTCTGGTTCTGAAACCCAGGTAGCCC GGCTGGCTCTCCGACCTCCACCGAGGAAGGTGCTTCT CCTGGCACCAGCTCTACTGGTTCTCCAGGTTCTAGCC CTTCTGCTTCTACCGGTACTGGTCCAGGTTCTAGCCCT TCTGCATCCACTGGTACTGGTCCA	GTSTEPSEGSAPGTSE SATPESGPGTSESATP ESGPGTSTEPSEGSAP GTSESATPESGPGTST EPSEGSAPGTSTEPSE GSAPGSEPATSGSETP GSPAGSPTSTEEGASP GTSSTGSPGSSPSAST GTGPGSSPSASTGTGP
LCW462_r10	GGTAGCGAACCGGCAACCTCTGGCTCTGAAACCCAG GTACCTCTGAAAGCGCTACTCCGGAATCTGGTCCAGG TACTTCTGAAAGCGCTACTCCGGAATCCGGTCCAGGT TCTACCAGCGAATCTCCTTCTGGCACCGCTCCAGGTT CTACTAGCGAATCCCGTCTGGTACCGCACCAGGTAC TTCTCCTAGCGGCGAATCTTCTACCGCACCAGGTGCA TCTCCGGGTACTAGCTCTACCGGTTCTCCAGGTTCTAG CCCTTCTGCTTCCACTGGTACCGGCCAGGTAGCTCT ACCCCGTCTGGTGCTACTGGTTCCCCAGGTAGCTCTA CTCCGTCTGGTGCAACCGGTTCCCCAGGTAGCTCTAC TCCTTCTGGTGCTACTGGCTCCCCAGGTGCATCCCTG GCACCAGCTCTACCGGTTCTCCA	GSEPATSGSETPGTSE SATPESGPGTSESATP ESGPGTSESPSGTAP GSTSESPSGTAPGTSP SGESSTAPGASPGTSS TGSPGSSPSASTGTGP GSSTPSGATGSPGSST PSGATGSPGSSTPSGA TGSPGASPGTSSTGSP
LCW462_r15	GGTGCTTCTCCGGGCACCAGCTCTACTGGTTCTCCAG GTTCTAGCCCTTCTGCATCCACCGGTACCGGTCCAGG TAGCTCTACCCCTTCTGGTGCAACCGGCTCTCCAGGT ACTTCTGAAAGCGCTACCCCGGAATCTGGCCCAGGTA GCGAACCGGCTACTTCTGGTTCTGAAACCCAGGTAG CGAACCGGCTACCTCCGGTTCTGAAACTCCAGGTACT TCTGAAAGCGCTACTCCGGAGTCCGGTCCAGGTACCT CTACCGAACCGTCCGAAGGCAGCGCTCCAGGTACTTC TACTGAACCTTCTGAGGGTAGCGCTCCAGGTACCTCT ACCGAACCGTCCGAGGGTAGCGCACCAGGTACCTCTA CTGAACCGTCTGAGGGTAGCGCTCCAGGTAGCGAACC GGCAACCTCCGGTTCTGAAACTCCA	GASPGTSSTGSPGSSP SASTGTGPGSSTPSGA TGSPGTSESATPESGP GSEPATSGSETPGSEP ATSGSETPGTSESATP ESGPGTSTEPSEGSAP GTSTEPSEGSAPGTST EPSEGSAPGTSTEPSE GSAPGSEPATSGSETP
LCW462_r16	GGTACCTCTACCGAACCTTCCGAAGGTAGCGCTCCAG GTAGCCCGGCAGGTTCTCCTACTTCCACTGAGGAAGG TACTTCTACCGAACCTTCTGAGGGTAGCGCACCAGGT	GTSTEPSEGSAPGSPA GSPTSTEEGTSTEPSE GSAPGTSESATPESGP

Clone	Sequence Trimmed	Protein Sequence
	ACCTCTGAAAGCGCAACTCCTGAGTCTGGCCCAGGTA GCGAACCTGCTACCTCCGGCTCTGAGACTCCAGGTAC CTCTGAAAGCGCAACCCCGGAATCTGGTCCAGGTAGC CCGGCTGGCTCTCCTACCTCTACTGAGGAAGGTACTT CTGAAAGCGCTACTCCTGAGTCTGGTCCAGGTACCTC TACTGAACCGTCCGAAGGTAGCGCTCCAGGTAGCGA ACCTGCTACTTCTGGTTCTGAAACTCCAGGTACTTCTA CCGAACCGTCCGAGGGTAGCGCTCCAGGTAGCGAAC CTGCTACTTCTGGTTCTGAAACTCCA	GSPEATSGSETPGTSE SATPESGPGSPAGSPT STEEGTSESATPESGP GTSTEPSEGSAPGSEP ATSGSETPGTSTEPSE GSAPGSEPATSGSETP
LCW462_r20	GGTACTTCTACCGAACCGTCCGAAGGCAGCGCTCCAG GTACCTCTACTGAACCTTCCGAGGGCAGCGCTCCAGG TACCTCTACCGAACCTTCTGAAGGTAGCGCACCAGGT ACTTCTACCGAACCGTCCGAAGGCAGCGCTCCAGGTA CCTCTACTGAACCTTCCGAGGGCAGCGCTCCAGGTAC CTCTACCGAACCTTCTGAAGGTAGCGCACCAGGTACT TCTACCGAACCTTCCGAGGGCAGCGCACCAGGTACTT CTGAAAGCGCTACCCCTGAGTCCGGCCCAGGTACTTC TGAAAGCGCTACTCCTGAATCCGGTCCAGGTACTTCT ACTGAACCTTCCGAAGGTAGCGCTCCAGGTAGCGAAC CTGCTACTTCTGGTTCTGAAACCCAGGTAGCCCCGGC TGGCTCTCCGACCTCCACCGAGGAA	GTSTEPSEGSAPGTST EPSEGSAPGTSTEPSE GSAPGTSTEPSEGSAP GTSTEPSEGSAPGTST EPSEGSAPGTSTEPSE GSAPGTSESATPESGP GTSESATPESGPGTST EPSEGSAPGSEPATSG SETPGSPAGSPTSTEE
LCW462_r23	GGTACTTCTACCGAACCGTCCGAGGGCAGCGCTCCAG GTACTTCTACTGAACCTTCTGAAGGCAGCGCTCCAGG TACTTCTACTGAACCTTCCGAAGGTAGCGCACCAGGT TCTACCAGCGAATCCCCTTCTGGTACTGCTCCAGGTTCT TACCAGCGAATCCCCTTCTGGCACCAGCACCAGGTACT TCTACCCCTGAAAGCGGCTCCGCTTCTCCAGGTAGCG AACCTGCAACCTCTGGCTCTGAAACCCAGGTACCTC TGAAAGCGCTACTCCTGAATCTGGCCCAGGTACTTCT ACTGAACCGTCCGAGGGCAGCGCACCAGGTACTTCTA CTGAACCGTCTGAAGGTAGCGCACCAGGTACTTCTGA AAGCGCAACCCCGGAATCCGGCCCAGGTACCTCTGA AAGCGCAACCCCGGAGTCCGGCCCCA	GTSTEPSEGSAPGTST EPSEGSAPGTSTEPSE GSAPGTSTESPSGTAP GSTSEPSGTAPGTST PESGSASPGSEPATSG SETPGTSESATPESGP GTSTEPSEGSAPGTST EPSEGSAPGTSESATP ESGPGTSESATPESGP
LCW462_r24	GGTAGCTCTACCCCTTCTGGTGCTACCGGCTCTCCAG GTTCTAGCCCGTCTGCTTCTACCGGTACCGGTCCAGG TAGCTCTACCCCTTCTGGTGCTACTGGTTCTCCAGGTA GCCCTGCTGGCTCTCCGACTTCTACTGAGGAAGGTAG CCCGGCTGGTTCTCCGACTTCTACTGAGGAAGGTACT TCTACCGAACCTTCCGAAGGTAGCGCTCCAGGTGCTT CCCCGGGCACTAGCTCTACCGGTCTCCAGGTCTAG CCCTTCTGCATCTACTGGTACTGGCCCAGGTACTCCG GGCAGCGGTACTGCTTCTCCTCTCCAGGTTCTACTAG CTCTACTGCTGAATCTCCTGGCCCAGGTACTTCTCCTA GCGGTGAATCTTCTACCGTCCAGGTACCTCTACTCC GGAAAGCGGTTCTGCATCTCCA	GSSTPSGATGSPGSSP SASTGTGPGSSTPSGA TGSPGSPAGSPTSTEE GSPAGSPTSTEEGTST EPSEGSAPGASPGTSS TGSPGSSPSASTGTGP GTPGSGTASSSPGSTS STAESPGPGTSPSGES STAPGTSTPESGSASP
LCW462_r27	GGTACCTCTACTGAACCTTCTGAGGGCAGCGCTCCAG GTACTTCTGAAAGCGCTACCCCGGAGTCCGGTCCAGG TACTTCTACTGAACCGTCCGAAGGTAGCGCACCAGGT ACTTCTACTGAACCGTCTGAAGGTAGCGCACCAGGTA CTTCTGAAAGCGCAACCCCGGAATCCGGCCCAGGTAC CTCTGAAAGCGCAACCCCGGAGTCCGGCCCAGGTACT CCTGGCAGCGGTACCGCTTCTTCTTCTCCAGGTGCTTC TCCTGGTACTAGCTCTACTGGTTCTCCAGGTGCTTCTC CGGGCACTAGCTCTACTGGTTCTCCAGGTAGCCCTGC TGGCTCTCCGACTTCTACTGAGGAAGGTAGCCCGGCT GGTTCTCCGACTTCTACTGAGGAAGGTACTTCTACCG AACCTTCCGAAGGTAGCGCTCCA	GTSTEPSEGSAPGTSE SATPESGPGTSTEPSE GSAPGTSTEPSEGSAP GTSESATPESGPGTSE SATPESGPGTPGSGTA SSSPGASPGTSSTGSP GASPGTSSTGSPGSPA GSPTSTEEGSPAGSPT STEEGTSTEPSEGSAP
LCW462_r28	GGTAGCCAGCAGGCTCTCCGACTTCCACTGAGGAAG GTACTTCTACTGAACCTTCCGAAGGCAGCGCACCAGG TACCTCTACTGAACCTTCTGAGGGCAGCGCTCCAGGT	GSPAGSPTSTEEGTST EPSEGSAPGTSTEPSE GSAPGTSTEPSEGSAP

Clone	Sequence Trimmed	Protein Sequence
	ACCTCTACCGAACCGTCTGAAGGTAGCGCACCAGGTA CCTCTGAAAGCGCAACTCCTGAGTCCGGTCCAGGTAC TTCTGAAAGCGCAACCCCGGAGTCTGGCCCAGGTACC CCGGGTAGCGGTACTGCTTCTTCTCTCCAGGTAGCT CTACCCCTTCTGGTGCAACCGGCTCTCCAGGTGCTTCT CCGGGCACCAGCTCTACCGGTTCTCCAGGTACCTCTA CTGAACCTTCTGAGGGCAGCGCTCCAGGTACTTCTGA AAGCGCTACCCCGGAGTCCGGTCCAGGTACTTCTACT GAACCGTCCGAAGGTAGCGCACCA	GTSESATPESGPGTSE SATPESGPGTPGSGTA SSSPGSSTPSGATGSP GASPGTSSTGSPGTST EPSEGSAPGTSESATP ESGPGTSTEPSEGSAP
LCW462_r38	GGTAGCGAACCGGCAACCTCCGGCTCTGAAACTCCAG GTACTTCTGAAAGCGCTACTCCGGAATCCGGCCCAGG TAGCGAACCGGCTACTTCCGGCTCTGAAACCCAGGT AGCTCTACCCCGTCTGGTGCAACCGGCTCCCCAGGTA CTCCTGGTAGCGGTACCGCTTCTTCTTCTCCAGGTAGC TCTACTCCGTCTGGTGCTACCGGCTCCCCAGGTGCAT CTCCTGGTACCAGCTCTACCGGTTCTCCAGGTAGCTCT ACTCCTTCTGGTGCTACTGGCTCTCCAGGTGCTTCCCC GGGTACCAGCTCTACCGGTTCTCCAGGTAGCGAACCT GCTACTTCTGGTTCTGAAACTCCAGGTACTTCTACCG AACCGTCCGAGGGTAGCGCTCCAGGTAGCGAACCTG CTACTTCTGGTTCTGAAACTCCA	GSEPATSGSETPGTSE SATPESGPGSEPATSG SETPGSSTPSGATGSP GTPGSGTASSSPGSST PSGATGSPGASPGTSS TGSPGSSTPSGATGSP GASPGTSSTGSPGSEP ATSGSETPGTSTEPSE GSAPGSEPATSGSETP
LCW462_r39	GGTACCTCTACTGAACCTTCCGAAGGCAGCGCTCCAG GTACCTCTACCGAACCGTCCGAGGGCAGCGCACCAG GTACTTCTGAAAGCGCAACCCCTGAATCCGGTCCAGG TAGCCCTGCTGGCTCTCCGACTTCTACTGAGGAAGGT AGCCCGGCTGGTTCTCCGACTTCTACTGAGGAAGGT CTTCTACCGAACCTTCCGAAGGTAGCGCTCCAGGTAG CCCGGCTGGTTCTCCGACTTCCACCGAGGAAGGTACC TCTACTGAACCTTCTGAGGGTAGCGCTCCAGGTACCT CTACTGAACCTTCCGAAGGCAGCGCTCCAGGTGCTTC CCCGGGCACCAGCTCTACTGGTTCTCCAGGTTCTAGC CCGTCTGCTTCTACTGGTACTGGTCCAGGTTCTAGCCC TTCTGCTTCCACTGGTACTGGTCCA	GTSTEPSEGSAPGTST EPSEGSAPGTSESATP ESGPGSPAGSPTSTEE GSPAGSPTSTEEGTST EPSEGSAPGSPAGSPT STEEGTSTEPSEGSAP GTSTEPSEGSAPGASP GTSSTGSPGSSPSAST GTGPGSSPSASTGTGP
LCW462_r41	GGTAGCTCTACCCCGTCTGGTGCTACCGGTTCCCCAG GTGCTTCTCCTGGTACTAGCTCTACCGGTTCTCCAGGT AGCTCTACCCCGTCTGGTGCTACTGGCTCTCCAGGTA GCCCTGCTGGCTCTCCAACCTCCACCGAAGAAGGTAC CTCTGAAAGCGCAACCCCTGAATCCGGCCCAGGTAGC GAACCGGCAACCTCCGGTTCTGAAACCCAGGTGCAT CTCCTGGTACTAGCTCTACTGGTTCTCCAGGTAGCTCT ACTCCGTCTGGTGCAACCGGCTCTCCAGGTTCTAGCC CTTCTGCATCTACCGGTACTGGTCCAGGTTCTACCAG CGAATCCCCCTTCTGGTACTGCTCCAGGTTCTACCAGC GAATCCCCCTTCTGGCACCACCGAGGTACTTCTACCC CTGAAAGCGGCTCCGCTTCTCCA	GSSTPSGATGSPGASP GTSSTGSPGSSTPSGA TGSPGSPAGSPTSTEE GTSESATPESGPGSEP ATSGSETPGASPGTSS TGSPGSSTPSGATGSP GSSPSASTGTGPGSTS ESPSGTAPGSTSESPS GTAPGTSTPESGSASP
LCW462_r42	GGTTCTACCAGCGAATCTCCTTCTGGCACCGCTCCAG GTTCTACTAGCGAATCCCCGTCTGGTACCGCACCAGG TACTTCTCCTAGCGGCGAATCTTCTACCGCACCAGGT ACCTCTGAAAGCGCTACTCCGGAGTCTGGCCCAGGTA CCTCTACTGAACCGTCTGAGGGTAGCGCTCCAGGTAC TTCTACTGAACCGTCCGAAGGTAGCGCACCAGGTACC TCTACTGAACCTTCTGAGGGCAGCGCTCCAGGTACTT CTGAAAGCGCTACCCCGGAGTCCGGTCCAGGTACTTC TACTGAACCGTCCGAAGGTAGCGCACCAGGTAGCTCT ACCCCGTCTGGTGCTACCGGTTCCCCAGGTGCTTCTCC TGGTACTAGCTCTACCGGTTCTCCAGGTAGCTCTACC CCGTCTGGTGCTACTGGCTCTCCA	GSTSESPSGTAPGSTS ESPSGTAPGTSPSGES STAPGTSESATPESGP GTSTEPSEGSAPGTST EPSEGSAPGTSTEPSE GSAPGTSESATPESGP GTSTEPSEGSAPGSST PSGATGSPGASPGTSS TGSPGSSTPSGATGSP
LCW462_r43	GGTTCTACTAGCTCTACTGCAGAATCTCCGGGCCAG GTACCTCTCCTAGCGGTGAATCTTCTACCGCTCCAGG TACTTCTCCGAGCGGTGAATCTTCTACCGCTCCAGGT	GSTSSTAESPGPGTSP SGESSTAPGTSPSGES STAPGSTSSTAESPGP

Clone	Sequence Trimmed	Protein Sequence
	CTACTAGCTCTACCGCTGAATCTCCGGGTCCAGGTTCTACCAGCTCTACTGCAGAATCTCCTGGCCCAGGTACTTCTACTCCGGAAAGCGGTTCCGCTTCTCCAGGTACTTCTCCTAGCGGTGAATCTTCTACCGCTCCAGGTTCTACCAGCTCTACTGCTGAATCTCCTGGCCCAGGTACTTCTACCCCGAAAGCGGCTCCGCTTCTCCAGGTTCTACCAGCTCTACCGCTGAATCTCCTGGCCCAGGTTCTACTAGCGAATCTCCGTCTGGCACCACGACAGGTACTTCCCCTAGCGGTGAATCTTCTACTGCACCA	GSTSSTAESP GPGTST PESGSASPGTSPSGES STAPGSTSSTAESP GTSTPESGSASPGSTS STAESP GPGSTSESPS GTAPGTSPSGESSTAP
LCW462_r45	GGTACCTCTACTCCGGAAAGCGGTTCCGCATCTCCAGGTTCTACCAGCGAATCCCCGTCTGGCACCACGACAGGTTCTACTAGCTCTACTGCTGAATCTCCGGGCCCAGGTACCTCTACTGAACCTTCCGAAGGCAGCGCTCCAGGTACCTCTACCGAACCCTCCGAGGGCAGCGCACCAGGTACTTCTGAAAGCGCAACCCCTGAATCCGGTCCAGGTACCCTGAAAGCGCTACTCCGGAGTCTGGCCCAGGTACCTCTACTGAACCGTCTGAGGGTAGCGCTCCAGGTACTTCTACTGAACCGTCCGAAGGTAGCGCACCAGGTACTTCTGAAAGCGCTACTCCGGAGTCCGGTCCAGGTACCTCTACCGAACCCTCCGAAGGCAGCGCTCCAGGTACTTCTACTGAACCTTCTGAGGGTAGCGCTCCC	GTSTPESGSASPGSTS ESPGTAPGSTSSTAE SPGPGTSTEPSEGSAP GTSTEPSEGSAPGTSE SATPESGPGTSESATP ESGPGTSTEPSEGSAP GTSTEPSEGSAPGTSE SATPESGPGTSTEPSE GSAPGTSTEPSEGSAP
LCW462_r47	GGTACCTCTACCGAACCCTCCGAGGGTAGCGCACCAGGTACCTCTACTGAACCGTCTGAGGGTAGCGCTCCAGGTAGCGAACC GGCAACCTCCGGTCTGAAACTCCAGGTACTTCTACTGAACCGTCTGAAGGTAGCGCACCAGGTACTTCTGAAAGCGCAACCCCGGAATCCGGCCCAGGTACCTCTGAAAGCGCAACCCCGGAGTCCGGCCCAGGTGCATCTCCGGTACTAGCTCTACCGGTTCTCCAGGTTCTAGCCCTTCTGCTTCCACTGGTACCGGGCCAGGTAGCTCTACCCCGTCTGGTGCTACTGGTTCCCCAGGTAGCTCTACTCCGTCTGGTGCAACCGGTTCCCCAGGTAGCTCTACTCCTTCTGGTGCTACTGGCTCCCCAGGTGCATCCCCTGGCACCAGCTCTACCGGTTCTCCA	GTSTEPSEGSAPGTST EPSEGSAPGSEPATSG SETPGTSTEPSEGSAP GTSESATPESGPGTSE SATPESGPGASPGTSS TGSPGSSPSASTGTGP GSSTPSGATGSPGSST PSGATGSPGSSTPSGA TGSPGASPGTSSTGSP
LCW462_r54	GGTAGCGAACC GGCAACCTCTGGCTCTGAAACTCCAGGTAGCGAACCCTGCAACCTCCGGTCTGAAACCCAGGTACTTCTACTGAACCTTCTGAGGGCAGCGCACCAGGTAGCGAACCCTGCAACCTCTGGCTCTGAAACCCAGGTACCTCTGAAAGCGCTACTCCTGAATCTGGCCCAGGTACTTCTACTGAACCGTCCGAGGGCAGCGCACCAGGTAGCTCTACTCCGTCTGGTGCTACCGGCTCTCCAGGTAGCTCTACCCCTTCTGGTGCAACCGGCTCCCCAGGTGCTTCTCCGGGTACCAGCTCTACTGGTTCTCCAGGTAGCTCTACCCGTCTGGTGCTACCGGTTCCCCAGGTGCTTCTCCTGTACTAGCTCTACCGGTTCTCCAGGTAGCTCTACCCGTCTGGTGCTACTGGCTCTCCA	GSEPATSGSETPGSEP ATSGSETPGTSTEPSE GSAPGSEPATSGSETP GTSESATPESGPGTST EPSEGSAPGSSTPSGA TGSPGSSTPSGATGSP GASPGTSSTGSPGSST PSGATGSPGASPGTSS TGSPGSSTPSGATGSP
LCW462_r55	GGTACTTCTACCGAACCCTCCGAGGGCAGCGCTCCAGGTACTTCTACTGAACCTTCTGAAGGCAGCGCTCCAGGTACTTCTACTGAACCTTCCGAAGGTAGCGCACCAGGTACTTCTGAAAGCGCTACTCCGGAGTCCGGTCCAGGTACCTCTACCGAACCCTCCGAAGGCAGCGCTCCAGGTACTTCTACTGAACCTTCTGAGGGTAGCGCTCCAGGTTCTACTAGCGAATCTCCGTCTGGCACTGCTCCAGGTACTTCTCCTAGCGGTGAATCTTCTACCGCTCCAGGTACTTCCCTAGCGGCGAATCTTCTACCGCTCCAGGTAGCCCGCTGGCTCTCCTACCTCTACTGAGGAAGGTACTTCTGAAGCGCTACTCCTGAGTCTGGTCCAGGTACCTCTACTGAACCGTCCGAAGGTAGCGCTCCA	GTSTEPSEGSAPGTST EPSEGSAPGTSTEPSE GSAPGTSESATPESGP GTSTEPSEGSAPGTST EPSEGSAPGSTSESPS GTAPGTSPSGESSTAP GTSPSGESSTAPGSPA GSPTSTEEGTSESATP ESGPGTSTEPSEGSAP
LCW462_r57	GGTACTTCTACTGAACCTTCCGAAGGTAGCGCTCCAGGTAGCGAACCCTGCTACTTCTGGTTCTGAAACCCAGGTAGCCCGGCTGGCTCTCCTACCTCTACTGAGGAAGGTACTTCTGAAGCGCTACTCCTGAGTCTGGTCCAGGTACCTCTACTGAACCGTCCGAAGGTAGCGCTCCA	GTSTEPSEGSAPGSEP ATSGSETPGSPAGSPT STEEGSPAGSPTSTEE

Clone	Sequence Trimmed	Protein Sequence
	AGCCCGGCAGGCTCTCCGACCTCTACTGAGGAAGGTA CTTCTGAAAGCGCAACCCCGGAGTCCGGCCCAGGTAC CTCTACCGAACCGTCTGAGGGCAGCGCACCAGGTACC TCTACTGAACCTTCCGAAGGCAGCGCTCCAGGTACCT CTACCGAACCGTCCGAGGGCAGCGCACCAGGTACTTC TGAAAGCGCAACCCCTGAATCCGGTCCAGGTAGCTCT ACTCCGTCTGGTGCAACCGGCTCCCCAGGTTCTAGCC CGTCTGCTTCCACTGGTACTGGCCCAGGTGCTTCCCC GGGCACCAGCTCTACTGGTTCTCCA	GTSESATPESGPGTST EPSEGSAPGTSTEPSE GSAPGTSTEPSEGSAP GTSESATPESGPGSST PSGATGSPGSSPSAST GTGPGASPGTSSTGSP
LCW462_r61	GGTAGCGAACCGGCTACTTCCGGCTCTGAGACTCCAG GTAGCCCTGCTGGCTCTCCGACCTCTACCGAAGAAGG TACCTCTGAAAGCGCTACCCCTGAGTCTGGCCCAGGT ACCTCTACTGAACCTTCCGAAGGCAGCGCTCCAGGTA CCTCTACCGAACCGTCCGAGGGCAGCGCACCAGGTAC TTCTGAAAGCGCAACCCCTGAATCCGGTCCAGGTACC TCTACTCCGGAAAGCGGTTCCGCATCTCCAGGTTCTA CCAGCGAATCCCCGCTCTGGCACCAGCACCAGGTTCTAC TAGCTCTACTGCTGAATCTCCGGGGCCCAGGTACTTCT GAAAGCGCTACTCCGGAGTCCGGTCCAGGTACCTCTA CCGAACCGTCCGAAGGCAGCGCTCCAGGTACTTCTAC TGAACCTTCTGAGGGTAGCGCTCCA	GSEPATSGSETPGSPA GSPTSTEEGTSESATP ESGPGTSTEPSEGSAP GTSTEPSEGSAPGTSE SATPESGPGTSTPESG SASPGTSESPPGTAP GSTSSTAESPGPGTSE SATPESGPGTSTEPSE GSAPGTSTEPSEGSAP
LCW462_r64	GGTACTTCTACCGAACCGTCCGAGGGCAGCGCTCCAG GTACTTCTACTGAACCTTCTGAAGGCAGCGCTCCAGG TACTTCTACTGAACCTTCCGAAGGTAGCGCACCAGGT ACCTCTACCGAACCGTCTGAAGGTAGCGCACCAGGTA CCTCTGAAAGCGCAACTCCTGAGTCCGGTCCAGGTAC TTCTGAAAGCGCAACCCCGGAGTCTGGCCCAGGTACT CCTGGCAGCGGTACCGCATCTTCTCTCCAGGTAGCT CTACTCCGTCTGGTGCAACTGGTTCCCCAGGTGCTTCT CCGGGTACCAGCTCTACCGGTTCTCCAGGTTCCACCA GCTCTACTGCTGAATCTCCTGGTCCAGGTACCTCTCCT AGCGGTGAATCTTCTACTGCTCCAGGTACTTCTACTCC TGAAAGCGGCTCTGCTTCTCCA	GTSTEPSEGSAPGTST EPSEGSAPGTSTEPSE GSAPGTSTEPSEGSAP GTSESATPESGPGTSE SATPESGPGTPGSGTA SSSPGSSTPSGATGSP GASPGTSSTGSPGSTS STAESPGPGTSPSGES STAPGTSTPESGSASP
LCW462_r67	GGTAGCCCGGCAGGCTCTCCGACCTCTACTGAGGAAG GTACTTCTGAAAGCGCAACCCCGGAGTCCGGCCCAGG TACCTCTACCGAACCGTCTGAGGGCAGCGCACCAGGT ACTTCTGAAAGCGCAACCCCTGAATCCGGTCCAGGTA GCGAACCGGCTACTTCTGGCTCTGAGACTCCAGGTAC TTCTACCGAACCGTCCGAAGGTAGCGCACCAGGTAGC CCGGCTGGTTCTCCGACTTCCACCGAGGAAGGTACCT CTACTGAACCTTCTGAGGGTAGCGCTCCAGGTACCTC TACTGAACCTTCCGAAGGCAGCGCTCCAGGTACTTCT ACCGAACCGTCCGAGGGCAGCGCTCCAGGTACTTCTA CTGAACCTTCTGAAGGCAGCGCTCCAGGTACTTCTAC TGAACCTTCCGAAGGTAGCGCACCA	GSPAGSPTSTEEGTSE SATPESGPGTSTEPSE GSAPGTSESATPESGP GSEPATSGSETPGTST EPSEGSAPGSPAGSPT STEEGTSTEPSEGSAP GTSTEPSEGSAPGTST EPSEGSAPGTSTEPSE GSAPGTSTEPSEGSAP
LCW462_r69	GGTACTTCTCCGAGCGGTGAATCTTCTACCGCACCAG GTTCTACTAGCTCTACCGCTGAATCTCCGGGGCCCAGG TACTTCTCCGAGCGGTGAATCTTCTACTGCTCCAGGT ACCTCTGAAAGCGCTACTCCGGAGTCTGGCCCAGGTA CCTCTACTGAACCGTCTGAGGGTAGCGCTCCAGGTAC TTCTACTGAACCGTCCGAAGGTAGCGCACCAGGTTCT AGCCCTTCTGCATCTACTGGTACTGGCCCAGGTAGCT CTACTCCTTCTGGTGCTACCGGCTCTCCAGGTGCTTCT CCGGGTACTAGCTCTACCGGTTCTCCAGGTACTTCTA CTCCGGAAAGCGGTTCCGCATCTCCAGGTACTTCTCC TAGCGGTGAATCTTCTACTGCTCCAGGTACCTCTCCTA GCGGCGAATCTTCTACTGCTCCA	GTSPSGESSTAPGSTS STAESPGPGTSPSGES STAPGTSESATPESGP GTSTEPSEGSAPGTST EPSEGSAPGSSPSAST GTGPGSSTPSGATGSP GASPGTSSTGSPGTST PESGSASPGTSPSGES STAPGTSPSGESSTAP
LCW462_r70	GGTACCTCTGAAAGCGCTACTCCGGAGTCTGGCCCAG GTACCTCTACTGAACCGTCTGAGGGTAGCGCTCCAGG TACTTCTACTGAACCGTCCGAAGGTAGCGCACCAGGT	GTSESATPESGPGTST EPSEGSAPGTSTEPSE GSAPGSPAGSPTSTEE

Clone	Sequence Trimmed	Protein Sequence
	AGCCCTGCTGGCTCTCCGACTTCTACTGAGGAAGGTA GCCCCGGCTGGTTCTCCGACTTCTACTGAGGAAGGTAC TTCTACCGAACCTTCCGAAGGTAGCGCTCCAGGTTCT AGCCCTTCTGCTTCCACCGGTACTGGCCCAGGTAGCT CTACCCCTTCTGGTGCTACCGGCTCCCCAGGTAGCTCT ACTCCTTCTGGTGCAACTGGCTCTCCAGGTAGCGAAC CGGCAACTTCCGGCTCTGAAACCCCAAGGTACTTCTGA AAGCGCTACTCCTGAGTCTGGCCAGGTAGCGAACCT GCTACCTCTGGCTCTGAAACCCCA	GSPAGSPTSTEEGTST EPSEGSAPGSSPSAST GTGPGSSTPSGATGSP GSSTPSGATGSPGSEP ATSGSETPGTSESATP ESGPGSEPATSGSETP
LCW462_r72	GGTACTTCTACCGAACCGTCCGAAGGCAGCGCTCCAG GTACCTCTACTGAACCTTCCGAGGGCAGCGCTCCAGG TACCTCTACCGAACCTTCTGAAGGTAGCGCACCAGGT AGCTCTACCCCGTCTGGTGCTACCGGTTCCCCAGGTG CTTCTCCTGGTACTAGCTCTACCGGTTCTCCAGGTAGC TCTACCCCGTCTGGTGCTACTGGCTCTCCAGGTACTTC TGAAAGCGCAACCCCTGAATCCGGTCCAGGTAGCGA ACCGGCTACTTCTGGCTCTGAGACTCCAGGTACTTCT ACCGAACCGTCCGAAGGTAGCGCACCAGGTTCTACTA GCGAATCTCCTTCTGGCACTGCACCAGGTTCTACCAG CGAATCTCCGTCTGGCACTGCACCAGGTACCTCTACC CCTGAAAGCGGTTCCGCTTCTCCA	GTSTEPSEGSAPGTST EPSEGSAPGTSTEPSE GSAPGSSTPSGATGSP GASPGTSSTGSPGSST PSGATGSPGTSESATP ESGPGSEPATSGSETP GTSTEPSEGSAPGSTS ESPSGTAPGSTSESPTS GTAPGTSTPESGSASP
LCW462_r73	GGTACCTCTACTCCTGAAAGCGGTTCTGCATCTCCAG GTTCCACTAGCTCTACCGCAGAATCTCCGGGCCAGG TTCTACTAGCTCTACTGCTGAATCTCCTGGCCCAGGTT CTAGCCCTTCTGCATCTACTGGTACTGGCCCAGGTAG CTCTACTCCTTCTGGTGCTACCGGCTCTCCAGGTGCTT CTCCGGGTACTAGCTCTACCGGTTCTCCAGGTAGCGA ACCGGCAACCTCCGGCTCTGAAACCCCAAGGTACCTCT GAAAGCGTACTCCTGAATCCGGGCCAGGTAGCCCCG CAGGTTCTCCGACTTCCACTGAGGAAGGTTCTACTAG CGAATCTCCTTCTGGCACTGCACCAGGTTCTACCAGC GAATCTCCGTCTGGCACTGCACCAGGTACCTCTACCC CTGAAAGCGGTTCCGCTTCTCCC	GTSTPESGSASPGSTS STAESPGGSTSSTA SPGPGSSPSASTGTGP GSSTPSGATGSPGASP GTSSTGSPGSEPATSG SETPGTSESATPESGP GSPAGSPTSTEEGSTS ESPSGTAPGSTSESPTS GTAPGTSTPESGSASP
LCW462_r78	GGTAGCCCGGCTGGCTCTCCTACCTCTACTGAGGAAG GTACTTCTGAAAGCGTACTCCTGAGTCTGGTCCAGG TACCTCTACTGAACCGTCCGAAGGTAGCGCTCCAGGT TCTACCAGCGAATCTCCTTCTGGCACCGCTCCAGGTT CTACTAGCGAATCCCCGTCTGGTACCGCACCAGGTAC TTCTCCTAGCGGCGAATCTTCTACCGCACCAGGTACC TCTACCGAACCTTCCGAAGGTAGCGCTCCAGGTAGCC CGGCAGGTTCTCCTACTTCCACTGAGGAAGGTACTTC TACCGAACCTTCTGAGGGTAGCGCACCAGGTAGCGA ACCTGCAACCTCTGGCTCTGAAACCCCAAGGTACCTCT GAAAGCGTACTCCTGAATCTGGCCCAGGTACTTCTA CTGAACCGTCCGAGGGCAGCGCACCA	GSPAGSPTSTEEGTSE SATPESGPGTSTEPSE GSAPGSTSESPTGTAP GSTSESPTGTAPGTSP SGESSTAPGTSTEPSE GSAPGSPAGSPTSTEE GTSTEPSEGSAPGSEP ATSGSETPGTSESATP ESGPGTSTEPSEGSAP
LCW462_r79	GGTACCTCTACCGAACCTTCCGAAGGTAGCGCTCCAG GTAGCCCGGCAGGTTCTCCTACTTCCACTGAGGAAGG TACTTCTACCGAACCTTCTGAGGGTAGCGCACCAGGT ACCTCCCCTAGCGGCGAATCTTCTACTGCTCCAGGTA CCTCTCCTAGCGGCGAATCTTCTACCGCTCCAGGTAC CTCCCCTAGCGGTGAATCTTCTACCGCACCAGGTTCT ACCAGCGAATCCCCTTCTGGTACTGCTCCAGGTTCTA CCAGCGAATCCCCTTCTGGCACCGCACCAGGTACTTC TACCCCTGAAAGCGGCTCCGCTTCTCCAGGTAGCGAA CCTGCAACCTCTGGCTCTGAAACCCCAAGGTACCTCTG AAAGCGTACTCCTGAATCTGGCCCAGGTACTTCTAC TGAACCGTCCGAGGGCAGCGCACCA	GTSTEPSEGSAPGSPA GSPTSTEEGTSTEPSE GSAPGTSPSGESSTAP GTSPSGESSTAPGTSP SGESSTAPGSTSESPTS GTAPGSTSESPTGTAP GTSTPESGSASPGSEP ATSGSETPGTSESATP ESGPGTSTEPSEGSAP
LCW462_r87	GGTAGCGAACCGGCAACCTCTGGCTCTGAAACCCCA GTACCTCTGAAAGCGTACTCCGGAATCTGGTCCAGG TACTTCTGAAAGCGTACTCCGGAATCCGGTCCAGGT	GSEPATSGSETPGTSE SATPESGPGTSESATP ESGPGTSPSGESSTAP

Clone	Sequence Trimmed	Protein Sequence
	ACTTCTCCGAGCGGTGAATCTTCTACCGCACCAGGTT CTACTAGCTCTACCGCTGAATCTCCGGGCCAGGTAC TTCTCCGAGCGGTGAATCTTCTACTGCTCCAGGTTCTA CTAGCGAATCCCCGTCTGGTACTGCTCCAGGTACTTC CCCTAGCGGTGAATCTTCTACTGCTCCAGGTTCTACC AGCTCTACCGCAGAATCTCCGGGTCCAGGTAGCTCTA CTCCGTCTGGTGCAACCGGTTCCCCAGGTAGCTCTAC CCCTTCTGGTGCAACCGGCTCCCCAGGTAGCTCTACC CCTTCTGGTGCAAACTGGCTCTCC	GSTSSTAESP GPGTSP SGESSTAPGSTSESPS GTAPGTSPSGESSTAP GTSSTAESP GPGSST PSGATGSPGSTPSGA TGSPGSSTPSGANWL S
LCW462_r88	GGTAGCCCTGCTGGCTCTCCGACTTCTACTGAGGAAG GTAGCCCGGCTGGTTCTCCGACTTCTACTGAGGAAGG TACTTCTACCGAACCTTCCGAAGGTAGCGCTCCAGGT ACCTCTACTGAACCTTCCGAAGGCAGCGCTCCAGGTA CCTCTACCGAACCGTCCGAGGGCAGCGCACCAGGTAC TTCTGAAAGCGCAACCCCTGAATCCGGTCCAGGTGCA TCTCCTGGTACCAGCTCTACCGGTTCTCCAGGTAGCTC TACTCCTTCTGGTGCTACTGGCTCTCCAGGTGCTTCCC CGGGTACCAGCTCTACCGGTTCTCCAGGTAGCTCTAC CCCGTCTGGTGCTACTGGTTCTCCAGGTACTCCGGGC AGCGGTACTGCTTCTTCTCTCCAGGTAGCTCTACCCC TTCTGGTGCTACTGGCTCTCCA	GSPAGSPTSTEEGSPA GSPTSTEEGTSTEPSE GSAPGTSTEPSEGSAP GTSTEPSEGSAPGTSE SATPESGPGASPGTSS TGSPGSSTPSGATGSP GASPGTSSTGSPGSST PSGATGSPGTPGSGT ASSSPGSSTPSGATGS P
LCW462_r89	GGTAGCTCTACCCCGTCTGGTGCTACTGGTTCTCCAG GTACTCCGGGCAGCGGTACTGCTTCTTCTCTCCAGG TAGCTCTACCCCTTCTGGTGCTACTGGCTCTCCAGGTA GCCCCGGCTGGCTCTCCTACCTCTACTGAGGAAGGTAC TTCTGAAAGCGCTACTCCTGAGTCTGGTCCAGGTACC TCTACTGAACCGTCCGAAGGTAGCGCTCCAGGTACCT CTGAAAGCGCAACTCCTGAGTCTGGCCCAGGTAGCGA ACCTGCTACCTCCGGCTCTGAGACTCCAGGTACCTCT GAAAGCGCAACCCCGGAATCTGGTCCAGGTACTTCTA CTGAACCGTCTGAAGGTAGCGCACCAGGTACTTCTGA AAGCGCAACCCCGGAATCCGGGCCAGGTACCTCTGA AAGCGCAACCCCGGAGTCCGGGCCA	GSSTPSGATGSPGTPG SGTASSSPGSSTPSGA TGSPGSPAGSPTSTEE GTSESATPESGPGTST EPSEGSAPGTSESATP ESGPGSEPATSGSETP GTSESATPESGPGTST EPSEGSAPGTSESATP ESGPGTSESATPESGP

[00318] Example 7: Construction of XTEN_AM288

[00319] The entire library LCW0462 was dimerized as described in Example 6 resulting in a library of XTEN_AM288 clones designated LCW0463. 1512 isolates from library LCW0463 were screened using the protocol described in Example 6. 176 highly expressing clones were sequenced and 40 preferred XTEN_AM288 segments were chosen for the construction of multifunctional proteins that contain multiple XTEN segments with 288 amino acid residues.

[00320] Example 8: Construction of XTEN_AM432

[00321] We generated a library of XTEN_AM432 segments by recombining segments from library LCW0462 of XTEN_AM144 segments and segments from library LCW0463 of XTEN_AM288 segments. This new library of XTEN_AM432 segment was designated LCW0464. Plasmid was isolated from cultures of E. coli harboring LCW0462 and LCW0463, respectively. 1512 isolates from library LCW0464 were screened using the protocol described in Example 6. 176 highly expressing clones were sequenced and 39 preferred XTEN_AM432 segment were chosen for the construction of longer XTENs and for the construction of multifunctional proteins that contain multiple XTEN segments with 432 amino acid residues.

[00322] In parallel we constructed library LMS0100 of XTEN_AM432 segments using preferred segments of XTEN_AM144 and XTEN_AM288. Screening of this library yielded 4 isolates that were selected for further construction

[00323] Example 9: Construction of XTEN_AM875

[00324] The stuffer vector pCW0359 was digested with BsaI and KpnI to remove the stuffer segment and the resulting vector fragment was isolated by agarose gel purification.

[00325] We annealed the phosphorylated oligonucleotide BsaI-AscI-KpnIforP:

AGGTGCAAGCGCAAGCGGCGCGCCAAGCACGGGAGGTTCTGCTTCACTCGAGGGTAC and the non-phosphorylated oligonucleotide BsaI-AscI-KpnIrev:

CCTCGAGTGAAGACGAACCTCCCGTGCTTGGCGCGCCGCTTGCGCTTGC for introducing the sequencing island A (SI-A) which encodes amino acids GASASGAPSTG and has the restriction enzyme AscI recognition nucleotide sequence GGCGCGCC inside. The annealed oligonucleotide pairs were ligated with BsaI and KpnI digested stuffer vector pCW0359 prepared above to yield pCW0466 containing SI-A. We then generated a library of XTEN_AM443 segments by recombining 43 preferred XTEN_AM432 segments from Example 8 and SI-A segments from pCW0466 at C-terminus using the same dimerization process described in Example 5. This new library of XTEN_AM443 segments was designated LCW0479.

[00326] We generated a library of XTEN_AM875 segments by recombining segments from library LCW0479 of XTEN_AM443 segments and 43 preferred XTEN_AM432 segments from Example 8 using the same dimerization process described in Example 5. This new library of XTEN_AM875 segment was designated LCW0481.

[00327] Example 10: Construction of XTEN_AM1318

[00328] We annealed the phosphorylated oligonucleotide BsaI-FseI-KpnIforP:

AGGTCCAGAACCAACGGGGCCGGCCCCAAGCGGAGGTTCTGCTTCACTCGAGGGTAC and the non-phosphorylated oligonucleotide BsaI-FseI-KpnIrev:

CCTCGAGTGAAGACGAACCTCCGCTTGGGGCCGGCCCCGTTGGTTCTGG for introducing the sequencing island B (SI-B) which encodes amino acids GPEPTGPAPSG and has the restriction enzyme FseI recognition nucleotide sequence GGCCGGCC inside. The annealed oligonucleotide pairs were ligated with BsaI and KpnI digested stuffer vector pCW0359 as used in Example 9 to yield pCW0467 containing SI-B. We then generated a library of XTEN_AM443 segments by recombining 43 preferred XTEN_AM432 segments from Example 8 and SI-B segments from pCW0467 at C-terminus using the same dimerization process described in Example 5. This new library of XTEN_AM443 segments was designated LCW0480.

[00329] We generated a library of XTEN_AM1318 segments by recombining segments from library LCW0480 of XTEN_AM443 segments and segments from library LCW0481 of XTEN_AM875 segments using the same dimerization process as in Example 5. This new library of XTEN_AM1318 segment was designated LCW0487.

[00330] Example 11: Construction of XTEN_AD864

[00331] Using the several consecutive rounds of dimerization, we assembled a collection of XTEN_AD864 sequences starting from segments of XTEN_AD36 listed in Example 1. These sequences were assembled as described in Example 5. Several isolates from XTEN_AD864 were evaluated and found to show good expression and excellent solubility under physiological conditions. One intermediate construct of XTEN_AD576 was sequenced. This clone was evaluated in a PK experiment in cynomolgus monkeys and a half-life of about 20h was measured.

[00332] Example 12: Construction of XTEN_AF864

[00333] Using the several consecutive rounds of dimerization, we assembled a collection of XTEN_AF864 sequences starting from segments of XTEN_AF36 listed in Example 3. These sequences were assembled as described in Example 5. Several isolates from XTEN_AF864 were evaluated and found to show good expression and excellent solubility under physiological conditions. One intermediate construct of XTEN_AF540 was sequenced. This clone was evaluated in a PK experiment in cynomolgus monkeys and a half-life of about 20h was measured. A full length clone of XTEN_AF864 had excellent solubility and showed half-life exceeding 60h in cynomolgus monkeys. A second set of XTEN_AF sequences was assembled including a sequencing island as described in Example 9.

[00334] Example 13: Construction of XTEN_AG864

[00335] Using the several consecutive rounds of dimerization, we assembled a collection of XTEN_AG864 sequences starting from segments of XTEN_AD36 listed in Example 1. These sequences were assembled as described in Example 5. Several isolates from XTEN_AG864 were evaluated and found to show good expression and excellent solubility under physiological conditions. A full-length clone of XTEN_AG864 had excellent solubility and showed half-life exceeding 60h in cynomolgus monkeys.

[00336] Example 14: Construction of N-terminal extensions of XTEN- Construction and screening of 12mer Addition Libraries

[00337] This example details a step in the optimization of the N-terminus of the XTEN protein to promote the initiation of translation to allow for expression of XTEN fusions at the N-terminus of fusion proteins without the presence of a helper domain. Historically expression of proteins with XTEN at the N-terminus was poor, yielding values that would essentially undetectable in the GFP fluorescence assay (<25% of the expression with the N-terminal CBD helper domain). To create diversity at the codon level, seven amino acid sequences were selected and prepared with a diversity of codons. Seven pairs of oligonucleotides encoding 12 amino acids with codon diversities were designed, annealed and ligated into the NdeI/BsaI restriction enzyme digested stuffer vector pCW0551 (Stuffer-XTEN_AM875-GFP), and transformed into *E. coli* BL21Gold(DE3) competent cells to obtain colonies of seven libraries. The resulting clones have N-terminal XTEN 12mers fused in-frame to XTEN_AM875-GFP to allow use of GFP fluorescence for screening the expression. Individual colonies from the seven created libraries were picked and grown overnight to saturation in 500 µl of super broth media in a 96 deep well plate. The number of colonies picked ranged from approximately half to a third of the theoretical diversity of the library (see Table 13).

Table 13: Theoretical Diversity and Sampling Numbers for 12mer Addition Libraries. The amino acid residues with randomized codons are underlined.

Library	Motif Family	Amino Acid Sequence	Theoretical Diversity	Number screened
LCW546	AE12	MA <u>SPAGSPTSTEE</u>	572	2 plates (168)
LCW547	AE12	MA <u>TSESATPESGP</u>	1536	5 plates (420)
LCW548	AF12	MA <u>TSPSGESSTAP</u>	192	2 plates (168)
LCW549	AF12	ME <u>STSSTAESPGP</u>	384	2 plates (168)
LCW552	AG12	MA <u>SSTPSGATGSP</u>	384	2 plates (168)
LCW553	AG12	ME <u>ASPGTSSTGSP</u>	384	2 plates (168)
LCW554	(CBD-like)	MA <u>STPESGSSG</u>	32	1 plate (84)

[00338] The saturated overnight cultures were used to inoculate fresh 500 μ l cultures in auto-induction media in which they were grown overnight at 26°C. These expression cultures were then assayed using a fluorescence plate reader (excitation 395 nm, emission 510 nm) to determine the amount of GFP reporter present (see FIG. 9 for results of expression assays). The results, graphed as box and whisker plots, indicate that while median expression levels were approximately half of the expression levels compared to the "benchmark" CBD N-terminal helper domain, the best clones from the libraries were much closer to the benchmarks, indicating that further optimization around those sequences was warranted. This is in contrast to previous XTEN versions that were <25% of the expression levels of the CBD N-terminal benchmark. The results also show that the libraries starting with amino acids MA had better expression levels than those beginning with ME. This was most apparent when looking at the best clones, which were closer to the benchmarks as they mostly start with MA. Of the 176 clones within 33% of the CBD-AM875 benchmark, 87% begin with MA, where as only 75% of the sequences in the libraries beginning with MA, a clear over representation of the clones beginning with MA at the highest level of expression. 96 of the best clones were sequenced to confirm identity and twelve sequences (see Table 14), 4 from LCW546, 4 from LCW547 and 4 from LCW552 were selected for further optimization.

Table 14: Advanced 12mer DNA Nucleotide Sequences

Clone	DNA Nucleotide Sequence
LCW546_02	ATGGCTAGTCCGGCTGGCTCTCCGACCTCCACTGAGGAAGGTACTTCTACT
LCW546_06	ATGGCTAGTCCTGCTGGCTCTCCAACCTCCACTGAGGAAGGTACTTCTACT
LCW546_07	ATGGCTAGTCCAGCAGGCTCTCCTACCTCCACCGAGGAAGGTACTTCTACT
LCW546_09	ATGGCTAGTCCTGCTGGCTCTCCGACCTCTACTGAGGAAGGTACTTCTACT
LCW547_03	ATGGCTACATCCGAAAGCGCAACCCCTGAGTCCGGTCCAGGTACTTCTACT
LCW547_06	ATGGCTACATCCGAAAGCGCAACCCCTGAATCTGGTCCAGGTACTTCTACT
LCW547_10	ATGGCTACGTCTGAAAGCGCTACTCCGGAATCTGGTCCAGGTACTTCTACT
LCW547_17	ATGGCTACGTCCGAAAGCGCTACCCCTGAATCCGGTCCAGGTACTTCTACT
LCW552_03	ATGGCTAGTTCTACCCCGTCTGGTGCAACCGGTTCCCAGGTACTTCTACT

Clone	DNA Nucleotide Sequence
LCW552_05	ATGGCTAGCTCCACTCCGTCTGGTGCTACCGGTTCCCCAGGTACTTCTACT
LCW552_10	ATGGCTAGCTCTACTCCGTCTGGTGCTACTGGTTCCCCAGGTACTTCTACT
LCW552_11	ATGGCTAGTTCTACCCCTTCTGGTGCTACTGGTTCTCCAGGTACTTCTACT

[00339] Example 15: Construction of N-terminal extensions of XTEN- Construction and screening of Libraries Optimizing codons 3 and 4

[00340] This example details a step in the optimization of the N-terminus of the XTEN protein to promote the initiation of translation to allow for expression of XTEN fusions at the N-terminus of proteins without the presence of a helper domain. With preferences for the first two codons established (see Example supra), the third and fourth codons were randomized to determine preferences. Three libraries, based upon best clones from LCW546, LCW547 and LCW552, were designed with the third and fourth residues modified such that all combinations of allowable XTEN codons were present at these positions (see FIG. 10). In order to include all the allowable XTEN codons for each library, nine pairs of oligonucleotides encoding 12 amino acids with codon diversities of third and fourth residues were designed, annealed and ligated into the NdeI/BsaI restriction enzyme digested stuffer vector pCW0551 (Stuffer-XTEN_AM875-GFP), and transformed into *E. coli* BL21Gold(DE3) competent cells to obtain colonies of three libraries LCW0569-571. With 24 XTEN codons the theoretical diversity of each library is 576 unique clones. A total of 504 individual colonies from the three created libraries were picked and grown overnight to saturation in 500µl of super broth media in a 96 deep well plate. This provided sufficient coverage to understand relative library performance and sequence preferences. The saturated overnight cultures were used to inoculate new 500 µl cultures in auto-induction media in which were grown overnight at 26°C. These expression cultures were then assayed using a fluorescence plate reader (excitation 395 nm, emission 510 nm) to determine the amount of GFP reporter present. The top 75 clones from the screen were sequenced and retested for GFP reporter expression versus the benchmark samples (see FIG. 11). 52 clones yielded usable sequencing data and were used for subsequent analysis. The results were broken down by library and indicate that LCW546 was the superior library. The results are presented in Table 15. Surprisingly, it was discovered that base-lined fluorescence readings for the best clones were ~900 AU, whereas the CBD N-terminal benchmark was only ~600 AU. This indicates that this library had instituted an approximately 33% improvement over the best clones from the previous library which were approximately equal in expression to the CBD N-terminal benchmark (Example 14).

Table 15: Third and Fourth Codon Optimization Library Comparison

	LCW569	LCW570	LCW571
N	21	15	16
Mean Fluorescence (AU)	628	491	537
SD	173	71	232
CV	28%	15%	43%

[00341] Further trends were seen in the data showing preferences for particular codons at the third and fourth position. Within the LCW569 library the glutamate codon GAA at the third position and the threonine codon ACT were associated with higher expression as seen in Table 16.

Table 16: Preferred Third and Fourth Codons in LCW569

	3 =GAA	Rest	4 = ACT	Rest
N	8	13	4	17
Mean Fluorescence (AU)	749	554	744	601
SD	234	47	197	162
CV	31%	9%	26%	27%

[00342] Additionally, the retest of the top 75 clones indicated that several were now superior to the benchmark clones.

[00343] Example 16: Construction of N-terminal extensions of XTEN- Construction and Screening of Combinatorial 12mer and 36mer Libraries

[00344] This example details a step in the optimization of the N-terminus of the XTEN protein to promote the initiation of translation to allow for expression of XTEN fusions at the N-terminus of proteins without the presence of a helper domain. With preferences for the first two codons established (see Example supra), the N-terminus was examined in a broader context by combining the 12 selected 12mer sequences (see Example supra) at the very N-terminus followed by 125 previously constructed 36mer segments (see example supra) in a combinatorial manner. This created novel 48mers at the N-terminus of the XTEN protein and enabled the assessment of the impact of longer-range interactions at the N-terminus on expression of the longer sequences (FIG. 12). Similar to the dimerization procedures used to assemble 36mers (see Example infra), the plasmids containing the 125 selected 36mer segments were digested with restriction enzymes BbsI/NcoI and the appropriate fragment was gel-purified. The plasmid from clone AC94 (CBD-XTEN_AM875-GFP) was also digested with BsaI/NcoI and the appropriate fragments were gel-purified. These fragments were ligated together and transformed into *E. coli* BL21Gold(DE3) competent cells to obtain colonies of the library LCW0579, which also served as the vector for further cloning 12 selected 12mers at the very N-terminus. The plasmids of LCW0579 were digested with NdeI/EcoRI/BsaI and the appropriate fragments were gel-purified. 12 pairs of oligonucleotides encoding 12 selected 12mer sequences were designed, annealed and ligated with the NdeI/EcoRI/BsaI digested LCW0579 vector, and transformed into *E. coli* BL21Gold(DE3) competent cells to obtain colonies of the library LCW0580. With a theoretical diversity of 1500 unique clones, a total of 1512 individual colonies from the created library were picked and grown overnight to saturation in 500 µl of super broth media in a 96 deep well plate. This provided sufficient coverage to understand relative library performance and sequence preferences. The saturated overnight cultures were used to inoculate new 500 µl cultures in auto-induction media that were grown overnight at 26°C. These expression cultures were then assayed using a fluorescence plate reader (excitation 395 nm, emission 510 nm) to determine the amount of GFP reporter present. The top 90 clones were sequenced and

retested for GFP reporter expression. 83 clones yielded usable sequencing data and were used for subsequent analysis. The sequencing data was used to determine the lead 12mer that was present in each clone and the impact of each 12mer on expression was assessed. Clones LCW546_06 and LCW546_09 stood out as being the superior N-terminus (see Table 17).

Table 17: Relative Performance of Clones Starting with LCW546_06 and LCW459_09

	LCW546_06	All Others	LCW546_09	All Others
N	11	72	9	74
Mean Fluorescence (AU)	1100	752	988	775
SD	275	154	179	202
CV	25%	20%	18%	26%

[00345] The sequencing and retest also revealed several instances of independent replicates of the same sequence in the data producing similar results, thus increasing confidence in the assay. Additionally, 10 clones with 6 unique sequences were superior to the benchmark clone. They are presented in Table 18. It was noted that these were the only occurrences of these sequences and in no case did one of these sequences occur and fail to beat the bench-mark clone. These six sequences were advanced for further optimization.

Table 18: Combinatorial 12mer and 36mer Clones Superior to Benchmark Clone

Clone Name	First 60 codons	12mer Name	36mer Name
LCW580_51	ATGGCTAGTCCTGCTGGCTCTCCAACCTCCACT GAGGAAGGTGCATCCCCGGGCACCAGCTCTACC GGTTCTCCAGGTAGCTCTACCCGCTCTGGTGCT ACCGGCTCTCCAGGTAGCTCTACCCGCTCTGGT GCTACTGGCTCTCCAGGTACTTCTACTGAACCG TCTGAAGGCAGCGCA	LCW546_06	LCW0404_040
LCW580_81	ATGGCTAGTCCTGCTGGCTCTCCAACCTCCACT GAGGAAGGTGCATCCCCGGGCACCAGCTCTACC GGTTCTCCAGGTAGCTCTACCCGCTCTGGTGCT ACCGGCTCTCCAGGTAGCTCTACCCGCTCTGGT GCTACTGGCTCTCCAGGTACTTCTACTGAACCG TCTGAAGGCAGCGCA	LCW546_06	LCW0404_040
LCW580_38	ATGGCTAGTCCTGCTGGCTCTCCAACCTCCACT GAGGAAGGTACTTCTACCGAACCGTCCGAGGGT AGCGCACCAGGTAGCCAGCAGGTTCTCCTACC TCCACCGAGGAAGGTACTTCTACCGAACCGTCC GAGGGTAGCGCACCAGGTACTTCTACTGAACCG TCTGAAGGCAGCGCA	LCW546_06	LCW0402_041
LCW580_63	ATGGCTAGTCCTGCTGGCTCTCCGACCTCTACT GAGGAAGGTACTTCTACTGAACCGTCTGAAGGC AGCGCACCAGGTAGCGAACCGGCTACTTCCGGT TCTGAAACCCAGGTAGCCCAGCAGGTTCTCCA ACTTCTACTGAAGAAGGTACTTCTACTGAACCG TCTGAAGGCAGCGCA	LCW546_09	LCW0402_020
LCW580_06	ATGGCTAGTCCTGCTGGCTCTCCAACCTCCACT GAGGAAGGTACCCCGGTAGCGGTACTGCTTCT TCCTCTCCAGGTAGCTCTACCCCTTCTGGTGCAA CCGGCTCTCCAGGTGCTTCTCCGGGCACCAGCT	LCW546_06	LCW0404_031

Clone Name	First 60 codons	12mer Name	36mer Name
	CTACCGGTTCTCCAGGTACTTCTACTGAACCGT CTGAAGGCAGCGCA		
LCW580_35	ATGGCTAGTCCTGCTGGCTCTCCGACCTCTACT GAGGAAGGTACTTCTACTGAACCGTCTGAAGGC AGCGCACCAGGTAGCGAACCGGCTACTTCCGGT TCTGAAACCCAGGTAGCCCAGCAGGTTCTCCA ACTTCTACTGAAGAAGGTACTTCTACTGAACCG TCTGAAGGCAGCGCA	LCW546_09	LCW0402_020
LCW580_67	ATGGCTAGTCCTGCTGGCTCTCCGACCTCTACT GAGGAAGGTACCTCCCCTAGCGGCGAATCTTCT ACTGCTCCAGGTACCTCTCCTAGCGGCGAATCT TCTACCGCTCCAGGTACCTCCCCTAGCGGTGAA TCTTCTACCGCACCAGGTACTTCTACTGAACCG TCTGAAGGCAGCGCA	LCW546_09	LCW0403_064
LCW580_13	ATGGCTAGTCCTGCTGGCTCTCCGACCTCTACT GAGGAAGGTACCTCTACTCCGAAAGCGGTTCC GCATCTCCAGGTTCTACCAGCGAATCCCCGTCT GGCACCAGCACCAGGTTCTACTAGCTCTACTGCT GAATCTCCGGGCCAGGTACTTCTACTGAACCG TCTGAAGGCAGCGCA	LCW546_09	LCW0403_060
LCW580_88	ATGGCTAGTCCTGCTGGCTCTCCGACCTCTACT GAGGAAGGTACCTCCCCTAGCGGCGAATCTTCT ACTGCTCCAGGTACCTCTCCTAGCGGCGAATCT TCTACCGCTCCAGGTACCTCCCCTAGCGGTGAA TCTTCTACCGCACCAGGTACTTCTACTGAACCG TCTGAAGGCAGCGCA	LCW546_09	LCW0403_064
LCW580_11	ATGGCTAGTCCTGCTGGCTCTCCGACCTCTACT GAGGAAGGTACCTCTACTCCGAAAGCGGTTCC GCATCTCCAGGTTCTACCAGCGAATCCCCGTCT GGCACCAGCACCAGGTTCTACTAGCTCTACTGCT GAATCTCCGGGCCAGGTACTTCTACTGAACCG TCTGAAGGCAGCGCA	LCW546_09	LCW0403_060

[00346] Example 17: Construction of N-terminal extensions of XTEN- Construction and Screening of Combinatorial 12mer and 36mer Libraries for XTEN-AM875 and XTEN-AE864

[00347] This example details a step in the optimization of the N-terminus of the XTEN protein to promote the initiation of translation to allow for expression of XTEN fusions at the N-terminus of proteins without the presence of a helper domain. With preferences for the first four codons (see Examples supra, and for the best pairing of N-terminal 12mers and 36mers (see Example supra) established, a combinatorial approach was undertaken to examine the union of these preferences. This created novel 48mers at the N-terminus of the XTEN protein and enabled the testing of the confluence of previous conclusions. Additionally, the ability of these leader sequences to be a universal solution for all XTEN proteins was assessed by placing the new 48mers in front of both XTEN-AE864 and XTEN-AM875. Instead of using all 125 clones of 36mer segment, the plasmids from 6 selected clones of 36mer segment with best GFP expression in the combinatorial library were digested with NdeI/EcoRI/BsaI and the appropriate fragments were gel-purified. The plasmids from clones AC94 (CBD-XTEN_AM875-GFP) and AC104 (CBD-XTEN_AE864-GFP) were digested with digested with NdeI/EcoRI/BsaI and the appropriate fragments were gel-purified. These fragments were ligated together and transformed into *E. coli* BL21Gold(DE3) competent cells to obtain

colonies of the libraries LCW0585 (-XTEN_AM875-GFP) and LCW0586 (-XTEN_AE864-GFP), which could also serve as the vectors for further cloning 8 selected 12mers at the very N-terminus. The plasmids of LCW0585 and LCW0586 were digested with NdeI/EcoRI/BsaI and the appropriate fragments were gel-purified. 8 pairs of oligonucleotides encoding 8 selected 12mer sequences with best GFP expression in the previous (Generation 2) screening were designed, annealed and ligated with the NdeI/EcoRI/BsaI digested LCW0585 and LCW0586 vectors, and transformed into *E. coli* BL21Gold(DE3) competent cells to obtain colonies of the final libraries LCW0587 (XTEN_AM923-GFP) and LCW0588 (XTEN_AE912-GFP). With a theoretical diversity of 48 unique clones, a total of 252 individual colonies from the created libraries were picked and grown overnight to saturation in 500 µl of super broth media in a 96 deep well plate. This provided sufficient coverage to understand relative library performance and sequence preferences. The saturated overnight cultures were used to inoculate new 500 µl cultures in auto-induction media in which were grown overnight at 26°C. These expression cultures were then assayed using a fluorescence plate reader (excitation 395 nm, emission 510 nm) to determine the amount of GFP reporter present. The top 36 clones were sequenced and retested for GFP reporter expression. 36 clones yielded usable sequencing data and these 36 were used for the subsequent analysis. The sequencing data determined the 12mer, the third codon, the fourth codon and the 36mer present in the clone and revealed that many of the clones were independent replicates of the same sequence. Additionally, the retest results for these clones are close in value, indicating the screening process was robust. Preferences for certain combinations at the N-terminus were seen and were consistently yielding higher fluorescence values approximately 50% greater than the benchmark controls (see Tables 19 and 20). These data support the conclusion that the inclusion of the sequences encoding the optimized N-terminal XTEN into the fusion protein genes conferred a marked enhancement on the expression of the fusion proteins.

Table 19: Preferred N-terminal Combinations for XTEN-AM875

Clone Name	Number of Replicates	12mer	36mer	Mean	SD	CV
CBD-AM875	NA	NA	NA	1715	418	16%
LCW587_08	7	LCW546_06_3=GAA	LCW404_40	2333	572	18%
LCW587_17	5	LCW546_09_3=GAA	LCW403_64	2172	293	10%

Table 20: Preferred N-terminal Combinations for XTEN-AE864

Clone Name	Number of Replicates	12mer	36mer	Mean	SD	CV
AC82	NA	NA	NA	1979	679	24%
LCW588_14	8	LCW546_06_opt3	LCW404_31	2801	240	6%
LCW588_27	2	LCW546_06_opt34	LCW404_40	2839	556	15%

[00348] Notably, the preferred combination of the N-terminal for the XTEN-AM875 and the preferred combination for the XTEN-AE864 are not the same (Tables 19 and 20), indicating more complex

interactions further than 150 bases from the initiation site influence expression levels. The sequences for the preferred nucleotide sequences are listed in Table 21 and the preferred clones were analyzed by SDS-PAGE to independently confirm expression (see FIG. 13). The complete sequences of XTEN_AM923 and XTEN_AE912 were selected for further analysis.

Table 21: Preferred DNA Nucleotide Sequences for first 48 Amino Acid Residues of N-terminal XTEN-AM875 and XTEN-AE864

Clone Name	XTEN Modified	DNA Nucleotide Sequence
LCW587_08	AM875	ATGGCTGAACCTGCTGGCTCTCCAACCTCCACTGAGGAAGGTGCATC CCCGGGCACCAGCTCTACCGGTTCTCCAGGTAGCTCTACCCCGTCTG GTGCTACCGGCTCTCCAGGTAGCTCTACCCCGTCTGGTGCTACTGGC TCTCCAGGTACTTCTACTGAACCGTCTGAAGGCAGCGCA
LCW587_17	AM875	ATGGCTGAACCTGCTGGCTCTCCGACCTCTACTGAGGAAGGTACCTC CCCTAGCGGCGAATCTTCTACTGCTCCAGGTACCTCTCCTAGCGGCG AATCTTCTACCGCTCCAGGTACCTCCCCTAGCGGTGAATCTTCTACC GCACCAGGTACTTCTACTGAACCGTCTGAAGGCAGCGCA
LCW588_14	AE864	ATGGCTGAACCTGCTGGCTCTCCAACCTCCACTGAGGAAGGTACCCC GGGTAGCGGTACTGCTTCTTCTCTCCAGGTAGCTCTACCCCTTCTGG TGCAACCGGCTCTCCAGGTGCTTCTCCGGGCACCAGCTCTACCGGTT CTCCAGGTAGCCCGGCTGGCTCTCCTACCTCTACTGAG
LCW588_27	AE864	ATGGCTGAAACTGCTGGCTCTCCAACCTCCACTGAGGAAGGTGCATC CCCGGGCACCAGCTCTACCGGTTCTCCAGGTAGCTCTACCCCGTCTG GTGCTACCGGCTCTCCAGGTAGCTCTACCCCGTCTGGTGCTACTGGC TCTCCAGGTAGCCCGGCTGGCTCTCCTACCTCTACTGAG

[00349] Example 18: Methods of producing and evaluating GHXTEN; XTEN-hGH as example

[00350] A general schema for producing and evaluating GHXTEN compositions is presented in FIG. 6, and forms the basis for the general description of this Example. Using the disclosed methods and those known to one of ordinary skill in the art, together with guidance provided in the illustrative examples, a skilled artisan can create and evaluate a range of GHXTEN fusion proteins comprising, XTENs, GH and variants of GH known in the art. The Example is, therefore, to be construed as merely illustrative, and not limitative of the methods in any way whatsoever; numerous variations will be apparent to the ordinarily skilled artisan. In this Example, a GHXTEN of human growth hormone linked to an XTEN of the AE family of motifs would be created.

[00351] The general scheme for producing polynucleotides encoding XTEN is presented in FIGS. 4 and 5. FIG. 5 is a schematic flowchart of representative steps in the assembly of a XTEN polynucleotide construct in one of the embodiments of the invention. Individual oligonucleotides **501** are annealed into sequence motifs **502** such as a 12 amino acid motif ("12-mer"), which is subsequently ligated with an oligo containing BbsI, and KpnI restriction sites **503**. The motif libraries can be limited to specific sequence XTEN families; e.g., AD, AE, AF, AG, AM, or AQ sequences of Table 1. In this case, the motifs of the AE family would be used as the motif library, which are annealed to the 12-mer to create a "building block" length; e.g., a segment that encodes 36 amino acids. The gene encoding the XTEN sequence can be assembled by ligation

and multimerization of the “building blocks” until the desired length of the XTEN gene **504** is achieved. As illustrated in FIG. 5, the XTEN length in this case is 48 amino acid residues, but longer lengths can be achieved by this process. For example, multimerization can be performed by ligation, overlap extension, PCR assembly or similar cloning techniques known in the art. The XTEN gene can be cloned into a stuffer vector. In the example illustrated in FIG. 5, the vector can encode a Flag sequence **506** followed by a stuffer sequence that is flanked by BsaI, BbsI, and KpnI sites **507** and a GH gene (e.g., hGH) **508**, resulting in the gene encoding the GHXTEN **500**, which, in this case encodes the fusion protein in the configuration, N- to C-terminus, XTEN-hGH.

[00352] DNA sequences encoding GH can be conveniently obtained by standard procedures known in the art from a cDNA library prepared from an appropriate cellular source, from a genomic library, or may be created synthetically (e.g., automated nucleic acid synthesis) using DNA sequences obtained from publicly available databases, patents, or literature references. A gene or polynucleotide encoding the GH portion of the protein can be then be cloned into a construct, such as those described herein, which can be a plasmid or other vector under control of appropriate transcription and translation sequences for high level protein expression in a biological system. A second gene or polynucleotide coding for the XTEN portion (in the case of FIG. 5 illustrated as an AE with 48 amino acid residues) can be genetically fused to the nucleotides encoding the N- terminus of the hGH gene by cloning it into the construct adjacent and in frame with the gene coding for the hGH, through a ligation or multimerization step. In this manner, a chimeric DNA molecule coding for (or complementary to) the XTEN-hGH GHXTEN fusion protein would be generated within the construct. Optionally, a gene encoding for a second XTEN could be inserted and ligated in-frame to the nucleotides encoding the C-terminus of the XTEN-hGH gene, resulting in a construct encoding an XTEN-hGH-XTEN fusion protein. The construct can be designed in different configurations to encode the various permutations of the fusion partners as a monomeric polypeptide. For example, the gene can be created to encode the fusion protein in the order (N- to C-terminus): hGH-XTEN; XTEN-hGH; hGH-XTEN- hGH; XTEN- hGH-XTEN; as well as multimers of the foregoing. Optionally, this chimeric DNA molecule may be transferred or cloned into another construct that is a more appropriate expression vector. At this point, a host cell capable of expressing the chimeric DNA molecule would be transformed with the chimeric DNA molecule. The vectors containing the DNA segments of interest can be transferred into an appropriate host cell by well-known methods, depending on the type of cellular host, as described supra.

[00353] Host cells containing the XTEN-GH expression vector would be cultured in conventional nutrient media modified as appropriate for activating the promoter. The culture conditions, such as temperature, pH and the like, are those previously used with the host cell selected for expression, and will be apparent to the ordinarily skilled artisan. After expression of the fusion protein, cells would be harvested by centrifugation, disrupted by physical or chemical means, and the resulting crude extract retained for purification of the fusion protein, as described below. For GHXTEN compositions secreted by the host cells, supernatant from centrifugation would be separated and retained for further purification.

[00354] Gene expression would be measured in a sample directly, for example, by conventional Southern blotting, Northern blotting to quantitate the transcription of mRNA [Thomas, Proc. Natl. Acad. Sci. USA, 77:5201-5205 (1980)], dot blotting (DNA analysis), or in situ hybridization, using an appropriately labeled probe, based on the sequences provided herein. Alternatively, gene expression would be measured by immunological or fluorescent methods, such as immunohistochemical staining of cells to quantitate directly the expression of gene product. Antibodies useful for immunohistochemical staining and/or assay of sample fluids may be either monoclonal or polyclonal, and may be prepared in any mammal. Conveniently, the antibodies may be prepared against the hGH sequence polypeptide using a synthetic peptide based on the sequences provided herein or against exogenous sequence fused to hGH and encoding a specific antibody epitope. Examples of selectable markers are well known to one of skill in the art and include reporters such as enhanced green fluorescent protein (EGFP), beta-galactosidase (β -gal) or chloramphenicol acetyltransferase (CAT).

[00355] The XTEN-hGH polypeptide product would be purified via methods known in the art. Procedures such as gel filtration, affinity purification, salt fractionation, ion exchange chromatography, size exclusion chromatography, hydroxyapatite adsorption chromatography, hydrophobic interaction chromatography or gel electrophoresis are all techniques that may be used in the purification. Specific methods of purification are described in Robert K. Scopes, Protein Purification: Principles and Practice, Charles R. Castor, ed., Springer-Verlag 1994, and Sambrook, *et al.*, *supra*. Multi-step purification separations are also described in Baron, *et al.*, Crit. Rev. Biotechnol. 10:179-90 (1990) and Below, *et al.*, J. Chromatogr. A. 679:67-83 (1994).

[00356] As illustrated in FIG. 6, the isolated XTEN-hGH fusion proteins would then be characterized for their chemical and activity properties. Isolated fusion protein would be characterized, e.g., for sequence, purity, apparent molecular weight, solubility and stability using standard methods known in the art. The fusion protein meeting expected standards would then be evaluated for activity, which can be measured in vitro or in vivo by measuring one of the growth hormone-associated parameters described herein, using one or more assays disclosed herein, or using the assays of the Examples or Table 34.

[00357] In addition, the XTEN-hGH fusion protein would be administered to one or more animal species to determine standard pharmacokinetic parameters, as described in Examples 30-32.

[00358] By the iterative process of producing, expressing, and recovering XTEN-hGH constructs, followed by their characterization using methods disclosed herein or others known in the art, the GHXTEN compositions comprising hGH and an XTEN can be produced and evaluated by one of ordinary skill in the art to confirm the expected properties such as enhanced solubility, enhanced stability, improved pharmacokinetics and reduced immunogenicity, leading to an overall enhanced therapeutic activity compared to the corresponding unfused hGH. For those fusion proteins not possessing the desired properties, a different sequence can be constructed, expressed, isolated and evaluated by these methods in order to obtain a composition with such properties.

[00359] Example 19: Construction of genes and vectors of hGH linked to K and Y XTEN sequences**[00360] K series GHXTEN constructs**

[00361] A pET-series vector was constructed with T7 promoter, which expresses a protein containing cellulose binding domain (CBD) at the N-terminus, followed by a Tomato Etch Virus (TEV) protease cleavage site, followed by the hGH coding sequence, and by the K288 coding sequence: CBD-K288- hGH. The K288 has the repetitive sequence (GEGGGEGGE)₃₂. The CBD sequence used is shown in Swissprot file Q06851 and the purification of CBD fusion proteins is described in Ofir, K. et al. (2005) Proteomics 5:1806. The sequence of the TEV cleavage site is ENLYFQ/X; G was used in the X position. This construct was transformed into BL21(DE3)-star E.coli strain and grown under conditions promoting expression. Cells were collected and disrupted. The cellular supernatant was applied on beaded cellulose resin (Perloza 100), washed with buffer A (25mM Tris pH=8.0) and eluted from the column with 20mM NaOH. pH was adjusted by titrating the sample with 1M Tris buffer pH=8.0. Protein purity was estimated to be above 90%. The eluted protein was digested with purified TEV protease overnight at 4°C, and the digested sample was applied to a beaded cellulose resin (Perloza 100). The CBD was retained on the column, and the K288- hGH was found in the column flow-through. The pooled flow-through was loaded on the anion-exchange (Q-sepharose, Pharmacia), washed with buffer A (25mM Tris pH=8.0) and eluted from the column using a shallow linear gradient of same buffer with 1M NaCl. The eluted fusion protein was pooled, dialyzed against buffer A, concentrated, and purified by size-exclusion chromatography (SEC) as the final purification. Protein purity was estimated to be above 98%. The final protein is K288- hGH. SDS PAGE analyses of samples throughout the purification process are shown in FIG. 20.

[00362] Y series GHXTEN constructs

[00363] The gene encoding hGH was amplified by polymerase chain reaction (PCR), which introduced BbsI and HindIII restriction sites that are compatible with the BbsI and HindIII sites that flank the stuffer in the XTEN destination vector. The pCBD-XTEN plasmid is a pET30 derivative from Novagen in the format of Cellulose Binding Domain (CBD)-XTEN-Stuffer, where Stuffer is green fluorescent protein (GFP) and XTEN can be any length from 36 to 576 or greater. Constructs were generated by replacing a stuffer sequence in pCBD-XTEN with the hGH-encoding fragment (Fig. 7B). The pCBD-XTEN features a T7 promoter upstream of CBD followed by an XTEN sequence fused in-frame upstream of the stuffer sequence. The XTEN sequences employed belong to family XTEN_Y and encode lengths that include 36, 72, 144, 288, and 576 amino acids. The stuffer fragment was removed by restriction digest using BbsI and HindIII endonucleases. Restriction digested hGH DNA fragment was ligated into the cleaved pCBD-XTEN vector using T4 DNA ligase and electroporated into BL21(DE3) Gold (Stratagene). Transformants were screened by DNA miniprep and the desired construct was confirmed by DNA sequencing. The final vector yields the CBD_XTEN_hGH gene under the control of a T7 promoter. The resulting DNA sequences encoded for GH linked to XTEN of lengths of 36, 72, 144, and 288 amino acids, respectively.

[00364] Example 20: Construction of hGH-XTEN genes and vectors using AE and AM XTEN sequences

[00365] The gene encoding hGH was amplified by polymerase chain reaction (PCR), which introduced NdeI and BbsI restriction sites that are compatible with the NdeI and BsaI sites that flank the stuffer in the XTEN destination vector. The pXTEN plasmid is a pET30 derivative from Novagen in the format of Stuffer-XTEN, where Stuffer can be either green fluorescent protein (GFP) or CBD and XTEN can be any length from 36 to 1318 amino acids or greater (FIG. 7). Constructs were generated by replacing a stuffer sequence in pXTEN with the hGH-encoding fragment. The pXTEN features a T7 promoter upstream of the stuffer sequence, and an XTEN sequence fused in-frame downstream of the stuffer sequence. The XTEN sequences employed belong to the AE or AM family of XTEN and encode lengths that include 36, 72, 144, 288, 576, 864, 875 and 1318 amino acids. The stuffer fragment was removed by restriction digest using NdeI and BsaI endonucleases. Restriction digested hGH DNA fragment was ligated into the cleaved pXTEN vector using T4 DNA ligase and electroporated into BL21(DE3) Gold (Stratagene). Transformants were screened by DNA miniprep and the desired constructs were confirmed by DNA sequencing. The final vector yields the hGH-XTEN gene under the control of a T7 promoter, and would be used to express a fusion protein with hGH at the N-terminus.

[00366] Example 21: Construction of XTEN-hGH and XTEN-hGH genes and vectors using AE and AM XTEN sequences

[00367] The gene encoding hGH was amplified by polymerase chain reaction (PCR), which introduced BbsI and HindIII restriction sites that are compatible with the BbsI and HindIII sites that flank the stuffer in the XTEN destination vector. The pCBD-XTEN plasmid is a pET30 derivative from Novagen in the format of Cellulose Binding Domain (CBD)-XTEN-Stuffer, where Stuffer is green fluorescent protein (GFP) and XTEN can be any length from 36 to 1318 or greater (FIG. 7). Constructs were generated by replacing a stuffer sequence in pCBD-XTEN with the hGH-encoding fragment. The pCBD-XTEN features a T7 promoter upstream of CBD followed by an XTEN sequence fused in-frame upstream of the stuffer sequence. The XTEN sequences employed belong to family XTEN_AE and XTEN_AM and encode lengths that include 36, 72, 144, 288, 576, 864, 875 and 1318 amino acids. The stuffer fragment was removed by restriction digest using BbsI and HindIII endonucleases. Restriction digested hGH DNA fragment was ligated into the cleaved pCBD-XTEN vector using T4 DNA ligase and electroporated into BL21(DE3) Gold (Stratagene). Transformants were screened by DNA miniprep and the desired construct was confirmed by DNA sequencing. The final vector yields the CBD_XTEN_hGH gene under the control of a T7 promoter, and would be used to express a fusion protein with hGH at the C-terminus.

[00368] Example 22: Construction of XTEN-AE_hGH_XTEN-AE genes and vectors

[00369] The gene encoding hGH was amplified by polymerase chain reaction (PCR), which introduced BsaI and HindIII restriction sites that are compatible with the BbsI and HindIII sites that flank the stuffer in the pNTS-XTEN destination vector. The pNTS-XTEN_AE plasmid is a pET30 derivative from Novagen in the format of N-terminal XTEN expression sequence of 48 amino acids-XTEN-Stuffer, where Stuffer is

green fluorescent protein (GFP) and XTEN can be any length from 36 to 576 or greater. Constructs were generated by replacing a stuffer sequence in pNTS-XTEN with the hGH-encoding fragment. The pNTS-XTEN features a T7 promoter upstream of NTS followed by an XTEN sequence fused in-frame upstream of the stuffer sequence. The XTEN sequences employed belong to family XTEN_AE and encode lengths that can include 36, 72, 144, 288, 576, 864, and 1296 amino acids. The stuffer fragment was removed by restriction digest using BbsI and HindIII endonucleases. Restriction digested hGH DNA fragment was ligated into the cleaved pNTS-XTEN vector using T4 DNA ligase and electroporated into BL21(DE3) Gold (Stratagene). In some cases, a second XTEN_AE sequence of 144 or 288 amino acids was ligated to the C-terminus of the hGH encoding gene, the steps of which are illustrated in FIG. 8. The gene encoding hGH was amplified by polymerase chain reaction (PCR), which introduced BsaI and HindIII (with additional BbsI in front of HindIII) restriction sites that are compatible with the BbsI and HindIII sites that flank the stuffer in the pNTS-XTEN destination vector. After restriction enzyme digestions, ligation and transformation, the resulting intermediate plasmid has the format of pNTS-XTEN-hGH with the BbsI/HindIII restriction sites at the C-terminus of hGH. The intermediate plasmid was further digested with BbsI and HindIII, ligated with the second XTEN_AE sequence of 144 or 288 amino acids flanked by BsaI and HindIII, placing the AE144 or the AE288 encoding sequences at the C-terminus of the XTEN-hGH gene, and transformed into BL21(DE3)Gold. Transformants were screened by DNA miniprep and the desired construct was confirmed by DNA sequencing. The final vectors, described above, yield the genes in configurations of either NTS_XTEN_hGH or NTS_XTEN_hGH_XTEN, under the control of a T7 promoter, as shown in FIG. 7C and 7D.

[00370] Example 23: Purification of GHXTEN_AE constructs

[00371] Protein Expression

[00372] The plasmids described above were transformed into BL21(DE3)-Gold E. coli strain (Novagen) and plated on an LB-agar plate with the appropriate antibiotics and grown overnight at 37°C. A single colony was inoculated into 5ml of TB125 medium and grown overnight at 37°C. The next day the inoculum was transformed into a 2L vessel with 500ml of TB125, and grown until an OD=0.6 was reached, followed by continued growth at 26°C for 16hr with 0.1 mM IPTG.

[00373] Cells were collected by centrifugation and the cell pellet was resuspended in 50ml Buffer containing 5mM Tris pH 8.0, 100mM NaCl. Cells were disrupted using an APV-2000 homogenizer. The pH of the lysate was then adjusted to pH 4.5 with acetic acid to precipitate contaminating host cell proteins and was subsequently clarified by centrifugation. The clarified, acid-treated lysate was then applied to a DE52 Anion exchange chromatography column and eluted with NaCl. The eluted fraction was then further acidified to pH 4.2 and applied to a MacroCapSP cation exchange chromatography column. Product was eluted using sequential elution with NaCl. An additional chromatography step employing Macrocap Q was implemented to remove product-related aggregates and residual host cell impurities (e.g. endotoxin, DNA, host cell protein).

[00374] Protein purity was estimated to be above 98%. The quantity of eluted fusion protein was determined by SDS-PAGE analysis and by measurement of total protein concentration. The high quantity of eluted GHXTEN fusion protein reflects the higher degree of solubility of the fusion protein relative to hGH not linked to XTEN (see, e.g., Singh, S. M., et al. (2005) *J Biosci Bioeng*, 99: 303; Patra, A. K., et al. (2000) *Protein Expr Purif*, 18: 182), as well as the ability to remain soluble at acidified conditions that result in the precipitation of host cell protein.

[00375] Final formulation and storage

[00376] The buffer exchanged proteins were then concentrated using 10K MWCO Vivacell 100 centrifugal ultrafiltration unit to not less than 15 mg/ml. The concentrate was sterile filtered using a 0.22 μ m syringe filter. The final solution was aliquoted and stored at -80°C.

[00377] **Example 24: Characterization of GHXTEN Constructs**

[00378] SDS-PAGE analysis

[00379] 5 μ g of final purified GHXTEN proteins of GH linked to Y576 (either N- or C-terminus of Y576) was subjected to both non-reducing and reducing SDS-PAGE using NuPAGE 4-12% Bis-Tris gel from Invitrogen according to manufacturer's specifications. The resulting gel is shown in FIG. 20.

[00380] Analytical size exclusion chromatography

[00381] Size exclusion chromatography analysis was performed using a TSKGel-G4000 SWXL (7.8mm x 30cm) column. 20 μ g of the purified protein at a concentration of 1 mg/ml was separated at a flowrate of 0.6 ml/min in 20 mM phosphate pH 6.8, 114 mM NaCl. Chromatogram profiles were monitored using OD214nm and OD280nm. Column calibration was performed using a size exclusion calibration standard from BioRad, the markers include thyroglobulin (670 kDa), bovine gamma-globulin (158 kDa), chicken ovalbumin (44 kDa), equine myoglobulin (17 kDa) and vitamin B12 (1.35 kDa). The chromatographic profiles of Y576-GH were generated and demonstrate that the apparent molecular weight of each construct is significantly larger than that expected for a globular protein, in comparison to the standard proteins run in the same assay (data not shown).

[00382] Analytical RP-HPLC

[00383] Analytical RP-HPLC chromatography analysis was performed using a C4 (7.8mm x 20cm) column. The column was equilibrated with 100% Acetonitrile plus 0.1% TFA in the mobile phase at a flowrate of 1 ml/min. Twenty micro gram of the purified protein, with and without denaturing, at a concentration of 0.2 mg/ml was injected separately. The protein was separated and eluted by linear gradient within 15 min from 5% to 60% of buffer containing HPLC grade H2O plus 0.1% TFA. Chromatogram profiles were monitored using OD214nm and OD280nm. The chromatographic profiles of native and denatured Y576-GH are shown as an overlay in FIG. 21.

[00384] **Example 25: ELISA-based binding assays**

[00385] XTEN fusions to GH were tested in a standard ELISA-based assay to evaluate their ability to bind to GH Receptor. Assays were performed using a sandwich ELISA format in which a recombinant hGH receptor (hGHR-Fc) is coated onto wells of an ELISA plate. The wells were then blocked, washed, and

GHXTEN samples are then incubated in the wells at varying dilutions to allow capture of the GHXTEN. Wells were washed extensively, and bound protein was detected using a biotinylated preparation of a polyclonal or monoclonal anti-GH or anti-XTEN antibody and streptavidin HRP. The fraction of bound protein can be calculated by comparing the colorimetric response at each serum dilution to a standard curve of unmodified GH. In a first assay comparing hGH bound to K288 compared to recombinant hGH, the results, shown in FIG. 15, demonstrate the ability of GHXTEN to bind to the hGH receptor. In a second assay, two configurations of GHXTEN; AM864-hGH and hGH-AM864; compared to recombinant hGH. The results, shown in FIG. 16, indicate apparent EC₅₀ values for native hGH of 0.0701 nM, AM864-hGH of 0.3905, and hGH-AM864 of 2.733. In a third assay, recombinant hGH was compared to AE912-hGH-AE144 in order to show the ability to reduce binding affinity by the addition of a C-terminal XTEN to the hGH component of an GHXTEN fusion protein, and the results (FIG. 18) demonstrate a decrease in binding affinity of approximately 17-fold compared to hGH.

[00386] Example 26: Effect of heat treatment on the stability of hGH and GHXTEN

[00387] The ability of XTEN to confer structural stability on the attached therapeutic molecule was investigated. Samples of hGH and AM864-hGH were incubated at 25°C and 80°C, and then analyzed by gel electrophoresis and Coomassie staining. FIG. 17A is an SDS-PAGE gel of the two preparations treated at 25°C and 80°C for 15 minutes, while FIG. 17B shows the corresponding percentage of receptor binding activity of the 80°C sample relative to the 25°C treatment. The results indicate that hGH denatures under the treatment conditions while the GHXTEN construct remains largely stable under the experimental conditions, retaining nearly 80% of its receptor binding activity.

[00388] Conclusions: The XTEN component of the GHXTEN fusion protein confers enhanced solubility and stability properties to the fusion protein in comparison to hGH not linked to XTEN.

[00389] Example 27: Comparative effects of hGH and AM864-hGH on secretion of IGF-1

[00390] The ability of a GHXTEN to retain pharmacologic potency was assessed using the measured parameter of circulating IGF-1 in response to administered compound. FIG. 24 shows the effects of daily administration of hGH (0.071 mg/kg daily) or a single dose of AM864-hGH (5 mg/kg; equivalent to 1.1 mg/kg) on circulating IGF-1 levels in cynomolgus monkeys (n=4/group), depicted as percentage change compared to baseline. The results show enhanced activity by the GHXTEN construct, despite being dosed only once at the beginning of the experiment.

[00391] Example 28: Comparative effects of hGH and AM864-hGH on body weight gain

[00392] The ability of a GHXTEN to retain pharmacologic potency was assessed using the measured parameter of body weight gain in a hypox rat in response to administered compound. FIG. 25 shows the effects of administration of hGH or AM864-hGH at the indicated doses and dose frequency on body weight in hypox rats. The results show retention of biologic activity by the GHXTEN constructs that is equivalent in potency to comparable dosage of hGH, yet with less frequent dosing. Increased dosage of AM864-hGH led to increases in body weight gains showing enhancement of the pharmacodynamic properties of the GHXTEN compared to hGH under these conditions.

[00393] Example 29: Comparative effects of hGH and AM864-hGH on bone cartilage

[00394] The ability of a GHXTEN to retain pharmacologic potency was assessed using the measured parameter of increase in tibial epiphyseal plate width in hypox rats. FIG. 26 shows the comparative effects of administration of placebo, hGH, and AM864-hGH, shown in histologic cross-sections of the tibia from rats after 9 days of treatment, with the margins denoted with dotted lines. Groups are the same as shown in FIG. 26. FIG. 26A shows that the placebo group had an average cross-section width of $344 \pm 38.6 \mu\text{m}$ of the plate after 9 days. FIG. 26B shows that the hGH group ($10\mu\text{g}$ daily) had an average cross-section width of $598 \pm 8.5 \mu\text{m}$ after 9 days. FIG. 26C shows that the AM864-hGH (15 mg/kg q3d) had an average cross-section width of $944 \pm 8.5 \mu\text{m}$ after 9 days. The results show enhanced activity by the GHXTEN construct compared to hGH, despite being dosed at less frequent intervals.

[00395] Example 30: PK analysis of GHXTEN protein fusions

[00396] GH-Y576 and Y576h-GH (in this case indicating the N- to C-terminus order of GH and XTEN) were injected into cynomolgus monkeys in order to determine in vivo pharmacokinetic parameters. The compositions were provided in an aqueous buffer and were administered by intravenous routes into separate animals at 0.15 mg/kg dosing. Serum samples were collected at various time points following administration and analyzed for serum concentrations of the accessory proteins. Analysis was performed using a sandwich ELISA format. Rabbit polyclonal anti-XTEN (to Y-type XTEN) antibodies were coated onto wells of an ELISA plate. Serum samples were then incubated in the wells at varying dilutions to allow capture of the compound by the coated antibodies. Wells were washed extensively, and bound protein was detected using a biotinylated preparation of the polyclonal anti-XTEN antibody and streptavidin HRP. Serum protein concentrations were calculated at each time point by comparing the colorimetric response at each serum dilution to a standard curve. Pharmacokinetic parameters were calculated using the WinNonLin software package.

[00397] FIG. 22 shows the concentration profile of the two GH constructs following intravenous administration to cynomolgus monkeys. Following IV administration, the half-life was calculated to be 7 hours for hGH-Y576 and 10.5 hours for Y576-hGH. For reference, the published half-life of unmodified GH is well described in the literature as 10-15 minutes in adult humans (see, e.g., Hindmarch, P.C., *et al.*, Clinical Endocrinology (2008) 30(4): 443-450). The results show that the orientation (N- versus C-terminal) of hGH relative to the XTEN did not affect the clearance of the fusion proteins, and that addition of the Y576 greatly extended the terminal half-life of the fusion protein.

[00398] Another pharmacokinetic study in cynomolgus monkeys was performed using the AM864-hGH construct. FIG. 23 shows the pharmacokinetic profile after a single dose of 5 mg/kg AM864-hGH administered subcutaneously to cynomolgus monkeys, with the derived equivalent hGH concentration shown (dashed line).

[00399] Conclusions: The XTEN component of the GHXTEN fusion protein confers enhanced pharmacokinetic properties to the fusion protein in comparison to hGH not linked to XTEN, under these conditions.

[00400] Example 31: PK analysis of hGH XTEN fusion polypeptides in rats

[00401] The GHXTEN fusion proteins AE912-hGH, AM864-hGH (synonym to AM875-hGH for this and following Examples), AE912-hGH-AE144 and AE912-hGH-AE288 were evaluated in rats in order to determine *in vivo* pharmacokinetic parameters of the hGHXTEN polypeptides. All compositions were provided in an aqueous buffer and were administered by subcutaneous (SC) route into separate animals using 1.5 mg/kg single doses. Plasma samples were collected at various time points following administration and analyzed for concentrations of the test articles. Analysis was performed using a sandwich ELISA format. Recombinant hGHR-Fc was coated onto wells of an ELISA plate. The wells were blocked, washed and plasma samples were then incubated in the wells at varying dilutions to allow capture of the compound by the coated antibodies. Wells were washed extensively, and bound protein was detected using a biotinylated preparation of the polyclonal anti hGH antibody and streptavidin HRP. Concentrations of test article were calculated at each time point by comparing the colorimetric response at each serum dilution to a standard curve. Pharmacokinetic parameters were calculated using the WinNonLin software package.

[00402] FIG. 27 shows the concentration profiles of the four hGH XTEN constructs after subcutaneous administration. The calculated terminal half-life for AE912-hGH was 7.5 h, 6.8 h for AM864-hGH (synonym for AM875-hGH), 12.4 h for AE912-hGH-AE144 and 13.1 h for AE912-hGH-AE288. For comparison, unmodified hGH was run in parallel in the same experiment and showed a dramatically shorter plasma half-life.

[00403] Conclusions: The incorporation of different XTEN sequences into fusion proteins comprising hGH results in significant enhancement of pharmacokinetic parameters for all four compositions compared to unmodified hGH, as demonstrated in the rodent model under these conditions. The addition of a second XTEN protein to the C-terminus of the AE-hGH constructs results in a further enhancement of the terminal half-life compared to the constructs with a single XTEN; likely due to reduced receptor mediated clearance.

[00404] Example 32: PK analysis of hGH XTEN fusion polypeptides in cynomolgus monkeys

[00405] GHXTEN fusion proteins containing one or two XTEN molecules (AE912-hGH, AM864-hGH, and AE912-hGH-AE144) were evaluated in cynomolgus monkeys in order to determine the effect of the inclusion of a second XTEN on *in vivo* pharmacokinetic parameters of the hGHXTEN polypeptides. All compositions were provided in an aqueous buffer and were administered by subcutaneous (SC) route into separate animals using 1.5 mg/kg single doses. Plasma samples were collected at various time points following administration and analyzed for concentrations of the test articles. Analysis was performed using a sandwich ELISA format. Recombinant hGHR-Fc was coated onto wells of an ELISA plate. The wells were blocked, washed and plasma samples were then incubated in the wells at varying dilutions to allow capture of the compound by the coated antibodies. Wells were washed extensively, and bound protein was detected using a biotinylated preparation of the polyclonal anti hGH antibody and streptavidin HRP. Concentrations of test article were calculated at each time point by comparing the colorimetric response at each serum dilution to a standard curve. Pharmacokinetic parameters were calculated using the WinNonLin software package, and FIG. 28 shows the concentration profiles of the three hGH XTEN constructs after

subcutaneous administration over the 336 h period. The average terminal half-life for the fusion proteins were 33 h for AM864-hGH, 44 h for AE912-hGH, and 110 h for the AE912-hGH-AE144 (containing two XTEN linked to the N- and C-termini of hGH).

[00406] Conclusions: The incorporation of different XTEN sequences into fusion proteins comprising hGH resulted in significant enhancement of pharmacokinetic parameters for all three compositions, as demonstrated in the cyno model under these conditions, with the construct containing a second XTEN linked to the C-terminus of the hGH showing a greater than about two-fold enhancement of the terminal half-life compared to the GHXTEN with a single XTEN at the N-terminus.

[00407] Example 33: Assessment of pharmacodynamic effects of AE912-hGH-AE144 GHXTEN by measurement of IGF-1 response in cynomolgus monkeys

[00408] AE912-hGH-AE144 was administered to male and female cynos SC at 0.3, 1.5, and 7.5 mg/kg and dose volumes ranging from 0.80 to 1.13 ml. Blood samples (1.0 mL) were collected into prechilled heparinized tubes at predose, 2, 4, 8, 24, 48, 72, 96, 120, 168, 216, 264, 336, 388, 432, 504 hour timepoints (16), and processed into plasma. PK was measured by ELISA assay using the anti-XTEN capture antibody and the biotinylated anti-hGH detection antibody. IGF-1 samples were sent to and analyzed by Millipore. PK parameters were calculated by analysis using the WinNonLin software package and are shown in the table below. Plasma concentration profiles of the three doses of GHXTEN and IGF-1 levels are shown in FIG. 29 and FIG. 30, respectively (open circles = 0.3 mg/kg; squares = 1.5 mg/kg; triangles = 7.5 mg/kg). The results show that administration of AE912-hGH-AE144 results in a sustained increase in IGF-1 levels, consistent with both the biological mode of action of growth hormone and the long plasma half-life of AE912-hGH-AE144.

Table 22: PK parameters in cynomolgus monkeys

	0.3 mg/kg	1.5 mg/kg	7.5 mg/kg
Route	SC	SC	SC
T $\frac{1}{2}$ (hrs)	84.4	97.5	101.1
C _{max} (nM)	41	910	340
AUC (nM*hr)	5,170	162,000	64,100

[00409] Example 34: Comparative bioavailability of AE912-hGH-AE144 via subcutaneous and intramuscular administration to cynomolgus monkeys

[00410] AE912-hGH-AE144 was administered to male and female cynos SC at 1.5 mg/kg via intravenous, subcutaneous, and intramuscular routes. Blood samples (1.0 mL) were collected into prechilled heparinized tubes at predose, 2, 4, 8, 24, 48, 72, 96, 120, 168, 216, 264, 336, 388, 432, 504 hour timepoints (16), and processed into plasma. Plasma levels at each time point were measured by ELISA assay using the anti-XTEN capture antibody and the biotinylated anti-hGH detection antibody. PK and bioavailability

parameters were calculated by analysis using the WinNonLin software package and are shown in the table below. Plasma concentration profiles are shown in FIG. 31 (open circles = subcutaneous; triangle = IV; squares = intramuscular). For bioavailability calculations, the AUC for intravenous administration was defined to be 100%. The results show that AE912-hGH-AE144 shows a high bioavailability and distributes rapidly from the injection site to the blood compartment following injection.

Table 23: PK parameters in cynomolgus monkeys

	1.5 mg/kg	1.5 mg/kg	1.5 mg/kg
Route	SC	IV	IM
T $\frac{1}{2}$ (hrs)	97.5	107.7	102.2
C _{max} (nM)	910	462	245
AUC (nM*hr)	162,000	60,300	43,200
Bioavailability	~100%	100%	72%

[00411] Example 35: Determination of the therapeutic window for AE912-hGH-AE144

[00412] The specific activity of the GHXTEN AE912-hGH-AE144 was assessed using the measured parameter of body weight gain in a hypophysectomized (hypox) rat in response to administered compound. FIG. 32 shows the effects of administration of vehicle (open circles), recombinant hGH dosed at 5 nmol/kg/day (closed circles), the GHXTEN AE912-hGH-AE144 at varying doses and dose frequency (closed triangles = 0.5 nmol/kg/day; open triangles = 1.5 nmol/day; squares = 3 nmol/kg/Q2D) on body weight in hypox rats. The results show that a dose of the GHXTEN AE912-hGH-AE144 as low as 1.5 nmol/kg/day yields comparable growth to hGH alone. However, a lower dose of 0.5 nmol/kg/day does not promote growth in these animals. Based on the pharmacokinetic profiles determined in the rats, a model for plasma levels following repeat dosing was constructed as shown in FIG 33 (same groups as per FIG. 32). The model clearly differentiates the efficacious doses from the non-efficacious lower dose. The results show that plasma concentration of AE912-hGH-AE144 generally should remain above about 1 nmol/L concentration in order to maintain optimal growth in the hypophysectomized rat model.

[00413] Example 36: Human Clinical Trial Designs for Evaluating GHXTEN

[00414] Clinical trials can be designed such that the efficacy and advantages of the GHXTEN compositions, relative to the corresponding growth hormone biologics, can be verified in humans. For example, the GHXTEN fusion constructs comprising growth, as described in the Examples above, can be used in clinical trials for characterizing the efficacy of the compositions. The trials can be conducted in one or more growth hormone-related diseases, disorders, or conditions that are improved, ameliorated, or inhibited by the administration of growth hormone. Such studies in adult patients comprise three phases. First, a Phase I safety and pharmacokinetics study in adult patients is conducted to determine the maximum tolerated dose and pharmacokinetics and pharmacodynamics in humans (either normal subjects or patients

with a growth disease or condition), as well as to define potential toxicities and adverse events to be tracked in future studies. The study is conducted in which single rising doses of compositions of fusion proteins of GHXTEN is administered and biochemical, PK, and clinical parameters is measured. This permits the determination of the maximum tolerated dose and establishes the threshold and maximum concentrations in dosage and circulating drug that constitute the therapeutic window for the respective components. Thereafter, clinical trials are conducted in patients with the disease, disorder or condition.

[00415] Phase II and III clinical trials

[00416] A phase II dosing study is conducted in patients where blood growth hormone pharmacodynamics and other physiologic, PK, safety and clinical parameters (such as listed below) appropriate for trials, such as for reversal of short stature due to GH deficiency in pediatric patients, treatment of Turner syndrome, chronic renal failure, Prader–Willi syndrome, intrauterine growth retardation, or improvements in body mass composition (increase in lean body mass, decrease in fat mass) in adult patients (such as HIV+ or acquired pituitary tumor patients). Parameters and clinical endpoints are measured as a function of the dosing of the fusion proteins compositions, yielding dose-ranging information on doses that would be appropriate for a subsequent Phase III trial, in addition to collecting safety data related to adverse events. The PK parameters are correlated to the physiologic, clinical and safety parameter data to establish the therapeutic window and the therapeutic dose regimen for the GHXTEN composition, permitting the clinician to establish the appropriate dose ranges for a GHXTEN composition. Finally, a phase III efficacy study is conducted wherein patients would be administered the GHXTEN composition at the dose regimen, and a positive control (such as a commercially-available, approved growth hormone), or a placebo is administered daily or using other dosing schedule deemed appropriate given the pharmacokinetic and pharmacodynamic properties of the control composition, with all agents administered for an appropriately extended period of time to achieve the study endpoints. Parameters that are monitored include GH, IGF-1 and IGFBP3 concentrations, changes in height velocity, lean body mass, total body fat, trunk fat, parameters associated with insulin resistance syndrome, measurement of division and multiplication rates of chondrocytes, and/or changes in bone density and/or bone growth; parameters that would be tracked relative to the placebo or positive control groups. Efficacy outcomes would be determined using standard statistical methods. Toxicity and adverse event markers are also be followed in this study to verify that the compound is safe when used in the manner described.

[00417] **Example 37: Analytical size exclusion chromatography of XTEN fusion proteins with diverse payloads**

[00418] Size exclusion chromatography analyses were performed on fusion proteins containing various therapeutic proteins and unstructured recombinant proteins of increasing length. An exemplary assay used a TSKGel-G4000 SWXL (7.8mm x 30cm) column in which 40 µg of purified glucagon fusion protein at a concentration of 1 mg/ml was separated at a flow rate of 0.6 ml/min in 20 mM phosphate pH 6.8, 114 mM NaCl. Chromatogram profiles were monitored using OD214nm and OD280nm. Column calibration for all assays were performed using a size exclusion calibration standard from BioRad; the markers include

thyroglobulin (670 kDa), bovine gamma-globulin (158 kDa), chicken ovalbumin (44 kDa), equine myoglobulin (17 kDa) and vitamin B12 (1.35 kDa). Representative chromatographic profiles of Glucagon-Y288, Glucagon-Y144, Glucagon-Y72, Glucagon-Y36 are shown as an overlay in FIG. 34. The data show that the apparent molecular weight of each compound is proportional to the length of the attached XTEN sequence. However, the data also show that the apparent molecular weight of each construct is significantly larger than that expected for a globular protein (as shown by comparison to the standard proteins run in the same assay). Based on the SEC analyses for all constructs evaluated, including a GHXTEN composition, the Apparent Molecular Weights, the Apparent Molecular Weight Factor (expressed as the ratio of Apparent Molecular Weight to the calculated molecular weight) and the hydrodynamic radius (R_H in nm) are shown in Table 24. The results indicate that incorporation of different XTENs of 576 amino acids or greater confers an apparent molecular weight for the fusion protein of approximately 339 kDa to 760, and that XTEN of 864 amino acids or greater confers an apparent molecular weight greater than approximately 800 kDa. The results of proportional increases in apparent molecular weight to actual molecular weight were consistent for fusion proteins created with XTEN from several different motif families; i.e., AD, AE, AF, AG, and AM, with increases of at least four-fold and ratios as high as about 17-fold. Additionally, the incorporation of XTEN fusion partners with 576 amino acids or more into fusion proteins with the various payloads (and 288 residues in the case of glucagon fused to Y288) resulted with a hydrodynamic radius of 7 nm or greater; well beyond the glomerular pore size of approximately 3-5 nm. Accordingly, it is expected that fusion proteins comprising growth and XTEN have reduced renal clearance, contributing to increased terminal half-life and improving the therapeutic or biologic effect relative to a corresponding un-fused biologic payload protein.

Table 24: SEC analysis of various polypeptides

Construct Name	XTEN or fusion partner	Therapeutic Protein	Actual MW (kDa)	Apparent MW (kDa)	Apparent Molecular Weight Factor	R_H (nm)
AC14	Y288	Glucagon	28.7	370	12.9	7.0
AC28	Y144	Glucagon	16.1	117	7.3	5.0
AC34	Y72	Glucagon	9.9	58.6	5.9	3.8
AC33	Y36	Glucagon	6.8	29.4	4.3	2.6
AC89	AF120	Glucagon	14.1	76.4	5.4	4.3
AC88	AF108	Glucagon	13.1	61.2	4.7	3.9
AC73	AF144	Glucagon	16.3	95.2	5.8	4.7
AC53	AG576	GFP	74.9	339	4.5	7.0
AC39	AD576	GFP	76.4	546	7.1	7.7
AC41	AE576	GFP	80.4	760	9.5	8.3
AC52	AF576	GFP	78.3	526	6.7	7.6
AC85	AE864	Exendin-4	83.6	938	11.2	8.9
AC114	AM875	Exendin-4	82.4	1344	16.3	9.4
AC143	AM875	hGH	100.6	846	8.4	8.7
AC227	AM875	IL-1ra	95.4	1103	11.6	9.2
AC228	AM1318	IL-1ra	134.8	2286	17.0	10.5

[00419] Example 38: Pharmacokinetics of extended polypeptides fused to GFP in cynomolgus monkeys

[00420] The pharmacokinetics of GFP-L288, GFP-L576, GFP-XTEN_AF576, GFP-XTEN_Y576 and XTEN_AD836-GFP were tested in cynomolgus monkeys to determine the effect of composition and length of the unstructured polypeptides on PK parameters. Blood samples were analyzed at various times after injection and the concentration of GFP in plasma was measured by ELISA using a polyclonal antibody against GFP for capture and a biotinylated preparation of the same polyclonal antibody for detection. Results are summarized in FIG. 35. They show a surprising increase of half-life with increasing length of the XTEN sequence. For example, a half-life of 10 h was determined for GFP-XTEN_L288 (with 288 amino acid residues in the XTEN). Doubling the length of the unstructured polypeptide fusion partner to 576 amino acids increased the half-life to 20-22 h for multiple fusion protein constructs; i.e., GFP-XTEN_L576, GFP-XTEN_AF576, GFP-XTEN_Y576. A further increase of the unstructured polypeptide fusion partner length to 836 residues resulted in a half-life of 72-75 h for XTEN_AD836-GFP. Thus, increasing the polymer length by 288 residues from 288 to 576 residues increased *in vivo* half-life by about 10 h. However, increasing the polypeptide length by 260 residues from 576 residues to 836 residues increased half-life by more than 50 h. These results show that there is a surprising threshold of unstructured polypeptide length that results in a greater than proportional gain in *in vivo* half-life. Thus, fusion proteins comprising extended, unstructured polypeptides are expected to have the property of enhanced pharmacokinetics compared to polypeptides of shorter lengths.

[00421] Example 39: Serum stability of XTEN

[00422] A fusion protein containing XTEN_AE864 fused to the N-terminus of GFP was incubated in monkey plasma and rat kidney lysate for up to 7 days at 37°C. Samples were withdrawn at time 0, Day 1 and Day 7 and analyzed by SDS PAGE followed by detection using Western analysis and detection with antibodies against GFP as shown in FIG. 14. The sequence of XTEN_AE864 showed negligible signs of degradation over 7 days in plasma. However, XTEN_AE864 was rapidly degraded in rat kidney lysate over 3 days. The *in vivo* stability of the fusion protein was tested in plasma samples wherein the GFP_AE864 was immunoprecipitated and analyzed by SDS PAGE as described above. Samples that were withdrawn up to 7 days after injection showed very few signs of degradation. The results demonstrate the resistance of GHXTEN to degradation due to serum proteases; a factor in the enhancement of pharmacokinetic properties of the GHXTEN fusion proteins.

[00423] Example 40: PK analysis of Ex4-XTEN fusion protein in multiple species and predicted human half-life

[00424] To determine the predicted pharmacokinetic profile in humans of a therapeutic protein fused to XTEN, studies were performed using exendin-4 fused to the AE864 XTEN as a single fusion polypeptide. The Ex4-XTEN construct was administered to four different animal species at 0.5-1.0 mg/kg, subcutaneously and intravenously. Serum samples were collected at intervals following administration, with

serum concentrations determined using standard methods. The half-life for each species was determined, and is tabulated in Table 25. The results were used to predict the human half-life using allometric scaling of terminal half-life, volume of distribution, and clearance rates based on average body mass. FIG. 36A shows a plot of measured terminal half-life versus body mass in the animal species, with a predicted $T_{1/2}$ in a 75 kg human of 140 h, compared to the reported half-life of exenatide of 2.4 h (Bond, A. Proc (Bayl Univ Med Cent) 19(3): 281–284. (2006)). FIG. 36B shows measured drug clearance versus body mass, with a predicted clearance rate value of 30 ml/h in a 75 kg human. FIG. 36C shows measured volume of distribution versus body mass, with a predicted value of 5970 ml in a 75 kg human.

[00425] Conclusions: It can be concluded from the results that addition of an XTEN to a glucose-regulating peptide, such as exendin-4, can greatly increase the terminal half-life compared to the peptide not linked to XTEN.

Table 25: Half-life of Ex4-XTEN

Species	Half-Life (hr)
Mouse	13.5
Rat	31.7
Monkey	60.7
Dog	72.8
Human	140*

* Predicted value based on allometric scaling

[00426] Example 41: Increasing solubility and stability of a peptide payload by linking to XTEN

[00427] In order to evaluate the ability of XTEN to enhance the physical/chemical properties of solubility and stability, fusion proteins of glucagon plus shorter-length XTEN were prepared and evaluated. The test articles were prepared in Tris-buffered saline at neutral pH and characterization of the Gcg-XTEN solution was by reverse-phase HPLC and size exclusion chromatography to affirm that the protein was homogeneous and non-aggregated in solution. The data are presented in Table 26. For comparative purposes, the solubility limit of unmodified glucagon in the same buffer was measured at 60 μ M (0.2 mg/mL), and the result demonstrate that for all lengths of XTEN added, a substantial increase in solubility was attained. Importantly, in most cases the glucagon-XTEN fusion proteins were prepared to achieve target concentrations and were not evaluated to determine the maximum solubility limits for the given construct. However, in the case of glucagon linked to the AF-144 XTEN, the limit of solubility was determined, with the result that a 60-fold increase in solubility was achieved, compared to glucagon not linked to XTEN. In addition, the glucagon-AF144 GHXTEN was evaluated for stability, and was found to be stable in liquid formulation for at least 6 months under refrigerated conditions and for approximately one month at 37°C (data not shown).

[00428] Conclusions: The data support the conclusion that the linking of short-length XTEN polypeptides to a biologically active protein such as glucagon can markedly enhance the solubility properties of the protein by the resulting fusion protein, as well as confer stability at the higher protein concentrations.

Table 26: Solubility of Glucagon-XTEN constructs

Test Article	Solubility
Glucagon	60 μ M
Glucagon-Y36	>370 μ M
Glucagon-Y72	>293 μ M
Glucagon-AF108	>145 μ M
Glucagon-AF120	>160 μ M
Glucagon-Y144	>497 μ M
Glucagon-AE144	>467 μ M
Glucagon-AF144	>3600 μ M
Glucagon-Y288	>163 μ M

[00429] Example 42: Characterization of XTEN fusion protein secondary structure

[00430] The fusion protein Ex4-AE864 was evaluated for degree of secondary structure by circular dichroism spectroscopy. CD spectroscopy was performed on a Jasco J-715 (Jasco Corporation, Tokyo, Japan) spectropolarimeter equipped with Jasco Peltier temperature controller (TPC-348WI). The concentration of protein was adjusted to 0.2 mg/mL in 20 mM sodium phosphate pH 7.0, 50 mM NaCl. The experiments were carried out using HELLMA quartz cells with an optical path-length of 0.1 cm. The CD spectra were acquired at 5°, 25°, 45°, and 65°C and processed using the J-700 version 1.08.01 (Build 1) Jasco software for Windows. The samples were equilibrated at each temperature for 5 min before performing CD measurements. All spectra were recorded in duplicate from 300 nm to 185 nm using a bandwidth of 1 nm and a time constant of 2 sec, at a scan speed of 100 nm/min. The CD spectrum shown in FIG. 37 shows no evidence of stable secondary structure and is consistent with an unstructured polypeptide.

[00431] Example 43: Analysis of sequences for secondary structure by prediction algorithms

[00432] Amino acid sequences can be assessed for secondary structure via certain computer programs or algorithms, such as the well-known Chou-Fasman algorithm (Chou, P. Y., *et al.* (1974) *Biochemistry*, **13**: 222-45) and the Garnier-Osguthorpe-Robson, or “GOR” method (Garnier J, Gibrat JF, Robson B. (1996). GOR method for predicting protein secondary structure from amino acid sequence. *Methods Enzymol* 266:540-553). For a given sequence, the algorithms can predict whether there exists some or no secondary structure at all, expressed as total and/or percentage of residues of the sequence that form, for example, alpha-helices or beta-sheets or the percentage of residues of the sequence predicted to result in random coil formation.

[00433] Several representative sequences from XTEN “families” have been assessed using two algorithm tools for the Chou-Fasman and GOR methods to assess the degree of secondary structure in these sequences. The Chou-Fasman tool was provided by William R. Pearson and the University of Virginia, at the “Biosupport” internet site, URL located on the World Wide Web at fasta.bioch.virginia.edu/fasta_www2/fasta_www.cgi?rm=misc1 as it existed on June 19, 2009. The GOR tool was provided by Pole Informatique Lyonnais at the Network Protein Sequence Analysis internet site, URL located on the World Wide Web at npsa-pbil.ibcp.fr/cgi-bin/secpred_gor4.pl as it existed on June 19, 2008.

[00434] As a first step in the analyses, a single XTEN sequence was analyzed by the two algorithms. The AE864 composition is a XTEN with 864 amino acid residues created from multiple copies of four 12 amino acid sequence motifs consisting of the amino acids G, S, T, E, P, and A. The sequence motifs are characterized by the fact that there is limited repetitiveness within the motifs and within the overall sequence in that the sequence of any two consecutive amino acids is not repeated more than twice in any one 12 amino acid motif, and that no three contiguous amino acids of full-length the XTEN are identical. Successively longer portions of the AF 864 sequence from the N-terminus were analyzed by the Chou-Fasman and GOR algorithms (the latter requires a minimum length of 17 amino acids). The sequences were analyzed by entering the FASTA format sequences into the prediction tools and running the analysis. The results from the analyses are presented in Table 27.

[00435] The results indicate that, by the Chou-Fasman calculations, the four motifs of the AE family (Table 1) have no alpha-helices or beta sheets. The sequence up to 288 residues was similarly found to have no alpha-helices or beta sheets. The 432 residue sequence is predicted to have a small amount of secondary structure, with only 2 amino acids contributing to an alpha-helix for an overall percentage of 0.5%. The full-length AF864 polypeptide has the same two amino acids contributing to an alpha-helix, for an overall percentage of 0.2%. Calculations for random coil formation revealed that with increasing length, the percentage of random coil formation increased. The first 24 amino acids of the sequence had 91% random coil formation, which increased with increasing length up to the 99.77% value for the full-length sequence.

[00436] Numerous XTEN sequences of 500 amino acids or longer from the other motif families were also analyzed and revealed that the majority had greater than 95% random coil formation. The exceptions were those sequences with one or more instances of three contiguous serine residues, which resulted in predicted beta-sheet formation. However, even these sequences still had approximately 99% random coil formation.

[00437] In contrast, a polypeptide sequence of 84 residues limited to A, S, and P amino acids was assessed by the Chou-Fasman algorithm, which predicted a high degree of predicted alpha-helices. The sequence, which had multiple repeat “AA” and “AAA” sequences, had an overall predicted percentage of alpha-helix structure of 69%. The GOR algorithm predicted 78.57% random coil formation; far less than any sequence consisting of 12 amino acid sequence motifs consisting of the amino acids G, S, T, E, P, analyzed in the present Example.

[00438] Conclusions: The analysis supports the conclusion that: 1) XTEN created from multiple sequence motifs of G, S, T, E, P, and A that have limited repetitiveness as to contiguous amino acids are predicted to have very low amounts of alpha-helices and beta-sheets; 2) that increasing the length of the XTEN does not appreciably increase the probability of alpha-helix or beta-sheet formation; and 3) that progressively increasing the length of the XTEN sequence by addition of non-repetitive 12-mers consisting of the amino acids G, S, T, E, P, and A results in increased percentage of random coil formation. In contrast, polypeptides created from amino acids limited to A, S and P that have a higher degree of internal repetitiveness are predicted to have a high percentage of alpha-helices, as determined by the Chou-Fasman algorithm, as well as random coil formation. Based on the numerous sequences evaluated by these methods, it is concluded that XTEN created from sequence motifs of G, S, T, E, P, and A that have limited repetitiveness (defined as no more than two identical contiguous amino acids in any one motif) greater than about 400 amino acid residues in length are expected to have very limited secondary structure. With the exception of motifs containing three contiguous serines, it is believed that any order or combination of sequence motifs from Table 1 can be used to create an XTEN polypeptide of a length greater than about 400 residues that will result in an XTEN sequence that is substantially devoid of secondary structure. Such sequences are expected to have the characteristics described in the GHXTEN embodiments of the invention disclosed herein.

Table 27: CHOU-FASMAN and GOR prediction calculations of polypeptide sequences

SEQ NAME	Sequence	No. Residues	Chou-Fasman Calculation	GOR Calculation
	GSTSESPSGTAP	12	Residue totals*: H: 0 E: 0 percent: H: 0.0 E: 0.0	Not Determined
	GTS TPESGSASP	12	Residue totals: H: 0 E: 0 percent: H: 0.0 E: 0.0	Not Determined
	GTSPSGESSTAP	12	Residue totals: H: 0 E: 0 percent: H: 0.0 E: 0.0	Not Determined
	GSTSSTAESPGP	12	Residue totals: H: 0 E: 0 percent: H: 0.0 E: 0.0	Not Determined
	GSPAGSPTSTEEGTSESATPESGP	24	Residue totals: H: 0 E: 0 percent: H: 0.0 E: 0.0	91.67 %
	GSPAGSPTSTEEGTSESATPESGPG TSTEPSEGSAP	36	Residue totals: H: 0 E: 0 percent: H: 0.0 E: 0.0	94.44%
	GSPAGSPTSTEEGTSESATPESGPG TSTEPSEGSAPGSPAGSPTSTEE	48	Residue totals: H: 0 E: 0 percent: H: 0.0 E: 0.0	93.75%
	GSPAGSPTSTEEGTSESATPESGPG TSTEPSEGSAPGSPAGSPTSTEEGTS TEPSEGSAP	60	Residue totals: H: 0 E: 0 percent: H: 0.0 E: 0.0	96.67%
	GSPAGSPTSTEEGTSESATPESGPG TSTEPSEGSAPGSPAGSPTSTEEGTS TEPSEGSAPGTSTEPSEGSAPGTSES ATPESGPGSEPATSGSE TPGSEPATSGSETP	108	Residue totals: H: 0 E: 0 percent: H: 0.0 E: 0.0	97.22%
	GSPAGSPTSTEEGTSESATPESGPG TSTEPSEGSAPGSPAGSPTSTEEGTS TEPSEGSAPGTSTEPSEGSAPGTSES	216	Residue totals: H: 0 E: 0 percent: H: 0.0 E: 0.0	99.07%

SEQ NAME	Sequence	No. Residues	Chou-Fasman Calculation	GOR Calculation
	ATPESGPGSEPATSGSETPGSEPAT SGSETPGSPAGSPTSTEEGTSESATP ESGPGTSTEPSEGSAPGTSTEPSEGS APGSPAGSPTSTEEGTSTEPSEGS PGTSTEPSEGSAPGTSESATPESGP GTSTEPSEGSAP			
	GSPAGSPTSTEEGTSESATPESGPG TSTEPSEGSAPGSPAGSPTSTEEGT TSTEPSEGSAPGTSTEPSEGSAPGTSES ATPESGPGSEPATSGSETPGSEPAT SGSETPGSPAGSPTSTEEGTSESATP ESGPGTSTEPSEGSAPGTSTEPSEGS APGSPAGSPTSTEEGTSTEPSEGS PGTSTEPSEGSAPGTSESATPESGP GTSTEPSEGSAPGTSESATPESGPG SEPATSGSETPGTSTEPSEGSAPGTS TSTEPSEGSAPGTSESATPESGPGTSES ATPESGPGSPAGSPTSTEEGTSES TPESGPGSEPATSGSETPGTSESATP ESGPGTSTEPSEGSAPGTSTEPSEGS APGTSTEPSEGSAPGTSTEPSEGS PGTSTEPSEGSAPGTSTEPSEGSAP GSPAGSPTSTEEGTSTEPSEGSAP	432	Residue totals: H: 2 E: 3 percent: H: 0.5 E: 0.7	99.54%
AE864	GSPAGSPTSTEEGTSESATPESGPG TSTEPSEGSAPGSPAGSPTSTEEGT TSTEPSEGSAPGTSTEPSEGSAPGTSES ATPESGPGSEPATSGSETPGSEPAT SGSETPGSPAGSPTSTEEGTSESATP ESGPGTSTEPSEGSAPGTSTEPSEGS APGSPAGSPTSTEEGTSTEPSEGS PGTSTEPSEGSAPGTSESATPESGP GTSTEPSEGSAPGTSESATPESGPG SEPATSGSETPGTSTEPSEGSAPGTS TSTEPSEGSAPGTSESATPESGPGTSES ATPESGPGSPAGSPTSTEEGTSES TPESGPGSEPATSGSETPGTSESATP ESGPGTSTEPSEGSAPGTSTEPSEGS APGTSTEPSEGSAPGTSTEPSEGS PGTSTEPSEGSAPGTSTEPSEGSAP GSPAGSPTSTEEGTSTEPSEGSAPG TSESATPESGPGSEPATSGSETPGTS ESATPESGPGSEPATSGSETPGTSES ATPESGPGTSTEPSEGSAPGTSES TPESGPGSPAGSPTSTEEGSPAGSPT STEEGSPAGSPTSTEEGTSESATPES GPGTSTEPSEGSAPGTSESATPESG PGSEPATSGSETPGTSESATPESGP GSEPATSGSETPGTSESATPESGPG TSTEPSEGSAPGSPAGSPTSTEEGT ESATPESGPGSEPATSGSETPGTSES ATPESGPGSPAGSPTSTEEGSPAGS PTSTEEGTSTEPSEGSAPGTSESATP ESGPGTSESATPESGPGTSESATPES GPGSEPATSGSETPGSEPATSGSET PGSPAGSPTSTEEGTSTEPSEGSAP GTSTEPSEGSAPGSEPATSGSETPG TSESATPESGPGTSTEPSEGSAP	864	Residue totals: H: 2 E: 3 percent: H: 0.2 E: 0.3	99.77%
AD 576	GSSSEGSSEGGPGSGGEPSESGSSG	576	Residue totals: H: 7 E: 0	99.65%

SEQ NAME	Sequence	No. Residues	Chou-Fasman Calculation	GOR Calculation
	SSES GS SSEG PG SSES GS SSEG PG SS ES GS SSEG PG SSES GS SSEG PG SS SG SSEG PG ES PG GS SSES GS SSES SG PG ES SSES GS SSEG PG SSES GS SEG PG SSES GS SSEG PG SG GEP SE SG SS GES PG GS SSES GS ES PG GS SG SES GS GEP SE SG SS GS SSES GS SEG GP GS GEP SE SG SS GS GEP SE SG SS SG SEG SS GP ES SSES GS ES PG GS SSES GS GEP SE SG SS GS GEP SE SG SS SG SG GEP SE SG SS GS SSES GS SSEG PG SP GS SS GS ES GS ES PG GS SSES GS ES GG SS GS ES GS ES PG GS SSES GS ES PG GS GS ES GS SSES GS SSEG PG SG GEP SES GS SS GS ES SS GP ES SSES GS SS EG PG SG GEP SE SG SS GS SSES GS SE GG PG SG GEP SE SG SS GS ES PG GS SG ES GS ES PG GS SSES GS SSES GS SSEG PG SG GEP SE SG SS GS SSES GS SSEG GS GEP SE SG SS GS GEP SE SG SS SG ES PG GS SSES GS ES GS SG PG ES SS GS ES GS SSEG PG SEG SS GP ES		percent: H: 1.2 E: 0.0	
AE576	GSPAGSPTSTEEGTSESATPESGPG TSTEPSEGSAPGSPAGSPTSTEEGT TEPSEGSAPGTSTEPSEGSAPGTSES ATPESGPGSEPATSGSETPGSEPAT SGSETPGSPAGSPTSTEEGTSESATP ESGPGTSTEPSEGSAPGTSTEPSEGS APGSPAGSPTSTEEGTSTEPSEGS PGTSTEPSEGSAPGTSESATPESGP GTSTEPSEGSAPGTSESATPESGPG SEPATSGSETPGTSTEPSEGSAPGTS TEPSEGSAPGTSESATPESGPGTSES ATPESGPGSPAGSPTSTEEGTSES TPESGPGSEPATSGSETPGTSESATP ESGPGTSTEPSEGSAPGTSTEPSEGS APGTSTEPSEGSAPGTSTEPSEGS PGTSTEPSEGSAPGTSTEPSEGSAP GSPAGSPTSTEEGTSTEPSEGSAPG TSESATPESGPGSEPATSGSETPGTS ESATPESGPGSEPATSGSETPGTSES ATPESGPGTSTEPSEGSAPGTSES TPESGPGSPAGSPTSTEEGSPAGSPT STEEGSPAGSPTSTE7EGTSESATPE SGPGTSTEPSEGSAP	576	Residue totals: H: 2 E: 0 percent: H: 0.4 E: 0.0	99.65%
AF540	GSTSSTAESPGPGSTSSTAESPGPGS TSESPSGTAPGSTSSTAESPGPGSTS STAESPGPGTSTPESGSASPSTSES PSGTAPGTSPGESSTAPGSTSESPS GTAPGSTSESPSGTAPGTSPGESST APGSTSESPSGTAPGSTSESPSGTAP GTSPGESSTAPGSTSESPSGTAPGS TSESPSGTAPGSTSESPSGTAPGTST PESGSASPSTSESPPSGTAPGTSTPE SGASAPGSTSSTAESPGPGSTSSTA SPGPSTSTPESGSASPSTPESGSASP SPGSTSESPSGTAPGTSTPESGSASP GTSTPESGSASPSTSESPPSGTAPGS	540	Residue totals: H: 2 E: 0 percent: H: 0.4 E: 0.0	99.65

SEQ NAME	Sequence	No. Residues	Chou-Fasman Calculation	GOR Calculation
	TSESPSGTAPGSTSESPSGTAPGSTS STAESPGPGTSTPESGSASPGTSTPE SGSASPGSTSESPSGTAPGSTSESPS GTAPGTSTPESGSASPGSTSESPSGT APGSTSESPSGTAPGTSTPESGSASP GTSPSGESSTAPGSTSSTAESPGPGT SPSGESSTAPGSTSSTAESPGPGTST PESGSASPGSTSESPSGTAP			
AF504	GASPGTSSSTGSPGSSPSASTGTGPG SSPSASTGTGPGTPGSGTASSSPGSS TPSGATGSPGSNPSASTGTGPGASP GTSSSTGSPGTGSGTASSSPGSSTPS GATGSPGTGSGTASSSPGASPGTS STGSPGASPGTSSTGSPGTGSGTA SSSPGSSTPSGATGSPGASPGTSSTG SPGTGSGTASSSPGSSTPSGATGSP GSNPSASTGTGPGSSPSASTGTGPG SSTPSGATGSPGSSTPSGATGSPGA SPGTSSSTGSPGASPGTSSTGSPGASP GTSSSTGSPGTGSGTASSSPGASPG TSSTGSPGASPGTSSTGSPGASPGT SSTGSPGSSPSASTGTGPGTPGSGT ASSSPGASPGTSSTGSPGASPGTSST GSPGASPGTSSTGSPGSSTPSGATG SPGSSTPSGATGSPGASPGTSSTGSP GTPGSGTASSSPGSSTPSGATGSPG SSTPSGATGSPGSSTPSGATGSPGSS PSASTGTGPGASPGTSSTGSP	504	Residue totals: H: 0 E: 0 percent: H: 0.0 E: 0.0	94.44%
AE864	GSPAGSPTSTEEGTSESATPESGPG TSTEPSEGSAPGSPAGSPTSTEEGTS TEPSEGSAPGTSTEPSEGSAPGTSES ATPESGPGSEPATSGSETPGSEPAT SGSETPGSPAGSPTSTEEGTSESATP ESGPGTSTEPSEGSAPGTSTEPSEGS APGSPAGSPTSTEEGTSTEPSEGSA PGTSTEPSEGSAPGTSESATPESGP GTSTEPSEGSAPGTSESATPESGPG SEPATSGSETPGTSTEPSEGSAPGTS TEPSEGSAPGTSESATPESGPGTSES ATPESGPGSPAGSPTSTEEGTSESA TPESGPGSEPATSGSETPGTSESATP ESGPGTSTEPSEGSAPGTSTEPSEGS APGTSTEPSEGSAPGTSTEPSEGSA PGTSTEPSEGSAPGTSTEPSEGSAP GSPAGSPTSTEEGTSTEPSEGSAPG TSESATPESGPGSEPATSGSETPGTS ESATPESGPGSEPATSGSETPGTSES ATPESGPGTSTEPSEGSAPGTSESA TPESGPGSPAGSPTSTEEGSPAGSPT STEEGSPAGSPTSTEEGTSESATPES GPGTSTEPSEGSAPGTSESATPESG PGSEPATSGSETPGTSESATPESGP GSEPATSGSETPGTSESATPESGPG TSTEPSEGSAPGSPAGSPTSTEEGTS ESATPESGPGSEPATSGSETPGTSES ATPESGPGSPAGSPTSTEEGSPAGS PTSTEEGTSTEPSEGSAPGTSESATP ESGPGTSESATPESGPGTSESATPES	864	Residue totals: H: 2 E: 3 percent: H: 0.2 E: 0.4	99.77%

SEQ NAME	Sequence	No. Residues	Chou-Fasman Calculation	GOR Calculation
	GPGSEPATSGSETPGSEPATSGSET PGSPAGSPTSTEEGTSTEPSEGSAP GTSTEPSEGSAPGSEPATSGSETPG TSESATPESGPGTSTEPSEGSAP			
AF864	GSTSESPSGTAPGTSPSGESSTAPGS TSESPSGTAPGTSESPSGTAPGTST PESGSASPGTSTPESGSASPGSTSES PSGTAPGTSESPSGTAPGTSPSGES STAPGTSESPSGTAPGTSPSGESST APGTSPSGESSTAPGTSSSTAESP GP GTSPSGESSTAPGTSPSGESSTAPGS TSSTAESP GP GTSTPESGSASPGTST PESGSASPGTSESPSGTAPGTSTSES PSGTAPGTSTPESGSASPGSTSSAE SPGP GTSTPESGSASPGTSESPSGT APGTSPSGESSTAPGTSSSTAESP GP GTSPSGESSTAPGTSTPESGSASPGS TSSTAESP GP GTSSSTAESP GP GSTS STAESP GP GSTSSSTAESP GP GTSPSG ESSTAPGTSESPSGTAPGTSESPS GTAPGTSTPESGPXXXGASASGAP STXXXSES PS GTAPGTSESPSGT APGTSESPSGTAPGTSESPSGTAP GSTSESPSGTAPGTSESPSGTAPGT STPESGSASPGTSPSGESSTAPGTSP SGESSTAPGTSSSTAESP GP GTSPSG ESSTAPGTSTPESGSASPGTSESPS GTAPGTSESPSGTAPGTSPSGESST APGTSESPSGTAPGTSTPESGSASP GTSTPESGSASPGTSESPSGTAPGT STPESGSASPGTSSSTAESP GP GSTS ESPSGTAPGTSESPSGTAPGTSPSG ESSTAPGTSSSTAESP GP GTSPSGES STAPGTSTPESGSASPGTSPSGESST APGTSPSGESSTAPGTSPSGESSTAP GSTSSSTAESP GP GSTSSSTAESP GP GT SPSGESSTAPGSSPSASTGTGPGSST PSGATGSPGSSTPSGATGSP	875	Residue totals: H: 2 E: 0 percent: H: 0.2 E: 0.0	95.20%
AG864	GGSPGASPGTSSTGSPGSSPSASTG TGP GSSPSASTGTGPGTPGSGTASS SPGSSTPSGATGSPGNSPSASTGTG PGASPGTSSTGSPGTPGSGTASSSP GSSTPSGATGSPGTPGSGTASSSPG ASPGTSSTGSPGASPGTSSTGSPGT PGSGTASSSPGSSTPSGATGSPGAS PGTSSTGSPGTPGSGTASSSPGSSTP SGATGSPGNSPSASTGTGPGSSPSA STGT7GPGSSTPSGATGSPGSSTPSG ATGSPGASPGTSSTGSPGASPGTSS TGSPGASPGTSSTGSPGTPGSGTAS SSPGASPGTSSTGSPGASPGTSSTGS PGASPGTSSTGSPGSSPSASTGTGP GTPGSGTASSSPGASPGTSSTGSPG ASPGTSSTGSPGASPGTSSTGSPGSS TPSGATGSPGSSTPSGATGSPGASP GTSSSTGSPGTPGSGTASSSPGSSTPS GATGSPGSSTPSGATGSPGSSTPSG ATGSPGSSPSASTGTGPGASPGTSS	868	Residue totals: H: 0 E: 0 percent: H: 0.0 E: 0.0	94.70%

SEQ NAME	Sequence	No. Residues	Chou-Fasman Calculation	GOR Calculation
	TGSPGASPGTSSSTGSPGTPGSGTAS SSPGASPGTSSSTGSPGASPGTSSSTGS PGASPGTSSSTGSPGASPGTSSSTGSP GTPGSGTASSSPGSSTPSGATGSPG TPGSGTASSSPGSSTPSGATGSPGT PGSGTASSSPGSSTPSGATGSPGSST PSGATGSPGSSPSASTGTGPGSSPS ASTGTGPGASPGTSSSTGSPGTPGSG TASSSPGSSTPSGATGSPGSSPSAST GTGPGSSPSASTGTGPGASPGTSSST GSPGASPGTSSSTGSPGSSTPSGATG SPGSSPSASTGTGPGASPGTSSSTGSP GSSPSASTGTGPGTPGSGTASSSPG SSTPSGATGSPGSSTPSGATGSPGA SPGTSSSTGSP			
AM875	GTSTEPSEGSAPGSEPATSGSETPG SPAGSPTSTEEGSTSSTAESP GP GT S TPESGSASPGSTSESPSGTAPGSTSE SPSGTAPGTSTPESGSASPGTSTPES GSASPGSEPATSGSETPGTSESATP ESGPGSPAGSPTSTEEGTSTEPSEGS APGTSESATPESGPGTSTEPSEGS PGTSTEPSEGSAPGSPAGSPTSTEE GTSTEPSEGSAPGTSTEPSEGSAPG TSESATPESGPGTSESATPESGPGTS TEPSEGSAPGTSTEPSEGSAPGTSES ATPESGPGTSTEPSEGSAPGSEPAT SGSETPGSPAGSPTSTEEGSSTPSGA TGSPGTPGSGTASSSPGSSTPSGAT GSPGTSTEPSEGSAPGTSTEPSEGS APGSEPATSGSETPGSPAGSPTSTE EGSPAGSPTSTEEGTSTEPSEGSAP GASASGAPSTGGTSESATPESGPGS PAGSPTSTEEGSPAGSPTSTEEGSTS STAESP GP GT S ES PS GT AP GT SP SG ESSTAPGTPGSGTASSSPGSSTPSG ATGSPGSSPSASTGTGPGSEPATSG SETPGTSESATPESGPGSEPATSGSE TPGSTSSTAESP GP GT S STAESP GP GTSPSGESSTAPGSEPATSGSETPGS EPATSGSETPGTSTEPSEGSAPGTS STAESP GP GT STPESGSASPGTSES PSGTAPGTSTEPSEGSAPGTSTEPSE GSAPGTSTEPSEGSAPGSSTPSGAT GSPGSSPSASTGTGPGASPGTSSSTG SPGSEPATSGSETPGTSESATPESGP GSPAGSPTSTEEGSSTPSGATGSPG SSPSASTGTGPGASPGTSSSTGSPGT SESATPESGPGTSTEPSEGSAPGTST EPSEGSAP	875	Residue totals: H: 7 E: 3 percent: H: 0.8 E: 0.3	98.63%
AM1318	GTSTEPSEGSAPGSEPATSGSETPG SPAGSPTSTEEGSTSSTAESP GP GT S TPESGSASPGSTSESPSGTAPGSTSE SPSGTAPGTSTPESGSASPGTSTPES GSASPGSEPATSGSETPGTSESATP ESGPGSPAGSPTSTEEGTSTEPSEGS APGTSESATPESGPGTSTEPSEGS PGTSTEPSEGSAPGSPAGSPTSTEE GTSTEPSEGSAPGTSTEPSEGSAPG TSESATPESGPGTSESATPESGPGTS TEPSEGSAPGTSTEPSEGSAPGTSES ATPESGPGTSTEPSEGSAPGSEPAT SGSETPGSPAGSPTSTEEGSSTPSGA TGSPGTPGSGTASSSPGSSTPSGAT GSPGTSTEPSEGSAPGTSTEPSEGS APGSEPATSGSETPGSPAGSPTSTE EGSPAGSPTSTEEGTSTEPSEGSAP GASASGAPSTGGTSESATPESGPGS PAGSPTSTEEGSPAGSPTSTEEGSTS STAESP GP GT S ES PS GT AP GT SP SG ESSTAPGTPGSGTASSSPGSSTPSG ATGSPGSSPSASTGTGPGSEPATSG SETPGTSESATPESGPGSEPATSGSE TPGSTSSTAESP GP GT S STAESP GP GTSPSGESSTAPGSEPATSGSETPGS EPATSGSETPGTSTEPSEGSAPGTS STAESP GP GT STPESGSASPGTSES PSGTAPGTSTEPSEGSAPGTSTEPSE GSAPGTSTEPSEGSAPGSSTPSGAT GSPGSSPSASTGTGPGASPGTSSSTG SPGSEPATSGSETPGTSESATPESGP GSPAGSPTSTEEGSSTPSGATGSPG SSPSASTGTGPGASPGTSSSTGSPGT SESATPESGPGTSTEPSEGSAPGTST EPSEGSAP	1318	Residue totals: H: 7 E: 0 percent: H: 0.7 E: 0.0	99.17%

SEQ NAME	Sequence	No. Residues	Chou-Fasman Calculation	GOR Calculation
	GTSTEPSEGSAPGTSTEPSEGSAPG TSESATPESGPGTSESATPESGPGTS TEPSEGSAPGTSTEPSEGSAPGTSES ATPESGPGTSTEPSEGSAPGSEPAT SGSETPGSPAGSPTSTEEGSSTPSGA TGSPGTGSGTASSSPGSSTPSGAT GSPGTSTEPSEGSAPGTSTEPSEGS APGSEPATSGSETPGSPAGSPTSTE EGSPAGSPTSTEEGTSTEPSEGSAP GPEPTGPAPSGGSEPATSGSETPGT SESATPESGPGSPAGSPTSTEEGTSE SATPESGPGSPAGSPTSTEEGSPAG SPTSTEEGTSESATPESGPGSPAGSP TSTEEGSPAGSPTSTEEGSTSSTAES PGPGTSESPSGTAPGTSPSGESSTA PGTSESPSGTAPGTSESPSGTAPG TSPSGESSTAPGTSTEPSEGSAPGTS ESATPESGPGTSESATPESGPGSEP ATSGSETPGTSESATPESGPGTSES ATPESGPGTSTEPSEGSAPGTSESA TPESGPGTSTEPSEGSAPGTSPSGES STAPGTSPSGESSTAPGTSPSGESST APGTSTEPSEGSAPGSPAGSPTSTE EGTSTEPSEGSAPGSSPSASTGTGP GSSTPSGATGSPGSSTPSGATGSPG SSTPSGATGSPGSSTPSGATGSPGA SPGTSSTGSPGASASGAPSTGGTSP SGESSTAPGTSSTAESP GPGTSPSG ESSTAPGTSESATPESGPGTSTEPSE GSAPGTSTEPSEGSAPGSSPSASTG TGPGSSTPSGATGSPGASPGTSSTG SPGTSTPESGSASPGTSPSGESSTAP GTSPSGESSTAPGTSESATPESGPGS EPATSGSETPGTSTEPSEGSAPGTS ESPSGTAPGTSESPSGTAPGTSTPE SGSASPGSPAGSPTSTEEGTSESATP ESGPGTSTEPSEGSAPGSPAGSPTST EEGTSESATPESGPGSEPATSGSETP GSSTPSGATGSPGASPGTSSTGSPG SSTPSGATGSPGTSESPSGTAPGTS PSGESSTAPGTSSTAESP GPGSSTP SGATGSPGASPGTSSTGSPGTPGSG TASSSPGSPAGSPTSTEEGSPAGSPT STEEGTSTEPSEGSAP			
AM923	MAEPAGSPTSTEEGASPGTSSTGSP GSSTPSGATGSPGSSTPSGATGSPG TSTEPSEGSAPGSEPATSGSETPGSP AGSPTSTEEGSTSSTAESP GPGTSTP ESGSASPGTSESPSGTAPGTSESP SGTAPGTSTPESGSASPGTSTPESGS ASPGSEPATSGSETPGTSESATPES GPGSPAGSPTSTEEGTSTEPSEGSA POTSESATPESGPGTSTEPSEGSAP GTSTEPSEGSAPGSPAGSPTSTEEG TSTEPSEGSAPGTSTEPSEGSAPGTS ESATPESGPGTSESATPESGPGTSTE PSEGSAPGTSTEPSEGSAPGTSESA TPESGPGTSTEPSEGSAPGSEPAT GSETPGSPAGSPTSTEEGSSTPSGA	924	Residue totals: H: 4 E: 3 percent: H: 0.4 E: 0.3	98.70%

SEQ NAME	Sequence	No. Residues	Chou-Fasman Calculation	GOR Calculation
	TGSPGTPGSGTASSSPGSSTPSGAT GSPGTSTEPSEGSAPGTSTEPSEGS APGSEPATSGSETPGSPAGSPTSTE EGSPAGSPTSTEEGTSTEPSEGSAP GASASGAPSTGGTSESATPESGPGS PAGSPTSTEEGSPAGSPTSTEEGSTS STAESPGPGSTSESPSGTAPGTSPSG ESSTAPGTPGSGTASSSPGSSTPSG ATGSPGSSPSASTGTGPGSEPATSG SETPGTSESATPESGPGSEPATSGSE TPGSTSSSTAESPGPGSTSSSTAESPGP GTSPSGESSTAPGSEPATSGSETPGS EPATSGSETPGTSTEPSEGSAPGSTS STAESPGPGTSTEPESGSASPGSTSES PSGTAPGTSTEPSEGSAPGTSTEPSE GSAPGTSTEPSEGSAPGSSTPSGAT GSPGSSPSASTGTGPGASPGTSSTG SPGSEPATSGSETPGTSESATPESGP GSPAGSPTSTEEGSSTPSGATGSPG SSPSASTGTGPGASPGTSSTGSPGT SESATPESGPGTSTEPSEGSAPGTST EPSEGSAP			
AE912	MAEPAGSPTSTEEGTPGSGTASSSP GSSTPSGATGSPGASPGTSSTGSPG SPAGSPTSTEEGTSESATPESGPGTS TEPSEGSAPGSPAGSPTSTEEGTSTE PSEGSAPGTSTEPSEGSAPGTSESA TPESGPGSEPATSGSETPGSEPATS GSETPGSPAGSPTSTEEGTSESATPE SGPGTSTEPSEGSAPGTSTEPSEGS APGSPAGSPTSTEEGTSTEPSEGSA PGTSTEPSEGSAPGTSESATPESGP GTSTEPSEGSAPGTSESATPESGPG SEPATSGSETPGTSTEPSEGSAPGTS TEPSEGSAPGTSESATPESGPGTSES ATPESGPGSPAGSPTSTEEGTSESA TPESGPGSEPATSGSETPGTSESATP ESGPGTSTEPSEGSAPGTSTEPSEGS APGTSTEPSEGSAPGTSTEPSEGSA PGTSTEPSEGSAPGTSTEPSEGSAP GSPAGSPTSTEEGTSTEPSEGSAPG TSESATPESGPGSEPATSGSETPGTS ESATPESGPGSEPATSGSETPGTSES ATPESGPGTSTEPSEGSAPGTSESA TPESGPGSPAGSPTSTEEGSPAGSPT STEEGSPAGSPTSTEEGTSESATPES GPGTSTEPSEGSAPGTSESATPESG PGSEPATSGSETPGTSESATPESGP GSEPATSGSETPGTSESATPESGPG TSTEPSEGSAPGSPAGSPTSTEEGTS ESATPESGPGSEPATSGSETPGTSES ATPESGPGSPAGSPTSTEEGSPAGS PTSTEEGTSTEPSEGSAPGTSESATP ESGPGTSESATPESGPGTSESATPES GPGSEPATSGSETPGSEPATSGSET PGSPAGSPTSTEEGTSTEPSEGSAP GTSTEPSEGSAPGSEPATSGSETPG TSESATPESGPGTSTEPSEGSAP	913	Residue totals: H: 8 E: 3 percent: H: 0.9 E: 0.3	99.45%

SEQ NAME	Sequence	No. Residues	Chou-Fasman Calculation	GOR Calculation
BC 864	GTSTEPSEPGSAGTSTEPSEPGSAG SEPATSGTEPSGSGASEPTSTEPGSE PATSGTEPSGSEPATSGTEPSGSEP ATSGTEPSGSGASEPTSTEPGTSTEP SEPGSAGSEPATSGTEPSGTSTEPSE PGSAGSEPATSGTEPSGSEPATSGT EPSGTSTEPSEPGSAGTSTEPSEPGS AGSEPATSGTEPSGSEPATSGTEPS GTSEPSTSEPGAGSGASEPTSTEPG TSEPSTSEPGAGSEPATSGTEPSGSE PATSGTEPSGTSTEPSEPGSAGTSTE PSEPGSAGSGASEPTSTEPGSEPAT GTEPSGSEPATSGTEPSGSEPATSG TEPSGSEPATSGTEPSGTSTEPSEPG SAGSEPATSGTEPSGSGASEPTSTE PGTSTEPSEPGSAGSEPATSGTEPS GSGASEPTSTEPGTSTEPSEPGSAG SGASEPTSTEPGSEPATSGTEPSGS GASEPTSTEPGSEPATSGTEPSGSG ASEPTSTEPGTSTEPSEPGSAGSEPA TSGTEPSGSGASEPTSTEPGTSTEPS EPGSAGSEPATSGTEPSGTSTEPSEP GSAGSEPATSGTEPSGTSTEPSEPG SAGTSTEPSEPGSAGTSTEPSEPGS AGTSTEPSEPGSAGTSTEPSEPGSA GTSTEPSEPGSAGTSEPSTSEPGAG SGASEPTSTEPGTSTEPSEPGSAGTS TEPSEPGSAGTSTEPSEPGSAGSEP ATSGTEPSGSGASEPTSTEPGSEPA TSGTEPSGSEPATSGTEPSGSEPAT GTEPSGSEPATSGTEPSGTSEPSTSE PGAGSEPATSGTEPSGSGASEPTST EPGTSTEPSEPGSAGSEPATSGTEPS GSGASEPTSTEPGTSTEPSEPGSA		Residue totals: H: 0 E: 0 percent: H: 0 E: 0	99.77%
	ASPAAPAPASPAAPAPSAPAAAPA SPAPAAPSAAPAPAPSAASPAAPSA PPAAASPAAPSAAPPAASAAAPAAA SAAASAPSA	84	Residue totals: H: 58 E: 0 percent: H: 69.0 E: 0.0	78.57%

* H: alpha-helix E: beta-sheet

[00439] Example 44: Analysis of polypeptide sequences for repetitiveness

[00440] Polypeptide amino acid sequences can be assessed for repetitiveness by quantifying the number of times a shorter subsequence appears within the overall polypeptide. For example, a polypeptide of 200 amino acid residues has 192 overlapping 9-amino acid subsequences (or 9-mer “frames”), but the number of unique 9-mer subsequences will depend on the amount of repetitiveness within the sequence. In the present analysis, different sequences were assessed for repetitiveness by summing the occurrence of all unique 3-mer subsequences for each 3-amino acid frame across the first 200 amino acids of the polymer portion divided by the absolute number of unique 3-mer subsequences within the 200 amino acid sequence. The resulting subsequence score is a reflection of the degree of repetitiveness within the polypeptide.

[00441] The results, shown in Table 28, indicate that the unstructured polypeptides consisting of 2 or 3 amino acid types have high subsequence scores, while those of consisting of 12 amino acids motifs of the six

amino acids G, S, T, E, P, and A with a low degree of internal repetitiveness, have subsequence scores of less than 10, and in some cases, less than 5. For example, the L288 sequence has two amino acid types and has short, highly repetitive sequences, resulting in a subsequence score of 50.0. The polypeptide J288 has three amino acid types but also has short, repetitive sequences, resulting in a subsequence score of 33.3. Y576 also has three amino acid types, but is not made of internal repeats, reflected in the subsequence score of 15.7 over the first 200 amino acids. W576 consists of four types of amino acids, but has a higher degree of internal repetitiveness, e.g., “GGSG”, resulting in a subsequence score of 23.4. The AD576 consists of four types of 12 amino acid motifs, each consisting of four types of amino acids. Because of the low degree of internal repetitiveness of the individual motifs, the overall subsequence score over the first 200 amino acids is 13.6. In contrast, XTEN’s consisting of four motifs contains six types of amino acids, each with a low degree of internal repetitiveness have lower subsequence scores; i.e., AE864 (6.1), AF864 (7.5), and AM875 (4.5).

[00442] Conclusions: The results indicate that the combination of 12 amino acid subsequence motifs, each consisting of four to six amino acid types that are essentially non-repetitive, into a longer XTEN polypeptide results in an overall sequence that is non-repetitive. This is despite the fact that each subsequence motif may be used multiple times across the sequence. In contrast, polymers created from smaller numbers of amino acid types resulted in higher subsequence scores, although the actual sequence can be tailored to reduce the degree of repetitiveness to result in lower subsequence scores.

Table 28: Subsequence score calculations of polypeptide sequences

[illegible]

[illegible]

Seq Name	Amino Acid Sequence	Score
	ATPESGPGSEPATSGSETPGTSESATPESGPGTSTEPSEGSAPGTSESATPESGPGSP AGSPTSTEEGSPAGSPTSTEEGSPAGSPTSTEEGTSESATPESGPGTSTEPSEGSAP	
AF540	GSTSSTAESPGPGSTSSTAESPGPGSTSESPSGTAPGTSSTAESPGPGSTSSTAESP GPGTSTPESGSASPGSTSESPSGTAPGTSPSGESSTAPGTSESPSGTAPGTSESPS GTAPGTSPSGESSTAPGTSESPSGTAPGTSESPSGTAPGTSPSGESSTAPGTSES PSGTAPGTSESPSGTAPGTSESPSGTAPGTSTPESGSASPGSTSESPSGTAPGTST PESGSASPGSTSSTAESPGPGSTSSTAESPGPGTSTPESGSASPGTSTPESGSASPGS TSESPSGTAPGTSTPESGSASPGTSTPESGSASPGSTSESPSGTAPGTSESPSGTAP GSTSESPSGTAPGTSSSTAESPGPGTSTPESGSASPGTSTPESGSASPGSTSESPSGT APGTSESPSGTAPGTSTPESGSASPGSTSESPSGTAPGTSESPSGTAPGTSTPESG SASPGTSPSGESSTAPGTSSSTAESPGPGTSPSGESSTAPGTSSSTAESPGPGTSTPE SGSASPGSTSESPSGTAP	8.8
AF504	GASPGTSSSTGSPGSSPSASTGTGPGSSPSASTGTGPGTTPGSGTASSSPGSSTPSGAT GSPGSNPSASTGTGPGASPGTSSSTGSPGTPGSGTASSSPGSSTPSGATGSPGTPGSG TASSSPGASPGTSSSTGSPGASPGTSSSTGSPGTPGSGTASSSPGSSTPSGATGSPGAS PGTSSSTGSPGTPGSGTASSSPGSSTPSGATGSPGSNPSASTGTGPGSSPSASTGTGP GSSTPSGATGSPGSSTPSGATGSPGASPGTSSSTGSPGASPGTSSSTGSPGASPGTSSST GSPGTPGSGTASSSPGASPGTSSSTGSPGASPGTSSSTGSPGASPGTSSSTGSPGSSPSA STGTGPGTTPGSGTASSSPGASPGTSSSTGSPGASPGTSSSTGSPGASPGTSSSTGSPGSS TPSGATGSPGSSTPSGATGSPGASPGTSSSTGSPGTPGSGTASSSPGSSTPSGATGSP GSSTPSGATGSPGSSTPSGATGSPGSSPSASTGTGPGASPGTSSSTGSP	7.0
AE864	GSPAGSPTSTEEGTSESATPESGPGTSTEPSEGSAPGSPAGSPTSTEEGTSTEPSEGS APGTSTEPSEGSAPGTSESATPESGPGSEPATSGSETPGSEPATSGSETPGSPAGSP TSTEEGTSESATPESGPGTSTEPSEGSAPGTSTEPSEGSAPGSPAGSPTSTEEGTSTE PSEGSAPGTSTEPSEGSAPGTSESATPESGPGTSTEPSEGSAPGTSESATPESGPGSE PATSGSETPGTSTEPSEGSAPGTSTEPSEGSAPGTSESATPESGPGTSESATPESGPG SPAGSPTSTEEGTSESATPESGPGSEPATSGSETPGTSESATPESGPGTSTEPSEGS PGTSTEPSEGSAPGTSTEPSEGSAPGTSTEPSEGSAPGTSTEPSEGSAPGTSTEPSEG SAPGSPAGSPTSTEEGTSTEPSEGSAPGTSESATPESGPGSEPATSGSETPGTSESAT PESGPGSEPATSGSETPGTSESATPESGPGTSTEPSEGSAPGTSESATPESGPGSPA GSPTSTEEGSPAGSPTSTEEGSPAGSPTSTEEGTSESATPESGPGTSTEPSEGSAPGT SESATPESGPGSEPATSGSETPGTSESATPESGPGSEPATSGSETPGTSESATPESGP GTSTEPSEGSAPGSPAGSPTSTEEGTSESATPESGPGSEPATSGSETPGTSESATPES GPGSPAGSPTSTEEGSPAGSPTSTEEGTSTEPSEGSAPGTSESATPESGPGTSESATP ESGPGTSESATPESGPGSEPATSGSETPGSEPATSGSETPGSPAGSPTSTEEGTSTEP SEGSAP	6.1
AF864	GSTSESPSGTAPGTSPSGESSTAPGTSESPSGTAPGTSESPSGTAPGTSTPESGSA SPGTSTPESGSASPGSTSESPSGTAPGTSESPSGTAPGTSPSGESSTAPGTSESPS GTAPGTSPSGESSTAPGTSPSGESSTAPGTSSSTAESPGPGTSPSGESSTAPGTSPSG ESSTAPGTSSSTAESPGPGTSTPESGSASPGTSTPESGSASPGSTSESPSGTAPGTST ESPSGTAPGTSTPESGSASPGSTSSSTAESPGPGTSTPESGSASPGSTSESPSGTAPGT SPSGESSTAPGTSSSTAESPGPGTSPSGESSTAPGTSTPESGSASPGSTSSSTAESPGP GSTSSSTAESPGPGSTSSSTAESPGPGSTSSSTAESPGPGTSPSGESSTAPGTSESPSGT APGTSESPSGTAPGTSTPESGPXXXGASASGAPSTXXXXSESPSGTAPGTSESPS GTAPGTSESPSGTAPGTSESPSGTAPGTSESPSGTAPGTSESPSGTAPGTSTPE SGSASPGTSPSGESSTAPGTSPSGESSTAPGTSSSTAESPGPGTSPSGESSTAPGTST PESGSASPGTSTPESGSASPGTSESPSGTAPGTSTPESGSASPGTSSSTAESPGP GSTSESPSGTAPGTSESPSGTAPGTSPSGESSTAPGTSSSTAESPGPGTSPSGESST APGTSTPESGSASPGTSPSGESSTAPGTSPSGESSTAPGTSPSGESSTAPGTSSSTAE SPGPGSTSSSTAESPGPGTSPSGESSTAPGSSPSASTGTGPGSSTPSGATGSPGSSTPS GATGSP	7.5
AG868	GGSPGASPGTSSSTGSPGSSPSASTGTGPGSSPSASTGTGPGTTPGSGTASSSPGSSTP SGATGSPGSNPSASTGTGPGASPGTSSSTGSPGTPGSGTASSSPGSSTPSGATGSPGT PGSGTASSSPGASPGTSSSTGSPGASPGTSSSTGSPGTPGSGTASSSPGSSTPSGATGS PGASPGTSSSTGSPGTPGSGTASSSPGSSTPSGATGSPGSNPSASTGTGPGSSPSAST GTGPGSSTPSGATGSPGSSTPSGATGSPGASPGTSSSTGSPGASPGTSSSTGSPGASPG TSSTGSPGTPGSGTASSSPGASPGTSSSTGSPGASPGTSSSTGSPGASPGTSSSTGSPGSS PSASTGTGPGTTPGSGTASSSPGASPGTSSSTGSPGASPGTSSSTGSPGASPGTSSSTGSP	7.5

[illegible]

[00443] Example 45: Calculation of TEPITOPE scores

[00444] TEPITOPE scores of 9mer peptide sequence can be calculated by adding pocket potentials as described by Sturniolo [Sturniolo, T., et al. (1999) Nat Biotechnol, 17: 555]. In the present Example, separate Tepitope scores were calculated for individual HLA alleles. Table 29 shows as an example the pocket potentials for HLA*0101B, which occurs in high frequency in the Caucasian population. To calculate the TEPITOPE score of a peptide with sequence P1-P2-P3-P4-P5-P6-P7-P8-P9, the corresponding individual

pocket potentials in Table 29 were added. The HLA*0101B score of a 9mer peptide with the sequence FDKLPRTSG would be the sum of 0, -1.3, 0, 0.9, 0, -1.8, 0.09, 0, 0.

[00445] To evaluate the TEPITOPE scores for long peptides one can repeat the process for all 9mer subsequences of the sequences. This process can be repeated for the proteins encoded by other HLA alleles. Tables 30-33 give pocket potentials for the protein products of HLA alleles that occur with high frequency in the Caucasian population.

[00446] TEPITOPE scores calculated by this method range from approximately -10 to +10. However, 9mer peptides that lack a hydrophobic amino acid (FKLMVWY) in P1 position have calculated TEPITOPE scores in the range of -1009 to -989. This value is biologically meaningless and reflects the fact that a hydrophobic amino acid serves as an anchor residue for HLA binding and peptides lacking a hydrophobic residue in P1 are considered non binders to HLA. Because most XTEN sequences lack hydrophobic residues, all combinations of 9mer subsequences will have TEPITOPes in the range in the range of -1009 to -989. This method confirms that XTEN polypeptides may have few or no predicted T-cell epitopes.

Table 29: Pocket potential for HLA*0101B allele.

Amino Acid	P1	P2	P3	P4	P5	P6	P7	P8	P9
A	-999	0	0	0	-	0	0	-	0
C	-999	0	0	0	-	0	0	-	0
D	-999	-1.3	-1.3	-2.4	-	-2.7	-2	-	-1.9
E	-999	0.1	-1.2	-0.4	-	-2.4	-0.6	-	-1.9
F	0	0.8	0.8	0.08	-	-2.1	0.3	-	-0.4
G	-999	0.5	0.2	-0.7	-	-0.3	-1.1	-	-0.8
H	-999	0.8	0.2	-0.7	-	-2.2	0.1	-	-1.1
I	-1	1.1	1.5	0.5	-	-1.9	0.6	-	0.7
K	-999	1.1	0	-2.1	-	-2	-0.2	-	-1.7
L	-1	1	1	0.9	-	-2	0.3	-	0.5
M	-1	1.1	1.4	0.8	-	-1.8	0.09	-	0.08
N	-999	0.8	0.5	0.04	-	-1.1	0.1	-	-1.2
P	-999	-0.5	0.3	-1.9	-	-0.2	0.07	-	-1.1
Q	-999	1.2	0	0.1	-	-1.8	0.2	-	-1.6
R	-999	2.2	0.7	-2.1	-	-1.8	0.09	-	-1
S	-999	-0.3	0.2	-0.7	-	-0.6	-0.2	-	-0.3
T	-999	0	0	-1	-	-1.2	0.09	-	-0.2
V	-1	2.1	0.5	-0.1	-	-1.1	0.7	-	0.3
W	0	-0.1	0	-1.8	-	-2.4	-0.1	-	-1.4
Y	0	0.9	0.8	-1.1	-	-2	0.5	-	-0.9

Table 30: Pocket potential for HLA*0301B allele.

Amino acid	P1	P2	P3	P4	P5	P6	P7	P8	P9
A	-999	0	0	0	-	0	0	-	0
C	-999	0	0	0	-	0	0	-	0
D	-999	-1.3	-1.3	2.3	-	-2.4	-0.6	-	-0.6
E	-999	0.1	-1.2	-1	-	-1.4	-0.2	-	-0.3
F	-1	0.8	0.8	-1	-	-1.4	0.5	-	0.9
G	-999	0.5	0.2	0.5	-	-0.7	0.1	-	0.4
H	-999	0.8	0.2	0	-	-0.1	-0.8	-	-0.5
I	0	1.1	1.5	0.5	-	0.7	0.4	-	0.6
K	-999	1.1	0	-1	-	1.3	-0.9	-	-0.2
L	0	1	1	0	-	0.2	0.2	-	-0
M	0	1.1	1.4	0	-	-0.9	1.1	-	1.1
N	-999	0.8	0.5	0.2	-	-0.6	-0.1	-	-0.6
P	-999	-0.5	0.3	-1	-	0.5	0.7	-	-0.3
Q	-999	1.2	0	0	-	-0.3	-0.1	-	-0.2
R	-999	2.2	0.7	-1	-	1	-0.9	-	0.5
S	-999	-0.3	0.2	0.7	-	-0.1	0.07	-	1.1
T	-999	0	0	-1	-	0.8	-0.1	-	-0.5
V	0	2.1	0.5	0	-	1.2	0.2	-	0.3
W	-1	-0.1	0	-1	-	-1.4	-0.6	-	-1
Y	-1	0.9	0.8	-1	-	-1.4	-0.1	-	0.3

Table 31: Pocket potential for HLA*0401B allele.

Amino acid	P1	P2	P3	P4	P5	P6	P7	P8	P9
A	-999	0	0	0	-	0	0	-	0
C	-999	0	0	0	-	0	0	-	0
D	-999	-1.3	-1.3	1.4	-	-1.1	-0.3	-	-1.7
E	-999	0.1	-1.2	1.5	-	-2.4	0.2	-	-1.7
F	0	0.8	0.8	-0.9	-	-1.1	-1	-	-1
G	-999	0.5	0.2	-1.6	-	-1.5	-1.3	-	-1
H	-999	0.8	0.2	1.1	-	-1.4	0	-	0.08
I	-1	1.1	1.5	0.8	-	-0.1	0.08	-	-0.3
K	-999	1.1	0	-1.7	-	-2.4	-0.3	-	-0.3

Amino acid	P1	P2	P3	P4	P5	P6	P7	P8	P9
L	-1	1	1	0.8	-	-1.1	0.7	-	-1
M	-1	1.1	1.4	0.9	-	-1.1	0.8	-	-0.4
N	-999	0.8	0.5	0.9	-	1.3	0.6	-	-1.4
P	-999	-0.5	0.3	-1.6	-	0	-0.7	-	-1.3
Q	-999	1.2	0	0.8	-	-1.5	0	-	0.5
R	-999	2.2	0.7	-1.9	-	-2.4	-1.2	-	-1
S	-999	-0.3	0.2	0.8	-	1	-0.2	-	0.7
T	-999	0	0	0.7	-	1.9	-0.1	-	-1.2
V	-1	2.1	0.5	-0.9	-	0.9	0.08	-	-0.7
W	0	-0.1	0	-1.2	-	-1	-1.4	-	-1
Y	0	0.9	0.8	-1.6	-	-1.5	-1.2	-	-1

Table 32: Pocket potential for HLA*0701B allele.

Amino acid	P1	P2	P3	P4	P5	P6	P7	P8	P9
A	-999	0	0	0	-	0	0	-	0
C	-999	0	0	0	-	0	0	-	0
D	-999	-1.3	-1.3	-1.6	-	-2.5	-1.3	-	-1.2
E	-999	0.1	-1.2	-1.4	-	-2.5	0.9	-	-0.3
F	0	0.8	0.8	0.2	-	-0.8	2.1	-	2.1
G	-999	0.5	0.2	-1.1	-	-0.6	0	-	-0.6
H	-999	0.8	0.2	0.1	-	-0.8	0.9	-	-0.2
I	-1	1.1	1.5	1.1	-	-0.5	2.4	-	3.4
K	-999	1.1	0	-1.3	-	-1.1	0.5	-	-1.1
L	-1	1	1	-0.8	-	-0.9	2.2	-	3.4
M	-1	1.1	1.4	-0.4	-	-0.8	1.8	-	2
N	-999	0.8	0.5	-1.1	-	-0.6	1.4	-	-0.5
P	-999	-0.5	0.3	-1.2	-	-0.5	-0.2	-	-0.6
Q	-999	1.2	0	-1.5	-	-1.1	1.1	-	-0.9
R	-999	2.2	0.7	-1.1	-	-1.1	0.7	-	-0.8
S	-999	-0.3	0.2	1.5	-	0.6	0.4	-	-0.3
T	-999	0	0	1.4	-	-0.1	0.9	-	0.4
V	-1	2.1	0.5	0.9	-	0.1	1.6	-	2
W	0	-0.1	0	-1.1	-	-0.9	1.4	-	0.8
Y	0	0.9	0.8	-0.9	-	-1	1.7	-	1.1

Table 33: Pocket potential for HLA*1501B allele.

Amino acid	P1	P2	P3	P4	P5	P6	P7	P8	P9
A	-999	0	0	0	-	0	0	-	0
C	-999	0	0	0	-	0	0	-	0
D	-999	-1.3	-1.3	-0.4	-	-0.4	-0.7	-	-1.9
E	-999	0.1	-1.2	-0.6	-	-1	-0.7	-	-1.9
F	-1	0.8	0.8	2.4	-	-0.3	1.4	-	-0.4
G	-999	0.5	0.2	0	-	0.5	0	-	-0.8
H	-999	0.8	0.2	1.1	-	-0.5	0.6	-	-1.1
I	0	1.1	1.5	0.6	-	0.05	1.5	-	0.7
K	-999	1.1	0	-0.7	-	-0.3	-0.3	-	-1.7
L	0	1	1	0.5	-	0.2	1.9	-	0.5
M	0	1.1	1.4	1	-	0.1	1.7	-	0.08
N	-999	0.8	0.5	-0.2	-	0.7	0.7	-	-1.2
P	-999	-0.5	0.3	-0.3	-	-0.2	0.3	-	-1.1
Q	-999	1.2	0	-0.8	-	-0.8	-0.3	-	-1.6
R	-999	2.2	0.7	0.2	-	1	-0.5	-	-1
S	-999	-0.3	0.2	-0.3	-	0.6	0.3	-	-0.3
T	-999	0	0	-0.3	-	-0	0.2	-	-0.2
V	0	2.1	0.5	0.2	-	-0.3	0.3	-	0.3
W	-1	-0.1	0	0.4	-	-0.4	0.6	-	-1.4
Y	-1	0.9	0.8	2.5	-	0.4	0.7	-	-0.9

Table 34: Exemplary Biological Activity, Exemplary Assays and Preferred Indications

Biologically Active Protein	Biological Activity	Exemplary Activity Assay	Preferred Indication:
Insulin-like growth factor-1 (Mecasermin; Somazon; IGF-1; IGF-1 complex; CEP 151; CGP 35126; FK 780; Mecar; RHIGF-1; Somatomedin-1; Somatomedin-C; SOMATOKINE; MYOTROPHIN; IGEF; DepoIGF-1)	IGF-1 is a pleiotropic polypeptide with a wide range of actions in both central and peripheral nervous systems. It is involved in growth and development and protects neurons against cell death via the activation of intracellular pathways implicating phosphatidylinositide 3/Akt kinase.	IGF-1 activity may be assayed in vitro using an serum withdrawal apoptosis-protection assay. (J Endocrinol 2000 Oct; 167(1): 165-74). Proliferation assay using breast carcinoma cell line MCF-7 (Karey 1988 Cancer Res. 48: 4083)	Diabetes mellitus; Growth disorders; Frailty; Amyotrophic lateral sclerosis; Osteoarthritis; Kidney disease & neuropathy; Dwarfism; HIV-1 infections; Myocardial ischaemia; Osteoporosis; Multiple sclerosis; Nerve disorders; Burns; diabetes; peripheral
Human growth hormone (Pegvisamont; Somatrem; Somatropin; TROVERT; PROTROPIN; BIO-TROPIN; HUMATROPE; NUTROPIN; NUTROPINAQ; NUTROPHIN; NORDITROPIN; GENOTROPIN; SAIZEN; SEROSTIM)	Binds to two GHR molecules and Induces signal transduction through receptor dimerization	1) Ba/F3-hGHR proliferation assay, a novel specific bioassay for serum human growth hormone. J Clin Endocrinol Metab 2000 Nov; 85(11): 4274-9 Plasma growth hormone (GH) immunoassay and tibial bioassay, Appl Physiol (2000) 89(6): 2174-8. Growth hormone (hGH) receptor mediated cell mediated proliferation, Growth Horm IGF Res 2000 Oct; 10(5): 248-55 International standard for growth hormone, Horm Res 1999; 51 Suppl 1: 7-12 2) Detection of human growth hormone detected by direct radioimmunoassay performed on serial dilutions of lysed cell supernatants using the Phadebas HGH	Acromegaly; Growth failure; Growth hormone replacement; Growth hormone deficiency; Pediatric Growth Hormone Deficiency; Adult Growth Hormone Deficiency; Idiopathic Growth Hormone Deficiency; Growth retardation; Prader-Willi Syndrome; Prader-Willi Syndrome in children 2 years or older; Growth deficiencies; Growth failure associated with chronic renal insufficiency; Osteoporosis; Postmenopausal osteoporosis; Osteopenia, Osteoclastogenesis; burns; Cachexia; Cancer Cachexia; Dwarfism; Metabolic Disorders; Obesity; Renal failure; Turner's Syndrome; Fibromyalgia; Fracture treatment; Frailty, AIDS wasting; Muscle Wasting; Short Stature; Diagnostic Agents; Female Infertility; lipodystrophy.

Biologically Active Protein	Biological Activity	Exemplary Activity Assay	Preferred Indication:
		PRIST kit (Farmacia). US Patent No. 4,898,830	

Table 35: Exemplary GHXTEN comprising growth hormones and single XTEN

GHXTEN Name*	Amino Acid Sequence	DNA Nucleotide Sequence
AE48-hGH	MAEPAGSPTSTEEGT PGSGTASSPGSSTPS GATGSPGASPGTSST GSPGFPTIPLSRLFDN AMLRAHRLHQLAFD TYQEFEEAYIPKEQK YSFLQNPQTSLCFSE SIPTPSNREETQQKS NLELLRISLLLIQSWL EPVQFLRSVFANSLV YGASDSNVYDLLKD LEEGIQTLMGRLDGL SPRTGQIFKQTYSKF DTNSHNDDALLKNY GLLYCFRKDMKVE TFLRIVQCRSVEGSC GF	ATGGCTGAACCTGCTGGCTCTCCAACCTCCACTGAGGAAGGTA CCCCGGGTAGCGGTACTGCTTCTTCCTCTCCAGGTAGCTCTACC CCTTCTGGTGCAACCGGCTCTCCAGGTGCTTCTCCGGGCACCAG CTCTACCGGTTCTCCAGGTTTTCCGACTATTCCGCTGTCTCGTCT GTTTGATAATGCTATGCTGCGTGCGCACCGTCTGCACCAGCTGG CCTTTGATACTTACCAGGAATTTGAAGAAGC ₆ TACATTCTCTAA GAGCAGAAGTACTCTTTCCTGCAAAACCCACAGACTTCTCTCTG CTTCAGCGAATCTATTCCGACGCTTCCAATCGCGAGGAAACTC AGCAAAAGTCCAATCTGGAAGTACTCCGCATTTCTCTGCTTCTG ATTCAGAGCTGGCTAGAACCAAGTGAATTTCTGCGTTCGGTCTT CGCCAATAGCCTAGTTTATGGCGCATCCGACAGCAACGTATAC GATCTCCTGAAAGATCTCGAGGAAGGCATTACAGACCCTGATGG GTCGTCTCGAGGATGGCTCTCCGCGTACTGGTCAGATCTTCAAG CAGACTTACTCTAAATTTGATACTAACAGCCACAATGACGATGC GCTTCTAAAAAACTATGGTCTGCTGTATTGTTTTTCGTAAAGATA TGGACAAAGTTGAAACCTTCCTGCGTATTGTTTCAGTGTCGTTCC GTTGAGGGCAGCTGTGGTTTCTAA
AM48-hGH	MAEPAGSPTSTEEGA SPGTSSTGSPGSSTPS GATGSPGSSTPSGAT GSPGFPTIPLSRLFDN AMLRAHRLHQLAFD TYQEFEEAYIPKEQK YSFLQNPQTSLCFSE SIPTPSNREETQQKS NLELLRISLLLIQSWL EPVQFLRSVFANSLV YGASDSNVYDLLKD LEEGIQTLMGRLDGL SPRTGQIFKQTYSKF DTNSHNDDALLKNY GLLYCFRKDMKVE TFLRIVQCRSVEGSC GF	ATGGCTGAACCTGCTGGCTCTCCAACCTCCACTGAGGAAGGTG CATCCCCGGGCACCAGCTCTACCGGTTCTCCAGGTAGCTCTACC CCGTCTGGTGCTACCGGCTCTCCAGGTAGCTCTACCCCGTCTGG TGCTACTGGCTCTCCAGGTTTTCCGACTATTCCGCTGTCTCGTCT GTTTGATAATGCTATGCTGCGTGCGCACCGTCTGCACCAGCTGG CCTTTGATACTTACCAGGAATTTGAAGAAGC ₆ TACATTCTCTAA GAGCAGAAGTACTCTTTCCTGCAAAACCCACAGACTTCTCTCTG CTTCAGCGAATCTATTCCGACGCTTCCAATCGCGAGGAAACTC AGCAAAAGTCCAATCTGGAAGTACTCCGCATTTCTCTGCTTCTG ATTCAGAGCTGGCTAGAACCAAGTGAATTTCTGCGTTCGGTCTT CGCCAATAGCCTAGTTTATGGCGCATCCGACAGCAACGTATAC GATCTCCTGAAAGATCTCGAGGAAGGCATTACAGACCCTGATGG GTCGTCTCGAGGATGGCTCTCCGCGTACTGGTCAGATCTTCAAG CAGACTTACTCTAAATTTGATACTAACAGCCACAATGACGATGC GCTTCTAAAAAACTATGGTCTGCTGTATTGTTTTTCGTAAAGATA TGGACAAAGTTGAAACCTTCCTGCGTATTGTTTCAGTGTCGTTCC GTTGAGGGCAGCTGTGGTTTCTAA
AE144-hGH	GSEPATSGSETPGTS ESATPESGPGSEPAT SGSETPGSPAGSPTST EEGTSTEPSEGSAPG SEPATSGSETPGSEP ATSGSETPGSEPATS GSETPGTSTEPSEGS APGTSESATPESGPG SEPATSGSETPGTSTE PSEGSAPGFPTIPLSR LFDNAMLRAHRLHQ LAFD TYQEFEEAYIP	GGTAGCGAACCGGCAACTTCCGGCTCTGAAACCCAGGTACTT CTGAAAGCGTACTCCTGAGTCTGGCCAGGTAGCGAACCTGC TACCTCTGGCTCTGAAACCCAGGTAGCCGGCAGGCTCTCCGA CTTCCACCGAGGAAGGTACCTCTACTGAACCTTCTGAGGGTAGC GCTCCAGGTAGCGAACCGGCAACCTCTGGCTCTGAAACCCAG GTAGCGAACCTGCTACCTCCGGCTCTGAAACTCCAGGTAGCGA ACCGGCTACTTCCGGTTCTGAAACTCCAGGTACCTCTACCGAAC CTTCCGAAGGCAGCGCACCAAGGTACTTCTGAAAGCGCAACCC TGAATCCGGTCCAGGTAGCGAACCGGCTACTTCTGGCTCTGAG ACTCCAGGTACTTCTACCGAACCGTCCGAAGGTAGCGCACCAAG GTTTTCCGACTATTCCGCTGTCTCGTCTGTTTGATAATGCTATGC TGCCTGCGCACCGTCTGCACCAGCTGGCCTTTGATACTTACCAG

GHXTEN Name*	Amino Acid Sequence	DNA Nucleotide Sequence
	KEQKYSFLQNPQTSLS CFSESIPTSPNREETQ QKSNLELLRISLLLIQ SWLEPVQFLRSVFA NSLVYGASDSNVYD LLKDLEEGIQTLMGR LEDGSPRTGQIFKQT YSKFDTNSHNDDAL LKNYGLLYCFRKDM DKVETFLRIVQCRSV EGSCGF	GAATTTGAAGAAGCcTACATTCCCTAAAGAGCAGAAGTACTCTTT CCTGCAAAACCCACAGACTTCTCTCTGCTTCAGCGAATCTATTC CGACGCCTTCCAATCGCGAGGAACTCAGCAAAAGTCCAATCT GGAAGTACTCCGCATTTCTCTGCTTCTGATTTCAGAGCTGGCTAG AACCAGTGCAATTTCTGCGTTCCGTCTTCGCCAATAGCCTAGTT TATGGCGCATCCGACAGCAACGTATACGATCTCCTGAAAGATC TCGAGGAAGGCATTTCAGACCCTGATGGGTCTGCTTCGAGGATGG CTCTCCGCGTACTGGTCAGATCTTCAAGCAGACTTACTCTAAAT TTGATACTAACAGCCACAATGACGATGCGCTTCTAAAAAACTA TGGTCTGCTGTATTGTTTTCTGTAAGATATGGACAAAGTTGAAA CCTTCCTGCGTATTGTTTCAGTGTCTGTTCCGTTGAGGGCAGCTGT GTTTCTAA
AE288- hGH	GTSESATPESGPGSE PATSGSETPGTSESA TPESGPGSEPATSGS ETPGTSESATPESGP GTSTEPSEGSAPGSP AGSPTSTEEGTSESA TPESGPGSEPATSGS ETPGTSESATPESGP GSPAGSPTSTEEGSP AGSPTSTEEGTSTEPS EGSAPGTSESATPES GPGTSESATPESGPG TSESATPESGPGSEP ATSGSETPGSEPATS GSETPGSPAGSPTST EEGTSTEPSEGSAPG TSTEPSEGSAPGSEP ATSGSETPGTSESAT PESGPGTSTEPSEGS APGFPTIPLSRLFDNA MLRAHRLHQLAFDT YQEFEEAYIPKEQKY SFLQNPQTSLSCFSESI PTSPNREETQKSNL ELLRISLLLIQSWLEP VQFLRSVFANSLVY GASDSNVYDLLKDL EEGIQTLMGRLEDGS PRTGQIFKQTYSKFD TNSHNDDALLKNYG LLYCFRKDMDKVET FLRIVQCRSVEGSCG F	GGTACCTCTGAAAGCGCAACTCCTGAGTCTGGCCCAGGTAGCG AACCTGCTACCTCCGGCTCTGAGACTCCAGGTACCTCTGAAAGC GCAACCCCGGAATCTGGTCCAGGTAGCGAACCTGCAACCTCTG GCTCTGAAACCCAGGTACCTCTGAAAGCGCTACTCCTGAATCT GGCCCAGGTACTTCTACTGAACCGTCCGAGGGCAGCGCACCAG GTAGCCCTGCTGGCTCTCCAACCTCCACCGAAGAAGGTACCTCT GAAAGCGCAACCCCTGAATCCGGCCCAGGTAGCGAACCGGCAA CCTCCGGTTCTGAAACCCAGGTACTTCTGAAAGCGCTACTCCT GAGTCCGGCCCAGGTAGCCCGGCTGGCTCTCCGACTTCCACCG AGGAAGGTAGCCCGGCTGGCTCTCCAACCTTCTACTGAAGAAGG TACTTCTACCGAACCTTCCGAGGGCAGCGCACCAGGTACTTCTG AAAGCGCTACCCCTGAGTCCGGCCCAGGTACTTCTGAAAGCGC TACTCCTGAATCCGGTCCAGGTACTTCTGAAAGCGCTACCCCGG AATCTGGCCCAGGTAGCGAACCGGCTACTTCTGGTTCTGAAACC CCAGGTAGCGAACCGGCTACCTCCGGTTCTGAAACTCCAGGTA GCCCAGCAGGCTCTCCGACTTCCACTGAGGAAGGTACTTCTACT GAACCTTCCGAAGGCAGCGCACCAGGTACCTCTACTGAACCTT CTGAGGGCAGCGCTCCAGGTAGCGAACCTGCAACCTCTGGCTC TGAAACCCAGGTACCTCTGAAAGCGCTACTCCTGAATCTGGCC CAGGTACTTCTACTGAACCGTCCGAGGGCAGCGCACCAGGTTTT CCGACTATTCCGCTGTCTCGTCTGTTTGATAATGCTATGCTGCGT GCGCACCGTCTGCACCAGCTGGCCTTTGATACTTACCAGGAATT TGAAGAAGCcTACATTCCCTAAAGAGCAGAAGTACTCTTTCCTGC AAAACCCACAGACTTCTCTCTGCTTCAGCGAATCTATTCCGACG CCTTCCAATCGCGAGGAAACTCAGCAAAAGTCCAATCTGGAAC TACTCCGCATTTCTCTGCTTCTGATTTCAGAGCTGGCTAGAACCA GTGCAATTTCTGCGTTCCGTCTTCGCCAATAGCCTAGTTTATGG CGCATCCGACAGCAACGTATACGATCTCCTGAAAGATCTCGAG GAAGGCATTTCAGACCCTGATGGGTCTGCTTCGAGGATGGCTCTC CGCGTACTGGTCAGATCTTCAAGCAGACTTACTCTAAATTTGAT ACTAACAGCCACAATGACGATGCGCTTCTAAAAAACTATGGTC TGCTGTATTGTTTTCTGTAAGATATGGACAAAGTTGAAACCTTC CTGCGTATTGTTTCAGTGTCTGTTCCGTTGAGGGCAGCTGTGGTTT CTAA
AF144- hGH	GTSTPESGSASPSTSP SGESSTAPGTSPSGES STAPGSTSSTAESP GSTSESPSGTAPGSTS STAESPSPGTSPSGES STAPGTSTPESGSASP GSTSSTAESPSPGTSP SGESSTAPGTSPSGES STAPGTSPSGESSTAP GFPTIPLSRLFDNAM LRAHRLHQLAFDTY QEFEEAYIPKEQKYS FLQNPQTSLSCFSESI	GGTACTTCTACTCCGGAAGCGGTTCCGCATCTCCAGGTACTTC TCCTAGCGGTGAATCTTCTACTGCTCCAGGTACCTCTCCTAGCG GCGAATCTTCTACTGCTCCAGGTCTACCAGCTCTACCGCTGAA TCTCCTGGCCCAGGTTCTACCAGCGAATCCCCGTCTGGCACCGC ACCAGGTTCTACTAGCTCTACCGCAGAATCTCCGGGTCCAGGTA CTTCCCCTAGCGGTGAATCTTCTACTGCTCCAGGTACCTCTACT CCGGAAGCGGCTCCGCATCTCCAGGTTCTACTAGCTCTACTGC TGAATCTCCTGGTCCAGGTACCTCCCCTAGCGGCGAATCTTCTA CTGCTCCAGGTACCTCTCCTAGCGGCGAATCTTCTACCGCTCCA GGTACCTCCCCTAGCGGTGAATCTTCTACCGCACCAGGTTTTCC GACTATTCCGCTGTCTCGTCTGTTTGATAATGCTATGCTGCGTG CGCACCGTCTGCACCAGCTGGCCTTTGATACTTACCAGGAATTT GAAGAAGCcTACATTCCCTAAAGAGCAGAAGTACTCTTTCCTGCA

GHXTEN Name*	Amino Acid Sequence	DNA Nucleotide Sequence
	TPSNREETQQKSNLE LLRISLLLIQSWLEPV QFLRSVFANSLVYG ASDSNVYDLLKDLE EGIQTLMGRLDGSP RTGQIFKQTYSKFDT NSHNDDALLKNYGL LYCFRKMDKIVETF LRIVQCRSVEGSCGF	AAACCCACAGACTTCTCTCTGCTTCAGCGAATCTATTCCGACGC CTTCCAATCGCGAGGAACTCAGCAAAAGTCCAATCTGGAACCT ACTCCGCATTTCTCTGCTTCTGATTACAGAGCTGGCTAGAACCCAG TGCAATTTCTGCGTTCCGCTCTTCGCCAATAGCCTAGTTTATGGC GCATCCGACAGCAACGTATACGATCTCCTGAAAGATCTCGAGG AAGGCATTACAGACCCTGATGGGTCGTCTCGAGGATGGCTCTCC GCGTACTGGTCAGATCTTCAAGCAGACTTACTCTAAATTTGATA CTAACAGCCACAATGACGATGCGCTTCTAAAAAACTATGGTCT GCTGTATTGTTTTTCGTAAAGATATGGACAAAGTTGAAACCTTCC TGCGTATTGTTTCAGTGTCTGTTCCGTTGAGGGCAGCTGTGGTTTC TAA
AD576- hGH	GSSESSESSEGGPGSG GEPSESGSSGESSES SEGPGSSSESSEGG GPGSSSESSESSEGGPG SSESSESSEGGPGSSES GSSEGGPGESPGGSS GSESGSESGSPGES SGSSESSESSEGGPGS SESSESSEGGPGSSES GSSEGGPGSGGEPSE SGSSGESPGGSSGSE SGESPGGSSGESSES GGEPSSESSESSESSES GSSEGGPGSGGEPSE SGSSSGGEPSESSES SGSESGSGPGESSGE SPGGSSGESSESGGE PSESSESSESSEGESSES GSSSGGEPSESSESSES GSSESSESSEGGPGES PGGSSGESSESPGG SSGESSESSEGGSSG SESSESSEGGSSSESSES GESPGSSSESSESSESSES ESGSSEGGPGSGGEP ESGSSGESSESSEGGPG ESSGSSESSESSEGGPG GSGGEPSESSESSESSES ESGSSEGGPGSGGEP SESSESSESSEGGSSG SESSESSEGGSSSESSES GSSESSESSEGGPGSG GEPSESSESSESSESSES SEGPGSGGEPSESSES SSSGGEPSESSESSESSES ESPGSSGESSESSESSES SSGPGESSSESSESSESSES EGGPGSESSSGPGES SGFPTIPLSRFLDNA MLRAHRLHQLAFTD YQEFEEAYIPKEQKY SFLQNPQTSLCFSESI PTPSNREETQQKSNL ELLRISLLLIQSWLEP VQFLRSVFANSLVY GASDSNVYDLLKDL EEGIQTLMGRLDGSP PRTGQIFKQTYSKFD	GGTTCCTCTGAAAGCGGTTCTTCCGAAGGTGGTCCAGGTTCCCTC TGAAAGCGGTTCTTCTGAGGGTGGTCCAGGTGAATCTCCGGGT GGCTCCAGCGGTTCCGAGTCAGGTTCTGGTGGCGAACCTTCCGA GTCTGGTAGCTCAGGTGAATCTCCGGGTGGTCTAGCGGTTCCG AGTCAGGTGAATCTCCGGGTGGTTCAGCGGTTCTGAGTCAGGT TCCTCCGAAAGCGGTTCTTCTGAGGGCGGTCCAGGTTCCCTCCGA AAGCGGTTCTTCCGAGGGCGGTCCAGGTTCTTCTGAAAGCGGTT CTTCCGAGGGCGGTCCAGGTGAATCTCCTGGTGGTTCAGCGGT TCCGAGTCAGGTGAATCTCCAGGTGGCTCTAGCGGTTCCGAGTC AGGTGAATCTCCTGGTGGTCTAGCGGTTCTGAATCAGGTTCCCT CCGAAAGCGGTTCTTCTGAGGGCGGTCCAGGTTCCCTCCGAAAG CGGTTCTTCCGAGGGCGGTCCAGGTTCTTCTGAAAGCGGTTCTT CCGAGGGCGGTCCAGGTTCCCTCTGAAAGCGGTTCTTCTGAGGG CGGTCCAGGTTCTTCCGAAAGCGGTTCTTCCGAGGGCGGTCCAG GTTCTTCCGAAAGCGGTTCTTCTGAAGGCGGTCCAGGTTCTGGT GGCGAACCGTCCGAGTCTGGTAGCTCAGGTGAATCTCCGGGTG GCTCTAGCGGTTCCGAGTCAGGTGAATCTCCTGGTGGTTCACAGC GGTTCAGTCAGGTTCCGGTGCGAACCGTCCGAATCTGGTA GCTCAGGTAGCGAAGGTTCTTCTGGTCCAGGCGAATCTTCAGGT TCCTCTGAAAGCGGTTCTTCTGAGGGCGGTCCAGGTTCCGGTGG CGAACCGTCCGAATCTGGTAGCTCAGGTAGCGAAGGTTCTTCTG GTCCAGGCGAATCTTCAGGTTCCCTCTGAAAGCGGTTCTTCTGAG GGCGGTCCAGGTTCCGGTGCGAACCTTCCGAATCTGGTAGCTC AGGTGAATCTCCGGGTGGTCTAGCGGTTCTGAGTCAGGTTCTG GTGGTGAACCTTCCGAGTCTGGTAGCTCAGGTTCTGGTGGCGAA CCATCCGAGTCTGGTAGCTCAGGTTCTTCCGAAAGCGGTTCTTCT CGAAGGCGGTCCAGGTTCTGGTGGTGAACCGTCCGAATCTGGT AGTCAGGTTCTGGTGGCGAACCATCCGAATCTGGTAGCTCAG GTAGCGAAGGTTCTTCTGGTCCCTGGCGAATCTTCAGGTGAATCT CCAGGTGGCTCTAGCGGTTCCGAATCAGGTAGCGAAGGTTCTTCT CGGTCCAGGTGAATCTTCAGGTAGCGAAGGTTCTTCTGGTCCCTG GTGAATCTCAGGTTCCGGTGCGAACCATCTGAATCTGGTAGC TCAGGTTCCCTCTGAAAGCGGTTCTTCCGAAGGTGGTCCAGGTTCT CTCTGAAAGCGGTTCTTCTGAGGGTGGTCCAGGTGAATCTCCGG GTGGCTCCAGCGGTTCCGAGTCAGGTTCTGGTGGCGAACCATCC GAATCTGGTAGCTCAGGTAGCGAAGGTTCTTCTGGTCCCTGGCGA ATCTTCAGGTGAATCTCCAGGTGGCTCTAGCGGTTCCGAATCAG GTAGCGAAGGTTCTTCCGGTCCCTGGTGGTCTTCAGGTGAATCT CCAGGTGGCTCTAGCGGTTCCGAGTCAGGTAGCGAAGGTTCTTCT TGGTCCCTGGCGAGTCCCTCAGGTTTTCCGACTATTCGCTGTCTC GTCTGTTTGATAATGCTATGCTGCGTGCGACCGTCTGCACCGAG CTGGCCTTTGATACTTACCAGGAATTTGAAGAAGC ₂ TACATTCC TAAAGAGCAGAAGTACTCTTTCCTGCAAAACCCACAGACTTCTC TCTGCTTCAGCGAATCTATTCCGACGCCTTCCAATCGCGAGGAA ACTCAGCAAAAGTCCAATCTGGAACCTACTCCGCATTTCTCTGCT TCTGATTACAGAGCTGGCTAGAACCCAGTGCAATTTCTGCGTTCCG TCTTCGCCAATAGCCTAGTTTATGGCGCATCCGACAGCAACGTA TACGATCTCTGAAAGATCTCGAGGAAGGCATTACAGACCCTGA

GHXTEN Name*	Amino Acid Sequence	DNA Nucleotide Sequence
	TNSHNDDALLKNYGLLYCFRKDMDKVETFLRIVQCRSVEGSCGF	TGGGTCGTCTCGAGGATGGCTCTCCGCGTACTGGTCAGATCTTCAAGCAGACTTACTCTAAATTTGATACTAACAGCCACAATGACGATGCGCTTCTAAAAAACTATGGTCTGCTGTATTGTTTTTCGTAAAGATATGGACAAAGTTGAAACCTTCTGCGTATTGTTTCAGTGTCTTCCGTTGAGGGCAGCTGTGGTTTCTAA
AE576-hGH	GSPAGSPTSTEEGTS ESATPESGPGTSTEPS EGSAPGSPAGSPTST EEGTSTEPSEGSAPG TSTEPSEGSAPGTSES ATPESGPGSEPATSG SETPGSEPATSGSETP GSPAGSPTSTEEGTS ESATPESGPGTSTEPS EGSAPGTSTEPSEGS APGSPAGSPTSTEEG TSTEPSEGSAPGTSTE PSEGSAPGTSESATP ESGPGTSTEPSEGS PGTSESATPESGPGS EPATSGSETPGTSTEP SEGSAPGTSTEPSEG SAPGTSESATPESGP GTSESATPESGPGSP AGSPTSTEEGTSESA TPESGPGSEPATSGS ETPGTSESATPESGP GTSTEPSEGSAPGTS TEPSEGSAPGTSTEPS EGSAPGTSTEPSEGS APGTSTEPSEGSAPG TSTEPSEGSAPGSPA GSPTSTEEGTSTEPSE GSAPGTSESATPESG PGSEPATSGSETPGT SESA TPESGPGSEPA TSGSETPGTSESATPE SGPGTSTEPSEGSAP GTSESATPESGPGSP AGSPTSTEEGSPAGS PTSTEEGSPAGSPTST EEGTSESATPESGPG TSTEPSEGSAPGFPTI PLSRLFDNAMLRAH RLHQLAFDTYQEFEE AYIPKEQKYSFLQNP QTSLCFSES IPTPSNR EETQQKSNLELLRIS LLLIQSWLEPVQFLR SVFANSLVYGASDS NVYDLLKDLEEGIQT LMGRLEDGSPRTGQI FKQTYSKFDNNSHN DDALLKNYGLLYCF RKDMDKVETFLRIV QCRSVEGSCGF	GGTAGCCCCGGCTGGCTCTCCTACCTCTACTGAGGAAGGTACTTCTGAAAGCGCTACTCCTGAGTCTGGTCCAGGTACCTCTACTGAACCGTCCGAAGGTAGCGCTCCAGGTAGCCCAGCAGGCTCTCCGAC TTCCACTGAGGAAGGTACTTCTACTGAACCTTCCGAAGGCAGC GCACCAGGTACCTCTACTGAACCTTCTGAGGGCAGCGCTCCAG GTACTTCTGAAAGCGCTACCCCGGAATCTGGCCCCAGGTAGCGA ACCGGCTACTTCTGGTTCTGAAACCCAGGTAGCGAACCCGGCT ACCTCCGGTTCTGAAACTCCAGGTAGCCCCGAGGCTCTCCGAC CTCTACTGAGGAAGGTACTTCTGAAAGCGCAACCCCGAGTCC GGCCAGGTACCTCTACCGAACCGTCTGAGGGCAGCGCACCAG GTACTTCTACCGAACCGTCCGAGGGTAGCGCACCAGGTAGCCC AGCAGGTTCTCCTACCTCCACCGAGGAAGGTACTTCTACCGAAC CGTCCGAGGGTAGCGCACCAGGTACCTCTACTGAACCTTCTGA GGGCAGCGCTCCAGGTACTTCTGAAAGCGCTACCCCGGAGTCC GGTCCAGGTACTTCTACTGAACCGTCCGAAGGTAGCGCACCAG GTACTTCTGAAAGCGCAACCCCTGAATCCGGTCCAGGTAGCGA ACCGGCTACTTCTGGCTCTGAGACTCCAGGTACTTCTACCGAAC CGTCCGAAGGTAGCGCACCAGGTACTTCTACTGAACCGTCTGA AGGTAGCGCACCAGGTACTTCTGAAAGCGCAACCCCGGAATCC GGCCAGGTACCTCTGAAAGCGCAACCCCGGAGTCCGGCCAG GTAGCCCTGCTGGCTCTCCAACCTCCACCGAAGAAGGTACCTCT GAAAGCGCAACCCCTGAATCCGGCCAGGTAGCGAACCCGGCAA CCTCCGGTTCTGAAACCCAGGTACCTCTGAAAGCGCTACTCCG GAGTCTGGCCAGGTACCTCTACTGAACCGTCTGAGGGTAGCG CTCCAGGTACTTCTACTGAACCGTCCGAAGGTAGCGCACCAGG TACTTCTACCGAACCGTCCGAAGGCAGCGCTCCAGGTACCTCTA CTGAACCTTCCGAGGGCAGCGCTCCAGGTACCTCTACCGAACCT TCTGAAGGTAGCGCACCAGGTACTTCTACCGAACCGTCCGAGG GTAGCGCACCAGGTAGCCAGCAGGTTCTCCTACCTCCACCGA GGAAGGTACTTCTACCGAACCGTCCGAGGGTAGCGCACCAGGT ACCTCTGAAAGCGCAACTCCTGAGTCTGGCCAGGTAGCGAAC CTGCTACTCCTCGGCTCTGAGACTCCAGGTACCTCTGAAAGCGCA ACCCCGGAATCTGGTCCAGGTAGCGAACCTGCAACCTCTGGCT CTGAAACCCAGGTACCTCTGAAAGCGCTACTCCTGAATCTGGC CCAGGTACTTCTACTGAACCGTCCGAGGGCAGCGCACCAGGTA CTTCTGAAAGCGCTACTCCTGAGTCCGGCCAGGTAGCCCGGCT GGCTCTCCGACTTCCACCGAGGAAGGTAGCCCGGCTGGCTCTCC AACTTCTACTGAAGAAGGTAGCCCGGCGAGGCTCTCCGACCTCT ACTGAGGAAGGTACTTCTGAAAGCGCAACCCCGGAGTCCGGCC CAGGTACCTCTACCGAACCGTCTGAGGGCAGCGCACCAGGTTT TCCGACTATTCCGCTGTCTCGTCTGTTTGATAATGCTATGCTGCG TGCGCACCGTCTGCACCAGCTGGCCTTTGATACTTACCAGGAAT TTGAAGAAGC ₆ TACATTCCTAAAGAGCAGAAGTACTCTTTCTCTG CAAAACCCACAGACTTCTCTCTGCTTCAGCGAATCTATTCGGAC GCCTTCCAATCGCGAGGAAACTCAGCAAAAGTCCAATCTGGAA C TACTCCGCATTTCTCTGCTTCTGATTACAGAGCTGGCTAGAAC C AGTGCAATTTCTGCGTTCCGTCTTCGCCAATAGCCTAGTTTATG GCGCATCCGACAGCAACGTATACGATCTCCTGAAAGATCTCGA GGAAGGCATTACAGACCCTGATGGGTCGTCTCGAGGATGGCTCT CCGCGTACTGGTCAGATCTTCAAGCAGACTTACTCTAAATTTGA TACTAACAGCCACAATGACGATGCGCTTCTAAAAAACTATGGT CTGCTGTATTGTTTTTCGTAAAGATATGGACAAAGTTGAAACCTT CCTGCGTATTGTTTCAGTGTCTGTTCCGTTGAGGGCAGCTGTGGTT TCTAA

GHXTEN Name*	Amino Acid Sequence	DNA Nucleotide Sequence
AF576- hGH	GSTSSTAESPGPGSTS STAESPGPGSTSESPS GTAPGSTSSTAESPG PGSTSSTAESPGPGTS TPESGSASPGSTSESP SGTAPGTSPSGESST APGSTSESPSGTAPG STSESPSGTAPGTSPS GESSTAPGSTSESPSG TAPGSTSESPSGTAP GTSPSGESSTAPGSTS ESPSGTAPGSTSESPS GTPAGTSESPSGTA PGTSTPESGSASPGST SEPSGTAPGTSTPES GSASPGSTSSAESP GPGSTSSAESPGPG TSTPESGSASPGTSTP ESGSASPGSTSESPSG TAPGTSTPESGSASP GTSTPESGSASPGSTS ESPSGTAPGSTSESPS GTAPGSTSESPSGTA PGSTSSTAESPGPGTS TPESGSASPGTSTPES GSASPGSTSESPSGT APGSTSESPSGTAPG TSTPESGSASPGTSE SPSGTAPGSTSESPSG TAPGTSTPESGSASP GTSPSGESSTAPGSTS STAESPGPGTSPSGES STAPGSTSSTAESPGP GTSTPESGSASPGSTS ESPSGTAPGSTSSA ESPGPGTSTPESGSAS PGTSTPESGSASPGFP TIPLSRLFDNAMLRA HRLHQLAFDITYQEF EEAYIPKEQKYSFLQ NPQTSLCFSESIPTPS NREETQKQSNLELLR ISLLLIQSWLEPVQFL RSVFANSLVYGASD SNVYDLLKDLLEGIQ TLMGRLEDGSPRTG QIFKQTYSKFDTNSH NDDALLKNYGLLYC FRKDMDKVETFLRI VQCRSVEGSCGF	GGTTCTACTAGCTCTACCGCTGAATCTCCTGGCCCAGGTTCCAC TAGCTCTACCGCAGAATCTCCGGGCCCAGGTTCTACTAGCGAAT CCCCTTCTGGTACCGCTCCAGGTTCTACTAGCTCTACCGCTGAA TCTCCGGGTCCAGGTTCTACCAGCTCTACTGCAGAATCTCCTGG CCCAGGTA CTCTACTCCGGAAGCGGTTCCGCTTCTCCAGGTT CTACCAGCGAATCTCCTTCTGGCACCCTCCAGGTACCTCTCCT AGCGGCGAATCTTCTACCAGCTCCAGGTTCTACTAGCGAATCTCC TTCTGGCACTGCACCAGGTTCTACCAGCGAATCTCCTTCTGGCA CCGCTCCAGGTACCTCTCCTAGCGGCGAATCTTCTACCAGTCCA GGTTCTACTAGCGAATCTCCTTCTGGCACTGCACCAGGTTCTAC CAGCGAATCTCCTTCTGGCACCCTCCAGGTACCTCTCCTAGCG GCGAATCTTCTACCAGTCCAGGTTCTACTAGCGAATCTCCTTCT GGCAGTGCACCAGGTTCTACTAGCGAATCTCCTTCTGGCACTGC ACCAGGTTCTACCAGCGAATCTCCGTCTGGCACTGCACCAGGTA CCTCTACCCCTGAAAGCGGTTCCGCTTCTCCAGGTTCTACTAGC GAATCTCCTTCTGGTACCGCTCCAGGTACTTCTACCCCTGAAAG CGGCTCCGCTTCTCCAGGTTCCACTAGCTCTACCGCTGAATCTC CGGGTCCAGGTTCTACTAGCTCTACTGCAGAATCTCCTGGCCCA GGTACCTCTACTCCGGAAGCGGCTCTGCATCTCCAGGTACTTC TACCCCTGAAAGCGGTTCTGCATCTCCAGGTTCTACTAGCGAAT CCCCCTCTGGTACCGCACCAGGTACTTCTACCCCGGAAAGCGG CTCTGCTTCTCCAGGTACTTCTACCCCGGAAAGCGGCTCCGCAT CTCCAGGTTCTACTAGCGAATCTCCTTCTGGTACCGCTCCAGGT TCTACCAGCGAATCCCCGTCTGGTACTGCTCCAGGTTCTACCAG CGAATCTCCTTCTGGTACTGCACCAGGTTCTACTAGCTCTACTG CAGAATCTCCTGGCCCAGGTACCTCTACTCCGGAAGCGGCTCT GCATCTCCAGGTACTTCTACCCCTGAAAGCGGTTCTGCATCTCC AGGTTCTACTAGCGAATCTCCTTCTGGCACTGCACCAGGTTCTA CCAGCGAATCTCCGTCTGGCACTGCACCAGGTACCTCTACCCCT GAAAGCGGTTCCGCTTCTCCAGGTTCTACTAGCGAATCTCCTTC TGGCACTGCACCAGGTTCTACCAGCGAATCTCCGTCTGGCACTG CACCAGGTACCTCTACCCCTGAAAGCGGTTCCGCTTCTCCAGGT ACTTCTCCGAGCGGTGAATCTTCTACCAGCACCAGGTTCTACTAG CTCTACCAGTGAATCTCCGGGCCCAGGTACTTCTCCGAGCGGTG AATCTTCTACTGCTCCAGGTTCCACTAGCTCTACTGCTGAATCT CCTGGCCCAGGTACTTCTACTCCGGAAGCGGTTCCGCTTCTCC AGGTTCTACTAGCGAATCTCCGTCTGGCACCAGGTTCTACTAG CTAGCTCTACTGCAGAATCTCCTGGCCCAGGTACCTCTACTCCG GAAAGCGGCTCTGCATCTCCAGGTACTTCTACCCCTGAAAGCG GTTCTGCATCTCCAGGTTTTCGACTATTCCGCTGTCTCGTCTGT TTGATAATGCTATGCTGCGTGCGCACCCTCTGCACCAGCTGGCC TTTGATACTTACCAGGAATTTGAAGAAGC ₆ TACATTCTAAAGA GCAGAACTACTCTTCTCTGCAAAACCCACAGACTTCTCTCTGCT TCAGCGAATCTATTCCGACGCTTCCAATCGCGAGGAACTCA GCAAAAGTCCAATCTGGAAGTACTCCGCATTTCTCTGCTTCTGA TTCAGAGCTGGCTAGAACCAAGTGAATTTCTGCGTTCCGCTTTC GCCAATAGCCTAGTTTATGGCGCATCCGACAGCAACGTATACG ATCTCCTGAAAGATCTCGAGGAAGGCATTCTAGACCCTGATGGG TCGTCTCGAGGATGGCTCTCCGCGTACTGGTCAGATCTTCAAGC AGACTTACTCTAAATTTGATACTAACAGCCACAATGACGATGC GCTTCTAAAAAATATGGTCTGCTGTATTGTTTTTCGTAAAGATA TGGACAAAGTTGAAACCTTCTGCGTATTGTTTCAGTGTCGTTCC GTTGAGGGCAGCTGTGGTTTCTAA
AE624- hGH	MAEPAGSPTSTEEGT PGSGTASSPGSSTPS GATGSPGASPGTSSST GSPGSPAGSPTSTEE GTSESATPESPGTGS TEPSEGSAPGSPAGS	ATGGCTGAACCTGCTGGCTCTCCAACCTCCACTGAGGAAGGTA CCCCAGGTAGCGGTACTGCTTCTTCTCTCCAGGTAGCTCTACC CCTTCTGGTGCAACCGGCTCTCCAGGTGCTTCTCCGGGCACCAG CTCTACCGGTTCTCCAGGTAGCCCGGCTGGCTCTCCTACCTCTA CTGAGGAAGGTACTTCTGAAAGCGCTACTCCTGAGTCTGGTCCA GGTACCTCTACTGAACCGTCCGAAGGTAGCGCTCCAGGTAGCC

GHXTEN Name*	Amino Acid Sequence	DNA Nucleotide Sequence
	PTSTEEGTSTEPSEGS APGTSTEPSEGSAPG TSESATPESGPGSEP ATSGSETPGSEPATS GSETPGSPAGSPTST EEGTSESATPESGPG TSTEPSEGSAPGTSTE PSEGSAPGSPAGSPT STEEGTSTEPSEGSAP GTSTEPSEGSAPGTS ESATPESGPGTSTEPS EGSAPGTSESATPES GPGSEPATSGSETPG TSTEPSEGSAPGTSTE PSEGSAPGTSESATP ESGPGTSESATPESG PGSPAGSPTSTEEGT SESATPESGPGSEPA TSGSETPGTSESATPE SGPGTSTEPSEGSAP GTSTEPSEGSAPGTS TEPSEGSAPGTSTEPS EGSAPGTSTEPSEGS APGTSTEPSEGSAPG SPAGSPTSTEEGTSTE PSEGSAPGTSESATP ESGPGSEPATSGSET PGTSESATPESGPGS EPATSGSETPGTSES ATPESGPGTSTEPSE GSAPGTSESATPESG PGSPAGSPTSTEEGSP AGSPTSTEEGSPAGS PTSTEEGTSESATPES GPGTSTEPSEGSAPG FPTIPLSRLFDNAML RAHRLHQLAFDITYQ EFEEAYIPKEQKYSF LQNPQTSLCFSESIPT PSNREETQQKSNLEL LRISLLLIQSWLEPVQ FLRSVFANSLVYGAS DSNVYDLLKDLEEGI QTLMGRLEDGSPRT GQIFKQTYSKFDTNS HNDDALLKNYGLLY CFRKDMDKVETFLRI VQCRSVEGSCGF	CAGCAGGCTCTCCGACTTCCACTGAGGAAGGTACTTCTACTGAA CCTTCCGAAGGCAGCGCACCAGGTACCTCTACTGAACCTTCTGA GGGCAGCGCTCCAGGTACTTCTGAAAGCGCTACCCCGGAATCT GGCCAGGTAGCGAACCGGCTACTTCTGGTTCTGAAACCCAG GTAGCGAACCGGCTACCTCCGGTTCTGAAACTCCAGGTAGCCC GGCAGGCTCTCCGACCTCTACTGAGGAAGGTACTTCTGAAAGC GCAACCCCGGAGTCCGGCCCAGGTACCTCTACCGAACCGTCTG AGGGCAGCGCACCAGGTACTTCTACCGAACCGTCCGAGGGTAG CGCACCAGGTAGCCCAGCAGGTTCTCTACCTCCACCGAGGAA GGTACTTCTACCGAACCGTCCGAGGGTAGCGCACCAGGTACCT CTACTGAACCTTCTGAGGGCAGCGCTCCAGGTACTTCTGAAAGC GCTACCCCGGAGTCCGGTCCAGGTACTTCTACTGAACCGTCCGA AGGTAGCGCACCAGGTACTTCTGAAAGCGCAACCCCTGAATCC GGTCCAGGTAGCGAACCGGCTACTTCTGGCTCTGAGACTCCAG GTACTTCTACCGAACCGTCCGAAGGTAGCGCACCAGGTACTTCT ACTGAACCGTCTGAAGGTAGCGCACCAGGTACTTCTGAAAGCG CAACCCCGGAATCCGGCCCAGGTACCTCTGAAAGCGCAACCC GGAGTCCGGCCCAGGTAGCCCTGCTGGCTCTCCAACCTCCACCG AAGAAGGTACCTCTGAAAGCGCAACCCCTGAATCCGGCCCAGG TAGCGAACCGGCAACCTCCGGTTCTGAAACCCAGGTACCTCT GAAAGCGCTACTCCGGAGTCTGGCCCAGGTACCTCTACTGAAC CGTCTGAGGGTAGCGCTCCAGGTACTTCTACTGAACCGTCCGAA GGTAGCGCACCAGGTACTTCTACCGAACCGTCCGAAGGCAGCG CTCCAGGTACCTCTACTGAACCTTCCGAGGGCAGCGCTCCAGGT ACCTCTACCGAACCTTCTGAAGGTAGCGCACCAGGTACTTCTAC CGAACCGTCCGAGGGTAGCGCACCAGGTAGCCCAGCAGGTTCT CCTACCTCCACCGAGGAAGGTACTTCTACCGAACCGTCCGAGG GTAGCGCACCAGGTACCTCTGAAAGCGCAACTCCTGAGTCTGG CCCAGGTAGCGAACCTGCTACCTCCGGCTCTGAGACTCCAGGT ACCTCTGAAAGCGCAACCCCGGAATCTGGTCCAGGTAGCGAAC CTGCAACCTCTGGCTCTGAAACCCAGGTACCTCTGAAAGCGCT ACTCCTGAATCTGGCCCAGGTACTTCTACTGAACCGTCCGAGGG CAGCGCACCAGGTACTTCTGAAAGCGCTACTCCTGAGTCCGGC CCAGGTAGCCCGGCTGGCTCTCCGACTTCCACCGAGGAAGGTA GCCCGGCTGGCTCTCCAACCTTCTACTGAAGAAGGTAGCCCGG AGGCTCTCCGACCTCTACTGAGGAAGGTACTTCTGAAAGCGCA ACCCCGGAGTCCGGCCCAGGTACCTCTACCGAACCGTCTGAGG GCAGCGCACCAGGTTTTCCGACTATTCCGCTGTCTCGTCTGTTT GATAATGCTATGCTGCGTGCGCACCGTCTGCACCAGCTGGCCTT TGATACTTACCAGGAATTTGAAGAAGC;TACATTCTAAAGAGC AGAAGTACTCTTTCTGCAAAACCCACAGACTTCTCTCTGCTTC AGCGAATCTATTCCGACGCCTTCCAATCGCGAGGAACTCAGC AAAAGTCCAATCTGGAATACTCCGCATTCTCTGCTTCTGATT CAGAGCTGGCTAGAACCAGTGCAATTTCTGCGTTCCGTCTTCGC CAATAGCCTAGTTTATGGCGCATCCGACAGCAACGTATACGAT CTCCTGAAAGATCTCGAGGAAGGCATTACAGACCTGATGGGTC GTCTCGAGGATGGCTCTCCGCGTACTGGTCAGATCTTCAAGCAG ACTTACTCTAAATTTGATACTAACAGCCACAATGACGATGCGCT TCTAAAAAACTATGGTCTGCTGTATTGTTTTCTGAAAGATATGG ACAAAGTTGAAACCTTCTGCGTATTGTTTCAGTGTCGTTCCGTT GAGGGCAGCTGTGGTTTTCTAA
AD836- hGH	GSSESSEGGPGSS ESGSSEGGPGSPGG SSGSESSEGGPSES GSSGESPGSSGSES GESPGSSGSESGSS ESGSSEGGPGSSSEG SSEGGPGSSSESSE GPGGESPGSSGSES	GGTTCCTCTGAAAGCGGTTCTTCCGAAGGTGGTCCAGGTTCTCT TGAAAGCGGTTCTTCTGAGGGTGGTCCAGGTGAATCTCCGGGT GGCTCCAGCGGTTCCGAGTCAGGTTCTGGTGGCGAACCTTCCGA GTCTGGTAGCTCAGGTGAATCTCCGGGTGGTTCTAGCGGTTCCG AGTCAGGTGAATCTCCGGGTGGTTCCAGCGGTTCTGAGTCAGGT TCCTCCGAAAGCGGTTCTTCTGAGGGCGGTCCAGGTTCTCTCCGA AAGCGGTTCTTCCGAGGGCGGTCCAGGTTCTTCTGAAAGCGGTT CTCCGAGGGCGGTCCAGGTGAATCTCCTGGTGGTCCAGCGGT

GHXTEN Name*	Amino Acid Sequence	DNA Nucleotide Sequence
	GESPGGSSGSESGES PGGSSGSESGSSESG SSEGGPGSSESGSSE GGPGSSESGSSEGGP GSSESGSSEGGPGSS ESGSSEGGPGSSESG SSEGGPGSGGEPSES GSSGSESPGSSGSES GESPGGSSGSESGSG GEPSESGSSGSESGS GPGESSGSSESGSSE GGPGSGGEPSESGSS GSEGS SGPGESSGSS ESGSSEGGPGSGGEP SESGSSGESPGGSSG SESGSGGEPSESGSS GSGGEPSESGSSGSS ESGSSEGGPGSGGEP SESGSSSGGEPSES GSSGSESGSGPGESS GESPGGSSGSESGSE GSSGPGESSGSESGS GPGESSSGGEPSES GSSGSSESGSSEGGP GSSESGSSEGGPGES PGGSSGSESGSGGEP SESGSSGSESGSPG ESSGESPGGSSGSES GSEGS SGPGSSESGS SEGGPGSGGEPSESG SSGSESGSGPGESSG SEGSSGPGESSGSEG SSGPGESSSGGEPES ESGSSSGGEPSESG SSGESPGGSSGSESG ESPGGSSGSESGSGG EPSESGSSGSESGSP GESSGESPGGSSGSE SGSSESGSSEGGPGS SESGSSEGGPGSSES GSSEGGPGSGGEPSE SGSSGSSESGSSEGG PGESPGGSSGSESGS GGEPSESGSSGSSSES GSSEGGPGESP GGS GSESGSGGEPSESGS SGESPGGSSGSESGS GGEPSESGSSGFPTIP LSRLFDNAMLRAHR LHQLAFD TYQEFEE AYIPKEQKYSFLQNP QTS LCFSES IPTPSNR EETQQKSNLELLRIS LLLIQSWLEPVQFLR SVFANSLVYGASDS NVYDLLKDEEIGQT LMGRLEDGSPRTGQI FKQTYSKFD TNSHN DDALLKNYGLLYCF	TCCGAGTCAGGTGAATCTCCAGGTGGCTCTAGCGGTTCCGAGTC AGGTGAATCTCCTGGTGGTTCTAGCGGTTCTGAATCAGGTTCTCT CCGAAAGCGGTTCTTCTGAGGGCGGTCCAGGTTCTCTCCGAAAG CGGTTCTTCCGAGGGCGGTCCAGGTTCTTCTGAAAGCGGTTCTT CCGAGGGCGGTCCAGGTTCTCTGAAAGCGGTTCTTCTGAGGG CGGTCCAGGTTCTTCCGAAAGCGGTTCTTCCGAGGGCGGTCCAG GTTCTTCCGAAAGCGGTTCTTCTGAAGGCGGTGCCAGGTTCTGTT GGCGAACCGTCCGAGTCTGGTAGCTCAGGTGAATCTCCGGGTG GCTCTAGCGGTTCCGAGTCAAGTGAATCTCTGGTGGTTCCAGC GGTTCCGAGTCAGGTTCCGGTGGCGAACCGTCCGAATCTGGTA GCTCAGGTAGCGAAGGTTCTTCTGGTCCAGGCGAATCTTCAGGT TCCTCTGAAAGCGGTTCTTCTGAGGGCGGTCCAGGTTCCGGTGG CGAACCGTCCGAATCTGGTAGCTCAGGTAGCGAAGGTTCTTCTG GTCCAGGCGAATCTTCAGGTTCTCTGAAAGCGGTTCTTCTGAG GGCGGTCCAGGTTCCGGTGGCGAACCCTCCGAATCTGGTAGCTC AGGTGAATCTCCGGGTGGTTCTAGCGGTTCTGAGTCAGGTTCTG GTGGTGAACCTTCCGAGTCTGGTAGCTCAGGTTCTGGTGGCGAA CCATCCGAGTCTGGTAGCTCAGGTTCTTCCGAAAGCGGTTCTTC CGAAGGCGGTCCAGGTTCTGGTGGTGAACCGTCCGAATCTGGT AGCTCAGGTTCTGGTGGCGAACCATCCGAATCTGGTAGCTCAG GTAGCGAAGGTTCTTCTGGTCTGGCGAATCTTCAGGTGAATCT CCAGGTGGCTCTAGCGGTTCCGAATCAGGTAGCGAAGGTTCTTC CGGTCCAGGTGAATCTTCAGGTAGCGAAGGTTCTTCTGGTCTCTG GTGAATCCTCAGGTTCCGGTGGCGAACCATCTGAATCTGGTAGC TCAGGTTCTCTGAAAGCGGTTCTTCCGAAGGTGGTCCAGGTTCT CTCTGAAAGCGGTTCTTCTGAGGGTGGTCCAGGTGAATCTCCGG GTGGCTCCAGCGGTTCCGAGTCAGGTTCTGGTGGCGAACCATCC GAATCTGGTAGCTCAGGTAGCGAAGGTTCTTCTGGTCTCTGGCGA ATCTTCAGGTGAATCTCCAGGTGGCTCTAGCGGTTCCGAATCAG GTAGCGAAGGTTCTTCCGGTCCAGGTTCTCTGAAAGCGGTTCT TCTGAGGGCGGTCCAGGTTCTGGTGGCGAACCATCTGAATCTG GTAGCTCAGGTAGCGAAGGTTCTTCCGGTCCAGGTGAATCTTCAG GGTAGCGAAGGTTCTTCCGGTCCAGGTGAATCTTCAGGTAGCG AAGGTTCTTCTGGTCTCTGGTGAATCCTCAGGTTCCGGTGGCGAA CCATCTGAATCTGGTAGCTCAGGTTCTGGTGGCGAACCATCCGA ATCTGGTAGCTCAGGTGAATCTCCGGGTGGCTCCAGCGGTTCTG AATCAGGTGAATCTCCTGGTGGCTCCAGCGGTTCTGAGTCAGGT TCTGGTGGCGAACCATCCGAATCTGGTAGCTCAGGTAGCGAAG GTTCTTCTGGTCTCTGGCGAATCTTCAGGTGAATCTCCAGGTGGC TCTAGCGGTTCCGAATCAGGTTCTCTGAAAGCGGTTCTTCTGA GGCGGTCCAGGTTCTTCCGAAAGCGGTTCTTCCGAGGGCGGT CCAGGTTCTTCCGAAAGCGGTTCTTCTGAAGGCGGTCCAGGTTCT TGGTGGCGAACCGTCCGAATCTGGTAGCTCAGGTTCTCTCCGAA AGCGGTTCTTCTGAAGGTGGTCCAGGTGAATCTCCAGGTGGTTC TAGCGGTTCTGAATCAGGTTCTGGTGGCGAACCGTCCGAATCTG GTAGCTCAGGTTCTCTCCGAAAGCGGTTCTTCTGAAGGTGGTCCA GGTGAATCTCCAGGTGGTTCTAGCGGTTCTGAATCAGGTTCTGG TGGCGAACCGTCCGAATCTGGTAGCTCAGGTGAATCTCCTGGTG GTTCCAGCGGTTCCGAGTCAGGTTCTGGTGGCGAACCCTCCGAA TCTGGTAGCTCAGGTTTTCCGACTATTCCGCTGTCTCGTCTGTTT GATAATGCTATGCTGCGTGCGACCGTCTGCACCAGCTGGCCTT TGATACTTACCAGGAATTTGAAGAAGC ₂ TACATTCTTAAAGAGC AGAAGTACTCTTTCCTGCAAAACCCACAGACTTCTCTCTGCTTC AGCGAATCTATTCCGACGCCTTCCAATCGCGAGGAACTCAGC AAAAGTCCAATCTGGAACCTACTCCGCAATTTCTCTGCTCTGATT CAGAGCTGGCTAGAACCAGTGAATTTCTGCGTTCGGTCTTCGCG CAATAGCCTAGTTTATGGCGCATCCGACAGCAACGTATACGAT CTCCTGAAAGATCTCGAGGAAGGCATTCAGACCCTGATGGGTC GTCTCGAGGATGGCTCTCCGCGTACTGGTCAGATCTTCAAGCAG

GHXTEN Name*	Amino Acid Sequence	DNA Nucleotide Sequence
	RKDMDKVETFLRIV QCRSVEGSCGF	ACTTACTCTAAATTTGATACTAACAGCCACAATGACGATGCGCT TCTAAAAAACTATGGTCTGCTGTATTGTTTTCTGTAAGATATGG ACAAAGTTGAAACCTTCTGCGTATTGTTCAAGTGTCGTTCCGTT GAGGGCAGCTGTGGTTTCTAA
AE864- hGH	GSPAGSPTSTEEGTS ESATPESGPGTSTEPS EGSAPGSPAGSPTST EEGTSTEPSEGSAPG TSTEPSEGSAPGTSES ATPESGPGSEPATSG SETPGSEPATSGSETP GSPAGSPTSTEEGTS ESATPESGPGTSTEPS EGSAPGTSTEPSEGS APGSPAGSPTSTEEG TSTEPSEGSAPGTSTE PSEGSAPGTSESATP ESGPGTSTEPSEGS PGTSESATPESGPGS EPATSGSETPGTSTEP SEGSAPGTSTEPSEG SAPGTSESATPESGP GTSESATPESGPGSP AGSPTSTEEGTSESA TPESGPGSEPATSGS ETPGTSESATPESGP GTSTEPSEGSAPGTS TEPSEGSAPGTSTEPS EGSAPGTSTEPSEGS APGTSTEPSEGSAPG TSTEPSEGSAPGSPA GSPTSTEEGTSTEPSE GSAPGTSESATPESG PGSEPATSGSETPGT SESATPESGPGSEPA TSGSETPGTSESATPE SGPGTSTEPSEGSAP GTSESATPESGPGSP AGSPTSTEEGSPAGS PTSTEEGSPAGSPTST EEGTSESATPESGPG TSTEPSEGSAPGTSES ATPESGPGSEPATSG SETPGTSESATPESGP GSEPATSGSETPGTS ESATPESGPGTSTEPS EGSAPGSPAGSPTST EEGTSESATPESGPG SEPATSGSETPGTSES ATPESGPGSPAGSPT STEEGSPAGSPTSTEE GTSTEPSEGSAPGTS ESATPESGPGTSESA TPESGPGTSESATPES GPGSEPATSGSETPG SEPATSGSETPGSPA GSPTSTEEGTSTEPSE GSAPGTSTEPSEGS PGSEPATSGSETPGT	GGTAGCCCCGGCTGGCTCTCCTACCTCTACTGAGGAAGGTACTTC TGAAAGCGCTACTCCTGAGTCTGGTCCAGGTACCTCTACTGAAC CGTCCGAAGGTAGCGCTCCAGGTAGCCCAGCAGGCTCTCCGAC TTCCACTGAGGAAGGTACTTCTACTGAACCTTCCGAAGGCAGC GCACCAGGTACCTCTACTGAACCTTCTGAGGGCAGCGCTCCAG GTACTTCTGAAAGCGCTACCCCGGAATCTGGCCCAGGTAGCGA ACCGGCTACTTCTGGTTCTGAAACCCAGGTAGCGAACCGGCT ACCTCCGGTTCTGAAACTCCAGGTAGCCCCGGCAGGCTCTCCGAC CTCTACTGAGGAAGGTACTTCTGAAAGCGCAACCCCGGAGTCC GGCCCAGGTACCTCTACCGAACCGTCTGAGGGCAGCGCACCAG GTACTTCTACCGAACCGTCCGAGGGTAGCGCACCAGGTAGCCC AGCAGGTTCTCCTACCTCCACCGAGGAAGGTACTTCTACCGAAC CGTCCGAGGGTAGCGCACCAGGTACCTCTACTGAACCTTCTGA GGGCAGCGCTCCAGGTACTTCTGAAAGCGCTACCCCGGAGTCC GGTCCAGGTACTTCTACTGAACCGTCCGAAGGTAGCGCACCAG GTACTTCTGAAAGCGCAACCCCTGAATCCGGTCCAGGTAGCGA ACCGGCTACTTCTGGCTCTGAGACTCCAGGTACTTCTACCGAAC CGTCCGAAGGTAGCGCACCAGGTACTTCTACTGAACCGTCTGA AGGTAGCGCACCAGGTACTTCTGAAAGCGCAACCCCGGAATCC GGCCCAGGTACCTCTGAAAGCGCAACCCCGGAGTCCGGCCCCAG GTAGCCCTGCTGGCTCTCCAACCTCCACCGAAGAAGGTACCTCT GAAAGCGCAACCCCTGAATCCGGCCCAGGTAGCGAACCGGCCAA CCTCCGGTTCTGAAACCCAGGTACCTCTGAAAGCGCTACTCCG GAGTCTGGCCCAGGTACCTCTACTGAACCGTCTGAGGGTAGCG CTCCAGGTACTTCTACTGAACCGTCCGAAGGTAGCGCACCAGG TACTTCTACCGAACCGTCCGAAGGCAGCGCTCCAGGTACCTCTA CTGAACCTTCCGAGGGCAGCGCTCCAGGTACCTCTACCGAACCT TCTGAAGGTAGCGCACCAGGTACTTCTACCGAACCGTCCGAGG GTAGCGCACCAGGTAGCCAGCAGGTTCTCCTACCTCCACCGA GGAAGGTACTTCTACCGAACCGTCCGAGGGTAGCGCACCAGGT ACCTCTGAAAGCGCAACTCCTGAGTCTGGCCCAGGTAGCGAAC CTGCTACCTCCGGCTCTGAGACTCCAGGTACCTCTGAAAGCGCA ACCCCGGAATCTGGTCCAGGTAGCGAACCTGCAACCTCTGGCT CTGAAACCCAGGTACCTCTGAAAGCGCTACTCCTGAATCTGGC CCAGGTACTTCTACTGAACCGTCCGAGGGCAGCGCACCAGGTA CTTCTGAAAGCGCTACTCCTGAGTCCGGCCCAGGTAGCCCGGCT GGCTCTCCGACTTCCACCGAGGAAGGTAGCCCGGCTGGCTCTCC AATTCTACTGAAGAAGGTAGCCCGGCAGGCTCTCCGACCTCT ACTGAGGAAGGTACTTCTGAAAGCGCAACCCCGGAGTCCGGCC CAGGTACCTCTACCGAACCGTCTGAGGGCAGCGCACCAGGTAC CTCTGAAAGCGCAACTCCTGAGTCTGGCCCAGGTAGCGAACCT GCTACCTCCGGCTCTGAGACTCCAGGTACCTCTGAAAGCGCAA CCCCGGAATCTGGTCCAGGTAGCGAACCTGCAACCTCTGGCTCT GAAACCCAGGTACCTCTGAAAGCGCTACTCCTGAATCTGGCC CAGGTACTTCTACTGAACCGTCCGAGGGCAGCGCACCAGGTAG CCCTGCTGGCTCTCCAACCTCCACCGAAGAAGGTACCTCTGAAA GCGCAACCCCTGAATCCGGCCCAGGTAGCGAACCGGCCAACCTC CGGTTCTGAAACCCAGGTACTTCTGAAAGCGCTACTCCTGAGT CCGGCCCAGGTAGCCCGGCTGGCTCTCCGACTTCCACCGAGGA AGGTAGCCCGGCTGGCTCTCCAATTCTACTGAAGAAGGTACTT CTACCGAACCTTCCGAGGGCAGCGCACCAGGTACTTCTGAAAG CGCTACCCCTGAGTCCGGCCCAGGTACTTCTGAAAGCGCTACTC CTGAATCCGGTCCAGGTACTTCTGAAAGCGCTACCCCGGAATCT GGCCCAGGTAGCGAACCGGCTACTTCTGGTTCTGAAACCCAG GTAGCGAACCGGCTACCTCCGGTTCTGAAACTCCAGGTAGCCC

GHXTEN Name*	Amino Acid Sequence	DNA Nucleotide Sequence
	SESATPESGPGTSTEP SEGSA PGFPTIPLSRL FDNAMLRAHRLHQL AFDTYQEFEEAYIPK EQKYSFLQNPQTS LC FSESIPTSNREETQQ KSNLELLRISLLLIQS WLEPVQFLRSVFAN SLVYGASDSNVYDL LKDLEEGIQTLMGRL EDGSPRTGQIFKQTY SKFDNTSHND DALL KNYGLLYCFRKMDM KVETFLRIVQCRSVE GSCGF	AGCAGGCTCTCCGACTTCCACTGAGGAAGGTACTTCTACTGAAC CTTCCGAAGGCAGCGCACCAGGTACCTCTACTGAACCTTCTGAG GGCAGCGCTCCAGGTAGCGAACCTGCAACCTCTGGCTCTGAAA CCCAGGTACCTCTGAAAGCGCTACTCCTGAATCTGGCCCAGGT ACTTCTACTGAACCGTCCGAGGGCAGCGCACCAGGTTTTCCGAC TATCCGCTGTCTCGTCTGTTTGATAATGCTATGCTGCGTGCGC ACCGTCTGCACCAGCTGGCCTTTGATACTTACCAGGAATTTGAA GAAGC ₆ TACATTCTAAAGAGCAGAAGTACTCTTTCTGCAAAA CCCACAGACTTCTCTCTGCTTCAGCGAATCTATTCCGACGCCTT CCAATCGCGAGGAACTCAGCAAAAAGTCCAATCTGGAAGTACT CCGCATTTCTCTGCTTCTGATTTCAGAGCTGGCTAGAACCAAGTGC AATTTCTGCGTTCGGTCTTCGCCAATAGCCTAGTTTATGGCGCA TCCGACAGCAACGTATACGATCTCCTGAAAGATCTCGAGGAAG GCATTTCAGACCCTGATGGGTCTGCTCTCGAGGATGGCTCTCCGCGT ACTGGTCAGATCTTCAAGCAGACTTACTCTAAATTTGATACTAA CAGCCACAATGACGATGCGCTTCTAAAAAACTATGGTCTGCTGT ATTGTTTTCTGTAAGATATGGACAAAGTTGAAACCTTCTGCGT ATTGTTTCAGTGCTGTTCCGTTGAGGGCAGCTGTGGTTTCTAA
AF864- hGH	GSTSESPSGTAPGTSP SGESSTAPGSTSESPS GTAPGSTSESPSGTA PGTSTPESGSASPGTS TPESGSASPGSTSESP SGTAPGSTSESPSGT APGTSPSGESSTAPG STSESPSGTAPGTSPS GESSTAPGTSPSGESS TAPGSTSSTAESPGP GTSPSGESSTAPGTSP SGESSTAPGSTSSTA ESPGPGTSTPESGSAS PGTSTPESGSASPGST SESPSGTAPGTSESP SGTAPGTSTPESGSA SPGSTSSTAESPGPGT STPESGSASPGSTSES PSGTAPGTSPSGESST APGSTSSTAESPGPG TSPSGESSTAPGTSTP ESGSASPGSTSSTAES PPGSTSSTAESPGP GSTSSTAESPGPGSTS STAESPGGTSPSGES STAPGSTSESPSGTAP GSTSESPSGTAPGTS TPESGPXXXGASASG APSTXXXSESPSGT APGSTSESPSGTAPG STSESPSGTAPGSTSE SPSGTAPGSTSESPSG TAPGSTSESPSGTAP GTSTPESGSASPGTSP SGESSTAPGTSPSGES STAPGSTSSTAESPGP GTSPSGESSTAPGTS TPESGSASPGSTSESP SGTAPGSTSESPSGT APGTSPSGESSTAPG STSESPSGTAPGTSTP	GGTTCTACCAGCGAATCTCCTTCTGGCACCAGCTCCAGGTACCTC TCCTAGCGGCGAATCTTCTACCGCTCCAGGTTCTACTAGCGAAT CTCCTTCTGGCACTGCACCAGGTTCTACTAGCGAATCCCCGTCT GGTACTGCTCCAGGTACTTCTACTCCTGAAAGCGGTTCCGCTTC TCCAGGTACCTCTACTCCGGAAGCGGTTCTGCATCTCCAGGTT CTACCAGCGAATCTCCTTCTGGCACCAGCTCCAGGTTCTACTAGC GAATCCCCGTCTGGTACCGCACCAGGTACTTCTCCTAGCGGCGA ATCTTCTACCGCACCAGGTTCTACTAGCGAATCTCCGTCTGGCA CTGCTCCAGGTACTTCTCCTAGCGGTGAATCTTCTACCGCTCCA GGTACTTCCCCTAGCGGCGAATCTTCTACCGCTCCAGGTTCTAC TAGCTCTACTGCAGAATCTCCGGGCCCAGGTACCTCTCCTAGCG GTGAATCTTCTACCGCTCCAGGTACTTCTCCGAGCGGTGAATCT TCTACCGCTCCAGGTTCTACTAGCTCTACTGCAGAATCTCCTGG CCCAGGTACCTCTACTCCGGAAGCGGCTCTGCATCTCCAGGTA CTTCTACCCCTGAAAGCGGTTCTGCATCTCCAGGTTCTACTAGC GAATCTCCTTCTGGCACTGCACCAGGTTCTACCAGCGAATCTCC GTCTGGCACTGCACCAGGTACCTCTACCCCTGAAAGCGGTTCCG CTTCTCCAGGTTCTACCAGCTCTACCGCAGAATCTCCTGGTCCA GGTACCTCTACTCCGGAAGCGGCTCTGCATCTCCAGGTTCTAC TAGCGAATCTCCTTCTGGCACTGCACCAGGTACTTCTCCGAGCG GTGAATCTTCTACCGCACCAGGTTCTACTAGCTCTACCGCTGAA TCTCCGGGCCCAGGTACTTCTCCGAGCGGTGAATCTTCTACTGC TCCAGGTACCTCTACTCCTGAAAGCGGTTCTGCATCTCCAGGTT CCACTAGCTCTACCGCAGAATCTCCGGGCCCAGGTTCTACTAGC TCTACTGCTGAATCTCCTGGCCCAGGTTCTACTAGCTCTACTGC TGAATCTCCGGGTCCAGGTTCTACCAGCTCTACTGCTGAATCTC CTGGTCCAGGTACCTCCCCGAGCGGTGAATCTTCTACTGCACCA GGTTCTACTAGCGAATCTCCTTCTGGCACTGCACCAGGTTCTAC CAGCGAATCTCCGTCTGGCACTGCACCAGGTACCTCTACCCCTG AAAGCGGTCCXXXXXXXXXXXXTGAAGCGCAAGCGGCGCGC CAAGCACGGGAXXXXXXXXXTAGCGAATCTCCTTCTGGTACCGC TCCAGGTTCTACCAGCGAATCCCCGTCTGGTACTGCTCCAGGTT CTACCAGCGAATCTCCTTCTGGTACTGCACCAGGTTCTACTAGC GAATCTCCTTCTGGTACCGCTCCAGGTTCTACCAGCGAATCCCC GTCTGGTACTGCTCCAGGTTCTACCAGCGAATCTCCTTCTGGTA CTGCACCAGGTACTTCTACTCCGGAAGCGGTTCCGCATCTCCA GGTACTTCTCCTAGCGGTGAATCTTCTACTGCTCCAGGTACCTC TCCTAGCGGCGAATCTTCTACTGCTCCAGGTTCTACCAGCTCTA CTGCTGAATCTCCGGGTCCAGGTACTTCCCCGAGCGGTGAATCT TCTACTGCACCAGGTACTTCTACTCCGGAAGCGGTTCCGCTTC TCCAGGTTCTACCAGCGAATCTCCTTCTGGCACCAGCTCCAGGTT

GHXTEN Name*	Amino Acid Sequence	DNA Nucleotide Sequence
	ESGSASPGTSTPESGS ASPGSTSESPTSGTAP GTSTPESGSASPGSTS STAESPGPGSTSESPS GTAPGSTSESPTSGTA PGTSPSGESSTAPGST SSTAESPGPGTSPSGE SSTAPGTSTPESGSAS PGTSPSGESSTAPGTS PSGESSTAPGTSPSGE SSTAPGSTSSTAESPG PGSTSSSTAESPGPGTS PSGESSTAPGSSPSAS TGTGPGSSTPSGATG SPGSSTPSGATGSPG FPTIPLSRLFDNAML RAHRLHQLAFDITYQ EFEEAYIPKEQKYSF LQNPQTSLCFSESIPT PSNREETQQKSNLEL LRISLLLIQSWLEPVQ FLRSVFANSLVYGAS DSNVYDLLKDLEEGI QTLMGRLEDGSPRT GQIFKQTYSKFDTNS HNDDALLKNYGLLY CFRKMDMDKVETFLRI VQCRSVEGSCGF	CTACTAGCGAATCCCCGTCTGGTACCGCACCAGGTACTTCTCCT AGCGGCGAATCTTCTACCGCACCAGGTCTACTAGCGAATCCCC GTCTGGTACCGCACCAGGTACTTCTACCCCGGAAAGCGGCTCTG CTTCTCCAGGTACTTCTACCCCGGAAAGCGGCTCCGCATCTCCA GGTCTACTAGCGAATCTCCTTCTGGTACCGCTCCAGGTACTTC TACCCCTGAAAGCGGCTCCGCTTCTCCAGGTTCCTACTAGCTCTA CCGCTGAATCTCCGGGTCCAGGTCTTCTACCAGCGAATCTCCTTCT GGCACCGCTCCAGGTCTACTAGCGAATCCCCGTCTGGTACCGC ACCAGGTACTTCTCCTAGCGGCGAATCTTCTACCGCACCAGGT CTACCAGCTCTACTGCTGAATCTCCGGGTCCAGGTACTTCCCCG AGCGGTGAATCTTCTACTGCACCAGGTACTTCTACTCCGGAAAG CGGTTCCGCTTCTCCAGGTACCTCCCCTAGCGGCGAATCTTCTA CTGCTCCAGGTACCTCTCCTAGCGGCGAATCTTCTACTCCGCTCA GGTACCTCCCCCTAGCGGTGAATCTTCTACCGCACCAGGTCTAC TAGCTCTACTGCTGAATCTCCGGGTCCAGGTCTTCTACCAGCTCTA CTGCTGAATCTCCTGGTCCAGGTACCTCCCCGAGCGGTGAATCT TCTACTGCACCAGGTCTAGCCCTTCTGCTTCCACCGGTACCGG CCCAGGTAGCTCTACTCCGTCTGGTGCAACTGGCTCTCCAGGTA GCTCTACTCCGTCTGGTGCAACCGGCTCCCCAGGTTTTCCGACT ATTCCGCTGTCTCGTCTGTTTGATAATGCTATGCTGCGTGCGCA CCGTCTGCACCAGCTGGCCTTTGATACTTACCAGGAATTTGAAG AAGC ₂ TACATTCTTAAAGAGCAGAAGTACTCTTTCCTGCAAAAC CCACAGACTTCTCTCTGCTTCAGCGAATCTATTCCGACGCCTTC CAATCGCGAGGAACTCAGCAAAAGTCCAATCTGGAAGTACTC CGCATTTCTCTGCTTCTGATTCAGAGCTGGCTAGAACCAGTGCA ATTTCTGCGTTCCGTCTTCGCCAATAGCCTAGTTTATGGCGCAT CCGACAGCAACGTATACGATCTCCTGAAAGATCTCGAGGAAGG CATTACAGACCCTGATGGGTGCTCTCGAGGATGGCTCTCCGCGTA CTGGTCAGATCTTCAAGCAGACTTACTCTAAATTTGATACTAAC AGCCACAATGACGATGCGCTTCTAAAAAAGTATGGTCTGCTGT ATTGTTTTCTGTAAGATATGGACAAAGTTGAAACCTTCTGCGT ATTGTTTCAGTGTCGTTCCGTTGAGGGCAGCTGTGGTTTCTAA
AG864- hGH	GASPGTSSGSPGSS PSASTGTGPGSSPSA STGTGPGTPGSGTAS SSPGSTSPGATGSP GSNPSASTGTGPGAS PGTSSGSPGTPGSG TASSSPGSSTPSGAT GSPGTPGSGTASSSP GASPGTSSGSPGAS PGTSSGSPGTPGSG TASSSPGSSTPSGAT GSPGASPGTSSGSP GTPGSGTASSSPGSS TPGSATGSPGSNPSA STGTGPGSSPSASTG TGPSSSTPSGATGSP GSSTPSGATGSPGAS PGTSSGSPGASPGT SSTGSPGASPGTSST GSPGTPGSGTASSSP GASPGTSSGSPGAS PGTSSGSPGASPGT SSTGSPGSSPSASTGT GPGTPGSGTASSSPG ASPGTSSGSPGASP GTSSGSPGASPGTS STGSPGSSTPSGATG	GGTGCTTCCCCGGGCACCAGCTCTACTGGTTCTCCAGGTCTAG CCCGTCTGCTTCTACTGGTACTGGTCCAGGTCTAGCCCTTCTGC TTCCACTGGTACTGGTCCAGGTACCCCGGGTAGCGGTACCGCTT CTTCTTCTCCAGGTAGCTCTACTCCGTCTGGTCTACTCCGCTCTC CAGGTTCTAACCCCTTCTGCATCCACCGGTACCGGCCAGGTGCT TCTCCGGGCACCAGCTCTACTGGTTCTCCAGGTACCCCGGGCAG CGGTACCGCATCTTCTTCTCCAGGTAGCTCTACTCCTTCTGGTGC AACTGGTTCTCCAGGTACTCCTGGCAGCGGTACCGCTTCTTCTT CTCCAGGTGCTTCTCCTGGTACTAGCTCTACTGGTTCTCCAGGT GCTTCTCCGGGCACTAGCTCTACTGGTTCTCCAGGTACCCCGGG TAGCGGTACTGCTTCTTCTCTCCAGGTAGCTCTACCCCTTCTGG TGCAACCGGCTCTCCAGGTGCTTCTCCGGGCACCAGCTCTACCG GTTCTCCAGGTACCCCGGGTAGCGGTACCGCTTCTTCTTCTCCA GGTAGCTCTACTCCGTCTGGTGCTACCGGCTCTCCAGGTCTAA CCCTTCTGCATCCACCGGTACCGGCCAGGTCTAGCCCTTCTG CTCCACCGGTACTGGCCAGGTAGCTCTACCCCTTCTGGTGCT ACCGGCTCCCCAGGTAGCTCTACTCCTTCTGGTGCAACTGGCTC TCCAGGTGCATCTCCGGGCACTAGCTCTACTGGTTCTCCAGGTG CATCCCCTGGCACTAGCTCTACTGGTTCTCCAGGTGCTTCTCCT GGTACCAGCTCTACTGGTTCTCCAGGTACTCCTGGCAGCGGTAC CGCTTCTTCTTCTCCAGGTGCTTCTCCTGGTACTAGCTCTACTGG TTCTCCAGGTGCTTCTCCGGGCACTAGCTCTACTGGTTCTCCAG GTGCTTCCCCGGGCACTAGCTCTACCGGTCTCCAGGTCTAGC CCTTCTGCATCTACTGGTACTGGCCAGGTACTCCGGGCAGCGG TACTGCTTCTTCTCTCCAGGTGCATCTCCGGGCACTAGCTCTA CTGGTTCTCCAGGTGCATCCCCTGGCACTAGCTCTACTGGTTCT CCAGGTGCTTCTCCTGGTACCAGCTCTACTGGTTCTCCAGGTAG

GHXTEN Name*	Amino Acid Sequence	DNA Nucleotide Sequence
	SPGSSTPSGATGSPG ASPGTSSSTGSPGTPG SGTASSSPGSSTPSG ATGSPGSSTPSGATG SPGSSTPSGATGSPG SSPASTGTGPGASP GTSSTGSPGASPGTS STGSPGTPGSGTASS SPGASPGTSSTGSPG ASPGTSSSTGSPGASP GTSSTGSPGASPGTS STGSPGTPGSGTASS SPGSSTPSGATGSPG TPGSGTASSSPGSSTP SGATGSPGTPGSGTA SSSPGSSTPSGATGSP GSSTPSGATGSPGSS PSASTGTGPGSSPSA STGTGPGASPGTSST GSPGTPGSGTASSSP GSSTPSGATGSPGSS PSASTGTGPGSSPSA STGTGPGASPGTSST GSPGASPGTSSTGSP GSSTPSGATGSPGSS PSASTGTGPGASPGT SSTGSPGSSPSASTGT GPGTPGSGTASSSPG SSTPSGATGSPGSSTP SGATGSPGASPGTSS TGSPGFPTIPLSRLFD NAMLRAHRLHQLAF DTYQEFEEAYIPKEQ KYSFLQNPQTSLCFS ESIPTPSNREETQQKS NLELLRISLLLIQSWL EPVQFLRSVFANSLV YGASDSNVYDLLKD LEEGIQTLMGRLEDG SPRTGQIFKQTYSKF DTNSHNDDALLKNY GLLYCFRKDMDKVE TFLRIVQCRSVEGSC GF	CTCTACTCCGTCTGGTGCAACCGGTTCCCCAGGTAGCTCTACTC CTTCTGGTGCTACTGGCTCCCCAGGTGCATCCCCTGGCACCAGC TCTACCGGTTCTCCAGGTACCCCGGGCAGCGGTACCGCATCTTC CTCTCCAGGTAGCTCTACCCCGTCTGGTGCTACCGGTTCCCCAG GTAGCTCTACCCCGTCTGGTGCAACCGGCTCCCCAGGTAGCTCT ACTCCGTCTGGTGCAACCGGCTCCCCAGGTTCTAGCCCGTCTGC TTCCACTGGTACTGGCCCAGGTGCTTCCCCGGGCACCAGCTCTA CTGGTTCTCCAGGTGCATCCCCGGGTACCAGCTCTACCGGTTCT CCAGGTACTCCTGGCAGCGGTACTGCATCTTCCTCTCCAGGTGC TTCTCCGGGCACCAGCTCTACTGGTTCTCCAGGTGCATCTCCGG GCACTAGCTCTACTGGTTCTCCAGGTGCATCCCCTGGCACTAGC TCTACTGGTTCTCCAGGTGCTTCTCCTGGTACCAGCTCTACTGGT TCTCCAGGTACCCCTGGTAGCGGTACTGCTTCTTCTCTCCAGG TAGCTCTACTCCGTCTGGTGCTACCGGTTCTCCAGGTACCCCGG GTAGCGGTACCGCATCTTCTTCTCCAGGTAGCTCTACCCCGTCT GGTGCTACTGGTTCTCCAGGTACTCCGGGCAGCGGTACTGCTTC TTCCTCTCCAGGTAGCTCTACCCCTTCTGGTGCTACTGGCTCTCC AGGTAGCTCTACCCCGTCTGGTGCTACTGGCTCCCCAGGTTCTA GCCCTTCTGCATCCACCGGTACCGGTCCAGGTTCTAGCCCGTCT GCATCTACTGGTACTGGTCCAGGTGCATCCCCGGGCAGTACTC TACCGGTTCTCCAGGTACTCCTGGTAGCGGTACTGCTTCTTCTTC TCCAGGTAGCTCTACTCCTTCTGGTGCTACTGGTTCTCCAGGTT TAGCCCTTCTGCATCCACCGGTACCGGCCAGGTTCTAGCCCGT CTGCTTCTACCGGTACTGGTCCAGGTGCTTCTCCGGGTACTAGC TCTACTGGTTCTCCAGGTGCATCTCCTGGTACTAGCTCTACTGG TTCTCCAGGTAGCTCTACTCCGTCTGGTGCAACCGGCTCTCCAG GTTCTAGCCCTTCTGCATCTACCGGTACTGGTCCAGGTGCATCC CCTGGTACCAGCTCTACCGGTTCTCCAGGTTCTAGCCCTTCTGC TTCTACCGGTACCGGTCCAGGTACCCCTGGCAGCGGTACCGCAT CTTCCTCTCCAGGTAGCTCTACTCCGTCTGGTGCAACCGGTTCC CCAGGTAGCTCTACTCCTTCTGGTGCTACTGGCTCCCCAGGTGC ATCCCTGGCACCAGCTCTACCGGTTCTCCAGGTTTTCCGACTA TTCCGCTGTCTCGTCTGTTTGATAATGCTATGCTGCGTGCGCAC CGTCTGCACCAGCTGGCCTTTGATACTTACCAGGAATTTGAAGA AGC&TACATTCTTAAAGAGCAGAAGTACTCTTTCCTGCAAAACC CACAGACTTCTCTCTGCTTCAGCGAATCTATTCCGACGCTTCC AATCGCGAGGAACTCAGCAAAAGTCCAATCTGGAAGTACTCC GCATTTCTCTGCTTCTGATTCTAGAGCTGGCTAGAACCAGTGCAA TTTCTGCGTTCCGTCTTCGCCAATAGCCTAGTTTATGGCGCATCC GACAGCAACGTATACGATCTCCTGAAAGATCTCGAGGAAGGCA TTCAGACCCTGATGGGTCTGCTCGAGGATGGCTCTCCGCGTACT GGTCTAGATCTTCAAGCAGACTTACTCTAAATTTGATACTAACAG CCACAATGACGATGCGCTTCTAAAAAACTATGGTCTGCTGTATT GTTTTCGTAAAGATATGGACAAAGTTGAAACCTTCTGCGTATT GTTCAGTGTCTGTTCCGTTGAGGGCAGCTGTGGTTTCTAA
AM875- hGH	GTSTEPSEGSAPGSE PATSGSETPGSPAGS PTSTEEGSTSSTAESP GPGTSTPESGSASPG STSESPSGTAPGSTSE SPSGTAPGTSTPESGS ASPGTSTPESGSASP GSEPATSGSETPGTS ESATPESGPGSPAGS PTSTEEGTSTEPSEGS APGTSESATPESGPG TSTEPSEGSAPGTSTE PSEGSAPGSPAGSPT STEEGTSTEPSEGSAP	GGTACTTCTACTGAACCGTCTGAAGGCAGCGCACCAGGTAGCG AACCGGCTACTTCCGGTTCTGAAACCCAGGTAGCCAGCAGG TTCTCCAACCTTCTACTGAAGAAGGTTCTACCAGCTCTACCGCAG AATCTCCTGGTCCAGGTACCTCTACTCCGGAAAGCGGCTCTGCA TCTCCAGGTTCTACTAGCGAATCTCCTTCTGGCACTGCACCAGG TTCTACTAGCGAATCCCCGTCTGGTACTGCTCCAGGTACTTCTA CTCCTGAAAGCGGTTCCGCTTCTCCAGGTACCTCTACTCCGGAA AGCGGTTCTGCATCTCCAGGTAGCGAACCAGGCAACCTCCGGCT CTGAAACCCAGGTACCTCTGAAAGCGCTACTCCTGAATCCGG CCCAGGTAGCCCGGCAGGTTCTCCGACTTCCACTGAGGAAGGT ACCTCTACTGAACCTTCTGAGGGCAGCGCTCCAGGTACTTCTGA AAGCGCTACCCCGGAGTCCGGTCCAGGTACTTCTACTGAACCGT CCGAAGGTAGCGCACCAGGTACTTCTACCGAACCCTCCGAGGG TAGCGCACCAGGTAGCCAGCAGGTTCTCCTACCTCCACCGAG

GHXTEN Name*	Amino Acid Sequence	DNA Nucleotide Sequence
	GTSTEPSEGSAPGTS ESATPESGPGTSESA TPESGPGTSTEPSEGS APGTSTEPSEGSAPG TSEATPESGPGTSTE PSEGSAPGSEPATSG SETPGSPAGSPTSTEE GSSTPSGATGSPGTP GSGTASSSPGSSTPS GATGSPGTSTEPSEG SAPGTSTEPSEGSAP GSEPATSGSETPGSP AGSPTSTEEGSPAGS PTSTEEGTSTEPSEGS APGASASGAPSTGGT SESATPESGPGSPAG SPTSTEEGSPAGSPTS TEEGSTSSTAESPGP GSTSESPSGTAPGTSP SGESSTAPGTPGSGT ASSSPGSSTPSGATG SPGSSPSASTGTGPG SEPATSGSETPGTSES ATPESGPGSEPATSG SETPGSTSSTAESPGP GSTSSTAESPGPGTSP SGESSTAPGSEPATS GSETPGSEPATSGSE TPGTSTEPSEGSAPG STSSTAESPGPGTSTP ESGSASPGSTSESPSG TAPGTSTEPSEGSAP GTSTEPSEGSAPGTS TEPSEGSAPGSSTPSG ATGSPGSSPSASTGT GPGASPGTSSGSPG SEPATSGSETPGTSES ATPESGPGSPAGSPT STEEGSSTPSGATGS PGSSPSASTGTGPGA SPGTSSTGSPGTSESA TPESGPGTSTEPSEGS APGTSTEPSEGSAPG FPTIPLSRLFDNAML RAHRLHQLAFDITYQ EFEEAYIPKEQKYSF LQNPQTSLCFSESIPT PSNREETQQKSNLEL LRISLLLIQSWLEPVQ FLRSVFANSLVYGAS DSNVYDLLKDLEEGI QTLMGRLEDGSPRT GQIFKQTYSKFDTNS HNDDALLKNYGLLY CFRKDMDKVETFLRI VQCRSVEGSCGF	GAAGGTACTTCTACCGAACCGTCCGAGGGTAGCGCACCAGGTA CTTCTACCGAACCTTCCGAGGGCAGCGCACCAGGTACTTCTGAA AGCGCTACCCCTGAGTCCGGGCCAGGTACTTCTGAAAGCGCTA CTCCTGAATCCGGTCCAGGTACCTCTACTGAACCTTCCGAAGGC AGCGCTCCAGGTACCTCTACCGAACCGTCCGAGGGCAGCGCAC CAGGTACTTCTGAAAGCGCAACCCCTGAATCCGGTCCAGGTAC TTCTACTGAACCTTCCGAAGGTAGCGCTCCAGGTAGCGAACCTG CTACTTCTGGTTCTGAAACCCCAAGGTAGCCCGGCTGGCTCTCCG ACCTCCACCGAGGAAGGTAGCTCTACCCCGTCTGGTGCTACTGG TTCTCCAGGTACTCCGGGCAGCGGTACTGCTTCTTCTCTCCAG GTAGCTCTACCCCTTCTGGTGCTACTGGCTCTCCAGGTACCTCT ACCGAACCGTCCGAGGGTAGCGCACCAGGTACCTCTACTGAAC CGTCTGAGGGTAGCGCTCCAGGTAGCGAACCGGCAACCTCCGG TTCTGAAACTCCAGGTAGCCCTGCTGGCTCTCCGACTTCTACTG AGGAAGGTAGCCCGGCTGGTTCTCCGACTTCTACTGAGGAAGG TACTTCTACCGAACCTTCCGAAGGTAGCGCTCCAGGTGCAAGC GCAAGCGGCGCGCCAAGCACGGGAGGTACTTCTGAAAGCGCTA CTCCTGAGTCCGGGCCAGGTAGCCCGGCTGGCTCTCCGACTTCC ACCGAGGAAGGTAGCCCGGCTGGCTCTCCAACCTTCTACTGAAG AAGGTTCTACCAGCTCTACCGCTGAATCTCCTGGGCCAGGTTCT ACTAGCGAATCTCCGTCTGGCACCACAGGTACTTCCCCTAG CGGTGAATCTTCTACTGCACCAGGTACCCCTGGCAGCGGTACCG CTTCTTCTCTCCAGGTAGCTCTACCCCGTCTGGTGCTACTGGCT CTCCAGGTTCTAGCCCGTCTGCATCTACCGGTACCGGCCAGGT AGCGAACCGGCAACCTCCGGCTCTGAAACTCCAGGTACTTCTG AAAGCGCTACTCCGGAATCCGGGCCAGGTAGCGAACCGGCTAC TTCCGGCTCTGAAACCCCAAGGTTCCACCAGCTCTACTGCAGAAT CTCCGGGCCAGGTTCTACTAGCTCTACTGCAGAATCTCCGGGT CCAGGTACTTCTCCTAGCGGCGAATCTTCTACCGCTCCAGGTAG CGAACCGGCAACCTCTGGCTCTGAAACTCCAGGTAGCGAACCT GCAACCTCCGGCTCTGAAACCCCAAGGTACTTCTACTGAACCTTC TGAGGGCAGCGCACCAGGTTCTACCAGCTCTACCGCAGAATCT CCTGGTCCAGGTACCTCTACTCCGGAAGCGGCTCTGCATCTCC AGGTTCTACTAGCGAATCTCCTTCTGGCACTGCACCAGGTACTT CTACCGAACCGTCCGAAGGCAGCGCTCCAGGTACCTCTACTGA ACCTTCCGAGGGCAGCGCTCCAGGTACCTCTACCGAACCTTCTG AAGGTAGCGCACCAGGTAGCTCTACTCCGTCTGGTGCAACCGG CTCCCCAGGTTCTAGCCCGTCTGCTTCCACTGGTACTGGCCAG GTGCTTCCCCGGGCACCAGCTCTACTGGTTCTCCAGGTAGCGAA CCTGCTACCTCCGTTCTGAAACCCCAAGGTACCTCTGAAAGCGC AACTCCGGAGTCTGGTCCAGGTAGCCCTGCAGGTTCTCTACCT CCACTGAGGAAGGTAGCTCTACTCCGTCTGGTGCAACCGGCTCC CCAGGTTCTAGCCCGTCTGCTTCCACTGGTACTGGCCAGGTGC TTCCCCGGGCACCAGCTCTACTGGTTCTCCAGGTACCTCTGAAA GCGCTACTCCGGAGTCTGGCCAGGTACCTCTACTGAACCGTCT GAGGGTAGCGCTCCAGGTACTTCTACTGAACCGTCCGAAGGTA GCGCACCAGGTTTTCCGACTATTCCGCTGTCTCGTCTGTTTGAT AATGCTATGCTGCGTGCGACCGTCTGCACCAGCTGGCCTTTGA TACTTACCAGGAATTTGAAGAAGC&TACATTCTAAAGAGCAGA AGTACTCTTCTGCAAAACCCACAGACTTCTCTCTGCTTCAGC GAATCTATTCCGACGCCTTCCAATCGCGAGGAACTCAGCAAA AGTCCAATCTGGAACACTCCGCATTTCTCTGCTTCTGATTGAG AGCTGGCTAGAACCAGTGCAATTTCTGCGTTCCGTCTTCGCCAA TAGCCTAGTTTATGGCGCATCCGACAGCAACGTATACGATCTCC TGAAAGATCTCGAGGAAGGCATTGACACCCTGATGGGTGCTCT CGAGGATGGCTCTCCGCGTACTGGTCAGATCTTCAAGCAGACTT ACTCTAAATTTGATACTAACAGCCACAATGACGATGCGCTTCTA AAAAATATGGTCTGCTGTATTGTTTTTCGTAAAGATATGGACAA AGTTGAAACCTTCTGCGTATTGTTTCAGTGTGCTTCCGTTGAGG

GHXTEN Name*	Amino Acid Sequence	DNA Nucleotide Sequence
AE912- hGH	MAEPAGSPTSTEEGT PGSGTASSSPGSSTPS GATGSPGASPGTSST GSPGSPAGSPTSTEE GTSESATPESGPGTS TEPSEGSAPGSPAGS PTSTEEGTSTEPSEGS APGTSTEPSEGSAPG TSESATPESGPGSEP ATSGSETPGSEPATS GSETPGSPAGSPTST EEGTSESATPESGPG TSTEPSEGSAPGTSTE PSEGSAPGSPAGSPT STEEGTSTEPSEGSAP GTSTEPSEGSAPGTS ESATPESGPGTSTEPS EGSAPGTSESATPES GPGSEPATSGSETPG TSTEPSEGSAPGTSTE PSEGSAPGTSESATP ESGPGTSESATPESG PGSPAGSPTSTEEGT SESATPESGPGSEPA TSGSETPGTSESATPE SGPGTSTEPSEGSAP GTSTEPSEGSAPGTS TEPSEGSAPGTSTEPS EGSAPGTSTEPSEGS APGTSTEPSEGSAPG SPAGSPTSTEEGTSTE PSEGSAPGTSESATP ESGPGSEPATSGSET PGTSESATPESGPGS EPATSGSETPGTSES ATPESGPGTSTEPSE GSAPGTSESATPESG PGSPAGSPTSTEEGSP AGSPTSTEEGSPAGS PTSTEEGTSESATPES GPGTSTEPSEGSAPG TSESATPESGPGSEP ATSGSETPGTSESAT PESGPGSEPATSGSE TPGTSESATPESGPG TSTEPSEGSAPGSPA GSPTSTEEGTSESATP ESGPGSEPATSGSET PGTSESATPESGPGSP AGSPTSTEEGSPAGS PTSTEEGTSTEPSEGS APGTSESATPESGPG TSESATPESGPGTSES ATPESGPGSEPATSG SETPGSEPATSGSETP GSPAGSPTSTEEGTS TEPSEGSAPGTSTEPS EGSAPGSEPATSGSE	GCAGCTGTGGTTTCTAA ATGGCTGAACCTGCTGGCTCTCCAACCTCCACTGAGGAAGGTA CCCCGGGTAGCGGTACTGCTTCTTCCTCTCCAGGTAGCTCTACC CCTTCTGGTGCAACCGGCTCTCCAGGTGCTTCTCCGGGCACCCAG CTCTACCGGTTCTCCAGGTAGCCCCGGCTGGCTCTCCTACCTCTA CTGAGGAAGGTACTTCTGAAAGCGCTACTCCTGAGTCTGGTCCA GGTACCTCTACTGAACCGTCCGAAGGTAGCGCTCCAGGTAGCC CAGCAGGCTCTCCGACTTCCACTGAGGAAGGTACTTCTACTGAA CCTTCCGAAGGCAGCGCACCAGGTACCTCTACTGAACCTTCTGA GGGCAGCGCTCCAGGTACTTCTGAAAGCGCTACCCCGGAATCT GGCCCAGGTAGCGAACCGGCTACTTCTGGTTCTGAAACCCAG GTAGCGAACCGGCTACCTCCGGTTCTGAAACTCCAGGTAGCCC GGCAGGCTCTCCGACCTCTACTGAGGAAGGTACTTCTGAAAGC GCAACCCCGGAGTCCGGCCAGGTACCTCTACCGAACCGTCTG AGGGCAGCGCACCAGGTACTTCTACCGAACCGTCCGAGGGTAG CGCACCAGGTAGCCCAGCAGGTTCTCCTACCTCCACCGAGGAA GGTACTTCTACCGAACCGTCCGAGGGTAGCGCACCAGGTACCT CTACTGAACCTTCTGAGGGCAGCGCTCCAGGTACTTCTGAAAGC GCTACCCCGGAGTCCGGTCCAGGTACTTCTACTGAACCGTCCGA AGGTAGCGCACCAGGTACTTCTGAAAGCGCAACCCCTGAATCC GGTCCAGGTAGCGAACCGGCTACTTCTGGCTCTGAGACTCCAG GTACTTCTACCGAACCGTCCGAAGGTAGCGCACCAGGTACTTCT ACTGAACCGTCTGAAGGTAGCGCACCAGGTACTTCTGAAAGCG CAACCCCGGAATCCGGCCAGGTACCTCTGAAAGCGCAACCCC GGAGTCCGGCCAGGTAGCCCTGCTGGCTCTCCAACCTCCACCG AAGAAGGTACCTCTGAAAGCGCAACCCCTGAATCCGGCCAGG TAGCGAACCGGCAACCTCCGGTTCTGAAACCCAGGTACCTCT GAAAGCGCTACTCCGGAGTCTGGCCAGGTACCTCTACTGAAC CGTCTGAGGGTAGCGCTCCAGGTACTTCTACTGAACCGTCCGAA GGTAGCGCACCAGGTACTTCTACCGAACCGTCCGAAGGCAGCG CTCCAGGTACCTCTACTGAACCTTCCGAGGGCAGCGCTCCAGGT ACCTCTACCGAACCTTCTGAAGGTAGCGCACCAGGTACTTCTAC CGAACCGTCCGAGGGTAGCGCACCAGGTAGCCCAGCAGGTTCT CCTACCTCCACCGAGGAAGGTACTTCTACCGAACCGTCCGAGG GTAGCGCACCAGGTACCTCTGAAAGCGCAACTCCTGAGTCTGG CCCAGGTAGCGAACCTGCTACCTCCGGCTCTGAGACTCCAGGT ACCTCTGAAAGCGCAACCCCGGAATCTGGTCCAGGTAGCGAAC CTGCAACCTCTGGCTCTGAAACCCAGGTACCTCTGAAAGCGCT ACTCCTGAATCTGGCCAGGTACTTCTACTGAACCGTCCGAGGG CAGCGCACCAGGTACTTCTGAAAGCGCTACTCCTGAGTCCGGC CCAGGTAGCCCGGCTGGCTCTCCGACTTCCACCGAGGAAGGTA GCCCGGCTGGCTCTCCAACCTTCTACTGAAGAAGGTAGCCCGGC AGGCTCTCCGACCTCTACTGAGGAAGGTACTTCTGAAAGCGCA ACCCCGGAGTCCGGCCAGGTACCTCTACCGAACCGTCTGAGG GCAGCGCACCAGGTACCTCTGAAAGCGCAACTCCTGAGTCTGG CCCAGGTAGCGAACCTGCTACCTCCGGCTCTGAGACTCCAGGT ACCTCTGAAAGCGCAACCCCGGAATCTGGTCCAGGTAGCGAAC CTGCAACCTCTGGCTCTGAAACCCAGGTACCTCTGAAAGCGCT ACTCCTGAATCTGGCCAGGTACTTCTACTGAACCGTCCGAGGG CAGCGCACCAGGTAGCCCTGCTGGCTCTCCAACCTCCACCGAA GAAGGTACCTCTGAAAGCGCAACCCCTGAATCCGGCCAGGTA GCGAACCGGCAACCTCCGGTTCTGAAACCCAGGTACTTCTGA AAGCGCTACTCCTGAGTCCGGCCAGGTAGCCCGGCTGGCTCTC CGACTTCCACCGAGGAAGGTAGCCCGGCTGGCTCTCCAACCTCT ACTGAAGAAGGTACTTCTACCGAACCTTCCGAGGGCAGCGCAC CAGGTACTTCTGAAAGCGCTACCCCTGAGTCCGGCCAGGTACT TCTGAAAGCGCTACTCCTGAATCCGGTCCAGGTACTTCTGAAAG CGTACCCCGGAATCTGGCCAGGTAGCGAACCGGCTACTTCT GGTTCTGAAACCCAGGTAGCGAACCGGCTACCTCCGGTTCTG

GHXTEN Name*	Amino Acid Sequence	DNA Nucleotide Sequence
	TPGTSESATPESGPG TSTEPSEGSAPGFPTI PLSRLFDNAMLRAH RLHQLAFDTYQEFEE AYIPKEQKYSFLQNP QTSLCFSESIPSPNR EETQQKSNLELLRIS LLLIQSWLEPVQFLR SVFANSLVYGASDS NVYDLLKDLEEGIQT LMRLEDGSPRTGQI FKQTYSKFDNTSHN DDALLKNYGLLYCF RKDMDKVETFLRIV QCRSVEGSCGF	AAACCTCCAGGTAGCCCAGCAGGCTCTCCGACTTCCACTGAGGA AGGTACTTCTACTGAACCTTCCGAAGGCAGCGCACCCAGGTACC TCTACTGAACCTTCTGAGGGCAGCGCTCCAGGTAGCGAACCTG CAACCTCTGGCTCTGAAACCCCAGGTACCTCTGAAAAGCGCTACT CCTGAATCTGGCCCAGGTACTTCTACTGAACCGTCCGAGGGCA GCGCACCCAGGTTTTCCGACTATTCCGCTGTCTCGTCTGTTTAT AATGCTATGCTGCGTGCGCACCGTCTGCACCAGCTGGCCTTTGA TACTTACCAGGAATTTGAAGAAGC ₂ TACATTCTAAAGAGCAGA AGTACTCTTCTGCAAAAACCCACAGACTTCTCTCTGCTTCAGC GAATCTATTCCGACGCCTTCCAATCGCGAGGAACTCAGCAAA AGTCCAATCTGGAAGTACTCCGCATTTCTCTGCTTCTGATTGAG AGCTGGCTAGAACAGTGAATTTCTGCGTTCGGTCTTCGCCAA TAGCCTAGTTTATGGCGCATCCGACAGCAACGTATACGATCTCC TGAAAGATCTCGAGGAAGGCATTGAGACCCTGATGGGTCTGCTCT CGAGGATGGCTCTCCGCGTACTGGTCAGATCTTCAAGCAGACTT ACTCTAAATTTGATACTAACAGCCACAATGACGATGCGCTTCTA AAAAAGTATGGTCTGCTGTATTGTTTTCGTAAAGATATGGACAA AGTTGAAACCTTCTGCGTATTGTTTCTGAGTGTGCTTCCGTTGAGG GCAGCTGTGGTTTCTAA
AM923- hGH	MAEPAGSPTSTEEGA SPGTSSTGSPGSSTPS GATGSPGSSTPSGAT GSPGTSTEPSEGSAP GSEPATSGSETPGSP AGSPTSTEEGSTSST AESPGPGTSTPESGS ASPGSTSESPTSGTAP GSTSESPSGTAPGTS TPESGSASPGTSTPES GSASPGSEPATSGSE TPGTSESATPESGPG SPAGSPTSTEEGTSTE PSEGSAPGTSESATP ESGPGTSTEPSEGS PGTSTEPSEGSAPGSP AGSPTSTEEGSTSTPS EGSAPGTSTEPSEGS APGTSESATPESGPG TSESATPESGPGTSTE PSEGSAPGTSTEPSE GSAPGTSESATPESG PGTSTEPSEGSAPGS EPATSGSETPGSPAG SPTSTEEGSTPSGAT GSPGTPGSGTASSSP GSSTPSGATGSPGTS TEPSEGSAPGTSTEPS EGSAPGSEPATSGSE TPGSPAGSPTSTEEG SPAGSPTSTEEGTSTE PSEGSAPGASASGAP STGGTSESATPESGP GSPAGSPTSTEEGSP AGSPTSTEEGSTSST AESPGPGTSESPTSGT APGTSPSGESSTAPG TPGSGTASSSPGSSTP SGATGSPGSSPSAST GTGPGSEPATSGSET	ATGGCTGAACCTGCTGGCTCTCCAACCTCCACTGAGGAAGGTG CATCCCCGGGCACCAGCTCTACCGGTTCTCCAGGTAGCTCTACC CCGTCTGGTGCTACCGGCTCTCCAGGTAGCTCTACCCCGTCTGG TGCTACTGGCTCTCCAGGTACTTCTACTGAACCGTCTGAAGGCA GCGCACCCAGGTAGCGAACCCGGCTACTTCCGGTTCTGAAACCCC AGGTAGCCCAGCAGGTTCTCCAACCTTCTACTGAAGAAGGTTCTA CCAGCTCTACCGCAGAATCTCCTGGTCCAGGTACCTCTACTCCG GAAAGCGGCTCTGCATCTCCAGGTTCTACTAGCGAATCTCCTTC TGGCACTGCACCAGGTTCTACTAGCGAATCCCCGCTCTGGTACTG CTCCAGGTACTTCTACTCCTGAAAGCGGTTCCGCTTCTCCAGGT ACCTCTACTCCGGAAGCGGTTCTGCATCTCCAGGTAGCGAACC GGCAACCTCCGGCTCTGAAACCCCAGGTACCTCTGAAAGCGCT ACTCCTGAATCCGGCCCAGGTAGCCCGGCAGGTTCTCCGACTTC CACTGAGGAAGGTACCTCTACTGAACCTTCTGAGGGCAGCGCT CCAGGTACTTCTGAAAGCGCTACCCCGGAGTCCGGTCCAGGTA CTTCTACTGAACCGTCCGAAGGTAGCGCACCCAGGTACTTCTACC GAACCGTCCGAGGTTAGCGCACCCAGGTAGCCGAGGTTCTC CTACCTCCACCGAGGAAGGTACTTCTACCGAACCTGTCGAGGG TAGCGCACCCAGGTACTTCTACCGAACCTTCCGAGGGCAGCGCA CCAGGTACTTCTGAAAGCGCTACCCCTGAGTCCGGCCCAGGTA CTTCTGAAAGCGCTACTCCTGAATCCGGTCCAGGTACCTCTACT GAACCTTCCGAAGGCAGCGCTCCAGGTACCTCTACCGAACCGT CCGAGGGCAGCGCACCCAGGTACTTCTGAAAGCGCAACCCCTGA ATCCGGTCCAGGTACTTCTACTGAACCTTCCGAAGGTAGCGCTC CAGGTAGCGAACCTGCTACTTCTGGTTCTGAAACCCCAGGTAGC CCGGCTGGCTCTCCGACCTCCACCGAGGAAGGTAGCTCTACCCC GTCTGGTGCTACTGGTTCTCCAGGTACTCCGGGCAGCGGTACTG CTTCTTCTCTCCAGGTAGCTCTACCCCTTCTGGTGCTACTGGCT CTCCAGGTACCTCTACCGAACCGTCCGAGGGTAGCGCACCCAGG TACCTCTACTGAACCGTCTGAGGGTAGCGCTCCAGGTAGCGAA CCGGCAACCTCCGGTTCTGAAACTCCAGGTAGCCCTGCTGGCTC TCCGACTTCTACTGAGGAAGGTAGCCCGGCTGGTTCTCCGACTT CACTGAGGAAGGTACTTCTACCGAACCTTCCGAAGGTAGCGC TCCAGGTGCAAGCGCAAGCGGCGCGCCAAGCACGGGAGGTACT TCTGAAAGCGCTACTCCTGAGTCCGGCCCAGGTAGCCCGGCTG GCTCTCCGACTTCCACCGAGGAAGGTAGCCCGGCTGGCTCTCCA ACTTCTACTGAAGAAGGTTCTACCGACTCTACCGCTGAATCTCC TGGCCCAGGTTCTACTAGCGAATCTCCGCTCTGGCACCCGACCCAG GTACTTCCCTAGCGGTGAATCTTCTACTGCACCAGGTACCCCT GGCAGCGGTACCGCTTCTTCTCTCCAGGTAGCTCTACCCCGTC

GHXTEN Name*	Amino Acid Sequence	DNA Nucleotide Sequence
	PGTSESATPESGPGS EPATSGSETPGSTSST AESPGPGSTSSTAESP GPGTSPSGESSTAPG SEPATSGSETPGSEP ATSGSETPGTSTEPSE GSAPGSTSSTAESP PGTSTPESGSASPGST SESPSGTAPGTSTEPS EGSAPGTSTEPSEGS APGTSTEPSEGSAPG SSTPSGATSPGSSPS ASTGTGPGASPGTSS TGSPGSEPATSGSET PGTSESATPESGPGSP AGSPTSTEEGSSTPS GATGSPGSSPSASTG TGPASPGTSSTGSP GTSESATPESGPGTS TEPSEGSAPGTSTEPS EGSAPGFPTIPLSRLF DNAMLRAHRLHQL AFDTYQEFEEAYIPK EQKYSFLQNPQTSCL FSESIPTSPNREETQQ KSNLELLRISLLLIQS WLEPVQFLRSVFAN SLVYGASDSNVYDL LKDLEEGIQLTMGRL EDGSPRTGQIFKQTY SKFDTNSHNDALL KNYGLLYCFRKDMD KVETFLRIVQCRSVE GSCGF	TGGTGCTACTGGCTCTCCAGGTTCTAGCCCGTCTGCATCTACCG GTACCGGCCCCAGGTAGCGAACCGGCAACCTCCGGCTCTGAAAC TCCAGGTAATCTCTGAAAGCGCTACTCCGGAATCCGGCCCCAGGT AGCGAACCGGCTACTTCCGGCTCTGAAACCCAGGTTCCACCA GCTCTACTGCAGAATCTCCGGGCCCCAGGTTCTACTAGCTCTACT GCAGAATCTCCGGGTCCAGGTAATCTCTCTAGCGGCGAATCTTC TACCGCTCCAGGTAGCGAACCGGCAACCTCTGGCTCTGAAACT CCAGGTAGCGAACCTGCAACCTCCGGCTCTGAAACCCAGGTA CTTCTACTGAACCTTCTGAGGGCAGCGCACCAGGTTCTACCAGC TCTACCGCAGAATCTCCTGGTCCAGGTACCTCTACTCCGGAAAG CGGCTCTGCATCTCCAGGTTCTACTAGCGAATCTCCTTCTGGCA CTGCACCAGGTACTTCTACCGAACCGTCCGAAGGCAGCGCTCC AGGTACCTCTACTGAACCTTCCGAGGGCAGCGCTCCAGGTACCT CTACCGAACCTTCTGAAGGTAGCGCACCAGGTAGCTCTACTCCG TCTGGTGCAACCGGCTCCCCAGGTTCTAGCCCGTCTGCTTCCAC TGGTACTGGCCCCAGGTGCTTCCCCGGGCACCAGCTCTACTGGTT CTCCAGGTAGCGAACCTGCTACCTCCGGTTCTGAAACCCAGGT ACCTCTGAAAGCGCAACTCCGGAGTCTGGTCCAGGTAGCCCTG CAGGTTCTCCTACCTCCACTGAGGAAGGTAGCTCTACTCCGTCT GGTGCAACCGGCTCCCCAGGTTCTAGCCCGTCTGCTTCCACTGG TACTGGCCCAGGTGCTTCCCCGGGCACCAGCTCTACTGGTTCTC CAGGTACCTCTGAAAGCGCTACTCCGGAGTCTGGCCCAGGTAC CTCTACTGAACCGTCTGAGGGTAGCGCTCCAGGTACTTCTACTG AACCGTCCGAAGGTAGCGCACCAGGTTTTCCGACTATTCCGCTG TCTCGTCTGTTTGATAATGCTATGCTGCGTGCGCACCGTCTGCA CCAGCTGGCCTTTGATACTTACCAGGAATTTGAAGAAGC&TACA TTCCTAAAGAGCAGAAGTACTCTTTCCTGCAAAACCCACAGACT TCTCTCTGCTTCAGCGAATCTATTCCGACGCCTTCCAATCGCGA GGAAACTCAGCAAAAGTCCAATCTGGAATACTCCGCATTTCTC TGCTTCTGATTCAGAGCTGGCTAGAACCAAGTGAATTTCTGCGT TCCGTCTTCGCCAATAGCCTAGTTTATGGCGCATCCGACAGCAA CGTATACGATCTCCTGAAAGATCTCGAGGAAGGCATTACAGACC CTGATGGGTCTGCTCGAGGATGGCTCTCCGCGTACTGGTCAGAT CTTCAAGCAGACTTACTCTAAATTTGATACTAACAGCCACAATG ACGATGCGCTTCTAAAAAATATGGTCTGCTGTATTGTTTTCTG AAAGATATGGACAAAGTTGAAACCTTCCGTATTGTTTCAGTG TCGTTCCGTTGAGGGCAGCTGTGGTTTCTAA
AM1318- hGH	GTSTEPSEGSAPGSE PATSGSETPGSPAGS PTSTEEGSTSSTAESP GPGTSTPESGSASPG STSEPSGTAPGTSTSE SPSGTAPGTSTPESGS ASPGTSTPESGSASP GSEPATSGSETPGTS ESATPESGPGSPAGS PTSTEEGSTSTEPSEGS APGTSESATPESGPG TSTEPSEGSAPGTSTE PSEGSAPGSPAGSPT STEEGTSTEPSEGSAP GTSTEPSEGSAPGTS ESATPESGPGTSESA TPESGPGTSTEPSEGS APGTSTEPSEGSAPG TSESATPESGPGTSTE PSEGSAPGSEPATSG SETPGSPAGSPTSTEE GSSTPSGATGSPGTP	GGTACTTCTACTGAACCGTCTGAAGGCAGCGCACCAGGTAGCG AACCGGCTACTTCCGGTTCTGAAACCCAGGTAGCCCAGCAGG TTCTCCAATCTACTGAAAGAGGTTCTACCAGCTCTACCGCAG AATCTCCTGGTCCAGGTACCTCTACTCCGGAAGCGGCTCTGCA TCTCCAGGTTCTACTAGCGAATCTCCTTCTGGCACTGCACCAGG TTCTACTAGCGAATCCCCGTCTGGTACTGCTCCAGGTACTTCTA CTCCTGAAAGCGGTTCCGCTTCTCCAGGTACCTCTACTCCGGAA AGCGGTTCTGCATCTCCAGGTAGCGAACCGGCAACCTCCGGCT CTGAAACCCAGGTACCTCTGAAAGCGCTACTCCTGAATCCGG CCCAGGTAGCCCGGCAGGTTCTCCGACTTCCACTGAGGAAGGT ACCTCTACTGAACCTTCTGAGGGCAGCGCTCCAGGTACTTCTGA AAGCGCTACCCCGGAGTCCGGTCCAGGTACTTCTACTGAACCGT CCGAAGGTAGCGCACCAGGTACTTCTACCGAACCGTCCGAGGG TAGCGCACCAGGTAGCCCAGCAGGTTCTCCTACCTCCACCGAG GAAGGTACTTCTACCGAACCGTCCGAGGGTAGCGCACCAGGTA CTTCTACCGAACCTTCCGAGGGCAGCGCACCAGGTACTTCTGAA AGCGCTACCCCTGAGTCCGGGCCAGGTACTTCTGAAAGCGCTA CTCCTGAATCCGGTCCAGGTACCTCTACTGAACCTTCCGAAGGC AGCGCTCCAGGTACCTCTACCGAACCGTCCGAGGGCAGCGCAC CAGGTACTTCTGAAAGCGCAACCCCTGAATCCGGTCCAGGTAC TTCTACTGAACCTTCCGAAGGTAGCGCTCCAGGTAGCGAACCTG CTAATCTGGTTCTGAAACCCAGGTAGCCCGGCTGGCTCTCCG

GHXTEN Name*	Amino Acid Sequence	DNA Nucleotide Sequence
	GSGTASSSPGSSTPS GATGSPGTSTEPSEG SAPGTSTEPSEGSAP GSEPATSGSETPGSP AGSPTSTEEGSPAGS PTSTEEGTSTEPSEGS APGPEPTGPAPSGGS EPATSGSETPGTSES ATPESGPGSPAGSPT STEEGTSESATPESGP GSPAGSPTSTEEGSP AGSPTSTEEGTSESA TPESGPGSPAGSPTST EEGSPAGSPTSTEEG STSSTAESPSPGSTSE SPSGTAPGTSPSGESS TAPGTSESPTSGTAP GSTSESPSGTAPGTSP SGESSTAPGTSTEPSE GSAPGTSESATPESG PGTSESATPESGPGS EPATSGSETPGTSES ATPESGPGTSESATP ESGPGTSTEPSEGS PGTSESATPESGPGT STEPSEGSAPGTSPSG ESSTAPGTSPSGESST APGTSPSGESSTAPG TSTEPSEGSAPGSPA GSPTSTEEGTSTEPSE GSAPGSSPSASTGTG PGSSTPSGATGSPGS STPSGATGSPGSSTPS GATGSPGSSTPSGAT GSPGASPGTSTGSP GASASGAPSTGGTSP SGESSTAPGSTSSTA ESPGPGTSPSGESSTA PGTSESATPESGPGT STEPSEGSAPGTSTEP SEGSAPGSSPSASTG TGPGSSTPSGATGSP GASPGTSTGSPGTS TPESGSASPGTSPSGE SSTAPGTSPSGESSTA PGTSESATPESGPGS EPATSGSETPGTSTEP SEGSAPGSTSESPSGT APGSTSESPSGTAPG TSPESGSASPGSPA GSPTSTEEGTSESATP ESGPGTSTEPSEGS PGSPAGSPTSTEEGT SESATPESGPGSEPA TSGSETPGSSTPSGA TGSPGASPGTSTGSG PGSSTPSGATGSPGS TSESPSGTAPGTSPSG ESSTAPGSTSSTAESP	ACCTCCACCGAGGAAGGTAGCTCTACCCCGTCTGGTGCTACTGG TTCTCCAGGTACTCCGGGCAGCGGTACTGCTTCTTCTCTCCAG GTAGCTCTACCCCTTCTGGTGCTACTGGCTCTCCAGGTACCTCT ACCGAACCGTCCGAGGGTAGCGCACCAGGTACCTCTACTGAAC CGTCTGAGGGTAGCGCTCCAGGTAGCGAACCGGCAACCTCCGG TTCTGAAACTCCAGGTAGCCCTGCTGGCTCTCCGACTTCTACTG AGGAAGGTAGCCCCGGCTGGTTCTCCGACTTCTACTGAGGAAGG TACTTCTACCGAACCTTCCGAAGGTAGCGCTCCAGGTCCAGAAC CAACGGGGCCGGCCCCAAGCGGAGGTAGCGAACCGGCAACCTC CGGCTCTGAAACCCAGGTACCTCTGAAAGCGCTACTCCTGAAT CCGGCCAGGTAGCCCGGCAGGTTCTCCGACTTCCACTGAGGA AGGTACTTCTGAAAGCGCTACTCCTGAGTCCGGGCCAGGTAGC CCGGCTGGCTCTCCGACTTCCACCGAGGAAGGTAGCCCGGCTG GCTCTCCAACCTTCTACTGAAGAAGGTACTTCTGAAAGCGCTACT CCTGAGTCCGGGCCAGGTAGCCCGGCTGGCTCTCCGACTTCCAC CGAGGAAGGTAGCCCGGCTGGCTCTCCAACCTTCTACTGAAGAA GGTTCTACCAGCTCTACCGCTGAATCTCCTGGCCAGGTTCTAC TAGCGAATCTCCGTCTGGCACCAGGTACTTCCCCTAGCG GTGAATCTTCTACTGCACCAGGTTCTACCAGCGAATCTCCTTCT GGCACCGCTCCAGGTTCTACTAGCGAATCCCCGTCTGGTACCGC ACCAGGTACTTCTCCTAGCGGCGAATCTTCTACCGCACCAGGTA CTTCTACCGAACCTTCCGAGGGCAGCGCACCAGGTACTTCTGAA AGCGCTACCCCTGAGTCCGGGCCAGGTACTTCTGAAAGCGCTA CTCCTGAATCCGGTCCAGGTAGCGAACCGGCAACCTCTGGCTCT GAAACCCAGGTACCTCTGAAAGCGCTACTCCGGAATCTGGTC CAGGTACTTCTGAAAGCGCTACTCCGGAATCCGGTCCAGGTAC CTCTACTGAACCTTCTGAGGGCAGCGCTCCAGGTACTTCTGAAA GCGCTACCCCGGAGTCCGGTCCAGGTACTTCTACTGAACCGTCC GAAGGTAGCGCACCAGGTACCTCCCCTAGCGGCGAATCTTCTA CTGCTCCAGGTACCTCTCCTAGCGGCGAATCTTCTACCGTCCA GGTACCTCCCCTAGCGGTGAATCTTCTACCGCACCAGGTACTTC TACCGAACCGTCCGAGGGTAGCGCACCAGGTAGCCAGCAGGT TCTCCTACCTCCACCGAGGAAGGTACTTCTACCGAACCGTCCGA GGGTAGCGCACCAGGTTCTAGCCCTTCTGCTTCCACCGGTACCG GCCAGGTAGCTCTACTCCGTCTGGTGCAACTGGCTCTCCAGGT AGCTCTACTCCGTCTGGTGCAACCGGCTCCCGAGGTAGCTCTAC CCCGTCTGGTGCTACCGGCTCTCCAGGTAGCTCTACCCCGTCTG GTGCAACCGGCTCCCCAGGTGCATCCCCGGGTACTAGCTCTACC GGTTCTCCAGGTGCAAGCGCAAGCGGCGCGCCAAGCACGGGAG GTACTTCTCCGAGCGGTGAATCTTCTACCGCACCAGGTTCTACT AGCTCTACCGCTGAATCTCCGGGCCAGGTACTTCTCCGAGCGG TGAATCTTCTACTGCTCCAGGTACCTCTGAAAGCGCTACTCCGG AGTCTGGCCAGGTACCTCTACTGAACCGTCTGAGGGTAGCGCT CCAGGTACTTCTACTGAACCGTCCGAAGGTAGCGCACCAGGTT CTAGCCCTTCTGCATCTACTGGTACTGGCCAGGTAGCTCTACT CCTTCTGGTGCTACCGGCTCTCCAGGTGCTTCTCCGGGTACTAG CTCTACCGGTTCTCCAGGTACTTCTACTCCGGAAAGCGGTTCCG CATCTCCAGGTACTTCTCCTAGCGGTGAATCTTCTACTGCTCCA GGTACCTCTCCTAGCGGCGAATCTTCTACTGCTCCAGGTACTTC TGAAAGCGCAACCCCTGAATCCGGTCCAGGTAGCGAACCGGCT ACTTCTGGCTCTGAGACTCCAGGTACTTCTACCGAACCGTCCGA AGGTAGCGCACCAGGTTCTACCAGCGAATCCCCTTCTGGTACTG CTCCAGGTTCTACCAGCGAATCCCCTTCTGGCACCAGCACCAGGT ACTTCTACCCCTGAAAGCGGCTCCGCTTCTCCAGGTAGCCCGGC AGGCTCTCCGACCTCTACTGAGGAAGGTACTTCTGAAAGCGCA ACCCGGAGTCCGGGCCAGGTACCTCTACCGAACCGTCTGAGG GCAGCGCACCAGGTAGCCCTGCTGGCTCTCCAACCTCCACCGA AGAAGGTACCTCTGAAAGCGCAACCCCTGAATCCGGGCCAGGT AGCGAACCGGCAACCTCCGGTTCTGAAACCCAGGTAGCTCTA

GHXTE Name*	Amino Acid Sequence	DNA Nucleotide Sequence
	GPGSSTPSGATGSPG ASPTGSSSTGSPGTPG SGTASSSPGSPAGSP TSTEEGSPAGSPTSTE EGTSTEPSEGSAPGF PTIPLSRLFDNAML AHRHLQLAFDITYQE FEEAYIPKEQKYSFL QNPQTSLCFSESIPT SNREETQQKSNLELL RISLLLIQSWLEPVQF LRSVFANSLVYGAS DSNVYDLLKDLEEGI QTLMGRLEDGSPRT GQIFKQTYSKFDTNS HNDDALLKNYGLLY CFRKDMDKVETFLRI VQCRSVEGSCGF	CCCCCGTCTGGTGCTACCGGTTCCCCAGGTGCTTCTCCTGGTACT AGCTCTACCGGTTCTCCAGGTAGCTCTACCCCGTCTGGTGCTAC TGGCTCTCCAGGTTCTACTAGCGAATCCCCGTCTGGTACTGCTC CAGGTACTTCCCCTAGCGGTGAATCTTCTACTGCTCCAGGTTCT ACCAGCTCTACCGCAGAATCTCCGGGTCCAGGTAGCTCTACCCC TTCTGGTGCAACCGGCTCTCCAGGTGCATCCCCGGGTACCAGCT CTACCGGTTCTCCAGGTACTCCGGGTAGCGGTACCGCTTCTTCC TCTCCAGGTAGCCCTGCTGGCTCTCCGACTTCTACTGAGGAAGG TAGCCCGGCTGGTTCTCCGACTTCTACTGAGGAAGGTACTTCTA CCGAACCTTCCGAAGGTAGCGCTCCAGGTTTTCCGACTATTCCG CTGTCTCGTCTGTTTGATAATGCTATGCTGCGTGCGCACCGTCT GCACCAGCTGGCCTTTGATACTTACCAGGAATTTGAAGAAGCCT ACATTCTCTAAAGAGCAGAAGTACTCTTTCTGCAAAACCCACA GACTTCTCTCTGCTTCAGCGAATCTATTCCGACGCTTCCAATC GCGAGGAAACTCAGCAAAAGTCCAATCTGGAAGTACTCCGCAT TTCTCTGCTTCTGATTACAGAGCTGGCTAGAACAGGTGCAATTTT TCGGTTCCGCTTTCGCCAATAGCCTAGTTTATGGCGCATCCGAC AGCAACGTATACGATCTCCTGAAAGATCTCGAGGAAGGCATTCT AGACCTGATGGGTCTGCTCTCGAGGATGGCTCTCCGCGTACTGGT CAGATCTTCAAGCAGACTTACTCTAAATTTGATACTAACAGCCA CAATGACGATGCGCTTCTAAAAAACTATGGTCTGCTGTATTGTT TTCGTAAAGATATGGACAAAGTTGAAACCTTCTGCGTATTGTT CAGTGTCTGTTCCGTTGAGGGCAGCTGTGGTTTCTAA
hGH- AE144	FPTIPLSRLFDNAML RAHRLHQLAFDITYQ EFEEAYIPKEQKYSF LQNPQTSLCFSESIPT PSNREETQQKSNLEL LRISLLLIQSWLEPVQ FLRSVFANSLVYGAS DSNVYDLLKDLEEGI QTLMGRLEDGSPRT GQIFKQTYSKFDTNS HNDDALLKNYGLLY CFRKDMDKVETFLRI VQCRSVEGSCGFGG SEPATSGPGTSES ATPESGPSPATSG SETPGSPAGSPTSTEE GTSTEPSEGSAPGSE PATSGSETPGSEPAT SGSETPGSEPATSGS ETPGTSTEPSEGSAP GTSESATPESGPSE PATSGSETPGTSTEPS EGSAP	TTTCCGACTATTCCGCTGTCTCGTCTGTTTGATAATGCTATGCTG CGTGCGCACCGTCTGCACCAGCTGGCCTTTGATACTTACCAGGA ATTTGAAGAAGCCTACATTCTCTAAAGAGCAGAAGTACTCTTTCC TGCAAAACCCACAGACTTCTCTCTGCTTCAGCGAATCTATTCCG ACGCCTTCCAATCGCGAGGAAACTCAGCAAAAGTCCAATCTGG AACTACTCCGCATTTCTCTGCTTCTGATTACAGAGCTGGCTAGAA CCAGTGCAATTTCTGCGTTCCGCTTTCGCCAATAGCCTAGTTTA TGGCGCATCCGACAGCAACGTATACGATCTCCTGAAAGATCTC GAGGAAGGCATTACAGACCCTGATGGGTCTGCTCGAGGATGGCT CTCCGCGTACTGGTCAGATCTTCAAGCAGACTTACTCTAAATTT GATACTAACAGCCACAATGACGATGCGCTTCTAAAAAACTATG GTCTGCTGTATTGTTTTTCGTAAAGATATGGACAAAGTTGAAACC TTCCTGCGTATTGTTTCAGTGTCTGTTCCGTTGAGGGCAGCTGTGG TTTCTAAGGTGGTAGCGAACCAGCACTTCCGGCTCTGAAACCC CAGGTACTTCTGAAAGCGCTACTCCTGAGTCTGGCCAGGTAGC GAACCTGCTACCTCTGGCTCTGAAACCCAGGTAGCCCGGCAG GCTCTCCGACTTCCACCGAGGAAGGTACCTCTACTGAACCTTCT GAGGGTAGCGCTCCAGGTAGCGAACCAGCAACCTCTGGCTCTG AAACCCAGGTAGCGAACCCTGCTACCTCCGGCTCTGAAACTCC AGGTAGCGAACCAGGCTACTTCCGTTTCTGAAACTCCAGGTACCT CTACCGAACCTTCCGAAGGCAGCGCACCGGTACTTCTGAAAG CGCAACCCCTGAATCCGGTCCAGGTAGCGAACCAGGCTACTTCT GGCTCTGAGACTCCAGGTACTTCTACCGAACCGTCCGAAGGTA GCGCACCA
hGH- AE288	FPTIPLSRLFDNAML RAHRLHQLAFDITYQ EFEEAYIPKEQKYSF LQNPQTSLCFSESIPT PSNREETQQKSNLEL LRISLLLIQSWLEPVQ FLRSVFANSLVYGAS DSNVYDLLKDLEEGI QTLMGRLEDGSPRT GQIFKQTYSKFDTNS HNDDALLKNYGLLY CFRKDMDKVETFLRI	TTTCCGACTATTCCGCTGTCTCGTCTGTTTGATAATGCTATGCTG CGTGCGCACCGTCTGCACCAGCTGGCCTTTGATACTTACCAGGA ATTTGAAGAAGCCTACATTCTCTAAAGAGCAGAAGTACTCTTTCC TGCAAAACCCACAGACTTCTCTCTGCTTCAGCGAATCTATTCCG ACGCCTTCCAATCGCGAGGAAACTCAGCAAAAGTCCAATCTGG AACTACTCCGCATTTCTCTGCTTCTGATTACAGAGCTGGCTAGAA CCAGTGCAATTTCTGCGTTCCGCTTTCGCCAATAGCCTAGTTTA TGGCGCATCCGACAGCAACGTATACGATCTCCTGAAAGATCTC GAGGAAGGCATTACAGACCCTGATGGGTCTGCTCGAGGATGGCT CTCCGCGTACTGGTCAGATCTTCAAGCAGACTTACTCTAAATTT GATACTAACAGCCACAATGACGATGCGCTTCTAAAAAACTATG GTCTGCTGTATTGTTTTTCGTAAAGATATGGACAAAGTTGAAACC

GHXTEN Name*	Amino Acid Sequence	DNA Nucleotide Sequence
	VQCRSVEGSCGFGG TSESATPESGPGSEP ATSGSETPGTSESAT PESGPGSEPATSGSE TPGTSESATPESGPG TSTEPSEGSAPGSPA GSPTSTEEGTSESATP ESGPGSEPATSGSET PGTSESATPESGPGSP AGSPTSTEEGSPAGS PTSTEEGTSTEPSEGS APTSESATPESGPG TSESATPESGPGTSES ATPESGPGSEPATSG SETPGSEPATSGSETP GSPAGSPTSTEEGTS TEPSEGSAPGTSTEPS EGSAPGSEPATSGSE TPGTSESATPESGPG TSTEPSEGSAP	TTCCTGCGTATTGTTTCAGTGTCTGTTCCGTTGAGGGCAGCTGTGG TTCCTAAGGTGGTACCTCTGAAAGCGCAACTCCTGAGTCTGGCC CAGGTAGCGAACCTGCTACCTCCGGCTCTGAGACTCCAGGTAC CTCTGAAAGCGCAACCCCGGAATCTGGTCCAGGTAGCGAACCT GCAACCTCTGGCTCTGAAACCCAGGTACCTCTGAAAGCGCTA CTCCTGAATCTGGCCCAGGTACTTCTACTGAACCGTCCGAGGGC AGCGCACCAGGTAGCCCTGCTGGCTCTCCAACTCCACCGAAG AAGGTACCTCTGAAAGCGCAACCCCTGAATCCGGCCCAGGTAG CGAACCGGCAACCTCCGGTTCTGAAACCCAGGTACTTCTGAA AGCGTACTCCTGAGTCCGGCCCAGGTAGCCCGGCTGGCTCTCC GACTTCCACCGAGGAAGGTAGCCCGGCTGGCTCTCCAACTTCTA CTGAAGAAGGTACTTCTACCGAACCTTCCGAGGGCAGCGCAC AGGTACTTCTGAAAGCGCTACCCCTGAGTCCGGCCCAGGTACTT CTGAAAGCGCTACTCCTGAATCCGGTCCAGGTACTTCTGAAAGC GCTACCCCGGAATCTGGCCCAGGTAGCGAACCGGCTACTTCTG GTTCTGAAACCCAGGTAGCGAACCGGCTACCTCCGGTTCTGA AACTCCAGGTAGCCCAGCAGGCTCTCCGACTTCCACTGAGGAA GGTACTTCTACTGAACCTTCCGAAGGCAGCGCACCAGGTACCTC TACTGAACCTTCTGAGGGCAGCGCTCCAGGTAGCGAACCTGCA ACCTCTGGCTCTGAAACCCAGGTACCTCTGAAAGCGCTACTCC TGAATCTGGCCCAGGTACTTCTACTGAACCGTCCGAGGGCAGC GCACCA
hGH- AF144	FPTIPLSRLFDNAML RAHRLHQLAFDITYQ EFEEAYIPKEQKYSF LQNPQTSLCFSEIPT PSNREETQQKSNLEL LRISLLLIQSWLEPVQ FLRSVFANSLVYGAS DSNVYDLLKDLEEGI QTLMRLEDGSPRT GQIFKQTYSKFDTNS HNDDALLKNYGLLY CFRKDMMDKVETFLRI VQCRSVEGSCGFGG TSTPESGASPGTSPS GESSTAPGTPSPGES TAPGSTSTAESPGP GSTSESPSGTAPGSTS STAESPGPGTSPSGES STAPGTSTPESGASASP GSTSTAESPGPGTSP SGESSTAPGTPSGES STAPGTSPSGESSTAP	TTTCCGACTATTCCGCTGTCTCGTCTGTTTGATAATGCTATGCTG CGTGCGCACCCTGTGCACCAGCTGGCCTTTGATACTTACCAGGA ATTTGAAGAAGC ₆ TACATTCCCTAAAGAGCAGAAGTACTCTTTCC TGCAAAACCCACAGACTTCTCTCTGCTTCAGCGAATCTATTCCG ACGCCTTCCAATCGCGAGGAACTCAGCAAAAAGTCCAATCTGG AACTACTCCGCATTTCTCTGCTTCTGATTCTAGAGCTGGCTAGAA CCAGTGCAATTTCTGCGTTCCGTCTTCGCCAATAGCCTAGTTTA TGGCGCATCCGACAGCAACGTATACGATCTCCTGAAAGATCTC GAGGAAGGCATTCTAGACCCTGATGGGTCTGCTCGAGGATGGCT CTCCGCGTACTGGTCAGATCTTCAAGCAGACTTACTCTAAATTT GATACTAACAGCCACAATGACGATGCGCTTCTAAAAAACTATG GTCTGCTGTATTGTTTTTCGTAAAGATATGGACAAAGTTGAAACC TTCCTGCGTATTGTTTCAGTGTCTGTTCCGTTGAGGGCAGCTGTGG TTTCTAAGGTGGTACTTCTACTCCGAAAGCGGTTCCGCATCTC CAGGTACTTCTCCTAGCGGTGAATCTTCTACTGCTCCAGGTACC TCTCCTAGCGGCGAATCTTCTACTGCTCCAGGTTCTACCAGCTC TACCGCTGAATCTCCTGGCCCAGGTTCTACCAGCGAATCCCCGT CTGGCACCGCACCAGGTTCTACTAGCTCTACCGCAGAATCTCCG GGTCCAGGTACTTCCCCTAGCGGTGAATCTTCTACTGCTCCAGG TACCTCTACTCCGAAAGCGGCTCCGCATCTCCAGGTTCTACTA GCTCTACTGCTGAATCTCCTGGTCCAGGTACCTCCCCTAGCGGC GAATCTTCTACTGCTCCAGGTACCTCTCCTAGCGGCGAATCTTC TACCGCTCCAGGTACCTCCCCTAGCGGTGAATCTTCTACCAC CA
hGH- AD576	FPTIPLSRLFDNAML RAHRLHQLAFDITYQ EFEEAYIPKEQKYSF LQNPQTSLCFSEIPT PSNREETQQKSNLEL LRISLLLIQSWLEPVQ FLRSVFANSLVYGAS DSNVYDLLKDLEEGI QTLMRLEDGSPRT GQIFKQTYSKFDTNS HNDDALLKNYGLLY CFRKDMMDKVETFLRI VQCRSVEGSCGFGG	TTTCCGACTATTCCGCTGTCTCGTCTGTTTGATAATGCTATGCTG CGTGCGCACCCTGTGCACCAGCTGGCCTTTGATACTTACCAGGA ATTTGAAGAAGC ₆ TACATTCCCTAAAGAGCAGAAGTACTCTTTCC TGCAAAACCCACAGACTTCTCTCTGCTTCAGCGAATCTATTCCG ACGCCTTCCAATCGCGAGGAACTCAGCAAAAAGTCCAATCTGG AACTACTCCGCATTTCTCTGCTTCTGATTCTAGAGCTGGCTAGAA CCAGTGCAATTTCTGCGTTCCGTCTTCGCCAATAGCCTAGTTTA TGGCGCATCCGACAGCAACGTATACGATCTCCTGAAAGATCTC GAGGAAGGCATTCTAGACCCTGATGGGTCTGCTCGAGGATGGCT CTCCGCGTACTGGTCAGATCTTCAAGCAGACTTACTCTAAATTT GATACTAACAGCCACAATGACGATGCGCTTCTAAAAAACTATG GTCTGCTGTATTGTTTTTCGTAAAGATATGGACAAAGTTGAAACC TTCCTGCGTATTGTTTCAGTGTCTGTTCCGTTGAGGGCAGCTGTGG

GHXTEN Name*	Amino Acid Sequence	DNA Nucleotide Sequence
	SSES GSSEGGPGSGG EPSESGSSGSSESGSS EGGPGSSES GSSEGG PGSSES GSSEGGPGS SESGSSEGGPGSSES GSSEGGPGESP GGSS GSESGSEGS SGPGES SGSSSESSEGGPGS SESGSSEGGPGSSES GSSEGGPGSGGEPSE SGSSGESPGGSSGSE SGESP GGSSGSSES GGEPSES GS SSES GSSEGGPGSGGEPSE SGSSSGGEPSES GS SGSEGS SGPGE SSGE SPGGSSGSSES SSGE PSES GS SSGGEPSES GSSGS GEPSES GS GSSES GSSEGGPGES PGGSSGSSES SPPG SSGSES ES PGGSSG SESGES PGGSSGS GES PGGSSGSSES ES GSSEGGPGSGGEP SESGS SSGES SSGP ESSGSSES GSSEGGP GSGGEPSES GS SSS ES GSSEGGPGSGGEP SESGS SGP GGSSG SESGES PGGSSGS GSSES GSSEGGPGSG GEPSES SSSGSSES SEGGPGSGGEPSES SSGSGGEPSES GS ESPGGSSGSSES SSGPGE SSSSES GS EGGPGSEGS SGPGES S	TTTCTAAGGTGGTTCCTCTGAAAGCGGTTCTTCCGAAGGTGGTC CAGGTTCTCTGAAAGCGGTTCTTCTGAGGGTGGTCCAGGTGAA TCTCCGGGTGGCTCCAGCGGTTCCGAGTCAGGTTCTGGTGGCGA ACCTTCCGAGTCTGGTAGCTCAGGTGAATCTCCGGGTGGTTCTA GCGGTTCCGAGTCAGGTGAATCTCCGGGTGGTTCAGCGGTTCT GAGTCAGGTTCTCCGAAAGCGGTTCTTCTGAGGGCGGTCCAG GTTCTCTCCGAAAGCGGTTCTTCCGAGGGCGGTCCAGGTCTTCT GAAAGCGGTTCTTCCGAGGGCGGTCCAGGTGAATCTCTCTGGTG GTTCCAGCGGTTCCGAGTCAGGTGAATCTCCAGGTGGCTCTAGC GGTTCCGAGTCAGGTGAATCTCTGGTGGTTCTAGCGGTTCTGA ATCAGGTTCTCTCCGAAAGCGGTTCTTCTGAGGGCGGTCCAGGTT CCTCCGAAAGCGGTTCTTCCGAGGGCGGTCCAGGTTCTTCTGAA AGCGGTTCTTCCGAGGGCGGTCCAGGTTCTCTGAAAGCGGTTCT TTCTGAGGGCGGTCCAGGTTCTTCCGAAAGCGGTTCTTCCGAGG GCGGTCCAGGTTCTTCCGAAAGCGGTTCTTCTGAAGGCGGTCCA GGTTCTGGTGGCGAACC GTCCGAGTCTGGTAGCTCAGGTGAAT CTCCGGGTGGCTCTAGCGGTTCCGAGTCAGGTGAATCTCTGGT GGTTCCAGCGGTTCCGAGTCAGGTTCCGGTGGCGAACC GTCCG AATCTGGTAGCTCAGGTAGCGAAGGTTCTTCTGGTCCAGGCGA ATCTTCAGGTTCTCTGAAAGCGGTTCTTCTGAGGGCGGTCCAG GTTCCGGTGGCGAACC GTCCGAATCTGGTAGCTCAGGTAGCGA AGGTTCTTCTGGTCCAGGCGAATCTTCAGGTTCTCTGAAAGCG GTTCTTCTGAGGGCGGTCCAGGTTCCGGTGGCGAACC TTCCGAA TCTGGTAGCTCAGGTGAATCTCCGGGTGGTTCTAGCGGTTCTGA GTCAGGTTCTGGTGGTGAACCTTCCGAGTCTGGTAGCTCAGGTT CTGGTGGCGAACC ATCCGAGTCTGGTAGCTCAGGTTCTTCCGAA AGCGGTTCTTCCGAAGGCGGTCCAGGTTCTGGTGGTGAACCGTC CGAATCTGGTAGCTCAGGTTCTGGTGGCGAACC ATCCGAATCTG GTAGCTCAGGTAGCGAAGGTTCTTCTGGTCTGGCGAATCTTCA GGTGAATCTCCAGGTGGCTCTAGCGGTTCCGAATCAGGTAGCG AAGGTTCTTCCGGTCCAGGTGAATCTTCAGGTAGCGAAGGTTCT TCTGGTCTGGTGAATCTCAGGTTCGGTGGCGAACC ATCTGA ATCTGGTAGCTCAGGTTCTCTGAAAGCGGTTCTTCCGAAGGTG GTCCAGGTTCTCTGAAAGCGGTTCTTCTGAGGGTGGTCCAGGT GAATCTCCGGGTGGCTCCAGCGGTTCCGAGTCAGGTTCTGGTGG CGAACC ATCCGAATCTGGTAGCTCAGGTAGCGAAGGTTCTTCTG GTCCTGGCGAATCTTCAGGTGAATCTCCAGGTGGCTCTAGCGGT TCCGAATCAGGTAGCGAAGGTTCTTCCGGTCTGGTGGTGGTCTT AGGTGAATCTCCAGGTGGCTCTAGCGGTTCCGAGTCAGGTAGC GAAGGTTCTTCTGGTCTGGCGAGTCTCTCA
hGH- AE576	FPTIPLSRLFDNAML RAHRLHQLAFDTYQ EFEEAYIPKEQKYSF LQNPQTSLCFSES IPT PSNREETQKSNLEL LRISLLLIQSWLEPVQ FLRSVFANSLVYGAS DSNVYDLLKDLEEGI QTLMGRLEDGSPRT GQIFKQTYSKFD TNS HNDDALLKNYGLLY CFRKDMDKVETFLRI VQCRSVEGSCFGG SPAGSPTSTEEGTSES ATPESGPGTSTEPSE GSAPGSPAGSPTSTE EGTSTEPSEGSAPGT STEPSEGSAPGTSES ATPESGPGSEPATSG	TTTCCGACTATTCCGCTGTCTCGTCTGTTTGATAATGCTATGCTG CGTGCGCACCGTCTGCACCAGCTGGCCTTTGATACTTACCAGGA ATTTGAAGAAGCcTACATTCTAAAGAGCAGAAGTACTCTTTCC TGCAAAACCCACAGACTTCTCTGCTTCAGCGAATCTATTCCG ACGCCTTCCAATCGCGAGGAACTCAGCAAAAGTCCAATCTGG AACTACTCCGCATTCTCTGCTTCTGATT CAGAGCTGGCTAGAA CCAGTGCAATTTCTGCGTTCGGTCTTCGCCAATAGCCTAGTTTA TGGCGCATCCGACAGCAACGTATACGATCTCCTGAAAGATCTC GAGGAAGGCATT CAGACCCTGATGGGTCGTCTCGAGGATGGCT CTCCGCGTACTGGTCAGATCTTCAAGCAGACTTACTCTAAATTT GATACTAACAGCCACAATGACGATGCGCTTCTAAAAAACTATG GTCTGCTGTATTGTTTTCGTAAAGATATGGACAAAGTTGAAACC TTCCTGCGTATTGTT CAGTGTCTGTTCCGTTGAGGGCAGCTGTGG TTTCTAAGGTGGTAGCCCGGTGGCTCTCTACCTCTACTGAGG AAGGTACTTCTGAAAGCGCTACTCCTGAGTCTGGTCCAGGTACC TCTACTGAACCGTCCGAAGGTAGCGCTCCAGGTAGCCAGCAG GCTCTCCGACTTCCACTGAGGAAGGTACTTCTACTGAACCTTCC GAAGGCAGCGCAACAGGTACCTCTACTGAACCTTCTGAGGGCA GCGCTCCAGGTACTTCTGAAAGCGCTACCCCGGAATCTGGCCC

GHXTEN Name*	Amino Acid Sequence	DNA Nucleotide Sequence
	SETPGSEPATSGSETP GSPAGSPTSTEEGTS ESATPESGPGTSTEPS EGSAPGTSTEPSEGS APGSPAGSPTSTEEG TSTEPSEGSAPGTSTE PSEGSAPGTSESATP ESGPGTSTEPSEGS PGTSESATPESGPGS EPATSGSETPGTSTEP SEGSAPGTSTEPSEG SAPGTSESATPESGP GTSESATPESGPGSP AGSPTSTEEGTSESA TPESGPGSEPATSGS ETPGTSESATPESGP GTSTEPSEGSAPGTS TEPSEGSAPGTSTEPS EGSAPGTSTEPSEGS APGTSTEPSEGSAPG TSTEPSEGSAPGSPA GSPTSTEEGTSTEPSE GSAPGTSESATPESG PGSEPATSGSETPGT SESATPESGPGSEPA TSGSETPGTSESATPE SGPGTSTEPSEGSAP GTSESATPESGPGSP AGSPTSTEEGSPAGS PTSTEEGSPAGSPTST EEGTSESATPESGPG TSTEPSEGSAP	AGGTAGCGAACCGGCTACTTCTGGTTCTGAAACCCCAGGTAGC GAACCGGCTACCTCCGGTTCTGAAACTCCAGGTAGCCCGGCAG GCTCTCCGACCTCTACTGAGGAAGGTACTTCTGAAAGCGCAAC CCCGGAGTCCGGCCCCAGGTACCTCTACCGAACCGTCTGAGGGC AGCGCACCAGGTACTTCTACCGAACCGTCCGAGGGTAGCGCAC CAGGTAGCCCAGCAGGTTCTCCTACCTCCACCGAGGAAGGTAC TTCTACCGAACCGTCCGAGGGTAGCGCACCAGGTACTTCTACTG AACCTTCTGAGGGCAGCGCTCCAGGTACTTCTGAAAGCGCTAC CCCGGAGTCCGGTCCAGGTACTTCTACTGAACCGTCCGAAGGT AGCGCACCAGGTACTTCTGAAAGCGCAACCCCTGAATCCGGTC CAGGTAGCGAACCGGCTACTTCTGGCTCTGAGACTCCAGGTACT TCTACCGAACCGTCCGAAGGTAGCGCACCAGGTACTTCTACTG AACCGTCTGAAGGTAGCGCACCAGGTACTTCTGAAAGCGCAAC CCCGGAATCCGGCCCCAGGTACCTCTGAAAGCGCAACCCCGAG TCCGGCCCCAGGTAGCCCTGCTGGCTCTCCAACCTCCACCGAAGA AGGTACCTCTGAAAGCGCAACCCCTGAATCCGGCCCCAGGTAGC GAACCGGCAACCTCCGGTTCTGAAACCCCAGGTACCTCTGAAA GCGCTACTCCGGAGTCTGGCCCAGGTACCTCTACTGAACCGTCT GAGGGTAGCGCTCCAGGTACTTCTACTGAACCGTCCGAAGGTA GCGCACCAGGTACTTCTACCGAACCGTCCGAAGGCAGCGCTCC AGGTACCTCTACTGAACCTTCCGAGGGCAGCGCTCCAGGTACCT CTACCGAACCTTCTGAAGGTAGCGCACCAGGTACTTCTACCGA ACCGTCCGAGGGTAGCGCACCAGGTAGCCCAGCAGGTTCTCCT ACCTCCACCGAGGAAGGTACTTCTACCGAACCGTCCGAGGGTA GCGCACCAGGTACCTCTGAAAGCGCAACTCCTGAGTCTGGCCC AGGTAGCGAACCTGCTACCTCCGGCTCTGAGACTCCAGGTACCT CTGAAAGCGCAACCCCGGAATCTGGTCCAGGTAGCGAACCTGC AACCTCTGGCTCTGAAACCCCAGGTACCTCTGAAAGCGCTACTC CTGAATCTGGCCCAGGTACTTCTACTGAACCGTCCGAGGGCAG CGCACCAGGTACTTCTGAAAGCGCTACTCCTGAGTCCGGCCCA GGTAGCCCGGCTGGCTCTCCGACTTCCACCGAGGAAGGTAGCC CGGCTGGCTCTCCAACCTTCTACTGAAGAAGGTAGCCCGGCAGG CTCTCCGACCTCTACTGAGGAAGGTACTTCTGAAAGCGCAACCC CGGAGTCCGGCCCCAGGTACCTCTACCGAACCGTCTGAGGGCAG CGCACCA
hGH- AF576	FPTIPLSRLFDNAML RAHRLHQLAFDTYQ EFEEAYIPKEQKYSF LQNPQTSLCFSESIPT PSNREETQQKSNLEL LRISLLLIQSWLEPVQ FLRSVFANSLVYGAS DSNVYDLLKDLEEGI QTLMGRLEDGSPRT GQIFKQTYSKFDTNS HNDDALLKNYGLLY CFRKDMDKVETFLRI VQCRSVEGSCGFGG STSSTAESPGPGSTSS TAESPGPGSTSES TAPGSTSSTAESPGP GSTSSTAESPGPGTS TPESGSASPSTSES SGTAPGTSPSGESST APGSTSESPTAPG STSESPTAPGTSPS GESSTAPGSTSES TAPGSTSESPTAP GTSPSGESSTAPGSTS	TTTCCGACTATTCCGCTGTCTCGTCTGTTTGATAATGCTATGCTG CGTGCGCACCCTGTCACCAGCTGGCCTTTGATACTTACCAGGA ATTTGAAGAAGCCTACATTCCCTAAAGAGCAGAAGTACTCTTTCC TGCAAAACCCACAGACTTCTCTCTGCTTCAGCGAATCTATTCCG ACGCCTTCCAATCGCGAGGAACTCAGCAAAAAGTCCAATCTGG AACTACTCCGCATTTCTCTGCTTCTGATTCTAGAGCTGGCTAGAA CCAGTGCAATTTCTGCGTTCCGTCTTCGCCAATAGCCTAGTTTA TGGCGCATCCGACAGCAACGTATACGATCTCCTGAAAGATCTC GAGGAAGGCATTACAGACCCTGATGGGTCTGCTCGAGGATGGCT CTCCGCGTACTGGTCAGATCTTCAAGCAGACTTACTCTAAATTT GATACTAACAGCCACAATGACGATGCGCTTCTAAAAAACTATG GTCTGCTGTATTGTTTTTCGTAAAGATATGGACAAAAGTTGAAACC TTCCTGCGTATTGTTTCAGTGTCGTTCCGTTGAGGGCAGCTGTGG TTTCTAAGGTGGTTCTACTAGCTCTACCGCTGAATCTCCTGGCC CAGGTTCCACTAGCTCTACCGCAGAATCTCCGGGGCCAGGTTCT ACTAGCGAATCCCCCTTCTGGTACCGCTCCAGGTTCTACTAGCTC TACCGCTGAATCTCCGGGTCCAGGTTCTACCAGCTCTACTGCAG AATCTCCTGGCCCAGGTACTTCTACTCCGGAAAGCGGTTCCGCT TCTCCAGGTTCTACCAGCGAATCTCCTTCTGGCACCAGCTCCAGG TACCTCTCCTAGCGGCGAATCTTCTACCGCTCCAGGTTCTACTA GCGAATCTCCTTCTGGCACTGCACCAGGTTCTACCAGCGAATCT CCTTCTGGCACCAGCTCCAGGTACCTCTCCTAGCGGCGAATCTTC TACCGCTCCAGGTTCTACTAGCGAATCTCCTTCTGGCACTGCAC CAGGTTCTACCAGCGAATCTCCTTCTGGCACCAGCTCCAGGTACC

GHXTEN Name*	Amino Acid Sequence	DNA Nucleotide Sequence
	ESPSGTAPGSTSESPS GTAPGSTSESPSGTA PGTSTPESGSASPGST SESPSGTAPGTSTPES GSASPGSTSSTAESP GPGSTSSTAESPGPG TSTPESGSASPGTSTP ESGSASPGSTSESPSG TAPGTSTPESGSASP GTSTPESGSASPGSTS ESPSGTAPGSTSESPS GTAPGSTSESPSGTA PGSTSSTAESPGPGTS TPESGSASPGTSTPES GSASPGSTSESPSGT APGSTSESPSGTAPG TSTPESGSASPGTSE SPSGTAPGSTSESPSG TAPGTSTPESGSASP GTSPSGESSTAPGSTS STAESPGPGTSPSGES STAPGSTSSTAESPGP GTSTPESGSASPGSTS ESPSGTAPGSTSSTA ESPGPGTSTPESGSAS PGTSTPESGSASP	TCTCCTAGCGGCGAATCTTCTACCGCTCCAGGTTCTACTAGCGA ATCTCCTTCTGGCACTGCACCAGGTTCTACTAGCGAATCTCCTT CTGGCACTGCACCAGGTTCTACCAGCGAATCTCCGTCTGGCACT GCACCAGGTACCTCTACCCCTGAAAGCGGTTCCGCTTCTCCAGG TTCTACTAGCGAATCTCCTTCTGGTACCGCTCCAGGTACTTCTA CCCCTGAAAGCGGCTCCGCTTCTCCAGGTTCCACTAGCTCTACC GCTGAATCTCCGGGTCCAGGTTCTACTAGCTCTACTGCAGAATC TCCTGGCCCAGGTACCTCTACTCCGGAAAGCGGCTCTGCATCTC CAGGTACTTCTACCCCTGAAAGCGGTTCTGCATCTCCAGGTTCT ACTAGCGAATCCCCGTCTGGTACCGCACCAGGTACTTCTACCCC GGAAAGCGGCTCTGCTTCTCCAGGTACTTCTACCCCGGAAAGC CGCTCCGATCTCCAGGTTCTACTAGCGAATCCCCGTCTGGTACT GTTCTACCAGCGAATCTCCTTCTGGTACTGCACCAGGTTCTACT AGCTCTACTGCAGAATCTCCTGGCCCAGGTACCTCTACTCCGGA AAGCGGCTCTGCATCTCCAGGTACTTCTACCCCTGAAAGCGGTT CTGCATCTCCAGGTTCTACTAGCGAATCTCCTTCTGGCACTGCA CCAGGTTCTACCAGCGAATCTCCGTCTGGCACTGCACCAGGTAC CTCTACCCCTGAAAGCGGTTCCGCTTCTCCAGGTTCTACTAGCG AATCTCCTTCTGGCACTGCACCAGGTTCTACCAGCGAATCTCCG TCTGGCACTGCACCAGGTACCTCTACCCCTGAAAGCGGTTCCGC TTCTCCAGGTACTTCTCCGAGCGGTGAATCTTCTACCGCACCAG GTTCTACTAGCTCTACCGCTGAATCTCCGGGCCAGGTACTTCT CCGAGCGGTGAATCTTCTACTGCTCCAGGTTCCACTAGCTCTAC TGCTGAATCTCCTGGCCCAGGTACTTCTACTCCGGAAGCGGTT CCGCTTCTCCAGGTTCTACTAGCGAATCTCCGTCTGGCACCGCA CCAGGTTCTACTAGCTCTACTGCAGAATCTCCTGGCCCAGGTAC CTCTACTCCGGAAGCGGCTCTGCATCTCCAGGTACTTCTACCC CTGAAAGCGGTTCTGCATCTCCA
hGH- AE624	FPTIPLSRLFDNAML RAHRLHQLAFDITYQ EFEEAYIPKEQKYSF LQNPQTSLCFSESIPT PSNREETQQKSNLEL LRISLLLIQSWLEPVQ FLRSVYFANSLVYGAS DSNVYDLLKDLEEGI QTLMGRLEDGSPRT GQIFKQTYSKFDTNS HNDDALLKNYGLLY CFRKMDMDKVETFLRI VQCRSVEGSCGFGM AEPAGSPTSTEEGTP GSGTASSPGSSTPS GATGSPGASPGTSST GSPGSPAGSPTSTEE GTSESATPESGPGTS TEPSEGSAPGSPAGS PTSTEEGTSTEPSEGS APGTSTEPSEGSAPG TSESATPESGPGSEP ATSGSETPGSEPATS GSETPGSPAGSPTST EEGTSESATPESGPG TSTEPSEGSAPGTSTE PSEGSAPGSPAGSPT STEEGTSTEPSEGSAP GTSTEPSEGSAPGTS ESATPESGPGTSTEPS	TTTCCGACTATTCCGCTGTCTCGTCTGTTTGATAATGCTATGCTG CGTGCGCACCCTCTGCACCAGCTGGCCTTTGATACTTACCAGGA ATTTGAAGAAGCCTACATTCTCTAAAGAGCAGAAGTACTCTTTCC TGCAAAACCCACAGACTTCTCTCTGCTTCAGCGAATCTATTCCG ACGCCTTCCAATCGCGAGGAACTCAGCAAAAGTCCAATCTGG AACTACTCCGCATTTCTCTGCTTCTGATTACAGAGCTGGCTAGAA CCAGTGCAATTTCTGCGTTCCTGCTTTCGCCAATAGCTAGTTTA TGGCGCATCCGACAGCAACGTATACGATCTCCTGAAAGATCTC GAGGAAGGCATTCAGACCCTGATGGGTCTGCTCGAGGATGGCT CTCCGCGTACTGGTCAGATCTTCAAGCAGACTTACTCTAAATTT GATACTAACAGCCACAATGACGATGCGCTTCTAAAAAAGTATG GTCTGCTGTATTGTTTTCTGTAAGATATGGACAAAGTTGAAACC TTCCTGCGTATTGTTTCAGTGTCTGTTCCGTTGAGGGCAGCTGTGG TTTCTAAGGTATGGCTGAACCTGCTGGCTCTCCAACCTCCACTG AGGAAGGTACCCCGGGTAGCGGTACTGCTTCTTCTCTCCAGGT AGCTCTACCCCTTCTGGTGCAACCGGCTCTCCAGGTGCTTCTCC GGGCACCAGCTCTACCGGTTCTCCAGGTAGCCCGGCTGGCTCTC CTACCTCTACTGAGGAAGGTACTTCTGAAAGCGCTACTCCTGAG TCTGGTCCAGGTACCTCTACTGAACCGTCCGAAGGTAGCGCTCC AGGTAGCCCAGCAGGCTCTCCGACTTCCACTGAGGAAGGTACT TCTACTGAACCTTCCGAAGGCAGCGCACCAGGTACCTCTACTGA ACCTTCTGAGGGCAGCGCTCCAGGTACTTCTGAAAGCGCTACCC CGGAATCTGGCCCAGGTAGCGAACCAGGCTACTTCTGGTTCTGA AACCCAGGTAGCGAACCAGGCTACCTCCGTTCTGAAACTCCA GGTAGCCCGGCAGGCTCTCCGACCTCTACTGAGGAAGGTACTT CTGAAAGCGCAACCCCGAGTCCGGGCCAGGTACCTCTACCGA ACCGTCTGAGGGCAGCGCACCAGGTACTTCTACCGAACCAGTCC GAGGGTAGCGCACCAGGTAGCCAGCAGGTTCTCCTACCTCCA CCGAGGAAGGTACTTCTACCGAACCAGTCCGAGGGTAGCGCACC AGGTACCTCTACTGAACCTTCTGAGGGCAGCGCTCCAGGTACTT

GHXTEN Name*	Amino Acid Sequence	DNA Nucleotide Sequence
	EGSAPGTSESATPES GPGSEPATSGSETPG TSTEPSEGSAPGTSTE PSEGSAPGTSESATP ESGPGTSESATPESG PGSPAGSPTSTEEGT SESATPESGPGSEPA TSGSETPGTSESATPE SGPGTSTEPSEGSAP GTSTEPSEGSAPGTS TEPSEGSAPGTSTEPS EGSAPGTSTEPSEGS APGTSTEPSEGSAPG SPAGSPTSTEEGTSTE PSEGSAPGTSESATP ESGPGSEPATSGSET PGTSESATPESGPGS EPATSGSETPGTSES ATPESGPGTSTEPSE GSAPGTSESATPESG PGSPAGSPTSTEEGSP AGSPTSTEEGSPAGS PTSTEEGTSESATPES GPGTSTEPSEGSAP	CTGAAAGCGCTACCCCGGAGTCCGGTCCAGGTACTTCTACTGA ACCGTCCGAAGGTAGCGCACCAGGTACTTCTGAAAGCGCAACC CCTGAATCCGGTCCAGGTAGCGAACCGGCTACTTCTGGCTCTGA GACTCCAGGTACTTCTACCGAACCGTCCGAAGGTAGCGCACCA GGTACTTCTACTGAACCGTCTGAAGGTAGCGCACCAGGTACTTC TGAAAGCGCAACCCCGGAATCCGGCCCCAGGTACCTCTGAAAGC GCAACCCCGGAGTCCGGCCCCAGGTAGCCCTGCTGGCTCTCCAA CCTCCACCGAAGAAGGTACCTCTGAAAGCGCAACCCCTGAATC CGGCCCCAGGTAGCGAACCAGGCAACCTCCGGTTCTGAAACCCCA GGTACCTCTGAAAGCGCTACTCCGGAGTCTGGCCCCAGGTACCTC TACTGAACCGTCTGAGGGTAGCGCTCCAGGTACTTCTACTGAAC CGTCCGAAGGTAGCGCACCAGGTACTTCTACCGAACCGTCCGA AGGCAGCGCTCCAGGTACCTCTACTGAACCTTCCGAGGGCAGC GCTCCAGGTACCTCTACCGAACCTTCTGAAGGTAGCGCACCAAG GTACTTCTACCGAACCGTCCGAGGGTAGCGCACCAGGTAGCCCC AGCAGGTTCTCCTACCTCCACCGAGGAAGGTACTTCTACCGAAC CGTCCGAGGGTAGCGCACCAGGTACCTCTGAAAGCGCAACTCC TGAGTCTGGCCCCAGGTAGCGAACCTGCTACCTCCGGCTCTGAG ACTCCAGGTACCTCTGAAAGCGCAACCCCGGAATCTGGTCCAG GTAGCGAACCTGCAACCTCTGGCTCTGAAACCCAGGTACCTCT GAAAGCGCTACTCCTGAATCTGGCCCCAGGTACTTCTACTGAACC GTCCGAGGGCAGCGCACCAAGGTACTTCTGAAAGCGCTACTCCT GAGTCCGGCCCCAGGTAGCCCCGGCTGGCTCTCCGACTTCCACCG AGGAAGGTAGCCCCGGCTGGCTCTCCAACCTTCTACTGAAGAAGG TAGCCCCGGCAGGCTCTCCGACCTCTACTGAGGAAGGTACTTCTG AAAGCGCAACCCCGGAGTCCGGCCCCAGGTACCTCTACCGAACCC GTCTGAGGGCAGCGCACCA
hGH- AD836	FPTIPLSRLFDNAML RAHRLHQLAFDITYQ EFEEAYIPKEQKYSF LQNPQTSLCFSESIPT PSNREETQQKSNLEL LRISLLLIQSWLEPVQ FLRSVFNLSLVYGAS DSNVYDLLKDLEEGI QTLMGRLEDGSPRT GQIFKQTSYKFDNTS HNDDALLKNYGLLY CFRKDMDKVETFLRI VQCRSVEGSCGFGG SSESGSSEGGPGSSES GSSEGGPGESPGGSS GSESGSGGEPSESGS SGESPGGSSGSESGE SPGGSSGSESGSSES GSSEGGPGSSESGSS EGGPGSSESGSSEGG PGESPGGSSGSESGE SPGGSSGSESGESPG GSSGSESGSSESGSSE GGPSSSESSESSEGGP GSSESSESSEGGPGSS ESGSSEGGPGSSESG SSEGGPGSSESSESSE GGPSSGGEPSSESSES GESPGSSGSESGES PGGSSGSESGSGGEP SESGSSGSESGSGPG ESSGSSESSESSEGGP	TTCCGACTATTCCGCTGTCTCGTCTGTTTGATAATGCTATGCTG CGTGCGCACCGTCTGCACCAGCTGGCCTTTGATACTTACCAGGA ATTTGAAGAAGC ₂ TACATTTCCTAAAGAGCAGAAGTACTCTTTCC TGCAAAACCCACAGACTTCTCTCTGCTTCAGCGAATCTATTCCG ACGCCTTCCAATCGCGAGGAACTCAGCAAAAGTCCAATCTGG AACTACTCCGCATTTCTCTGCTTCTGATTACAGAGCTGGCTAGAA CCAGTGCAATTTCTGCGTTCCGTCTTCGCCAATAGCCTAGTTTA TGGCGCATCCGACAGCAACGTATACGATCTCCTGAAAGATCTC GAGGAAGGCATTACAGCCCTGATGGGTCTGCTCGAGGTTGGCT CTCCGCGTACTGGTCAGATCTTCAAGCAGACTTACTCTAAATTT GATACTAACAGCCACAATGACGATGCGCTTCTAAAAAACTATG GTCTGCTGTATTGTTTTCTGTAAGATATGGACAAAGTTGAAACC TTCCTGCGTATTGTTTCAAGTGTGCTTCCGTTGAGGGCAGCTGTGG TTTCTAAGGTGGTTTCTCTGAAAGCGGTTCTTCCGAAGGTGGTC CAGGTTCTCTGAAAGCGGTTCTTCTGAGGGTGGTCCAGGTGAA TCTCCGGGTGGCTCCAGCGGTTCCGAGTCAGGTTCTGGTGGCGA ACCTTCCGAGTCTGGTAGCTCAGGTGAATCTCCGGGTGGTTCTA GCGGTTCCGAGTCAGGTGAATCTCCGGGTGGTTCCAGCGGTTCT GAGTCAGGTTCTTCCGAAAGCGGTTCTTCTGAGGGCGGTCCAG GTTCTTCCGAAAGCGGTTCTTCCGAGGGCGGTCCAGGTTCTTCT GAAAGCGGTTCTTCCGAGGGCGGTCCAGGTGAATCTCCTGGTG GTTCCAGCGGTTCCGAGTCAGGTGAATCTCCAGGTGGCTCTAGC GGTTCCGAGTCAGGTGAATCTCCTGGTGGTTCTAGCGGTTCTGA ATCAGGTTCTTCCGAAAGCGGTTCTTCTGAGGGCGGTCCAGGTT CCTCCGAAAGCGGTTCTTCCGAGGGCGGTCCAGGTTCTTCTGAA AGCGGTTCTTCCGAGGGCGGTCCAGGTTCTTCTGAAAGCGGTTCT TTCTGAGGGCGGTCCAGGTTCTTCCGAAAGCGGTTCTTCCGAGG GCGGTCCAGGTTCTTCCGAAAGCGGTTCTTCTGAAAGCGGTCCA GGTTCTGGTGGCGAACCGTCCGAGTCTGGTAGCTCAGGTGAAT CTCCGGGTGGCTCTAGCGGTTCCGAGTCAGGTGAATCTCCTGGT GGTTCCAGCGGTTCCGAGTCAGGTTCCGGTGGCGAACCGTCCG AATCTGGTAGCTCAGGTAGCGAAGGTTCTTCTGGTCCAGGCGA

GHXTEN Name*	Amino Acid Sequence	DNA Nucleotide Sequence
	GSGGEPSESGSSGSE GSSGPGESSGSSGSE SSEGGPGSGGEPSES GSSGESPGSSGSGSE GSGGEPSESGSSGSG GEPSESGSSGSSGSE SEGPGSGGEPSESG SSGSGGEPSESGSSG SEGSSGPGESSGESP GGSSGSESGSEGSSG PGESSGSEGSSGPGE SSGSGGEPSESGSSG SSGSGSSEGGPGSSSES GSSEGGPGESPGGSS GSESGSGGEPSESGS SGSESGSSGPGESSGE SPGGSSGSESGSEGS SGPSSSESGSSEGGP GSGGEPSESGSSGSE GSSGPGESSGSEGSS GPGESSGSEGSSGPG ESSGSGGEPSESGSS GSGGEPSESGSSGES PGGSSGSESGESPGG SSGSESGSGGEPSES GSSGSEGSSGPGESS GESPGSSGSESGSS ESGSSEGGPGSSESG SSEGGPGSSESGSSE GPGSGGEPSESGSS GSSESGSSEGGPGES PGGSSGSESGSGGEP SESGSSGSSGSGSSEG GPGESPGGSSGSESG SGGEPSESGSSGESP GGSSGSESGSGGEP ESGSS	ATCTTCAGGTTCTCTGAAAGCGGTTCTTCTGAGGGCGGTCCAG GTTCCGGTGGCGAACCCTCCGAATCTGGTAGCTCAGGTAGCGA AGGTTCTTCTGGTCCAGGCGAATCTTCAGGTTCTCTGAAAGCG GTTCTTCTGAGGGCGGTCCAGGTTCCGGTGGCGAACCCTCCGAA TCTGGTAGCTCAGGTGAATCTCCGGGTGGTTCTAGCGGTTCTGA GTCAGGTTCTGGTGGTGAACCTCCGAGTCTGGTAGCTCAGGTT CTGGTGGCGAACCATCCGAGTCTGGTAGCTCAGGTTCTTCCGAA AGCGGTTCTTCCGAAGGCGGTCCAGGTTCTGGTGGTGAACCGTC CGAATCTGGTAGCTCAGGTTCTGGTGGCGAACCATCCGAATCTG GTAGCTCAGGTAGCGAAGGTTCTTCTGGTCTGGCGAATCTTCA GGTGAATCTCCAGGTGGCTCTAGCGGTTCCGAATCAGGTAGCG AAGGTTCTTCCGGTCCAGGTGAATCTTCAGGTAGCGAAGGTTCT TCTGGTCTGGTGAATCCTCAGGTTCCGGTGGCGAACCATCTGA ATCTGGTAGCTCAGGTTCTCTGAAAGCGGTTCTTCCGAAGGTG GTCCAGGTTCTCTGAAAGCGGTTCTTCTGAGGGTGGTCCAGGT GAATCTCCGGGTGGCTCCAGCGGTTCCGAGTCAAGGTTCTGGTGG CGAACCATCCGAATCTGGTAGCTCAGGTAGCGAAGGTTCTTCTG GTCCTGGCGAATCTTCAGGTGAATCTCCAGGTGGCTCTAGCGGT TCCGAATCAGGTAGCGAAGGTTCTTCCGGTCCAGGTTCTCTGA AAGCGGTTCTTCTGAGGGCGGTCCAGGTTCTGGTGGCGAACCA TCTGAATCTGGTAGCTCAGGTAGCGAAGGTTCTTCCGGTCCGGG TGAATCTTCAGGTAGCGAAGGTTCTTCCGGTCCAGGTGAATCTT CAGGTAGCGAAGGTTCTTCTGGTCTGGTGAATCCTCAGGTTCC GGTGGCGAACCATCTGAATCTGGTAGCTCAGGTTCTGGTGGCG AACCATCCGAATCTGGTAGCTCAGGTGAATCTCCGGGTGGCTCC AGCGGTTCTGAATCAGGTGAATCTCCTGGTGGCTCCAGCGGTTCT TGAGTCAGGTTCTGGTGGCGAACCATCCGAATCTGGTAGCTCA GGTAGCGAAGGTTCTTCTGGTCTGGCGAATCTTCAGGTGAATC TCCAGGTGGCTCTAGCGGTTCCGAATCAGGTTCTCTGAAAGCG GTTCTTCTGAGGGCGGTCCAGGTTCTTCCGAAAGCGGTTCTTCC GAGGGCGGTCCAGGTTCTTCCGAAAGCGGTTCTTCTGAAGGCG GTCCAGGTTCTGGTGGCGAACCCTCCGAATCTGGTAGCTCAGGT TCTTCCGAAAGCGGTTCTTCTGAAGGTGGTCCAGGTGAATCTCC AGGTGGTTCTAGCGGTTCTGAATCAGGTTCTGGTGGCGAACCCT CCGAATCTGGTAGCTCAGGTTCTTCCGAAAGCGGTTCTTCTGAA GGTGGTCCAGGTGAATCTCAGGTTGGTTCTCAGGTTCTGAATC AGGTTCTGGTGGCGAACCCTCCGAATCTGGTAGCTCAGGTGAA TCTCCTGGTGGTTCCAGCGGTTCCGAGTCAAGGTTCTGGTGGCGA ACCTTCCGAATCTGGTAGCTCA
hGH- AE864	FPTIPLSRLFDNAML RAHRLHQLAFDITYQ EFEEAYIPKEQKYSF LQNPQTSLCFSESIPT PSNREETQQKSNLEL LRISLLLIQSWLEPVQ FLRSVFANSLVYGAS DSNVYDLLKDLEEGI QTLMGRLEDGSPRT GQIFKQTYSKFDTNS HNDDALLKNYGLLY CFRKMDMDKVETFLRI VQCRSVEGSCGFGG SPAGSPTSTEEGTSES ATPESGPGTSTEPSE GSAPGSPAGSPTSTE EGTSTEPSEGSAPGT STEPSEGSAPGTSES ATPESGPGSEPATSG SETPGSEPATSGSETP	TTTCCGACTATTCCGCTGTCTCGTCTGTTTGATAATGCTATGCTG CGTGCGCACCCTCTGCACCAGCTGGCCTTTGATACTTACCAGGA ATTTGAAGAAGCCTACATTTCCTAAAGAGCAGAAGTACTCTTTCC TGCAAAACCCACAGACTTCTCTCTGCTTCAGCGAATCTATTCCG ACGCCTTCCAATCGCGAGGAACTCAGCAAAAGTCCAATCTGG AACTACTCCGCATTTCTCTGCTTCTGATTAGAGCTGGCTAGAA CCAGTGCAATTTCTGCGTTCCGTTCTCGCCAATAGCCTAGTTTA TGGCGCATCCGACAGCAACGTATACGATCTCCTGAAAGATCTC GAGGAAGGCATTCAGACCCTGATGGGTCTGCTCGAGGATGGCT CTCCGCTACTGGTCAGATCTTCAAGCAGACTTACTCTAAATTT GATACTAACAGCCACAATGACGATGCGCTTCTAAAAAACTATG GTCTGCTGTATTGTTTTCTGTAAGATATGGACAAAGTTGAAACC TTCCTGCGTATTGTTTCAGTGTCGTTCCGTTGAGGGCAGCTGTGG TTTCTAAGGTGGTAGCCCGGCTGGCTCTCCTACCTCTACTGAGG AAGGTACTTCTGAAAGCGCTACTCCTGAGTCTGGTCCAGGTACC TCTACTGAACCGTCCGAAGGTAGCGCTCCAGGTAGCCAGCAG GCTCTCCGACTTCCACTGAGGAAGGTACTTCTACTGAACCTTCC GAAGGCAGCGCACCAAGGTACCTCTACTGAACCTTCTGAGGGCA GCGCTCCAGGTACTTCTGAAAGCGCTACCCCGGAATCTGGCCC AGGTAGCGAACCAGGCTACTTCTGGTTCTGAAACCCAGGTAGC

GHXTEN Name*	Amino Acid Sequence	DNA Nucleotide Sequence
	GSPAGSPTSTEEGTS ESATPESGPGTSTEPS EGSAPGTSTEPSEGS APGSPAGSPTSTEEG TSTEPSEGSAPGTSTE PSEGSAPGTSESATP ESGPGTSTEPSEGS PGTSESATPESGPGS EPATSGSETPGTSTEP SEGSAPGTSTEPSEG SAPGTSESATPESGP GTSESATPESGPGSP AGSPTSTEEGTS TPESGPGSEPATSGS ETPGTSESATPESGP GTSTEPSEGSAPGTS TEPSEGSAPGTSTEPS EGSAPGTSTEPSEGS APGTSTEPSEGSAPG TSTEPSEGSAPGSPA GSPTSTEEGTSTEPSE GSAPGTSESATPESG PGSEPATSGSETPGT SESATPESGPGSEPA TSGSETPGTSESATPE SGPGTSTEPSEGSAP GTSESATPESGPGSP AGSPTSTEEGSPAGS PTSTEEGSPAGSPTST EEGTSESATPESGPG TSTEPSEGSAPGTSES ATPESGPGSEPATSG SETPGTSESATPESGP GSEPATSGSETPGTS ESATPESGPGTSTEPS EGATPESGPGSPTST EEGTSESATPESGPG SEPATSGSETPGTSES ATPESGPGSPAGSPT STEEGSPAGSPTSTEE GTSTEPSEGSAPGTS ESATPESGPGTSESA TPESGPGTSESATPES GPGSEPATSGSETPG SEPATSGSETPGSPA GSPTSTEEGTSTEPSE GSAPGTSTEPSEGS PGSEPATSGSETPGT SESATPESGPGTSTEP SEGSA	GAACCGGCTACCTCCGGTTCTGAAACTCCAGGTAGCCCGGCAG GCTCTCCGACCTCTACTGAGGAAGGTACTTCTGAAAGCGCAAC CCCGGAGTCCGGCCCAGGTACCTCTACCGAACCGTCTGAGGGC AGCGCACCAGGTACTTCTACCGAACCGTCCGAGGGTAGCGCAC CAGGTAGCCCAGCAGGTTCTCCTACCTCCACCGAGGAAGGTAC TTCTACCGAACCGTCCGAGGGTAGCGCACCAGGTACCTCTACTG AACCTTCTGAGGGCAGCGCTCCAGGTACTTCTGAAAGCGCTAC CCCGGAGTCCGGTCCAGGTACTTCTACTGAACCGTCCGAAGGT AGCGCACCAGGTACTTCTGAAAGCGCAACCCCTGAATCCGGTC CAGGTAGCGAACCCGGCTACTTCTGGCTCTGAGACTCCAGGTACT TCTACCGAACCGTCCGAAGGTAGCGCACCAGGTACTTCTACTG AACCGTCTGAAGGTAGCGCACCAGGTACTTCTGAAAGCGCAAC CCCGGAATCCGGCCCAGGTACCTCTGAAAGCGCAACCCCGGAG TCCGGCCCAGGTAGCCCTGCTGGCTCTCCAACCTCCACCGAAGA AGGTACCTCTGAAAGCGCAACCCCTGAATCCGGCCCAGGTAGC GAACCGGCAACCTCCGGTTCTGAAACCCAGGTACCTCTGAA GCGCTACTCCGGAGTCTGGCCCAGGTACCTCTACTGAACCGTCT GAGGGTAGCGCTCCAGGTACTTCTACTGAACCGTCCGAAGGTA GCGCACCAGGTACTTCTACCGAACCGTCCGAAGGCAGCGCTCC AGGTACCTCTACTGAACCTTCCGAGGGCAGCGCTCCAGGTACCT CTACCGAACCTTCTGAAGGTAGCGCACCAGGTACTTCTACCGA ACCGTCCGAGGGTAGCGCACCAGGTAGCCCAGCAGGTTCTCCT ACCTCCACCGAGGAAGGTACTTCTACCGAACCGTCCGAGGGTA GCGCACCAGGTACCTCTGAAAGCGCAACTCCTGAGTCTGGCCC AGGTAGCGAACCTGCTACCTCCGGCTCTGAGACTCCAGGTACCT CTGAAAGCGCAACCCCGGAATCTGGTCCAGGTAGCGAACCTGC AACCTCTGGCTCTGAAACCCAGGTACCTCTGAAAGCGCTACTC CTGAATCTGGCCCAGGTACTTCTACTGAACCGTCCGAGGGCAG CGCACCAGGTACTTCTGAAAGCGCTACTCCTGAGTCCGGCCCA GGTAGCCCGGCTGGCTCTCCGACTTCCACCGAGGAAGGTAGCC CGGCTGGCTCTCCAACCTTCTACTGAAGAAGGTAGCCCGGCAGG CTCTCCGACCTCTACTGAGGAAGGTACTTCTGAAAGCGCAACCC CGGAGTCCGGCCCAGGTACCTCTACCGAACCGTCTGAGGGCAG CGCACCAGGTACCTCTGAAAGCGCAACTCCTGAGTCTGGCCCA GGTAGCGAACCTGCTACCTCCGGCTCTGAGACTCCAGGTACCTC TGAAAGCGCAACCCCGGAATCTGGTCCAGGTAGCGAACCTGCA ACCTCTGGCTCTGAAACCCAGGTACCTCTGAAAGCGCTACTCC TGAATCTGGCCCAGGTACTTCTACTGAACCGTCCGAGGGCAGC GCACCAGGTAGCCCTGCTGGCTCTCCAACCTCCACCGAAGAAG GTACCTCTGAAAGCGCAACCCCTGAATCCGGCCCAGGTAGCGA ACCGGCAACCTCCGGTTCTGAAACCCAGGTACTTCTGAAAGC GCTACTCCTGAGTCCGGCCCAGGTAGCCCGGCTGGCTCTCCGAC TTCCACCGAGGAAGGTAGCCCGGCTGGCTCTCCAACCTTCTACTG AAGAAGGTACTTCTACCGAACCTTCCGAGGGCAGCGCACCAGG TACTTCTGAAAGCGCTACCCCTGAGTCCGGCCCAGGTACTTCTG AAAGCGCTACTCCTGAATCCGGTCCAGGTACTTCTGAAAGCGCT ACCCCGGAATCTGGCCCAGGTAGCGAACCGGCTACTTCTGGTTC TGAAACCCAGGTAGCGAACCGGCTACCTCCGGTTCTGAAACT CCAGGTAGCCCAGCAGGCTCTCCGACTTCCACTGAGGAAGGTA CTTCTACTGAACCTTCCGAAGGCAGCGCACCAGGTACCTCTACT GAACCTTCTGAGGGCAGCGCTCCAGGTAGCGAACCTGCAACCT CTGGCTCTGAAACCCAGGTACCTCTGAAAGCGCTACTCCTGAA TCTGGCCCAGGTACTTCTACTGAACCGTCCGAGGGCAGCGCAC CA
hGH- AF864	FPTIPLSRFLDNAML RAHRLHQLAFDTYQ EFEEAYIPKEQKYSF LQNPQTSLCFSESIPT PSNREETQQKSNLEL	TTTCCGACTATTCCGCTGTCTCGTCTGTTTGATAATGCTATGCTG CGTGCGCACCCTGTCACCAGCTGGCCTTTGATACTTACCAGGA ATTTGAAGAAGCCTACATTTCCTAAAGAGCAGAAGTACTCTTTCC TGCAAAACCCACAGACTTCTCTCTGCTTCAGCGAATCTATTCCG ACGCCTTCCAATCGCGAGGAACTCAGCAAAAGTCCAATCTGG

GHXTEN Name*	Amino Acid Sequence	DNA Nucleotide Sequence
	LRISLLLIQSWLEPVQ FLRSVFANSLVYGAS DSNVYDLLKDLEEGI QTLMGRLEDGSPRT GQIFKQTYSKFDTNS HNDDALLKNYGLLY CFRKMDMDKVETFLRI VQCRSVEGSCGFGG STSESPSGTAPGTSPS GESSTAPGSTSESPSG TAPGSTSESPSGTAP GTSTPESGSASPGTS TPESGSASPGTSESP SGTAPGSTSESPSGT APGTSPSGESSTAPG STSESPSGTAPGTSPS GESSTAPGTSPSGESS TAPGSTSSTAESPGP GTSPSGESSTAPGTSP SGESSTAPGSTSSTA ESPGPGTSTPESGSAS PGTSTPESGSASPGST SESPSGTAPGSTSESP SGTAPGTSTPESGSA SPGSTSSTAESPGPGT STPESGSASPGTSESP PSGTAPGTSPSGESST APGSTSSTAESPGPG TSPSGESSTAPGTSTP ESGSASPGSTSSTAES PPGSTSSTAESPGP GSTSSTAESPGPGSTS STAESPGPGTSPSGES STAPGSTSESPSGTAP GSTSESPSGTAPGTS TPESGPXXXGASASG APSTXXXSESPSGT APGSTSESPSGTAPG STSESPSGTAPGSTSE SPSGTAPGSTSESPSG TAPGSTSESPSGTAP GTSTPESGSASPGTSP SGESSTAPGTSPSGES STAPGSTSSTAESPGP GTSPSGESSTAPGTS TPESGSASPGTSESP SGTAPGSTSESPSGT APGTSPSGESSTAPG STSESPSGTAPGTSTP ESGSASPGTSTPESGS ASPGSTSESPSGTAP GTSTPESGSASPGSTS STAESPGPGTSESPS GTAPGSTSESPSGTA PGTSPSGESSTAPGST SSTAESPGPGTSPSGE SSTAPGTSTPESGSAS PGTSPSGESSTAPGTS PSGESSTAPGTSPSGE	AACTACTCCGCATTTCTCTGCTTCTGATTCTCAGAGCTGGCTAGAA CCAGTGCAATTTCTGCGTTCCGTCTTCGCCAATAGCCTAGTTTA TGGCGCATCCGACAGCAACGTATACGATCTCCTGAAAGATCTC GAGGAAGGCATTCTCAGACCCTGATGGGTCTGCTCGAGGATGGCT CTCCGCGTACTGGTCAGATCTTCAAGCAGACTTACTCTAAATTT GATACTAACAGCCACAATGACGATGCGCTTCTAAAAAACTATG GTCTGCTGTATTGTTTTTCGTAAAGATATGGACAAAGTTGAAACC TTCCTGCGTATTGTTTCAGTGTCTGTTCCGTTGAGGGCAGCTGTGG TTTCTAAGGTGGTTCTACCAGCGAATCTCCTTCTGGCACCCTC CAGGTACCTCTCCTAGCGGCGAATCTTCTACCGCTCCAGGTTCT ACTAGCGAATCTCCTTCTGGCACTGCACCAGGTTCTACTAGCGA ATCCCCGTCTGGTACTGCTCCAGGTACTTCTACTCTCTGAAAGCG GTTCCGCTTCTCCAGGTACTCTACTCCGGAAGCGGTTCTGCA TCTCCAGGTTCTACCAGCGAATCTCCTTCTGGCACCCTCCAGG TTCTACTAGCGAATCCCCGTCTGGTACCGCACCAGGTACTTCTC CTAGCGGCGAATCTTCTACCGCACCAGGTTCTACTAGCGAATCT CCGTCTGGCACTGCTCCAGGTACTTCTCCTAGCGGTGAATCTTC TACCGCTCCAGGTACTTCCCCTAGCGGCGAATCTTCTACCGCTC CAGGTTCTACTAGCTCTACTGCAGAATCTCCGGGCCCAGGTACC TCTCCTAGCGGTGAATCTTCTACCGCTCCAGGTACTTCTCCGAG CGGTGAATCTTCTACCGCTCCAGGTTCTACTAGCTCTACTGCAG AATCTCCTGGGCCCAGGTACCTCTACTCCGGAAGCGGCTCTGCA TCTCCAGGTACTTCTACCCCTGAAAGCGGTTCTGCATCTCCAGG TTCTACTAGCGAATCTCCTTCTGGCACTGCACCAGGTTCTACCA GCGAATCTCCGTCTGGCACTGCACCAGGTACCTCTACCCCTGAA AGCGGTTCCGCTTCTCCAGGTTCTACCAGCTCTACCGCAGAATC TCCTGGTCCAGGTACCTCTACTCCGGAAGCGGCTCTGCATCTC CAGGTTCTACTAGCGAATCTCCTTCTGGCACTGCACCAGGTACT TCTCCGAGCGGTGAATCTTCTACCGCACCAGGTTCTACTAGCTC TACCGCTGAATCTCCGGGCCCAGGTACTTCTCCGAGCGGTGAAT CTTCTACTGCTCCAGGTACCTCTACTCCTGAAAGCGGTTCTGCA TCTCCAGGTTCCACTAGCTCTACCGCAGAATCTCCGGGCCCAGG TTCTACTAGCTCTACTGCTGAATCTCCTGGGCCCAGGTTCTACTA GCTCTACTGCTGAATCTCCGGGTCCAGGTTCTACCAGCTCTACT GCTGAATCTCCTGGTCCAGGTACCTCCCCGAGCGGTGAATCTTC TACTGCACCAGGTTCTACTAGCGAATCTCCTTCTGGCACTGCAC CAGGTTCTACCAGCGAATCTCCGTCTGGCACTGCACCAGGTACC TCTACCCCTGAAAGCGGTCCXXXXXXXXXXXXTGAAGCGCAA GCGGCGCGCCAAGCACGGGAXXXXXXXXXTAGCGAATCTCCTTC TGGTACCGCTCCAGGTTCTACCAGCGAATCCCCGTCTGGTACTG CTCCAGGTTCTACCAGCGAATCTCCTTCTGGTACTGCACCAGGT TCTACTAGCGAATCTCCTTCTGGTACCGCTCCAGGTTCTACCAG CGAATCCCCGTCTGGTACTGCTCCAGGTTCTACCAGCGAATCTC CTTCTGGTACTGCACCAGGTACTTCTACTCCGGAAGCGGTTCC GCATCTCCAGGTACTTCTCCTAGCGGTGAATCTTCTACTGCTCC AGGTACCTCTCCTAGCGGCGAATCTTCTACTGCTCCAGGTTCTA CCAGCTCTACTGCTGAATCTCCGGGTCCAGGTACTTCCCCGAGC GGTGAATCTTCTACTGCACCAGGTACTTCTACTCCGGAAGCGG TTCCGCTTCTCCAGGTTCTACCAGCGAATCTCCTTCTGGCACC CTCCAGGTTCTACTAGCGAATCCCCGTCTGGTACCGCACCAGGT ACTTCTCCTAGCGGCGAATCTTCTACCGCACCAGGTTCTACTAG CGAATCCCCGTCTGGTACCGCACCAGGTACTTCTACCCCGGAAA GCGGCTCTGCTTCTCCAGGTACTTCTACCCCGGAAAGCGGCTCC GCATCTCCAGGTTCTACTAGCGAATCTCCTTCTGGTACCGCTCC AGGTACTTCTACCCCTGAAAGCGGCTCCGCTTCTCCAGGTTCCA CTAGCTCTACCGCTGAATCTCCGGGTCCAGGTTCTACCAGCGAA TCTCCTTCTGGCACCCTCCAGGTTCTACTAGCGAATCCCCGTC TGGTACCGCACCAGGTACTTCTCCTAGCGGCGAATCTTCTACCG CACCAGGTTCTACCAGCTCTACTGCTGAATCTCCGGGTCCAGGT

[illegible]

GHXTEN Name*	Amino Acid Sequence	DNA Nucleotide Sequence
	SSTGSPGASPGTSST GSPGTPGSGTASSSP GSSTPSGATGSPGTP GSGTASSSPGSSTPS GATGSPGTPGSGTAS SSPGSSTPSGATGSP GSSTPSGATGSPGSS PSASTGTGPGSSPSA STGTGPGASPGTSST GSPGTPGSGTASSSP GSSTPSGATGSPGSS PSASTGTGPGSSPSA STGTGPGASPGTSST GSPGTPGSGTASSSP GSSTPSGATGSPGSS PSASTGTGPGSSPSA STGTGPGASPGTSST GSPGASPGTSSTGSP GSSTPSGATGSPGSS PSASTGTGPGASPGT SSTGSPGSSPSASTGT GPGTPGSGTASSSPG SSTPSGATGSPGSSTP SGATGSPGASPGTSS TGSP	TGCATCTCCGGGCACTAGCTCTACTGGTTCTCCAGGTGCATCCC CTGGCACTAGCTCTACTGGTTCTCCAGGTGCTTCTCCTGGTACC AGCTCTACTGGTTCTCCAGGTACCCCTGGTAGCGGTACTGCTTC TTCCTCTCCAGGTAGCTCTACTCCGTCTGGTGCTACCGGTTCTCC AGGTACCCCGGGTAGCGGTACCGCATCTTCTTCTCCAGGTAGCT CTACCCCGTCTGGTGCTACTGGTTCTCCAGGTACTCCGGGCAGC GGTACTGCTTCTTCTCTCCAGGTAGCTCTACCCCTTCTGGTGCT ACTGGCTCTCCAGGTAGCTCTACCCCGTCTGGTGCTACTGGCTC CCCAGGTTCTAGCCCTTCTGCATCCACCGGTACCGGTCCAGGTT CTAGCCCGTCTGCATCTACTGGTACTGGTCCAGGTGCATCCCCG GGCAGTACTCTACCGGTTCTCCAGGTACTCCTGGTAGCGGTAC TGCTTCTTCTTCTCCAGGTAGCTCTACTCCTTCTGGTGCTACTGG TTCTCCAGGTTCTAGCCCTTCTGCATCCACCGGTACCGGCCACG GTTCTAGCCCGTCTGCTTCTACCGGTACTGGTCCAGGTGCTTCT CCGGGTACTAGCTCTACTGGTTCTCCAGGTGCATCTCCTGGTAC TAGCTCTACTGGTTCTCCAGGTAGCTCTACTCCGTCTGGTGCAA CCGGCTCTCCAGGTTCTAGCCCTTCTGCATCTACCGGTACTGGT CCAGGTGCATCCCCCTGGTACCAGCTCTACCGGTTCTCCAGGTTCT TAGCCCTTCTGCTTCTACCGGTACCGGTCCAGGTACCCCTGGCA GCGGTACCGCATCTTCTCTCCAGGTAGCTCTACTCCGTCTGGT GCAACCGGTTCCCCAGGTAGCTCTACTCCTTCTGGTGCTACTGG CTCCCCAGGTGCATCCCCCTGGCACCAGCTCTACCGGTTCTCCA
hGH- AM875	FPTIPLSRLFDNAML RAHRLHQLAFDTYQ EFEEAYIPKEQKYSF LQNPQTSLCFSESIPT PSNREETQKSNLEL LRISLLLIQSWLEPVQ FLRSVFANSLVYGAS DSNVYDLLKDLEEGI QTLMRLEDGSPRT GQIFKQTYSKFDTNS HNDDALLKNYGLLY CFRKMDMDKVETFLRI VQCRSVEGSCGFGG TSTEPSEGSAPGSEP ATSGSETPGSPAGSP TSTEEGSTSSTAESPG PGTSTPESGSASPGST SESPSGTAPGSTSESP SGTAPGTSTPESGSA SPGTSTPESGSASPGS EPATSGSETPGTSES ATPESGPGSPAGSPT STEEGTSTEPSEGSAP GTSESATPESGPGTS TEPSEGSAPGTSTEPS EGSAPGSPAGSPTST EEGTSTEPSEGSAPG TSTEPSEGSAPGTSES ATPESGPGTSESATP ESGPGTSTEPSEGS PGTSTEPSEGSAPGT SESATPESGPGTSTEP SEGSAPGSEPATSGS ETPGSPAGSPTSTEE GSSTPSGATGSPGTP GSGTASSSPGSSTPS GATGSPGTSTEPSEG	TTTCCGACTATTCCGCTGTCTCGTCTGTTTGATAATGCTATGCTG CGTGCGCACCCTGTCACCAGCTGGCCTTTGATACTTACCAGGA ATTTGAAGAAGCCTACATTCCCTAAAGAGCAGAAGTACTCTTTCC TGCAAAACCCACAGACTTCTCTCTGCTTCAGCGAATCTATTCCG ACGCCTTCCAATCGCGAGGAACTCAGCAAAAAGTCCAATCTGG AACTACTCCGCATTTCTCTGCTTCTGATTCTAGAGCTGGCTAGAA CCAGTGCAATTTCTGCGTTCCGTCTTCGCCAATAGCCTAGTTTA TGGCGCATCCGACAGCAACGTATACGATCTCCTGAAAGATCTC GAGGAAGGCATTCAGACCCTGATGGGTGCTCTCGAGGATGGCT CTCCGCGTACTGGTCAGATCTTCAAGCAGACTTACTCTAAATTT GATACTAACAGCCACAATGACGATGCGCTTCTAAAAAACTATG GTCTGCTGTATTGTTTTCTGTAAGATATGGACAAAGTTGAAACC TTCCTGCGTATTGTTTCAGTGTCGTTCCGTTGAGGGCAGCTGTGG TTTCTAAGGTGGTACTTCTACTGAACCGTCTGAAGGCAGCGCAC CAGGTAGCGAACCAGGCTACTTCCGGTTCTGAAACCCACGGTAG CCCAGCAGGTTCTCCAATTCTACTGAAGAAGGTTCTACCAGCT CTACCGCAGAATCTCCTGGTCCAGGTACCTCTACTCCGGAAAGC GGCTCTGCATCTCCAGGTTCTACTAGCGAATCTCCTTCTGGCAC TGCACCAGGTTCTACTAGCGAATCCCGTCTGGTACTGCTCCAG GTACTTCTACTCCTGAAAGCGGTTCCGCTTCTCCAGGTACCTCT ACTCCGGAAAGCGGTTCTGCATCTCCAGGTAGCGAACCAGGCAA CCTCCGGCTCTGAAACCCAGGTACCTCTGAAAGCGCTACTCCT GAATCCGGCCCAGGTAGCCCGGCAGGTTCTCCGACTTCCACTG AGGAAGGTACCTCTACTGAACCTTCTGAGGGCAGCGCTCCAGG TACTTCTGAAAGCGCTACCCCGAGTCCGGTCCAGGTACTTCTA CTGAACCGTCCGAAGGTAGCGCACCAGGTACTTCTACCGAACC GTCCGAGGGTAGCGCACCAGGTAGCCCGAGCAGGTTCTCCTACC TCCACCGAGGAAGGTACTTCTACCGAACCCTCCGAGGGTAGCG CACCAGGTACTTCTACCGAACCCTCCGAGGGCAGCGCACCAGG TACTTCTGAAAGCGCTACCCCTGAGTCCGGGCCAGGTACTTCTG AAAGCGCTACTCCTGAATCCGGTCCAGGTACCTCTACTGAACCT TCCGAAGGCAGCGCTCCAGGTACCTCTACCGAACCCTCCGAGG GCAGCGCACCAGGTACTTCTGAAAGCGCAACCCCTGAATCCGG TCCAGGTACTTCTACTGAACCTTCCGAAGGTAGCGCTCCAGGTA GCGAACCCTGCTACTTCTGGTTCTGAAACCCAGGTAGCCCGGCT GGCTCTCCGACCTCCACCGAGGAAGGTAGCTCTACCCCGTCTGG TGCTACTGGTTCTCCAGGTACTCCGGGCAGCGGTACTGCTTCTT

GHXTEN Name*	Amino Acid Sequence	DNA Nucleotide Sequence
	SAPGTSTEPSEGSAP GSEPATSGSETPGSP AGSPTSTEEGSPAGS PTSTEEGTSTEPSEGS APGASASGAPSTGGT SESATPESGPGSPAG SPTSTEEGSPAGSPTS TEEGSTSSTAESPGP GSTSESPSGTAPGTSP SGESSTAPGTPGSGT ASSSPGSSTPSGATG SPGSSPSASTGTGPG SEPATSGSETPGTSES ATPESGPGSEPATSG SETPGSTSSTAESPGP GSTSSTAESPGPGTSP SGESSTAPGSEPATS GSETPGSEPATSGSE TPGTSTEPSEGSAPG STSSTAESPGPGTSTP ESGSASPGSTSESPSG TAPGTSTEPSEGSAP GTSTEPSEGSAPGTS TEPSEGSAPGSSTPSG ATGSPGSSPSASTGT GPGASPGTSSTGSPG SEPATSGSETPGTSES ATPESGPGSPAGSPT STEEGSSTPSGATGS PGSSPSASTGTGPGA SPGTSSTGSPGTSESA TPESGPGTSTEPSEGS APGTSTEPSEGSAP	CCTCTCCAGGTAGCTCTACCCCTTCTGGTGCTACTGGCTCTCCA GGTACCTCTACCGAACCGTCCGAGGGTAGCGCACCAGGTACCT CTA CTGAACCGTCTGAGGGTAGCGCTCCAGGTAGCGAACCGGC AACCTCCGGTTCTGAAACTCCAGGTAGCCCTGCTGGCTCTCCGA CTTCTACTGAGGAAGGTAGCCCGGCTGGTTCTCCGACTTCTACT GAGGAAGGTACTTCTACCGAACCTTCCGAAGGTAGCGCTCCAG GTGCAAGCGCAAGCGGCGCGCCAAGCACGGGAGGTACTTCTGA AAGCGCTACTCCTGAGTCCGGCCCCAGGTAGCCCGGCTGGCTCTC CGACTTCCACCGAGGAAGGTAGCCCGGCTGGCTCTCCAACCTTCT ACTGAAGAAGGTTCTACCGACTCTACCGCTGAATCTCCTGGCCC AGGTTCTACTAGCGAATCTCCGTCTGGCACCAGGTACTTCTACT CCCCTAGCGGTGAATCTTCTACTGCACCAGGTACCCCTGGCAGC GGTACCGCTTCTTCTCTCCAGGTAGCTCTACCCCGTCTGGTGC TACTGGCTCTCCAGGTTCTAGCCCGTCTGCATCTACCGGTACCG GCCCAGGTAGCGAACCGGCAACCTCCGGCTCTGAAACTCCAGG TACTTCTGAAAGCGCTACTCCGGAATCCGGCCCCAGGTAGCGAA CCGGCTACTTCCGGCTCTGAAACCCAGGTTCCACCAGCTCTAC TGCAGAATCTCCGGGCCCCAGGTTCTACTAGCTCTACTGCAGAAT CTCCGGGTCCAGGTACTTCTCCTAGCGGCGAATCTTCTACCGCT CCAGGTAGCGAACCGGCAACCTCTGGCTCTGAAACTCCAGGTA GCGAACCTGCAACCTCCGGCTCTGAAACCCAGGTACTTCTACT GAACCTTCTGAGGGCAGCGCACCAGGTTCTACCGACTCTACCG CAGAATCTCCTGGTCCAGGTACCTCTACTCCGGAAGCGGCTCT GCATCTCCAGGTTCTACTAGCGAATCTCCTTCTGGCACTGCACC AGGTACTTCTACCGAACCGTCCGAAGGCAGCGCTCCAGGTACC TCTACTGAACCTTCCGAGGGCAGCGCTCCAGGTACCTCTACCGA ACCTTCTGAAGGTAGCGCACCAGGTAGCTCTACTCCGTCTGGTG CAACCGGCTCCCCAGGTTCTAGCCCGTCTGCTTCCACTGGTACT GGCCAGGTGCTTCCCCGGGCACCAGCTCTACTGGTTCTCCAGG TAGCGAACCTGCTACCTCCGGTTCTGAAACCCAGGTACCTCTG AAAGCGCAACTCCGGAGTCTGGTCCAGGTAGCCCTGCAGGTTCT TCCTACCTCCACTGAGGAAGGTAGCTCTACTCCGTCTGGTGCA CCGGCTCCCCAGGTTCTAGCCCGTCTGCTTCCACTGGTACTGGC CCAGGTGCTTCCCCGGGCACCAGCTCTACTGGTTCTCCAGGTAC CTCTGAAAGCGCTACTCCGGAGTCTGGCCAGGTACCTCTACTG AACCGTCTGAGGGTAGCGCTCCAGGTACTTCTACTGAACCGTCC GAAGGTAGCGCACCA
hGH- AM1318	FPTIPLSRLFDNAML RAHRLHQLAFDITYQ EFEEAYIPKEQKYSF LQNPQTSLCFSESIPT PSNREETQQKSNLEL LRISLLLIQSWLEPVQ FLRSVFANSLVYGAS DSNVYDLLKDLEEGI QTLMGRLEDGSPRT GQIFKQTYSKFDNS HNDDALLKNYGLLY CFRKDMDKVETFLRI VQCRSVEGSCGFGG TSTEPSEGSAPGSEP ATSGSETPGSPAGSP TSTEEGSTSSTAESPG PGTSTPESGSASPGST SESPSGTAPGTSESP SGTAPGTSTPESGSA SPGTSTPESGSASPGS EPATSGSETPGTSES ATPESGPGSPAGSPT	TTTCCGACTATTCCGCTGTCTCGTCTGTTTGATAATGCTATGCTG CGTGCGCACCCTGTCACCAGCTGGCCTTTGATACTTACCAGGA ATTTGAAGAAGC;TACATTCTCTAAAGAGCAGAAGTACTCTTTCC TGCAAAACCCACAGACTTCTCTCTGCTTCAGCGAATCTATTCCG ACGCCTTCCAATCGCGAGGAAACTCAGCAAAAGTCCAATCTGG AACTACTCCGCATTTCTCTGCTTCTGATTAGAGCTGGCTAGAA CCAGTGCAATTTCTGCGTTCCGTCTTCGCCAATAGCCTAGTTTA TGGCGCATCCGACAGCAACGTATACGATCTCCTGAAAGATCTC GAGGAAGGCATTACAGACCCTGATGGGTCTGCTCGAGGATGGCT CTCCGCTACTGGTCAGATCTTCAAGCAGACTTACTCTAAATTT GATACTAACAGCCACAATGACGATGCGCTTCTAAAAAACTATG GTCTGCTGTATTGTTTTCGTAAAGATATGGACAAAGTTGAAACC TTCCTGCGTATTGTTTCAGTGTCGTTCCGTTGAGGGCAGCTGTGG TTTCTAAGGTGGTACTTCTACTGAACCGTCTGAAGGCAGCGCAC CAGGTAGCGAACCGGCTACTTCCGGTTCTGAAACCCAGGTAG CCCAGCAGGTTCTCCAACCTTCTACTGAAGAAGGTTCTACCAGCT CTACCGCAGAATCTCCTGGTCCAGGTACCTCTACTCCGGAAGC GGCTCTGCATCTCCAGGTTCTACTAGCGAATCTCCTTCTGGCAC TGCACCAGGTTCTACTAGCGAATCCCGCTCTGGTACTGCTCCAG GTACTTCTACTCCTGAAAGCGGTTCCGCTTCTCCAGGTACCTCT ACTCCGGAAGCGGTTCTGCATCTCCAGGTAGCGAACCGGCAA CCTCCGGCTCTGAAACCCAGGTACCTCTGAAAGCGCTACTCCT

GHXTEN Name*	Amino Acid Sequence	DNA Nucleotide Sequence
	STEEGTSTEPSEGSAP GTSESATPESGPGTS TEPSEGSAPGTSTEPS EGSAPGSPAGSPTST EEGTSTEPSEGSAPG TSTEPSEGSAPGTSES ATPESGPGTSESATP ESGPGTSTEPSEGSAP PGTSTEPSEGSAPGT SESATPESGPGTSTEP SEGSAPGSEPATSGS ETPGSPAGSPTSTEE GSSTPSGATGSPGTP GSGTASSSPGSSTPS GATGSPGTSTEPSEG SAPGTSTEPSEGSAP GSEPATSGSETPGSP AGSPTSTEEGSPAGS PTSTEEGTSTEPSEGS APGPEPTGPAPSGGS EPATSGSETPGTSES ATPESGPGSPAGSPT STEEGTSESATPESGP GSPAGSPTSTEEGSP AGSPTSTEEGTSESA TPESGPGSPAGSPTST EEGSPAGSPTSTEEG STSSTAESPSPGSTSE SPSGTAPGTSPSGESS TAPGTSESPTSGTAP GSTSESPSGTAPGTSP SGESSTAPGTSTEPSE GSAPGTSESATPESG PGTSESATPESGPGS EPATSGSETPGTSES ATPESGPGTSESATP ESGPGTSTEPSEGSAP PGTSESATPESGPGT STEPSEGSAPGTSPSG ESSTAPGTSPSGESST APGTSPSGESSTAPG TSTEPSEGSAPGSPA GSPTSTEEGTSTEPSE GSAPGSSPSASTGTG PGSSTPSGATGSPGS STPSGATGSPGSSTPS GATGSPGSSTPSGAT GSPGASPGTSSTGSP GASASGAPSTGGTSP SGESSTAPGTSSTA ESPGPGTSPSGESSTA PGTSESATPESGPGT STEPSEGSAPGTSTEP SEGSAPGSSPSASTG TGPGSSTPSGATGSP GASPGTSSTGSPGTS TPESGSASPGTSPSGE SSTAPGTSPSGESSTA PGTSESATPESGPGS	GAATCCGGCCCCAGGTAGCCCCGGCAGGTTCTCCGACTTCCACTG AGGAAGGTACCTCTACTGAACCTTCTGAGGGCAGCGCTCCAGG TACTTCTGAAAGCGCTACCCCGGAGTCCGGTCCAGGTACTTCTA CTGAACCGTCCGAAGGTAGCGCACCAGGTACTTCTACCGAACC GTCCGAGGGTAGCGCACCAGGTAGCCCAGCAGGTTCTCTACC TCCACCGAGGAAGGTACTTCTACCGAACCCTCCGAGGGTAGCG CACCAGGTACTTCTACCGAACCTTCCGAGGGCAGCGCACCAGG TACTTCTGAAAGCGCTACCCCTGAGTCCGGCCCCAGGTACTTCTG AAAGCGCTACTCCTGAATCCGGTCCAGGTACCTCTACTGAACCT TCCGAAGGCAGCGCTCCAGGTACCTCTACCGAACCGTCCGAGG GCAGCGCACCAGGTACTTCTGAAAGCGCAACCCCTGAATCCGG TCCAGGTACTTCTACTGAACCTTCCGAAGGTAGCGCTCCAGTA GCGAACCTGTACTTCTGGTTCTGAAACCCAGGTAGCCCCGGCT GGCTCTCCGACCTCCACCGAGGAAGGTAGCTCTACCCCGTCTGG TGCTACTGGTTCTCCAGGTACTCCGGGCAGCGGTACTGCTTCTT CCTCTCCAGGTAGCTCTACCCCTTCTGGTGCTACTGGCTCTCCA GGTACCTCTACCGAACCGTCCGAGGGTAGCGCACCAGGTACCT CTACTGAACCGTCTGAGGGTAGCGCTCCAGGTAGCGAACCGGC AACCTCCGGTTCTGAAACTCCAGGTAGCCCTGCTGGCTCTCCGA CTTCTACTGAGGAAGGTAGCCCCGGCTGGTTCTCCGACTTCTACT GAGGAAGGTACTTCTACCGAACCTTCCGAAGGTAGCGCTCCAG GTCCAGAACCAACGGGGCCGGCCCCAAGCGGAGGTAGCGAAC CGGCAACCTCCGGCTCTGAAACCCAGGTACCTCTGAAAGCGC TACTCCTGAATCCGGCCCCAGGTAGCCCCGGCAGGTTCTCCGACT CCACTGAGGAAGGTACTTCTGAAAGCGCTACTCCTGAGTCCGG CCCAGGTAGCCCCGGCTGGCTCTCCGACTTCCACCGAGGAAGGT AGCCCCGGCTGGCTCTCCAACCTTCTACTGAAGAAGGTACTTCTGA AAGCGCTACTCCTGAGTCCGGCCCCAGGTAGCCCCGGCTGGCTCTC GACTTCCACCGAGGAAGGTAGCCCCGGCTGGCTCTCCAACCTTCT ACTGAAGAAGGTTCTACCGCTCTACCGTGAATCTCCTGGCCC AGGTTCTACTAGCGAATCTCCGTCTGGCACCAGGTACTTCTACC CCCCTAGCGGTGAATCTTCTACTGCACCAGGTCTTCTACCAGCGAA TCTCCTTCTGGCACCAGGTCTCCTAGCGGCGAATCTTCTACCG TGGTACCGCACCAGGTACTTCTCCTAGCGGCGAATCTTCTACCG CACCAGGTACTTCTACCGAACCTTCCGAGGGCAGCGCACCAGG TACTTCTGAAAGCGCTACCCCTGAGTCCGGCCCCAGGTACTTCTG AAAGCGCTACTCCTGAATCCGGTCCAGGTAGCGAACCGGCAAC CTCTGGCTCTGAAACCCAGGTACCTCTGAAAGCGCTACTCCGG AATCTGGTCCAGGTACTTCTGAAAGCGCTACTCCGGAATCCGGT CCAGGTACCTCTACTGAACCTTCTGAGGGCAGCGCTCCAGGTAC TTCTGAAAGCGCTACCCCGGAGTCCGGTCCAGGTACTTCTACTG AACCGTCCGAAGGTAGCGCACCAGGTACCTCCCCTAGCGGCGA ATCTTCTACTGCTCCAGGTACCTCTCCTAGCGGCGAATCTTCTA CCGCTCCAGGTACCTCCCCTAGCGGTGAATCTTCTACCGCACCA GGTACTTCTACCGAACCGTCCGAGGGTAGCGCACCAGGTAGCC CAGCAGGTTCTCCTACCTCCACCGAGGAAGGTACTTCTACCGAA CCGTCCGAGGGTAGCGCACCAGGTCTAGCCCTTCTGCTTCCAC CGGTACCGGCCAGGTAGCTCTACTCCGTCTGGTGCAACTGGCT CTCCAGGTAGCTCTACTCCGTCTGGTGCAACCGGCTCCCCAGGT AGCTCTACCCCGTCTGGTGCTACCGGCTCTCCAGGTAGCTCTAC CCCGTCTGGTGCAACCGGCTCCCCAGGTGCATCCCCGGGTACTA GCTCTACCGGTTCTCCAGGTGCAAGCGCAAGCGGCGCGCCAAG CACGGGAGGTACTTCTCCGAGCGGTGAATCTTCTACCGCACCA GGTTCTACTAGCTCTACCGTGAATCTCCGGGCCAGGTACTTC TCCGAGCGGTGAATCTTCTACTGCTCCAGGTACCTCTGAAAGCG CTACTCCGGAGTCTGGGCCAGGTACCTCTACTGAACCGTCTGAG GGTAGCGCTCCAGGTACTTCTACTGAACCGTCCGAAGGTAGCG CACCAGGTTCTAGCCCTTCTGCATCTACTGGTACTGGGCCAGGT AGCTCTACTCCTTCTGGTGCTACCGGCTCTCCAGGTGCTTCTCC

GHXTEN Name*	Amino Acid Sequence	DNA Nucleotide Sequence
	EPATSGSETPGTSTEP SEGSAPGSTSESPSGT APGSTSESPSGTAPG TSTPESGSASPGSPA GSPTSTEEGTSESATP ESGPGTSTEPSEGS PGSPAGSPTSTEEGT SESATPESGPGSEPA TSGSETPGSSTPSGA TGSPGASPGTSSTGS PGSSTPSGATGSPGS TSESPSGTAPGTSPSG ESSTAPGSTSSTAESP GPGSSTPSGATGSPG ASPGTSSTGSPGTPG SGTASSSPGSPAGSP TSTEEGSPAGSPTSTE EGTSTEPSEGSAP	GGGTACTAGCTCTACCGGTTCTCCAGGTACTTCTACTCCGGA GCGGTTCCGCATCTCCAGGTACTTCTCCTAGCGGTGAATCTTCT ACTGCTCCAGGTACCTCTCCTAGCGGCGAATCTTCTACTGCTCC AGGTACTTCTGAAAGCGCAACCCCTGAATCCGGTCCAGGTAGC GAACCGGCTACTTCTGGCTCTGAGACTCCAGGTACTTCTACCGA ACCGTCCGAAGGTAGCGCACCAGGTTCTACCAGCGAATCCCCT TCTGGTACTGCTCCAGGTTCTACCAGCGAATCCCCTTCTGGCAC CGCACCAGGTACTTCTACCCCTGAAAGCGGCTCCGCTTCTCCAG GTAGCCCGGCAGGCTCTCCGACCTCTACTGAGGAAGGTACTTCT GAAAGCGCAACCCCGGAGTCCGGCCAGGTACCTCTACCGAAC CGTCTGAGGGCAGCGCACCAGGTAGCCCTGCTGGCTCTCCAAC CTCCACCGAAGAAGGTACCTCTGAAAGCGCAACCCCTGAATCC GGCCAGGTAGCGAACCAGGCAACCTCCGTTCTGAAACCCAG GTAGCTCTACCCCGTCTGGTGTCTACCGGTTCCCGAGGTGCTTCT CCTGGTACTAGCTCTACCGGTTCTCCAGGTAGCTCTACCCCGTC TGGTGTCTACTGGCTCTCCAGGTTCTACTAGCGAATCCCGGTCTG GTACTGCTCCAGGTACTTCCCCTAGCGGTGAATCTTCTACTGCT CCAGGTTCTACCAGCTCTACCGCAGAATCTCCGGGTCCAGGTAG CTCTACCCCTTCTGGTGCAACCGGCTCTCCAGGTGCATCCCGG GTACCAGCTCTACCGGTTCTCCAGGTACTCCGGGTAGCGGTACC GCTTCTTCTCTCCAGGTAGCCCTGCTGGCTCTCCGACTTCTACT GAGGAAGGTAGCCCGGCTGGTTCTCCGACTTCTACTGAGGAAG GTACTTCTACCGAACCTTCCGAAGGTAGCGCTCCA

* Sequence name reflects N- to C-terminus configuration of the growth factor and XTEN components

Table 36: Exemplary GHXTEN comprising growth hormones and two XTEN sequences

GHXTEN Name*	Amino Acid Sequence	DNA Nucleotide Sequence
AE48- hGH- AE144	MAEPAGSPTSTEEGT PGSGTASSSPGSSTPS GATGSPGASPGTSST GSPGFPTIPLSRLFDN AMLRAHRLHQLAFD TYQEFEEAYIPKEQK YSFLQNPQTSLCFSE SIPTPSNREETQOKS NLELLRISLLLIQSWL EPVQFLRSVFANSLV YGASDSNVYDLLKD LEEGIQTLMGRLDG SPRTGQIFKQTYSKF DTNSHNDDALLKNY GLLYCFRKDMDKVE TFLRIVQCRSVEGSC GFGGSEPATSGSETP GTSESATPESGPGSE PATSGSETPGSPAGS PTSTEEGTSTEPSEGS APGSEPATSGSETPG SEPATSGSETPGSEP ATSGSETPGTSTEPSE GSAPGTSESATPESG PGSEPATSGSETPGT STEPSEGSAP	ATGGCTGAACCTGCTGGCTCTCCAACCTCCACTGAGGAAGGTA CCCCGGGTAGCGGTACTGCTTCTTCTCTCCAGGTAGCTCTACC CCTTCTGGTGCAACCGGCTCTCCAGGTGCTTCTCCGGGCACCAG CTCTACCGGTTCTCCAGGTTTTCCGACTATTCCGCTGTCTCGTCT GTTTGATAATGCTATGCTGCGTGCGCACCGTCTGCACCAGCTGG CCTTTGATACTTACCAGGAATTTGAAGAAGCCTACATTCTCTAAA GAGCAGAAGTACTCTTTCTGCAAAACCCACAGACTTCTCTCTG CTTCAGCGAATCTATTCCGACGCCTTCCAATCGCGAGGAACTC AGCAAAAGTCCAATCTGGAAGTACTCCGCATTTCTCTGCTTCTG ATTGAGAGCTGGCTAGAACCAAGTGAATTTCTGCGTTCCGTCTT CGCCAATAGCCTAGTTTATGGCGCATCCGACAGCAACGTATAC GATCTCCTGAAAGATCTCGAGGAAGGCATTGAGACCCTGATGG GTCGTCTCGAGGATGGCTCTCCGCGTACTGGTCAGATCTTCAAG CAGACTTACTCTAAATTTGATACTAACAGCCACAATGACGATGC GCTTCTAAAAAACTATGGTCTGCTGTATTGTTTTCGTAAAGATA TGGACAAAGTTGAAACCTTCTGCGTATTGTTTCAGTGTCGTTCC GTTGAGGGCAGCTGTGGTTTCTAAGGTGGTAGCGAACCGGCAA CTCCGGCTCTGAAACCCAGGTACTTCTGAAAGCGCTACTCCT GAGTCTGGCCAGGTAGCGAACCTGCTACTCTGCTGCTGCTGAAA CCCCAGGTAGCCCGGAGGCTCTCCGACTTCCACCGAGGAAGG TACCTCTACTGAACCTTCTGAGGGTAGCGCTCCAGGTAGCGAAC CGGCAACCTCTGGCTCTGAAACCCAGGTAGCGAACCTGCTAC CTCCGGCTCTGAAACTCCAGGTAGCGAACCGGCTACTTCCGGTT CTGAAACTCCAGGTACTTCTACCGAACCTTCCGAAGGCAGCGC ACCAGGTACTTCTGAAAGCGCAACCCCTGAATCCGGTCCAGGT AGCGAACCGGCTACTTCTGGCTCTGAGACTCCAGGTACTTCTAC CGAACCGTCCGAAGGTAGCGCACCA
AM48-	MAEPAGSPTSTEEGA	ATGGCTGAACCTGCTGGCTCTCCAACCTCCACTGAGGAAGGTG

GHXTEN Name*	Amino Acid Sequence	DNA Nucleotide Sequence
hGH- AE144	SPGTSSTGSPGSSTPS GATGSPGSSTPSGAT GSPGFPTIPLSRFDN AMLRAHRLHQLAFD TYQEFEEAYIPKEQK YSFLQNPQTSLCFSE SIPTPSNREETQOKS NLELLRISLLLIQSWL EPVQFLRSVFANSLV YGASDSNVYDLLKD LEEGIQTLMGRLEDG SPRTGQIFKQTYSKF DTNSHNDDALLKNY GLLYCFRKDMDKVE TFLRIVQCRSVEGSC GFGGSEPATSGSETP GTSESATPESGPGSE PATSGSETPGSPAGS PTSTEEGTSTEPSEGS APGSEPATSGSETPG SEPATSGSETPGSEP ATSGSETPGTSTEPSE GSAPGTSESATPESG PGSEPATSGSETPGT STEPSEGSAP	CATCCCCGGGCACCAGCTCTACCGGTTCTCCAGGTAGCTCTACC CCGTCTGGTGCTACCGGCTCTCCAGGTAGCTCTACCCCGTCTGG TGCTACTGGCTCTCCAGGTTTTCCGACTATTCCGCTGTCTCGTCT GTTTGATAATGCTATGCTGCGTGCGCACCGTCTGCACCAGCTGG CCTTTGATACTTACCAGGAATTTGAAGAAGC;TACATTCTTAAA GAGCAGAAGTACTCTTTCTGCAAAACCCACAGACTTCTCTCTG CTTACAGCGAATCTATTCCGACGCCTTCCAATCGCGAGGAACTC AGCAAAAGTCCAATCTGGAAGTACTCCGCATTTCTCTGCTTCTG ATTCAGAGCTGGCTAGAACCAGTGCAATTTCTGCGTTCCGTCTT CGCCAATAGCCTAGTTTATGGCGCATCCGACAGCAACGTATAC GATCTCCTGAAAGATCTCGAGGAAGGCATTAGAGACCTGATGG GTCGTCTCGAGGATGGCTCTCCGCGTACTGGTCAGATCTTCAAG CAGACTTACTCTAAATTTGATACTAACAGCCACAATGACAGTGC GCTTCTAAAAAACTATGGTCTGCTGTATTGTTTTTCGTAAAGATA TGGACAAAGTTGAAACCTTCCGTGCGTATTGTTCAAGTGTGCTTCC GTTGAGGGCAGCTGTGGTTTCTAAGGTGGTAGCGAACCGGCAA CTTCCGGCTCTGAAACCCAGGTACTTCTGAAAGCGCTACTCCT GAGTCTGGCCCAGGTAGCGAACCTGCTACCTCTGGCTCTGAAA CCCCAGGTAGCCCGGCAGGCTCTCCGACTTCCACCGAGGAAGG TACCTCTACTGAACCTTCTGAGGGTAGCGCTCCAGGTAGCGAAC CGGCAACCTCTGGCTCTGAAACCCAGGTAGCGAACCTGCTAC CTCCGGCTCTGAAACTCCAGGTAGCGAACCCGGCTACTTCCGGTT CTGAAACTCCAGGTACCTCTACCGAACCTTCCGAAGGCAGCGC ACCAGGTACTTCTGAAAGCGCAACCCCTGAATCCGGTCCAGGT AGCGAACCGGCTACTTCTGGCTCTGAGACTCCAGGTACTTCTAC CGAACCGTCCGAAGGTAGCGCACCA
AE144- hGH- AE144	GSEPATSGSETPGTS ESATPESGPGSEPAT SGSETPGSPAGSPTST EEGTSTEPSEGSAPG SEPATSGSETPGSEP ATSGSETPGSEPATS GSETPGTSTEPSEGS APGTSESATPESGPG SEPATSGSETPGTSTE PSEGSAPGFPTIPLSR LFDNAMLRAHRLHQ LAFDQYQEFEEAYIP KEQKYSFLQNPQTS CFSESIPTPSNREETQ QKSNLELLRISLLLIQ SWLEPVQFLRSVFA NSLVYGASDSNVYD LLDLEEGIQTLMGR LEDGSPRTGQIFKQT YSKFDTNSHNDDAL LKNYGLLYCFRKDM DKVETFLRIVQCRSV EGSCFGGSEPATSG SETPGTSESATPESGP GSEPATSGSETPGSP AGSPTSTEEGTSTEPS EGSAPGSEPATSGSE TPGSEPATSGSETPG SEPATSGSETPGTSTE PSEGSAPGTSESATP ESGPGSEPATSGSET PGTSTEPSEGSAP	GGTAGCGAACCGGCAACTTCCGGCTCTGAAACCCAGGTACTT CTGAAAGCGCTACTCCTGAGTCTGGCCAGGTAGCGAACCTGC TACCTCTGGCTCTGAAACCCAGGTAGCCCGGCAGGCTCTCCGA CTTCCACCGAGGAAGGTACCTCTACTGAACCTTCTGAGGGTAGC GCTCCAGGTAGCGAACCGGCAACCTCTGGCTCTGAAACCCAG GTAGCGAACCTGCTACCTCCGGCTCTGAAACTCCAGGTAGCGA ACCGGCTACTTCCGGTTCTGAAACTCCAGGTACCTCTACCGAAC CTCCGAAGGCAGCGCACCGAGTACTTCTGAAAGCGCAACCC TGAATCCGGTCCAGGTAGCGAACCGGCTACTTCTGGCTCTGAG ACTCCAGGTACTTCTACCGAACCGTCCGAAGGTAGCGCACCG GTTTTCCGACTATTCCGCTGTCTCGTCTGTTTGATAATGCTATGC TGCGTGCGCACCGTCTGCACCGTGGCCTTTGATACTTACCAG GAATTTGAAGAAGC;TACATTCTTAAAGAGCAGAAGTACTCTTT CCTGCAAAACCCACAGACTTCTCTCTGCTTCCAGCGAATCTATTC CGACGCCTTCCAATCGCGAGGAACTCAGCAAAAGTCCAATCT GGAAGTACTCCGCATTTCTCTGCTTCTGATTAGAGCTGGCTAG AACCAGTGCAATTTCTGCGTTCCGTCTTCGCAATAGCCTAGTT TATGGCGCATCCGACAGCAACGTATACGATCTCCTGAAAGATC TCGAGGAAGGCATTAGAGCCCTGATGGGTGCTCTCGAGGATGG CTCTCCGCGTACTGGTCAGATCTTCAAGCAGACTTACTCTAAAT TTGATACTAACAGCCACAATGACGATGCGCTTCTAAAAAACTA TGGTCTGCTGTATTGTTTTCTGTAAGATATGGACAAAGTTGAAA CCTTCTGCGTATTGTTCAAGTGTGCTTCCGTTGAGGGCAGCTGT GGTCTTCTAAGGTGGTAGCGAACCGGCAACTTCCGGCTCTGAAA CCCCAGGTACTTCTGAAAGCGCTACTCCTGAGTCTGGCCAGGT AGCGAACCTGCTACCTCTGGCTCTGAAACCCAGGTAGCCCGG CAGGCTCTCCGACTTCCACCGAGGAAGGTACCTCTACTGAACCT TCTGAGGGTAGCGCTCCAGGTAGCGAACCGGCAACCTCTGGCT CTGAAACCCAGGTAGCGAACCTGCTACCTCCGGCTCTGAAAC TCCAGGTAGCGAACCGGCTACTTCCGGTTCTGAAACTCCAGGTA CCTCTACCGAACCTTCCGAAGGCAGCGCACCGAGGTACTTCTGA AAGCGCAACCCCTGAATCCGGTCCAGGTAGCGAACCGGCTACT TCTGGCTCTGAGACTCCAGGTACTTCTACCGAACCGTCCGAAGG

GHXTEN Name*	Amino Acid Sequence	DNA Nucleotide Sequence
AE288- hGH- AE144	GTSESATPESGPGSE PATSGSETPGTSESA TPESGPGSEPATSGS ETPGTSESATPESGP GTSTEPSEGSAPGSP AGSPTSTEEGTSESA TPESGPGSEPATSGS ETPGTSESATPESGP GSPAGSPTSTEEGSP AGSPTSTEEGTSTEPS EGSAPGTSESATPES GPGTSESATPESGPG TSESATPESGPGSEP ATSGSETPGSEPATS GSETPGSPAGSPTST EEGTSTEPSEGSAPG TSTEPSEGSAPGSEP ATSGSETPGTSESAT PESGPGTSTEPSEGS APGFPTIPLSRLFDNA MLRAHRLHQLAFDT YQEFEEAYIPKEQKY SFLQNPQTSLCFSESI PTPSNREETQQKSNL ELLRISLLLIQSWLEP VQFLRSVFANSLVY GASDSNVYDLLKDL EEGIQTLMGRLEDGS PRTGQIFKQYTSKFD TNSHNDDALLKNYG LLYCFRKDMDKVET FLRIVQCRSVEGSCG FGGSEPATSGSETPG TSESATPESGPGSEP ATSGSETPGSPAGSP TSTEEGTSTEPSEGS APGSEPATSGSETPG SEPATSGSETPGSEP ATSGSETPGTSTEPSE GSAPGTSESATPESG PGSEPATSGSETPGT STEPSEGSAP	TAGCGCACCA GGTACCTCTGAAAGCGCAACTCCTGAGTCTGGCCCAGGTAGCG AACCTGCTACCTCCGGCTCTGAGACTCCAGGTACCTCTGAAAGC GCAACCCCGGAATCTGGTCCAGGTAGCGAACCTGCAACCTCTG GCTCTGAAACCCCAGGTACCTCTGAAAGCGCTACTCCTGAATCT GGCCAGGTACTTCTACTGAACCGTCCGAGGGCAGCGCACCCAG GTAGCCCTGCTGGCTCTCCAACCTCCACCGAAGAAGGTACCTCT GAAAGCGCAACCCCTGAATCCGGCCAGGTAGCGAACCCGGCAA CCTCCGGTTCTGAAACCCCAGGTACTTCTGAAAGCGCTACTCCT GAGTCCGGCCCAGGTAGCCCGGCTGGCTCTCCGACTTCCACCG AGGAAGGTAGCCCGGCTGGCTCTCCAACCTTCTACTGAAGAAGG TACTTCTACCGAACCTTCCGAGGGCAGCGCACCAGGTACTTCTG AAAGCGCTACCCCTGAGTCCGGCCAGGTACTTCTGAAAGCGC TACTCCTGAATCCGGTCCAGGTACTTCTGAAAGCGCTACCCCGG AATCTGGCCCAGGTAGCGAACCCGGCTACTTCTGGTTCTGAAACC CCAGGTAGCGAACCCGGCTACCTCCGGTTCTGAAACTCCAGGTA GCCCAGCAGGCTCTCCGACTTCCACTGAGGAAGGTACTTCTACT GAACCTTCCGAAGGCAGCGCACCAGGTACCTCTACTGAACCTT CTGAGGGCAGCGCTCCAGGTAGCGAACCTGCAACCTCTGGCTC TGAAACCCCAGGTACCTCTGAAAGCGCTACTCCTGAATCTGGCC CAGGTACTTCTACTGAACCGTCCGAGGGCAGCGCACCAGGTTTT CCGACTATTCGCTGTCTCGTCTGTTTGATAATGCTATGCTGCGT GCGCACCGTCTGCACCAGCTGGCCTTTGATACTTACCAGGAATT TGAAGAAGC _c TACATTCTAAAGAGCAGAAGTACTCTTTCCTGC AAAACCCACAGACTTCTCTCTGCTTCAGCGAATCTATTCCGACG CCTTCCAATCGCGAGGAAACTCAGCAAAAGTCCAATCTGGAAC TACTCCGCATTTCTCTGCTTCTGATTCAGAGCTGGCTAGAACCA GTGCAATTTCTGCGTTCCGTCTTCGCCAATAGCCTAGTTTATGG CGCATCCGACAGCAACGTATACGATCTCCTGAAAGATCTCGAG GAAGGCATTTCAGACCCTGATGGGTCGCTCTCGAGGATGGCTCTC CGCGTACTGGTCAGATCTTCAAGCAGACTTACTCTAAATTTGAT ACTAACAGCCACAATGACGATGCGCTTCTAAAAAACTATGGTC TGCTGTATTGTTTTCGTAAAGATATGGACAAAGTTGAAACCTTC CTGCGTATTGTTTCAGTGTCTGTTCCGTTGAGGGCAGCTGTGGTTT CTAAGGTGGTAGCGAACCCGGCAACTTCCGGCTCTGAAACCCCA GGTACTTCTGAAAGCGCTACTCCTGAGTCTGGCCCAGGTAGCG AACCTGCTACCTCTGGCTCTGAAACCCAGGTAGCCCGGCAGG CTCTCCGACTTCCACCGAGGAAGGTACCTCTACTGAACCTTCTG AGGGTAGCGCTCCAGGTAGCGAACCCGGCAACCTCTGGCTCTGA AACCCAGGTAGCGAACCTGCTACCTCCGGCTCTGAAACTCCA GGTAGCGAACCCGGCTACTTCCGGTTCTGAAACTCCAGGTACCTC TACCGAACCTTCCGAAGGCAGCGCACCAGGTACTTCTGAAAGC GCAACCCCTGAATCCGGTCCAGGTAGCGAACCCGGCTACTTCTG GCTCTGAGACTCCAGGTACTTCTACCGAACCGTCCGAAGGTAG CGCACCA
AF144- hGH- AE144	GTSTPESGSASPGTSP SGESSTAPGTSPSGES STAPGSTSSTAESPG GSTSESPGTAPGSTS STAESPGGTSPSGES STAPGSTPESGSASP GSTSSTAESPGGTSP SGESSTAPGTSPSGES STAPGTSPSGESSTAP GFPTIPLSRLFDNAM LRAHRLHQLAFDTY QEFEEAYIPKEQKYS FLQNPQTSLCFSESIP TPSNREETQQKSNLE	GGTACTTCTACTCCGGAAGCGGTTCCGCATCTCCAGGTACTTC TCCTAGCGGTGAATCTTCTACTGCTCCAGGTACCTCTCCTAGCG GCGAATCTTCTACTGCTCCAGGTTCTACCAGCTCTACCGCTGAA TCTCCTGGCCCAGGTTCTACCAGCGAATCCCCGTCTGGCACCGC ACCAGGTTCTACTAGCTCTACCGCAGAATCTCCGGGTCCAGGTA CTTCCCCTAGCGGTGAATCTTCTACTGCTCCAGGTACCTCTACT CCGGAAAGCGGCTCCGCATCTCCAGGTTCTACTAGCTCTACTGC TGAATCTCCTGGTCCAGGTACCTCCCCTAGCGGCGAATCTTCTA CTGCTCCAGGTACCTCTCCTAGCGGCGAATCTTCTACCGTCCA GGTACCTCCCCTAGCGGTGAATCTTCTACCGCACCAGGTTTTCC GACTATTCCGCTGTCTCGTCTGTTTGATAATGCTATGCTGCGTG CGCACCGTCTGCACCAGCTGGCCTTTGATACTTACCAGGAATTT GAAGAAGC _c TACATTCTAAAGAGCAGAAGTACTCTTTCCTGCA AAACCCACAGACTTCTCTCTGCTTCAGCGAATCTATTCCGACGC

GHXTEN Name*	Amino Acid Sequence	DNA Nucleotide Sequence
	LLRISLLLIQSWLEPV QFLRSVVFANSLVYG ASDSNVYDLLKDLE EGIQTLMGRLDGSP RTGQIFKQTYSKFDT NSHNDDALLKNYGL LYCFRKDMDKVETF LRIVQCRSVEGSCGF GGSEPATSGSETPGT SESATPESGPGSEPA TSGSETPGSPAGSPTS TEEGTSTEPSEGSAP GSEPATSGSETPGSE PATSGSETPGSEPAT SGSETPGTSTEPSEGS APGTSESATPESGPG SEPATSGSETPGTSTE PSEGSAP	CTTCCAATCGCGAGGAACTCAGCAAAAGTCCAATCTGGAAC ACTCCGCATTCTCTGCTTCTGATTGAGAGCTGGCTAGAACCA TGCAATTTCTGCGTTCCGTTCTCGCCAATAGCCTAGTTTATGGC GCATCCGACAGCAACGTATACGATCTCCTGAAAGATCTCGAGG AAGGCATTGAGACCCTGATGGGTCGTCTCGAGGATGGCTCTCC GCGTACTGGTCAGATCTTCAAGCAGACTTACTCTAAATTTGATA CTAACAGCCACAATGACGATGCGCTTCTAAAAAACTATGGTCT GCTGTATTGTTTTTCGTAAAGATATGGACAAAGTTGAAACCTTCC TGCCTATTGTTTCTAGTGTCTGTTCCGTTGAGGGCAGCTGTGGTTTC TAAGGTGGTAGCGAACCAGGCAACTTCCGGCTCTGAAACCCAG GTACTTCTGAAAGCGCTACTCCTGAGTCTGGCCAGGTAGCGA ACCTGCTACCTCTGGCTCTGAAACCCAGGTAGCCCGGACGGCT CTCCGACTTCCACCGAGGAAGGTACCTCTACTGAACTTCTGAG GGTAGCGCTCCAGGTAGCGAACCAGGCAACCTCTGGCTCTGAAA CCCCAGGTAGCGAACCTGCTACCTCCGGCTCTGAAACTCCAGGT AGCGAACCCGGCTACTTCCGGTTCTGAAACTCCAGGTACCTCTAC CGAACCTTCCGAAGGCAGCGCACCAGGTACTTCTGAAAGCGCA ACCCCTGAATCCGGTCCAGGTAGCGAACCCGGCTACTTCTGGCTC TGAGACTCCAGGTACTTCTACCGAACCGTCCGAAGGTAGCGCA CCA
AD576- hGH- AE144	GSSESGSSEGGPGSG GEPSGSSGSSESGS SEGPGSSGSGSSE GPGSSGSGSSEGGPG SSGSGSSEGGPGSSG GSSEGGPGSGPGSS GSESGSGSSGPGES SGSSGSGSSEGGPGS SESGSGSSEGGPGSS GSSEGGPGSGGEPSE SGSSGSGSGSSESG SGESPGSGSSGSGS GGEPSESGSSGSGS GSSEGGPGSGGEPSE SGSSGSGGEPSESGS SPGSSGSGSGGEP PSESGSSGSGGEPSES GSSGSGGEPSESGSS GSSESGSSEGGPGES PGGSSGSGSGEPGG SSGSGSGSPGGSSG SESGSGSGSSGSGS GSPGGSSGSGSGSS ESGSSEGGPGSGGEP SESGSSGSGSSGPG ESSGSSGSGSSEGGP GSGGEPSESGSSGSS ESGSSEGGPGSGGEP SESGSSGSGSPGGSSG SESGSGSGSGSGS GSSESGSSEGGPGSG GEPSGSSGSGSSESG SEGPGSGGEPSESG SSGSGGEPSESGSSG ESPGGSSGSGSGSEG SSGPGESSGSGSGSS EGGPGSESGSGPGES SGFPTIPLSRFDNA	GGTTCTCTGAAAGCGGTTCTTCCGAAGGTGGTCCAGGTTCTC TGAAAGCGGTTCTTCTGAGGGTGGTCCAGGTGAATCTCCGGGT GGCTCCAGCGGTTCCGAGTCAGGTTCTGGTGGCGAACCTTCCGA GTCTGGTAGCTCAGGTGAATCTCCGGGTGGTTCTAGCGGTTCCG AGTCAGGTGAATCTCCGGGTGGTTCCAGCGGTTCTGAGTCAGGT TCCTCCGAAAGCGGTTCTTCTGAGGGCGGTCCAGGTTCCTCCGA AAGCGGTTCTTCCGAGGGCGGTCCAGGTTCCTTCTGAAAGCGGTT CTTCGAGGGCGGTCCAGGTGAATCTCCTGGTGGTTCCAGCGGT TCCGAGTCAGGTGAATCTCCAGGTGGCTCTAGCGGTTCCGAGTC AGGTGAATCTCCTGGTGGTTCTAGCGGTTCTGAATCAGGTTCTC CCGAAAGCGGTTCTTCTGAGGGCGGTCCAGGTTCTTCCGAAAG CGGTTCTTCCGAGGGCGGTCCAGGTTCTTCTGAAAGCGGTTCTT CCGAGGGCGGTCCAGGTTCTTCTGAAAGCGGTTCTTCTGAGGG CGGTCCAGGTTCTTCCGAAAGCGGTTCTTCCGAGGGCGGTCCAG GTTCTTCCGAAAGCGGTTCTTCTGAAGGCGGTCCAGGTTCTGGT GCGCAACCGTCCGAGTCTGGTAGCTCAGGTGAATCTCCGGGTG GCTCTAGCGGTTCCGAGTCAGGTGAATCTCCTGGTGGTTCCAGC GGTTCCGAGTCAGGTTCCGGTGCGAACCGTCCGAATCTGGTA GCTCAGGTAGCGAAGGTTCTTCTGGTCCAGGCGAATCTTCAGGT TCCTCTGAAAGCGGTTCTTCTGAGGGCGGTCCAGGTTCCGGTGG CGAACCGTCCGAATCTGGTAGCTCAGGTAGCGAAGGTTCTTCTG GTCCAGGCGAATCTTCAGGTTCTTCTGAAAGCGGTTCTTCTGAG GCGGTCCAGGTTCCGGTGGCGAACCTTCCGAATCTGGTAGCTC AGGTGAATCTCCGGGTGGTTCTAGCGGTTCTGAGTCAGGTTCTG GTGGTGAACCTTCCGAGTCTGGTAGCTCAGGTTCTGGTGGCGAA CCATCCGAGTCTGGTAGCTCAGGTTCTTCCGAAAGCGGTTCTTC CGAAGGCGGTCCAGGTTCTGGTGGTGAACCGTCCGAATCTGGT AGCTCAGGTTCTGGTGGCGAACCATCCGAATCTGGTAGCTCAG GTAGCGAAGGTTCTTCTGGTCTTGGCGAATCTTCAGGTGAATCT CCAGGTGGCTCTAGCGGTTCCGAATCAGGTAGCGAAGGTTCTTC CGGTCCAGGTGAATCTTCAGGTAGCGAAGGTTCTTCTGGTCTCTG GTGAATCCTCAGGTTCCGGTGGCGAACCATCTGAATCTGGTAGC TCAGGTTCTCTGAAAGCGGTTCTTCCGAAGGTGGTCCAGGTTCT CTCTGAAAGCGGTTCTTCTGAGGGTGGTCCAGGTGAATCTCCGG GTGGCTCCAGCGGTTCCGAGTCAGGTTCTGGTGGCGAACCATCC GAATCTGGTAGCTCAGGTAGCGAAGGTTCTTCTGGTCTTGGCGA ATCTTCAGGTGAATCTCCAGGTGGCTCTAGCGGTTCCGAATCAG GTAGCGAAGGTTCTTCCGGTCTGGTGGTGAATCTTCAGGTGAATCT CCAGGTGGCTCTAGCGGTTCCGAGTCAGGTAGCGAAGGTTCTTC

GHXTEN Name*	Amino Acid Sequence	DNA Nucleotide Sequence
	MLRAHRLHQLAFDT YQEFEEAYIPKEQKY SFLQNPQTSLCFSESI PTPSNREETQQKSNL ELLRISLLLIQSWLEP VQFLRSVFANSLVY GASDSNVYDLLKDL EEGIQTLMGRLEDGS PRTGQIFKQYTSKFD TNSHNDDALLKNYG LLYCFRKDMDKVET FLRIVQCRSVEGSCG FGGSEPATSGSETPG TSESATPESGPGSEP ATSGSETPGSPAGSP TSTEEGTSTEPSEGS APGSEPATSGSETPG SEPATSGSETPGSEP ATSGSETPGTSTEPSE GSAPGTSESATPESG PGSEPATSGSETPGT STEPSEGSAP	TGGTCTTGGCGAGTCCTCAGGTTTTCCGACTATTCGCTGTCTC GTCTGTTTGATAATGCTATGCTGCGTGCGACCGTCTGCACCAG CTGGCCTTTGATACTTACCAGGAATTTGAAGAAGC&TACATTCC TAAAGAGCAGAAGTACTCTTTCCTGCAAAACCCACAGACTTCTC TCTGCTTCAGCGAATCTATTCCGACGCTTCCAATCGCGAGGAA ACTCAGCAAAAGTCCAATCTGGAACACTCCGCATTTCTCTGCT TCTGATTAGAGCTGGCTAGAACAGGTGCAATTTCTGCGTTCCG TCTTCGCCAATAGCCTAGTTTATGGCGCATCCGACAGCAACGTA TACGATCTCTGAAAGATCTCGAGGAAGGCATTACAGACCCTGA TGGGTGCTCTCGAGGATGGCTCTCCGCGTACTGGTCAGATCTTC AAGCAGACTTACTCTAAATTTGATACTAACAGCCACAATGACG ATGCGCTTCTAAAAAACTATGGTCTGCTGTATTGTTTTTCGTAAA GATATGGACAAAGTTGAAACCTTCTGCGTATTGTTTCAGTGTCTG TTCCGTTGAGGCGAGCTGTGGTTTCTAAGGTGGTAGCGAACCG GCAACTTCCGGCTCTGAAACCCAGGTACTTCTGAAAGCGCTAC TCCTGAGTCTGGCCCAGGTAGCGAACCTGCTACCTCTGGCTCTG AAACCCAGGTAGCCCGGCAGGCTCTCCGACTTCCACCGAGGA AGGTACCTCTACTGAACCTTCTGAGGGTAGCGCTCCAGGTAGC GAACCGGCAACCTCTGGCTCTGAAACCCAGGTAGCGAACCTG CTACCTCCGGCTCTGAAACTCCAGGTAGCGAACCGGCTACTTCC GGTTCTGAAACTCCAGGTACCTCTACCGAACCTTCCGAAGGCA GCGCACCAAGGTACTTCTGAAAGCGCAACCCCTGAATCCGGTCC AGGTAGCGAACCGGCTACTTCTGGCTCTGAGACTCCAGGTACTT CTACCGAACCGTCCGAAGGTAGCGCACCA
AE576- hGH- AE144	GSPAGSPTSTEEGTS ESATPESGPGTSTEPS EGSAPGSPAGSPTST EEGTSTEPSEGSAPG TSTEPSEGSAPGTSES ATPESGPGSEPATSG SETPGSEPATSGSETP GSPAGSPTSTEEGTS ESATPESGPGTSTEPS EGSAPGTSTEPSEGS APGSPAGSPTSTEEG TSTEPSEGSAPGTSTE PSEGSAPGTSESATP ESGPGTSTEPSEGS PGTSESATPESGPGS EPATSGSETPGTSTEP SEGSAPGTSTEPSEG SAPGTSESATPESGP GTSESATPESGPGSP AGSPTSTEEGTSESA TPESGPGSEPATSGS ETPGTSESATPESGP GTSTEPSEGSAPGTS TEPSEGSAPGTSTEPS EGSAPGTSTEPSEGS APGTSTEPSEGSAPG TSTEPSEGSAPGSPA GSPTSTEEGTSTEPSE GSAPGTSESATPESG PGSEPATSGSETPGT SESATPESGPGSEPA TSGSETPGTSESATPE SGPGTSTEPSEGSAP GTSESATPESGPGSP AGSPTSTEEGSPAGS	GGTAGCCCGGCTGGCTCTCTACCTCTACTGAGGAAGGTACTTC TGAAAGCGCTACTCCTGAGTCTGGTCCAGGTACCTCTACTGAAC CGTCCGAAGGTAGCGCTCCAGGTAGCCCAGCAGGCTCTCCGAC TTCCACTGAGGAAGGTACTTCTACTGAACCTTCCGAAGGCAGC GCACCAGGTACCTCTACTGAACCTTCTGAGGGCAGCGCTCCAG GTACTTCTGAAAGCGCTACCCCGGAATCTGGCCCAGGTAGCGA ACCGGCTACTTCTGGTTCTGAAACCCAGGTAGCGAACCGGCT ACCTCCGGTTCTGAAACTCCAGGTAGCCCGGCAGGCTCTCCGAC CTCTACTGAGGAAGGTACTTCTGAAAGCGCAACCCCGGAGTCC GGCCAGGTACCTCTACCGAACCGTCTGAGGGCAGCGCACCAG GTACTTCTACCGAACCGTCCGAGGGTAGCGCACCAGGTAGCCC AGCAGGTTCTCTACCTCCACCGAGGAAGGTACTTCTACCGAAC CGTCCGAGGGTAGCGCACCAGGTACCTCTACTGAACCTTCTGA GGGCAGCGCTCCAGGTACTTCTGAAAGCGCTACCCCGGAGTCC GGTCCAGGTACTTCTACTGAACCGTCCGAAGGTAGCGCACCAG GTACTTCTGAAAGCGCAACCCCTGAATCCGGTCCAGGTAGCGA ACCGGCTACTTCTGGCTCTGAGACTCCAGGTACTTCTACCGAAC CGTCCGAAGGTAGCGCACCAGGTACTTCTACTGAACCGTCTGA AGGTAGCGCACCAGGTACTTCTGAAAGCGCAACCCCGGAATCC GGCCAGGTACCTCTGAAAGCGCAACCCCGGAGTCCGGCCAG GTAGCCCTGCTGGCTCTCCAACCTCCACCGAAGAAGGTACCTCT GAAAGCGCAACCCCTGAATCCGGCCAGGTAGCGAACCGGCAA CCTCCGGTTCTGAAACCCAGGTACCTCTGAAAGCGCTACTCCG GAGTCTGGCCAGGTACCTCTACTGAACCGTCTGAGGGTAGCG CTCCAGGTACTTCTACTGAACCGTCCGAAGGTAGCGCACCAGG TACTTCTACCGAACCGTCCGAAGGCAGCGCTCCAGGTACCTCTA CTGAACCTTCCGAGGGCAGCGCTCCAGGTACCTCTACCGAACCT TCTGAAGGTAGCGCACCAGGTACTTCTACCGAACCGTCCGAGG GTAGCGCACCAGGTAGCCAGCAGGTTCTCCTACCTCCACCGA GGAAGGTACTTCTACCGAACCGTCCGAGGGTAGCGCACCAGGT ACCTCTGAAAGCGCAACTCCTGAGTCTGGCCAGGTAGCGAAC CTGCTACCTCCGGCTCTGAGACTCCAGGTACCTCTGAAAGCGCA ACCCCGGAATCTGGTCCAGGTAGCGAACCTGCAACCTCTGGCT CTGAAACCCAGGTACCTCTGAAAGCGCTACTCCTGAATCTGGC CCAGGTACTTCTACTGAACCGTCCGAGGGCAGCGCACCAGGTA

GHXTEN Name*	Amino Acid Sequence	DNA Nucleotide Sequence
	PTSTEEGSPAGSPTST EETSESATPESGPG TSTEPSEGSAPGFPTI PLSRLFDNAMLRAH RLHQLAFDTYQEFEE AYIPKEQKYSFLQNP QTSLCFSESIPTPSNR EETQKSNLELLRIS LLLIQSWLEPVQFLR SVFANSLVYGASDS NVYDLLKDLEEGIQT LMGRLEDGSPRTGQI FKQTYSKFDTNSHN DDALLKNYGLLYCF RKDMDKVETFLRIV QCRSVEGSCGFGGSE PATSGSETPGTSESA TPESGPGSEPATSGS ETPGSPAGSPTSTEE GTSTEPSEGSAPGSE PATSGSETPGSEPAT SGSETPGSEPATSGS ETPGTSTEPSEGSAP GTSESATPESGPGSE PATSGSETPGTSTEPS EGSAP	CTTCTGAAAGCGCTACTCCTGAGTCCGGCCCAGGTAGCCCGGCT GGCTCTCCGACTTCCACCGAGGAAGGTAGCCCGGCTGGCTCTCC AACTTCTACTGAAGAAGGTAGCCCGGCAGGCTCTCCGACCTCT ACTGAGGAAGGTACTTCTGAAAGCGCAACCCCGGAGTCCGGCC CAGGTACCTCTACCGAACCGTCTGAGGGCAGCGCACCAGGTTT TCCGACTATTCCGCTGTCTCGTCTGTTTGATAATGCTATGCTGCG TGCGCACCGTCTGCACCAGCTGGCCTTTGATACTTACCAGGAAT TTGAAGAAGC ₆ TACATTCTAAAGAGCAGAAGTACTCTTTCTCTG CAAAACCCACAGACTTCTCTCTGCTTCAGCGAATCTATTCCGAC GCCTTCCAATCGCGAGGAACTCAGCAAAAGTCCAATCTGGAA CTACTCCGCATTTCTCTGCTTCTGATTCTGAGAGCTGGCTAGAAC AGTGCAATTTCTGCGTTCCGCTCTTCGCCAATAGCCTAGTTTATG GCGCATCCGACAGCAACGTATACGATCTCCTGAAAGATCTCGA GGAAGGCATTACAGACCCTGATGGGTCGTCTCGAGGATGGCTCT CCGCGTACTGGTCAGATCTTCAAGCAGACTTACTCTAAATTTGA TACTAACAGCCACAATGACGATGCGCTTCTAAAAAACTATGGT CTGCTGTATTGTTTTCTGTAAGATATGGACAAAGTTGAAACCTT CCTGCGTATTGTTTCAGTGTCTGTTCCGTTGAGGGCAGCTGTGGTT TCTAAGGTGGTAGCGAACCGGCAACTTCCGGCTCTGAAACCCC AGGTACTTCTGAAAGCGCTACTCCTGAGTCTGGCCCAGGTAGC GAACCTGCTACCTCTGGCTCTGAAACCCCAGGTAGCCCGGCAG GCTCTCCGACTTCCACCGAGGAAGGTACCTCTACTGAACCTTCT GAGGGTAGCGCTCCAGGTAGCGAACCGGCAACCTCTGGCTCTG AAACCCCAGGTAGCGAACCTGCTACCTCCGGCTCTGAAACTCC AGGTAGCGAACCGGCTACTTCCGGTTCTGAAACTCCAGGTACCT CTACCGAACCTTCCGAAGGCAGCGCACCAGGTACTTCTGAAAG CGCAACCCCTGAATCCGGTCCAGGTAGCGAACCGGCTACTTCT GGCTCTGAGACTCCAGGTACTTCTACCGAACCGTCCGAAGGTA GCGCACCA
AF576- hGH- AE144	GSTSSTAESPGPGSTS STAESPGPGSTSESPS GTAPGSTSSTAESPG PGSTSSTAESPGPGTS TPESGSASPSTSESP SGTAPGTSPSGESST APGSTSESPSGTAPG STSESPSGTAPGTSPS GESSTAPGSTSESPSG TAPGSTSESPSGTAP GTSPSGESSTAPGSTS ESPSGTAPGSTSESPS GTAPGSTSESPSGTA PGTSTPESGSASPST SESPSGTAPGTSTPES GSASPGSTSSTAESP GPGSTSSTAESPGPG TSTPESGSASPSTP ESGSASPSTSESPSG TAPGTSTPESGSASP GTSTPESGSASPST ESPSGTAPGSTSESPS GTAPGSTSESPSGTA PGSTSSTAESPGPGTS TPESGSASPSTPES GSASPGSTSESPSGT APGSTSESPSGTAPG TSTPESGSASPSTSE SPSGTAPGSTSESPSG TAPGTSTPESGSASP	GGTCTACTAGCTCTACCGCTGAATCTCCTGGCCCAGGTTCCAC TAGCTCTACCGCAGAATCTCCGGGCCCAGGTTCTACTAGCGAAT CCCCTTCTGGTACCGCTCCAGGTTCTACTAGCTCTACCGCTGAA TCTCCGGGTCCAGGTTCTACCAGCTCTACTGCAGAATCTCCTGG CCCAGGTACTTCTACTCCGGAAAGCGGTTCCGCTTCTCCAGGTT CTACCAGCGAATCTCCTTCTGGCACCCTCCAGGTACCTCTCCT AGCGGCGAATCTTCTACCGCTCCAGGTTCTACTAGCGAATCTCCT TCTGGCACTGCACCGGTTCTACCAGCGAATCTCCTTCTGGCA CCGCTCCAGGTACCTCTCCTAGCGGCGAATCTTCTACCGCTCCA GGTTCTACTAGCGAATCTCCTTCTGGCACTGCACCAGGTTCTAC CAGCGAATCTCCTTCTGGCACCCTCCAGGTACCTCTCCTAGCG GCGAATCTTCTACCGCTCCAGGTTCTACTAGCGAATCTCCTTCT GGCCTGCACCAGGTTCTACTAGCGAATCTCCTTCTGGCACTGC ACCAGGTTCTACCAGCGAATCTCCGCTCTGGCACTGCACCAGGTA CCTTACCCCTGAAAGCGGTTCCGCTTCTCCAGGTTCTACTAGC GAATCTCCTTCTGGTACCGCTCCAGGTACTTCTACCCCTGAAAG CGGCTCCGCTTCTCCAGGTTCCACTAGCTCTACCGCTGAATCTC CGGGTCCAGGTTCTACTAGCTCTACTGCAGAATCTCCTGGCCCA GGTACCTCTACTCCGGAAAGCGGCTCTGCATCTCCAGGTACTTC TACCCCTGAAAGCGGTTCTGCATCTCCAGGTTCTACTAGCGAAT CCCCCTCTGGTACCGCACCAGGTACTTCTACCCCGGAAAGCGG CTCTGCTTCTCCAGGTACTTCTACCCCGGAAAGCGGCTCCGCAT CTCCAGGTTCTACTAGCGAATCTCCTTCTGGTACCGCTCCAGGT TCTACCAGCGAATCCCCCTCTGGTACTGCTCCAGGTTCTACCAG CGAATCTCCTTCTGGTACTGCACCAGGTTCTACTAGCTCTACTG CAGAATCTCCTGGCCCAGGTACCTCTACTCCGGAAAGCGGCTCT GCATCTCCAGGTACTTCTACCCCTGAAAGCGGTTCTGCATCTCC AGGTTCTACTAGCGAATCTCCTTCTGGCACTGCACCAGGTTCTA CCAGCGAATCTCCGCTCTGGCACTGCACCAGGTACCTCTACCCCT GAAAGCGGTTCCGCTTCTCCAGGTTCTACTAGCGAATCTCCTTC

GHXTEN Name*	Amino Acid Sequence	DNA Nucleotide Sequence
	GTSPSGESSTAPGSTS STAESPGPGTSPSGES STAPGSTSSTAESPGP GTSTPESGSASPGSTS ESPSGTAPGSTSSTA ESPGPGTSTPESGSAS PGTSTPESGSASPGFP TIPLSRLFDNAMLRA HRLHQLAFDITYQEF EEAYIPKEQKYSFLQ NPQTSLCFSESIPTPS NREETQQKSNLELLR ISLLLIQSWLEPVQFL RSVFANSLVYGASD SNVYDLLKDLEEGIQ TLMGRLEDGSPRTG QIFKQTYSKFDTNSH NDDALLKNYGLLYC FRKDMDKVETFLRI VQCRSVEGSCGFGG SEPATSGSETPGTSES ATPESGPGSEPATSG SETPGSPAGSPTSTEE GTSTEPSEGSAPGSE PATSGSETPGSEPAT SGSETPGSEPATSGS ETPGTSTEPSEGSAP GTSESATPESGPGSE PATSGSETPGTSTEPS EGSAP	TGGCACTGCACCAGGTTCTACCAGCGAATCTCCGTCTGGCACTG CACCAGGTACCTCTACCCCTGAAAGCGGTTCCGCTTCTCCAGGT ACTTCTCCGAGCGGTGAATCTTCTACCCGACCAGGTTCTACTAG CTCTACCGCTGAATCTCCGGGCCCAGGTACTTCTCCGAGCGGTG AATCTTCTACTGCTCCAGGTTCCACTAGCTCTACTGCTGAATCT CCTGGCCCAGGTACTTCTACTCCGGAAGCGGTTCCGCTTCTCC AGGTTCTACTAGCGAATCTCCGTCTGGCACCGCACCAGGTTCTA CTAGCTCTACTGCAGAATCTCCTGGCCCAGGTACCTCTACTCCG GAAAGCGGCTCTGCATCTCCAGGTACTTCTACCCCTGAAAGCG GTTCTGCATCTCCAGGTTTTCCGACTATTCCGCTGTCTCGTCTGT TTGATAATGCTATGCTGCGTGCGCACCGTCTGCACCAGCTGGCC TTTGATACTTACCAGGAATTTGAAGAAGCcTACATTCTCTAAAGA GCAGAAGTACTCTTTCCTGCAAAACCCACAGACTTCTCTCTGCT TCAGCGAATCTATTCCGACGCCCTCCAATCGCGAGGAAACTCA GCAAAAGTCCAATCTGGAAGTACTCCGCATTTCTCTGCTTCTGA TTCAGAGCTGGCTAGAACCAGTGCAATTTCTGCGTTCCGTCTTC GCCAATAGCCTAGTTTATGGCGCATCCGACAGCAACGTATACG ATCTCCTGAAAGATCTCGAGGAAGGCATTACAGACCCTGATGGG TCGTCTCGAGGATGGCTCTCCGCGTACTGGTCAGATCTTCAAGC AGACTTACTCTAAATTTGATACTAACAGCCACAATGACGATGC GCTTCTAAAAAACTATGGTCTGCTGTATTGTTTTCGTAAAGATA TGGACAAAGTTGAAACCTTCCTGCGTATTGTTTCAGTGTCGTTCC GTTGAGGGCAGCTGTGGTTTCTAAGGTGGTAGCGAACCGGCAA CTCCGGCTCTGAAACCCAGGTACTTCTGAAAGCGCTACTCCT GAGTCTGGCCCAGGTAGCGAACCTGCTACCTCTGGCTCTGAAA CCCCAGGTAGCCCGGCAGGCTCTCCGACTTCCACCGAGGAAGG TACCTCTACTGAACCTTCTGAGGGTAGCGCTCCAGGTAGCGAAC CGGCAACCTCTGGCTCTGAAACCCAGGTAGCGAACCTGCTAC CTCCGGCTCTGAAACTCCAGGTAGCGAACCGGCTACTTCCGGTT CTGAAACTCCAGGTACCTCTACCGAACCTTCCGAAGGCAGCGC ACCAGGTACTTCTGAAAGCGCAACCCCTGAATCCGGTCCAGGT AGCGAACCGGCTACTTCTGGCTCTGAGACTCCAGGTACTTCTAC CGAACCGTCCGAAGGTAGCGCACCA
AE624- hGH- AE144	MAEPAGSPTSTEEGT PGSGTASSSPGSSTPS GATGSPGASPGTSST GSPGSPAGSPTSTEE GTSESATPESGPGTS TEPSEGSAPGSPAGS PTSTEEGTSTEPSEGS APGTSTEPSEGSAPG TSESATPESGPGSEP ATSGSETPGSEPATS GSETPGSPAGSPTST EEGTSESATPESGPG TSTEPSEGSAPGTSTE PSEGSAPGSPAGSPT STEEGTSTEPSEGSAP GTSTEPSEGSAPGTS ESATPESGPGTSTEPS EGSAPGTSESATPES GPGSEPATSGSETPG TSTEPSEGSAPGTSTE PSEGSAPGTSESATP ESGPGTSESATPESG PGSPAGSPTSTEEGT SESATPESGPGSEPA TSGSETPGTSESATPE SGPGTSTEPSEGSAP	ATGGCTGAACCTGCTGGCTCTCCAACCTCCACTGAGGAAGGTA CCCCAGGTAGCGGTACTGCTTCTTCTCTCCAGGTAGCTTACC CCTTCTGGTGCAACCGGCTCTCCAGGTGCTTCTCCGGGCACCAG CTCTACCGGTTCTCCAGGTAGCCCGGCTGGCTCTCTACCTCTA CTGAGGAAGGTACTTCTGAAAGCGCTACTCCTGAGTCTGGTCCA GGTACCTCTACTGAACCGTCCGAAGGTAGCGCTCCAGGTAGCC CAGCAGGCTCTCCGACTTCCACTGAGGAAGGTACTTCTACTGAA CCTTCCGAAGGCAGCGCACCAGGTACCTCTACTGAACCTTCTGA GGGCAGCGCTCCAGGTACTTCTGAAAGCGCTACCCCGGAATCT GGCCAGGTAGCGAACCGGCTACTTCTGGTTCTGAAACCCAG GTAGCGAACCGGCTACCTCCGGTTCTGAAACTCCAGGTAGCCC GGCAGGCTCTCCGACCTCTACTGAGGAAGGTACTTCTGAAAGC GCAACCCCGGAGTCCGGCCCAGGTACCTCTACCGAACCGTCTG AGGGCAGCGCACCAGGTACTTCTACCGAACCGTCCGAGGGTAG CGCACCAGGTAGCCCAGCAGGTTCTCCTACCTCCACCGAGGAA GGTACTTCTACCGAACCGTCCGAGGGTAGCGCACCAGGTACCT CTACTGAACCTTCTGAGGGCAGCGCTCCAGGTACTTCTGAAAGC GCTACCCCGGAGTCCGGTCCAGGTACTTCTACTGAACCGTCCGA AGGTAGCGCACCAGGTACTTCTGAAAGCGCAACCCCTGAATCC GGTCCAGGTAGCGAACCGGCTACTTCTGGCTCTGAGACTCCAG GTACTTCTACCGAACCGTCCGAAGGTAGCGCACCAGGTACTTCT ACTGAACCGTCTGAAGGTAGCGCACCAGGTACTTCTGAAAGCG CAACCCCGGAATCCGGGCCAGGTACCTCTGAAAGCGCAACCC GGAGTCCGGGCCAGGTAGCCCTGCTGGCTCTCCAACCTCCACCG AAGAAGGTACCTCTGAAAGCGCAACCCCTGAATCCGGGCCAGG TAGCGAACCGGCAACCTCCGGTTCTGAAACCCAGGTACCTCT

GHXTEN Name*	Amino Acid Sequence	DNA Nucleotide Sequence
	GTSTEPSEGSAPGTS TEPSEGSAPGTSTEPS EGSAPGTSTEPSEGS APGTSTEPSEGSAPG SPAGSPTSTEEGTSTE PSEGSAPGTSESATP ESGPGSEPATSGSET PGTSESATPESGPGS EPATSGSETPGTSES ATPESGPGTSTEPSE GSAPGTSESATPESG PGSPAGSPTSTEEGSP AGSPTSTEEGSPAGS PTSTEEGTSESATPES GPGTSTEPSEGSAPG FPTIPLSRLFDNAML RAHRLHQLAFDITYQ EFEEAYIPKEQKYSF LQNPQTSLCFSESIPT PSNREETQQKSNLEL LRISLLLIQSWLEPVQ FLRSVFANSLVYGAS DSNVYDLLKDLEEGI QTLMGRLEDGSPRT GQIFKQTYSKFDTNS HNDDALLKNYGLLY CFRKMDMDKVETFLRI VQCRSVEGSCGFGG SEPATSGSETPGTSES ATPESGPGSEPATSG SETPGSPAGSPTSTEE GTSTEPSEGSAPGSE PATSGSETPGSEPAT SGSETPGSEPATSGS ETPGTSTEPSEGSAP GTSATPESGPGSE PATSGSETPGTSTEPS EGSAP	GAAAGCGCTACTCCGGAGTCTGGCCCAGGTACCTCTACTGAAC CGTCTGAGGGTAGCGCTCCAGGTACTTCTACTGAACCGTCCGAA GGTAGCGCACCAGGTACTTCTACCGAACCGTCCGAAGGCAGCG CTCCAGGTACCTCTACTGAACCTTCCGAGGGCAGCGCTCCAGGT ACCTCTACCGAACCTTCTGAAGGTAGCGCACCAGGTACTTCTAC CGAACCGTCCGAGGGTAGCGCACCAGGTAGCCCAGCAGGTTCT CCTACCTCCACCGAGGAAGGTACTTCTACCGAACCGTCCGAGG GTAGCGCACCAGGTACCTCTGAAAGCGCAACTCCTGAGTCTGG CCCAGGTAGCGAACCTGCTACCTCCGGCTCTGAGACTCCAGGT ACCTCTGAAAGCGCAACCCCGGAATCTGGTCCAGGTAGCGAAC CTGCAACCTCTGGCTCTGAAACCCAGGTACCTCTGAAAGCGCT ACTCCTGAATCTGGCCCAGGTACTTCTACTGAACCGTCCGAGGG CAGCGCACCAGGTACTTCTGAAAGCGTACTCCTGAGTCCGGC CCAGGTAGCCCGGCTGGCTCTCCGACTTCCACCGAGGAAGGTA GCCCCGCTGGCTCTCCAACCTTCTACTGAAGAAGGTAGCCCGGC AGGCTCTCCGACCTCTACTGAGGAAGGTACTTCTGAAAGCGCA ACCCCGGAGTCCGGCCCCAGGTACCTCTACCGAACCGTCTGAGG GCAGCGCACCAGGTTTTCCGACTATTCCGCTGTCTCGTCTGTTT GATAATGCTATGCTGCGTGCGCACCGTCTGCACCAGCTGGCCTT TGATACTTACCAGGAATTTGAAGAAGC ₆ TACATTCTAAAGAGC AGAAGTACTCTTTCCTGCAAAACCCACAGACTTCTCTCTGCTTC AGCGAATCTATTCCGACGCCTTCCAATCGCGAGGAACTCAGC AAAAGTCCAATCTGGAACCTACTCCGCATTCTCTGCTTCTGATT CAGAGCTGGCTAGAACCAAGTGAATTTCTGCGTTCCGTCTTCGC CAATAGCCTAGTTTATGGCGCATCCGACAGCAACGTATACGAT CTCCTGAAAGATCTCGAGGAAGGCATTTCAGACCTGATGGGTC GTCTCGAGGATGGCTCTCCGCGTACTGGTCAGATCTTCAAGCAG ACTTACTCTAAATTTGATACTAACAGCCACAATGACGATGCGCT TCTAAAAAACTATGGTCTGCTGTATTGTTTTCTGTAAGATATGG ACAAAGTTGAAACCTTCTGCGTATTGTTCAGTGTGCTCCGTT GAGGGCAGCTGTGGTTTCTAAGGTGGTAGCGAACCGGCAACTT CCGGCTCTGAAACCCAGGTACTTCTGAAAGCGCTACTCCTGAG TCTGGCCCAGGTAGCGAACCTGCTACCTCTGGCTCTGAAACCC AGGTAGCCCGGCAGGCTCTCCGACTTCCACCGAGGAAGGTACC TCTACTGAACCTTCTGAGGGTAGCGTCCAGGTAGCGAACCGG CAACCTCTGGCTCTGAAACCCAGGTAGCGAACCTGCTACTCCTC GGCTCTGAAACTCCAGGTAGCGAACCGGCTACTTCCGGTTCTGA AACTCCAGGTACCTCTACCGAACCTTCCGAAGGCAGCGCACCA GGTACTTCTGAAAGCGCAACCCCTGAATCCGGTCCAGGTAGCG AACCGGCTACTTCTGGCTCTGAGACTCCAGGTACTTCTACCGAA CCGTCCGAAGGTAGCGCACCA
AD836- hGH- AE144	GSSESSESSEGGPGSS ESGSSEGGPGSEPGG SSGSESSESSEGES GSSGESPGSSGES GESPGSSGESSEGS ESGSSEGGPGSSSEGS SSEGGPGSSSESSEGS GPGSESPGSSGES GESPGSSGESSEGES PGGSSGESSESSEGS SSEGGPGSSSESSEGS GPGSSSESSESSEGGP GSSESSESSEGGPGSS ESGSSEGGPGSSSEGS SSEGGPGSSGESSES GSSGESPGSSGES GESPGSSGESSEGS GEPSESSESSEGS	GGTTCCTCTGAAAGCGGTTCTTCCGAAGGTGGTCCAGGTTCTC TGAAAGCGGTTCTTCTGAGGGTGGTCCAGGTGAATCTCCGGGT GGCTCCAGCGGTTCCGAGTCAGGTTCTGGTGGCGAACCTTCCGA GTCTGGTAGCTCAGGTGAATCTCCGGGTGGTTCTAGCGGTTCCG AGTCAGGTGAATCTCCGGGTGGTTCCAGCGGTTCTGAGTCAGGT TCCTCCGAAAGCGGTTCTTCTGAGGGCGGTCCAGGTTCTTCCGA AAGCGGTTCTTCCGAGGGCGGTCCAGGTTCTTCTGAAAGCGGTT CTTCCGAGGGCGGTCCAGGTGAATCTCCTGGTGGTTCCAGCGGT TCCGAGTCAGGTGAATCTCCAGGTGGCTCTAGCGGTTCCGAGTC AGGTGAATCTCCTGGTGGTTCTAGCGGTTCTGAATCAGGTTCTC CCGAAAGCGGTTCTTCTGAGGGCGGTCCAGGTTCTTCCGAAAG CGGTTCTTCCGAGGGCGGTCCAGGTTCTTCTGAAAGCGGTTCTT CCGAGGGCGGTCCAGGTTCTTCTGAAAGCGGTTCTTCTGAGGG CGGTCCAGGTTCTTCCGAAAGCGGTTCTTCCGAGGGCGGTCCAG GTTCTTCCGAAAGCGGTTCTTCTGAAGGCGGTCCAGGTTCTGGT GCGAACCGTCCGAGTCTGGTAGCTCAGGTGAATCTCCGGGTG GCTCTAGCGGTTCCGAGTCAGGTGAATCTCCTGGTGGTTCCAGC GGTCCGAGTCAGGTTCCGGTGCGAACCGTCCGAATCTGGTA

GHXTEN Name*	Amino Acid Sequence	DNA Nucleotide Sequence
	GPGESSGSSESSESSE GPGSGGEPSESSESS GSESSSGPGESESSS ESGSSEGGPGSGGEP SESGSSGESPGSSSG SESGSGGEPSESSESS GSGGEPSESSESSSS ESGSSEGGPGSGGEP SESGSSSGGEPSES GSSGSESSSGPGESE GEPGSSSGSESGSE GPGESSSGGEPSES GSSGSSESSEGGP GSSESSESSEGGPES PGGSSGSESGSGGEP SESGSSGSESSSGPG ESSGESPPGSSGSES GSESSSGPSSSESGS SEGPGSGGEPSESSE SSGSESSSGPGESE SEGSSGPGESESGSE SSGPGESESSSGGEP ESGSSSGGEPSESSE SSGESPPGSSGSESE ESPGSSGSESGSGG EPSESSSGSESSSGP GESSGESPPGSSGSE SGSSSESSEGGPGS SESGSSEGGPGSSSE GSSEGGPGSGGEPSE SGSSGSSESSEGG PGESPPGSSGSESGS GGEPSESSESSGSES GSSEGGPGESPPGSS GSESPGSGEPSESSE SGESPPGSSGSESGS GGEPSESSESGFPTIP LSRLFDNAMLRAHR LHQLAFDTYQEFEE AYIPKEQKYSFLQNP QTSLCFSESIPPSNR EETQQKSNLELLRIS LLLIQSWLEPVQFLR SVFANSLVYGASDS NVYDLLKDLEEGIQT LMGRLEDGSPRTGQI FKQTYSKFDTNSHN DDALLKNYGLLYCF RKDMDKVETFLRIV QCRSVEGSCGFGGSE PATSGSETPGTSESA TPESPGSEPATSGS ETPGSPAGSPTSTEE GTSTEPSEGSAPGSE PATSGSETPGSEPAT SGSETPGSEPATSGS ETPGTSTEPSEGSAP GTSESATPESGPGSE	GCTCAGGTAGCGAAGGTTCTTCTGGTCCAGGCGAATCTTCAGGT TCCTCTGAAAGCGGTTCTTCTGAGGGCGGTCCAGGTTCCGGTGG CGAACCGTCCGAATCTGGTAGCTCAGGTAGCGAAGGTTCTTCTG GTCCAGGCGAATCTTCAGGTTCCCTCTGAAAGCGGTTCTTCTGAG GGCGGTCCAGGTTCCGGTGGCGAACCCTCCGAATCTGGTAGCTC AGGTGAATCTCCGGGTGGTTCTAGCGGTTCTGAGTCAGGTTCTG GTGGTGAACCTTCCGAGTCTGGTAGCTCAGGTTCTGGTGGCGAA CCATCCGAGTCTGGTAGCTCAGGTTCTTCCGAAAGCGGTTCTTC CGAAGGCGGTCCAGGTTCTGGTGGTGAACCGTCCGAATCTGGT AGCTCAGGTTCTGGTGGCGAACCATCCGAATCTGGTAGCTCAG GTAGCGAAGGTTCTTCTGGTCTCGCGAATCTTCAGGTGAATCT CCAGGTGGCTCTAGCGGTTCCGAATCAGGTAGCGAAGGTTCTTC CGGTCCAGGTGAATCTTCAGGTAGCGAAGGTTCTTCTGGTCTG GTGAATCCTCAGGTTCCGGTGGCGAACCATCTGAATCTGGTAGC TCAGGTTCCCTCTGAAAGCGGTTCTTCCGAAGGTGGTCCAGGTT CTCTGAAAGCGGTTCTTCTGAGGGTGGTCCAGGTGAATCTCCGG GTGGCTCCAGCGGTTCCGAGTCAGGTTCTGGTGGCGAACCATCC GAATCTGGTAGCTCAGGTAGCGAAGGTTCTTCTGGTCTGGCGA ATCTTCAGGTGAATCTCCAGGTGGCTCTAGCGGTTCCGAATCAG GTAGCGAAGGTTCTTCCGGTCCAGGTTCTCTGAAAGCGGTTCT TCTGAGGGCGGTCCAGGTTCTGGTGGCGAACCATCTGAATCTG GTAGCTCAGGTAGCGAAGGTTCTTCCGGTCCGGGTGAATCTTCA GGTAGCGAAGGTTCTTCCGGTCCAGGTGAATCTTCAGGTAGCG AAGGTTCTTCTGGTCTGGTGAATCCTCAGGTTCCGGTGGCGAA CCATCTGAATCTGGTAGCTCAGGTTCTGGTGGCGAACCATCCGA ATCTGGTAGCTCAGGTGAATCTCCGGGTGGCTCCAGCGGTTCTG AATCAGGTGAATCTCCTGGTGGCTCCAGCGGTTCTGAGTCAGGT TCTGGTGGCGAACCATCCGAATCTGGTAGCTCAGGTAGCGAAG GTTCTTCTGGTCTGGCGAATCTTCAGGTGAATCTCCAGGTGGC TCTAGCGGTTCCGAATCAGGTTCTCTGAAAGCGGTTCTTCTGA GGGCGGTCCAGGTTCTTCCGAAAGCGGTTCTTCCGAGGGCGGT CCAGGTTCTTCCGAAAGCGGTTCTTCTGAAGGCGGTCCAGGTT TGGTGGCGAACCGTCCGAATCTGGTAGCTCAGGTTCTTCCGAA AGCGGTTCTTCTGAAGGTGGTCCAGGTGAATCTCCAGGTGGTTC TAGCGGTTCTGAATCAGGTTCTGGTGGCGAACCAGTCCGAATCT GTAGCTCAGGTTCTTCCGAAAGCGGTTCTTCTGAAGGCGGTCCA GGTGAATCTCCAGGTGGTTCTAGCGGTTCTGAATCAGGTTCTGG TGGCGAACCGTCCGAATCTGGTAGCTCAGGTGAATCTCCTGGTG GTTCCAGCGGTTCCGAGTCAGGTTCTGGTGGCGAACCCTTCCGAA TCTGGTAGCTCAGGTTTTCGACTATTCGCTGTCTCGTCTGTTT GATAATGCTATGCTGCGTGCGCACCGTCTGCACCAGCTGGCCTT TGATACTTACCAGGAATTTGAAGAAGC ₆ TACATTCTAAAGAGC AGAAGTACTCTTCTCTGCAAAACCCACAGACTTCTCTCTGCTTC AGCGAATCTATTCCGACGCTTCCAATCGCGAGGAACTCAGC AAAAGTCCAATCTGGAACACTCCGCATTCTCTGCTTCTGATT CAGAGCTGGCTAGAACCAAGTGAATTTCTGCGTTCGGTCTTCGC CAATAGCCTAGTTTATGGCGCATCCGACAGCAACGTATACGAT CTCCTGAAAGATCTCGAGGAAGGCATTCAGACCCTGATGGGTC GTCTCGAGGATGGCTCTCCGCGTACTGGTCAGATCTTCAAGCAG ACTTACTCTAAATTTGATACTAACAGCCACAATGACGATGCGCT TCTAAAAAACTATGGTCTGCTGTATTGTTTTCTGTAAGATATGG ACAAAGTTGAAACCTTCTGCGTATTGTTCAAGTGTGCTTCCGTT GAGGGCAGCTGTGGTTTCTAAGGTGGTAGCGAACCAGGCAACTT CCGGCTCTGAAACCCAGGTACTTCTGAAAGCGCTACTCCTGAG TCTGGCCCAGGTAGCGAACCCTGCTACCTCTGGCTCTGAAACCC AGGTAGCCCGGCAGGCTCTCCGACTTCCACCGAGGAAGGTACC TCTACTGAACCTTCTGAGGGTAGCGCTCCAGGTAGCGAACCAGG CAACCTCTGGCTCTGAAACCCAGGTAGCGAACCCTGCTACCTCC GGCTCTGAAACTCCAGGTAGCGAACCAGGCTACTTCCGGTTCTGA

GHXTEN Name*	Amino Acid Sequence	DNA Nucleotide Sequence
	PATSGSETPGTSTEPS EGSAP	AACTCCAGGTACCTCTACCGAACCTTCCGAAGGCAGCGCACCA GGTACTTCTGAAAGCGCAACCCCTGAATCCGGTCCAGGTAGCG AACCGGCTACTTCTGGCTCTGAGACTCCAGGTACTTCTACCGAA CCGTCCGAAGGTAGCGCACCA
AE864- hGH- AE144	GSPAGSPTSTEEGTS ESATPESGPGTSTEPS EGSAPGSPAGSPTST EEGTSTEPSEGSAPG TSTEPSEGSAPGTSES ATPESGPGSEPATSG SETPGSEPATSGSETP GSPAGSPTSTEEGTS ESATPESGPGTSTEPS EGSAPGTSTEPSEGS APGSPAGSPTSTEEG TSTEPSEGSAPGTSTE PSEGSAPGTSESATP ESGPGTSTEPSEGS PGTSESATPESGPGS EPATSGSETPGTSTEP SEGSAPGTSTEPSEG SAPGTSESATPESGP GTSESATPESGPGSP AGSPTSTEEGTSESA TPESGPGSEPATSGS ETPGTSESATPESGP GTSTEPSEGSAPGTS TEPSEGSAPGTSTEPS EGSAPGTSTEPSEGS APGTSTEPSEGSAPG TSTEPSEGSAPGSPA GSPTSTEEGTSTEPSE GSAPGTSESATPESG PGSEPATSGSETPGT SESATPESGPGSEPA TSGSETPGTSESATPE SGPGTSTEPSEGSAP GTSESATPESGPGSP AGSPTSTEEGSPAGS PTSTEEGSPAGSPTST EEGTSESATPESGPG TSTEPSEGSAPGTSES ATPESGPGSEPATSG SETPGTSESATPESGP GSEPATSGSETPGTS ESATPESGPGTSTEPS EGSAPGSPAGSPTST EEGTSESATPESGPG SEPATSGSETPGTSES ATPESGPGSPAGSPT STEEGSPAGSPTSTEE GTSTEPSEGSAPGTS ESATPESGPGTSESA TPESGPGTSESATPES GPGSEPATSGSETPG SEPATSGSETPGSPA GSPTSTEEGTSTEPSE GSAPGTSTEPSEGS PGSEPATSGSETPGT	GGTAGCCCGGCTGGCTCTCCTACCTCTACTGAGGAAGGTACTTC TGAAAGCGCTACTCCTGAGTCTGGTCCAGGTACCTCTACTGAAC CGTCCGAAGGTAGCGCTCCAGGTAGCCCAGCAGGCTCTCCGAC TTCCACTGAGGAAGGTACTTCTACTGAACCTTCCGAAGGCAGC GCACCAGGTACCTCTACTGAACCTTCTGAGGGCAGCGCTCCAG GTACTTCTGAAAGCGCTACCCCGGAATCTGGCCCAGGTAGCGA ACCGGCTACTTCTGGTTCTGAAACCCAGGTAGCGAACCGGCT ACCTCCGGTTCTGAAACTCCAGGTAGCCCAGGAGGCTCTCCGAC CTCTACTGAGGAAGGTACTTCTGAAAGCGCAACCCCGGAGTCC GGCCCAGGTACCTCTACCGAACCGTCTGAGGGCAGCGCACCAG GTACTTCTACCGAACCGTCCGAGGGTAGCGCACCAGGTAGCCC AGCAGGTTCTCCTACCTCCACCGAGGAAGGTACTTCTACCGAAC CGTCCGAGGGTAGCGCACCAGGTACCTCTACTGAACCTTCTGA GGGCAGCGCTCCAGGTACTTCTGAAAGCGCTACCCCGGAGTCC GGTCCAGGTACTTCTACTGAACCGTCCGAAGGTAGCGCACCAG GTACTTCTGAAAGCGCAACCCCTGAATCCGGTCCAGGTAGCGA ACCGGCTACTTCTGGCTCTGAGACTCCAGGTACTTCTACCGAAC CGTCCGAAGGTAGCGCACCAGGTACTTCTACTGAACCGTCTGA AGGTAGCGCACCAGGTACTTCTGAAAGCGCAACCCCGGAATCC GGCCCAGGTACCTCTGAAAGCGCAACCCCGGAGTCCGGCCAG GTAGCCCTGCTGGCTCTCCAACCTCCACCGAAGAAGGTACCTCT GAAAGCGCAACCCCTGAATCCGGGCCAGGTAGCGAACCGGCAA CCTCCGGTTCTGAAACCCAGGTACCTCTGAAAGCGCTACTCCG GAGTCTGGCCCAGGTACCTCTACTGAACCGTCTGAGGGTAGCG CTCCAGGTACTTCTACTGAACCGTCCGAAGGTAGCGCACCAGG TACTTCTACCGAACCGTCCGAAGGCAGCGCTCCAGGTACCTCTA CTGAACCTTCCGAGGGCAGCGCTCCAGGTACCTCTACCGAACCT TCTGAAGGTAGCGCACCAGGTACTTCTACCGAACCGTCCGAGG GTAGCGCACCAGGTAGCCAGCAGGTTCTCCTACCTCCACCGA GGAAGGTACTTCTACCGAACCGTCCGAGGGTAGCGCACCAGGT ACCTCTGAAAGCGCAACTCCTGAGTCTGGCCCAGGTAGCGAAC CTGCTACCTCCGGCTCTGAGACTCCAGGTACCTCTGAAAGCGCA ACCCCGGAATCTGGTCCAGGTAGCGAACCTGCAACCTCTGGCT CTGAAACCCAGGTACCTCTGAAAGCGCTACTCCTGAATCTGGC CCAGGTACTTCTACTGAACCGTCCGAGGGCAGCGCACCAGGTA CTTCTGAAAGCGCTACTCCTGAGTCCGGGCCAGGTAGCCCGGCT GGCTCTCCGACTTCCACCGAGGAAGGTAGCCCGGCTGGCTCTCC AATTCTACTGAAGAAGGTAGCCCGGCAGGCTCTCCGACCTCT ACTGAGGAAGGTACTTCTGAAAGCGCAACCCCGGAGTCCGGCC CAGGTACCTCTACCGAACCGTCTGAGGGCAGCGCACCAGGTAC CTCTGAAAGCGCAACTCCTGAGTCTGGCCCAGGTAGCGAACCT GCTACCTCCGGCTCTGAGACTCCAGGTACCTCTGAAAGCGCAA CCCCGGAATCTGGTCCAGGTAGCGAACCTGCAACCTCTGGCTCT GAAACCCAGGTACCTCTGAAAGCGCTACTCCTGAATCTGGCC CAGGTACTTCTACTGAACCGTCCGAGGGCAGCGCACCAGGTAG CCCTGCTGGCTCTCCAACCTCCACCGAAGAAGGTACCTCTGAAA GCGCAACCCCTGAATCCGGGCCAGGTAGCGAACCGGCAACCTC CGGTTCTGAAACCCAGGTACTTCTGAAAGCGCTACTCCTGAGT CCGGCCCAGGTAGCCCGGCTGGCTCTCCGACTTCCACCGAGGA AGGTAGCCCGGCTGGCTCTCCAATTCTACTGAAGAAGGTACTT CTACCGAACCTTCCGAGGGCAGCGCACCAGGTACTTCTGAAAG CGCTACCCCTGAGTCCGGGCCAGGTACTTCTGAAAGCGCTACTC CTGAATCCGGTCCAGGTACTTCTGAAAGCGCTACCCCGGAATCT GGCCCAGGTAGCGAACCGGCTACTTCTGGTTCTGAAACCCAG GTAGCGAACCGGCTACCTCCGGTTCTGAAACTCCAGGTAGCCC

GHXTEN Name*	Amino Acid Sequence	DNA Nucleotide Sequence
	SESATPESGPGTSTEP SEGSA PGFPTIPLSRL FDNAMLRAHRLHQL AFDTYQEFEEAYIPK EQKYSFLQNPQTS LC FSESIPTSNREETQQ KSNLELLRISLLLIQS WLEPVQFLRSVFAN SLVYGASDSNVYDL LKDLEEGIQTLMGRL EDGSPRTGQIFKQTY SKFDNTSHNDDALL KNYGLLYCFRKDMD KVETFLRIVQCRSVE GSCGFGGSEPATSGS ETPGTSESATPESGP GSEPATSGSETPGSP AGSPTSTEEGTSTEPS EGSAPGSEPATSGSE TPGSEPATSGSETPG SEPATSGSETPGTSTE PSEGSAPGTSESATP ESGPGSEPATSGSET PGTSTEPSEGSAP	AGCAGGCTCTCCGACTTCCACTGAGGAAGGTACTTCTACTGAAC CTTCCGAAGGCAGCGCACCAAGGTACCTCTACTGAACCTTCTGAG GGCAGCGCTCCAGGTAGCGAACCTGCAACCTCTGGCTCTGAAA CCCAGGTACCTCTGAAAGCGCTACTCCTGAATCTGGCCCAGGT ACTTCTACTGAACCGTCCGAGGGCAGCGCACCAAGGTTTTCCGAC TATCCGCTGTCTCGTCTGTTTGATAATGCTATGCTGCGTGCGC ACCGTCTGCACCAGCTGGCCTTTGATACTTACCAGGAATTTGAA GAAGC ₆ TACATTCTAAAGAGCAGAAGTACTCTTTCTGCAAAA CCCACAGACTTCTCTCTGCTTCAGCGAATCTATTCCGACGCCTT CCAATCGCGAGGAACTCAGCAAAAAGTCCAATCTGGAAGTACT CCGCATTTCTCTGCTTCTGATTTCAGAGCTGGCTAGAACCAAGTGC AATTTCTGCGTTCGGTCTTCGCCAATAGCCTAGTTTATGGCGCA TCCGACAGCAACGTATACGATCTCCTGAAAGATCTCGAGGAAG GCATTACAGACCCTGATGGGTCTGCTCTCGAGGATGGCTCTCCGCGT ACTGGTCAGATCTTCAAGCAGACTTACTCTAAATTTGATACTAA CAGCCACAATGACGATGCGCTTCTAAAAAACTATGGTCTGCTGT ATTGTTTTCTGTAAGATATGGACAAAGTTGAAACCTTCTGCGT ATTGTTTCAGTGTCTGTTCCGTTGAGGGCAGCTGTGGTTTCTAAGG TGGTAGCGAACC GGCAACTTCCGGCTCTGAAACCCAGGTACT TCTGAAAGCGCTACTCCTGAGTCTGGCCCAGGTAGCGAACCTG CTACCTCTGGCTCTGAAACCCAGGTAGCCCGGCAGGCTCTCCG ACTTCCACCGAGGAAGGTACCTCTACTGAACCTTCTGAGGGTA GCGCTCCAGGTAGCGAACC GGCAACCTCTGGCTCTGAAACCC AGGTAGCGAACCTGCTACCTCCGGCTCTGAAACTCCAGGTAGC GAACCGGCTACTTCCGGTTCTGAAACTCCAGGTACCTCTACCGA ACCTTCCGAAGGCAGCGCACCAAGGTACTTCTGAAAGCGCAACC CCTGAATCCGGTCCAGGTAGCGAACC GGCTACTTCTGGCTCTGA GACTCCAGGTACTTCTACCGAACCGTCCGAAGGTAGCGCACCA
AF864- hGH- AE144	GSTSESPSGTAPGTSP SGESSTAPGSTSESPS GTAPGSTSESPSGTA PGTSTPESGSASPGTS TPESGSASPGSTSESP SGTAPGSTSESPSGT APGTSPSGESSTAPG STSESPSGTAPGTSPS GESSTAPGTSPSGESS TAPGSTSSTAESPGP GTSPSGESSTAPGTSP SGESSTAPGSTSSTA ESPGPGTSTPESGSAS PGTSTPESGSASPGST SESPSGTAPGSTSESP SGTAPGTSTPESGSA SPGSTSSTAESPGPGT STPESGSASPGSTSES PSGTAPGTSPSGESST APGSTSSTAESPGPG TSPSGESSTAPGTSTP ESGSASPGSTSSTAES PPGSTSSTAESPGP GSTSSTAESPGPGSTS STAESPGPGTSPSGES STAPGSTSESPSGTAP GSTSESPSGTAPGTS TPESGPXXXGASASG APSTXXXSESPSGT APGSTSESPSGTAPG STSESPSGTAPGTSE	GGTCTTACCAGCGAATCTCCTTCTGGCACCGCTCCAGGTACCTC TCCTAGCGGCGAATCTTCTACCGCTCCAGGTTCTACTAGCGAAT CTCCTTCTGGCACTGCACCAGGTTCTACTAGCGAATCCCCGTCT GGTACTGCTCCAGGTACTTCTACTCCTGAAAGCGGTTCCGCTTC TCCAGGTACCTCTACTCCGGAAGCGGTTCTGCATCTCCAGGTT CTACCAGCGAATCTCCTTCTGGCACCGCTCCAGGTTCTACTAGC GAATCCCCGTCTGGTACCGCACCAAGGTACTTCTCCTAGCGGCGA ATCTTCTACCGCACCAAGGTTCTACTAGCGAATCTCCGTCTGGCA CTGCTCCAGGTACTTCTCCTAGCGGTGAATCTTCTACCGTCCA GGTACTTCCCCTAGCGGCGAATCTTCTACCGCTCCAGGTTCTAC TAGCTCTACTGCAGAATCTCCGGGCCCAGGTACCTCTCCTAGCG GTGAATCTTCTACCGCTCCAGGTACTTCTCCGAGCGGTGAATCT TCTACCGCTCCAGGTTCTACTAGCTCTACTGCAGAATCTCCTGG CCCAGGTACCTCTACTCCGGAAGCGGCTCTGCATCTCCAGGTA CTTCTACCCCTGAAAGCGGTTCTGCATCTCCAGGTTCTACTAGC GAATCTCCTTCTGGCACTGCACCAGGTTCTACCAGCGAATCTCC GTCTGGCACTGCACCAGGTACCTCTACCCCTGAAAGCGGTTCCG CTTCTCCAGGTTCTACCAGCTCTACCGCAGAATCTCCTGGTCCA GGTACCTCTACTCCGGAAGCGGCTCTGCATCTCCAGGTTCTAC TAGCGAATCTCCTTCTGGCACTGCACCAGGTACTTCTCCGAGCG GTGAATCTTCTACCGCACCAAGGTTCTACTAGCTCTACCGCTGAA TCTCCGGGCCCAGGTACTTCTCCGAGCGGTGAATCTTCTACTGC TCCAGGTACCTCTACTCCTGAAAGCGGTTCTGCATCTCCAGGTT CCACTAGCTCTACCGCAGAATCTCCGGGCCCAGGTTCTACTAGC TCTACTGCTGAATCTCCTGGCCCAGGTTCTACTAGCTCTACTGC TGAATCTCCGGGTCCAGGTTCTACCAGCTCTACTGCTGAATCTC CTGGTCCAGGTACCTCCCCGAGCGGTGAATCTTCTACTGCACCA GGTTCTACTAGCGAATCTCCTTCTGGCACTGCACCAGGTTCTAC CAGCGAATCTCCGTCTGGCACTGCACCAGGTACCTCTACCCCTG AAAGCGGTCCXXXXXXXXXXXXTGAAGCGCAAGCGGCGCGC CAAGCACGGGAXXXXXXXXXXTAGCGAATCTCCTTCTGGTACCGC

GHXTEN Name*	Amino Acid Sequence	DNA Nucleotide Sequence
	SPSGTAPGSTSESPSG TAPGSTSESPSGTAP GTSTPESGSASPGTSP SGESSTAPGTSPSGES STAPGSTSSTAESPGP GTSPSGESSTAPGTS TPESGSASPGSTSESP SGTAPGSTSESPSGT APGTSPSGESSTAPG STSESPSGTAPGTSTP ESGSASPGTSTPESGS ASPGSTSESPSGTAP GTSTPESGSASPGSTS STAESPGPGSTSESPS GTAPGSTSESPSGTA PGTSPSGESSTAPGST SSTAESPGPGTSPSGE SSTAPGTSTPESGSAS PGTSPSGESSTAPGTS PSGESSTAPGTSPSGE SSTAPGSTSSTAESPG PGSTSSTAESPGPGTS PSGESSTAPGSSPAS TGTGPGSSTPSGATG SPGSSTPSGATGSPG FPTIPLSRLFDNAML RAHRLHQLAFDITYQ EFEEAYIPKEQKYSF LQNPQTSLCFSESIPT PSNREETQQKSNLEL LRISLLLIQSWLEPVQ FLRSVFANSLVYGAS DSNVYDLLKDLEEGI QTLMGRLLEDGSPRT GQIFKQYTSKFDTNS HNDALLKNYGLLY CFRKMDMDKVETFLRI VQCRSVEGSCGFGG SEPATSGSETPGTSES ATPESGPGSEPATSG SETPGSPAGSPTSTEE GTSTEPSEGSAPGSE PATSGSETPGSEPAT SGSETPGSEPATSGS ETPGTSTEPSEGSAP GTSESATPESGPGSE PATSGSETPGTSTEPS EGSAP	TCCAGGTTCTACCAGCGAATCCCCGTCTGGTACTGCTCCAGGTT CTACCAGCGAATCTCCTTCTGGTACTGCACCAGGTTCTACTAGC GAATCTCCTTCTGGTACCGCTCCAGGTTCTACCAGCGAATCCCC GTCTGGTACTGCTCCAGGTTCTACCAGCGAATCTCCTTCTGGTA CTGCACCAGGTAATCTTCTACTCCGAAAGCGGTTCCGCATCTCCA GGTACTTCTCCTAGCGGTGAATCTTCTACTGCTCCAGGTACCTC TCCTAGCGGCGAATCTTCTACTGCTCCAGGTTCTACCAGCTCTA CTGCTGAATCTCCGGGTCCAGGTAATCTTCTACTGCTCCAGGTTCT TCTACTGCACCAGGTAATCTTCTACTCCGAAAGCGGTTCCGCTTC TCCAGGTTCTACCAGCGAATCTCCTTCTGGCACCAGGTTCCAGGTT CTACTAGCGAATCCCCGTCTGGTACCAGCACCAGGTAATCTCTCT AGCGGCGAATCTTCTACTCCGACCAAGGTTCTACTAGCGAATCCCC GTCTGGTACCAGCACCAGGTAATCTTCTACTCCGAAAGCGGTTCTG CTTCTCCAGGTAATCTTCTACTCCGAAAGCGGTTCCGCATCTCCA GGTCTACTAGCGAATCTCCTTCTGGTACCAGGTTCCAGGTAATCT TACCCCTGAAAGCGGTTCCGCTTCTCCAGGTTCCACTAGCTCTA CCGCTGAATCTCCGGGTCCAGGTTCTACCAGCGAATCTCCTTCT GGCACCAGGTTCTACTAGCGAATCCCCGTCTGGTACCAGGTT ACCAGGTAATCTTCTACTAGCGGCGAATCTTCTACCAGCACCAGGTT CTACCAGCTCTACTGCTGAATCTCCGGGTCCAGGTAATCTTCTCC AGCGGTGAATCTTCTACTGCACCAGGTAATCTTCTACTCCGAAAG CGGTTCCGCTTCTCCAGGTAATCTTCTACTCCGAAAGCGGTTCCG CTGCTCCAGGTAATCTTCTACTGCACCAGGTAATCTTCTACTCCG GGTACCTCCCCTAGCGGTGAATCTTCTACCAGCACCAGGTTCTAC TAGCTCTACTGCTGAATCTCCGGGTCCAGGTTCTACCAGCTCTA CTGCTGAATCTCCTGGTCCAGGTAATCTTCTACCAGCACCAGGTTCT TCTACTGCACCAGGTTCTAGCCCTTCTGCTTCCACCGGTACCGG CCCAGGTAATCTTCTACTCCGCTCTGGTGCAACTGGGTTCTCCAGGTA GCTCTACTCCGCTCTGGTGCAACTGGGTTCTCCAGGTTTTCGACT ATTCCGCTGTCTCGTCTGTTTGATAATGCTATGCTGCGTGCGCA CCGTCTGCACCAGGTTGCTTGTGATACTTACCAGGAATTTGAAG AAGC ₂ TACATTCCTAAAGAGCAGAAGTACTCTTTCCTGCAAAAC CCACAGACTTCTCTGCTTCAGCGAATCTATTCGACGCCTTC CAATCGCGAGGAACTCAGCAAAAGTCCAATCTGGAAGTACTC CGCATTTCTCTGCTTCTGATTCAGAGCTGGCTAGAACCAAGTCA ATTTCTGCGTTCGCTTCTCGCCAATAGCCTAGTTTATGGCGCAT CCGACAGCAACGTATACGATCTCCTGAAAGATCTCGAGGAAGG CATTACAGACCCTGATGGGTCTGCTCGAGGATGGCTCTCCGCGTA CTGGTCAGATCTTCAAGCAGACTTACTCTAAATTTGATACTAAC AGCCACAATGACGATGCGCTTCTAAAAAAGTATGGTCTGCTGT ATTGTTTTCTGTAAGATATGGACAAAGTTGAAACCTTCTGCGT ATTGTTTCTGTAAGATATGGACAAAGTTGAAACCTTCTGCGT TGGTAGCGAACCAGGTAATCTTCCGCTCTGAAACCCAGGTAAT TCTGAAAGCGCTACTCCTGAGTCTGGCCAGGTAAGCGAACCTG CTACCTCTGGCTCTGAAACCCAGGTAAGCCCGGAGGCTCTCCG ACTTCCACCGAGGAAGGTACCTCTACTGAACCTTCTGAGGGTA GCGCTCCAGGTAAGCGAACCAGGTAATCTTCTGAAACCCAGGTA AGGTAGCGAACCCTGCTACCTCCGCTCTGAAACTCCAGGTAAGC GAACCGGCTACTTCCGCTTCTGAAACTCCAGGTAATCTTCTACCGA ACCTTCCGAAGGAGCGCACCAGGTAATCTTCTGAAAGCGCAACC CCTGAATCCGGTCCAGGTAAGCGAACCAGGTAATCTTCTGGCTCTGA GACTCCAGGTAATCTTCTACCAGAACCGTCCGAAGGTAGCGCACCA
AG864- hGH- AE144	GASPGTSSTGSPGSS PSASTGTGPGSSPSA STGTGPGTSGSGTAS SSPGSSTPSGATGSP GSNPSASTGTGPGAS PGTSSSTGSPGTPGSG TASSPPGSSTPSGAT	GGTGCTTCCCCGGGCACCAGCTCTACTGGTTCTCCAGGTTCTAG CCCGTCTGCTTCTACTGGTACTGGTCCAGGTTCTAGCCCTTCTGC TTCCACTGGTACTGGTCCAGGTACCCCGGGTAGCGGTACCGCTT CTTCTTCTCCAGGTAGCTCTACTCCGCTGGTGCTACCGGCTCTC CAGGTTCTAACCTTCTGCATCCACCGGTACCGGCCAGGTGCT TCTCCGGGCACCAGCTCTACTGGTTCTCCAGGTACCCCGGGCAG CGGTACCGCATCTTCTTCTCCAGGTAGCTCTACTCCTTCTGGTGC

GHXTEN Name*	Amino Acid Sequence	DNA Nucleotide Sequence
	GSPGTPGSGTASSSP GASPGTSSTGSPGAS PGTSTGSPGTPGSG TASSSPGSSTPSGAT GSPGASPGTSSTGSP GTPGSGTASSSPGSS TPSGATGSPGSPNSA STGTGPGSSPSASTG TGPGSSTPSGATGSP GSSTPSGATGSPGAS PGTSTGSPGASPGT SSTGSPGASPGTSST GSPGTPGSGTASSSP GASPGTSSTGSPGAS PGTSTGSPGASPGT SSTGSPGSSPSASTGT GPGTPGSGTASSSPG ASPGTSSTGSPGASP GTSSTGSPGASPGTS STGSPGSSTPSGATG SPGSSTPSGATGSPG ASPGTSSTGSPGTPG SGTASSSPGSSTPSG ATGSPGSSTPSGATG SPGSSTPSGATGSPG SSPSASTGTGPGASP GTSSTGSPGASPGTS STGSPGTPGSGTASS SPGASPGTSSTGSPG ASPGTSSTGSPGASP GTSSTGSPGASPGTS STGSPGTPGSGTASS SPGSSTPSGATGSPG TPGSGTASSSPGSSTP SSGPSSTPSGATGSP GSSTPSGATGSPGSS PSASTGTGPGSSPSA STGTGPGASPGTSST GSPGTPGSGTASSSP GSSTPSGATGSPGSS PSASTGTGPGSSPSA STGTGPGASPGTSST GSPGASPGTSSTGSP GSSTPSGATGSPGSS PSASTGTGPGASPGT SSTGSPGSSPSASTGT GPGTPGSGTASSSPG SSTPSGATGSPGSSTP SGATGSPGASPGTSS TGSPGFPTIPLSRLFD NAMLRAHRLHQLAF DTYQEFEEAYIPKEQ KYSFLQNPQTSLCFS ESIPSPNREETQQKS NLELLRISLLLIQSWL EPVQFLRSVFANSLV YGASDSNVYDLLKD LEEGIQTLMGRLDGL	AACTGGTTCTCCAGGTACTCCTGGCAGCGGTACCGCTTCTTCTT CTCCAGGTGCTTCTCCTGGTACTAGCTCTACTGGTTCTCCAGGT GCTTCTCCGGGCACTAGCTCTACTGGTTCTCCAGGTACCCCGGG TAGCGGTACTGCTTCTTCTCCTCTCCAGGTAGCTCTACCCCTTCTG TGCAACCGGCTCTCCAGGTGCTTCTCCGGGCACCAGCTCTACCG GTTCTCCAGGTACCCCGGGTAGCGGTACCGCTTCTTCTTCTCCA GGTAGCTCTACTCCGTCTGGTGCTACCGGCTCTCCAGGTTCTAA CCCTTCTGCATCCACCGGTACCGGCCAGGTTCTAGCCCTTCTG CTCCACCGGTACTGGCCCAGGTAGCTCTACCCCTTCTGGTGCT ACCGGTCCCCAGGTAGCTCTACTCCTTCTGGTGCAACTGGCTC TCCAGGTGCATCTCCGGGCACTAGCTCTACTGGTTCTCCAGGTG CATCCCCTGGCACTAGCTCTACTGGTTCTCCAGGTGCTTCTCT GGTACCAGCTCTACTGGTTCTCCAGGTACTCTGGCAGCGGTAC CGTTCTTCTTCTCCAGGTGCTTCTCCTGGTACTAGCTCTACTGG TTCTCCAGGTGCTTCTCCGGGCACTAGCTCTACTGGTTCTCCAG GTGCTTCCCCGGGCACTAGCTCTACCGGTTCTCCAGGTTCTAGC CCTTCTGCATCTACTGGTACTGGCCCAGGTACTCCGGGCAGCGG TACTGCTTCTTCTCTCCAGGTGCATCTCCGGGCACTAGCTCTA CTGGTTCTCCAGGTGCATCCCCTGGCACTAGCTCTACTGGTTCT CCAGGTGCTTCTCCTGGTACCAGCTCTACTGGTTCTCCAGGTAG CTCTACTCCGTCTGGTGCAACCGGTTCCCCAGGTAGCTCTACTC CTTCTGGTGCTACTGGCTCCCCAGGTGCATCCCCTGGCACCAGC TCTACCGGTTCTCCAGGTACCCCGGGCAGCGGTACCGCATCTTC CTCTCCAGGTAGCTCTACCCCGTCTGGTGCTACCGGTTCCCCAG GTAGCTCTACCCCGTCTGGTGCAACCGGCTCCCCAGGTAGCTCT ACTCCGTCTGGTGCAACCGGCTCCCCAGGTTCTAGCCCGTCTGC TTCCACTGGTACTGGCCCAGGTGCTTCCCCGGGCACCAGCTCTA CTGGTTCTCCAGGTGCATCCCCTGGTACCAGCTCTACCGGTTCT CCAGGTACTCCTGGCAGCGGTACTGCATCTTCTCTCCAGGTGC TTCTCCGGGCACCAGCTCTACTGGTTCTCCAGGTGCATCTCCGG GCACTAGCTCTACTGGTTCTCCAGGTGCATCCCCTGGCACTAGC TCTACTGGTTCTCCAGGTGCTTCTCCTGGTACCAGCTCTACTGGT TCTCCAGGTACCCCTGGTAGCGGTACTGCTTCTTCTCTCCAGG TAGCTCTACTCCGTCTGGTGCTACCGGTTCTCCAGGTACCCCGG GTAGCGGTACCGCATCTTCTTCTCCAGGTAGCTCTACCCCGTCT GGTGCTACTGGTTCTCCAGGTACTCCGGGCAGCGGTACTGCTTC TTCCTCTCCAGGTAGCTCTACCCCTTCTGGTGCTACTGGCTCTCC AGGTAGCTCTACCCCGTCTGGTGCTACTGGCTCCCCAGGTTCTA GCCCTTCTGCATCCACCGGTACCGGTCCAGGTTCTAGCCCGTCT GCATCTACTGGTACTGGTCCAGGTGCATCCCCTGGGCACTAGCTC TACCGGTTCTCCAGGTACTCCTGGTAGCGGTACTGCTTCTTCTTC TCCAGGTAGCTCTACTCCTTCTGGTGCTACTGGTTCTCCAGGTTT TAGCCCTTCTGCATCCACCGGTACCGGCCAGGTTCTAGCCCGT CTGCTTCTACCGGTACTGGTCCAGGTGCTTCTCCGGGTACTAGC TCTACTGGTTCTCCAGGTGCATCTCCTGGTACTAGCTCTACTGG TTCTCCAGGTAGCTCTACTCCGTCTGGTGCAACCGGCTCTCCAG GTTCTAGCCCTTCTGCATCTACCGGTACTGGTCCAGGTGCATCC CCTGGTACCAGCTCTACCGGTTCTCCAGGTTCTAGCCCTTCTGC TTCTACCGGTACCGGTCCAGGTACCCCTGGCAGCGGTACCGCAT CTTCTCTCCAGGTAGCTCTACTCCGTCTGGTGCAACCGGTTCC CCAGGTAGCTCTACTCCTTCTGGTGCTACTGGCTCCCCAGGTGC ATCCCCTGGCACCAGCTCTACCGGTTCTCCAGGTTTTCCGACTA TTCCGCTGTCTCGTCTGTTTGATAATGCTATGCTGCGTGCGCAC CGTCTGCACCAGCTGGCCTTTGATACTTACCAGGAATTTGAAGA AGCcTACATTCTAAAGAGCAGAAGTACTCTTTCTGCAAAACC CACAGACTTCTCTGCTTCAGCGAATCTATTCCGACGCCTTCC AATCGCGAGGAACTCAGCAAAAGTCCAATCTGGAAGTACTCC GCATTTCTCTGCTTCTGATTAGAGCTGGCTAGAACAGGTGCAA TTTCTGCGTTCCTGCTTCGCCAATAGCCTAGTTTATGGCGCATCC

GHXTEN Name*	Amino Acid Sequence	DNA Nucleotide Sequence
	SPRTGQIFKQTYSKF DTNSHNDDALLKNY GLLYCFRKDMDKVE TFLRIVQCRSVEGSC GFGGSEPATSGSETP GTSESATPESGPGSE PATSGSETPGSPAGS PTSTEEGTSTEPSEGS APGSEPATSGSETPG SEPATSGSETPGSEP ATSGSETPGTSTEPSE GSAPGTSESATPESG PGSEPATSGSETPGT STEPSEGSAP	GACAGCAACGTATACGATCTCCTGAAAGATCTCGAGGAAGGCA TTCAGACCCTGATGGGTTCGTCTCGAGGATGGCTCTCCGCGTACT GGTCAGATCTTCAAGCAGACTTACTCTAAATTTGATACTAACAG CCACAATGACGATGCGCTTCTAAAAAACTATGGTCTGCTGTATT GTTTTCGTAAAGATATGGACAAAGTTGAAACCTTCTGCGTATT GTTCAGTGTTCGTTCGGTTGAGGGCAGCTGTGGTTTCTAAGGTGG TAGCGAACC GGCAACTTCCGGCTCTGAAACCCAGGTACTTCTG AAAGCGCTACTCCTGAGTCTGGCCCAGGTAGCGAACCTGCTAC CTCTGGCTCTGAAACCCAGGTAGCCCGGCAGGCTCTCCGACTT CCACCGAGGAAGGTACCTCTACTGAACCTTCTGAGGGTAGCGC TCCAGGTAGCGAACCGGCAACCTCTGGCTCTGAAACCCAGGT AGCGAACCTGTACTCCTCCGGCTCTGAAACTCCAGGTAGCGAAC CGGCTACTTCCGGTTCTGAAACTCCAGGTACCTCTACCGAACCT TCCGAAGGCAGCGCACCGGTACTTCTGAAAGCGCAACCCCTG AATCCGGTCCAGGTAGCGAACCGGCTACTTCTGGCTCTGAGACT CCAGGTACTTCTACCGAACCGTCCGAAGGTAGCGCACCA
AM875- hGH- AE144	GTSTEPSEGSAPGSE PATSGSETPGSPAGS PTSTEEGSTSSTAESP GPGTSTPESGSASP STSESPSGTAPGSTSE SPSGTAPGTSTPESGS ASPGTSTPESGSASP GSEPATSGSETPGTS ESATPESGPGSPAGS PTSTEEGTSTEPSEGS APGTSESATPESGPG TSTEPSEGSAPGTSTE PSEGSAPGSPAGSPT STEEGTSTEPSEGSAP GTSTEPSEGSAPGTS ESATPESGPGTSESA TPESGPGTSTEPSEGS APGTSTEPSEGSAPG TSESATPESGPGTSTE PSEGSAPGSEPATSG SETPGSPAGSPTSTEE GSSTPSGATGSPGTP GSGTASSSPGSSTPS GATGSPGTSTEPSEG SAPGTSTEPSEGSAP GSEPATSGSETPGSP AGSPTSTEEGSPAGS PTSTEEGTSTEPSEGS APGASASGAPSTGGT SESATPESGPGSPAG SPTSTEEGSPAGSPTS TEEGSTSSTAESPGP GSTSESPSGTAPGTSP SGESSTAPGTPGSGT ASSSPGSSTPSGATG SPGSSPASTGTGPG SEPATSGSETPGTSES ATPESGPGSEPATSG SETPGSTSSTAESPGP GSTSSTAESPGPGTSP SGESSTAPGSEPATS GSETPGSEPATSGSE TPGTSTEPSEGSAPG	GGTACTTCTACTGAACCGTCTGAAGGCAGCGCACCGGTAGCG AACCGGCTACTTCCGGTTCTGAAACCCAGGTAGCCAGCAGG TTCTCCAACCTTCTACTGAAGAAGGTTCTACCAGCTCTACCGCAG AATCTCCTGGTCCAGGTACCTCTACTCCGGAAAGCGGCTCTGCA TCTCCAGGTTCTACTAGCGAATCTCCTTCTGGCACTGCACCAGG TTCTACTAGCGAATCCCCGTCTGGTACTGCTCCAGGTACTTCTA CTCCTGAAAGCGGTTCCGCTTCTCCAGGTACCTCTACTCCGGAA AGCGGTTCTGCATCTCCAGGTAGCGAACCGGCAACCTCCGGCT CTGAAACCCAGGTACCTCTGAAAGCGCTACTCCTGAATCCGG CCCAGGTAGCCCGGCAGGTTCTCCGACTTCCACTGAGGAAGGT ACCTCTACTGAACCTTCTGAGGGCAGCGCTCCAGGTACTTCTGA AAGCGCTACCCCGGAGTCCGGTCCAGGTACTTCTACTGAACCGT CCGAAGGTAGCGCACCGGTACTTCTACCGAACCGTCCGAGGG TAGCGCACCGGTAGCCAGCAGGTTCTCCTACCTCCACCGAG GAAGGTACTTCTACCGAACCGTCCGAGGGTAGCGCACCGGTACT CTTCTACCGAACCTTCCGAGGGCAGCGCACCGGTACTTCTGAA AGCGCTACCCCTGAGTCCGGGCCAGGTACTTCTGAAAGCGCTA CTCCTGAATCCGGTCCAGGTACCTCTACTGAACCTTCCGAAGGC AGCGCTCCAGGTACCTCTACCGAACCGTCCGAGGGCAGCGCAC CAGGTACTTCTGAAAGCGCAACCCCTGAATCCGGTCCAGGTACT TTCTACTGAACCTTCCGAAGGTAGCGCTCCAGGTAGCGAACCTG CTACTTCTGGTTCTGAAACCCAGGTAGCCCGGCTGGCTCTCCG ACCTCCACCGAGGAAGGTAGCTCTACCCCGTCTGGTGCTACTGG TTCTCCAGGTACTCCGGGCAGCGGTACTGCTTCTTCTCTCCAG GTAGCTCTACCCCTTCTGGTGCTACTGGCTCTCCAGGTACCTCT ACCGAACCGTCCGAGGGTAGCGCACCGGTACCTCTACTGAAC CGTCTGAGGGTAGCGCTCCAGGTAGCGAACCGGCAACCTCCGG TTCTGAAACTCCAGGTAGCCCTGCTGGCTCTCCGACTTCTACTG AGGAAGGTAGCCCGGCTGGTTCTCCGACTTCTACTGAGGAAGG TACTTCTACCGAACCTTCCGAAGGTAGCGCTCCAGGTGCAAGC GCAAGCGGCGCGCCAAGCACGGGAGGTACTTCTGAAAGCGCTA CTCCTGAGTCCGGGCCAGGTAGCCCGGCTGGCTCTCCGACTTCC ACCGAGGAAGGTAGCCCGGCTGGCTCTCCAACCTTCTACTGAAG AAGGTTCTACCAGCTCTACCGCTGAATCTCCTGGCCAGGTTCT ACTAGCGAATCTCCGTCTGGCACCGCACCGGTACTTCCCCTAG CGGTGAATCTTCTACTGCACCGGTACCCCTGGCAGCGGTACCG CTTCTTCTCTCCAGGTAGCTCTACCCCGTCTGGTGCTACTGGCT CTCAGGTTCTAGCCCGTCTGCATCTACCGGTACCGGCCAGGT AGCGAACCGGCAACCTCCGGCTCTGAAACTCCAGGTACTTCTG AAAGCGCTACTCCGGAATCCGGGCCAGGTAGCGAACCGGCTAC TTCCGGCTCTGAAACCCAGGTTCACCGAGCTCTACTGCAGAAT CTCGGGCCAGGTTCTACTAGCTCTACTGCAGAATCTCCGGGT CCAGGTACTTCTCCTAGCGGCGAATCTTCTACCGCTCCAGGTAG

GHXTEN Name*	Amino Acid Sequence	DNA Nucleotide Sequence
	STSSTAESP GPGTSTP ESGSASPGSTSESPSG TAPGTSTEPSEGSAP GTSTEPSEGSAPGTS TEPSEGSAPGSSTPSG ATGSPGSSPSASTGT GPGASPGTSSTGSPG SEPATSGSETPGTSES ATPESGPGSPAGSPT STEEGSSTPSGATGS PGSSPSASTGTGPGA SPGTSSSTGSPGTSESA TPESGPGTSTEPSEGS APGTSTEPSEGSAPG FPTIPLSRLFDNAML RAHRLHQLAFDITYQ EFEEAYIPKEQKYSF LQNPQTS LCFSESIPT PSNREETQQKSNLEL LRISLLLIQSWLEPVQ FLRSVFANSLVYGAS DSNVYDLLKDLEEGI QTLMGRLEDGSPRT GQIFKQTYSKFDTN HNDDALLKNYGLLY CFRKMDMDKVETFLRI VQCRSVEGSCGFGG SEPATSGSETPGTSES ATPESGPGSEPATSG SETPGSPAGSPTSTEE GTSTEPSEGSAPGSE PATSGSETPGSEPAT SGSETPGSEPATSGS ETPGTSTEPSEGSAP GTSESATPESGPGSE PATSGSETPGTSTEPS EGSAP	CGAACCGGCAACCTCTGGCTCTGAAACTCCAGGTAGCGAACCT GCAACCTCCGGCTCTGAAACCCAGGTACTTCTACTGAACCTTC TGAGGGCAGCGCACCAGGTTCTACCAGCTCTACCGCAGAATCT CCTGGTCCAGGTACCTCTACTCCGGAAGCGGCTCTGCATCTCC AGGTTCTACTAGCGAATCTCCTTCTGGCACTGCACCAGGTACTT CTACCGAACCGTCCGAAGGCAGCGCTCCAGGTACCTCTACTGA ACCTTCCGAGGGCAGCGCTCCAGGTACCTCTACCGAACCTTCTG AAGGTAGCGCACCAGGTAGCTCTACTCCGTCTGGTGCAACCGG CTCCCCAGGTTCTAGCCCGTCTGCTTCCACTGGTACTGGCCCAG GTGCTTCCCCGGGCACCAGCTCTACTGGTTCTCCAGGTAGCGAA CCTGCTACCTCCGGTTCTGAAACCCAGGTACCTCTGAAAGCGC AACTCCGGAGTCTGGTCCAGGTAGCCCTGCAGGTTCTCCTACCT CCACTGAGGAAGGTAGCTCTACTCCGTCTGGTGCAACCGGCTCC CCAGGTTCTAGCCCGTCTGCTTCCACTGGTACTGGCCCAGGTGC TCCCCCGGGCACCAGCTCTACTGGTTCTCCAGGTACCTCTGAAA GCGCTACTCCGGAGTCTGGCCCAGGTACCTCTACTGAACCGTCT GAGGGTAGCGCTCCAGGTACTTCTACTGAACCGTCCGAAGGTA GCGCACCAGGTTTTCCGACTATTCGCTGTCTCGTCTGTTTGAT AATGCTATGCTGCGTGCGCACCCTCTGCACCAGCTGGCCTTTGA TACTTACCAGGAATTTGAAGAAGC ₂ TACATTCTAAAGAGCAGA AGTACTCTTTCCTGCAAAACCCACAGACTTCTCTCTGCTTCAGC GAATCTATTCGACGCTTCCAATCGCGAGGAACTCAGCAAA AGTCCAATCTGGAACCTACTCCGCATTTCTCTGCTTCTGATTAG AGCTGGCTAGAACCAGTGCAATTTCTGCGTTCCGTCTTCGCCAA TAGCCTAGTTTATGGCGCATCCGACAGCAACGTATACGATCTCC TGAAAGATCTCGAGGAAGGCATTCAGACCCTGATGGGTCTGCT CGAGGATGGCTCTCCGCGTACTGGTCAGATCTTCAAGCAGACTT ACTCTAAATTTGATACTAACAGCCACAATGACGATGCGCTTCTA AAAAACTATGGTCTGCTGTATTGTTTTTCGTAAAGATATGGACAA AGTTGAAACCTTCCTGCGTATTGTTTCAGTGTCGTTCCGTTGAGG GCAGCTGTGGTTTCTAAGGTGGTAGCGAACCGGCAACTTCCGG CTCTGAAACCCAGGTACTTCTGAAAGCGCTACTCCTGAGTCTG GCCCAGGTAGCGAACCTGCTACCTCTGGCTCTGAAACCCAGG TAGCCCGGCAGGCTCTCCGACTTCCACCGAGGAAGGTACCTCT ACTGAACCTTCTGAGGGTAGCGCTCCAGGTAGCGAACCCGCAAA CCTCTGGCTCTGAAACCCAGGTAGCGAACCTGCTACCTCCGGC TCTGAAACTCCAGGTAGCGAACCGGCTACTTCCGGTTCTGAAAC TCCAGGTACCTCTACCGAACCTTCCGAAGGCAGCGCACCAGGT ACTTCTGAAAGCGCAACCCCTGAATCCGGTCCAGGTAGCGAAC CGGCTACTTCTGGCTCTGAGACTCCAGGTACTTCTACCGAACCG TCCGAAGGTAGCGCACCA
AE912- hGH- AE144	MAEPAGSPTSTEEGT PGSGTASSPGSSTPS GATGSPGASPGTSST GSPGSPAGSPTSTEE GTSESATPESGPGTS TEPSEGSAPGSPAGS PTSTEEGTSTEPSEGS APGTSTEPSEGSAPG TSESATPESGPGSEP ATSGSETPGSEPATS GSETPGSPAGSPTST EGTSESATPESGPG TSTEPSEGSAPGTSTE PSEGSAPGSPAGSPT STEEGTSTEPSEGSAP GTSTEPSEGSAPGTS ESATPESGPGTSTEPS EGSAPGTSESATPES	ATGGCTGAACCTGCTGGCTCTCCAACCTCCACTGAGGAAGGTA CCCCAGGTAGCGGTACTGCTTCTTCTCTCCAGGTAGCTCTACC CCTTCTGGTGCAACCGGCTCTCCAGGTGCTTCTCCGGGCACCAG CTCTACCGGTTCTCCAGGTAGCCCGGCTGGCTCTCCTACCTCTA CTGAGGAAGGTACTTCTGAAAGCGCTACTCCTGAGTCTGGTCCA GGTACCTCTACTGAACCGTCCGAAGGTAGCGCTCCAGGTAGCC CAGCAGGCTCTCCGACTTCCACTGAGGAAGGTACTTCTACTGAA CCTTCCGAAGGCAGCGCACCAGGTACCTCTACTGAACCTTCTGA GGGCAGCGCTCCAGGTACTTCTGAAAGCGCTACCCCGGAATCT GGCCAGGTAGCGAACCGGCTACTTCTGGTTCTGAAACCCAG GTAGCGAACCGGCTACCTCCGGTTCTGAAACTCCAGGTAGCCC GGCAGGCTCTCCGACCTCTACTGAGGAAGGTACTTCTGAAAGC GCAACCCCGGAGTCCGGCCCAGGTACCTCTACCGAACCGTCTG AGGGCAGCGCACCAGGTACTTCTACCGAACCGTCCGAGGGTAG CGCACCAGGTAGCCCAGCAGGTTCTCCTACCTCCACCGAGGAA GGTACTTCTACCGAACCGTCCGAGGGTAGCGCACCAGGTACCT CTAAGAACCTTCTGAGGGCAGCGCTCCAGGTACTTCTGAAAGC GCTACCCCGGAGTCCGGTCCAGGTACTTCTACTGAACCGTCCGA

GHXTEN Name*	Amino Acid Sequence	DNA Nucleotide Sequence
	GPGSEPATSGSETPG TSTEPSEGSAPGTSTE PSEGSAPGTSESATP ESGPGTSESATPESG PGSPAGSPTSTEEGT SESATPESGPGSEPA TSGSETPGTSESATPE SGPSTSTEPSEGSAP GTSTEPSEGSAPGTS TEPSEGSAPGTSTEPS EGSAPGTSTEPSEGS APGTSTEPSEGSAPG SPAGSPTSTEEGTSTE PSEGSAPGTSESATP ESGPGSEPATSGSET PGTSESATPESGPGS EPATSGSETPGTSES ATPESGPGTSTEPSE GSAPGTSESATPESG PGSPAGSPTSTEEGSP AGSPTSTEEGSPAGS PTSTEEGTSESATPES GPGTSTEPSEGSAPG TSESATPESGPGSEP ATSGSETPGTSESAT PESGPGSEPATSGSE TPGTSESATPESGPG TSTEPSEGSAPGSPA GSPTSTEEGTSESATP ESGPGSEPATSGSET PGTSESATPESGPGSP AGSPTSTEEGSPAGS PTSTEEGTSTEPSEGS APGTSESATPESGPG TSESATPESGPGTSES ATPESGPGSEPATSG SETPGSEPATSGSETP GSPAGSPTSTEEGTS TEPSEGSAPGTSTEPS EGSAPGSEPATSGSE TPGTSESATPESGPG TSTEPSEGSAPGFPTI PLSRLFDNAMLRAH RLHQLAFDTYQEFEE AYIPKEQKYSFLQNP QTSLCFSES IPTPSNR EETQQKSNLELLRIS LLLIQSWLEPVQFLR SVFANSLVYGASDS NVYDLLKDLEEGIQT LMGRLEDGSPRTGQI FKQTYSKFDNNSHN DDALLKNYGLLYCF RKDMDKVETFLRIV QCRSVEGSCGFGGTS ESATPESGPGTSTEPS EGSAPGTSTEPSEGS APGTSESATPESGPG TSTEPSEGSAPGTSTE	AGGTAGCGCACCAGGTACTTCTGAAAGCGCAACCCCTGAATCC GGTCCAGGTAGCGAACCGGCTACTTCTGGCTCTGAGACTCCAG GTACTTCTACCGAACCGTCCGAAGGTAGCGCACCAGGTACTTCT ACTGAACCGTCTGAAGGTAGCGCACCAGGTACTTCTGAAAGCG CAACCCCGGAATCCGGCCAGGTACCTCTGAAAGCGCAACCC GGAGTCCGGCCAGGTAGCCCTGCTGGCTCTCCAACCTCCACCG AAGAAGGTACCTCTGAAAGCGCAACCCCTGAATCCGGCCAGG TAGCGAACCGGCAACCTCCGGTTCTGAAACCCAGGTACCTCT GAAAGCGCTACTCCGGAGTCTGGCCAGGTACCTCTACTGAAC CGTCTGAGGGTAGCGCTCCAGGTACTTCTACTGAACCGTCCGAA GGTAGCGCACCAGGTACTTCTACCGAACCGTCCGAAGGCAGCG CTCCAGGTACCTCTACTGAACCTTCCGAGGGCAGCGCTCCAGGT ACCTCTACCGAACCTTCTGAAGGTAGCGCACCAGGTACTTCTAC CGAACCGTCCGAGGGTAGCGCACCAGGTAGCCCAGCAGGTTCT CCTACCTCCACCGAGGAAGGTACTTCTACCGAACCGTCCGAGG GTAGCGCACCAGGTACCTCTGAAAGCGCAACTCCTGAGTCTGG CCCAGGTAGCGAACCTGCTACCTCCGGCTCTGAGACTCCAGGT ACCTCTGAAAGCGCAACCCCGGAATCTGGTCCAGGTAGCGAAC CTGCAACCTCTGGCTCTGAAACCCAGGTACCTCTGAAAGCGCT ACTCCTGAATCTGGCCAGGTACTTCTACTGAACCGTCCGAGGG CAGCGCACCAGGTACTTCTGAAAGCGCTACTCCTGAGTCCGGC CCAGGTAGCCCGGCTGGCTCTCCGACTTCCACCGAGGAAGGTA GCCCGGCTGGCTCTCCAACCTTCTACTGAAGAAGGTAGCCCGGC AGGCTCTCCGACCTCTACTGAGGAAGGTACTTCTGAAAGCGCA ACCCCGGAGTCCGGCCAGGTACCTCTACCGAACCGTCTGAGG GCAGCGCACCAGGTACCTCTGAAAGCGCAACTCCTGAGTCTGG CCCAGGTAGCGAACCTGCTACCTCCGGCTCTGAGACTCCAGGT ACCTCTGAAAGCGCAACCCCGGAATCTGGTCCAGGTAGCGAAC CTGCAACCTCTGGCTCTGAAACCCAGGTACCTCTGAAAGCGCT ACTCCTGAATCTGGCCAGGTACTTCTACTGAACCGTCCGAGGG CAGCGCACCAGGTAGCCCTGCTGGCTCTCCAACCTCCACCGAA GAAGGTACCTCTGAAAGCGCAACCCCTGAATCCGGCCAGGTAG GCGAACCGGCAACCTCCGGTTCTGAAACCCAGGTACTTCTGA AAGCGCTACTCCTGAGTCCGGCCAGGTAGCCCGGCTGGCTCTC CGACTTCCACCGAGGAAGGTAGCCCGGCTGGCTCTCCAACCTCT ACTGAAGAAGGTACTTCTACCGAACCTTCCGAGGGCAGCGCAC CAGGTACTTCTGAAAGCGCTACCCCTGAGTCCGGCCAGGTACT TCTGAAAGCGCTACTCCTGAATCCGGTCCAGGTACTTCTGAAAG CGCTACCCCGGAATCTGGCCAGGTAGCGAACCGGCTACTTCT GGTTCTGAAACCCAGGTAGCGAACCGGCTACCTCCGGTTCTG AAACCTCCAGGTAGCCAGCAGGCTCTCCGACTTCCACTGAGGA AGGTACTTCTACTGAACCTTCCGAAGGCAGCGCACCAGGTACC TCTACTGAACCTTCTGAGGGCAGCGCTCCAGGTAGCGAACCTG CAACCTCTGGCTCTGAAACCCAGGTACCTCTGAAAGCGCTACT CCTGAATCTGGCCAGGTACTTCTACTGAACCGTCCGAGGGCA GCGCACCAGGTTTTCCGACTATTCCGCTGTCTCGTCTGTTTAT AATGCTATGCTGCGTGCGCACCGTCTGCACCAGCTGGCCTTTGA TACTTACCAGGAATTTGAAGAAGCCTACATTCTTAAAGAGCAGA AGTACTCTTTCCTGAAAACCCACAGACTTCTCTCTGCTTCAGC GAATCTATTCCGACGCCTTCCAATCGCGAGGAAACTCAGCAAA AGTCCAATCTGGAACCTACTCCGCATTTCTCTGCTTCTGATTGAG AGCTGGCTAGAACAGTGCAATTTCTGCGTTCCGTTCTCGCCAA TAGCCTAGTTTATGGCGCATCCGACAGCAACGTATACGATCTCC TGAAAGATCTCGAGGAAGGCATTGACACCTGATGGGTGCTCT CGAGGATGGCTCTCCGCGTACTGGTCAGATCTTCAAGCAGACTT ACTCTAAATTTGATACTAACAGCCACAATGACGATGCGCTTCTA AAAAATATGGTCTGCTGTATTGTTTTCGTAAAGATATGGACAA AGTTGAAACCTTCTGCGTATTGTTTTCAGTGTCGTTCCGTTGAGG GCAGCTGTGGTTTCTAAGGTGGTAGCGAACCGGCAACTTCCGG

GHXTEN Name*	Amino Acid Sequence	DNA Nucleotide Sequence
	PSEGSAPGTSESATP ESGPGTSTEPSEGS PGTSTEPSEGSAPGT STEPSEGSAPGSPAG SPTSTEEGTSTEPSEG SAPG	CTCTGAAACCCAGGTACTTCTGAAAGCGCTACTCCTGAGTCTG GCCCAGGTAGCGAACCTGCTACCTCTGGCTCTGAAACCCAGG TAGCCCGGCAGGCTCTCCGACTTCCACCGAGGAAGGTACCTCT ACTGAACTTCTGAGGGTAGCGCTCCAGGTAGCGAACCCGGCAA CCTCTGGCTCTGAAACCCAGGTAGCGAACCTGCTACCTCCGGC TCTGAACTCCAGGTAGCGAACCCGGCTACTTCCGGTTCTGAAAC TCCAGGTACCTCTACCGAACCTTCCGAAGGCAGCGCACCAGGT ACTTCTGAAAGCGCAACCCCTGAATCCGGTCCAGGTAGCGAAC CGGCTACTTCTGGCTCTGAGACTCCAGGTACTTCTACCGAACCG TCCGAAGGTAGCGCACCA
AM923- hGH- AE144	MAEPAGSPTSTEEGA SPGTSSTGSPGSSTPS GATGSPGSSTPSGAT GSPGTSTEPSEGSAP GSEPATSGSETPGSP AGSPTSTEEGSTSST AESP GPGTSTPESGS ASPGTSESPTSGTAP GSTSESPSGTAPGTS TPESGSASPGTSTPES GSASPGSEPATSGSE TPGTSESATPESGPG SPAGSPTSTEEGTSTE PSEGSAPGTSESATP ESGPGTSTEPSEGS PGTSTEPSEGSAPGSP AGSPTSTEEGTSTEPS EGSAPGTSTEPSEGS APGTSESATPESGPG TSESATPESGPGTSTE PSEGSAPGTSTEPSE GSAPGTSESATPESG PGTSTEPSEGSAPGS EPATSGSETPGSPAG SPTSTEEGSSTPSGAT GSPGTSGSTASSSP GSPGTSGSTASSPGTS TEPSEGSAPGTSTEPS EGSAPGSEPATSGSE TPGSPAGSPTSTEEG SPAGSPTSTEEGTSTE PSEGSAPGASASGAP STGGTSESATPESGP GSPAGSPTSTEEGSP AGSPTSTEEGSTSST AESP GPGSTSESPTSGT APGTSPSGESSTAPG TPGSGTASSSPGSSTP SGATGSPGSSPSAST GTGPGSEPATSGSET PGTSESATPESGPGS EPATSGSETPGSTSST AESP GPGSTSSTAESP GPGTSPSGESSTAPG SEPATSGSETPGSEP ATSGSETPGTSTEPSE GSAPGSTSSTAESPG PGTSTPESGSASPGST SESPSGTAPGTSTEPS	ATGGCTGAACCTGCTGGCTCTCCAACCTCCACTGAGGAAGGTA CCCCGGGTAGCGGTACTGCTTCTTCTCTCCAGGTAGCTTACC CCTTCTGGTGCAACCGGCTCTCCAGGTGCTTCTCCGGGCACCAG CTCTACCGGTTCTCCAGGTAGCCCGGCTGGTCTCTCTACCTCTA CTGAGGAAGGTACTTCTGAAAGCGCTACTCCTGAGTCTGGTCCA GGTACCTCTACTGAACCGTCCGAAGGTAGCGCTCCAGGTAGCC CAGCAGGCTCTCCGACTTCCACTGAGGAAGGTACTTCTACTGAA CCTTCCGAAGGCAGCGCACCAGGTACCTCTACTGAACCTTCTGA GGGCAGCGCTCCAGGTACTTCTGAAAGCGCTACCCCGGAATCT GGCCAGGTAGCGAACCCGGCTACTTCTGGTTCTGAAACCCAG GTAGCGAACCCGGCTACCTCCGGTTCTGAAACTCCAGGTAGCCC GGCAGGCTCTCCGACCTCTACTGAGGAAGGTACTTCTGAAAGC GCAACCCCGGAGTCCGGCCCAGGTACCTCTACCGAACCGTCTG AGGGCAGCGCACCAGGTACTTCTACCGAACCGTCCGAGGGTAG CGCACCAGGTAGCCCAGCAGGTTCTCCTACCTCCACCGAGGAA GGTACTTCTACCGAACCGTCCGAGGGTAGCGCACCAGGTACCT CTACTGAACCTTCTGAGGGCAGCGCTCCAGGTACTTCTGAAAGC GCTACCCCGGAGTCCGGTCCAGGTACTTCTACTGAACCGTCCGA AGGTAGCGCACCAGGTACTTCTGAAAGCGCAACCCCTGAATCC GGTCCAGGTAGCGAACCCGGCTACTTCTGGCTCTGAGACTCCAG GTACTTCTACCGAACCGTCCGAAGGTAGCGCACCAGGTACTTCT ACTGAACCGTCTGAAGGTAGCGCACCAGGTACTTCTGAAAGCG CAACCCCGGAATCCGGCCCAGGTACCTCTGAAAGCGCAACCC GGAGTCCGGCCCAGGTAGCCCTGCTGGCTCTCCAACCTCCACCG AAGAAGGTACCTCTGAAAGCGCAACCCCTGAATCCGGCCCAGG TAGCGAACCGGCAACCTCCGGTTCTGAAACCCAGGTACCTCT GAAAGCGCTACTCCGAGGTCTGGCCCAGGTACCTCTACTGAAC CGTCTGAGGGTAGCGCTCCAGGTACTTCTACTGAACCGTCCGAA GGTAGCGCACCAGGTACTTCTACCGAACCGTCCGAAGGCAGCG CTCCAGGTACCTCTACTGAACCTTCCGAGGGCAGCGCTCCAGGT ACCTCTACCGAACCTTCTGAAGGTAGCGCACCAGGTACTTCTAC CGAACCGTCCGAGGGTAGCGCACCAGGTAGCCCAGCAGGTTCT CCTACCTCCACCGAGGAAGGTACTTCTACCGAACCGTCCGAGG GTAGCGCACCAGGTACCTCTGAAAGCGCAACTCCTGAGTCTGG CCCAGGTAGCGAACCTGCTACCTCCGGCTCTGAGACTCCAGGT ACCTCTGAAAGCGCAACCCCGGAATCTGGTCCAGGTAGCGAAC CTGCAACCTCTGGCTCTGAAACCCAGGTACCTCTGAAAGCGCT ACTCCTGAATCTGGCCCAGGTACTTCTACTGAACCGTCCGAGGG CAGCGCACCAGGTACTTCTGAAAGCGCTACTCCTGAGTCCGGC CCAGGTAGCCCGGCTGGCTCTCCGACTTCCACCGAGGAAGGTA GCCC GGCTGGCTCTCCAACCTTCTACTGAAGAAGGTAGCCCGGC AGGCTCTCCGACCTCTACTGAGGAAGGTACTTCTGAAAGCGCA ACCCCGGAGTCCGGCCCAGGTACCTCTACCGAACCGTCTGAGG GCAGCGCACCAGGTACCTCTGAAAGCGCAACTCCTGAGTCTGG CCCAGGTAGCGAACCTGCTACCTCCGGCTCTGAGACTCCAGGT ACCTCTGAAAGCGCAACCCCGGAATCTGGTCCAGGTAGCGAAC CTGCAACCTCTGGCTCTGAAACCCAGGTACCTCTGAAAGCGCT ACTCCTGAATCTGGCCCAGGTACTTCTACTGAACCGTCCGAGGG CAGCGCACCAGGTAGCCCTGCTGGCTCTCCAACCTCCACCGAA

GHXTEN Name*	Amino Acid Sequence	DNA Nucleotide Sequence
	EGSAPGTSTEPSEGS APGTSTEPSEGSAPG SSTPSGATGSPGSSPS ASTGTGPGASPGTSS TGSPGSEPATSGSET PGTSESATPESGPGSP AGSPTSTEEGSSTPS GATGSPGSSPSASTG TGPASPGTSSSTGSP GTSESATPESGPGTS TEPSEGSAPGTSTEPS EGSAPGFPTPLSRFL DNAMLRRAHRLHQL AFDTYQEFEEAYIPK EQKYSFLQNPQTSCL FSESIPTPSNREETQQ KSNLELLRISLLLIQS WLEPVQFLRSVFAN SLVYGASDSNVYDL LKDLEEGIQTLMGRL EDGSPRTGQIFKQTY SKFDTNSHNDALL KNYGLLYCFRKDMD KVETFLRIVQCRSVE GSCGFGGSEPATSGS ETPGTSESATPESGP GSEPATSGSETPGSP AGSPTSTEEGTSTEPS EGSAPGSEPATSGSE TPGSEPATSGSETPG SEPATSGSETPGTSTE PSEGSAPGTSESATP ESGPGSEPATSGSET PGTSTEPSEGSAP	GAAGGTACCTCTGAAAGCGCAACCCCTGAATCCGGCCAGGTA GCGAACCGGCAACCTCCGGTCTGAAACCCAGGTACTTCTGA AAGCGCTACTCCTGAGTCCGGCCAGGTAGCCCGGCTGGCTCTC CGACTTCCACCGAGGAAGGTAGCCCGGCTGGCTCTCCAACCTCT ACTGAAGAAGGTACTTCTACCGAACCTTCCGAGGGCAGCGCAC CAGGTACTTCTGAAAGCGCTACCCCTGAGTCCGGCCAGGTACT TCTGAAAGCGCTACTCCTGAATCCGGTCCAGGTACTTCTGAAAG CGTACCCCGGAATCTGGCCAGGTAGCGAACCGGCTACTTCT GGTCTGAAACCCAGGTAGCGAACCGGCTACCTCCGGTTCTG AACTCCAGGTAGCCAGCAGGCTCTCCGACTTCCACTGAGGA AGGTACTTCTACTGAACCTTCCGAAGGCAGCGCACCAGGTACC TCTACTGAACCTTCTGAGGGCAGCGCTCCAGGTATCGAACCTG CAACCTCTGGCTCTGAAACCCAGGTACCTCTGAAAGCGCTACT CCTGAATCTGGCCAGGTACTTCTACTGAACCGTCCGAGGGCA GCGCACCAGGTTTTCCGACTATTCCGCTGTCTCGTCTGTTTGT AATGCTATGCTGCGTGCGCACCGTCTGCACCAGCTGGCCTTTGA TACTTACCAGGAATTTGAAGAAGCCTACATTCCTAAAGAGCAGA AGTACTCTTTCCTGCAAAACCCACAGACTTCTCTCTGCTTCAGC GAATCTATTCCGACGCCTTCCAATCGCGAGGAACTCAGCAAA AGTCCAATCTGGAAGTACTCCGCATTTCTCTGCTTCTGATTGAG AGCTGGCTAGAACCAGTGCAATTTCTGCGTTCCGTGTTCCGCAA TAGCCTAGTTTATGGCGCATCCGACAGCAACGTATACGATCTCC TGAAAGATCTCGAGGAAGGCATTGAGACCTGATGGGTCTGCTCT CGAGGATGGCTCTCCGCGTACTGGTCAGATCTTCAAGCAGACTT ACTCTAAATTTGATACTAACAGCCACAATGACGATGCGCTTCTA AAAAATATGGTCTGCTGTATTGTTTTTCGTAAAGATATGGACAA AGTTGAAACCTTCCGCTATTGTTTCAGTGTCGTTCCGTTGAGG GCAGCTGTGGTTTTCCGAGGTACTTCTGAAAGCGCTACTCCGGA GTCCGGTCCAGGTACCTCTACCGAACCGTCCGAAGGCAGCGCT CCAGGTACTTCTACTGAACCTTCTGAGGGTAGCGCTCCAGGTAC TTCTGAAAGCGCTACTCCGGAGTCCGGTCCAGGTACCTCTACCG AACCGTCCGAAGGCAGCGCTCCAGGTACTTCTACTGAACCTTCT GAGGGTAGCGCTCCAGGTACCTCTGAAAGCGCTACTCCGGAGT CTGGCCAGGTACCTCTACTGAACCGTCTGAGGGTAGCGCTCCA GGTACTTCTACTGAACCGTCCGAAGGTAGCGCACCAGGTACTTC TACCGAACCGTCCGAGGGTAGCGCACCAGGTAGCCAGCAGGT TCTCCTACCTCCACCGAGGAAGGTACTTCTACCGAACCGTCCGA GGGTAGCGCACCAGGTAA
AM1318- hGH- AE144	GTSTEPSEGSAPGSE PATSGSETPGSPAGS PTSTEEGSTSSTAESP GPGTSTPESGSASP STSESPSGTAPGSTSE SPSGTAPGTSTPESGS ASPGTSTPESGSASP GSEPATSGSETPGTS ESATPESGPGSPAGS PTSTEEGTSTEPSEGS APGTSESATPESGPG TSTEPSEGSAPGTSTE PSEGSAPGSPAGSPT STEEGTSTEPSEGSAP GTSTEPSEGSAPGTS ESATPESGPGTSESA TPESGPGTSTEPSEGS APGTSTEPSEGSAPG TSESATPESGPGTSTE PSEGSAPGSEPATSG	GGTACTTCTACTGAACCGTCTGAAGGCAGCGCACCAGGTAGCG AACCGGCTACTTCCGGTCTGAAACCCAGGTAGCCAGCAGG TTCTCCAACCTTCTACTGAAGAAGGTCTACCAGCTCTACCGCAG AATCTCCTGGTCCAGGTACCTCTACTCCGGAAGCGGCTCTGCA TCTCCAGGTTCTACTAGCGAATCTCCTTCTGGCACTGCACCAGG TTCTACTAGCGAATCCCCGTCTGGTACTGCTCCAGGTACTTCTA CTCCTGAAAGCGGTTCCGCTTCTCCAGGTACCTCTACTCCGGAA AGCGGTTCTGCATCTCCAGGTAGCGAACCAGGCAACCTCCGGCT CTGAAACCCAGGTACCTCTGAAAGCGCTACTCCTGAATCCGG CCCAGGTAGCCCGGAGGTCTCCGACTTCCACTGAGGAAGGT ACCTCTACTGAACCTTCTGAGGGCAGCGCTCCAGGTACTTCTGA AAGCGCTACCCCGGAGTCCGGTCCAGGTACTTCTACTGAACCGT CCGAAGGTAGCGCACCAGGTACTTCTACCGAACCGTCCGAGGG TAGCGCACCAGGTAGCCAGCAGGTTCTCCTACCTCCACCGAG GAAGGTACTTCTACCGAACCGTCCGAGGGTAGCGCACCAGGTAC CTTCTACCGAACCTTCCGAGGGCAGCGCACCAGGTACTTCTGAA AGCGCTACCCCTGAGTCCGGCCAGGTACTTCTGAAAGCGCTA CTCCTGAATCCGGTCCAGGTACCTCTACTGAACCTTCCGAAGGC AGCGCTCCAGGTACCTCTACCGAACCGTCCGAGGGCAGCGCAC CAGGTACTTCTGAAAGCGCAACCCCTGAATCCGGTCCAGGTAC

GHXTEN Name*	Amino Acid Sequence	DNA Nucleotide Sequence
	SETPGSPAGSPTSTEE GSSTPSGATGSPGTP GSGTASSSPGSSTPS GATGSPGTSTEPSEG SAPGTSTEPSEGSAP GSEPATSGSETPGSP AGSPTSTEEGSPAGS PTSTEEGTSTEPSEGS APGPEPTGPAPSGGS EPATSGSETPGTSES ATPESGPGSPAGSPT STEEGTSESATPESGP GSPAGSPTSTEEGSP AGSPTSTEEGTSESA TPESGPGSPAGSPTST EEGSPAGSPTSTEEG STSSTAESP GPGSTSE SPSGTAPGTSPSGESS TAPGTSES SPSGTAP GSTSES SPSGTAPGTSP SGESSTAPGTSTEPSE GSAPGTSESATPESG PGTSESATPESGPGS EPATSGSETPGTSES ATPESGPGTSESATP ESGPGTSTEPSEGS PGTSESATPESGPGT STEPSEGSAPGTSPSG ESSTAPGTSPSGESST APGTSPSGESSTAPG TSTEPSEGSAPGSPA GSPTSTEEGTSTEPSE GSAPGSSPSASTGTG PGSSTPSGATGSPGS STPSGATGSPGSSTPS GATGSPGSPGATGSP GSPGASPGTSSTGSP GASASGAPSTGGTSP SGESSTAPGTSSTA ESPGPGTSPSGESSTA PGTSESATPESGPGT STEPSEGSAPGTSTEP SEGSA PGSSPSASTG TGPGSSTPSGATGSP GASPGTSSTGSPGTS TPESGSASPGTSPSGE SSTAPGTSPSGESSTA PGTSESATPESGPGS EPATSGSETPGTSTEP SEGSA PGSTSESPSGT APGSTSES SPSGTAPG TSTEPSEGSASPGSPA GSPTSTEEGTSESATP ESGPGTSTEPSEGS PGSPAGSPTSTEEGT SESATPESGPGSEPA TSGSETPGSSTPSGA TGSPGASPGTSSTGS PGSSTPSGATGSPGS	TTCTACTGAACCTTCCGAAGGTAGCGCTCCAGGTAGCGAACCTG CTACTTCTGGTTCTGAAACCCAGGTAGCCCGGCTGGCTCTCCG ACCTCCACCGAGGAAGGTAGCTCTACCCCGTCTGGTGCTACTGG TTCTCCAGGTACTCCGGGCAGCGGTACTGCTTCTTCTCTCCAG GTAGCTCTACCCCTTCTGGTGCTACTGGCTCTCCAGGTACCTCT ACCGAACCGTCCGAGGGTAGCGCACCAGGTACCTCTACTGAAC CGTCTGAGGGTAGCGCTCCAGGTAGCGAACCCGGCAACCTCCGG TTCTGAAACTCCAGGTAGCCCTGCTGGCTCTCCGACTTCTACTG AGGAAGGTAGCCCGGCTGGTTCTCCGACTTCTACTGAGGAAGG TACTTCTACCGAACCTTCCGAAGGTAGCGCTCCAGGTCCAGAAC CAACGGGGCCGGCCCCAAGCGGAGGTAGCGAACCCGGCAACCTC CGGCTCTGAAACCCAGGTACCTCTGAAAGCGCTACTCTCTGAAT CCGGCCCAGGTAGCCCGGCGAGGTTCTCCGACTTCCACTGGAAT AGGTACTTCTGAAAGCGCTACTCCTGAGTCCGGCCCAGGTAGC CCGGCTGGCTCTCCGACTTCCACCGAGGAAGGTAGCCCGGCTG GCTCTCCAACCTTCTACTGAAGAAGGTACTTCTGAAAGCGCTACT CCTGAGTCCGGCCCAGGTAGCCCGGCTGGCTCTCCGACTTCCAC CGAGGAAGGTAGCCCGGCTGGCTCTCCAACCTTCTACTGAAGAA GGTTCTACCAGCTCTACCGCTGAATCTCCTGGCCCAGGTTCTAC TAGCGAATCTCCGTCTGGCACCAGGTACTTCCCCTAGCG GTGAATCTTCTACTGCACCAGGTTCTACCAGCGAATCTCCTTCT GGCACCGCTCCAGGTTCTACTAGCGAATCCCCGTCTGGTACCGC ACCAGGTACTTCTCCTAGCGGCGAATCTTCTACCAGCACAGGTA CTTCTACCGAACCTTCCGAGGGCAGCGCACCAGGTACTTCTGAA AGCGCTACCCCTGAGTCCGGCCCAGGTACTTCTGAAAGCGCTA CTCCTGAATCCGGTCCAGGTAGCGAACCCGGCAACCTCTGGCTCT GAAACCCAGGTACCTCTGAAAGCGCTACTCCGGAATCTGGTC CAGGTACTTCTGAAAGCGCTACTCCGGAATCCGGTCCAGGTAC CTCTACTGAACCTTCTGAGGGCAGCGCTCCAGGTACTTCTGAAA GCGCTACCCCGGAGTCCGGTCCAGGTACTTCTACTGAACCGTCC GAAGGTAGCGCACCAGGTACCTCCCCTAGCGGCGAATCTTCTA CTGCTCCAGGTACCTCTCCTAGCGGCGAATCTTCTACCAGTCCA GGTACCTCCCCTAGCGGTGAATCTTCTACCAGCACAGGTACTTC TACCGAACCGTCCGAGGGTAGCGCACCAGGTAGCCAGCAGGT TCTCCTACCTCCACCGAGGAAGGTACTTCTACCGAACCGTCCGA GGGTAGCGCACCAGGTTCTAGCCCTTCTGCTTCCACCGTACCG GCCAGGTAGCTTACTTCCGTCTGGTGCAACTGGCTCTCCAGGT AGCTCTACTCCGTCTGGTGCAACCCGGCTCCCCAGGTAGCTCTAC CCCGTCTGGTGCTACCGGCTCTCCAGGTAGCTCTACCCCGTCTG GTGCAACCCGGCTCCCCAGGTGCATCCCCGGGTACTAGCTCTACC GGTTCTCCAGGTGCAAGCGCAAGCGGCGCGCAAGCACGGGAG GTACTTCTCCGAGCGGTGAATCTTCTACCAGCACAGGTTCTACT AGCTCTACCGCTGAATCTCCGGGCCAGGTACTTCTCCGAGCGG TGAATCTTCTACTGCTCCAGGTACCTCTGAAAGCGCTACTCCGG AGTCTGGCCCAGGTACCTCTACTGAACCGTCTGAGGGTAGCGCT CCAGGTACTTCTACTGAACCGTCCGAAGGTAGCGCACCAGGTT CTAGCCCTTCTGCATCTACTGGTACTGGCCCAGGTAGCTCTACT CTTCTGGTGCTACCGGCTCTCCAGGTGCTTCTCCGGGTACTAG CTCTACCGGTTCTCCAGGTACTTCTACTCCGGAAAGCGGTTCCG CATCTCCAGGTACTTCTCCTAGCGGTGAATCTTCTACTGCTCCA GGTACCTCTCCTAGCGGCGAATCTTCTACTGCTCCAGGTACTTC TGAAAGCGCAACCCCTGAATCCGGTCCAGGTAGCGAACCCGGCT ACTTCTGGCTCTGAGACTCCAGGTACTTCTACCAGAACCGTCCGA AGGTAGCGCACCAGGTTCTACCAGCGAATCCCCTTCTGGTACTG CTCCAGGTTCTACCAGCGAATCCCCTTCTGGCACCAGCACAGGT ACTTCTACCCCTGAAAGCGGCTCCGCTTCTCCAGGTAGCCCGGC AGGCTCTCCGACCTCTACTGAGGAAGGTACTTCTGAAAGCGCA ACCCCGGAGTCCGGCCCAGGTACCTCTACCGAACCGTCTGAGG GCAGCGCACCAGGTAGCCCTGCTGGCTCTCCAACCTCCACCGA

GHXTEN Name*	Amino Acid Sequence	DNA Nucleotide Sequence
	TSESPSGTAPGTSPSG ESSTAPGSTSSTAESP GPGSSTPSGATGSPG ASPGTSSSTGSPGTPG SGTASSSPGSPAGSP TSTEESPGAGSPTSTE EGTSTEPSEGSAPGF PTIPLSRLFDNAMLRL AHRHLQLAFDITYQE FEEAYIPKEQKYSFL QNPQTSCLFSESIPTP SNREETQQKSNLELL RISLLLIQSWLEPVQF LRSVFANSLVYGAS DSNVYDLLKDLEEGI QTLMGRLEDGSPRT GQIFKQTYSKFDTNS HNDDALLKNYGLLY CFRKMDKQVETFLRI VQCRSVEGSCGFGG SEPATSGSETPGTSES ATPESGPGSEPATSG SETPGSPAGSPTSTEE GTSTEPSEGSAPGSE PATSGSETPGSEPAT SGSETPGSEPATSGS ETPGTSTEPSEGSAP GTSESATPESGPGSE PATSGSETPGTSTEPS EGSAP	AGAAGGTACCTCTGAAAGCGCAACCCCTGAATCCGGCCCCAGGT AGCGAACCGGCAACCTCCGGTTCTGAAACCCCAGGTAGCTCTA CCCCCTCTGGTGCTACCGGTTCCCCAGGTGCTTCTCCTGGTACT AGCTCTACCGGTTCTCCAGGTAGCTCTACCCCGTCTGGTGCTAC TGGCTCTCCAGGTTCTACTAGCGAATCCCCGTCTGGTACTGCTC CAGGTACTTCCCCTAGCGGTGAATCTTCTACTGCTCCAGGTTCT ACCAGCTCTACCGCAGAATCTCCGGGTCCAGGTAGCTCTACCCC TTCTGGTGCAACCGGCTCTCCAGGTGCATCCCCGGGTACCAGCT CTACCGGTTCTCCAGGTACTCCGGGTAGCGGTACCGCTTCTTCC TCTCCAGGTAGCCCTGCTGGCTCTCCGACTTCTACTGAGGAAGG TAGCCCGGCTGGTTCTCCGACTTCTACTGAGGAAGGTACTTCTA CCGAACCTTCCGAAGGTAGCGCTCCAGGTTTTCCGACTATTCCG CTGTCTCGTCTGTTTGATAATGCTATGCTGCGTGCACCGCTCT GCACCAGCTGGCCTTTGATACTTACCAGGAATTTGAAGAAGCCT ACATTCTTAAAGAGCAGAAGTACTCTTTTCTGCAAAAACCCACA GACTTCTCTCTGCTTCAGCGAATCTATTCCGACGCCTTCCAATC GCGAGGAAACTCAGCAAAAAGTCCAATCTGGAAGTACTCCGCAT TTCTCTGCTTCTGATTACAGAGCTGGCTAGAACCAAGTCAATTTT TCGTTCCTGCTTTCGCCAATAGCCTAGTTTATGGCGCATCCGAC AGCAACGTATACGATCTCCTGAAAGATCTCGAGGAAGGCATTCT AGACCCGTATGGGTCTGCTCGAGGATGGCTCTCCGCGTACTGGT CAGATCTTCAAGCAGACTTACTCTAAATTTGATACTAACAGCCA CAATGACGATGCGCTTCTAAAAAACTATGGTCTGCTGTATTGTT TTCGTAAAGATATGGACAAAAGTTGAAACCTTCTGCGTATTGTT CAGTGTCTGTTCCGTTGAGGGCAGCTGTGGTTTCTAAGGTGGTAG CGAACCGGCAACTTCCGGCTCTGAAACCCCAGGTACTTCTGAA AGCGCTACTCCTGAGTCTGGCCCAGGTAGCGAACCTGCTACCTC TGGCTCTGAAACCCCAGGTAGCCCCGGCAGGCTCTCCGACTTCCA CCGAGGAAGGTACCTCTACTGAACCTTCTGAGGGTAGCGCTCC AGGTAGCGAACCGGCAACCTCTGGCTCTGAAACCCCAGGTAGC GAACCTGCTACCTCCGGCTCTGAAACTCCAGGTAGCGAACCGG CTACTTCCGGTTCTGAAACTCCAGGTACCTCTACCGAACCTTCC GAAGGCAGCGCACCAGGTACTTCTGAAAGCGCAACCCCTGAAT CCGGTCCAGGTAGCGAACCGGCTACTTCTGGCTCTGAGACTCCA GGTACTTCTACCGAACCGTCCGAAGGTAGCGCACCA
AE48- hGH- AE288	MAEPAGSPTSTEEGT PGSGTASSSPGSSTPS GATGSPGASPGTSST GSPGFPTIPLSRLFDN AMLRAHRLHQLAFD TYQEFEEAYIPKEQK YSFLQNPQTSCLFSE SIPTPSNREETQQKS NLELLRISLLLIQSWL EPVQFLRSVFANSLV YGASDSNVYDLLKD LEEGIQTLMGRLEDG SPRTGQIFKQTYSKF DTNSHNDDALLKNY GLLYCFRKMDKQVE TFLRIVQCRSVEGSC GFGGTSESATPESGP GSEPATSGSETPGTS ESATPESGPGSEPAT SGSETPGTSESATPES GPGTSTEPSEGSAPG SPAGSPTSTEEGTSES ATPESGPGSEPATSG SETPGTSESATPESGP	ATGGCTGAACCTGCTGGCTCTCCAACCTCCACTGAGGAAGGTA CCCCAGGTAGCGGTACTGCTTCTTCTCTCCAGGTAGCTCTACC CTTTCTGGTGCAACCGGCTCTCCAGGTGCTTCTCCGGGCACCGAG CTCTACCGGTTCTCCAGGTTTTCCGACTATTCCGCTGTCTCGTCT GTTTGATAATGCTATGCTGCGTGCACCGCTCTGCACCAGCTGG CCTTTGATACTTACCAGGAATTTGAAGAAGCCTACATTCTCTAA GAGCAGAAGTACTCTTTTCTGCAAAAACCCACAGACTTCTCTCTG CTTACAGCGAATCTATTCCGACGCCTTCCAATCGCGAGGAACTC AGCAAAAAGTCCAATCTGGAAGTACTCCGCATTTCTCTGCTTCTG ATTCAGAGCTGGCTAGAACCAAGTCAATTTCTGCGTTCCTGCTT CGCCAATAGCCTAGTTTATGGCGCATCCGACAGCAACGTATAC GATCTCCTGAAAGATCTCGAGGAAGGCATTACAGACCTGATGG GTCGTCTCGAGGATGGCTCTCCGCGTACTGGTCAGATCTTCAAG CAGACTTACTCTAAATTTGATACTAACAGCCACAATGACGATGC GCTTCTAAAAAACTATGGTCTGCTGTATTGTTTTTCGTAAAGATA TGGACAAAAGTTGAAACCTTCTGCGTATTGTTTCAGTGTCTGTTCC GTTGAGGGCAGCTGTGGTTTCTAAGGTGGTACCTCTGAAAGCG CAACTCCTGAGTCTGGCCCAGGTAGCGAACCTGCTACCTCCGGC TCTGAGACTCCAGGTACCTCTGAAAGCGCAACCCCGGAATCTG GTCCAGGTAGCGAACCTGCAACCTCTGGCTCTGAAACCCCAGG TACCTCTGAAAGCGCTACTCCTGAATCTGGCCCAGGTACTTCTA CTGAACCGTCCGAGGGCAGCGCACCAGGTAGCCCTGCTGGCTC TCCAACCTCCACCGAAGAAGGTACCTCTGAAAGCGCAACCCCT GAATCCGGCCCAGGTAGCGAACCGGCAACCTCCGGTTCTGAAA

GHXTEN Name*	Amino Acid Sequence	DNA Nucleotide Sequence
	GSPAGSPTSTEEGSP AGSPTSTEEGTSTEPS EGSAPGTSESATPES GPGTSESATPESGPG TSESATPESGPGSEP ATSGSETPGSEPATS GSETPGSPAGSPTST EEGTSTEPSEGSAPG TSTEPSEGSAPGSEP ATSGSETPGTSESAT PESGPGTSTEPSEGS AP	CCCCAGGTACTTCTGAAAGCGCTACTCCTGAGTCCGGCCCCAGGT AGCCCGGCTGGCTCTCCGACTTCCACCGAGGAAGGTAGCCCGG CTGGCTCTCCAACTTCTACTGAAGAAGGTACTTCTACCGAACCT TCCGAGGGCAGCGCACCAGGTACTTCTGAAAGCGCTACCCCTG AGTCCGGCCCCAGGTACTTCTGAAAGCGCTACTCCTGAATCCGGT CCAGGTACTTCTGAAAGCGCTACCCCGGAATCTGGCCCCAGGTA GCGAACCGGCTACTTCTGGTTCTGAAACCCCAAGGTAGCGAACC GGCTACCTCCGGTTCTGAAACTCCAGGTAGCCCAGCAGGCTCTC CGACTTCCACTGAGGAAGGTACTTCTACTGAACCTTCCGAAGGC AGCGCACCAGGTACCTCTACTGAACCTTCTGAGGGCAGCGCTC CAGGTAGCGAACCTGCAACCTCTGGCTCTGAAACCCCAAGGTAC CTCTGAAAGCGCTACTCCTGAATCTGGCCCCAGGTACTTCTACTG AACCGTCCGAGGGCAGCGCACCA
AM48- hGH- AE288	MAEPAGSPTSTEEGA SPGTSSTGSPGSSTPS GATGSPGSSTPSGAT GSPGFPTIPLSRLFDN AMLRAHRLHQLAFD TYQEFEEAYIPKEQK YSFLQNPQTSLCFSE SIPTPSNREETQOKS NLELLRISLLLIQSWL EPVQFLRSVFANSLV YGASDSNVYDLLKD LEEGIQTLMGRLD SPRTGQIFKQTYSKF DTNSHNDDALLKNY GLLYCFRKDMDKVE TFLRIVQCRSVEGSC GFGGTSESATPESGP GSEPATSGSETPGTS ESATPESGPGSEPAT SGSETPGTSESATPES GPGTSTEPSEGSAPG SPAGSPTSTEEGTSES ATPESGPGSEPATS SETPGTSESATPESGP GSPAGSPTSTEEGSP AGSPTSTEEGTSTEPS EGSAPGTSESATPES GPGTSESATPESGPG TSESATPESGPGSEP ATSGSETPGSEPATS GSETPGSPAGSPTST EEGTSTEPSEGSAPG TSTEPSEGSAPGSEP ATSGSETPGTSESAT PESGPGTSTEPSEGS AP	ATGGCTGAACCTGCTGGCTCTCCAACCTCCACTGAGGAAGGTG CATCCCCGGGCACCAGCTCTACCGGTTCTCCAGGTAGCTCTACC CCGTCTGGTGCTACCGGCTCTCCAGGTAGCTCTACCCCGTCTGG TGCTACTGGCTCTCCAGGTTTTCCGACTATTCCGCTGTCTCGTCT GTTTGATAATGCTATGCTGCGTGCGCACCGTCTGCACCAGCTGG CCTTTGATACTTACCAGGAATTTGAAGAAGC;TACATTCTTAA GAGCAGAAGTACTCTTTCCTGCAAACCCACAGACTTCTCTCTG CTTCAGCGAATCTATTCCGACGCTTCCAATCGCGAGGAAACTC AGCAAAAGTCCAATCTGGAAGTACTCCGCATTTCTCTGCTTCTG ATTGAGAGCTGGCTAGAACCCAGTGCAATTTCTGCGTTCGGTCTT CGCCAATAGCCTAGTTTATGGCGCATCCGACAGCAACGTATAC GATCTCCTGAAAGATCTCGAGGAAGGCATTTCAGACCCTGATGG GTCGTCTCGAGGATGGCTCTCCGCGTACTGGTTCAGATCTTCAAG CAGACTTACTCTAAATTTGATACTAACAGCCACAATGACGATGC GCTTCTAAAAAACTATGGTCTGCTGTATTGTTTTTCGTAAAGATA TGGACAAAGTTGAAACCTTCCTGCGTATTGTTTCAGTGTCGTTCC GTTGAGGGCAGCTGTGGTTTCTAAGGTGGTACCTCTGAAAGCG CAACTCCTGAGTCTGGCCCCAGGTAGCGAACCTGCTACCTCCGGC TCTGAGACTCCAGGTACCTCTGAAAGCGCAACCCCGGAATCTG GTCCAGGTAGCGAACCTGCAACCTCTGGCTCTGAAACCCCAAG TACCTCTGAAAGCGCTACTCCTGAATCTGGCCCCAGGTACTTCTA CTGAACCGTCCGAGGGCAGCGCACCCAGGTAGCCCTGCTGGCTC TCCAACCTCCACCGAAGAAGGTACCTCTGAAAGCGCAACCCCT GAATCCCGGCCAGGTAGCGAACCGGCAACCTCCGGTTCTGAAA CCCCAGGTACTTCTGAAAGCGCTACTCCTGAGTCCGGCCCCAGGT AGCCCGGCTGGCTCTCCGACTTCCACCGAGGAAGGTAGCCCGG CTGGCTCTCCAACTTCTACTGAAGAAGGTACTTCTACCGAACCT TCCGAGGGCAGCGCACCAGGTACTTCTGAAAGCGCTACCCCTG AGTCCGGCCCCAGGTACTTCTGAAAGCGCTACTCCTGAATCCGGT CCAGGTACTTCTGAAAGCGCTACCCCGGAATCTGGCCCCAGGTA GCGAACCGGCTACTTCTGGTTCTGAAACCCCAAGGTAGCGAACC GGCTACCTCCGGTTCTGAAACTCCAGGTAGCCCAGCAGGCTCTC CGACTTCCACTGAGGAAGGTACTTCTACTGAACCTTCCGAAGGC AGCGCACCAGGTACCTCTACTGAACCTTCTGAGGGCAGCGCTC CAGGTAGCGAACCTGCAACCTCTGGCTCTGAAACCCCAAGGTAC CTCTGAAAGCGCTACTCCTGAATCTGGCCCCAGGTACTTCTACTG AACCGTCCGAGGGCAGCGCACCA
AE144- hGH- AE288	GSEPATSGSETPGTS ESATPESGPGSEPAT SGSETPGSPAGSPTST EEGTSTEPSEGSAPG SEPATSGSETPGSEP ATSGSETPGSEPATS GSETPGTSTEPSEGS APGTSSESATPESGPG SEPATSGSETPGTSTE	GGTAGCGAACCGGCAACTTCCGGCTCTGAAACCCCAAGGTACTT CTGAAAGCGCTACTCCTGAGTCTGGCCCCAGGTAGCGAACCTGC TACCTCTGGCTCTGAAACCCCAAGGTAGCCCGGCAGGCTCTCCGA CTTCCACCGAGGAAGGTACCTCTACTGAACCTTCTGAGGGTAGC GCTCCAGGTAGCGAACCGGCAACCTCTGGCTCTGAAACCCCAAG GTAGCGAACCTGCTACCTCCGGCTCTGAAACTCCAGGTAGCGA ACCGGCTACTTCCGGTTCTGAAACTCCAGGTACCTCTACCGAAC CTTCCGAAGGCAGCGCACCCAGGTACTTCTGAAAGCGCAACCC TGAATCCGGTCCAGGTAGCGAACCGGCTACTTCTGGCTCTGAG

GHXTEN Name*	Amino Acid Sequence	DNA Nucleotide Sequence
	PSEGSA PGFPTIPLSR LFDNAMLRAHRLHQ LAFD TYQEFEEAYIP KEQKYSFLQNPQTS L CFSESIPTPSNREETQ QKSNLELLRISLLLIQ SWLEPVQFLRSVFA NSLVYGASDSNVYD LLKDL EEGIQTL MGR LEDGSPRTGQIFKQT YSKFD TNSHNDDAL LKNYGLLYCFRKDM DKVETFLRIVQCRSV EGSCFGGTSSESATP ESGPGSE PATSGSET PGTSESATPESGPGS EPATSGSETPGTSES ATPESGPGTSTEPSE GSAPGSPAGSPTSTE EGTSESATPESGPGS EPATSGSETPGTSES ATPESGPGSPAGSPT STEEGSPAGSPTSTEE GTSTEPSEGSAPGTS ESATPESGPGTSES TPESGPGTSESATPES GPGSE PATSGSETPG SEPATSGSETPGSPA GSPTSTEEGTSTEPSE GSAPGTSTEPSEGS PGSEPATSGSETPGT SESATPESGPGTSTEP SEGSA P	ACTCCAGGTACTTCTACCGAACCGTCCGAAGGTAGCGCACCAG GTTTTCCGACTATTCCGCTGTCTCGTCTGTTTGATAATGCTATGC TGCGTGCGCACCGTCTGCACCAGCTGGCCTTTGATACTTACCAG GAATTTGAAGAAGC ₂ TACATTCCCTAAAGAGCAGAAGTACTCTTT CCTGCAAAACCCACAGACTTCTCTCTGCTTCAGCGAATCTATTC CGACGCCTTCCAATCGCGAGGAACTCAGCAAAAGTCCAATCT GGAAGTACTCCGCATTTCTCTGCTTCTGATTGAGAGCTGGCTAG AACCAGTGCAATTTCTGCGTTCCGCTCTCGCCAATAGCCTAGTT TATGGCGCATCCGACAGCAACGTATACGATCTCCTGAAAGATC TCGAGGAAGGCATTGAGACCCTGATGGGTGCTCTCGAGGATGG CTCTCCGCGTACTGGTCAGATCTTCAAGCAGACTTACTCTAAAT TTGATACTAACAGCCACAATGACGATGCGCTTCTAAAAAATA TGGTCTGCTGTATTGTTTTCTGTAAGATATGGACAAAGTTGAAA CCTTCCTGCGTATTGTTTCAAGTGTGCTTCCGTTGAGGGCAGCTGT GGTTCCTAAGGTGGTACCTCTGAAAGCGCAACTCCTGAGTCTGG CCCAGGTAGCGAACCTGCTACCTCCGGCTCTGAGACTCCAGGT ACCTCTGAAAGCGCAACCCCGGAATCTGGTCCAGGTAGCGAAC CTGCAACCTCTGGCTCTGAAACCCAGGTACCTCTGAAAGCGCT ACTCCTGAATCTGGCCCAGGTACTTCTACTGAACCGTCCGAGGG CAGCGCACCAAGGTAGCCCTGCTGGCTCTCCAACCTCCACCGAA GAAGGTACCTCTGAAAGCGCAACCCCTGAATCCGGGCCAGGT GCGAACC GGCAACCTCCGGTTCTGAAACCCAGGTACTTCTGA AAGCGTACTCCTGAGTCCGGCCCAGGTAGCCCGGCTGGCTCTC CGACTTCCACCGAGGAAGGTAGCCCGGCTGGCTCTCCAACCTCT ACTGAAGAAGGTACTTCTACCGAACCTTCCGAGGGCAGCGCAC CAGGTACTTCTGAAAGCGCTACCCCTGAGTCCGGGCCAGGTACT TCTGAAAGCGCTACTCCTGAATCCGGTCCAGGTACTTCTGAAAG CGTACCCCGGAATCTGGCCCAGGTAGCGAACCGGCTACTTCT GGTTCTGAAACCCAGGTAGCGAACCGGCTACCTCCGGTTCTG AAACCTCCAGGTAGCCCAGCAGGCTCTCCGACTTCCACTGAGGA AGGTACTTCTACTGAACCTTCCGAAGGCAGCGCACCAAGGTACC TCTACTGAACCTTCTGAGGGCAGCGCTCCAGGTAGCGAACCTG CAACCTCTGGCTCTGAAACCCAGGTACCTCTGAAAGCGCTACT CCTGAATCTGGCCCAGGTACTTCTACTGAACCGTCCGAGGGCA GCGCACCA
AE288- hGH- AE288	GTSESATPESGPGSE PATSGSETPGTSES TPESGPGSE PATSGS ETPGTSESATPESGP GTSTEPSEGSAPGSP AGSPTSTEEGTSES TPESGPGSE PATSGS ETPGTSESATPESGP GSPAGSPTSTEEGSP AGSPTSTEEGTSTEPS EGSAPGTSESATPES GPGTSESATPESGPG TSESATPESGPGSEP ATSGSETPGSEPATS GSETPGSPAGSPTST EEGTSTEPSEGSAPG TSTEPSEGSAPGSEP ATSGSETPGTSESAT PESGPGTSTEPSEGS APGFPTIPLSRLFDNA MLRAHRLHQLAFDT YQEFEEAYIPKEQKY SFLQNPQTS LCFSESI PTPSNREETQ QKSNL	GGTACCTCTGAAAGCGCAACTCCTGAGTCTGGCCCAGGTAGCG AACCTGCTACCTCCGGCTCTGAGACTCCAGGTACCTCTGAAAGC GCAACCCCGGAATCTGGTCCAGGTAGCGAACCTGCAACCTCTG GCTCTGAAACCCAGGTACCTCTGAAAGCGCTACTCCTGAATCT GGCCCAGGTACTTCTACTGAACCGTCCGAGGGCAGCGCACCAG GTAGCCCTGCTGGCTCTCCAACCTCCACCGAAGAAGGTACCTCT GAAAGCGCAACCCCTGAATCCGGGCCAGGTAGCGAACCGGCAA CCTCCGGTTCTGAAACCCAGGTACTTCTGAAAGCGCTACTCCT GAGTCCGGGCCAGGTAGCCCGGCTGGCTCTCCGACTTCCACCG AGGAAGGTAGCCCGGCTGGCTCTCCAACCTTCTACTGAAGAAGG TACTTCTACCGAACCTTCCGAGGGCAGCGCACCAAGGTACTTCTG AAAGCGCTACCCCTGAGTCCGGGCCAGGTACTTCTGAAAGCGC TACTCCTGAATCCGGTCCAGGTACTTCTGAAAGCGCTACCCCGG AATCTGGCCCAGGTAGCGAACCGGCTACTTCTGGTTCTGAAACC CCAGGTAGCGAACCGGCTACCTCCGGTTCTGAAACTCCAGGT GCCCAGCAGGCTCTCCGACTTCCACTGAGGAAGGTACTTCTACT GAACCTTCCGAAGGCAGCGCACCAAGGTACCTCTACTGAACCTT CTGAGGGCAGCGCTCCAGGTAGCGAACCTGCAACCTCTGGCTC TGAAACCCAGGTACCTCTGAAAGCGCTACTCCTGAATCTGGCC CAGGTACTTCTACTGAACCGTCCGAGGGCAGCGCACCAAGGTTTT CCGACTATTCCGCTGTCTCGTCTGTTTGATAATGCTATGCTGCGT GCGCACCGTCTGCACCAGCTGGCCTTTGATACTTACCAGGAATT TGAAGAAGC ₂ TACATTCCCTAAAGAGCAGAAGTACTCTTTCCTGC AAAACCCACAGACTTCTCTCTGCTTCAGCGAATCTATTCCGACG

GHXTEN Name*	Amino Acid Sequence	DNA Nucleotide Sequence
	ELLRISLLLIQSWLEP VQFLRSVFANSLVY GASDSNVYDLLKDL EEGIQTLMGRLEDGS PRTGQIFKQTYSKFD TNSHNDDALLKNYG LLYCFRKDMDKVET FLRIVQCRSVEGSCG FGGTSESATPESGPG SEPATSGSETPGTSES ATPESGPGSEPATSG SETPGTSESATPESGP GTSTEPSEGSAPGSP AGSPTSTEEGTSESA TPESGPGSEPATSGS ETPGTSESATPESGP GSPAGSPTSTEEGSP AGSPTSTEEGTSTEPS EGSAPGTSESATPES GPGTSESATPESGPG TSESATPESGPGSEP ATSGSETPGSEPATS GSETPGSPAGSPTST EEGTSTEPSEGSAPG TSTEPSEGSAPGSEP ATSGSETPGTSESAT PESGPGTSTEPSEGS AP	CCTTCCAATCGCGAGGAACTCAGCAAAAAGTCCAATCTGGAAC TACTCCGCATTTCTCTGCTTCTGATTGAGAGCTGGCTAGAACCA GTGCAATTTCTGCGTTCCGTCTTCGCCAATAGCCTAGTTTATGG CGCATCCGACAGCAACGTATACGATCTCCTGAAAAGATCTCGAG GAAGGCATTGAGACCCTGATGGGTCGTCTCGAGGATGGCTCTC CGCGTACTGGTCAGATCTTCAAGCAGACTTACTCTAAATTTGAT ACTAACAGCCACAATGACGATGCGCTTCTAAAAAACTATGGTC TGCTGTATTGTTTTCGTAAAGATATGGACAAAAGTTGAAACCTTC CTGCGTATTGTTTCAAGTGTGCTTCCGTTGAGGGCAGCTGTGGTTT CTAAGGTGGTACCTCTGAAAGCGCAACTCCTGAGTCTGGCCCA GGTAGCGAACCTGTCTACCTCCGGCTCTGAGACTCCAGGTACCTC TGAAGCGCAACCCCGGAATCTGGTCCAGGTAGCGAACCTGCA ACCTCTGGCTCTGAAACCCAGGTACCTCTGAAAGCGCTACTCC TGAATCTGGCCCAGGTACTTCTACTGAACCGTCCGAGGGCAGC GCACCAGGTAGCCCTGCTGGCTCTCCAACCTCCACCGAAGAAG GTACCTCTGAAAGCGCAACCCCTGAATCCGGCCCAGGTAGCGA ACCGGCAACCTCCGGTTCTGAAACCCAGGTACTTCTGAAAGC GCTACTCCTGAGTCCGGCCCAGGTAGCCCGGCTGGCTCTCCGAC TTCCACCGAGGAAGGTAGCCCGGCTGGCTCTCCAACCTTCTACTG AAGAAGGTACTTCTACCGAACCTTCCGAGGGCAGCGCACCAGG TACTTCTGAAAGCGCTACCCCTGAGTCCGGCCCAGGTACTTCTG AAAGCGCTACTCCTGAATCCGGTCCAGGTACTTCTGAAAGCGCT ACCCCGGAATCTGGCCCAGGTAGCGAACCGGCTACTTCTGGTTC TGAAACCCAGGTAGCGAACCGGCTACCTCCGGTTCTGAAACT CCAGGTAGCCCAGCAGGCTCTCCGACTTCCACTGAGGAAGGTA CTTCTACTGAACCTTCCGAAGGCAGCGCACCAGGTACCTCTACT GAACCTTCTGAGGGCAGCGCTCCAGGTAGCGAACCTGCAACCT CTGGCTCTGAAACCCAGGTACCTCTGAAAGCGCTACTCCTGAA TCTGGCCCAGGTACTTCTACTGAACCGTCCGAGGGCAGCGCAC CA
AF144- hGH- AE288	GTSTPESGSASPGTSP SGESSTAPGTSPSGES STAPGSTSSTAESPGP GSTSESPSGTAPGSTS STAESPGPGTSPSGES STAPGSTPESGSASP GSTSSTAESPGPGTSP SGESSTAPGTSPSGES STAPGTSPSGESSTAP GFPTIPLSRLFDNAM LRAHRLHQLAFDLY QEFEEAYIPKEQKYS FLQNPQTSLSFSESIP TPSNREETQQKSNLE LLRISLLLIQSWLEPV QFLRSVFANSLVYG ASDSNVYDLLKDLE EGIQTLMGRLEDGSP RTGQIFKQTYSKFDT NSHNDDALLKNYGL LYCFRKDMDKVETF LRIVQCRSVEGSCGF GGTSESATPESGPGS EPATSGSETPGTSES ATPESGPGSEPATSG SETPGTSESATPESGP GTSTEPSEGSAPGSP AGSPTSTEEGTSESA TPESGPGSEPATSGS	GGTACTTCTACTCCGGAAAGCGGTTCCGCATCTCCAGGTACTTC TCCTAGCGGTGAATCTTCTACTGCTCCAGGTACCTCTCCTAGCG GCGAATCTTCTACTGCTCCAGGTTCTACCAGCTCTACCGCTGAA TCTCCTGGCCCAGGTTCTACCAGCGAATCCCCGTCTGGCACCAGC ACCAGGTTCTACTAGCTCTACCGCAGAATCTCCGGGTCAGGTA CTCCCCCTAGCGGTGAATCTTCTACTGCTCCAGGTACCTCTACT CCGGAAAGCGGTCGTCATCTCCAGGTTCTACTAGCTACTGCTGC TGAATCTCCTGGTCCAGGTACCTCCCCTAGCGGCGAATCTTCTA CTGCTCCAGGTACCTCTCCTAGCGGCGAATCTTCTACCGCTCCA GGTACCTCCCCTAGCGGTGAATCTTCTACCGCACCAGGTTTTCC GACTATTCCGCTGTCTCGTCTGTTTGATAATGCTATGCTGCGTG CGCACCGTCTGCACCAGCTGGCCTTTGATACTTACCAGGAATTT GAAGAAGCCTACATTCCTAAAGAGCAGAAGTACTCTTTCCTGCA AAACCCACAGACTTCTCTCTGCTTCAGCGAATCTATTCCGACGC CTTCCAATCGCGAGGAACTCAGCAAAAAGTCCAATCTGGAAC ACTCCGCATTTCTCTGCTTCTGATTGAGAGCTGGCTAGAACCA TGCAATTTCTGCGTTCCGTCTTCGCCAATAGCCTAGTTTATGGC GCATCCGACAGCAACGTATACGATCTCCTGAAAGATCTCGAGG AAGGCATTGAGACCCTGATGGGTCGTCTCGAGGATGGCTCTCC GCGTACTGGTTCAGATCTTCAAGCAGACTTACTCTAAATTTGATA CTAACAGCCACAATGACGATGCGCTTCTAAAAAACTATGGTCT GCTGTATTGTTTTCGTAAAGATATGGACAAAAGTTGAAACCTTCC TGCGTATTGTTTCAAGTGTGCTTCCGTTGAGGGCAGCTGTGGTTTC TAAGGTGGTACCTCTGAAAGCGCAACTCCTGAGTCTGGCCCA GTAGCGAACCTGTACCTCCGGCTCTGAGACTCCAGGTACCTCT GAAAGCGCAACCCCGGAATCTGGTCCAGGTAGCGAACCTGCAA CCTCTGGCTCTGAAACCCAGGTACCTCTGAAAGCGCTACTCCT GAATCTGGCCCAGGTACTTCTACTGAACCGTCCGAGGGCAGCG CACCAGGTAGCCCTGCTGGCTCTCCAACCTCCACCGAAGAAGG

GHXTEN Name*	Amino Acid Sequence	DNA Nucleotide Sequence
	ETPGTSESATPESGP GSPAGSPTSTEEGSP AGSPTSTEEGTSTEPS EGSAPGTSESATPES GPGTSESATPESGPG TSESATPESGPGSEP ATSGSETPGSEPATS GSETPGSPAGSPTST EEGTSTEPSEGSAPG TSTEPSEGSAPGSEP ATSGSETPGTSESAT PESGPGTSTEPSEGS AP	TACCTCTGAAAGCGCAACCCCTGAATCCGGCCCCAGGTAGCGAA CCGGCAACCTCCGGTTCCTGAAACCCAGGTACTTCTGAAAGCG CTACTCCTGAGTCCGGCCCCAGGTAGCCCGGCTGGCTCTCCGACT TCCACCGAGGAAGGTAGCCCCGGCTGGCTCTCCAACCTTCTACTGA AGAAGGTACTTCTACCGAACCTTCCGAGGGCAGCGCACCAGGT ACTTCTGAAAGCGCTACCCCTGAGTCCGGCCCCAGGTACTTCTGA AAGCGCTACTCCTGAATCCGGTCCAGGTACTTCTGAAAGCGCTA CCCCGGAATCTGGCCCAGGTAGCGAACCCGGCTACTTCTGGTTCT GAAACCCCAGGTAGCGAACCCGGCTACCTCCGGTTCCTGAAACTC CAGGTAGCCCAGCAGGCTCTCCGACTTCCACTGAGGAAGGTAC TTCTACTGAACCTTCCGAAGGCAGCGCACCAGGTACCTCTACTG AACCTTCTGAGGGCAGCGCTCCAGGTAGCGAACCTGCAACCTC TGGCTCTGAAACCCAGGTACCTCTGAAAGCGCTACTCCTGAAT CTGGCCCAGGTACTTCTACTGAACCGTCCGAGGGCAGCGCACC A
AD576- hGH- AE288	GSSES GSSEGGPGSG GEPSESGSSGSSES SEGPGSSES GSSE GPGSSES GSSEGGPG SSES GSSEGGPGSSES GSSEGGPGESPGGS GSESGSESGSPGES SGSSES GSSEGGPGS SES GSSEGGPGSSES GSSEGGPGSGGEPSE SGSSGESPGSSGSE SGESPGSSGSSES GGEPSESGSSGSSES GSSEGGPGSGGEPSE SGSSGS GGEPSESGS SGSESGSPGESSE SPGSSGSSES GGEP PSESGSSGS GGEPSES GSSGS GGEPSESGSS GSSES GSSEGGPGES PGSSGSSES GGEP SSGESSES PGSSG SESSES PGSSGSSES GESPGSSGSSES ESGSSEGGPGSGGEP SES GSSEGGSPG ESSGSSES GSSEGGP GSGGEPSESGSSGS ESGSSEGGPGSGGEP SES GSSEGGPGSSG SESSES PGSSGSSES GSSES GSSEGGPGSG GEPSESGSSGSSES SEGPGSGGEPSESG SSGS GGEPSESGSSG ESPGSSGSSESSE SSPGSESGSSGSSES EGGPGSESGSPGES SGFPTPLSRLFDNA MLRAHRLHQLAFDT YQEFEEAYIPKEQKY SFLQNPQTSLCFSESI PTPSNREETQKSNL ELLRISLLLIQSWLEP	GGTTCCTCTGAAAGCGGTTCTTCCGAAGGTGGTCCAGGTTCTC TGAAAGCGGTTCTTCTGAGGGTGGTCCAGGTGAATCTCCGGGT GGCTCCAGCGGTTCCGAGTCAGGTTCTGGTGGCGAACCTTCCGA GTCTGGTAGCTCAGGTGAATCTCCGGGTGGTTCAGCGGTTCCG AGTCAGGTGAATCTCCGGGTGGTTCAGCGGTTCTGAGTCAGGT TCCTCCGAAAGCGGTTCTTCTGAGGGCGGTCCAGGTTCTCCTCGA AAGCGGTTCTTCCGAGGGCGGTCCAGGTTCTTCTGAAAGCGGTT CTTCCGAGGGCGGTCCAGGTGAATCTCCTGGTGGTTCAGCGGT TCCGAGTCAGGTGAATCTCCAGGTGGCTCTAGCGGTTCCGAGTC AGGTGAATCTCCTGGTGGTTCAGCGGTTCTGAATCAGGTTCTCCT CCGAAAGCGGTTCTTCTGAGGGCGGTCCAGGTTCTCCTCCGAAAG CGGTTCTTCCGAGGGCGGTCCAGGTTCTTCTGAAAGCGGTTCTT CCGAGGGCGGTCCAGGTTCTCCTGAAAGCGGTTCTTCTGAGGG CGGTCCAGGTTCTTCCGAAAGCGGTTCTTCCGAGGGCGGTCCAG GTTCTTCCGAAAGCGGTTCTTCTGAAGGCGGTCCAGGTTCTGGT GGCGAACCGTCCGAGTCTGGTAGCTCAGGTGAATCTCCGGGTG GCTCTAGCGGTTCCGAGTCAGGTGAATCTCCTGGTGGTTCAGC GGTTCAGGTCAGGTTCCGGTGCGAACCGTCCGAATCTGGTA GCTCAGGTAGCGAAGGTTCTTCTGGTCCAGGCGAATCTTCAGGT TCCTCTGAAAGCGGTTCTTCTGAGGGCGGTCCAGGTTCCGGTG CGAACCGTCCGAATCTGGTAGCTCAGGTAGCGAAGGTTCTTCTG GTCCAGGCGAATCTCAGGTTCTTCTGAAAGCGGTTCTTCTGAG GGCGGTCCAGGTTCCGGTGCGAACCTTCCGAATCTGGTAGCTC AGGTGAATCTCCGGGTGGTTCAGCGGTTCTGAGTCAGGTTCTG GTGGTGAACCTTCCGAGTCTGGTAGCTCAGGTTCTGGTGGCGAA CCATCCGAGTCTGGTAGCTCAGGTTCTTCCGAAAGCGGTTCTTC CGAAGGCGGTCCAGGTTCTGGTGGTGAACCGTCCGAATCTGGT AGTCAGGTTCTGGTGGCGAACCATCCGAATCTGGTAGCTCAG GTAGCGAAGGTTCTTCTGGTCTTGGCGAATCTTCAGGTGAATCT CCAGGTGGCTCTAGCGGTTCCGAATCAGGTAGCGAAGGTTCTTC CGGTCCAGGTGAATCTTCAGGTAGCGAAGGTTCTTCTGGTCTCTG GTGAATCCTCAGGTTCCGGTGCGAACCATCTGAATCTGGTAGC TCAGGTTCTCTGAAAGCGGTTCTTCCGAAGGTGGTCCAGGTTCT CTCTGAAAGCGGTTCTTCTGAGGGTGGTCCAGGTGAATCTCCGG GTGGCTCCAGCGGTTCCGAGTCAGGTTCTGGTGGCGAACCATCC GAATCTGGTAGCTCAGGTAGCGAAGGTTCTTCTGGTCTTGGCGA ATCTTCAGGTGAATCTCCAGGTGGCTCTAGCGGTTCCGAATCAG GTAGCGAAGGTTCTTCCGGTCTGGTGGTGGTGGTGGTGGTGGT CCAGGTGGCTCTAGCGGTTCCGAGTCAGGTAGCGAAGGTTCTTC TGGTCTTGGCGAGTCTCAGGTTTTCCGACTATTCCGCTGTCTC GTCTGTTTGATAATGCTATGCTGCGTGCGACCGTCTGCACCAG CTGGCCTTTGATACTTACCAGGAATTTGAAGAAGCCTACATTCC TAAAGAGCAGAAGTACTCTTTCCTGCAAAACCCACAGACTTCTC TCTGCTTCAGCGAATCTATTCCGACGCCTTCCAATCGCGAGGAA

GHXTEN Name*	Amino Acid Sequence	DNA Nucleotide Sequence
	VQFLRSVFANSLVY GASDSNVYDLLKDL EEGIQTLMGRLEDGS PRTGQIFKQTYSKFD TNSHNDDALLKNYG LLYCFRKDMDKVET FLRIVQCRSVEGSCG FGGTSESATPESGPG SEPATSGSETPGTSES ATPESGPGSEPATSG SETPGTSESATPESGP GTSTEPSEGSAPGSP AGSPTSTEEGTSESA TPESGPGSEPATSGS ETPGTSESATPESGP GSPAGSPTSTEEGSP AGSPTSTEEGTSTEPS EGSAPGTSESATPES GPGTSESATPESGPG TSESATPESGPGSEP ATSGSETPGSEPATS GSETPGSPAGSPTST EEGTSTEPSEGSAPG TSTEPSEGSAPGSEP ATSGSETPGTSESAT PESGPGTSTEPSEGS AP	ACTCAGCAAAAGTCCAATCTGGAAGTACTCCGCATTCTCTGCT TCTGATTTCAGAGCTGGCTAGAACAGTGCAATTTCTGCGTTCCG TCTTCGCCAATAGCCTAGTTTATGGCGCATCCGACAGCAACGTA TACGATCTCCTGAAAAGATCTCGAGGAAGGCATTACAGACCTGA TGGGTCTGCTCGAGGATGGCTCTCCGCGTACTGGTCAGATCTTC AAGCAGACTTACTCTAAATTTGATACTAACAGCCACAATGACG ATGCGCTTCTAAAAAACTATGGTCTGCTGTATTGTTTTCGTA GATATGGACAAAGTTGAAACCTTCTGCGTATTGTTTCAGTGTG TTCCGTTGAGGGCAGCTGTGGTTTCTAAGGTGGTACCTCTGAAA GCGCAACTCCTGAGTCTGGCCCAGGTAGCGAACCTGCTACCTCC GGCTCTGAGACTCCAGGTACCTCTGAAAGCGCAACCCCGGAAT CTGGTCCAGGTAGCGAACCTGCAACCTCTGGCTCTGAAACCC AGGTACCTCTGAAAGCGCTACTCCTGAATCTGGCCAGGTACTT CTACTGAACCGTCCGAGGGCAGCGCACCAGGTAGCCCTGCTGG CTCTCCAACCTCCACCGAAGAAGGTACCTCTGAAAGCGCAACC CCTGAATCCGGGCCAGGTAGCGAACCGGCAACCTCCGGTTCTG AAACCCAGGTACTTCTGAAAGCGCTACTCCTGAGTCCGGCCC AGGTAGCCCGGCTGGCTCTCCGACTTCCACCGAGGAAGGTAGC CCGGCTGGCTCTCCAACCTTCTACTGAAGAAGGTACTTCTACCGA ACCTTCCGAGGGCAGCGCACCAGGTACTTCTGAAAGCGCTACC CCTGAGTCCGGGCCAGGTACTTCTGAAAGCGCTACTCCTGAATC CGGTCCAGGTACTTCTGAAAGCGCTACCCCGGAATCTGGCCCA GGTAGCGAACCCGGCTACTTCTGGTTCTGAAACCCAGGTAGCG AACCGGCTACCTCCGGTTCTGAAACTCCAGGTAGCCCAGCAGG CTCTCCGACTTCCACTGAGGAAGGTACTTCTACTGAACCTTCCG AAGGCAGCGCACCAGGTACCTCTACTGAACCTTCTGAGGGCAG CGCTCCAGGTAGCGAACCTGCAACCTCTGGCTCTGAAACCCCA GGTACCTCTGAAAGCGCTACTCCTGAATCTGGCCAGGTACTTC TACTGAACCGTCCGAGGGCAGCGCACCA
AE576- hGH- AE288	GSPAGSPTSTEEGTS ESATPESGPGTSTEPS EGSAPGSPAGSPTST EEGTSTEPSEGSAPG TSTEPSEGSAPGTSES ATPESGPGSEPATSG SETPGSEPATSGSETP GSPAGSPTSTEEGTS ESATPESGPGTSTEPS EGSAPGTSTEPSEGS APGSPAGSPTSTEEG TSTEPSEGSAPGTSTE PSEGSAPGTSESATP ESGPGTSTEPSEGS PGTSESATPESGPGS EPATSGSETPGTSTEP SEGSAPGTSTEPSEG SAPGTSESATPESGP GTSESATPESGPGSP AGSPTSTEEGTSESA TPESGPGSEPATSGS ETPGTSESATPESGP GTSTEPSEGSAPGTS TEPSEGSAPGTSTEPS EGSAPGTSTEPSEGS APGTSTEPSEGSAPG TSTEPSEGSAPGSPA GSPTSTEEGTSTEPSE GSAPGTSESATPESG PGSEPATSGSETPGT	GGTAGCCCGGCTGGCTCTCCTACCTCTACTGAGGAAGGTACTTC TGAAAGCGCTACTCCTGAGTCTGGTCCAGGTACCTCTACTGAAC CGTCCGAAGGTAGCGCTCCAGGTAGCCAGCAGGCTCTCCGAC TTCCACTGAGGAAGGTACTTCTACTGAACCTTCCGAAGGCAGC GCACCAGGTACCTCTACTGAACCTTCTGAGGGCAGCGCTCCAG GTACTTCTGAAAGCGCTACCCCGGAATCTGGGCCAGGTAGCGA ACCGGCTACTTCTGGTTCTGAAACCCAGGTAGCGAACCCGCT ACCTCCGGTTCTGAAACTCCAGGTAGCCCGGAGGCTCTCCGAC CTCTACTGAGGAAGGTACTTCTGAAAGCGCAACCCCGGAGTCC GGCCAGGTACCTCTACCGAACCGTCTGAGGGCAGCGCACCAG GTACTTCTACCGAACCGTCCGAGGGTAGCGCACCAGGTAGCCC AGCAGGTTCTCCTACCTCCACCGAGGAAGGTACTTCTACCGAAC CGTCCGAGGGTAGCGCACCAGGTACCTCTACTGAACCTTCTGA GGGCAGCGCTCCAGGTACTTCTGAAAGCGCTACCCCGGAGTCC GGTCCAGGTACTTCTACTGAACCGTCCGAAGGTAGCGCACCAG GTACTTCTGAAAGCGCAACCCCTGAATCCGGTCCAGGTAGCGA ACCGGCTACTTCTGGCTCTGAGACTCCAGGTACTTCTACCGAAC CGTCCGAAGGTAGCGCACCAGGTACTTCTACTGAACCGTCTGA AGGTAGCGCACCAGGTACTTCTGAAAGCGCAACCCCGGAATCC GGCCAGGTACCTCTGAAAGCGCAACCCCGGAGTCCGGCCAG GTAGCCCTGCTGGCTCTCCAACCTCCACCGAAGAAGGTACCTCT GAAAGCGCAACCCCTGAATCCGGGCCAGGTAGCGAACCGGCAA CCTCCGGTTCTGAAACCCAGGTACCTCTGAAAGCGCTACTCCG GAGTCTGGCCAGGTACCTCTACTGAACCGTCTGAGGGTAGCG CTCCAGGTACTTCTACTGAACCGTCCGAAGGTAGCGCACCAGG TACTTCTACCGAACCGTCCGAAGGCAGCGCTCCAGGTACCTCTA CTGAACCTTCCGAGGGCAGCGCTCCAGGTACCTCTACCGAACCT TCTGAAGGTAGCGCACCAGGTACTTCTACCGAACCGTCCGAGG GTAGCGCACCAGGTAGCCAGCAGGTTCTCCTACCTCCACCGA GGAAGGTACTTCTACCGAACCGTCCGAGGGTAGCGCACCAGGT

GHXTEN Name*	Amino Acid Sequence	DNA Nucleotide Sequence
	SESATPESGPGSEPA TSGSETPGTSESATPE SGPSTSTEPSEGSAP GTSESATPESGPGSP AGSPTSTEEGSPAGS PTSTEEGSPAGSPTST EETSESATPESGPG TSTEPSEGSAPGFPTI PLSRLFDNAMLRAH RLHQLAFDITYQEFEE AYIPKEQKYSFLQNP QTSLCFSES IPTPSNR EETQQKSNLELLRIS LLLIQSWLEPVQFLR SVFANSVLVYGASDS NVYDLLKDLEEGIQT LMGRLEDGSPRTGQI FKQTYSKFDTN SHN DDALLKNYGLLYCF RKDMDKVETFLRIV QCRSVEGSCGFGGTS ESATPESGPGSEPAT SGSETPGTSESATPES GPGSEPATSGSETPG TSESATPESGPGTSTE PSEGSAPGSPAGSPT STEEGTSESATPESGP GSEPATSGSETPGTS ESATPESGPGSPAGS PTSTEEGSPAGSPTST EETSTEPSEGSAPG TSESATPESGPGTSES ATPESGPGTSESATP ESGPGSEPATSGSET PGSEPATSGSETPGSP AGSPTSTEEGTSPTS EGSAPGTSTEPSEGS APGSEPATSGSETPG TSESATPESGPGTSTE PSEGSAP	ACCTCTGAAAGCGCAACTCCTGAGTCTGGCCCAGGTAGCGAAC CTGCTACCTCCGGCTCTGAGACTCCAGGTACCTCTGAAAGCGCA ACCCCGGAATCTGGTCCAGGTAGCGAACCTGCAACCTCTGGCT CTGAAACCCCAAGGTACCTCTGAAAGCGCTACTCCTGAATCTGGC CCAGGTACTTCTACTGAACCGTCCGAGGGCAGCGCACCAGGTA CTTCTGAAAGCGCTACTCCTGAGTCCGGCCCAGGTAGCCCGGCT GGCTCTCCGACTTCCACCGAGGAAGGTAGCCCGGCTGGCTCTCC AACTTCTACTGAAGAAGGTAGCCCGGCAGGCTCTCCGACCTCT ACTGAGGAAGGTACTTCTGAAAGCGCAACCCCGGAGTCCGGCC CAGGTACCTCTACCGAACCGTCTGAGGGCAGCGCACCAGGTTT TCCGACTATTCCGCTGTCTCGTCTGTTTGATAATGCTATGCTGCG TGCGCACCGTCTGCACCAGCTGGCCTTTGATACTTACCAGGAAT TTGAAGAAGCCTACATTCCTAAAGAGCAGAAGTACTCTTTCTCTG CAAAACCCACAGACTTCTCTCTGCTTCAGCGAATCTATTCCGAC GCCTTCCAATCGCGAGGAACTCAGCAAAAGTCCAATCTGGAA CTA CTCCGCATTTCTCTGCTTCTGATT CAGAGCTGGCTAGAAC AGTGCAATTTCTGCGTTCCGCTCTTCGCCAATAGCCTAGTTTATG GCGCATCCGACAGCAACGTATACGATCTCCTGAAAGATCTCGA GGAAGGCATT CAGACCCTGATGGGTCGTCTCGAGGATGGCTCT CCGCGTACTGGTCAGATCTTCAAGCAGACTTACTCTAAATTTGA TACTAACAGCCACAATGACGATGCGCTTCTAAAAAACTATGGT CTGCTGTATTGTTTTTCGTAAAGATATGGACAAAGTTGAAACCTT CCTGCGTATTGTTTCAGTGTCGTTCCGTTGAGGGCAGCTGTGGTT TCTAAGGTGGTACCTCTGAAAGCGCAACTCCTGAGTCTGGCCCA GG TAGCGAACCTGCTACCTCCGGCTCTGAGACTCCAGGTACCTC TGAAAGCGCAACCCCGGAATCTGGTCCAGGTAGCGAACCTGCA ACCTCTGGCTCTGAAACCCCAAGGTACCTCTGAAAGCGCTACTCC TGAATCTGGCCCAGGTACTTCTACTGAACCGTCCGAGGGCAGC GCACCAGGTAGCCCTGCTGGCTCTCCAACCTCCACCGAAGAAG GTACCTCTGAAAGCGCAACCCCTGAATCCGGCCCAGGTAGCGA ACCGGCAACCTCCGGTTCTGAAACCCCAAGGTACTTCTGAAAGC GCTACTCCTGAGTCCGGCCCAGGTAGCCCGGCTGGCTCTCCGAC TTCCACCGAGGAAGGTAGCCCGGCTGGCTCTCCAACCTTCTACTG AAGAAGGTACTTCTACCGAACCTTCCGAGGGCAGCGCACCAGG TACTTCTGAAAGCGCTACCCCTGAGTCCGGCCCAGGTACTTCTG AAAGCGCTACTCCTGAATCCGGTCCAGGTACTTCTGAAAGCGCT ACCCCGGAATCTGGCCCAGGTAGCGAACCGGCTACTTCTGGTTC TGAAACCCCAAGGTAGCGAACCGGCTACCTCCGGTTCTGAAACT CCAGGTAGCCCAGCAGGCTCTCCGACTTCCACTGAGGAAGGTA CTTCTACTGAACCTTCCGAAGGCAGCGCACCAGGTACCTCTACT GAACCTTCTGAGGGCAGCGCTCCAGGTAGCGAACCTGCAACCT CTGGCTCTGAAACCCCAAGGTACCTCTGAAAGCGCTACTCCTGAA TCTGGCCCAGGTACTTCTACTGAACCGTCCGAGGGCAGCGCAC CA
AF576- hGH- AE288	GSTSSTAESPGPGSTS STAESPGPGSTSESPS GTAPGSTSSTAESPG PGSTSSTAESPGPGTS TPESGSASPSTSESP SGTAPGTSPSGESST APGSTSESPSGTAPG STSESPSGTAPGTSPS GESSTAPGSTSESPSG TAPGSTSESPSGTAP GTSPSGESSTAPGSTS ESPSGTAPGSTSESPS GTAPGSTSESPSGTA PGTSTPESGSASPST SESPSGTAPGTSTPES	GGTTCTACTAGCTCTACCGCTGAATCTCCTGGCCCAGGTTCCAC TAGCTCTACCGCAGAATCTCCGGGGCCAGGTTCTACTAGCGAAT CCCCTTCTGGTACCGCTCCAGGTTCTACTAGCTCTACCGCTGAA TCTCCGGGTCCAGGTTCTACCAGCTCTACTGCAGAATCTCCTGG CCCAGGTACTTCTACTCCGGAAAGCGGTTCCGCTTCTCCAGGTT CTACCAGCGAATCTCCTTCTGGCACCGCTCCAGGTACCTCTCCT AGCGGCGAATCTTCTACCGCTCCAGGTTCTACTAGCGAATCTCC TTCTGGCACTGCACCAGGTTCTACCAGCGAATCTCCTTCTGGCA CCGCTCCAGGTACCTCTCCTAGCGGCGAATCTTCTACCGCTCCA GGTTCTACTAGCGAATCTCCTTCTGGCACTGCACCAGGTTCTAC CAGCGAATCTCCTTCTGGCACCGCTCCAGGTACCTCTCCTAGCG GCGAATCTTCTACCGCTCCAGGTTCTACTAGCGAATCTCCTTCT GGCAGTGCACCAGGTTCTACTAGCGAATCTCCTTCTGGCACTGC ACCAGGTTCTACCAGCGAATCTCCGCTCTGGCACTGCACCAGGTA CCTTACCCCTGAAAGCGGTTCCGCTTCTCCAGGTTCTACTAGC

GHXTEN Name*	Amino Acid Sequence	DNA Nucleotide Sequence
	GSASPGSTSSTAESP GPGSTSSTAESP TSTPESGSASPGTSTP ESGSASPGSTSESPSG TAPGTSTPESGSASP GTSTPESGSASPGSTS ESPSGTAPGSTSESPS GTAPGSTSESPSGTA PGSTSSTAESP TSTPESGSASPGTSTPES GSASPGSTSESPSGT APGSTSESPSGTAPG TSTPESGSASPGSTSE SPSGTAPGSTSESPSG TAPGTSTPESGSASP GTSPSGESSTAPGSTS STAESP STAPGSTSSTAESP GTSTPESGSASPGSTS ESPSGTAPGSTSSTA ESPSGTSTPESGSAS PGTSTPESGSASPGFP TIPLSRLFDNAMLRA HRLHQLAFDITYQEF EEAYIPKEQKYSFLQ NPQTSLCFSESIPTPS NREETQKSNLELLR ISLLLIQSWLEPVQFL RSVFANSLVYGASD SNVYDLLKDLLEGIQ TLMGRLEDGSPRTG QIFKQTYSKFDTNH NDDALLKNYGLLYC FRKDMDKVETFLRI VQCRSVEGSCGFGG TSEATPESGPGSE ATSGSETPGTSESAT PESGPGSEPATSGSE TPGTSESATPESGPG TSTEPSEGSAPGSPA GSPTSTEEGTSESATP ESGPGSEPATSGSET PGTSESATPESGPGSP AGSPTSTEEGSPAGS PTSTEEGTSTEPSEGS APGTSESATPESGPG TSESATPESGPGTSES ATPESGPGSEPATSG SETPGSEPATSGSETP GSPAGSPTSTEEGTS TEPSEGSAPGTSTEPS EGSAPGSEPATSGSE TPGTSESATPESGPG TSTEPSEGSAP	GAATCTCCTTCTGGTACCGCTCCAGGTACTTCTACCCCTGAAAG CGGCTCCGCTTCTCCAGGTTCCACTAGCTCTACCGCTGAATCTC CGGGTCCAGGTTCTACTAGCTCTACTGCAGAATCTCCTGGCCCA GGTACCTCTACTCCGGAAGCGGCTCTGCATCTCCAGGTACTTC TACCCCTGAAAGCGGTTCTGCATCTCCAGGTTCTACTAGCGAAT CCCCCTCTGGTACCGCACCAGGTACTTCTACCCCGGAAAGCGG CTCTGCTTCTCCAGGTACTTCTACCCCGGAAAGCGGCTCCGCAT CTCCAGGTTCTACTAGCGAATCTCCTTCTGGTACCGCTCCAGGT TCTACCAGCGAATCCCGTCTGGTACTGCTCCAGGTTCTACCAG CGAATCTCCTTCTGGTACTGCACCAGGTTCTACTAGCTCTACTG CAGAATCTCCTGGCCAGGTACCTCTACTCCGGAAGCGGCTCT GCATCTCCAGGTACTTCTACCCCTGAAAGCGGTTCTGCATCTCC AGGTTCTACTAGCGAATCTCCTTCTGGCACTGCACCAGGTCTTA CCAGCGAATCTCCGTCTGGCACTGCACCAGGTACCTCTACCCCT GAAAGCGGTTCCGCTTCTCCAGGTTCTACTAGCGAATCTCCTTC TGGCACTGCACCAGGTTCTACCAGCGAATCTCCGTCTGGCACTG CACCAGGTACCTCTACCCCTGAAAGCGGTTCCGCTTCTCCAGGT ACTTCTCCGAGCGGTGAATCTTCTACCAGCACCAGGTTCTACTAG CTCTACCGCTGAATCTCCGGGCCAGGTACTTCTCCGAGCGGTG AATCTTCTACTGCTCCAGGTTCCACTAGCTCTACTGCTGAATCT CCTGGGCCAGGTACTTCTACTCCGGAAGCGGTTCCGCTTCTCC AGGTTCTACTAGCGAATCTCCGTCTGGCACCAGCACCAGGTTCTA CTAGCTCTACTGCAGAATCTCCTGGCCAGGTACCTCTACTCCG GAAAGCGGCTCTGCATCTCCAGGTACTTCTACCCCTGAAAGCG GTTCTGCATCTCCAGGTTTCCGACTATTCCGCTGTCTCGTCTGT TTGATAATGCTATGCTGCGTGCGCACCGTCTGCACCAGCTGGCC TTTGATACTTACCAGGAATTTGAAGAAGCCTACATTCTCTAAAGA GCAGAACTACTCTTCTGCAAAACCCACAGACTTCTCTCTGCT TCAGCGAATCTATTCCGACGCTTCCAATCGCGAGGAACTCA GCAAAAGTCCAATCTGGAAGTACTCCGCATTTCTCTGCTTCTGA TTCAGAGCTGGCTAGAACAGGTGCAATTTCTGCGTTCGGTCTTC GCCAATAGCCTAGTTTATGGCGCATCCGACAGCAACGTATACG ATCTCCTGAAAGATCTCGAGGAAGGCATTACAGACCTGATGGG TCGTCTCGAGGATGGCTCTCCGCGTACTGGTCAGATCTTCAAGC AGACTTACTCTAAATTTGATACTAACAGCCCAATGACAGATGC GCTTCTAAAAAAGTATGGTCTGCTGTATTGTTTTCGTAAAGATA TGGACAAAGTTGAAACCTTCTGCGTATTGTTTCAGTGTCGTTCC GTTGAGGGCAGCTGTGGTTTCTAAGGTGGTACCTCTGAAAGCG CAACTCCTGAGTCTGGCCAGGTAGCGAACCTGCTACCTCCGGC TCTGAGACTCCAGGTACCTCTGAAAGCGCAACCCCGGAATCTG GTCCAGGTAGCGAACCTGCAACCTCTGGCTCTGAAACCCAGG TACCTCTGAAAGCGCTACTCCTGAATCTGGCCAGGTACTTCTA CTGAACCGTCCGAGGGCAGCGCACCAGGTAGCCCTGCTGGCTC TCCAACCTCCACCGAAGAAGGTACCTCTGAAAGCGCAACCCCT GAATCCGGGCCAGGTAGCGAACCGGCAACCTCCGGTTCTGAAA CCCCAGGTACTTCTGAAAGCGCTACTCCTGAGTCCGGGCCAGGT AGCCCGGCTGGCTCTCCGACTTCCACCGAGGAAGGTAGCCCGG CTGGCTCTCCAACCTTCTACTGAAGAAGGTACTTCTACCGAACCT TCCGAGGGCAGCGCACCAGGTACTTCTGAAAGCGCTACCCCTG AGTCCGGGCCAGGTACTTCTGAAAGCGCTACTCCTGAATCCGGT CCAGGTACTTCTGAAAGCGCTACCCCGGAATCTGGCCAGGTA GCGAACCGGCTACTTCTGGTTCTGAAACCCAGGTAGCGAACCC GGCTACCTCCGGTTCTGAAACTCCAGGTAGCCAGCAGGCTCTC CGACTTCCACTGAGGAAGGTACTTCTACTGAACCTTCCGAAGGC AGCGCACCAGGTACCTCTACTGAACCTTCTGAGGGCAGCGCTC CAGGTAGCGAACCTGCAACCTCTGGCTCTGAAACCCAGGTAC CTCTGAAAGCGCTACTCCTGAATCTGGCCAGGTACTTCTACTG AACCGTCCGAGGGCAGCGCACCA
AE624-	MAEPAGSPTSTEEGT	ATGGCTGAACCTGCTGGCTCTCCAACCTCCACTGAGGAAGGTA

GHXTEN Name*	Amino Acid Sequence	DNA Nucleotide Sequence
hGH- AE288	PGSGTASSSPGSSTPS GATGSPGASPGTSST GSPGSPAGSPTSTEE GTSESATPESGPGTS TEPSEGSAPGSPAGS PTSTEEGTSTEPSEGS APGTSTEPSEGSAPG TSESATPESGPGSEP ATSGSETPGSEPATS GSETPGSPAGSPTST EEGTSESATPESGPG TSTEPSEGSAPGTSTE PSEGSAPGSPAGSPT STEEGTSTEPSEGSAP GTSTEPSEGSAPGTS ESATPESGPGTSTEPS EGSAPGTSESATPES GPGSEPATSGSETPG TSTEPSEGSAPGTSTE PSEGSAPGTSESATP ESGPGTSESATPESG PGSPAGSPTSTEEGT SESATPESGPGSEPA TSGSETPGTSESATPE SGPGTSTEPSEGSAP GTSTEPSEGSAPGTS TEPSEGSAPGTSTEPS EGSAPGTSTEPSEGS APGTSTEPSEGSAPG SPAGSPTSTEEGTSTE PSEGSAPGTSESATP ESGPGSEPATSGSET PGTSESATPESGPGS EPATSGSETPGTSES ATPESGPGTSTEPSE GSATPESATPESG PGSPAGSPTSTEEGSP AGSPTSTEEGSPAGS PTSTEEGTSESATPES GPGTSTEPSEGSAPG FPTIPLSRLFDNAML RAHRLHQLAFDITYQ EFEEAYIPKEQKYSF LQNPQTSLCFSEIPT PSNREETQQKSNLEL LRISLLLIQSWLEPVQ FLRSVFNLSLVYGAS DSNVYDLLKDLEEGI QTLMGRLEDGSPRT GQIFKQTYSKFDTNS HNDDALLKNYGLLY CFRKMDMDKVETFLRI VQCRSVEGSCGFGG TSESATPESGPGSEP ATSGSETPGTSESAT PESGPGSEPATSGSE TPGTSESATPESGPG TSTEPSEGSAPGSPA GSPTSTEEGTSESATP	CCCCCGGGTAGCGGTACTGCTTCTTCCTCTCCAGGTAGCTCTACC CCTTCTGGTGCAACCGGCTCTCCAGGTGCTTCTCCGGGCACCCAG CTCTACCGGTTCTCCAGGTAGCCCCGGCTGGCTCTCCTACCTCTA CTGAGGAAGGTACTTCTGAAAGCGCTACTCCTGAGTCTGGTCCA GGTACCTCTACTGAACCGTCCGAAGGTAGCGCTCCAGGTAGCC CAGCAGGCTCTCCGACTTCCACTGAGGAAGGTACTTCTACTGAA CCTTCCGAAGGCAGCGCACCAGGTACCTCTACTGAACCTTCTGA GGGCAGCGCTCCAGGTACTTCTGAAAGCGCTACCCCGGAATCT GGCCAGGTAGCGAACCGGCTACTTCTGGTTCTGAAACCCAG GTAGCGAACCGGCTACCTCCGGTTCTGAAACTCCAGGTAGCCC GGCAGGCTCTCCGACCTCTACTGAGGAAGGTACTTCTGAAAGC GCAACCCCGGAGTCCGGCCCCAGGTACCTCTACCGAACCGTGTAG CGCACCAGGTAGCCCAGCAGGTTCTCCTACCTCCACCGAGGAA GGTACTTCTACCGAACCGTCCGAGGGTAGCGCACCAGGTACCT CTACTGAACCTTCTGAGGGCAGCGCTCCAGGTACTTCTGAAAGC GCTACCCCGGAGTCCGGTCCAGGTACTTCTACTGAACCGTCCGA AGGTAGCGCACCAGGTACTTCTGAAAGCGCAACCCCTGAATCC GGTCCAGGTAGCGAACCGGCTACTTCTGGCTCTGAGACTCCAG GTACTTCTACCGAACCGTCCGAAGGTAGCGCACCAGGTACTTCT ACTGAACCGTCTGAAGGTAGCGCACCAGGTACTTCTGAAAGCG CAACCCCGGAATCCGGCCCCAGGTACCTCTGAAAGCGCAACCC GGAGTCCGGCCCCAGGTAGCCCTGCTGGCTCTCCAACCTCCACCG AAGAAGGTACCTCTGAAAGCGCAACCCCTGAATCCGGCCCCAGG TAGCGAACCGGCAACCTCCGGTTCTGAAACCCAGGTACCTCT GAAAGCGCTACTCCGGAGTCTGGCCCCAGGTACCTCTACTGAAC CGTCTGAGGGTAGCGCTCCAGGTACTTCTACTGAACCGTCCGA GGTAGCGCACCAGGTACTTCTACCGAACCGTCCGAAGGCAGCG CTCCAGGTACCTCTACTGAACCTTCCGAGGGCAGCGCTCCAGGT ACCTCTACCGAACCTTCTGAAGGTAGCGCACCAGGTACTTCTAC CGAACCGTCCGAGGGTAGCGCACCAGGTAGCCCAGCAGGTTCT CCTACCTCCACCGAGGAAGGTACTTCTACCGAACCGTCCGAGG GTAGCGCACCAGGTACCTCTGAAAGCGCAACTCTGAGTCTGG CCCAGGTAGCGAACCTGCTACCTCCGGCTCTGAGACTCCAGGT ACCTCTGAAAGCGCAACCCCGGAATCTGGTCCAGGTAGCGAAC CTGCAACCTCTGGCTCTGAAACCCAGGTACCTCTGAAAGCGCT ACTCCTGAATCTGGCCCCAGGTACTTCTACTGAACCGTCCGAGGG CAGCGCACCAGGTACTTCTGAAAGCGCTACTCCTGAGTCCGGC CCAGGTAGCCCCGGCTGGCTCTCCGACTTCCACCGAGGAAGGTA GCCCGGCTGGCTCTCCAACCTTCTACTGAAGAAGGTAGCCCCGC AGGCTCTCCGACCTCTACTGAGGAAGGTACTTCTGAAAGCGCA ACCCCGGAGTCCGGCCCCAGGTACCTCTACCGAACCGTCTGAGG GCAGCGCACCAGGTTTTCCGACTATTCCGCTGTCTCGTCTGTTT GATAATGCTATGCTGCGTGCGCACCGTCTGCACCAGCTGGCCTT TGATACTTACCAGGAATTTGAAGAAGCCTACATTCTCTAAAGAGC AGAAGTACTCTTCTCTGCAAAACCCACAGACTTCTCTCTGCTTC AGCGAATCTATTCCGACGCCTTCCAATCGCGAGGAAACTCAGC AAAAGTCCAATCTGGAACCTACTCCGCATTCTCTGCTTCTGATT CAGAGCTGGCTAGAACCAGTGCAATTTCTGCGTTCGGTCTTCGC CAATAGCCTAGTTTATGGCGCATCCGACAGCAACGTATACGAT CTCCTGAAAGATCTCGAGGAAGGCATTTCAGACCTGATGGGTC GTCTCGAGGATGGCTCTCCGCGTACTGGTCAGATCTTCAAGCAG ACTTACTCTAAATTTGATACTAACAGCCACAATGACGATGCGCT TCTAAAAAACTATGGTCTGCTGTATTGTTTTCTGTAAGATATGG ACAAAGTTGAAACCTTCTGCGTATTGTTTCAGTGTGCTTCCGTT GAGGGCAGCTGTGGTTTCTAAGGTGGTACCTCTGAAAGCGCAA CTCCTGAGTCTGGCCCCAGGTAGCGAACCTGCTACCTCCGGCTCT GAGACTCCAGGTACCTCTGAAAGCGCAACCCCGGAATCTGGTC CAGGTAGCGAACCTGCAACCTCTGGCTCTGAAACCCAGGTAC

GHXTEN Name*	Amino Acid Sequence	DNA Nucleotide Sequence
	ESGPGSEPATSGSET PGTSESATPESGPGSP AGSPTSTEEGSPAGS PTSTEEGTSTEPSEGS APGTSESATPESGPG TSESATPESGPGTSES ATPESGPGSEPATSG SETPGSEPATSGSETP GSPAGSPTSTEEGTS TEPSEGSAPGTSTEPS EGSAPGSEPATSGSE TPGTSESATPESGPG TSTEPSEGSAP	CTCTGAAAGCGCTACTCCTGAATCTGGCCCAGGTACTTCTACTG AACCGTCCGAGGGCAGCGCACCAGGTAGCCCTGCTGGCTCTCC AACCTCCACCGAAGAAGGTACCTCTGAAAGCGCAACCCCTGAA TCCGGCCCAGGTAGCGAACC GGCAACCTCCGGTTCTGAAACCC CAGGTACTTCTGAAAGCGCTACTCCTGAGTCCGGCCCAGGTAG CCCGGCTGGCTCTCCGACTTCCACCGAGGAAGGTAGCCCGGCT GGCTCTCCAAC TTCTACTGAAGAAGGTACTTCTACCGAACCTTC CGAGGGCAGCGCACCAGGTACTTCTGAAAGCGCTACTCCCTGAG TCCGGCCCAGGTACTTCTGAAAGCGCTACTCCTGAATCCGGTCC AGGTACTTCTGAAAGCGCTACCCCGGAATCTGGCCCAGGTAGC GAACCGGCTACTTCTGGTTCTGAAACCCAGGTAGCGAACCGG CTACCTCCGGTTCTGAAACTCCAGGTAGCCCAGCAGGCTCTCCG ACTTCCACTGAGGAAGGTACTTCTACTGAACCTTCCGAAGGCA GCGCACCAGGTACCTCTACTGAACCTTCTGAGGGCAGCGCTCC AGGTAGCGAACCTGCAACCTCTGGCTCTGAAACCCAGGTACC TCTGAAAGCGCTACTCCTGAATCTGGCCCAGGTACTTCTACTGA ACCGTCCGAGGGCAGCGCACCA
AD836- hGH- AE288	GSSESGSSEGGPGSS ESGSSEGGPGESP GG SSGSESGSGGEPSES GSSGESPGGSSGSES GESPGGSSGSESGSS ESGSSEGGPGSSSESG SSEGGPGSSSESGSSE GGPGESPGGSSGSES GESPGGSSGSESGES PGGSSGSESGSSESG SSEGGPGSSSESGSSE GGPGSSESGSSEGGP GSSESGSSEGGPGSS ESGSSEGGPGSSSESG SSEGGPGSGGEPSES GSSGESPGGSSGSES GESPGGSSGSESGSG GEPSESGSSGSEGSS GPGESSGSSESGSSE GPGSGGEPSESGSS GSEGSSGPGESSGSS ESGSSEGGPGSGGEP SESGSSGESPGGSSG SESGSGGEPSESGSS GSGGEPSESGSSGSS ESGSSEGGPGSGGEP SESGSSGSGGEPSES GSSGSEGSSGPGESS GESPGGSSGSESGSE GSSGPGESSGSEGSS GPGESSGSGGEPSES GSSGSSESGSSEGGP GSSESGSSEGGPGES PGGSSGSESGSGGEP SESGSSGSEGSSGPG ESSGESPGGSSGSES GSEGSSGPGSSESGS SEGPGSGGEPSESG SSGGESSSGPGESS SEGSSGPGESSGSEG SSGPGESSGSGGEP ESGSSGSGGEPSESG	GGTTCTCTGAAAGCGGTTCTTCCGAAGGTGGTCCAGGTTCTC TGAAAGCGGTTCTTCTGAGGGTGGTCCAGGTGAATCTCCGGGT GGCTCCAGCGGTTCCGAGTCAGGTTCTGGTGGCGAACCTTCCGA GTCTGGTAGCTCAGGTGAATCTCCGGGTGGTTCTAGCGGTTCCG AGTCAGGTGAATCTCCGGGTGGTTCAGCGGTTCTGAGTCAGGT TCCTCCGAAAGCGGTTCTTCTGAGGGCGGTCCAGGTTCTCTCGA AAGCGGTTCTTCCGAGGGCGGTCCAGGTTCTTCTGAAAGCGGTT CTTCCGAGGGCGGTCCAGGTGAATCTCCTGGTGGTTCCAGCGGT TCCGAGTCAGGTGAATCTCCAGGTGGCTCTAGCGGTTCCGAGTC AGGTGAATCTCCTGGTGGTTCTAGCGGTTCTGAATCAGGTTCTC CCGAAAGCGGTTCTTCTGAGGGCGGTCCAGGTTCTCTCCGAAAG CGGTTCTTCCGAGGGCGGTCCAGGTTCTTCTGAAAGCGGTTCTT CCGAGGGCGGTCCAGGTTCTCTGAAAGCGGTTCTTCTGAGGG CGGTCCAGGTTCTTCCGAAAGCGGTTCTTCCGAGGGCGGTCCAG GTTCTTCCGAAAGCGGTTCTTCTGAAGCGGTCCAGGTTCTTGT GCGCAACCGTCCGAGTCTGGTAGCTCAGGTGAATCTCCGGGTG GCTCTAGCGGTTCCGAGTCAGGTGAATCTCCTGGTGGTTCCAGC GGTTCCGAGTCAGGTTCCGGTGGCGAACCGTCCGAATCTGGTA GCTCAGGTAGCGAAGGTTCTTCTGGTCCAGGCGAATCTTCAGGT TCCTCTGAAAGCGGTTCTTCTGAGGGCGGTCCAGGTTCCGGTGG CGAACCGTCCGAATCTGGTAGCTCAGGTAGCGAAGGTTCTTCTG GTCCAGGCGAATCTTCAGGTTCTCTGAAAGCGGTTCTTCTGAG GGCGGTCCAGGTTCCGGTGGCGAACCTTCCGAATCTGGTAGCTC AGGTGAATCTCCGGGTGGTTCTAGCGGTTCTGAGTCAGGTTCTG GTGGTGAACCTTCCGAGTCTGGTAGCTCAGGTTCTGGTGGCGAA CCATCCGAGTCTGGTAGCTCAGGTTCTTCCGAAAGCGGTTCTTC CGAAGGCGGTCCAGGTTCTGGTGGTGAACCGTCCGAATCTGGT AGCTCAGGTTCTGGTGGCGAACCATCCGAATCTGGTAGCTCAG GTAGCGAAGGTTCTTCTGGTCCTGGCGAATCTTCAGGTGAATCT CCAGGTGGCTCTAGCGGTTCCGAATCAGGTAGCGAAGGTTCTTC CGGTCCAGGTGAATCTTCAGGTAGCGAAGGTTCTTCTGGTCTCTG GTGAATCCTCAGGTTCCGGTGGCGAACCATCTGAATCTGGTAGC TCAGGTTCTCTGAAAGCGGTTCTTCCGAAGGTGGTCCAGGTTCT CTCTGAAAGCGGTTCTTCTGAGGGTGGTCCAGGTGAATCTCCGG GTGGCTCCAGCGGTTCCGAGTCAGGTTCTGGTGGCGAACCATCC GAATCTGGTAGCTCAGGTAGCGAAGGTTCTTCTGGTCTCTGGCGA ATCTTCAGGTGAATCTCCAGGTGGCTCTAGCGGTTCCGAATCAG GTAGCGAAGGTTCTTCCGGTCCAGGTTCTGAAAGCGGTTCT TCTGAGGGCGGTCCAGGTTCTGGTGGCGAACCATCTGAATCTG GTAGCTCAGGTAGCGAAGGTTCTTCCGGTCCGGGTGAATCTTCA GGTAGCGAAGGTTCTTCCGGTCCAGGTGAATCTTCAGGTAGCG AAGGTTCTTCTGGTCTCTGGTGAATCCTCAGGTTCCGGTGGCGAA

GHXTEN Name*	Amino Acid Sequence	DNA Nucleotide Sequence
	SSGESPGGSSGSESG ESPGGSSGSESGSGG EPSESGSSGSESGSGP GESSGESPGGSSGSE SGSSSESGSSEGGPGS SESGSSEGGPGSSSES GSSEGGPGSGGEPSE SGSSGSSESSESSEGG PGESPGGSSGSESGS GGPESESSSGSSSES GSSEGGPGESPGGSS GSESGSGGEPSESGS SGESPGGSSGSESGS GGPESESSSGFPTIP LSRLFDNAMLRAHR LHQLAFDTYQEFEE AYIPKEQKYSFLQNP QTSLCFSESIPPSNR EETQQKSNLELLRIS LLLIQSWLEPVQFLR SVFANSLVYGASDS NVYDLLKDLLEGIQT LMGRLEDGSPRTGQI FKQTYSKFDNTSHN DDALLKNYGLLYCF RKDMDKVETFLRIV QCRSVEGSCGFGGTS ESATPESGPGSEPAT SGSETPGTSESATPES GPGSEPATSGSETPG TSESATPESGPGTSTE PSEGSAPGSPAGSPT STEEGTSESATPESGP GSEPATSGSETPGTS ESATPESGPGSPAGS PTSTEEGSPAGSPTST EEGTSTEPSEGSAPG TSESATPESGPGTSES ATPESGPGTSESATP ESGPGSEPATSGSET PGSEPATSGSETPGSP AGSPTSTEEGTSTEPS EGSAPGTSTEPSEGS APGSEPATSGSETPG TSESATPESGPGTSTE PSEGSAP	CCATCTGAATCTGGTAGCTCAGGTTCTGGTGGCGAACCATCCGA ATCTGGTAGCTCAGGTGAATCTCCGGGTGGCTCCAGCGGTTCTG AATCAGGTGAATCTCCTGGTGGCTCCAGCGGTTCTGAGTCAGGT TCTGGTGGCGAACCATCCGAATCTGGTAGCTCAGGTAGCGAAG GTTCTTCTGGTCCTGGCGAATCTTCAGGTGAATCTCCAGGTGGC TCTAGCGGTTCCGAATCAGGTTCTCTGAAAGCGGTTCTTCTGA GGGCGGTCCAGGTTCTTCCGAAAGCGGTTCTTCCGAGGGCGGT CCAGGTTCTTCCGAAAGCGGTTCTTCTGAAGGCGGTCCAGGTTCT TGGTGGCGAACCGTCCGAATCTGGTAGCTCAGGTTCTTCCGAA AGCGGTTCTTCTGAAGGTGGTCCAGGTGAATCTCCAGGTGGTTC TAGCGGTTCTGAATCAGGTTCTGGTGGCGAACCGTCCGAATCTG GTAGCTCAGGTTCTTCCGAAAGCGGTTCTTCTGAAGGTGGTCCA GGTGAATCTCCAGTGGTTCTAGCGGTTCTGAATCAGGTTCTGG TGGCGAACCGTCCGAATCTGGTAGCTCAGGTGAATCTCCTGGTG GTTCCAGCGGTTCCGAGTCAGGTTCTGGTGGCGAACCTTCCGAA TCTGGTAGCTCAGGTTTTCGACTATTCCGCTGTCTCGTCTGTTT GATAATGCTATGCTGCGTGCGCACCGTCTGCACCAGCTGGCCTT TGATACTTACCAGGAATTTGAAGAAGC ₆ TACATTCTAAAGAGC AGAAGTACTCTTTCCTGCAAAACCCACAGACTTCTCTCTGCTTC AGCGAATCTATTCCGACGCTTCCAATCGCGAGGAACTCAGC AAAAGTCCAATCTGGAACACTCCGCATTCTCTGCTTCTGATT CAGAGCTGGCTAGAACCAGTGCAATTTCTGCGTTCGGTCTTCGC CAATAGCCTAGTTTATGGCGCATCCGACAGCAACGTATACGAT CTCCTGAAAGATCTCGAGGAAGGCATTGACACCCTGATGGGTC GTCTCGAGGATGGCTCTCCGCGTACTGGTCAGATCTTCAAGCAG ACTTACTCTAAATTTGATACTAACAGCCACAATGACGATGCGCT TCTAAAAAACTATGGTCTGCTGTATTGTTTTCTGTAAGATATGG ACAAAGTTGAAACCTTCTGCGTATTGTTTCAAGTGTGCTTCCGTT GAGGGCAGCTGTGGTTTCTAAGGTGGTACCTCTGAAAGCGCAA CTCCTGAGTCTGGCCAGGTAGCGAACCTGCTACCTCCGGCTCT GAGACTCCAGGTACCTCTGAAAGCGCAACCCCGGAATCTGGTC CAGGTAGCGAACCTGCAACCTCTGGCTCTGAAACCCAGGTAC CTCTGAAAGCGCTACTCCTGAATCTGGCCAGGTACTTCTACTG AACCGTCCGAGGGCAGCGCACCAGGTAGCCCTGCTGGCTCTCC AACCTCCACCGAAGAAGGTACCTCTGAAAGCGCAACCCGTA TCCGGCCCAGGTAGCGAACCCGCAACCTCCGGTTCTGAAACCC CAGGTACTTCTGAAAGCGCTACTCCTGAGTCCGGCCAGGTAG CCCGGCTGGCTCTCCGACTTCCACCGAGGAAGGTAGCCCGGCT GGCTCTCCAACCTTCTACTGAAGAAGGTACTTCTACCGAACCTTC CGAGGGCAGCGCACCAGGTACTTCTGAAAGCGCTACCCCTGAG TCCGGCCCAGGTACTTCTGAAAGCGCTACTCCTGAATCCGGTCC AGGTACTTCTGAAAGCGCTACCCCGGAATCTGGCCAGGTAGC GAACCGGCTACTTCTGGTTCTGAAACCCAGGTAGCGAACCCGG CTACCTCCGGTTCTGAAACTCCAGGTAGCCAGCAGGCTCTCCG ACTTCCACTGAGGAAGGTACTTCTACTGAACCTTCCGAAGGCA GCGCACCAGGTACCTCTACTGAACCTTCTGAGGGCAGCGCTCC AGGTAGCGAACCTGCAACCTCTGGCTCTGAAACCCAGGTACC TCTGAAAGCGCTACTCCTGAATCTGGCCAGGTACTTCTACTGA ACCGTCCGAGGGCAGCGCACCA
AE864- hGH- AE288	GSPAGSPTSTEEGTS ESATPESGPGTSTEPS EGSAPGSPAGSPTST EEGTSTEPSEGSAPG TSTEPSEGSAPGTSES ATPESGPGSEPATSG SETPGSEPATSGSETP GSPAGSPTSTEEGTS ESATPESGPGTSTEPS EGSAPGTSTEPSEGS	GGTAGCCCGGCTGGCTCTCCTACCTCTACTGAGGAAGGTACTTC TGAAAGCGCTACTCCTGAGTCTGGTCCAGGTACCTCTACTGAAC CGTCCGAAGGTAGCGCTCCAGGTAGCCAGCAGGCTCTCCGAC TTCCACTGAGGAAGGTACTTCTACTGAACCTTCCGAAGGCAGC GCACCAGGTACCTCTACTGAACCTTCTGAGGGCAGCGCTCCAG GTACTTCTGAAAGCGCTACCCCGGAATCTGGCCAGGTAGCGA ACCGGCTACTTCTGGTTCTGAAACCCAGGTAGCGAACCCGGCT ACCTCCGGTTCTGAAACTCCAGGTAGCCCGGCAGGCTCTCCGAC CTCTACTGAGGAAGGTACTTCTGAAAGCGCAACCCCGGAGTCC GGCCAGGTACCTCTACCGAACCGTCTGAGGGCAGCGCACCA

GHXTEN Name*	Amino Acid Sequence	DNA Nucleotide Sequence
	APGSPAGSPTSTEEG TSTEPSEGSAPGTSTE PSEGSAPGTSESATP ESGPGTSTEPSEGS PGTSESATPESGPGS EPATSGSETPGTSTEP SEGSAPGTSTEPSEG SAPGTSESATPESGP GTSESATPESGPGSP AGSPTSTEEGTSESA TPESGPGSEPATSGS ETPGTSESATPESGP GTSTEPSEGSAPGTS TEPSEGSAPGTSTEPS EGSAPGTSTEPSEGS APGTSTEPSEGSAPG TSTEPSEGSAPGSPA GSPTSTEEGTSTEPSE GSAPGTSESATPESG PGSEPATSGSETPGT SESATPESGPGSEPA TSGSETPGTSESATPE SGPGTSTEPSEGSAP GTSESATPESGPGSP AGSPTSTEEGSPAGS PTSTEEGSPAGSPTST EGTSESATPESGPG TSTEPSEGSAPGTSES ATPESGPGSEPATSG SETPGTSESATPESGP GSEPATSGSETPGTS ESATPESGPGTSTEPS EGSAPGSPAGSPTST EGTSESATPESGPG SEPATSGSETPGTSES ATPESGPGSPAGSPT STEEGSPAGSPTSTEE GTSTEPSEGSAPGTS ESATPESGPGTSESA TPESGPGTSESATPES GPGSEPATSGSETPG SEPATSGSETPGSPA GSPTSTEEGTSTEPSE GSAPGTSTEPSEGS PGSEPATSGSETPGT SESATPESGPGTSTEP SEGSAPGFPTIPLSRL FDNAMLRAHRLHQL AFDTYQEFEEAYIPK EQKYSFLQNPQTSCL FSESIPTPSNREETQQ KSNLELLRISLLLIQS WLEPVQFLRSVFAN SLVYGASDSNVYDL LKDLEEGIQTLMGRL EDGSPRTGQIFKQTY SKFDTNSHNDALL KNYGLLYCFRKMDMD KVETFLRIVQCRSVE	GTACTTCTACCGAACCGTCCGAGGGTAGCGCACCAGGTAGCCC AGCAGGTTCTCCTACCTCCACCGAGGAAGGTACTTCTACCGAAC CGTCCGAGGGTAGCGCACCAGGTACCTCTACTGAACCTTCTGA GGGCAGCGCTCCAGGTACTTCTGAAAGCGCTACCCCGGAGTCC GGTCCAGGTACTTCTACTGAACCGTCCGAAGGTAGCGCACCAG GTACTTCTGAAAGCGCAACCCCTGAATCCGGTCCAGGTAGCGA ACCGGCTACTTCTGGCTCTGAGACTCCAGGTACTTCTACCGAAC CGTCCGAAGGTAGCGCACCAGGTACTTCTACTGAACCGTCTGA AGGTAGCGCACCAGGTACTTCTGAAAGCGCAACCCCGGAATCC GGCCAGGTACCTCTGAAAGCGCAACCCCGGAGTCCGGCCAG GTAGCCCTGCTGGCTCTCCAACCTCCACCGAAGAAGGTACCTCT GAAAGCGCAACCCCTGAATCCGGCCAGGTAGCGAACCAGGCAA CCTCCGGTTCTGAAACCCAGGTACCTCTGAAAGCGCTACTCCG GAGTCTGGCCAGGTACCTCTACTGAACCGTCTGAGGGTAGCG CTCCAGGTACTTCTACTGAACCGTCCGAAGGTAGCGCACCAGG TACTTCTACCGAACCGTCCGAAGGCAGCGCTCCAGGTACCTCTA CTGAACCTTCCGAGGGCAGCGCTCCAGGTACCTCTACCGAACCT TCTGAAGGTAGCGCACCAGGTACTTCTACCGAACCGTCCGAGG GTAGCGCACCAGGTAGCCAGCAGGTTCTCCTACCTCCACCGA GGAAGGTACTTCTACCGAACCGTCCGAGGGTAGCGCACCAGGT ACCTCTGAAAGCGCAACTCCTGAGTCTGGCCAGGTAGCGAAC CTGCTACCTCCGGCTCTGAGACTCCAGGTACCTCTGAAAGCGCA ACCCCGGAATCTGGTCCAGGTAGCGAACCTGCAACCTCTGGCT CTGAAACCCAGGTACCTCTGAAAGCGCTACTCCTGAATCTGGC CCAGGTACTTCTACTGAACCGTCCGAGGGCAGCGCACCAGGTA CTTCTGAAAGCGCTACTCCTGAGTCCGGCCAGGTAGCCCGGCT GGCTCTCCGACTTCCACCGAGGAAGGTAGCCCGGCTGGCTCTCC AACTTCTACTGAAGAAGGTAGCCCGGCAGGCTCTCCGACCTCT ACTGAGGAAGGTACTTCTGAAAGCGCAACCCCGGAGTCCGGCC CAGGTACCTCTACCGAACCGTCTGAGGGCAGCGCACCAGGTAC CTCTGAAAGCGCAACTCCTGAGTCTGGCCAGGTAGCGAACCT GCTACCTCCGGCTCTGAGACTCCAGGTACCTCTGAAAGCGCAA CCCCAGGAATCTGGTCCAGGTAGCGAACCTGCAACCTCTGGCTCT GAAACCCAGGTACCTCTGAAAGCGCTACTCCTGAATCTGGCC CAGGTACTTCTACTGAACCGTCCGAGGGCAGCGCACCAGGTAG CCCTGCTGGCTCTCCAACCTCCACCGAAGAAGGTACCTCTGAAA GCGCAACCCCTGAATCCGGCCAGGTAGCGAACCGGCAACCTC CGGTTCTGAAACCCAGGTACTTCTGAAAGCGCTACTCCTGAGT CCGGCCAGGTAGCCCGGCTGGCTCTCCGACTTCCACCGAGGA AGGTAGCCCGGCTGGCTCTCCAACCTCTACTGAAGAAGGTACTT CTACCGAACCTTCCGAGGGCAGCGCACCAGGTACTTCTGAAAG CGCTACCCCTGAGTCCGGCCAGGTACTTCTGAAAGCGCTACTC CTGAATCCGGTCCAGGTACTTCTGAAAGCGCTACCCCGGAATCT GGCCAGGTAGCGAACCGGCTACTTCTGGTTCTGAAACCCAG GTAGCGAACCGGCTACCTCCGGTTCTGAAACTCCAGGTAGCCC AGCAGGCTCTCCGACTTCCACTGAGGAAGGTACTTCTACTGAAC CTTCGGAAGGCAGCGCACCAGGTACCTCTACTGAACCTTCTGAG GGCAGCGCTCCAGGTAGCGAACCTGCAACCTCTGGCTCTGAAA CCCAGGTACCTCTGAAAGCGCTACTCCTGAATCTGGCCAGGT ACTTCTACTGAACCGTCCGAGGGCAGCGCACCAGGTTTTCCGAC TATTCGCTGTCTCGTCTGTTTGATAATGCTATGCTGCGTGCGC ACCGTCTGCACCAGCTGGCCTTTGATACTTACCAGGAATTTGAA GAAGC ₆ TACATTCTAAAGAGCAGAAGTACTCTTTCTGCAAAA CCCACAGACTTCTCTCTGCTTCAGCGAATCTATTCCGACGCCTT CCAATCGCGAGGAACTCAGCAAAAAGTCCAATCTGGAAGTACT CCGCATTTCTCTGCTTCTGATTTCAGAGCTGGCTAGAACCAAGTGC AATTTCTGCGTTCCGTCTTCGCCAATAGCCTAGTTTATGGCGCA TCCGACAGCAACGTATACGATCTCCTGAAAGATCTCGAGGAAG GCATTTCAGACCCTGATGGGTCGTCTCGAGGATGGCTCTCCGCGT

GHXTEN Name*	Amino Acid Sequence	DNA Nucleotide Sequence
	GSCGFGGTSESATPE SGPGESEPATSGSETP GTSESATPESGPGSE PATSGSETPGTSESA TPESGPGTSTEPSEGS APGSPAGSPTSTEEG TSESATPESGPGSEP ATSGSETPGTSESAT PESGPGSPAGSPTSTE EGSPAGSPTSTEEGT STEPSEGSAPGTSES ATPESGPGTSESATP ESGPGTSESATPESG PGSEPATSGSETPGS EPATSGSETPGSPAG SPTSTEEGTSTEPSEG SAPGTSTEPSEGSAP GSEPATSGSETPGTS ESATPESGPGTSTEPS EGSAP	ACTGGTCAGATCTTCAAGCAGACTTACTCTAAATTTGATACTAA CAGCCACAATGACGATGCGCTTCTAAAAAACTATGGTCTGCTGT ATTGTTTTTCGTAAAGATATGGACAAAGTTGAAACCTTCCTGCGT ATTGTTTCAGTGTCTGTTCCGTTGAGGGCAGCTGTGGTTTCTAAGG TGGTACCTCTGAAAGCGCAACTCCTGAGTCTGGCCCAGGTAGC GAACCTGCTACCTCCGGCTCTGAGACTCCAGGTACCTCTGAAAAG CGCAACCCCGGAATCTGGTCCAGGTAGCGAACCTGCAACCTCT GGCTCTGAAACCCAGGTACCTCTGAAAGCGCTACTCCTGAATC TGGCCCAGGTACTTCTACTGAACCGTCCGAGGGCAGCGCACCA GGTAGCCCTGCTGGCTCTCCAACCTCCACCGAAGAAGGTACCTC TGAAAGCGCAACCCCTGAATCCGGCCCAGGTAGCGAACCCGGCA ACCTCCGGTTCTGAAACCCAGGTACTTCTGAAAGCGCTACTCC TGAGTCCGGCCAGGTAGCCCGGCTGGCTCTCCGACTTCCACCG AGGAAGGTAGCCCGGCTGGCTCTCCAACCTCTACTGAAGAAGG TACTTCTACCGAACCTTCCGAGGGCAGCGCACCAAGGTACTTCTG AAAGCGCTACCCCTGAGTCCGGGCCAGGTACTTCTGAAAGCGC TACTCCTGAATCCGGTCCAGGTACTTCTGAAAGCGCTACCCCGG AATCTGGCCCAGGTAGCGAACCCGGCTACTTCTGGTTCTGAAACC CCAGGTAGCGAACCCGGCTACCTCCGGTTCTGAAACTCCAGGTA GCCCAGCAGGCTCTCCGACTTCCACTGAGGAAGGTACTTCTACT GAACCTTCCGAAGGCAGCGCACCAAGGTACCTCTACTGAACCTT CTGAGGGCAGCGCTCCAGGTAGCGAACCTGCAACCTCTGGCTC TGAAACCCAGGTACCTCTGAAAGCGCTACTCCTGAATCTGGCC CAGGTACTTCTACTGAACCGTCCGAGGGCAGCGCACCA
AF864- hGH- AE288	GSTSESPSGTAPGTSP SGESSTAPGSTSESPS GTAPGSTSESPSGTA PGTSTPESGSASPGTS TPESGSASPGTSESP SGTAPGSTSESPSGT APGTSPSGESSTAPG STSESPSGTAPGTSPS GESSTAPGTSPSGESS TAPGSTSSTAESPGP GTSPSGESSTAPGTSP SGESSTAPGSTSSTA ESPGPGTSTPESGSAS PGTSTPESGSASPGST SEPSGTAPGSTSESP SGTAPGTSTPESGSAS SPGSTSSTAESPGPGT STPESGSASPGTSESP PSGTAPGTSPSGESST APGSTSSTAESPGPG TSPSGESSTAPGTSTP ESGSASPGSTSSTAES PPGSTSSTAESPGP GSTSSTAESPGPGSTS STAESPGPGTSPSGES STAPGSTSESPSGTAP GSTSESPSGTAPGTS TPESGPXXXGASASG APSTXXXSESPTSGT APGSTSESPSGTAPG STSESPSGTAPGTSE SPSGTAPGSTSESPSG TAPGSTSESPSGTAP GTSTPESGSASPGTSP SGESSTAPGTSPSGES	GGTCTACTACCGCAATCTCCTTCTGGCACCGCTCCAGGTACCTC TCCTAGCGGCGAATCTTCTACCGTCCAGGTCTACTAGCGAAT CTCCTTCTGGCACTGCACCAGGTTCTACTAGCGAATCCCCGTCT GGTACTGCTCCAGGTACTTCTACTCCTGAAAGCGGTTCCGCTTC TCCAGGTACCTCTACTCCGGAAGCGGTTCTGCATCTCCAGGTT CTACCAGCGAATCTCCTTCTGGCACCGCTCCAGGTTCTACTAGC GAATCCCCGTCTGGTACCGCACCAAGGTACTTCTCCTAGCGGCGA ATCTTCTACCGCACCAAGGTTCTACTAGCGAATCTCCGTCTGGCA CTGCTCCAGGTACTTCTCCTAGCGGTGAATCTTCTACCGCTCCA GGTACTTCCCCTAGCGGCGAATCTTCTACCGCTCCAGGTTCTAC TAGCTCTACTGCAGAATCTCCGGGCCAGGTACCTCTCCTAGCG GTGAATCTTCTACCGCTCCAGGTACTTCTCCGAGCGGTGAATCT TCTACCGCTCCAGGTTCTACTAGCTCTACTGCAGAATCTCCTGG CCCAGGTACCTCTACTCCGGAAGCGGCTCTGCATCTCCAGGTA CTTCTACCCCTGAAAGCGGTTCTGCATCTCCAGGTTCTACTAGC GAATCTCCTTCTGGCACTGCACCAGGTTCTACCAGCGAATCTCC GTCTGGCACTGCACCAGGTACCTCTACCCCTGAAAGCGGTTCCG CTTCTCCAGGTTCTACCAGCTCTACCGCAGAATCTCCTGGTCCA GGTACCTCTACTCCGGAAGCGGCTCTGCATCTCCAGGTTCTAC TAGCGAATCTCCTTCTGGCACTGCACCAGGTACTTCTCCGAGCG GTGAATCTTCTACCGCACCAAGGTTCTACTAGCTCTACCGCTGAA TCTCCGGGCCAGGTACTTCTCCGAGCGGTGAATCTTCTACTGC TCCAGGTACCTCTACTCCTGAAAGCGGTTCTGCATCTCCAGGTT CCACTAGCTCTACCGCAGAATCTCCGGGCCAGGTTCTACTAGC TCTACTGCTGAATCTCCTGGGCCAGGTTCTACTAGCTCTACTGC TGAATCTCCGGGTCCAGGTTCTACCAGCTCTACTGCTGAATCTC CTGGTCCAGGTACCTCCCCGAGCGGTGAATCTTCTACTGCACCA GGTCTACTAGCGAATCTCCTTCTGGCACTGCACCAGGTTCTAC CAGCGAATCTCCGTCTGGCACTGCACCAGGTACCTCTACCCCTG AAAGCGGTCCXXXXXXXXXXXXTGAAGCGCAAGCGGCGCGC CAAGCACGGGAXXXXXXXXXXTAGCGAATCTCCTTCTGGTACCGC TCCAGGTTCTACCAGCGAATCCCCGTCTGGTACTGCTCCAGGTT CTACCAGCGAATCTCCTTCTGGTACTGCACCAGGTTCTACTAGC GAATCTCCTTCTGGTACCGCTCCAGGTTCTACCAGCGAATCCCC GTCTGGTACTGCTCCAGGTTCTACCAGCGAATCTCCTTCTGGTA

GHXTEN Name*	Amino Acid Sequence	DNA Nucleotide Sequence
	STAPGSTSSTAESPGP GTSPSGESSTAPGTS TPESGSASPGSTSESP SGTAPGSTSESPSGT APGTSPSGESSTAPG STSESPSGTAPGTSTP ESGSASPGTSTPESGS ASPGSTSESPSGTAP GTSTPESGSASPGSTS STAESPGPGSTSESPS GTAPGSTSESPSGTA PGTSPSGESSTAPGST SSTAESPGTSPSGE SSTAPGTSTPESGSAS PGTSPSGESSTAPGTS PSGESSTAPGTSPSGE SSTAPGSTSSTAESPG PGSTSSTAESPGPGTS PSGESSTAPGSSPAS TGTGPGSSTPSGATG SPGSSTPSGATGSPG FPTIPLSRLFDNAML RAHRLHQLAFDITYQ EFEEAYIPKEQKYSF LQNPQTSLCFSESIPT PSNREETQKSNLEL LRISLLLIQSWLEPVQ FLRSVFANSLVYGAS DSNVYDLLKDLEEGI QTLMGRLEDGSPRT GQIFKQTYSKFDTNS HNDDALLKNYGLLY CFRKMDMDKVETFLRI VQCRSVEGSCGFGG TSESATPESGPGSEP ATSGSETPGTSESAT PESGPGSEPATSGSE TPGTSESATPESGPG TSTEPSEGSAPGSPA GSPTSTEEGTSESATP ESGPGSEPATSGSET PGTSESATPESGPGSP AGSPTSTEEGSPAGS PTSTEEGTSTEPSEGS APGTSESATPESGPG TSESATPESGPGTSES ATPESGPGSEPATSG SETPGSEPATSGSETP GSPAGSPTSTEEGTS TEPSEGSAPGTSTEPS EGSAPGSEPATSGSE TPGTSESATPESGPG TSTEPSEGSAP	CTGCACCAGGTACTTCTACTCCGGAAAGCGGTTCCGCATCTCCA GGTACTTCTCCTAGCGGTGAATCTTCTACTGCTCCAGGTACCTC TCCTAGCGGCGAATCTTCTACTGCTCCAGGTTCTACCAGCTCTA CTGCTGAATCTCCGGGTCCAGGTACTTCCCCGAGCGGTGAATCT TCTACTGCACCAGGTACTTCTACTCCGGAAAGCGGTTCCGCTTC TCCAGGTTCTACCAGCGAATCTCCTTCTGGCACCAGCTCCAGGTT CTACTAGCGAATCCCCGTCTGGTACCGCACCAGGTACTTCTCCT AGCGGCGAATCTTCTACCAGCACCAGGTTCTACTAGCGAATCCCC GTCTGGTACCGCACCAGGTACTTCTACCCCGGAAAGCGGCTCTG CTTCTCCAGGTACTTCTACCCCGGAAAGCGGCTCCGCATCTCCA GGTTCTACTAGCGAATCTCCTTCTGGTACCGCTCCAGGTACTTC TACCCCTGAAAGCGGCTCCGCTTCTCCAGGTTCCACTAGCTCTA CCGCTGAATCTCCGGGTCCAGGTTCTACCAGCGAATCTCCTTCT GGCACCGCTCCAGGTTCTACTAGCGAATCCCCGTCTGGTACCGC ACCAGGTACTTCTCCTAGCGGCGAATCTTCTACCAGCACCAGGTT CTACCAGCTCTACTGCTGAATCTCCGGGTCCAGGTACTTCCCCG AGCGGTGAATCTTCTACTGCACCAGGTACTTCTACTCCGGAAAG CGGTTCCGCTTCTCCAGGTACCTCCCCTAGCGGCGAATCTTCTA CTGCTCCAGGTACCTCTCCTAGCGGCGAATCTTCTACCAGCTCCA GGTACCTCCCCTAGCGGTGAATCTTCTACCAGCACCAGGTTCTAC TAGCTCTACTGCTGAATCTCCGGGTCCAGGTTCTACCAGCTCTA CTGCTGAATCTCCTGGTCCAGGTACCTCCCCGAGCGGTGAATCT TCTACTGCACCAGGTTCTAGCCCTTCTGCTTCCACCGGTACCGG CCCAGGTAGCTCTACTCCGTCTGGTGCAACTGGCTCTCCAGGTA GCTCTACTCCGTCTGGTGCAACCGGCTCCCCAGGTTTCCGACT ATTCCGCTGTCTCGTCTGTTTGATAATGCTATGCTGCGTGCGCA CCGTCTGCACCAGCTGGCCTTTGATACTTACCAGGAATTTGAAG AAGC ₂ TACATTCCCTAAAGAGCAGAAGTACTCTTTCCTGCAAAAC CCACAGACTTCTCTCTGCTTCAGCGAATCTATTCGACGCCTTC CAATCGCGAGGAACTCAGCAAAAGTCCAATCTGGAACCTACTC CGCATTTCTCTGCTTCTGATTCAGAGCTGGCTAGAACCAGTGCA ATTTCTGCGTTCCGTCTTCGCCAATAGCCTAGTTTATGGCGCAT CCGACAGCAACGTATACGATCTCCTGAAAGATCTCGAGGAAGG CATTACAGACCCTGATGGGTCTGCTCGAGGATGGCTCTCCGCGTA CTGGTCAGATCTTCAAGCAGACTTACTCTAAATTTGATACTAAC AGCCACAATGACGATGCGCTTCTAAAAAATATGGTCTGCTGT ATTGTTTTTCGTAAAGATATGGACAAAGTTGAAACCTTCCTGCGT ATTGTTCAAGTGCTGTTCCGTTGAGGGCAGCTGTGGTTTCTAAGG TGGTACCTCTGAAAGCGCAACTCCTGAGTCTGGCCCAGGTAGC GAACCTGCTACCTCCGGCTCTGAGACTCCAGGTACCTCTGAAAG CGCAACCCCGGAATCTGGTCCAGGTAGCGAACCTGCAACCTCT GGCTCTGAAACCCAGGTACCTCTGAAAGCGCTACTCCTGAATC TGGCCCAGGTACTTCTACTGAACCGTCCGAGGGCAGCGCACCA GGTAGCCCTGCTGGCTCTCCAACCTCCACCGAAGAAGGTACCTC TGAAAGCGCAACCCCTGAATCCGGCCCAGGTAGCGAACCGGCA ACCTCCGGTTCTGAAACCCAGGTACTTCTGAAAGCGCTACTCC TGAGTCCGGCCCAGGTAGCCCGGCTGGCTCTCCGACTTCCACCG AGGAAGGTAGCCCGGCTGGCTCTCCAACCTTCTACTGAAGAAGG TACTTCTACCGAACCTTCCGAGGGCAGCGCACCAGGTACTTCTG AAAGCGCTACCCCTGAGTCCGGCCCAGGTACTTCTGAAAGCGC TACTCCTGAATCCGGTCCAGGTACTTCTGAAAGCGCTACCCCGG AATCTGGCCCAGGTAGCGAACCGGCTACTTCTGGTTCTGAAACC CCAGGTAGCGAACCGGCTACCTCCGGTTCTGAAACTCCAGGTA GCCCAGCAGGCTCTCCGACTTCCACTGAGGAAGGTACTTCTACT GAACCTTCCGAAGGCAGCGCACCAGGTACCTCTACTGAACCTT CTGAGGGCAGCGCTCCAGGTAGCGAACCTGCAACCTCTGGCTC TGAAACCCAGGTACCTCTGAAAGCGCTACTCCTGAATCTGGCC CAGGTACTTCTACTGAACCGTCCGAGGGCAGCGCACCA
AG864-	GASPGTSSTGSPGSS	GGTGCTTCCCCGGGCACCAGCTCTACTGGTTCTCCAGGTTCTAG

GHXTEN Name*	Amino Acid Sequence	DNA Nucleotide Sequence
hGH- AE288	PSASTGTGPGSSPSA STGTGPGTPGSGTAS SSPGSSTPSGATGSP GSNPSASTGTGPGAS PGTSSSTGSPGTPGSG TASSSPGSSTPSGAT GSPGTPGSGTASSSP GASPGTSSSTGSPGAS PGTSSSTGSPGTPGSG TASSSPGSSTPSGAT GSPGASPGTSSSTGSP TPGSGTASSSPGSS TPGATGSPGSPGSA STGTGPGSSPSASTG TPGSSSTPSGATGSP GSSTPSGATGSPGAS PGTSSSTGSPGASPGT SSTGSPGASPGTSSST GSPGTPGSGTASSSP GASPGTSSSTGSPGAS PGTSSSTGSPGASPGT SSTGSPGSSPSASTGT GPGTPGSGTASSSPG ASPGTSSSTGSPGASP GTSSSTGSPGASPGTS STGSPGSSTPSGATG SPGSSTPSGATGSPG ASPGTSSSTGSPGTPG SGTASSSPGSSTPSG ATGSPGSSTPSGATG SPGSSTPSGATGSPG SSPASTGTGPGASP GTSSSTGSPGASPGTS STGSPGTPGSGTASS SPGASPGTSSSTGSPG ASPGTSSSTGSPGASP GTSSSTGSPGASPGTS STGSPGTPGSGTASS SPGSSTPSGATGSPG TPGSGTASSSPGSSTP SGATGSPGTPGSGTA SSSPGSSTPSGATGSP GSSTPSGATGSPGSS PSASTGTGPGSSPSA STGTGPGASPGTSSST GSPGTPGSGTASSSP GSSTPSGATGSPGSS PSASTGTGPGASPGT SSTGSPGSSPSASTGT GPGTPGSGTASSSPG SSTPSGATGSPGSSSTP SGATGSPGASPGTSS TGSPGFPTIPLSRLFD NAMLRAHRLHQLAF DTYQEFEEAYIPKEQ	CCCGTCTGCTTCTACTGGTACTGGTCCAGGTTCTAGCCCTTCTGC TTCCACTGGTACTGGTCCAGGTACCCCGGGTAGCGGTACCGCTT CTTCTTCTCCAGGTAGCTCTACTCCGTCTGGTGCTACCGGCTCTC CAGGTTCTAACCCTTCTGCATCCACCGGTACCGGCCAGGTGCT TCTCCGGGCACCAGCTCTACTGGTTCTCCAGGTACCCCGGGCAG CGGTACCGCATCTTCTTCTCCAGGTAGCTCTACTCCTTCTGGTGC AACTGGTTCTCCAGGTACTCCTGGCAGCGGTACCGCTTCTTCTT CTCCAGGTGCTTCTCCTGGTACTAGCTCTACTGGTTCTCCAGGT GCTTCTCCGGGCACTAGCTCTACTGGTTCTCCAGGTACCCCGGG TAGCGGTACTGCTTCTTCTCTCCAGGTAGCTCTACCCCTTCTGG TGCAACCGGCTCTCCAGGTGCTTCTCCGGGCACCAGCTCTACCG GTTCTCCAGGTACCCCGGGTAGCGGTACCGCTTCTTCTTCTCCA GGTAGCTCTACTCGTCTGGTGCTACCGGCTCTCCAGGTCTTAA CCCTTCTGCATCCACCGGTACCGGCCAGGTTCTAGCCCTTCTG CTTCCACCGGTACTGGCCAGGTAGCTCTACCCCTTCTGGTGCT ACCGGTCCCCAGGTAGCTCTACTCCTTCTGGTGCAACTGGCTC TCCAGGTGCATCTCCGGGCACTAGCTCTACTGGTTCTCCAGGTG CATCCCTGGCACTAGCTCTACTGGTTCTCCAGGTGCTTCTCCT GGTACCAGCTCTACTGGTTCTCCAGGTACTCCTGGCAGCGGTAC CGTTCTTCTTCTCCAGGTGCTTCTCCTGGTACTAGCTCTACTGG TTCTCCAGGTGCTTCTCCGGGCACTAGCTCTACTGGTTCTCCAG GTGCTTCCCCGGGCACTAGCTCTACCGGTTCTCCAGGTCTAGC CCTTCTGCATCTACTGGTACTGGCCAGGTACTCCGGGCAGCGG TACTGCTTCTTCTCTCCAGGTGCATCTCCGGGCACTAGCTCTA CTGGTTCTCCAGGTGCATCCCTGGCACTAGCTCTACTGGTTCT CCAGGTGCTTCTCCTGGTACCAGCTCTACTGGTTCTCCAGGTAG CTCTACTCCGTCTGGTGCAACCGGTTCCCCAGGTAGCTCTACTC CTTCTGGTGCTACTGGTCCCCAGGTGCATCCCTGGCACCAGC TCTACCGGTTCTCCAGGTACCCCGGGCAGCGGTACCGCATCTTC CTCTCCAGGTAGCTCTACCCCGTCTGGTGCTACCGGTTCCCCAG GTAGCTCTACCCCGTCTGGTGCAACCGGTTCCCCAGGTAGCTCT ACTCCGTCTGGTGCAACCGGTTCCCCAGGTTCTAGCCCGTCTGC TTCCACTGGTACTGGCCAGGTGCTTCCCCGGGCACCAGCTCTA CTGGTTCTCCAGGTGCATCCCGGGTACCAGCTCTACCGGTTCT CCAGGTACTCCTGGCAGCGGTACTGCATCTTCTCTCCAGGTGC TTCTCCGGGCACCAGCTCTACTGGTTCTCCAGGTGCATCTCCGG GCACTAGCTCTACTGGTTCTCCAGGTGCATCCCTGGCACTAGC TCTACTGGTTCTCCAGGTGCTTCTCCTGGTACCAGCTCTACTGGT TCTCCAGGTACCCCTGGTAGCGGTACTGCTTCTTCTCTCCAGG TAGCTCTACTCCGTCTGGTGCTACCGGTTCTCCAGGTACCCCGG GTAGCGGTACCGCATCTTCTTCTCCAGGTAGCTCTACCCCGTCT GGTGCTACTGGTTCTCCAGGTACTCCGGGCAGCGGTACTGCTTC TTCTCTCCAGGTAGCTCTACCCCTTCTGGTGCTACTGGCTCTCC AGGTAGCTCTACCCCGTCTGGTGCTACTGGTCCCCAGGTTCTA GCCCTTCTGCATCCACCGGTACCGGTCCAGGTTCTAGCCCGTCT GCATCTACTGGTACTGGTCCAGGTGCATCCCGGGCACTAGCTC TACCGGTTCTCCAGGTACTCCTGGTAGCGGTACTGCTTCTTCTT TCCAGGTAGCTCTACTCCTTCTGGTGCTACTGGTTCTCCAGGTT TAGCCCTTCTGCATCCACCGGTACCGGCCAGGTTCTAGCCCGT CTGCTTCTACCGGTACTGGTCCAGGTGCTTCTCCGGGTACTAGC TCTACTGGTTCTCCAGGTGCATCTCCTGGTACTAGCTCTACTGG TTCTCCAGGTAGCTCTACTCCGTCTGGTGCAACCGGCTCTCCAG GTTCTAGCCCTTCTGCATCTACCGGTACTGGTCCAGGTGCATCC CCTGGTACCAGCTCTACCGGTTCTCCAGGTCTAGCCCTTCTGC TTCTACCGGTACCGGTCCAGGTACCCCTGGCAGCGGTACCGCAT CTTCTCTCCAGGTAGCTCTACTCCGTCTGGTGCAACCGGTTCC CCAGGTAGCTCTACTCCTTCTGGTGCTACTGGTCCCCAGGTGC ATCCCTGGCACCAGCTCTACCGGTTCTCCAGGTTTTCCGACTA TTCCGCTGTCTCGTCTGTTTGATAATGCTATGCTGCGTGCGCAC

GHXTEN Name*	Amino Acid Sequence	DNA Nucleotide Sequence
	KYSFLQNPQTSLCFS ESIPTPSNREETQQKS NLELLRISLLLIQSWL EPVQFLRSVFANSLV YGASDSNVYDLLKD LEEGIQTLMGRLDGL SPRTGQIFKQTYSKF DTNSHNDDALLKNY GLLYCFRKDMDKVE TFLRIVQCRSVEGSC GFGGTSESATPESGP GSEPATSGSETPGTS ESATPESGPGSEPAT SGSETPGTSESATPES GPGTSTEPSEGSAPG SPAGSPTSTEEGTSES ATPESGPGSEPATSG SETPGTSESATPESGP GSPAGSPTSTEEGSP AGSPTSTEEGTSTEPS EGSAPGTSESATPES GPGTSESATPESGPG TSESATPESGPGSEP ATSGSETPGSEPATS GSETPGSPAGSPTST EEGTSTEPSEGSAPG TSTEPSEGSAPGSEP ATSGSETPGTSESAT PESGPGTSTEPSEGS AP	CGTCTGCACCAGCTGGCCTTTGATACTTACCAGGAATTTGAAGA AGCCTACATTCTCTAAAGAGCAGAAAGTACTCTTTCTGCAAAACC CACAGACTTCTCTCTGCTTCAGCGAATCTATTCCGACGCCCTCC AATCGCGAGGAACTCAGCAAAAGTCCAATCTGGAACACTACTCC GCATTTCTCTGCTTCTGATTACAGAGCTGGCTAGAACAGTGCAA TTTCTGCGTTCCGTCTTCGCCAATAGCCTAGTTTATGGCGCATCC GACAGCAACGTATACGATCTCCTGAAAGATCTCGAGGAAGGCA TTCAGACCCTGATGGGTCTGCTCGAGGATGGCTCTCCGCGTACT GGTGAGATCTTCAAGCAGACTTACTCTAAATTTGATACTAACAG CCACAATGACGATGCGCTTCTAAAAAACTATGGTCTGCTGTATT GTTTTCGTAAAGATATGGACAAAGTTGAAACCTTCTGCGTATT GTTCAGTGTCTGTTCCGTGAGGGCAGCTGTGGTTTCTAAGGTGG TACCTCTGAAAGCGCAACTCTGAGTCTGGCCAGGTAGCGAA CCTGCTACCTCCGGCTCTGAGACTCCAGGTACCTCTGAAAGCGC AACCCCGGAATCTGGTCCAGGTAGCGAACCTGCAACCTCTGGC TCTGAAACCCAGGTACCTCTGAAAGCGCTACTCCTGAATCTGG CCCAGGTACTTCTACTGAACCGTCCGAGGGCAGCGCACCAGGT AGCCCTGCTGGCTCTCCAACCTCCACCGAAGAAGGTACCTCTGA AAGCGCAACCCCTGAATCCGGCCAGGTAGCGAACCGGCAACC TCCGGTTCTGAAACCCAGGTACTTCTGAAAGCGCTACTCCTGA GTCCGGCCAGGTAGCCCGGCTGGCTCTCCGACTTCCACCGAG GAAGGTAGCCCGGCTGGCTCTCCAACCTTCTACTGAAGAAGGTA CTTCTACCGAACCTTCCGAGGGCAGCGCACCAGGTACTTCTGAA AGCGCTACCCCTGAGTCCGGCCAGGTACTTCTGAAAGCGCTA CTCCTGAATCCGGTCCAGGTACTTCTGAAAGCGCTACCCCGGAA TCTGGCCAGGTAGCGAACCCGGCTACTTCTGGTTCTGAAACCC AGGTAGCGAACCCGGCTACCTCCGGTTCTGAAACTCCAGGTAGC CCAGCAGGCTCTCCGACTTCCACTGAGGAAGGTACTTCTACTGA ACCTTCCGAAGGCAGCGCACCAGGTACCTCTACTGAACCTTCTG AGGGCAGCGCTCCAGGTAGCGAACCTGCAACCTCTGGCTCTGA AACCCAGGTACCTCTGAAAGCGCTACTCCTGAATCTGGCCCA GGTACTTCTACTGAACCGTCCGAGGGCAGCGCACCA
AM875- hGH- AE288	GTSTEPSEGSAPGSE PATSGSETPGSPAGS PTSTEEGSTSSTAESP GPGTSTPESGSAPG STSESPSGTAPGSTSE SPSGTAPGTSTPESGS ASPGTSTPESGSASP GSEPATSGSETPGTS ESATPESGPGSPAGS PTSTEEGTSTEPSEGS APGTSESATPESGPG TSTEPSEGSAPGTSTE PSEGSAPGSPAGSPT STEEGTSTEPSEGSAP GTSTEPSEGSAPGTS ESATPESGPGTSESA TPESGPGTSTEPSEGS APGTSTEPSEGSAPG TSESATPESGPGTSTE PSEGSAPGSEPATSG SETPGSPAGSPTSTEE GSSTPSGATGSPGTP GSGTASSPGSSTPS GATGSPGTSTEPSEG SAPGTSTEPSEGSAP GSEPATSGSETPGSP AGSPTSTEEGSPAGS	GGTACTTCTACTGAACCGTCTGAAGGCAGCGCACCAGGTAGCG AACCGGCTACTTCCGGTTCTGAAACCCAGGTAGCCAGCAGG TTCTCCAACCTTCTACTGAAGAAGGTTCTACCAGTCTACCGCAG AATCTCCTGGTCCAGGTACCTCTACTCCGGAAAGCGGCTCTGCA TCTCCAGGTTCTACTAGTCAATCTCCTTCTGGCACTGCACAGG TTCTACTAGCGAATCCCGCTCTGGTACTGCTCCAGGTACTTCTA CTCCTGAAAGCGGTTCCGCTTCTCCAGGTACCTCTACTCCGGAA AGCGGTTCTGCATCTCCAGGTAGCGAACCCGGCAACCTCCGGCT CTGAAACCCAGGTACCTCTGAAAGCGCTACTCCTGAATCCGG CCCAGGTAGCCCGGCAGGTTCTCCGACTTCCACTGAGGAAGGT ACCTCTACTGAACCTTCTGAGGGCAGCGCTCCAGGTACTTCTGA AAGCGTACCCCGGAGTCCGGTCCAGGTACTTCTACTGAACCGT CCGAAGGTAGCGCACCAGGTACTTCTACCGAACCGTCCGAGGG TAGCGCACCAGGTAGCCAGCAGGTTCTCCTACCTCCACCGAG GAAGGTACTTCTACCGAACCGTCCGAGGGTAGCGCACCAGGTA CTTCTACCGAACCTTCCGAGGGCAGCGCACCAGGTACTTCTGAA AGCGTACCCCTGAGTCCGGCCAGGTACTTCTGAAAGCGCTA CTCCTGAATCCGGTCCAGGTACCTCTACTGAACCTTCCGAAGGC AGCGTCCAGGTACCTCTACCGAACCGTCCGAGGGCAGCGCAC CAGGTACTTCTGAAAGCGCAACCCCTGAATCCGGTCCAGGTAC TTCTACTGAACCTTCCGAAGGTAGCGCTCCAGGTAGCGAACCTG CTAATTCTGGTTCTGAAACCCAGGTAGCCCGGCTGGCTCTCCG ACCTCCACCGAGGAAGGTAGCTCTACCCCGTCTGGTGCTACTGG TTCTCCAGGTACTCCGGGCAGCGGTACTGCTTCTTCTCTCCAG GTAGCTCTACCCCTTCTGGTGCTACTGGCTCTCCAGGTACCTCT ACCGAACCGTCCGAGGGTAGCGCACCAGGTACCTCTACTGAAC CGTCTGAGGGTAGCGCTCCAGGTAGCGAACCCGGCAACCTCCGG

GHXTEN Name*	Amino Acid Sequence	DNA Nucleotide Sequence
	PTSTEEGTSTEPSEGS APGASASGAPSTGGT SESATPESGPGSPAG SPTSTEEGSPAGSPTS TEEGTSSTAESPGP GSTSESPSGTAPGTSP SGESSTAPGTPGSGT ASSSPGSSTPSGATG SPGSSPSASTGTGPG SEPATSGSETPGTSES ATPESGPGSEPATSG SETPGSTSSTAESPGP GSTSSTAESPGPGTSP SGESSTAPGSEPATS GSETPGSEPATSGSE TPGTSTEPSEGSAPG STSSTAESPGPGTSTP ESGSASPGSTSESPSG TAPGTSTEPSEGSAP GTSTEPSEGSAPGTS TEPSEGSAPGSSTPSG ATGSPGSSPSASTGT GPGASPGTSSTGSPG SEPATSGSETPGTSES ATPESGPGSPAGSPT STEEGSSTPSGATGS PGSSPSASTGTGPGA SPGTSSTGSPGTSESA TPESGPGTSTEPSEGS APGTSTEPSEGSAPG FPTIPLSRFLDNAML RAHRLHQLAFDTYQ EFEEAYIPKEQKYSF LQNPQTSLCFSESIPT PSNREETQQKSNLEL LRIISLLIQSWLEPVQ FLRSVFANSLVYGAS DSNVYDLLKDLEEGI QTLMGRLEDGSPRT GQIFKQTYSKFDTNS HNDDALLKNYGLLY CFRKMDMDKVETFLRI VQCRSVEGSCGFGG TSESATPESGPGSEP ATSGSETPGTSESAT PESGPGSEPATSGSE TPGTSESATPESGPG TSTEPSEGSAPGSPA GSPTSTEEGTSESATP ESGPGSEPATSGSET PGTSESATPESGPGSP AGSPTSTEEGSPAGS PTSTEEGTSTEPSEGS APGTSESATPESGPG TSESATPESGPGTSES ATPESGPGSEPATSG SETPGSEPATSGSETP GSPAGSPTSTEEGTS TEPSEGSAPGTSTEPS	TTCTGAAACTCCAGGTAGCCCTGCTGGCTCTCCGACTTCTACTG AGGAAGGTAGCCCCGGCTGGTTCTCCGACTTCTACTGAGGAAGG TACTTCTACCGAACCTTCCGAAGGTAGCGCTCCAGGTGCAAGC GCAAGCGGCGCGCCAAGCACGGGAGGTACTTCTGAAAAGCGCTA CTCCTGAGTCCGGCCAGGTAGCCCGGCTGGCTCTCCGACTTCC ACCGAGGAAGGTAGCCCGGCTGGCTCTCCAACCTTCTACTGAAG AAGGTTCTACCAGCTCTACCCTGAATCTCTGGCCAGGTTCT ACTAGCGAATCTCCGTCTGGCACCAGGTACTTCCCCTAG CGGTGAATCTTCTACTGCACCAGGTACCCCTGGCAGCGGTACCG CTTCTTCTCTCCAGGTAGCTCTACCCCGTCTGGTGCTACTGGCT CTCAGGTTCTAGCCCGTCTGCATCTACCGGTACCGGCCAGGT AGCGAACCGGCAACCTCCGGCTCTGAAACTCCAGGTACTTCTG AAAGCGCTACTCCGGAATCCGGCCAGGTAGCGAACCGGTAC TTCCGGCTCTGAAACCCAGGTTCCACCAGCTCTACTGCAGAAT CTCGGGCCAGGTTCTACTAGCTCTACTGCAGAATCTCCGGGT CCAGGTACTTCTCCTAGCGGCGAATCTTCTACCGCTCCAGGTAG CGAACCGGCAACCTCTGGCTCTGAAACTCCAGGTAGCGAACCT GCAACCTCCGGCTCTGAAACCCAGGTACTTCTACTGAACCTTC TGAGGGCAGCGCACCAGGTTCTACCAGCTCTACCGCAGAATCT CCTGGTCCAGGTACCTCTACTCCGGAAGCGGCTCTGCATCTCC AGGTTCTACTAGCGAATCTCCTTCTGGCACTGCACCAGGTACTT CTACCGAACCGTCCGAAGGCAGCGCTCCAGGTACCTCTACTGA ACCTTCCGAGGGCAGCGCTCCAGGTACCTCTACCGAACCTTCTG AAGGTAGCGCACCAGGTAGCTCTACTCCGTCTGGTGCAACCGG CTCCCCAGGTTCTAGCCCGTCTGCTTCCACTGGTACTGGCCAG GTGCTTCCCCGGGCACCAGCTCTACTGGTTCTCCAGGTAGCGAA CCTGCTACCTCCGGTTCTGAAACCCAGGTACCTCTGAAAGCGC AACTCCGGAGTCTGGTCCAGGTAGCCCTGCAGGTTCTCCTACCT CCACTGAGGAAGGTAGCTCTACTCCGTCTGGTGCAACCGGCTCC CCAGGTTCTAGCCCGTCTGCTTCCACTGGTACTGGCCAGGTGC TTCCCCGGGCACCAGCTCTACTGGTTCTCCAGGTACCTCTGAAA GCGCTACTCCGGAGTCTGGCCAGGTACCTCTACTGAACCGTCT GAGGGTAGCGCTCCAGGTACTTCTACTGAACCGTCCGAAGGTA GCGCACCAGGTTTTCCGACTATTCCGCTGTCTCGTCTGTTTGAT AATGCTATGCTGCGTGCGCACCCTGTCACCAGGTGGCCTTTGA TACTTACCAGGAATTTGAAGAAGCCTACATTCCTAAAGAGCAGA AGTACTCTTTCCTGTTGAACCCACAGACTTCTCTCTGCTTCAGC GAATCTATTCCGACGCCTTCCAATCGCGAGGAAACTCAGCAAA AGTCCAATCTGGAACCTACTCCGCATTTCTCTGCTTCTGATTGAG AGCTGGCTAGAACAGTGCAATTTCTGCGTTCCGTCTTCGCCAA TAGCCTAGTTTATGGCGCATCCGACAGCAACGTATACGATCTCC TGAAAGATCTCGAGGAAGGCATTCAGACCCTGATGGGTGCTCT CGAGGATGGCTCTCCGCGTACTGGTCAGATCTTCAAGCAGACTT ACTCTAAATTTGATACTAACAGCCACAATGACGATGCGCTTCTA AAAAATATGGTCTGCTGTATTGTTTTTCGTAAAGATATGGACAA AGTTGAAACCTTCCGTGCTATTGTTTCAGTGTGCTTCCGTTGAGG GCAGCTGTGGTTTCTAAGGTGGTACCTCTGAAAGCGCAACTCCT GAGTCTGGCCAGGTAGCGAACCTGCTACCTCCGGCTCTGAGA CTCAGGTACCTCTGAAAGCGCAACCCCGGAATCTGGTCCAGG TAGCGAACCTGCAACCTCTGGCTCTGAAACCCAGGTACCTCTG AAAGCGCTACTCCTGAATCTGGCCAGGTACTTCTACTGAACCG TCCGAGGGCAGCGCACCAGGTAGCCCTGCTGGCTCTCCAACCT CCACCGAAGAAGGTACCTCTGAAAGCGCAACCCCTGAATCCGG CCCAGGTAGCGAACCGGCAACCTCCGGTTCTGAAACCCAGGT ACTTCTGAAAGCGCTACTCCTGAGTCCGGCCAGGTAGCCCGG CTGGCTCTCCGACTTCCACCGAGGAAGGTAGCCCGGCTGGCTCT CCAACTTCTACTGAAGAAGGTACTTCTACCGAACCTTCCGAGGG CAGCGCACCAGGTACTTCTGAAAGCGCTACCCCTGAGTCCGGC CCAGGTACTTCTGAAAGCGCTACTCCTGAATCCGGTCCAGGTAC

GHXTEN Name*	Amino Acid Sequence	DNA Nucleotide Sequence
	EGSAPGSEPATSGSE TPGTSESATPESGPG TSTEPSEGSAP	TTCTGAAAGCGCTACCCCGGAATCTGGCCCAGGTAGCGAACCG GCTACTTCTGGTTCTGAAACCCAGGTAGCGAACCGGCTACCTC CGGTTCTGAAACTCCAGGTAGCCCAGCAGGCTCTCCGACTTCCA CTGAGGAAGGTACTTCTACTGAACCTTCCGAAGGCAGCGCACC AGGTACCTCTACTGAACCTTCTGAGGGCAGCGCTCCAGGTAGC GAACCTGCAACCTCTGGCTCTGAAACCCAGGTACCTCTGAAA GCGCTACTCCTGAATCTGGCCCAGGTACTTCTACTGAACCGTCC GAGGGCAGCGCACCA
AE912- hGH- AE288	MAEPAGSPTSTEEGT PGSGTASSSPGSSTPS GATGSPGASPGTSST GSPGSPAGSPTSTEE GTSESATPESGPGTS TEPSEGSAPGSPAGS PTSTEEGTSTEPSEGS APGTSTEPSEGSAPG TSESATPESGPGSEP ATSGSETPGSEPATS GSETPGSPAGSPTST EEGTSESATPESGPG TSTEPSEGSAPGTSTE PSEGSAPGSPAGSPT STEEGTSTEPSEGSAP GTSTEPSEGSAPGTS ESATPESGPGTSTEPS EGSAPGTSESATPES GPGSEPATSGSETPG TSTEPSEGSAPGTSTE PSEGSAPGTSESATP ESGPGTSESATPESG PGSPAGSPTSTEEGT SESATPESGPGSEPA TSGSETPGTSESATPE SGPGTSTEPSEGSAP GTSTEPSEGSAPGTS TEPSEGSAPGTSTEPS EGSAPGTSTEPSEGS APGTSTEPSEGSAPG SPAGSPTSTEEGTSTE PSEGSAPGTSESATP ESGPGSEPATSGSET PGTSESATPESGPGS EPATSGSETPGTSES ATPESGPGTSTEPSE GSAPGTSESATPESG PGSPAGSPTSTEEGSP AGSPTSTEEGSPAGS PTSTEEGTSESATPES GPGTSTEPSEGSAPG TSESATPESGPGSEP ATSGSETPGTSESAT PESGPGSEPATSGSE TPGTSESATPESGPG TSTEPSEGSAPGSPA GSPTSTEEGTSESATP ESGPGSEPATSGSET PGTSESATPESGPGSP AGSPTSTEEGSPAGS PTSTEEGTSTEPSEGS	ATGGCTGAACCTGCTGGCTCTCCAACCTCCACTGAGGAAGGTA CCCCGGGTAGCGGTACTGCTTCTCCTCTCCAGGTAGCTCTACC CCTTCTGGTGCAACCGGCTCTCCAGGTGCTTCTCCGGGCACCAG CTCTACCGGTTCTCCAGGTAGCCCCGGCTGGCTCTCCTACCTCTA CTGAGGAAGGTACTTCTGAAAGCGCTACTCCTGAGTCTGGTCCA GGTACCTCTACTGAACCGTCCGAAGGTAGCGTCCAGGTAGCGC CAGCAGGCTCTCCGACTTCCACTGAGGAAGGTACTTCTACTGAA CCTTCCGAAGGCAGCGCACCAGGTACCTCTACTGAACCTTCTGA GGGCAGCGCTCCAGGTACTTCTGAAAGCGCTACCCCGGAATCT GGCCAGGTAGCGAACCGGCTACTTCTGGTTCTGAAACCCAG GTAGCGAACCGGCTACCTCCGGTTCTGAAACTCCAGGTAGCCC GGCAGGCTCTCCGACCTCTACTGAGGAAGGTACTTCTGAAAGC GCAACCCCGGAGTCCGGCCCAGGTACCTCTACCGAACCGTCTG AGGGCAGCGCACCAGGTACTTCTACCGAACCGTCCGAGGGTAG CGCACCAGGTAGCCCAGCAGGTTCTCCTACCTCCACCAGGAA GGTACTTCTACCGAACCGTCCGAGGGTAGCGCACCAGGTACCT CTACTGAACCTTCTGAGGGCAGCGCTCCAGGTACTTCTGAAAGC GCTACCCCGGAGTCCGGTCCAGGTACTTCTACTGAACCGTCCGA AGGTAGCGCACCAGGTACTTCTGAAAGCGCAACCCCTGAATCC GGTCCAGGTAGCGAACCGGCTACTTCTGGCTCTGAGACTCCAG GTACTTCTACCGAACCGTCCGAAGGTAGCGCACCAGGTACTTCT ACTGAACCGTCTGAAGGTAGCGCACCAGGTACTTCTGAAAGCG CAACCCCGGAATCCGGCCCAGGTACCTCTGAAAGCGCAACCC GGAGTCCGGCCCAGGTAGCCCTGCTGGCTCTCCAACCTCCACCG AAGAAGGTACCTCTGAAAGCGCAACCCCTGAATCCGGCCCAGG TAGCGAACCGGCAACCTCCGGTTCTGAAACCCAGGTACCTCT GAAAGCGCTACTCCGGAGTCTGGCCCAGGTACCTCTACTGAAC CGTCTGAGGGTAGCGTCCAGGTACTTCTACTGAACCGTCCGAA GGTAGCGCACCAGGTACTTCTACCGAACCGTCCGAAGGCAGCG CTCCAGGTACCTCTACTGAACCTTCCGAGGGCAGCGCTCCAGGT ACCTCTACCGAACCTTCTGAAGGTAGCGCACCAGGTACTTCTAC CGAACCGTCCGAGGGTAGCGCACCAGGTAGCCCAGCAGGTTCT CCTACCTCCACCGAGGAAGGTACTTCTACCGAACCGTCCGAGG GTAGCGCACCAGGTACCTCTGAAAGCGCAACTCCTGAGTCTGG CCCAGGTAGCGAACCTGCTACCTCCGGCTCTGAGACTCCAGGT ACCTCTGAAAGCGCAACCCCGGAATCTGGTCCAGGTAGCGAAC CTGCAACCTCTGGCTCTGAAACCCAGGTACCTCTGAAAGCGCT ACTCCTGAATCTGGCCCAGGTACTTCTACTGAACCGTCCGAGGG CAGCGCACCAGGTACTTCTGAAAGCGCTACTCCTGAGTCCGGC CCAGGTAGCCCGGCTGGCTCTCCGACTTCCACCAGGGAAGGTA GCCCAGGTGGCTCTCCAACCTTCTACTGAAGAAGGTAGCCCGC AGGCTCTCCGACCTCTACTGAGGAAGGTACTTCTGAAAGCGCA ACCCCGGAGTCCGGCCCAGGTACCTCTACCGAACCGTCTGAGG GCAGCGCACCAGGTACCTCTGAAAGCGCAACTCCTGAGTCTGG CCCAGGTAGCGAACCTGCTACCTCCGGCTCTGAGACTCCAGGT ACCTCTGAAAGCGCAACCCCGGAATCTGGTCCAGGTAGCGAAC CTGCAACCTCTGGCTCTGAAACCCAGGTACCTCTGAAAGCGCT ACTCCTGAATCTGGCCCAGGTACTTCTACTGAACCGTCCGAGGG CAGCGCACCAGGTAGCCCTGCTGGCTCTCCAACCTCCACCAGAA GAAGGTACCTCTGAAAGCGCAACCCCTGAATCCGGCCCAGGTA GCGAACCGGCAACCTCCGGTTCTGAAACCCAGGTACTTCTGA

GHXTEN Name*	Amino Acid Sequence	DNA Nucleotide Sequence
	APGTSESATPESGPG TSESATPESGPGTSES ATPESGPGSEPATSG SETPGSEPATSGSETP GSPAGSPTSTEEGTS TEPSEGSAPGTSTEPS EGSAPGSEPATSGSE TPGTSESATPESGPG TSTEPSEGSAPGFPTI PLSRLFDNAMLRAH RLHQLAFDITYQEFEE AYIPKEQKYSFLQNP QTSLCFSESIPTPSNR EETQQKSNLELLRIS LLLIQSWLEPVQFLR SVFANSVLVYGASDS NVYDLLKDLEEGIQT LMGRLEDGSPRTGQI FKQTYSKFDTNSHN DDALLKNYGLLYCF RKDMDKVETFLRIV QCRSVEGSCGFGGTS ESATPESGPGSEPAT SGSETPGTSESATPES GPGSEPATSGSETPG TSESATPESGPGTSTE PSEGSAPGSPAGSPT STEEGTSESATPESGP GSEPATSGSETPGTS ESATPESGPGSPAGS PTSTEEGSPAGSPTST EEGTSTEPSEGSAPG TSESATPESGPGTSES ATPESGPGTSESATP ESGPGSEPATSGSET PGSEPATSGSETPGSP AGSPTSTEEGTSTEPS EGSAPGTSTEPSEGS APGSEPATSGSETPG TSESATPESGPGTSTE PSEGSAP	AAGCGCTACTCCTGAGTCCGGCCCCAGGTAGCCCGGCTGGCTCTC CGACTTCCACCGAGGAAGGTAGCCCGGCTGGCTCTCCAACCTTCT ACTGAAGAAGGTACTTCTACCGAACCTTCCGAGGGCAGCGCAC CAGGTACTTCTGAAAGCGCTACCCCTGAGTCCGGCCCCAGGTACT TCTGAAAGCGCTACTCCTGAATCCGGTCCAGGTACTTCTGAAAG CGTACCCCGGAATCTGGCCCCAGGTAGCGAACCCGGCTACTTCT GGTTCTGAAACCCAGGTAGCGAACCCGGCTACCTCCGGTTCTG AAATCCAGGTAGCCCAGCAGGCTCTCCGACTTCCACTGAGGA AGGTACTTCTACTGAACCTTCCGAAGGCAGCGCACCAGGTACC TCTACTGAACCTTCTGAGGGCAGCGCTCCAGGTAGCGAACCTG CAACCTCTGGCTCTGAAACCCAGGTACCTCTGAAAGCGCTACT CCTGAATCTGGCCCCAGGTACTTCTACTGAACCGTCCGAGGGCA GCGCACCAGGTTTTCCGACTATTCCGCTGTCTCGTCTGTTGAT AATGCTATGCTGCGTGCGCACCGTCTGCACCAGCTGGCCTTTGA TACTTACCAGGAATTTGAAGAAGC ₆ TACATTCTAAAGAGCAGA AGTACTCTTTCTGCAAAACCCACAGACTTCTCTCTGCTTCAGC GAATCTATTCCGACGCTTCCAATCGCGAGGAAACTCAGCAAA AGTCCAATCTGGAACACTCTCCGCATTTCTCTGCTTCTGATTGAG AGCTGGCTAGAACCAGTGCAATTTCTGCGTTCCGCTCTTCGCCAA TAGCCTAGTTTATGGCGCATCCGACAGCAACGTATACGATCTCC TGAAAGATCTCGAGGAAGGCATTCAGACCCTGATGGGTCGTCT CGAGGATGGCTCTCCGCGTACTGGTCAGATCTTCAAGCAGACTT ACTCTAAATTTGATACTAACAGCCACAATGACGATGCGCTTCTA AAAAATATGGTCTGCTGTATTGTTTTCGTAAAGATATGGACAA AGTTGAAACCTTCCCTGCGTATTGTTTCAGTGTCTGTTCCGTTGAGG GCAGCTGTGGTTTCTAAGGTGGTACCTCTGAAAGCGCAACTCCT GAGTCTGGCCCCAGGTAGCGAACCTGCTACCTCCGGCTCTGAGA CTCCAGGTACCTCTGAAAGCGCAACCCCGGAATCTGGTCCAGG TAGCGAACCTGCAACCTCTGGCTCTGAAACCCAGGTACCTCTG AAAGCGCTACTCCTGAATCTGGCCCCAGGTACTTCTACTGAACCG TCCGAGGGCAGCGCACCAGGTAGCCCTGCTGGCTCTCCAACCT CCACCGAAGAAGGTACCTCTGAAAGCGCAACCCCTGAATCCGG CCCAGGTAGCGAACCCGGCAACCTCCGGTTCTGAAACCCAGGT ACTTCTGAAAGCGCTACTCCTGAGTCCGGCCCCAGGTAGCCCGG CTGGCTCTCCGACTTCCACCGAGGAAGGTACTTACGCCGCTGGCTCT CCAACTTCTACTGAAGAAGGTACTTCTACCGAACCTTCCGAGGG CAGCGCACCAGGTACTTCTGAAAGCGCTACCCCTGAGTCCGGC CCAGGTACTTCTGAAAGCGCTACTCCTGAATCCGGTCCAGGTAC TTCTGAAAGCGCTACCCCGGAATCTGGCCCCAGGTAGCGAACCG GCTACTTCTGGTTCTGAAACCCAGGTAGCGAACCCGGCTACCTC CGGTTCTGAAACTCCAGGTAGCCCAGCAGGCTCTCCGACTTCCA CTGAGGAAGGTACTTCTACTGAACCTTCCGAAGGCAGCGCACC AGGTACCTCTACTGAACCTTCTGAGGGCAGCGCTCCAGGTAGC GAACCTGCAACCTCTGGCTCTGAAACCCAGGTACCTCTGAAA GCGCTACTCCTGAATCTGGCCCCAGGTACTTCTACTGAACCGTCC GAGGGCAGCGCACCA
AM923- hGH- AE288	MAEPAGSPTSTEEGA SPGTSSSTGSPGSSTPS GATGSPGSSTPSGAT GSPGTSTEPSEGSAP GSEPATSGSETPGSP AGSPTSTEEGSTSST AESPGPGTSTPESGS ASPGSTSESPTAP GSTSESPSGTAPGTS TPESGSASPGTSTPES GSASPGSEPATSGSE TPGTSESATPESGPG SPAGSPTSTEEGTSTE	ATGGCTGAACCTGCTGGCTCTCCAACCTCCACTGAGGAAGGTG CATCCCCGGGCACCAGCTCTACCGGTTCTCCAGGTAGCTCTACC CCGTCTGGTGCTACCGGCTCTCCAGGTAGCTCTACCCCGTCTGG TGCTACTGGCTCTCCAGGTACTTCTACTGAACCGTCTGAAGGCA GCGCACCAGGTAGCGAACCCGGCTACTTCCGGTTCTGAAACCCC AGGTAGCCCAGCAGGTTCTCCAACCTTCTACTGAAGAAGGTTCTA CCAGCTCTACCGCAGAATCTCCTGGTCCAGGTACCTCTACTCCG GAAAGCGGCTCTGCATCTCCAGGTTCTACTAGCGAATCTCCTTC TGGCACTGCACCAGGTTCTACTAGCGAATCCCCGTCTGGTACTG CTCCAGGTACTTCTACTCCTGAAAGCGGTTCCGCTTCTCCAGGT ACCTCTACTCCGGAAAGCGGTTCTGCATCTCCAGGTAGCGAACCC GGCAACCTCCGGCTCTGAAACCCAGGTACCTCTGAAAGCGCT ACTCCTGAATCCGGCCCCAGGTAGCCCGGCAGGTCTCCGACTTC

GHXTEN Name*	Amino Acid Sequence	DNA Nucleotide Sequence
	PSEGSAPGTSESATP ESGPGTSTEPSEGS PGTSTEPSEGSAPGSP AGSPTSTEEGTSTEPS EGSAPGTSTEPSEGS APGTSESATPESGPG TSESATPESGPGTSTE PSEGSAPGTSTEPSE GSAPGTSESATPESG PGTSTEPSEGSAPGS EPATSGSETPGSPAG SPTSTEEGSSTPSGAT GSPGTPGSGTASSSP GSSTPSGATGSPGTS TEPSEGSAPGTSTEPS EGSAPGSEPATSGSE TPGSPAGSPTSTEEG SPAGSPTSTEEGTSTE PSEGSAPGASASGAP STGGTSESATPESGP GSPAGSPTSTEEGSP AGSPTSTEEGSTSST AESP GPGSTSES PGT APGTSPSGESSTAPG TPGSGTASSSPGSSTP SGATGSPGSSPSAST GTGPGSEPATSGSET PGTSESATPESGPGS EPATSGSETPGSTSST AESP GPGSTSSTAESP GPGTSPSGESSTAPG SEPATSGSETPGSEP ATSGSETPGTSTEPSE GSAPGSTSSTAESPG PGTSTPESGASPGST SESPSGTAPGTSTEPS EGSAPGTSTEPSEGS APGTSTEPSEGSAPG SSTPSGATGSPGSSPS ASTGTGPGASPGTSS TGSPGSEPATSGSET PGTSESATPESGPGSP AGSPTSTEEGSSTPS GATGSPGSSPSASTG TGPGASPGTSSTGSP GTSESATPESGPGTS TEPSEGSAPGTSTEPS EGSAPGFPTIPLSRLF DNAMLRAHRLHQL AFDTYQEFEEAYIPK EQKYSFLQNPQTS LC FSESIPTSNREETQQ KSNLELLRISLLLIQS WLEPVQFLRSVFAN SLVYGASDSNVYDL LKDLEEGIQTLMGRL EDGSPRTGQIFKQTY SKFDTNSHND DALL KNYGLLYCFRKDMD	CACTGAGGAAGGTACCTCTACTGAACCTTCTGAGGGCAGCGCT CCAGGTACTTCTGAAAGCGCTACCCCGGAGTCCGGTCCAGGTA CTTCTACTGAACCGTCCGAAGGTAGCGCACCAGGTACTTCTACC GAACCGTCCGAGGGTAGCGCACCAGGTAGCCCAGCAGGTTCTC CTACCTCCACCGAGGAAGGTACTTCTACCGAACCGTCCGAGGG TAGCGCACCAGGTACTTCTACCGAACCTTCCGAGGGCAGCGCA CCAGGTACTTCTGAAAGCGCTACCCCTGAGTCCGGCCCCAGGTA CTTCTGAAAGCGCTACTCCTGAATCCGGTCCAGGTACCTCTACT GAACCTTCCGAAGGCAGCGCTCCAGGTACCTCTACCGAACCGT CCGAGGGCAGCGCACCAGGTACTTCTGAAAGCGCAACCCCTGA ATCCGGTCCAGGTACTTCTACTGAACCTTCCGAAGGTAGCGCTC CAGGTAGCGAACCTGCTACTTCTGGTTCTGAAACCCAGGTAGC CCGGCTGGCTCTCCGACCTCCACCGAGGAAGGTAGCTCTACCCC GTCTGGTGCTACTGGTTCTCCAGGTACTCCGGGCAGCGGTACTG CTTCTTCTCTCCAGGTAGCTCTACCCCTTCTGGTGCTACTGGCT CTCCAGGTACCTCTACCGAACCGTCCGAGGGTAGCGCACCAGG TACCTCTACTGAACCGTCTGAGGGTAGCGCTCCAGGTAGCGAA CCGGCAACCTCCGGTTCTGAAACTCCAGGTAGCCCTGCTGGCTC TCCGACTTCTACTGAGGAAGGTAGCCCGGCTGGTTCTCCGACTT CTACTGAGGAAGGTACTTCTACCGAACCTTCCGAAGGTAGCGC TCCAGGTGCAAGCGCAAGCGGCGCGCCAAGCACGGGAGGTACT TCTGAAAGCGCTACTCCTGAGTCCGGCCCCAGGTAGCCCGGCTG GCTCTCCGACTTCCACCGAGGAAGGTAGCCCGGCTGGCTCTCCA ACTTCTACTGAAGAAGGTTCTACCAGCTCTACCGCTGAATCTCC TGGCCCCAGGTTCTACTAGCGAATCTCCGCTCTGGCACCAGCACC GTACTTCCCCTAGCGGTGAATCTTCTACTGCACCAGGTACCCCT GGCAGCGGTACCGCTTCTTCTCTCCAGGTAGCTCTACCCCGTC TGGTGCTACTGGCTCTCCAGGTTCTAGCCCGTCTGCATCTACCG GTACCCGGCCCCAGGTAGCGAACCGGCAACCTCCGGCTCTGAAAC TCCAGGTACTTCTGAAAGCGCTACTCCGGAATCCGGCCCCAGGT AGCGAACCCGGCTACTTCCGGCTCTGAAACCCAGGTTCCACCA GCTCTACTGCAGAATCTCCGGGCCCCAGGTTCTACTAGCTCTACT GCAGAATCTCCGGGTCCAGGTACTTCTCTAGCGGCGAATCTTC TACCGCTCCAGGTAGCGAACCGGCAACCTCTGGCTCTGAAACT CCAGGTAGCGAACCTGCAACCTCCGGCTCTGAAACCCAGGTA CTTCTACTGAACCTTCTGAGGGCAGCGCACCAGGTTCTACCAGC TCTACCGCAGAATCTCCTGGTCCAGGTACCTCTACTCCGGAAG CGGCTCTGCATCTCCAGGTTCTACTAGCGAATCTCCTTCTGGCA CTGCACCAGGTACTTCTACCGAACCGTCCGAAGGCAGCGCTCC AGGTACCTCTACTGAACCTTCCGAGGGCAGCGCTCCAGGTACCT CTACCGAACCTTCTGAAGGTAGCGCACCAGGTAGCTCTACTCCG TCTGGTGCAACCGGCTCCCCAGGTTCTAGCCCGTCTGCTTCCAC TGGTACTGGCCCCAGGTGCTTCCCCGGGCACCAGCTCTACTGGTT CTCCAGGTAGCGAACCTGCTACCTCCGGTTCTGAAACCCAGGT ACCTCTGAAAGCGCAACTCCGGAGTCTGGTCCAGGTAGCCCTG CAGGTTCTCTACCTCCACTGAGGAAGGTAGCTCTACTCCGTCT GGTGCAACCGGCTCCCCAGGTTCTAGCCCGTCTGCTTCCACTGG TACTGGCCCCAGGTGCTTCCCCGGGCACCAGCTCTACTGGTTCTC CAGGTACCTCTGAAAGCGCTACTCCGGAGTCTGGCCCCAGGTAC CTCTACTGAACCGTCTGAGGGTAGCGCTCCAGGTACTTCTACTG AACCGTCCGAAGGTAGCGCACCAGGTTTTCCGACTATTCCGCTG TCTCGTCTGTTTGATAATGCTATGCTGCGTGCACCCGCTGCA CCAGCTGGCCTTTGATACTTACCAGGAATTTGAAGAAGC;TACA TTCCTAAAGAGCAGAAGTACTCTTTCCTGCAAAACCCACAGACT TCTCTCTGCTTCAGCGAATCTATTCCGACGCCTTCCAATCGCGA GGAAACTCAGCAAAAGTCCAATCTGGAAGTACTCCGCATTTCTC TGCTTCTGATTACAGAGCTGGCTAGAACCAAGTGCAATTTCTGCGT TCCGTCTTCGCCAATAGCCTAGTTTATGGCGCATCCGACAGCAA CGTATACGATCTCCTGAAAGATCTCGAGGAAGGCATTACAGACC

GHXTEN Name*	Amino Acid Sequence	DNA Nucleotide Sequence
	KVETFLRIVQCRSVE GSCGFGGTSESATPE SGPGESEATSGSETP GTSESATPESGPGSE PATSGSETPGTSESA TPESGPGTSTEPSEGS APGSPAGSPTSTEEG TSESATPESGPGSEP ATSGSETPGTSESAT PESGPGSPAGSPTSTE EGSPAGSPTSTEEGT STEPSEGSAPGTSES ATPESGPGTSESATP ESGPGTSESATPESG PGSEATSGSETPGS EPATSGSETPGSPAG SPTSTEEGTSTEPSEG SAPGTSTEPSEGSAP GSEATSGSETPGTS ESATPESGPGTSTEPS EGSAP	CTGATGGGTCGTCTCGAGGATGGCTCTCCGCGTACTGGTCAGAT CTTCAAGCAGACTTACTCTAAATTTGATACTAACAGCCACAATG ACGATGCGCTTCTAAAAAACTATGGTCTGCTGTATTGTTTTCGT AAAGATATGGACAAAGTTGAAACCTTCCCTGCGTATTGTTTCAGTG TCGTTCCGTTGAGGGCAGCTGTGGTTTCTAAGGTGGTACCTCTG AAAGCGCAACTCCTGAGTCTGGCCCAGGTAGCGAACCTGCTAC CTCGGGCTCTGAGACTCCAGGTACCTCTGAAAGCGCAACCCCG GAATCTGGTCCAGGTAGCGAACCTGCAACCTCTGGCTCTGAAA CCCAGGTACCTCTGAAAGCGCTACTCCTGAATCTGGCCCAGGT ACTTCTACTGAACCGTCCGAGGGCAGCGCACCAGGTAGCCCTG CTGGCTCTCCAACCTCCACCGAAGAAGGTACCTCTGAAAGCGC AACCCCTGAATCCGCGCCAGGTAGCGAACCGGCAACCTCCGGT TCTGAAACCCAGGTACTTCTGAAAGCGCTACTCCTGAGTCCGG CCCAGGTAGCCCGGCTGGCTCTCCGACTTCCACCGAGGAAGGT AGCCCGGCTGGCTCTCCAACCTTCTACTGAAGAAGGTACTTCTAC CGAACCTTCCGAGGGCAGCGCACCAGGTACTTCTGAAAGCGCT ACCCCTGAGTCCGCGCCAGGTACTTCTGAAAGCGCTACTCCTGA ATCCGGTCCAGGTACTTCTGAAAGCGCTACCCCGGAATCTGGCC CAGGTAGCGAACCCGGCTACTTCTGGTTCTGAAACCCAGGTAG CGAACCCGGCTACCTCCGGTTCTGAAACTCCAGGTAGCCCAGCA GGCTCTCCGACTTCCACTGAGGAAGGTACTTCTACTGAACCTTC CGAAGGCAGCGCACCAGGTACCTCTACTGAACCTTCTGAGGGC AGCGCTCCAGGTAGCGAACCTGCAACCTCTGGCTCTGAAACCC CAGGTACCTCTGAAAGCGCTACTCCTGAATCTGGCCCAGGTACT TCTACTGAACCGTCCGAGGGCAGCGCACCA
AM1318- hGH- AE288	GTSTEPSEGSAPGSE PATSGSETPGSPAGS PTSTEEGSTSSTAESP GPGTSTPESGSASPG STSESPSGTAPGTSE SPSGTAPGTSTPESGS ASPGTSTPESGSASP GSEPATSGSETPGTS ESATPESGPGSPAGS PTSTEEGTSTEPSEGS APGTSESATPESGPG TSTEPSEGSAPGTSTE PSEGSAPGSPAGSPT STEEGTSTEPSEGSAP GTSTEPSEGSAPGTS ESATPESGPGTSESA TPESGPGTSTEPSEGS APGTSTEPSEGSAPG TSESATPESGPGTSTE PSEGSAPGSEPATSG SETPGSPAGSPTSTEE GSSTPSGATGSPGTP GSGTASSPSGSSTPS GATGSPGTSTEPSEG SAPGTSTEPSEGSAP GSEPATSGSETPGSP AGSPTSTEEGSPAGS PTSTEEGTSTEPSEGS APGPEPTGPAPSGGS EPATSGSETPGTSES ATPESGPGSPAGSPT STEEGTSESATPESGP GSPAGSPTSTEEGSP AGSPTSTEEGTSESA	GGTACTTCTACTGAACCGTCTGAAGGCAGCGCACCAGGTAGCG AACCGGCTACTTCCGGTTCTGAAACCCAGGTAGCCCAGCAGG TTCTCCAACCTTCTACTGAAGAAGGTTCTACCAGCTCTACCGCAG AATCTCCTGGTCCAGGTACCTCTACTCCGGAAGCGGCTCTGCA TCTCCAGGTTCTACTAGCGAATCTCCTTCTGGCACTGCACCAGG TTCTACTAGCGAATCCCCGTCTGGTACTGCTCCAGGTACTTCTA CTCCTGAAAGCGGTTCCGCTTCTCCAGGTACCTCTACTCCGGAA AGCGGTTCTGCATCTCCAGGTAGCGAACCCGGCAACCTCCGGCT CTGAAACCCAGGTACCTCTGAAAGCGCTACTCCTGAATCCGG CCCAGGTAGCCCGGCAGGTTCTCCGACTTCCACTGAGGAAGGT ACCTCTACTGAACCTTCTGAGGGCAGCGCTCCAGGTACTTCTGA AAGCGCTACCCCGGAGTCCGGTCCAGGTACTTCTACTGAACCGT CCGAAGGTAGCGCACCAGGTACTTCTACCGAACCGTCCGAGGG TAGCGCACCAGGTAGCCCAGCAGGTTCTCCTACCTCCACCGAG GAAGGTACTTCTACCGAACCGTCCGAGGGTAGCGCACCAGGTACTTCTGAA AGCGCTACCCCTGAGTCCGCGCCAGGTACTTCTGAAAGCGCTA CTCCTGAATCCGGTCCAGGTACCTCTACTGAACCTTCCGAAGGC AGCGCTCCAGGTACCTCTACCGAACCGTCCGAGGGCAGCGCAC CAGGTACTTCTGAAAGCGCAACCCCTGAATCCGGTCCAGGTAC TTCTACTGAACCTTCCGAAGGTAGCGCTCCAGGTAGCGAACCTG CTACTTCTGGTTCTGAAACCCAGGTAGCCCGGCTGGCTCTCCG ACCTCCACCGAGGAAGGTAGCTCTACCCCGTCTGGTGCTACTGG TTCTCCAGGTACTCCGGGCAGCGGTACTGCTTCTTCTCTCCAG GTAGCTCTACCCCTTCTGGTGCTACTGGCTCTCCAGGTACCTCT ACCGAACCGTCCGAGGGTAGCGCACCAGGTACCTCTACTGAAC CGTCTGAGGGTAGCGCTCCAGGTAGCGAACCCGGCAACCTCCGG TTCTGAAACTCCAGGTAGCCCTGCTGGCTCTCCGACTTCTACTG AGGAAGGTAGCCCGGCTGGTTCTCCGACTTCTACTGAGGAAGG TACTTCTACCGAACCTTCCGAAGGTAGCGCTCCAGGTCCAGAAC CAACGGGGCCGGCCCCAAGCGGAGGTAGCGAACCCGGCAACCTC CGGCTCTGAAACCCAGGTACCTCTGAAAGCGCTACTCCTGAAT CCGGCCAGGTAGCCCGGCAGGTTCTCCGACTTCCACTGAGGA AGGTACTTCTGAAAGCGCTACTCCTGAGTCCGCGCCAGGTAGC

GHXTEN Name*	Amino Acid Sequence	DNA Nucleotide Sequence
	TPESGPGSPAGSPTST EEGSPAGSPTSTEEG STSSTAESPSPGSTSE SPSGTAPGTSPSGESS TAPGSTSESPTSPGTAP GSTSESPSGTAPGTSP SGESSTAPGTSTEPSE GSAPGTSESATPESG PGTSESATPESGPGS EPATSGSETPGTSES ATPESGPGTSESATP ESGPGTSTEPSEGS PGTSESATPESGPGT STEPSEGSAPGTSPSG ESSTAPGTSPSGESST APGTSPSGESSTAPG TSTEPSEGSAPGSPA GSPTSTEEGTSTEPSE GSAPGSSPSASTGTG PGSSTPSGATGSPGS STPSGATGSPGSSTPS GATGSPGSSTPSGAT GSPGASPGTSSTGSP GASASGAPSTGGTSP SGESSTAPGSTSSTA ESPGPGTSPSGESSTA PGTSESATPESGPGT STEPSEGSAPGTSTEP SEGSAPGSSPSASTG TGPSSSTPSGATGSP GASPGTSSTGSPGTS TPESGSASPGTSPSGE SSTAPGTSPSGESSTA PGTSESATPESGPGS EPATSGSETPGTSTEP SEGSAPGTSESPTSGT APGSTSESPTSGTAPG TSTEPSEGSASPGSPA GSPTSTEEGTSESATP ESGPGTSTEPSEGS PGSPAGSPTSTEEGT SESATPESGPGSEPA TSGSETPGSSTPSGA TGSPGASPGTSSTGS PGSSTPSGATGSPGS TSESPSGTAPGTSPSG ESSTAPGSTSSTAESP GPGSSTPSGATGSPG ASPGTSTSTGSPGTPG SGTASSSPGSPAGSP TSTEEGSPAGSPTSTE EGTSTEPSEGSAPGF PTIPLSRFDNAMLRL AHRHLQLAFTDYQE FEEAYIPKEQKYSFL QNPQTSLCFSESIPTP SNREETQQKSNLELL RISLLLIQSWLEPVQF LRSVFANSLVYGAS	CCGGCTGGCTCTCCGACTTCCACCGAGGAAGGTAGCCCGGCTG GCTCTCCAACCTTCTACTGAAGAAGGTACTTCTGAAAGCGCTACT CCTGAGTCCGGCCAGGTAGCCCGGCTGGCTCTCCAACCTTCTACTGAAGAA CGAGGAAGGTAGCCCGGCTGGCTCTCCAACCTTCTACTGAAGAA GGTTCTACCAGCTCTACCGCTGAATCTCTGCCCCAGGTTCTAC TAGCGAATCTCCGTCTGGCACCAGGTACTTCCCCTAGCG GTGAATCTTCTACTGCACCAGGTTCTACCAGCGAATCTCCTTCT GGCACCGCTCCAGGTTCTACTAGCGAATCCCCGTCTGGTACCGC ACCAGGTACTTCTCTAGCGGCGAATCTTCTACCAGCACCAGGTA CTTCTACCGAACCTTCCGAGGGCAGCGCACCAGGTACTTCTGAA AGCGCTACCCCTGAGTCCGGCCAGGTACTTCTGAAAGCGCTA CTCCTGAATCCGGTCCAGGTAGCGAACCAGGCAACCTCTGGCTCT GAAACCCAGGTACTTCTGAAAGCGCTACTCCGGAATCTGGTCT CAGGTACTTCTGAAAGCGCTACTCCGGAATCCGGTCCAGGTAC CTCTACTGAACCTTCTGAGGGCAGCGCTCCAGGTACTTCTGAAA GCGCTACCCCGGAGTCCGGTCCAGGTACTTCTACTGAACCGTCC GAAGGTAGCGCACCAGGTACTTCCCCTAGCGGCGAATCTTCTA CTGCTCCAGGTACTTCTCTAGCGGCGAATCTTCTACCAGTCCA GGTACTTCCCCTAGCGGTGAATCTTCTACCAGCACCAGGTACTTC TACCGAACCGTCCGAGGGTAGCGCACCAGGTAGCCAGCAGGT TCTCCTACCTCCACCGAGGAAGGTACTTCTACCAGAACCGTCCGA GGGTAGCGCACCAGGTTCTAGCCCTTCTGCTTCCACCGGTACCG GCCCAGGTAGCTCTACTCCGTCTGGTGCAACTGGCTCTCCAGGT AGCTCTACTCCGTCTGGTGCAACCGGTCCCCAGGTAGCTCTAC CCCGTCTGGTGCTACCGGTCTCCAGGTAGCTCTACCCCGTCTG GTGCAACCGGTCCCCAGGTGCATCCCCGGGTACTAGCTCTACC GGTTCTCCAGGTGCAAGCGCAAGCGGCGCGCCAAGCACGGGAG GACTTCTCCGAGCGGTGAATCTTCTACCAGCACCAGGTCTACT AGCTCTACCAGTGAATCTCCGGGCCAGGTACTTCTCCGAGCGG TGAATCTTCTACTGCTCCAGGTACTTCTGAAAGCGCTACTCCGG AGTCTGGCCCAGGTACTTCTACTGAACCGTCTGAGGGTAGCGCT CCAGGTACTTCTACTGAACCGTCCGAAGGTAGCGCACCAGGTT CTAGCCCTTCTGCATCTACTGGTACTGGCCCAGGTAGCTCTACT CCTTCTGGTGCTACCGGTCTCCAGGTGCTTCTCCGGGTACTAG CTCTACCGGTTCTCCAGGTACTTCTACTCCGGAAACCGGTTCCG CATCTCCAGGTACTTCTCTAGCGGTGAATCTTCTACTGCTCCA GGTACTTCTCTAGCGGCGAATCTTCTACTGCTCCAGGTACTTC TGAAAGCGCAACCCCTGAATCCGGTCCAGGTAGCGAACCAGGT ACTTCTGGCTCTGAGACTCCAGGTACTTCTACCAGAACCGTCCGA AGGTAGCGCACCAGGTTCTACCAGCGAATCCCCCTTCTGGTACTG CTCCAGGTTCTACCAGCGAATCCCCCTTCTGGCACCAGCACCAGGT ACTTCTACCCCTGAAAGCGGCTCCGCTTCTCCAGGTAGCCCGGC AGGCTCTCCGACCTCTACTGAGGAAGGTACTTCTGAAAGCGCA ACCCGGAGTCCGGCCAGGTACTTCTACCAGAACCGTCTGAGG GCAGCGCACCAGGTAGCCCTGCTGGCTCTCCAACCTCCACCGA AGAAGGTACTTCTGAAAGCGCAACCCCTGAATCCGGGCCAGGT AGCGAACCGGCAACCTCCGGTTCTGAAACCCAGGTAGCTCTA CCCCGTCTGGTGCTACCGGTCCCCAGGTGCTTCTCCTGGTACT AGCTCTACCGGTTCTCCAGGTAGCTCTACCCCGTCTGGTGCTAC TGGCTCTCCAGGTTCTACTAGCGAATCCCCGTCTGGTACTGCTC CAGGTACTTCCCCTAGCGGTGAATCTTCTACTGCTCCAGGTTCT ACCAGCTCTACCAGCAGAATCTCCGGGTCCAGGTAGCTCTACCC TTCTGGTGCAACCGGCTCTCCAGGTGCATCCCCGGGTACCAGCT CTACCGGTTCTCCAGGTACTCCGGGTAGCGGTACCAGCTTCTTCC TCTCCAGGTAGCCCTGCTGGCTCTCCGACTTCTACTGAGGAAGG TAGCCCGGCTGGTTCTCCGACTTCTACTGAGGAAGGTACTTCTA CCGAACCTTCCGAAGGTAGCGCTCCAGGTTTTCCGACTATTCCG CTGTCTCGTCTGTTTGATAATGCTATGCTGCGTGCGCACCGTCT GCACCAGCTGGCCTTTGATACTTACCAGGAATTTGAAGAAGCCT

GHXTEN Name*	Amino Acid Sequence	DNA Nucleotide Sequence
	DSNVYDLLKDLEEGI QTLMGRLDGSPRT GQIFKQTYSKFDNTS HNDDALLKNYGLLY CFRKMDMDKVETFLRI VQCRSVEGSCGFGG TSESATPESGPGSEP ATSGSETPGTSESAT PESGPGSEPATSGSE TPGTSESATPESGPG TSTEPSEGSAPGSPA GSPTSTEEGTSESATP ESGPGSEPATSGSET PGTSESATPESGPGSP AGSPTSTEEGSPAGS PTSTEEGTSTEPSEGS APGTSESATPESGPG TSESATPESGPGTSES ATPESGPGSEPATSG SETPGSEPATSGSETP GSPAGSPTSTEEGTS TEPSEGSAPGTSTEPS EGSAPGSEPATSGSE TPGTSESATPESGPG TSTEPSEGSAP	ACATTCTCTAAAGAGCAGAAGTACTCTTTCTGCAAAACCCACA GACTTCTCTCTGCTTCAGCGAATCTATTCCGACGCCTTCCAATC GCGAGGAAACTCAGCAAAAGTCCAATCTGGAACTACTCCGCAT TTCTCTGCTTCTGATTCTAGAGCTGGCTAGAACCCAGTGCAATTC TGC GTTCCGCTCTTCGCCAATAGCCTAGTTTATGGCGCATCCGAC AGCAACGTATACGATCTCCTGAAAGATCTCGAGGAAGGCATTC AGACCTGATGGGTCGTCTCGAGGATGGCTCTCCGCGTACTGGT CAGATCTTCAAGCAGACTTACTCTAAATTTGATACTAACAGCCA CAATGACGATGCGCTTCTAAAAAACTATGGTCTGCTGTATTGTT TTCGTAAAGATATGGACAAAGTTGAAACCTTCTGCGTATTGTT CAGTGTCTGTTCCGTTGAGGGCAGCTGTGGTTTCTAAGGTGGTAC CTCTGAAAGCGCAACTCTGAGTCTGGCCAGGTAGCGAACCT GCTACCTCCGGCTCTGAGACTCCAGGTACCTCTGAAAGCGCAA CCCCAGGAATCTGGTCCAGGTAGCGAACCTGCAACCTCTGGCTCT GAAACCCAGGTACCTCTGAAAGCGCTACTCTGAATCTGGCC CAGGTACTTCTACTGAACCGTCCGAGGGCAGCGCACCAGGTAG CCCTGCTGGCTCTCCAACCTCCACCGAAGAAGGTACCTCTGAAA GCGCAACCCCTGAATCCGGCCCAGGTAGCGAACCGGCAACCTC CGGTTCTGAAACCCAGGTACTTCTGAAAGCGCTACTCTGAGT CCGGCCAGGTAGCCCGGCTGGCTCTCCGACTTCCACCGAGGA AGGTAGCCCGGCTGGCTCTCCAACCTCTACTGAAGAAGGTACTT CTACCGAACCTTCCGAGGGCAGCGCACCAGGTACTTCTGAAAG CGCTACCCCTGAGTCCGGGCCAGGTACTTCTGAAAGCGCTACTC CTGAATCCGGTCCAGGTACTTCTGAAAGCGCTACCCCGGAATCT GGCCAGGTAGCGAACCGGCTACTTCTGGTTCTGAAACCCAG GTAGCGAACCGGCTACCTCCGTTCTGAAACTCCAGGTAGCCC AGCAGGCTCTCCGACTTCCACTGAGGAAGGTACTTCTACTGAAC CTTCGAAGGCAGCGCACCAGGTACCTCTACTGAACCTTCTGAG GGCAGCGCTCCAGGTAGCGAACCTGCAACCTCTGGCTCTGAAA CCCCAGGTACCTCTGAAAGCGCTACTCTGAATCTGGCCAGGT ACTTCTACTGAACCGTCCGAGGGCAGCGCACCA

* Sequence name reflects N- to C-terminus configuration of the growth factor and XTEN components

Table 37: Exemplary GHXTEN comprising growth hormones, XTEN and cleavage sequences

GHXTEN Name*	Amino Acid Sequence	DNA Nucleotide Sequence
AE912- hGH- Thrombin- AE144	MAEPAGSPTSTEEGT PGSGTASSSPGSSTPS GATGSPGASPGTSSST GSPGSPAGSPTSTEE GTSESATPESGPGTS TEPSEGSAPGSPAGS PTSTEEGTSTEPSEGS APGTSTEPSEGSAPG TSESATPESGPGSEP ATSGSETPGSEPATSG GSETPGSPAGSPTST EEGTSESATPESGPG TSTEPSEGSAPGTSTE PSEGSAPGSPAGSPT STEEGTSTEPSEGSAP GTSTEPSEGSAPGTS ESATPESGPGTSTEPS EGSAPGTSESATPES GPGSEPATSGSETPG TSTEPSEGSAPGTSTE	ATGGCTGAACCTGCTGGCTCTCCAACCTCCACTGAGGAAGGTA CCCCAGGTAGCGGTACTGCTTCTTCTCTCCAGGTAGCTCTACC CCTTCTGGTGCAACCGGCTCTCCAGGTGCTTCTCCGGGCACCAG CTCTACCGGTTCTCCAGGTAGCCCGGCTGGCTCTCTACCTCTA CTGAGGAAGGTACTTCTGAAAGCGCTACTCCTGAGTCTGGTCCA GGTACCTCTACTGAACCGTCCGAAGGTAGCGCTCCAGGTAGCC CAGCAGGCTCTCCGACTTCCACTGAGGAAGGTACTTCTACTGAA CCTTCCGAAGGCAGCGCACCAGGTACCTCTACTGAACCTTCTGA GGGCAGCGCTCCAGGTACTTCTGAAAGCGCTACCCCGGAATCT GGCCAGGTAGCGAACCGGCTACTTCTGGTTCTGAAACCCAG GTAGCGAACCGGCTACTTCCGTTCTGAAACTCCAGGTAGCC GGCAGGCTCTCCGACTTCTACTGAGGAAGGTACTTCTGAAAGC GCAACCCCGGAGTCCGGCCAGGTACCTCTACCGAACCGTCTG AGGGCAGCGCACCAGGTACTTCTACCGAACCGTCCGAGGGTAG CGCACCAGGTAGCCCGAGCAGGTTCTCTACCTCCACCGAGGAA GGTACTTCTACCGAACCGTCCGAGGGTAGCGCACCAGGTACCT CTACTGAACCTTCTGAGGGCAGCGCTCCAGGTACTTCTGAAAGC GCTACCCCGGAGTCCGGTCCAGGTACTTCTACTGAACCGTCCGA AGGTAGCGCACCAGGTACTTCTGAAAGCGCAACCCCTGAATCC GGTCCAGGTAGCGAACCGGCTACTTCTGGCTCTGAGACTCCAG

GHXTEN Name*	Amino Acid Sequence	DNA Nucleotide Sequence
	PSEGSAPGTSESATP ESGPGTSESATPESG PGSPAGSPTSTEEGT SESATPESGPGSEPA TSGSETPGTSESATPE SGPSTSTEPSEGSAP GTSTEPSEGSAPGTS TEPSEGSAPGTSTEPS EGSAPGTSTEPSEGS APGTSTEPSEGSAPG SPAGSPTSTEEGTSTE PSEGSAPGTSESATP ESGPGSEPATSGSET PGTSESATPESGPGS EPATSGSETPGTSES ATPESGPGTSTEPSE GSAPGTSESATPESG PGSPAGSPTSTEEGSP AGSPTSTEEGSPAGS PTSTEEGTSESATPES GPGTSTEPSEGSAPG TSESATPESGPGSEP ATSGSETPGTSESAT PESGPGSEPATSGSE TPGTSESATPESGPG TSTEPSEGSAPGSPA GSPTSTEEGTSESATP ESGPGSEPATSGSET PGTSESATPESGPGSP AGSPTSTEEGSPAGS PTSTEEGTSTEPSEGS APGTSESATPESGPG TSESATPESGPGTSES ATPESGPGSEPATSG SETPGSEPATSGSETP SGPAGSEPATSGSET TEPSEGSAPGTSTEPS EGSAPGSEPATSGSE TPGTSESATPESGPG TSTEPSEGSAPGFPTI PLSRLFDNAMLRAH RLHQLAFDITYQEFEE AYIPKEQKYSFLQNP QTSLCFSESIPTPSNR EETQQKSNLELLRIS LLLIQSWLEPVQFLR SVFANSLVYGASDS NVYDLLKDLEEGIQT LMGRLEDGSPRTGQI FKQTYSKFDNNSHN DDALLKNYGLLYCF RKDMDKVETFLRIV QCRSVEGSCGFLTP RSLLVGGGGSEPATS GSETPGTSESATPES GPGSEPATSGSETPG SPAGSPTSTEEGTSTE PSEGSAPGSEPATSG SETPGSEPATSGSETP	GTACTTCTACCGAACCGTCCGAAGGTAGCGCACCAGGTACTTCT ACTGAACCGTCTGAAGGTAGCGCACCAGGTACTTCTGAAAGCG CAACCCCGGAATCCGGGCCAGGTACCTCTGAAAGCGCAACCCC GGAGTCCGGGCCAGGTAGCCCTGCTGGCTCTCCAACCTCCACCG AAGAAGGTACCTCTGAAAGCGCAACCCCTGAATCCGGGCCAGG TAGCGAACCGGCAACCTCCGGTTCTGAAACCCAGGTACCTCT GAAAGCGCTACTCCGGAGTCTGGCCAGGTACCTCTACTGAAC CGTCTGAGGGTAGCGCTCCAGGTACTTCTACTGAACCGTCCGAA GGTAGCGCACCAGGTACTTCTACCGAACCGTCCGAAGGCAGCG CTCAGGTACCTCTACTGAACCTTCCGAGGGCAGCGCTCCAGGT ACCTCTACCGAACCTTCTGAAGGTAGCGCACCAGGTACTTCTAC CGAACCGTCCGAGGGTAGCGCACCAGGTAGCCAGCAGGTTCT CCTACCTCCACCGAGGAAGGTACTTCTACCGAACCGTCCGAGG GTAGCGCACCAGGTACCTCTGAAAGCGCAACTCCTGAGTCTGG CCCAGGTAGCGAACCTGCTACCTCCGGCTCTGAGACTCCAGGT ACCTCTGAAAGCGCAACCCCGGAATCTGGTCCAGGTAGCGAAC CTGCAACCTCTGGCTCTGAAACCCAGGTACCTCTGAAAGCGCT ACTCCTGAATCTGGCCAGGTACTTCTACTGAACCGTCCGAGGG CAGCGCACCAGGTACTTCTGAAAGCGCTACTCCTGAGTCCGGC CCAGGTAGCCCGGCTGGCTCTCCGACTTCCACCGAGGAAGGTA GCCCCGGCTGGCTCTCCAACCTTCTACTGAAGAAGGTAGCCCGC AGGCTCTCCGACCTCTACTGAGGAAGGTACTTCTGAAAGCGCA ACCCCGGAGTCCGGGCCAGGTACCTCTACCGAACCGTCTGAGG GCAGCGCACCAGGTACCTCTGAAAGCGCAACTCCTGAGTCTGG CCCAGGTAGCGAACCTGCTACCTCCGGCTCTGAGACTCCAGGT ACCTCTGAAAGCGCAACCCCGGAATCTGGTCCAGGTAGCGAAC CTGCAACCTCTGGCTCTGAAACCCAGGTACCTCTGAAAGCGCT ACTCCTGAATCTGGCCAGGTACTTCTACTGAACCGTCCGAGGG CAGCGCACCAGGTAGCCCTGCTGGCTCTCCAACCTCCACCGAA GAAGGTACCTCTGAAAGCGCAACCCCTGAATCCGGGCCAGGTA GCGAACCGGCAACCTCCGGTTCTGAAACCCAGGTACTTCTGA AAGCGCTACTCCTGAGTCCGGGCCAGGTAGCCCGGCTGGCTCTC GACTTCCACCGAGGAAGGTAGCCCGGCTGGCTCTCCAACCTCT ACTGAAGAAGGTACTTCTACCGAACCTTCCGAGGGCAGCGCAC CAGGTACTTCTGAAAGCGCTACCCCTGAGTCCGGGCCAGGTACT TCTGAAAGCGCTACTCCTGAATCCGGTCCAGGTACTTCTGAAAG CGCTACCCCGGAATCTGGCCAGGTAGCGAACCGGCTACTTCT GGTTCTGAAACCCAGGTAGCGAACCGGCTACCTCCGGTTCTG AAACCTCCAGGTAGCCAGCAGGCTCTCCGACTTCCACTGAGGA AGGTACTTCTACTGAACCTTCCGAAGGCAGCGCACCAGGTACC TCTACTGAACCTTCTGAGGGCAGCGCTCCAGGTAGCGAACCTG CAACCTCTGGCTCTGAAACCCAGGTACCTCTGAAAGCGCTACT CCTGAATCTGGCCAGGTACTTCTACTGAACCGTCCGAGGGCA GCGCACCAGGTTTTCCGACTATTCCGCTGTCTCGTCTGTTTGA TACTTACCAGGAATTTGAAGAAGC ₂ TACATTCTAAAGAGCAGA AGTACTCTTTCCTGCAAAACCCACAGACTTCTCTCTGCTTCAGC GAATCTATTCCGACGCCTTCCAATCGCGAGGAAACTCAGCAAA AGTCCAATCTGGAACCTACTCCGCATTTCTCTGCTTCTGATTGAG AGCTGGCTAGAACCAGTGCAATTTCTGCGTTCCGCTTTCGCCAA TAGCCTAGTTTATGGCGCATCCGACAGCAACGTATACGATCTCC TGAAAGATCTCGAGGAAGGCATTCAGACCCTGATGGGTGCTCT CGAGGATGGCTCTCCGCGTACTGGTCAGATCTTCAAGCAGACTT ACTCTAAATTTGATACTAACAGCCACAATGACGATGCGCTTCTA AAAAATAATGGTCTGCTGTATTGTTTTTCGTAAAGATATGGACAA AGTTGAAACCTTCTGCGTATTGTTTCAAGTGTCTGTTCCGTTGAGG GCAGCTGTGGTTTCTAAGGT ₁ TgaccccgccagcctgctggggcggcGGTG GTAGCGAACCGGCAACTTCCGGCTCTGAAACCCAGGTACTTCT GAAAGCGCTACTCCTGAGTCTGGCCAGGTAGCGAACCTGCTA

GHXTEN Name*	Amino Acid Sequence	DNA Nucleotide Sequence
	GSEPATSGSETPGTS TEPSEGSAPGTSESA TPESGPGSEPATSGS ETPGTSTEPSEGSAP	CCTCTGGCTCTGAAACCCAGGTAGCCCGGCAGGCTCTCCGACT TCCACCGAGGAAGGTACCTCTACTGAACCTTCTGAGGGTAGCG CTCCAGGTAGCGAACCCGGCAACCTCTGGCTCTGAAACCCAGG TAGCGAACCTGCTACCTCCGGCTCTGAAACTCCAGGTAGCGAA CCGGCTACTTCCGGTTCTGAAACTCCAGGTACCTCTACCGAACC TTCCGAAGGCAGCGCACCAGGTACTTCTGAAAGCGCAACCCCT GAATCCGGTCCAGGTAGCGAACCCGGCTACTTCTGGCTCTGAGA CTCCAGGTACTTCTACCGAACCGTCCGAAGGTAGCGCACCA
AE912- hGH- FXIa- AE144	MAEPAGSPTSTEEGT PGSGTASSSPGSSTPS GATGSPGASPGTSST GSPGSPAGSPTSTEE GTSESATPESGPGTS TEPSEGSAPGSPAGS PTSTEEGTSTEPSEGS APGTSTEPSEGSAPG TSESATPESGPGSEP ATSGSETPGSEPAT GSETPGSPAGSPTST EEGTSESATPESGPG TSTEPSEGSAPGTSTE PSEGSAPGSPAGSPT STEEGTSTEPSEGSAP GTSTEPSEGSAPGTS ESATPESGPGTSTEPS EGSAPGTSESATPES GPGSEPATSGSETPG TSTEPSEGSAPGTSTE PSEGSAPGTSESATP ESGPGTSESATPESG PGSPAGSPTSTEEGT SESATPESGPGSEPA TSGSETPGTSESATPE SGPGTSTEPSEGSAP GTSTEPSEGSAPGTS TEPSEGSAPGTSTEPS EGSAPGTSTEPSEGS APGTSTEPSEGSAPG SPAGSPTSTEEGTSTE PSEGSAPGTSESATP ESGPGSEPATSGSET PGTSESATPESGPGS EPATSGSETPGTSES ATPESGPGTSTEPSE GSAPGTSESATPESG PGSPAGSPTSTEEGSP AGSPTSTEEGSPAGS PTSTEEGTSESATPES GPGTSTEPSEGSAPG TSESATPESGPGSEP ATSGSETPGTSESAT PESGPGSEPATSGSE TPGTSESATPESGPG TSTEPSEGSAPGSPA GSPTSTEEGTSESATP ESGPGSEPATSGSET PGTSESATPESGPGSP AGSPTSTEEGSPAGS PTSTEEGTSTEPSEGS	ATGGCTGAACCTGCTGGCTCTCCAACCTCCACTGAGGAAGGTA CCCCGGGTAGCGGTACTGCTTCTTCTCTCCAGGTAGCTCTACC CCTTCTGGTGCAACCCGGCTCTCCAGGTGCTTCTCCGGGCACCAG CTCTACCGGTTCTCCAGGTAGCCCCGGCTGGCTCTCTTACCTCTA CTGAGGAAGGTACTTCTGAAAGCGCTACTCTGAGTCTGGTCCA GGTACCTCTACTGAACCGTCCGAAGGTAGCGTACCAGGTAGCGA CAGCAGGCTCTCCGACTTCCACTGAGGAAGGTACTTCTACTGAA CCTTCCGAAGGCAGCGCACCAGGTACCTCTACTGAACCTTCTGA GGGCAGCGCTCCAGGTACTTCTGAAAGCGCTACCCCGGAATCT GGCCAGGTAGCGAACCCGGCTACTTCTGGTTCTGAAACCCAG GTAGCGAACCCGGCTACCTCCGGTTCTGAAACTCCAGGTAGCCC GGCAGGCTCTCCGACCTCTACTGAGGAAGGTACTTCTGAAAGC GCAACCCCGGAGTCCGGCCCAGGTACCTCTACCGAACCGTCTG AGGGCAGCGCACCAGGTACTTCTACCGAACCGTCCGAGGGTAG CGCACCAGGTAGCCCAGCAGGTTCTCTTACCTCCACCGAGGAA GGTACTTCTACCGAACCGTCCGAGGGTAGCGCACCAGGTACCT CTACTGAACCTTCTGAGGGCAGCGCTCCAGGTACTTCTGAAAGC GCTACCCCGGAGTCCGGTCCAGGTACTTCTACTGAACCGTCCGA AGGTAGCGCACCAGGTACTTCTGAAAGCGCAACCCCTGAATCC GGTCCAGGTAGCGAACCCGGCTACTTCTGGCTCTGAGACTCCAG GTACTTCTACCGAACCGTCCGAAGGTAGCGCACCAGGTACTTCT ACTGAACCGTCTGAAGGTAGCGCACCAGGTACTTCTGAAAGCG CAACCCCGGAATCCGGCCCAGGTACCTCTGAAAGCGCAACCC GGAGTCCGGCCCAGGTAGCCCTGCTGGCTCTCCAACCTCCACCG AAGAAGGTACCTCTGAAAGCGCAACCCCTGAATCCGGCCCAGG TAGCGAACCCGGCAACCTCCGGTTCTGAAACCCAGGTACCTCT GAAAGCGCTACTCCGGAGTCTGGCCCAGGTACCTCTACTGAAC CGTCTGAGGGTAGCGTCCAGGTACTTCTACTGAACCGTCCGAA GGTAGCGCACCAGGTACTTCTACCGAACCGTCCGAAGGCAGCG CTCCAGGTACCTCTACTGAACCTTCCGAGGGCAGCGCTCCAGGT ACCTCTACCGAACCTTCTGAAGGTAGCGCACCAGGTACTTCTAC CGAACCGTCCGAGGGTAGCGCACCAGGTAGCCCAGCAGGTTCT CCTACCTCCACCGAGGAAGGTACTTCTACCGAACCGTCCGAGG GTAGCGCACCAGGTACCTCTGAAAGCGCAACTCCTGAGTCTGG CCCAGGTAGCGAACCTGCTACCTCCGGCTCTGAGACTCCAGGT ACCTCTGAAAGCGCAACCCCGGAATCTGGTCCAGGTAGCGAAC CTGCAACCTCTGGCTCTGAAACCCAGGTACCTCTGAAAGCGCT ACTCCTGAATCTGGCCCAGGTACTTCTACTGAACCGTCCGAGGG CAGCGCACCAGGTACTTCTGAAAGCGCTACTCCTGAGTCCGGC CCAGGTAGCCCGGCTGGCTCTCCGACTTCCACCGAGGAAGGTA GCCCGGCTGGCTCTCCAACCTTCTACTGAAGAAGGTAGCCCGC AGGCTCTCCGACCTCTACTGAGGAAGGTACTTCTGAAAGCGCA ACCCCGGAGTCCGGCCCAGGTACCTCTACCGAACCGTCTGAGG GCAGCGCACCAGGTACCTCTGAAAGCGCAACTCCTGAGTCTGG CCCAGGTAGCGAACCTGCTACCTCCGGCTCTGAGACTCCAGGT ACCTCTGAAAGCGCAACCCCGGAATCTGGTCCAGGTAGCGAAC CTGCAACCTCTGGCTCTGAAACCCAGGTACCTCTGAAAGCGCT ACTCCTGAATCTGGCCCAGGTACTTCTACTGAACCGTCCGAGGG CAGCGCACCAGGTAGCCCTGCTGGCTCTCCAACCTCCACCGAA GAAGGTACCTCTGAAAGCGCAACCCCTGAATCCGGCCCAGGTA GCGAACCCGGCAACCTCCGGTTCTGAAACCCAGGTACTTCTGA

GHXTEN Name*	Amino Acid Sequence	DNA Nucleotide Sequence
	APGTSESATPESGPG TSESATPESGPGTSES ATPESGPGSEPATSG SETPGSEPATSGSETP GSPAGSPTSTEEGTS TEPSEGSAPGTSTEPS EGSAPGSEPATSGSE TPGTSESATPESGPG TSTEPSEGSAPGFPTI PLSRLFDNAMLRAH RLHQLAFDITYQEFEE AYIPKEQKYSFLQNP QTSLCFSESIPTPSNR EETQQKSNLELLRIS LLLIQSWLEPVQFLR SVFANSLVYGASDS NVYDLLKDLEEGIQT LMGRLEDGSPRTGQI FKQTYSKFDTNSHN DDALLKNYGLLYCF RKDMDKVETFLRIV QCRSVEGSCGFGGG KLTRVVGGGGSEPA TSGSETPGTSESATPE SGPGSEPATSGSETP GSPAGSPTSTEEGTS TEPSEGSAPGSEPAT SGSETPGSEPATSGS ETPGSEPATSGSETP GTSTEPSEGSAPGTS ESATPESGPGSEPAT SGSETPGTSTEPSEGS AP	AAGCGCTACTCCTGAGTCCGGCCCCAGGTAGCCCCGGCTGGCTCTC CGACTTCCACCGAGGAAGGTAGCCCCGGCTGGCTCTCCAACCTTCT ACTGAAGAAGGTACTTCTACCGAACCTTCCGAGGGCAGCGCAC CAGGTACTTCTGAAAAGCGCTACCCCTGAGTCCGGCCCCAGGTACT TCTGAAAGCGCTACTCCTGAATCCGGTCCAGGTACTTCTGAAAAG CGCTACCCCGGAATCTGGCCCCAGGTAGCGAACCCGGCTACTTCT GGTCTGAAACCCAGGTAGCGAACCCGGCTACCTCCGGTTCTG AAATCCAGGTAGCCCAGCAGGCTCTCCGACTTCCACTGAGGA AGGTACTTCTACTGAACCTTCCGAAGGCAGCGCACCCAGGTACC TCTACTGAACCTTCTGAGGGCAGCGCTCCAGGTAGCGAACCTG CAACCTCTGGCTCTGAAACCCAGGTACCTCTGAAAGCGCTACT CCTGAATCTGGCCCCAGGTACTTCTACTGAACCGTCCGAGGGCA GCGCACCAGGTTTTCCGACTATTCCGCTGTCTCGTCTGTTTGAT AATGCTATGCTGCGTGCGCACCGTCTGCACCAGCTGGCCTTTGA TACTTACCAGGAATTTGAAGAAGC ₆ TACATTCTAAAGAGCAGA AGTACTCTTTCTGCAAAACCCACAGACTTCTCTCTGCTTCAGC GAATCTATTCCGACGCTTCCAATCGCGAGGAAACTCAGCAAA AGTCCAATCTGGAAGTACTCCGCATTTCTCTGCTTCTGATTGAG AGCTGGCTAGAACCAGTGCAATTTCTGCGTTCCGCTCTTCGCCAA TAGCCTAGTTTATGGCGCATCCGACAGCAACGTATACGATCTCC TGAAAGATCTCGAGGAAGGCATTGACACCCTGATGGGTCGTCT CGAGGATGGCTCTCCGCGTACTGGTCAGATCTTCAAGCAGACTT ACTCTAAATTTGATACTAACAGCCACAATGACGATGCGCTTCTA AAAAATATGGTCTGCTGTATTGTTTTCGTAAAGATATGGACAA AGTTGAAACCTTCTGCGTATTGTTTCAGTGTCGTTCCGTTGAGG GCAGCTGTGGTTTCTAAGGTggcggc ₁₂ aaactgaccgcgtggtggcggcGGTG GTAGCGAACCCGGCAACTTCCGGCTCTGAAACCCAGGTACTTCT GAAAGCGCTACTCCTGAGTCTGGCCCCAGGTAGCGAACCTGCTA CCTCTGGCTCTGAAACCCAGGTAGCCCCGGCAGGCTCTCCGACT TCCACCGAGGAAGGTACCTCTACTGAACCTTCTGAGGGTAGCG CTCCAGGTAGCGAACCCGGCAACCTCTGGCTCTGAAACCCAGG TAGCGAACCTGCTACCTCCGGCTCTGAAACTCCAGGTAGCGAA CCGGCTACTTCCGGTTCTGAAACTCCAGGTACCTCTACCGAACC TTCCGAAGGCAGCGCACCCAGGTACTTCTGAAAGCGCAACCCCT GAATCCGGTCCAGGTAGCGAACCCGGCTACTTCTGAGGCTCTGAGA CTCCAGGTACTTCTACCGAACCCGGTCCGAAGGTAGCGCACCA
AE912- hGH- Elastase- AE144	MAEPAGSPTSTEEGT PGSGTASSPGSSTPS GATGSPGASPGTSST GSPGSPAGSPTSTEE GTSESATPESGPGTS TEPSEGSAPGSPAGS PTSTEEGTSTEPSEGS APGTSTEPSEGSAPG TSESATPESGPGSEP ATSGSETPGSEPAT GSETPGSPAGSPTST EGTSESATPESGPG TSTEPSEGSAPGTSTE PSEGSAPGSPAGSPT STEEGTSTEPSEGSAP GTSTEPSEGSAPGTS ESATPESGPGTSTEPS EGSAPGTSESATPES GPGSEPATSGSETPG TSTEPSEGSAPGTSTE PSEGSAPGTSESATP ESGPGTSESATPESG PGSPAGSPTSTEEGT	ATGGCTGAACCTGCTGGCTCTCCAACCTCCACTGAGGAAGGTA CCCCGGGTAGCGGTACTGCTTCTTCTCTCCAGGTAGCTCTACC CTTCTGGTGCAACCGGCTCTCCAGGTGCTTCTCCGGGCACCGAG CTCTACCGGTTCTCCAGGTAGCCCCGGCTGGCTCTCTACCTCTA CTGAGGAAGGTACTTCTGAAAGCGCTACTCCTGAGTCTGGTCCA GGTACCTCTACTGAACCGTCCGAAGGTAGCGCTCCAGGTAGCC CAGCAGGCTCTCCGACTTCCACTGAGGAAGGTACTTCTACTGAA CCTTCCGAAGGCAGCGCACCCAGGTACCTCTACTGAACCTTCTGA GGGCAGCGCTCCAGGTACTTCTGAAAGCGCTACCCCGGAATCT GGCCAGGTAGCGAACCCGGCTACTTCTGGTTCTGAAACCCAG GTAGCGAACCCGGCTACCTCCGGTTCTGAAACTCCAGGTAGCCC GGCAGGCTCTCCGACCTCTACTGAGGAAGGTACTTCTGAAAGC GCAACCCCGGAGTCCGGCCCCAGGTACCTCTACCGAACCGTCTG AGGGCAGCGCACCCAGGTACTTCTACCGAACCGTCCGAGGGTAG CGCACCCAGGTAGCCCAGCAGGTTCTCTACCTCCACCGAGGAA GGTACTTCTACCGAACCGTCCGAGGGTAGCGCACCCAGGTACCT CACTGAACCTTCTGAGGGCAGCGCTCCAGGTACTTCTGAAAGC GCTACCCCGGAGTCCGGTCCAGGTACTTCTACTGAACCGTCCGA AGGTAGCGCACCCAGGTACTTCTGAAAGCGCAACCCCTGAATCC GGTCCAGGTAGCGAACCCGGCTACTTCTGGCTCTGAGACTCCAG GTACTTCTACCGAACCGTCCGAAGGTAGCGCACCCAGGTACTTCT ACTGAACCGTCTGAAGGTAGCGCACCCAGGTACTTCTGAAAGCG CAACCCCGGAATCCGGCCCCAGGTACCTCTGAAAGCGCAACCCC

GHXTEN Name*	Amino Acid Sequence	DNA Nucleotide Sequence
	SESATPESGPGSEPA TSGSETPGTSESATPE SGPSTSTEPSEGSAP GTSTEPSEGSAPGTS TEPSEGSAPGTSTEPS EGSAPGTSTEPSEGS APGTSTEPSEGSAPG SPAGSPTSTEEGTSTE PSEGSAPGTSESATP ESGPGSEPATSGSET PGTSESATPESGPGS EPATSGSETPGTSES ATPESGPGTSTEPSE GSAPGTSESATPESG PGSPAGSPTSTEEGSP AGSPTSTEEGSPAGS PTSTEEGTSESATPES GPGTSTEPSEGSAPG TSESATPESGPGSEP ATSGSETPGTSESAT PESGPGSEPATSGSE TPGTSESATPESGPG TSTEPSEGSAPGSPA GSPTSTEEGTSESATP ESGPGSEPATSGSET PGTSESATPESGPGSP AGSPTSTEEGSPAGS PTSTEEGTSTEPSEGS APGTSESATPESGPG TSESATPESGPGTSES ATPESGPGSEPATSG SETPGSEPATSGSETP GSPAGSPTSTEEGTS TEPSEGSAPGTSTEPS EGSAPGSEPATSGSE TPGTSESATPESGPG TSTEPSEGSAPGFPTI PLSRLFDNAMLRAH RLHQLAFDITYQEFEE AYIPKEQKYSFLQNP QTSLCFSES IPTPSNR EETQQKSNLELLRIS LLLIQSWLEPVQFLR SVFANSLVYGASDS NVYDLLKDLEEGIQT LMGRLEDGSPRTGQI FKQTYSKFDTNSHN DDALLKNYGLLYCF RKDMDKVETFLRIV QCRSVEGSCGFGGG LGPVS GVPGGSEPAT SGSETPGTSESATPES GPGSEPATSGSETPG SPAGSPTSTEEGTSTE PSEGSAPGSEPATSG SETPGSEPATSGSETP GSEPATSGSETPGTS TEPSEGSAPGTSESA TPESGPGSEPATSGS	GGAGTCCGGCCAGGTAGCCCTGCTGGCTCTCCAACCTCCACCG AAGAAGGTACCTCTGAAAGCGCAACCCCTGAATCCGGCCAGG TAGCGAACCGGCAACCTCCGGTTCTGAAACCCAGGTACCTCT GAAAGCGCTACTCCGGAGTCTGGCCAGGTACCTCTACTGAAC CGTCTGAGGGTAGCGCTCCAGGTACTTCTACTGAACCGTCCGAA GG TAGCGCACCAGGTACTTCTACCGAACCGTCCGAAGGCAGCG CTCCAGGTACCTCTACTGAACCTTCCGAGGGCAGCGCTCCAGGT ACCTCTACCGAACCTTCTGAAGGTAGCGCACCAGGTACTTCTAC CGAACCGTCCGAGGGTAGCGCACCAGGTAGCCCAGCAGGTTCT CCTACCTCCACCGAGGAAGGTACTTCTACCGAACCGTCCGAGG GTAGCGCACCAGGTACCTCTGAAAGCGCAACTCCTGAGTCTGG CCCAGGTAGCGAACCTGCTACCTCCGGCTCTGAGACTCCAGGT ACCTCTGAAAGCGCAACCCCGGAATCTGGTCCAGGTAGCGAAC CTGCAACCTCTGGCTCTGAAACCCAGGTACCTCTGAAAGCGCT ACTCCTGAATCTGGCCAGGTACTTCTACTGAACCGTCCGAGGG CAGCGCACCAGGTACTTCTGAAAGCGCTACTCCTGAGTCCGGC CCAGGTAGCCCGGCTGGCTCTCCGACTTCCACCGAGGAAGGTA GCCCGGCTGGCTCTCCAACCTTCTACTGAAGAAGGTAGCCCGGC AGGCTCTCCGACCTCTACTGAGGAAGGTACTTCTGAAAGCGCA ACCCCGGAGTCCGGCCAGGTACCTCTACCGAACCGTCTGAGG GCAGCGCACCAGGTACCTCTGAAAGCGCAACTCCTGAGTCTGG CCCAGGTAGCGAACCTGCTACCTCCGGCTCTGAGACTCCAGGT ACCTCTGAAAGCGCAACCCCGGAATCTGGTCCAGGTAGCGAAC CTGCAACCTCTGGCTCTGAAACCCAGGTACCTCTGAAAGCGCT ACTCCTGAATCTGGCCAGGTACTTCTACTGAACCGTCCGAGGG CAGCGCACCAGGTAGCCCTGCTGGCTCTCCAACCTCCACCGAA GAAGGTACCTCTGAAAGCGCAACCCCTGAATCCGGCCAGGTA GCGAACCGGCAACCTCCGGTTCTGAAACCCAGGTACTTCTGA AAGCGCTACTCCTGAGTCCGGCCAGGTAGCCCGGCTGGCTCTC GACTTCCACCGAGGAAGGTAGCCCGGCTGGCTCTCCAACCTCT ACTGAAGAAGGTACTTCTACCGAACCTTCCGAGGGCAGCGCAC CAGGTACTTCTGAAAGCGCTACCCCTGAGTCCGGCCAGGTACT TCTGAAAGCGCTACTCCTGAATCCGGTCCAGGTACTTCTGAAAG CGTACCCCGGAATCTGGCCAGGTAGCGAACCCGGTACTTCTG AACTCCAGGTAGCCCGAGGCTCTCCGACTTCCACTGAGGA AGGTACTTCTACTGAACCTTCCGAAGGCAGCGCACCAGGTACC TCTACTGAACCTTCTGAGGGCAGCGCTCCAGGTAGCGAACCTG CAACCTCTGGCTCTGAAACCCAGGTACCTCTGAAAGCGCTACT CCTGAATCTGGCCAGGTACTTCTACTGAACCGTCCGAGGGCA GCGCACCAGGTTTTCCGACTATTCCGCTGTCTCGTCTGTTTGAT AATGCTATGCTGCGTGCGCACCCTGTCACCAGCTGGCCTTTGA TACTTACCAGGAATTTGAAGAAGC _c TACATTCTAAAGAGCAGA AGTACTCTTTCCTGCAAAACCCACAGACTTCTCTCTGCTTCAGC GAATCTATTCCGACGCCTTCCAATCGCGAGGAAACTCAGCAAA AGTCCAATCTGGAACCTACTCCGCATTTCTCTGCTTCTGATTGAG AGCTGGCTAGAACAGTGCAATTTCTGCGTTCCGTCTTCGCCAA TAGCCTAGTTTATGGCGCATCCGACAGCAACGTATACGATCTCC TGAAAGATCTCGAGGAAGGCATTCAGACCCTGATGGGTCGTCT CGAGGATGGCTCTCCGCGTACTGGTCAGATCTTCAAGCAGACTT ACTCTAAATTTGATACTAACAGCCACAATGACGATGCGCTTCTA AAAA _c CTATGGTCTGCTGTATTGTTTTTCGTAAAGATATGGACAA AGTTGAAACCTTCTGCGTATTGTTTCAAGTGTCTGTTCCGTTGAGG GCAGCTGTGGTTTTCTAAGGT _g ggcgctggggccggtgagcgcggtg _c ggGTT GG TAGCGAACCGGCAACTTCCGGCTCTGAAACCCAGGTACTT CTGAAAGCGCTACTCCTGAGTCTGGCCAGGTAGCGAACCTGC TACCTCTGGCTCTGAAACCCAGGTAGCCCGGCAGGCTCTCCGA CTCCACCGAGGAAGGTACCTCTACTGAACCTTCTGAGGGTAGC GCTCCAGGTAGCGAACCGGCAACCTCTGGCTCTGAAACCCAG

GHXTEN Name*	Amino Acid Sequence	DNA Nucleotide Sequence
	ETPGTSTEPSEGSAP	GTAGCGAACCTGCTACCTCCGGCTCTGAAACTCCAGGTAGCGA ACCGGCTACTTCCGGTTCTGAAACTCCAGGTACCTCTACCGAAC CTTCCGAAGGCAGCGCACCCAGGTACTTCTGAAAGCGCAACCCC TGAATCCGGTCCAGGTAGCGAACCGGCTACTTCTGGCTCTGAG ACTCCAGGTACTTCTACCGAACCGTCCGAAGGTAGCGCACCA
AE912- hGH- MMP-17- AE144	MAEPAGSPTSTEEGT PGSGTASSSPGSSTPS GATGSPGASPGTSST GSPGSPAGSPTSTEE GTSESATPESGPGTS TEPSEGSAPGSPAGS PTSTEEGTSTEPSEGS APGTSTEPSEGSAPG TSESATPESGPGSEP ATSGSETPGSEPATS GSETPGSPAGSPTST EEGTSESATPESGPG TSTEPSEGSAPGTSTE PSEGSAPGSPAGSPT STEEGTSTEPSEGSAP GTSTEPSEGSAPGTS ESATPESGPGTSTEPS EGSAPGTSESATPES GPGSEPATSGSETPG TSTEPSEGSAPGTSTE PSEGSAPGTSESATP ESGPGTSESATPESG PGSPAGSPTSTEEGT SESATPESGPGSEPA TSGSETPGTSESATPE SGPGTSTEPSEGSAP GTSTEPSEGSAPGTS TEPSEGSAPGTSTEPS EGSAPGTSTEPSEGS APGTSTEPSEGSAPG SPAGSPTSTEEGTSTE PSEGSAPGTSESATP ESGPGSEPATSGSET PGTSESATPESGPGS EPATSGSETPGTSES ATPESGPGTSTEPSE GSAPGTSESATPESG PGSPAGSPTSTEEGSP AGSPTSTEEGSPAGS PTSTEEGTSESATPES GPGTSTEPSEGSAPG TSESATPESGPGSEP ATSGSETPGTSESAT PESGPGSEPATSGSE TPGTSESATPESGPG TSTEPSEGSAPGSPA GSPTSTEEGTSESATP ESGPGSEPATSGSET PGTSESATPESGPGSP AGSPTSTEEGSPAGS PTSTEEGTSTEPSEGS APGTSESATPESGPG TSESATPESGPGTSES ATPESGPGSEPATSG	ATGGCTGAACCTGCTGGCTCTCCAACCTCCACTGAGGAAGGTA CCCCGGGTAGCGGTACTGCTTCTTCTCTCCAGGTAGCTCTACC CCTTCTGGTGCAACCGGCTCTCCAGGTGCTTCTCCGGGCACCCAG CTCTACCGGTTCTCCAGGTAGCCCCGGCTGGCTCTCCTACCTCTA CTGAGGAAGGTACTTCTGAAAGCGCTACTCCTGAGTCTGGTCCA GGTACCTCTACTGAACCGTCCGAAGGTAGCGCTCCAGGTAGCC CAGCAGGCTCTCCGACTTCCACTGAGGAAGGTACTTCTACTGAA CCTTCCGAAGGCAGCGCACCCAGGTACCTCTACTGAACCTTCTGA GGCAGCGCTCCAGGTACTTCTGAAAGCGCTACCCCGGAATCT GGCCAGGTAGCGAACCGGCTACTTCTGGTTCTGAAACCCAG GTAGCGAACCGGCTACCTCCGGTTCTGAAACTCCAGGTAGCCC GGCAGGCTCTCCGACCTCTACTGAGGAAGGTACTTCTGAAAGC GCAACCCCGGAGTCCGGCCCAGGTACCTCTACCGAACCGTCTG AGGGCAGCGCACCCAGGTACTTCTACCGAACCGTCCGAGGGTAG CGCACCCAGGTAGCCCAGCAGGTTCTCCTACCTCCACCGAGGAA GGTACTTCTACCGAACCGTCCGAGGGTAGCGCACCCAGGTACCT CTACTGAACCTTCTGAGGGCAGCGCTCCAGGTACTTCTGAAAGC GCTACCCCGGAGTCCGGTCCAGGTACTTCTACTGAACCGTCCGA AGGTAGCGCACCCAGGTACTTCTGAAAGCGCAACCCCTGAATCC GGTCCAGGTAGCGAACCGGCTACTTCTGGCTCTGAGACTCCAG GTACTTCTACCGAACCGTCCGAAGGTAGCGCACCCAGGTACTTCT ACTGAACCGTCTGAAGGTAGCGCACCCAGGTACTTCTGAAAGCG CAACCCCGGAATCCGGCCCAGGTACCTCTGAAAGCGCAACCCC GGAGTCCGGCCCAGGTAGCCCTGCTGGCTCTCCAACCTCCACCG AAGAAGGTACCTCTGAAAGCGCAACCCCTGAATCCGGCCCAGG TAGCGAACCGGCAACCTCCGGTTCTGAAACCCAGGTACCTCT GAAAGCGCTACTCCGGAGTCTGGCCCAGGTACCTCTACTGAAC CGTCTGAGGGTAGCGCTCCAGGTACTTCTACTGAACCGTCCGAA GGTAGCGCACCCAGGTACTTCTACCGAACCGTCCGAAGGCAGCG CTCCAGGTACCTCTACTGAACCTTCCGAGGGCAGCGCTCCAGGT ACCTCTACCGAACCTTCTGAAGGTAGCGCACCCAGGTACTTCTAC CGAACCGTCCGAGGGTAGCGCACCCAGGTAGCCAGCAGGTTCT CCTACCTCCACCGAGGAAGGTACTTCTACCGAACCGTCCGAGG GTAGCGCACCCAGGTACCTCTGAAAGCGCAACTCCTGAGTCTGG CCCAGGTAGCGAACCTGCTACCTCCGGCTCTGAGACTCCAGGT ACCTCTGAAAGCGCAACCCCGGAATCTGGTCCAGGTAGCGAAC CTGCAACCTCTGGCTCTGAAACCCAGGTACCTCTGAAAGCGCT ACTCCTGAATCTGGCCCAGGTACTTCTACTGAACCGTCCGAGGG CAGCGCACCCAGGTACTTCTGAAAGCGCTACTCCTGAGTCCGGC CCAGGTAGCCCGGCTGGCTCTCCGACTTCCACCGAGGAAGGTA GCCCCGGCTGGCTCTCCAACCTTCTACTGAAGAAGGTAGCCCCGC AGGCTCTCCGACCTCTACTGAGGAAGGTACTTCTGAAAGCGCA ACCCCGGAGTCCGGCCCAGGTACCTCTACCGAACCGTCTGAGG GCAGCGCACCCAGGTACCTCTGAAAGCGCAACTCCTGAGTCTGG CCCAGGTAGCGAACCTGCTACCTCCGGCTCTGAGACTCCAGGT ACCTCTGAAAGCGCAACCCCGGAATCTGGTCCAGGTAGCGAAC CTGCAACCTCTGGCTCTGAAACCCAGGTACCTCTGAAAGCGCT ACTCCTGAATCTGGCCCAGGTACTTCTACTGAACCGTCCGAGGG CAGCGCACCCAGGTAGCCCTGCTGGCTCTCCAACCTCCACCGAA GAAGGTACCTCTGAAAGCGCAACCCCTGAATCCGGCCCAGGTA GCGAACCGGCAACCTCCGGTTCTGAAACCCAGGTACTTCTGA AAGCGCTACTCCTGAGTCCGGCCCAGGTAGCCCCGGCTGGCTCT CGACTTCCACCGAGGAAGGTAGCCCCGGCTGGCTCTCCAACCTCT ACTGAAGAAGGTACTTCTACCGAACCTTCCGAGGGCAGCGCAC

GHXTEN Name*	Amino Acid Sequence	DNA Nucleotide Sequence
	SETPGSEPATSGSETP GSPAGSPTSTEEGTS TEPSEGSAPGTSTEPS EGSAPGSEPATSGSE TPGTSESATPESGPG TSTEPSEGSAPGFPTI PLSRLFDNAMLRAH RLHQLAFDITYQEFEE AYIPKEQKYSFLQNP QTSLCFSESIPTPSNR EETQQKSNLELLRIS LLLIQSWLEPVQFLR SVFANSVLVYGASDS NVYDLLKDLLEGIQT LMGRLEDGSPRTGQI FKQTYSKFDTNSHN DDALLKNYGLLYCF RKDMDKVETFLRIV QCRSVEGSCFGAPL GLRLRGGGGSEPATs GSETPGTSESATPES GPGSEPATSGSETPG SPAGSPTSTEEGTSTE PSEGSAPGSEPATSG SETPGSEPATSGSETP GSEPATSGSETPGTS TEPSEGSAPGTSESA TPESGPGSEPATSGS ETPGTSTEPSEGSAP	CAGGTACTTCTGAAAGCGCTACCCCTGAGTCCGGCCCAGGTACT TCTGAAAGCGCTACTCCTGAATCCGGTCCAGGTACTTCTGAAAG CGCTACCCCGGAATCTGGCCCAGGTAGCGAACC GGCTACTTCT GGTCTGAAACCCAGGTAGCGAACC GGCTACCTCCGGTTCTG AAACCTCCAGGTAGCCCAGCAGGCTCTCCGACTTCCACTGAGGA AGGTACTTCTACTGAACCTTCCGAAGGCAGCGCACCAGGTACC TCTACTGAACCTTCTGAGGGCAGCGCTCCAGGTAGCGAACCTG CAACCTCTGGCTCTGAAACCCAGGTACCTCTGAAAGCGCTACT CCTGAATCTGGCCCAGGTACTTCTACTGAACCGTCCGAGGGCA GCGCACCAGGTTTTCCGACTATTCCGCTGTCTCGTCTGTTTGAT AATGCTATGCTGCGTGCGCACCGTCTGCACCAGCTGGCCTTTGA TACTTACCAGGAATTTGAAGAAGC _c TACATTCTCTAAAGAGACA AGTACTCTTTCCTGCAAAACCCACAGACTTCTCTGCTTCAGC GAATCTATTCCGACGCTTCCAATCGCGAGGAAACTCAGCAAA AGTCCAATCTGGAACACTCCGCATTTCTCTGCTTCTGATTTCAG AGCTGGCTAGAACCAAGTGCAATTTCTGCGTTCCGTCTTCGCCAA TAGCCTAGTTTATGGCGCATCCGACAGCAACGTATACGATCTCC TGAAAGATCTCGAGGAAGGCATTCAGACCCTGATGGGTCGTCT CGAGGATGGCTCTCCGCGTACTGGTCAGATCTTCAAGCAGACTT ACTCTAAATTTGATACTAACAGCCACAATGACGATGCGCTTCTA AAAA ACTATGGTCTGCTGTATTGTTTTTCGTAAAGATATGGACAA AGTTGAAACCTTCTGCGTATTGTTTCAGTGTCTGTTCCGTTGAGG GCAGCTGTGGTTTCTAAGGT _{Tgcgcgctgggctgcgctgcgcgccggc} GGTG GTAGCGAACCGCAACTTCCGGCTCTGAAACCCAGGTACTTCT GAAAGCGCTACTCCTGAGTCTGGCCCAGGTAGCGAACCTGCTA CCTCTGGCTCTGAAACCCAGGTAGCCCGGCAGGCTCTCCGACT TCCACCGAGGAAGGTACCTCTACTGAACCTTCTGAGGGTAGCG CTCCAGGTAGCGAACCGGCAACCTCTGGCTCTGAAACCCAGG TAGCGAACCTGCTACCTCCGGCTCTGAAACTCCAGGTAGCGAA CCGGCTACTTCCGGTTCTGAAACTCCAGGTACCTCTACCGAACC TTCCGAAGGCAGCGCACCAAGGTACTTCTGAAAGCGCAACCCCT GAATCCGGTCCAGGTAGCGAACCGGCTACTTCTGGCTCTGAGA CTCCAGGTACTTCTACCGAACCGTCCGAAGGTAGCGCACCA
AE912- hGH- Thrombin- AE288	MAEPAGSPTSTEEGT PGSGTASSSPGSSTPS GATGSPGASPGTSST GSPGSPAGSPTSTEE GTSESATPESGPGTS TEPSEGSAPGSPAGS PTSTEEGTSTEPSEGS APGTSTEPSEGSAPG TSESATPESGPGSEP ATSGSETPGSEPATs GSETPGSPAGSPTST EEGTSESATPESGPG TSTEPSEGSAPGTSTE PSEGSAPGSPAGSPT STEEGTSTEPSEGSAP GTSTEPSEGSAPGTS ESATPESGPGTSTEPS EGSAPGTSESATPES GPGSEPATSGSETPG TSTEPSEGSAPGTSTE PSEGSAPGTSESATP ESGPGTSESATPESG PGSPAGSPTSTEEGT SESATPESGPGSEPA TSGSETPGTSESATPE SGPGTSTEPSEGSAP	ATGGCTGAACCTGCTGGCTCTCCAACCTCCACTGAGGAAGGTA CCCC GGGTAGCGGTACTGCTTCTTCTCTCCAGGTAGCTTACC CCTTCTGGTGCAACCGGCTCTCCAGGTGCTTCTCCGGGCACCAG CTCTACCGGTTCTCCAGGTAGCCCGGCTGGCTCTCTACCTCTA CTGAGGAAGGTACTTCTGAAAGCGCTACTCCTGAGTCTGGTCCA GGTACCTCTACTGAACCGTCCGAAGGTAGCGCTCCAGGTAGCC CAGCAGGCTCTCCGACTTCCACTGAGGAAGGTACTTCTACTGAA CCTTCCGAAGGCAGCGCACCAAGGTACCTCTACTGAACCTTCTGA GGGCAGCGCTCCAGGTACTTCTGAAAGCGCTACCCCGGAATCT GGCCAGGTAGCGAACCGGCTACTTCTGGTTCTGAAACCCAG GTAGCGAACCGGCTACCTCCGGTTCTGAAACTCCAGGTAGCCC GGCAGGCTCTCCGACCTCTACTGAGGAAGGTACTTCTGAAAGC GCAACCCCGGAGTCCGGCCCAGGTACCTCTACCGAACCGTCTG AGGGCAGCGCACCAAGGTACTTCTACCGAACCGTCCGAGGGTAG CGCACCAAGGTAGCCCAGCAGGTTCTCCTACCTCCACCGAGGAA GGTACTTCTACCGAACCGTCCGAGGGTAGCGCACCAAGGTACCT CTACTGAACCTTCTGAGGGCAGCGCTCCAGGTACTTCTGAAAGC GCTACCCCGGAGTCCGGTCCAGGTACTTCTACTGAACCGTCCGA AGGTAGCGCACCAAGGTACTTCTGAAAGCGCAACCCCTGAATCC GGTCCAGGTAGCGAACCGGCTACTTCTGGCTCTGAGACTCCAG GTACTTCTACCGAACCGTCCGAAGGTAGCGCACCAAGGTACTTCT ACTGAACCGTCTGAAGGTAGCGCACCAAGGTACTTCTGAAAGCG CAACCCCGGAATCCGGGCCAGGTACCTCTGAAAGCGCAACCC GGAGTCCGGGCCAGGTAGCCCTGCTGGCTCTCCAACCTCCACCG AAGAAGGTACCTCTGAAAGCGCAACCCCTGAATCCGGGCCAGG TAGCGAACCGGCAACCTCCGGTTCTGAAACCCAGGTACCTCT

GHXTEN Name*	Amino Acid Sequence	DNA Nucleotide Sequence
	GTSTEPSEGSAPGTS TEPSEGSAPGTSTEPS EGSAPGTSTEPSEGS APGTSTEPSEGSAPG SPAGSPTSTEEGTSTE PSEGSAPGTSESATP ESGPGSEPATSGSET PGTSESATPESGPGS EPATSGSETPGTSES ATPESGPGTSTEPSE GSAPGTSESATPESG PGSPAGSPTSTEEGSP AGSPTSTEEGSPAGS PTSTEEGTSESATPES GPGTSTEPSEGSAPG TSESATPESGPGSEP ATSGSETPGTSESAT PESGPGSEPATSGSE TPGTSESATPESGPG TSTEPSEGSAPGSPA GSPTSTEEGTSESATP ESGPGSEPATSGSET PGTSESATPESGPGSP AGSPTSTEEGSPAGS PTSTEEGTSTEPSEGS APGTSESATPESGPG TSESATPESGPGTSES ATPESGPGSEPATSG SETPGSEPATSGSETP GSPAGSPTSTEEGTS TEPSEGSAPGTSTEPS EGSAPGSEPATSGSE TPGTSESATPESGPG TSTEPSEGSAPGFPTI PLRHLFDNAMLRAH RLHQLAFDTYQEFEE AYIPKEQKYSFLQNP QTSLCFSESIPPSNR EETQQKSNLELLRIS LLLIQSWLEPVQFLR SVFANSLVYGASDS NVYDLLKDLEEGIQT LMGRLEDGSPRTGQI FKQTYSKFDTNSHN DDALLKNYGLLYCF RKDMDKVETFLRIV QCRSVEGSCGFLTP RSLLVGGGGTSESAT PESGPGSEPATSGSE TPGTSESATPESGPG SEPATSGSETPGTSES ATPESGPGTSTEPSE GSAPGSPAGSPTSTE EGTSESATPESGPGS EPATSGSETPGTSES ATPESGPGSPAGSPT STEEGSPAGSPTSTEE GTSTEPSEGSAPGTS ESATPESGPGTSESA	GAAAGCGCTACTCCGGAGTCTGGCCCAGGTACCTCTACTGAAC CGTCTGAGGGTAGCGCTCCAGGTACTTCTACTGAACCGTCCGAA GGTAGCGCACCAGGTACTTCTACCGAACCGTCCGAAGGCAGCG CTCCAGGTACCTCTACTGAACCTTCCGAGGGCAGCGCTCCAGGT ACCTCTACCGAACCTTCTGAAGGTAGCGCACCAGGTACTTCTAC CGAACCGTCCGAGGGTAGCGCACCAGGTAGCCCAGCAGGTTCT CCTACCTCCACCGAGGAAGGTACTTCTACCGAACCGTCCGAGG GTAGCGCACCAGGTACCTCTGAAAGCGCAACTCCTGAGTCTGG CCCAGGTAGCGAACCTGCTACCTCCGGCTCTGAGACTCCAGGT ACCTCTGAAAGCGCAACCCCGGAATCTGGTCCAGGTAGCGAAC CTGCAACCTCTGGCTCTGAAACCCAGGTACCTCTGAAAGCGCT ACTCCTGAATCTGGCCCAGGTACTTCTACTGAACCGTCCGAGGG CAGCGCACCAGGTACTTCTGAAAGCGCTACTCCTGAGTCCGGC CCAGGTAGCCCCGGCTGGCTCTCCGACTTCCACCGAGGAAGGTA GCCCCGGCTGGCTCTCCAACCTTCTACTGAAGAAGGTAGCCCCGC AGGCTCTCCGACCTCTACTGAGGAAGGTACTTCTGAAAGCGCA ACCCCGGAGTCCGGCCCCAGGTACCTCTACCGAACCGTCTGAGG GCAGCGCACCAGGTACCTCTGAAAGCGCAACTCCTGAGTCTGG CCCAGGTAGCGAACCTGCTACCTCCGGCTCTGAGACTCCAGGT ACCTCTGAAAGCGCAACCCCGGAATCTGGTCCAGGTAGCGAAC CTGCAACCTCTGGCTCTGAAACCCAGGTACCTCTGAAAGCGCT ACTCCTGAATCTGGCCCAGGTACTTCTACTGAACCGTCCGAGGG CAGCGCACCAGGTAGCCCTGCTGGCTCTCCAACCTCCACCGAA GAAGGTACCTCTGAAAGCGCAACCCCTGAATCCGGGCCAGGTA GCGAACCGGCAACCTCCGGTTCTGAAACCCAGGTACTTCTGA AAGCGCTACTCCTGAGTCCGGGCCAGGTAGCCCCGGCTGGCTCTC GACTTCCACCGAGGAAGGTAGCCCCGGCTGGCTCTCCAACCTTCT ACTGAAGAAGGTACTTCTACCGAACCTTCCGAGGGCAGCGCAC CAGGTACTTCTGAAAGCGCTACCCCTGAGTCCGGGCCAGGTACT TCTGAAAGCGCTACTCCTGAATCCGGTCCAGGTACTTCTGAAAG CGTACCCCGGAATCTGGCCCAGGTAGCGAACCGGCTACTTCT GGTCTGAAACCCAGGTAGCGAACCGGCTACCTCCGGTTCTG AACTCCAGGTAGCCCAGCAGGCTCTCCGACTTCCACTGAGGA AGGTACTTCTACTGAACCTTCCGAAGGCAGCGCACCAGGTACC TCTACTGAACCTTCTGAGGGCAGCGCTCCAGGTAGCGAACCTG CAACCTCTGGCTCTGAAACCCAGGTACCTCTGAAAGCGCTACT CCTGAATCTGGCCCAGGTACTTCTACTGAACCGTCCGAGGGCA GCGCACCAGGTTTTCCGACTATTCCGCTGTCTCGTCTGTTTGAT AATGCTATGCTGCGTGCGCACCCTGTCACCAGCTGGCCTTTGA TACTTACCAGGAATTTGAAGAAGC ₆ TACATTCTTAAAGAGCAGA AGTACTCTTTCCTGCAAAACCCACAGACTTCTCTCTGCTTCAGC GAATCTATTCCGACGCCTTCCAATCGCGAGGAACTCAGCAAA AGTCCAATCTGGAAGTACTCCGCATTTCTCTGCTTCTGATTGAG AGCTGGCTAGAACCAGTGCAATTTCTGCGTTCCGCTCTTCGCCAA TAGCCTAGTTTATGGCGCATCCGACAGCAACGTATACGATCTCC TGAAAGATCTCGAGGAAGGCATTGACACCTGATGGGTCTGCTCT CGAGGATGGCTCTCCGCGTACTGGTCAGATCTTCAAGCAGACTT ACTCTAAATTTGATACTAACAGCCACAATGACGATGCGCTTCTA AAAAATATGGTCTGCTGTATTGTTTTCGTAAAGATATGGACAA AGTTGAAACCTTCCCTGCGTATTGTTTCAGTGTCGTTCCGTTGAGG GCAGCTGTGGTTTCTAAGGT ₁ TctgaccccgcgagcctgctggtggcggcGGTG GTACCTCTGAAAGCGCAACTCCTGAGTCTGGCCCAGGTAGCGA ACCTGCTACCTCCGGCTCTGAGACTCCAGGTACCTCTGAAAGCG CAACCCCGGAATCTGGTCCAGGTAGCGAACCTGCAACCTCTGG CTCTGAAACCCAGGTACCTCTGAAAGCGCTACTCCTGAATCTG GCCCAGGTACTTCTACTGAACCGTCCGAGGGCAGCGCACCAGG TAGCCCTGCTGGCTCTCCAACCTCCACCGAAGAAGGTACCTCTG AAAGCGCAACCCCTGAATCCGGGCCAGGTAGCGAACCGGCAAC CTCCGGTTCTGAAACCCAGGTACTTCTGAAAGCGCTACTCCTG

GHXTEN Name*	Amino Acid Sequence	DNA Nucleotide Sequence
	TPESGPGTSESATPES GPGSEPATSGSETPG SEPATSGSETPGSPA GSPTSTEEGTSTEPSE GSAPGTSTEPSEGS PGSEPATSGSETPGT SESATPESGPGTSTEP SEGSAP	AGTCCGGCCCCAGGTAGCCCCGGCTGGCTCTCCGACTTCCACCGA GGAAGGTAGCCCCGGCTGGCTCTCCAACCTTCTACTGAAGAAGGT ACTTCTACCGAACCTTCCGAGGGCAGCGCACCAGGTACTTCTGA AAGCGCTACCCCTGAGTCCGGCCCCAGGTACTTCTGAAAGCGCT ACTCCTGAATCCGGTCCAGGTACTTCTGAAAGCGCTACCCCGGA ATCTGGCCCAGGTAGCGAACCCGGCTACTTCTGGTTCTGAAACCC CAGGTAGCGAACCCGGCTACCTCCGGTTCTGAAACTCCAGGTAG CCCAGCAGGCTCTCCGACTTCCACTGAGGAAGGTACTTCTACTG AACCTTCCGAAGGCAGCGCACCAGGTACCTCTACTGAACCTTCT GAGGGCAGCGCTCCAGGTAGCGAACCTGCAACCTCTGGCTCTG AAACCCAGGTACCTCTGAAAGCGCTACTCCTGAATCTGGCCC AGGTACTTCTACTGAACCGTCCGAGGGCAGCGCACCA
AE912- hGH- FXIa- AE288	MAEPAGSPTSTEEGT PGSGTASSPGSSTPS GATGSPGASPGTSS GSPGSPAGSPTSTEE GTSESATPESGPGTS TEPSEGSA PGSPAGS PTSTEEGTSTEPSEGS APGTSTEPSEGSAPG TSESATPESGPGSEP ATSGSETPGSEPAT GSETPGSPAGSPTST EEGTSESATPESGPG TSTEPSEGSA PGTSTE PSEGSA PGSPAGSPT STEEGTSTEPSEGSAP GTSTEPSEGSA PGTS ESATPESGPGTSTEPS EGSA PGTSESATPES GPGSEPATSGSETPG TSTEPSEGSA PGTSTE PSEGSA PGTSESATP ESGPGTSESATPESG PGSPAGSPTSTEEGT TSESATPESGPGSEPA TSGSETPGTSESATPE SGPGTSTEPSEGSA GTSTEPSEGSA PGTS TEPSEGSA PGTSTEPS EGSA PGTSTEPSEGS APGTSTEPSEGSAPG SPAGSPTSTEEGTSTE PSEGSA PGTSESATP ESGPGSEPATSGSET PGTSESATPESGPGS EPATSGSETPGTSES ATPESGPGTSTEPSE GSAPGTSESATPESG PGSPAGSPTSTEEGSP AGSPTSTEEGSPAGS PTSTEEGTSESATPES GPGTSTEPSEGSA PG TSESATPESGPGSEP ATSGSETPGTSESAT PESGPGSEPATSGSE TPGTSESATPESGPG TSTEPSEGSA PGSPA GSPTSTEEGTSESATP	ATGGCTGAACCTGCTGGCTCTCCAACCTCCACTGAGGAAGGTA CCCCGGGTAGCGGTACTGCTTCTTCTCTCCAGGTAGCTCTACC CCTTCTGGTGCAACCGGCTCTCCAGGTGCTTCTCCGGGCACCAG CTCTACCGGTTCTCCAGGTAGCCCCGGCTGGCTCTCCTACCTCTA CTGAGGAAGGTACTTCTGAAAGCGCTACTCCTGAGTCTGGTCCA GGTACCTCTACTGAACCGTCCGAAGGTAGCGCTCCAGGTAGCC CAGCAGGCTCTCCGACTTCCACTGAGGAAGGTACTTCTACTGAA CCTTCCGAAGGCAGCGCACCAGGTACCTCTACTGAACCTTCTGA GGGCAGCGCTCCAGGTACTTCTGAAAGCGCTACCCCGGAATCT GGCCAGGTAGCGAACCCGGCTACTTCTGGTTCTGAAACCCAG GTAGCGAACCCGGCTACCTCCGGTTCTGAAACTCCAGGTAGCCC GGCAGGCTCTCCGACCTCTACTGAGGAAGGTACTTCTGAAAGC GCAACCCCGGAGTCCGGCCCCAGGTACCTCTACCGAACCGTCTG AGGGCAGCGCACCAGGTACTTCTACCGAACCGTCCGAGGGTAG CGCACCAGGTAGCCCAGCAGGTTCTCCTACCTCCACCGAGGAA GGTACTTCTACCGAACCGTCCGAGGGTAGCGCACCAGGTACCT CTACTGAACCTTCTGAGGGCAGCGCTCCAGGTACTTCTGAAAGC GCTACCCCGGAGTCCGGTCCAGGTACTTCTACTGAACCGTCCGA AGGTAGCGCACCAGGTACTTCTGAAAGCGCAACCCCTGAATCC GGTCCAGGTAGCGAACCCGGCTACTTCTGGCTCTGAGACTCCAG GTACTTCTACCGAACCGTCCGAAGGTAGCGCACCAGGTACTTCT ACTGAACCGTCTGAAGGTAGCGCACCAGGTACTTCTGAAAGCG CAACCCCGGAATCCGGCCCCAGGTACCTCTGAAAGCGCAACCC GGAGTCCGGCCCCAGGTAGCCCTGCTGGCTCTCCAACCTCCACCG AAGAAGGTACCTCTGAAAGCGCAACCCCTGAATCCGGCCCCAGG TAGCGAACCCGGCAACCTCCGGTTCTGAAACCCAGGTACCTCT GAAAGCGCTACTCCGGAGTCTGGCCCAGGTACCTCTACTGAAC CGTCTGAGGGTAGCGCTCCAGGTACTTCTACTGAACCGTCCGA GGTAGCGCACCAGGTACTTCTACCGAACCGTCCGAAGGCAGCG CTCCAGGTACCTCTACTGAACCTTCCGAGGGCAGCGCTCCAGGT ACCTCTACCGAACCTTCTGAAGGTAGCGCACCAGGTACTTCTAC CGAACCGTCCGAGGGTAGCGCACCAGGTAGCCCAGCAGGTTCT CCTACCTCCACCGAGGAAGGTACTTCTACCGAACCGTCCGAGG GTAGCGCACCAGGTACCTCTGAAAGCGCAACTCCTGAGTCTGG CCCAGGTAGCGAACCTGCTACCTCCGGCTCTGAGACTCCAGGT ACCTCTGAAAGCGCAACCCCGGAATCTGGTCCAGGTAGCGAAC CTGCAACCTCTGGCTCTGAAACCCAGGTACCTCTGAAAGCGCT ACTCCTGAATCTGGCCCAGGTACTTCTACTGAACCGTCCGAGGG CAGCGCACCAGGTACTTCTGAAAGCGCTACTCCTGAGTCCGGC CCAGGTAGCCCCGGCTGGCTCTCCGACTTCCACCGAGGAAGGTA GCCCCGGCTGGCTCTCCAACCTTCTACTGAAGAAGGTAGCCCCGC AGGCTCTCCGACCTCTACTGAGGAAGGTACTTCTGAAAGCGCA ACCCCGGAGTCCGGCCCCAGGTACCTCTACCGAACCGTCTGAGG GCAGCGCACCAGGTACCTCTGAAAGCGCAACTCCTGAGTCTGG CCCAGGTAGCGAACCTGCTACCTCCGGCTCTGAGACTCCAGGT ACCTCTGAAAGCGCAACCCCGGAATCTGGTCCAGGTAGCGAAC CTGCAACCTCTGGCTCTGAAACCCAGGTACCTCTGAAAGCGCT ACTCCTGAATCTGGCCCAGGTACTTCTACTGAACCGTCCGAGGG CAGCGCACCAGGTACTTCTGAAAGCGCTACTCCTGAGTCCGGC CCAGGTAGCCCCGGCTGGCTCTCCGACTTCCACCGAGGAAGGTA GCCCCGGCTGGCTCTCCAACCTTCTACTGAAGAAGGTAGCCCCGC AGGCTCTCCGACCTCTACTGAGGAAGGTACTTCTGAAAGCGCA ACCCCGGAGTCCGGCCCCAGGTACCTCTACCGAACCGTCTGAGG GCAGCGCACCAGGTACCTCTGAAAGCGCAACTCCTGAGTCTGG CCCAGGTAGCGAACCTGCTACCTCCGGCTCTGAGACTCCAGGT ACCTCTGAAAGCGCAACCCCGGAATCTGGTCCAGGTAGCGAAC CTGCAACCTCTGGCTCTGAAACCCAGGTACCTCTGAAAGCGCT

GHXTEN Name*	Amino Acid Sequence	DNA Nucleotide Sequence
	ESGPGSEPATSGSET PGTSESATPESGPGSP AGSPTSTEEGSPAGS PTSTEEGTSTEPSEGS APGTSESATPESGPG TSESATPESGPGTSES ATPESGPGSEPATSG SETPGSEPATSGSETP GSPAGSPTSTEEGTS TEPSEGSAPGTSTEPS EGSAPGSEPATSGSE TPGTSESATPESGPG TSTEPSEGSAPGFPTI PLSRLFDNAMLRAH RLHQLAFDITYQEFEE AYIPKEQKYSFLQNP QTSLCFSESIPSPNR EETQKSNLELLRIS LLLIQSWLEPVQFLR SVFANSVLVYGASDS NVYDLLKDLEEGIQT LMGRLEDGSPRTGQI FKQTYSKFDTNSHN DDALLKNYGLLYCF RKDMDKVETFLRIV QCRSVEGSCGFGGG KLTRVVGGGGTSES ATPESGPGSEPATSG SETPGTSESATPESGP GSEPATSGSETPGTS ESATPESGPGTSTEPS EGSAPGSPAGSPTST EGTSESATPESGPG SEPATSGSETPGTSES ATPESGPGSPAGSPT STEEGSPAGSPTSTEE GTSTEPSEGSAPGTS ESATPESGPGTSESA TPESGPGTSESATPES GPGSEPATSGSETPG SEPATSGSETPGSPA GSPTSTEEGTSTEPSE GSAPGTSTEPSEGS PGSEPATSGSETPGT SESATPESGPGTSTEP SEGSA	ACTCCTGAATCTGGCCCAGGTACTTCTACTGAACCGTCCGAGGG CAGCGCACCAGGTAGCCCTGCTGGCTCTCCAACCTCCACCGAA GAAGGTACCTCTGAAAGCGCAACCCCTGAATCCGGGCCAGGTA GCGAACCGGCAACCTCCGGTCTGAAACCCAGGTACTTCTGA AAGCGCTACTCCTGAGTCCGGCCCCAGGTAGCCCGGCTGGCTCTC CGACTTCCACCGAGGAAGGTAGCCCGGCTGGCTCTCCAACCTTCT ACTGAAGAAGGTACTTCTACCGAACCTTCCGAGGGCAGCGCAC CAGGTACTTCTGAAAGCGCTACCCCTGAGTCCGGGCCAGGTACT TCTGAAAGCGCTACTCCTGAATCCGGTCCAGGTACTTCTGAAAG CGTACCCCGGAATCTGGCCCAGGTAGCGAACCGGCTACTTCT GGTCTGAAACCCAGGTAGCGAACCGGCTACCTCCGGTTCTG AACTCCAGGTAGCCCAGCAGGCTCTCCGACTTCCACTGAGGA AGGTACTTCTACTGAACCTTCCGAAGGCAGCGCACCAGGTACC TCTACTGAACCTTCTGAGGGCAGCGCTCCAGGTAGCGAACCTG CAACCTCTGGCTCTGAAACCCAGGTACCTCTGAAAGCGCTACT CCTGAATCTGGCCCAGGTACTTCTACTGAACCGTCCGAGGGCA GCGCACCAGGTTTTCCGACTATTCCGCTGTCTCGTCTGTTTGAT AATGCTATGCTGCGTGCGCACCGTCTGCACCAGCTGGCCTTTGA TACTTACCAGGAATTTGAAGAAGC ₂ TACATTCCTAAAGAGCAGA AGTACTCTTTCCTGCAAAACCCACAGACTTCTCTCTGCTTCAGC GAATCTATTCCGACGCCTTCCAATCGCGAGGAAACTCAGCAAA AGTCCAATCTGGAAGTACTCCGCATTTCTCTGCTTCTGATTAG AGCTGGCTAGAACCAGTGCAATTTCTGCGTTCCGTCTTCGCCAA TAGCCTAGTTTATGGCGCATCCGACAGCAACGTATACGATCTCC TGAAAGATCTCGAGGAAGGCATTTCAGACCCTGATGGGTCGTCT CGAGGATGGCTCTCCGCGTACTGGTCAGATCTTCAAGCAGACTT ACTCTAAATTTGATACTAACAGCCACAATGACGATGCGCTTCTA AAAAACTATGGTCTGCTGTATTGTTTTTCGTAAAGATATGGACAA AGTTGAAACCTTCCGTGCGTATTGTTTCAGTGTCGTTCCGTTGAGG GCAGCTGTGGTTTTCTAAGGTggcgggcaaactgacccgcgtgggtggcggcGGTG GTACCTCTGAAAGCGCAACTCCTGAGTCTGGCCCAGGTAGCGA ACCTGCTACCTCCGGCTCTGAGACTCCAGGTACCTCTGAAAGCG CAACCCCGGAATCTGGTCCAGGTAGCGAACCTGCAACCTCTGG CTCTGAAACCCAGGTACCTCTGAAAGCGCTACTCCTGAATCTG GCCCAGGTACTTCTACTGAACCGTCCGAGGGCAGCGCACCAGG TAGCCCTGCTGGCTCTCCAACCTCCACCGAAGAAGGTACCTCTG AAAGCGCAACCCCTGAATCCGGGCCAGGTAGCGAACCGGCAAC CTCCGGTTCTGAAACCCAGGTACTTCTGAAAGCGCTACTCCTG AGTCCGGGCCAGGTAGCCCGGCTGGCTCTCCGACTTCCACCGA GGAAGGTAGCCCGGCTGGCTCTCCAACCTTCTACTGAAGAAGGT ACTTCTACCGAACCTTCCGAGGGCAGCGCACCAGGTACTTCTGA AAGCGTACCCCTGAGTCCGGGCCAGGTACTTCTGAAAGCGCT ACTCCTGAATCCGGTCCAGGTACTTCTGAAAGCGCTACCCCGGA ATCTGGCCCAGGTAGCGAACCGGCTACTTCTGGTTCTGAAACCC CAGGTAGCGAACCGGCTACCTCCGGTTCTGAAACTCCAGGTAG CCCAGCAGGCTCTCCGACTTCCACTGAGGAAGGTACTTCTACTG AACCTTCCGAAGGCAGCGCACCAGGTACCTCTACTGAACCTTCT GAGGGCAGCGCTCCAGGTAGCGAACCTGCAACCTCTGGCTCTG AAACCCAGGTACCTCTGAAAGCGCTACTCCTGAATCTGGCCC AGGTACTTCTACTGAACCGTCCGAGGGCAGCGCACCA
AE912- hGH- Elastase- AE288	MAEPAGSPTSTEEGT PGSGTASSSPGSSTPS GATGSPGASPGTSST GSPGSPAGSPTSTEE GTSESATPESGPGTS TEPSEGSAPGSPAGS PTSTEEGTSTEPSEGS APGTSTEPSEGSAPG TSESATPESGPGSEP	ATGGCTGAACCTGCTGGCTCTCCAACCTCCACTGAGGAAGGTA CCCCGGGTAGCGGTACTGCTTCTTCTCTCCAGGTAGCTCTACC CCTTCTGGTGCAACCGGCTCTCCAGGTGCTTCTCCGGGCACCGA CTCTACCGGTTCTCCAGGTAGCCCGGCTGGCTCTCCTACCTCTA CTGAGGAAGGTACTTCTGAAAGCGCTACTCCTGAGTCTGGTCCA GGTACCTCTACTGAACCGTCCGAAGGTAGCGCTCCAGGTAGCC CAGCAGGCTCTCCGACTTCCACTGAGGAAGGTACTTCTACTGAA CCTTCCGAAGGCAGCGCACCAGGTACCTCTACTGAACCTTCTGA GGGCAGCGCTCCAGGTACTTCTGAAAGCGCTACCCCGGAATCT

GHXTEN Name*	Amino Acid Sequence	DNA Nucleotide Sequence
	ATSGSETPGSEPATS GSETPGSPAGSPTST EEGTSESATPESGPG TSTEPSEGSAPGTSTE PSEGSAPGSPAGSPT STEEGTSTEPSEGSAP GTSTEPSEGSAPGTS ESATPESGPGTSTEPS EGSAPGTSESATPES GPGSEPATSGSETPG TSTEPSEGSAPGTSTE PSEGSAPGTSESATP ESGPGTSESATPESG PGSPAGSPTSTEEGT SESATPESGPGSEPA TSGSETPGTSESATPE SGPPTSTEPSEGSAP GTSTEPSEGSAPGTS TEPSEGSAPGTSTEPS EGSAPGTSTEPSEGS APGTSTEPSEGSAPG SPAGSPTSTEEGTSTE PSEGSAPGTSESATP ESGPGSEPATSGSET PGTSESATPESGPGS EPATSGSETPGTSES ATPESGPGTSTEPSE GSAPGTSESATPESG PGSPAGSPTSTEEGSP AGSPTSTEEGSPAGS PTSTEEGTSESATPES GPGTSTEPSEGSAPG TSESATPESGPGSEP ATSGSETPGTSESAT PESGPGSEPATSGSE TPGTSESATPESGPG TSTEPSEGSAPGSPA GSPTSTEEGTSESATP ESGPGSEPATSGSET PGTSESATPESGPGSP AGSPTSTEEGSPAGS PTSTEEGTSTEPSEGS APGTSESATPESGPG TSESATPESGPGTSES ATPESGPGSEPATSG SETPGSEPATSGSETP GSPAGSPTSTEEGTS TEPSEGSAPGTSTEPS EGSAPGSEPATSGSE TPGTSESATPESGPG TSTEPSEGSAPGFPTI PLSRLFDNAMLRAH RLHQLAFDITYQEFEE AYIPKEQKYSFLQNP QTSLCFSES IPTPSNR EETQQKSNLELLRIS LLLIQSWLEPVQFLR SVFANSLVYGASDS NVYDLLKDLEEGIQT	GGCCAGGTAGCGAACCGGCTACTTCTGGTTCTGAAACCCAG GTAGCGAACCGGCTACCTCCGGTTCTGAAACTCCAGGTAGCCC GGCAGGCTCTCCGACCTCTACTGAGGAAGGTACTTCTGAAAGC GCAACCCCGGAGTCCGGCCCAGGTACCTCTACCGAACCGTCTG AGGGCAGCGCACCAGGTACTTCTACCGAACCGTCCGAGGGTAG CGCACCAGGTAGCCCAGCAGGTTCTCTACCTCCACCGAGGAA GGTACTTCTACCGAACCGTCCGAGGGTAGCGCACCAGGTACCT CTACTGAACCTTCTGAGGGCAGCGCTCCAGGTACTTCTGAAAGC GCTACCCCGGAGTCCGGTCCAGGTACTTCTACTGAACCGTCCGA AGGTAGCGCACCAGGTACTTCTGAAAGCGCAACCCCTGAATCC GGTCCAGGTAGCGAACCGGCTACTTCTGGCTCTGAGACTCCAG GTACTTCTACCGAACCGTCCGAAGGTAGCGCACCAGGTACTTCT ACTGAACCGTCTGAAGGTAGCGCACCAGGTACTTCTGAAAGCG CAACCCCGGAATCCGGCCCAGGTACCTCTGAAAGCGCAACCC GGAGTCCGGCCCAGGTAGCCCTGCTGGCTCTCCAACCTCCACCG AAGAAGGTACCTCTGAAAGCGCAACCCCTGAATCCGGCCCAGG TAGCGAACCGGCAACCTCCGGTTCTGAAACCCAGGTACCTCT GAAAGCGCTACTCCGGAGTCTGGCCCAGGTACCTCTACTGAAC CGTCTGAGGGTAGCGCTCCAGGTACTTCTACTGAACCGTCCGAA GGTAGCGCACCAGGTACTTCTACCGAACCGTCCGAAGGCAGCG CTCCAGGTACCTCTACTGAACCTTCCGAGGGCAGCGCTCCAGGT ACCTCTACCGAACCTTCTGAAGGTAGCGCACCAGGTACTTCTAC CGAACCGTCCGAGGGTAGCGCACCAGGTAGCCCAGCAGGTTCT CCTACCTCCACCGAGGAAGGTACTTCTACCGAACCGTCCGAGG GTAGCGCACCAGGTACCTCTGAAAGCGCAACTCCTGAGTCTGG CCCAGGTAGCGAACCTGCTACCTCCGGCTCTGAGACTCCAGGT ACCTCTGAAAGCGCAACCCCGGAATCTGGTCCAGGTAGCGAAC CTGCAACCTCTGGCTCTGAAACCCAGGTACCTCTGAAAGCGCT ACTCCTGAATCTGGCCCAGGTACTTCTACTGAACCGTCCGAGGG CAGCGCACCAGGTACTTCTGAAAGCGCTACTCCTGAGTCCGGC CCAGGTAGCCCGGCTGGCTCTCCGACTTCCACCGAGGAAGGTA GCCCGGCTGGCTCTCCAACCTTCTACTGAAGAAGGTAGCCCGGC AGGCTCTCCGACCTCTACTGAGGAAGGTACTTCTGAAAGCGCA ACCCCGGAGTCCGGCCCAGGTACCTCTACCGAACCGTCTGAGG GCAGCGCACCAGGTACCTCTGAAAGCGCAACTCCTGAGTCTGG CCCAGGTAGCGAACCTGCTACCTCCGGCTCTGAGACTCCAGGT ACCTCTGAAAGCGCAACCCCGGAATCTGGTCCAGGTAGCGAAC CTGCAACCTCTGGCTCTGAAACCCAGGTACCTCTGAAAGCGCT ACTCCTGAATCTGGCCCAGGTACTTCTACTGAACCGTCCGAGGG CAGCGCACCAGGTAGCCCTGCTGGCTCTCCAACCTCCACCGAA GAAGGTACCTCTGAAAGCGCAACCCCTGAATCCGGCCCAGGTA GCGAACCGGCAACCTCCGGTTCTGAAACCCAGGTACTTCTGA AAGCGCTACTCCTGAGTCCGGCCCAGGTAGCCCGGCTGGCTCTC CGACTTCCACCGAGGAAGGTAGCCCGGCTGGCTCTCCAACCTCT ACTGAAGAAGGTACTTCTACCGAACCTTCCGAGGGCAGCGCAC CAGGTACTTCTGAAAGCGCTACCCCTGAGTCCGGCCCAGGTACT TCTGAAAGCGCTACTCCTGAATCCGGTCCAGGTACTTCTGAAAG CGCTACCCCGGAATCTGGCCCAGGTAGCGAACCGGCTACTTCT GGTCTGAAACCCAGGTAGCGAACCGGCTACCTCCGGTTCTG AAACCTCCAGGTAGCCCAGCAGGCTCTCCGACTTCCACTGAGGA AGGTACTTCTACTGAACCTTCCGAAGGCAGCGCACCAGGTACC TCTACTGAACCTTCTGAGGGCAGCGCTCCAGGTAGCGAACCTG CAACCTCTGGCTCTGAAACCCAGGTACCTCTGAAAGCGCTACT CCTGAATCTGGCCCAGGTACTTCTACTGAACCGTCCGAGGGCA GCGCACCAGGTTTTCCGACTATTCCGCTGTCTCGTCTGTTTGAT AATGCTATGCTGCGTGCGCACCGTCTGCACCAGCTGGCCTTTGA TACTTACCAGGAATTTGAAGAAGCcTACATTCTAAAGAGCAGA AGTACTCTTCTGCAAAACCCACAGACTTCTCTGCTTCAGC GAATCTATTCCGACGCCTTCCAATCGCGAGGAACTCAGCAAA

GHXTEN Name*	Amino Acid Sequence	DNA Nucleotide Sequence
	LMGRLEDGSPRTGQI FKQTYSKFDTNSHN DDALLKNYGLLYCF RKDMDKVETFLRIV QCRSVEGSCGFGGG LGPVSGVPGGTSESA TPESGPGSEPATSGS ETPGTSESATPESGP GSEPATSGSETPGTS ESATPESGPGTSTEPS EGSAPGSPAGSPTST EEGTSESATPESGPG SEPATSGSETPGTSES ATPESGPGSPAGSPT STEEGSPAGSPTSTEE GTSTEPSEGSAPGTS ESATPESGPGTSESA TPESGPGTSESATPES GPGSEPATSGSETPG SEPATSGSETPGSPA GSPTSTEEGTSTEPSE GSAPGTSTEPSEGS PGSEPATSGSETPGT SESATPESGPGTSTEP SEGSA	AGTCCAATCTGGAACACTCCGCATTTCTCTGCTTCTGATTTCAG AGCTGGCTAGAACAGTGCAATTTCTGCGTTCCGTCTTCGCCAA TAGCCTAGTTTATGGCGCATCCGACAGCAACGTATACGATCTCC TGAAAGATCTCGAGGAAGGCATTGACACCCTGATGGGTCGTCT CGAGGATGGCTCTCCGCGTACTGGTCAGATCTTCAAGCAGACTT ACTCTAAATTTGATACTAACAGCCACAATGACGATGCGCTTCTA AAAAAGTATGGTCTGCTGTATTGTTTCGTAAAGATATGGACAA AGTTGAAACCTTCTGCGTATTGTTTCAGTGTCTGTTCCGTTGAGG GCAGCTGTGGTTTCTAAGGTGgcgggcctgggcccggtagcgggcgtgcccGGT GGTACCTCTGAAAGCGCAACTCCTGAGTCTGGCCAGGTAGCG AACCTGCTACCTCCGGCTCTGAGACTCCAGGTACCTCTGAAAGC GCAACCCCGGAATCTGGTCCAGGTAGCGAACCTGCAACCTCTG GCTCTGAAACCCAGGTACCTCTGAAAGCGCTACTCTGAAATCT GGCCAGGTACTTCTACTGAACCGTCCGAGGGCAGCGCACCAG GTAGCCCTGCTGGCTCTCCAACCTCCACCGAAGAAGGTACCTCT GAAAGCGCAACCCCTGAATCCGGCCAGGTAGCGAACCGGCA CCTCCGTTCTGAAACCCAGGTACTTCTGAAAGCGCTACTCCT GAGTCCGGCCAGGTAGCCCGGCTGGCTCTCCGACTTCCACCG AGGAAGGTAGCCCGGCTGGCTCTCCAACCTTCTACTGAAGAAGG TACTTCTACCGAACCTTCCGAGGGCAGCGCACCAGGTACTTCTG AAAGCGCTACCCCTGAGTCCGGCCAGGTACTTCTGAAAGCGC TACTCCTGAATCCGGTCCAGGTACTTCTGAAAGCGCTACCCCGG AATCTGGCCAGGTAGCGAACCGGCTACTTCTGGTTCTGAAACC CCAGGTAGCGAACCGGCTACCTCCGGTTCTGAAACTCCAGGTA GCCCAGCAGGCTCTCCGACTTCCACTGAGGAAGGTACTTCTACT GAACCTTCCGAAGGCAGCGCACCAGGTACCTCTACTGAACCTT CTGAGGGCAGCGCTCCAGGTAGCGAACCTGCAACCTCTGGCTC TGAAACCCAGGTACCTCTGAAAGCGCTACTCCTGAATCTGGCC CAGGTACTTCTACTGAACCGTCCGAGGGCAGCGCACCA
AE912- hGH- MMP-17- AE288	MAEPAGSPTSTEEGT PGSGTASSPGSSTPS GATGSPGASPGTSS GSPGSPAGSPTSTEE GTSESATPESGPGTS TEPSEGSAPGSPAGS PTSTEEGTSTEPSEGS APGTSTEPSEGSAPG TSESATPESGPGSEP ATSGSETPGSEPATS GSETPGSPAGSPTST EEGTSESATPESGPG TSTEPSEGSAPGTSTE PSEGSAPGSPAGSPT STEEGTSTEPSEGSAP GTSTEPSEGSAPGTS ESATPESGPGTSTEPS EGSAPGTSESATPES GPGSEPATSGSETPG TSTEPSEGSAPGTSTE PSEGSAPGTSESATP ESGPGTSESATPESG PGSPAGSPTSTEEGT SESATPESGPGSEPA TSGSETPGTSESATPE SGPGTSTEPSEGSAP GTSTEPSEGSAPGTS TEPSEGSAPGTSTEPS EGSAPGTSTEPSEGS APGTSTEPSEGSAPG	ATGGCTGAACCTGCTGGCTCTCCAACCTCCACTGAGGAAGGTA CCCCAGGTAGCGGTACTGCTTCTTCTCTCCAGGTAGCTCTACC CCTTCTGGTGCAACCGGCTCTCCAGGTGCTTCTCCGGGCACCAG CTCTACCGGTTCTCCAGGTAGCCCGGCTGGCTCTCCTACCTCTA CTGAGGAAGGTACTTCTGAAAGCGCTACTCCTGAGTCTGGTCCA GGTACCTCTACTGAACCGTCCGAAGGTAGCGCTCCAGGTAGCC CAGCAGGCTCTCCGACTTCCACTGAGGAAGGTACTTCTACTGAA CCTTCCGAAGGCAGCGCACCAGGTACCTCTACTGAACCTTCTGA GGGCAGCGCTCCAGGTACTTCTGAAAGCGCTACCCCGGAATCT GGCCAGGTAGCGAACCGGCTACTTCTGGTTCTGAAACCCAG GTAGCGAACCGGCTACCTCCGGTTCTGAAACTCCAGGTAGCCC GGCAGGCTCTCCGACCTCTACTGAGGAAGGTACTTCTGAAAGC GCAACCCCGGAGTCCGGCCAGGTACCTCTACCGAACCGTCTG AGGGCAGCGCACCAGGTACTTCTACCGAACCGTCCGAGGGTAG CGCACCAGGTAGCCAGCAGGTTCTCCTACCTCCACCGAGGAA GGTACTTCTACCGAACCGTCCGAGGGTAGCGCACCAGGTACCT CTACTGAACCTTCTGAGGGCAGCGCTCCAGGTACTTCTGAAAGC GCTACCCCGGAGTCCGGTCCAGGTACTTCTACTGAACCGTCCGA AGGTAGCGCACCAGGTACTTCTGAAAGCGCAACCCCTGAATCC GGTCCAGGTAGCGAACCGGCTACTTCTGGCTCTGAGACTCCAG GTACTTCTACCGAACCGTCCGAAGGTAGCGCACCAGGTACTTCT ACTGAACCGTCTGAAGGTAGCGCACCAGGTACTTCTGAAAGCG CAACCCCGGAATCCGGCCAGGTACCTCTGAAAGCGCAACCC GGAGTCCGGCCAGGTAGCCCTGCTGGCTCTCCAACCTCCACCG AAGAAGGTACCTCTGAAAGCGCAACCCCTGAATCCGGCCAGG TAGCGAACCGGCAACCTCCGGTTCTGAAACCCAGGTACCTCT GAAAGCGCTACTCCGGAGTCTGGCCAGGTACCTCTACTGAAC CGTCTGAGGGTAGCGCTCCAGGTACTTCTACTGAACCGTCCGAA GGTAGCGCACCAGGTACTTCTACCGAACCGTCCGAAGGCAGCG CTCCAGGTACCTCTACTGAACCTTCCGAGGGCAGCGCTCCAGGT

GHXTEN Name*	Amino Acid Sequence	DNA Nucleotide Sequence
	SPAGSPTSTEEGTSTE PSEGSAPGTSESATP ESGPGSEPATSGSET PGTSESATPESGPGS EPATSGSETPGTSES ATPESGPGTSTEPSE GSAPGTSESATPESG PGSPAGSPTSTEEGSP AGSPTSTEEGSPAGS PTSTEEGTSESATPES GPGTSTEPSEGSAPG TSESATPESGPGSEP ATSGTSEPGTSESAT PESGPGSEPATSGSE TPGTSESATPESGPG TSTEPSEGSAPGSPA GSPTSTEEGTSESATP ESGPGSEPATSGSET PGTSESATPESGPGSP AGSPTSTEEGSPAGS PTSTEEGTSTEPSEGS APGTSESATPESGPG TSESATPESGPGTSES ATPESGPGSEPATSG SETPGSEPATSGSETP GSPAGSPTSTEEGTS TEPSEGSAPGTSTEPS EGSAPGSEPATSGSE TPGTSESATPESGPG TSTEPSEGSAPGFPTI PLSRLFDNAMLRAH RLHQLAFDITYQEFEE AYIPKEQKYSFLQNP QTSLCFSESIPTPSNR EETQKSNLELLRIS LLLIQSWLEPVQFLR SVFANSLVYGASDS NVYDLLKDLEEGIQT LMGRLEDGSPRTGQI FKQTYSKFDTNSHN DDALLKNYGLLYCF RKDMDKVETFLRIV QCRSVEGSCFGAPL GLRLRGGGGTSESA TPESGPGSEPATSGS ETPGTSESATPESGP GSEPATSGSETPGTS ESATPESGPGTSTEPS EGSAPGSPAGSPTST EEGTSESATPESGPG SEPATSGSETPGTSES ATPESGPGSPAGSPT STEEGSPAGSPTSTEE GTSTEPSEGSAPGTS ESATPESGPGTSESA TPESGPGTSESATPES GPGSEPATSGSETPG SEPATSGSETPGSPA GSPTSTEEGTSTEPSE	ACCTCTACCGAACCTTCTGAAGGTAGCGCACCAGGTACTTCTAC CGAACCGTCCGAGGGTAGCGCACCAGGTAGCCCAGCAGGTTCT CCTACCTCCACCGAGGAAGGTACTTCTACCGAACCGTCCGAGG GTAGCGCACCAGGTACCTCTGAAAGCGCAACTCCTGAGTCTGG CCCAGGTAGCGAACCTGCTACCTCCGGCTCTGAGACTCCAGGT ACCTCTGAAAGCGCAACCCCGGAATCTGGTCCAGGTAGCGAAC CTGCAACCTCTGGCTCTGAAACCCAGGTACCTCTGAAAGCGCT ACTCCTGAATCTGGCCCAGGTACTTCTACTGAACCGTCCGAGGG CAGCGCACCAGGTACTTCTGAAAGCGCTACTCCTGAGTCCGGC CCAGGTAGCCCGGCTGGCTCTCCGACTTCCACCGAGGAAGGTA GCCCGGCTGGCTCTCCAACCTTCTACTGAAGAAGGTAGCCCGGC AGGCTCTCCGACCTCTACTGAGGAAGGTACTTCTGAAAGCGCA ACCCCGGAGTCCGGCCCAGGTACCTCTACCGAACCGTCTGAGG GCAGCGCACCAGGTACCTCTGAAAGCGCAACTCCTGAGTCTGG CCCAGGTAGCGAACCTGCTACCTCCGGCTCTGAGACTCCAGGT ACCTCTGAAAGCGCAACCCCGGAATCTGGTCCAGGTAGCGAAC CTGCAACCTCTGGCTCTGAAACCCAGGTACCTCTGAAAGCGCT ACTCCTGAATCTGGCCCAGGTACTTCTACTGAACCGTCCGAGGG CAGCGCACCAGGTAGCCCTGCTGGCTCTCCAACCTCCACCGAA GAAGGTACCTCTGAAAGCGCAACCCCTGAATCCGGGCCAGGTA GCGAACCGGCAACCTCCGGTTCTGAAACCCAGGTACTTCTGA AAGCGCTACTCCTGAGTCCGGCCCAGGTAGCCCGGCTGGCTCTC GACTTCCACCGAGGAAGGTAGCCCGGCTGGCTCTCCAACCTTCT ACTGAAGAAGGTACTTCTACCGAACCTTCCGAGGGCAGCGCAC CAGGTACTTCTGAAAGCGCTACCCCTGAGTCCGGCCCAGGTACT TCTGAAAGCGCTACTCCTGAATCCGGTCCAGGTACTTCTGAAAG CGTACCCCGGAATCTGGCCCAGGTAGCGAACCGGCTACTTCT GGTCTGAAACCCAGGTAGCGAACCGGCTACCTCCGGTTCTG AAATCCAGGTAGCCCAGCAGGCTCTCCGACTTCCACTGAGGA AGGTACTTCTACTGAACCTTCCGAAGGCAGCGCACCAGGTACC TCTACTGAACCTTCTGAGGGCAGCGCTCCAGGTAGCGAACCTG CAACCTCTGGCTCTGAAACCCAGGTACCTCTGAAAGCGCTACT CCTGAATCTGGCCCAGGTACTTCTACTGAACCGTCCGAGGGCA GCGCACCAGGTTTTCCGACTATTCCGCTGTCTCGTCTGTTTGT AATGCTATGCTGCGTGCGCACCGTCTGCACCGGCGCCTTTGA TACTTACCAGGAATTTGAAGAAGCCTACATCTTAAAGAGCAGA AGTACTCTTTCCTGCAAACCCACAGACTTCTCTCTGCTTCAGC GAATCTATTCCGACGCCTTCCAATCGCGAGGAAACTCAGCAAA AGTCCAATCTGGAACCTACTCCGCATTTCTCTGCTTCTGATTGAG AGCTGGCTAGAACCAGTGCAATTTCTGCGTTCCGCTCTTCGCCAA TAGCCTAGTTTATGGCGCATCCGACAGCAACGTATACGATCTCC TGAAAGATCTCGAGGAAGGCATTCAGACCCTGATGGGTCGTCT CGAGGATGGCTCTCCGCGTACTGGTCAGATCTTCAAGCAGACTT ACTCTAAATTTGATACTAACAGCCACAATGACGATGCGCTTCTA AAAAATATGGTCTGCTGTATTGTTTTTCGTAAAGATATGGACAA AGTTGAAACCTTCTGCGTATTGTTTCAAGTGTGCTTCCGTTGAGG GCAGCTGTGGTTTCTAAGGTGcgccgctgggctgagcctgagcggcgGgTG GTACCTCTGAAAGCGCAACTCCTGAGTCTGGCCCAGGTAGCGA ACCTGCTACCTCCGGCTCTGAGACTCCAGGTACCTCTGAAAGCG CAACCCCGGAATCTGGTCCAGGTAGCGAACCTGCAACCTCTGG CTCTGAAACCCAGGTACCTCTGAAAGCGCTACTCCTGAATCTG GCCCAGGTACTTCTACTGAACCGTCCGAGGGCAGCGCACCAGG TAGCCCTGCTGGCTCTCCAACCTCCACCGAAGAAGGTACCTCTG AAAGCGCAACCCCTGAATCCGGGCCAGGTAGCGAACCGGCAAC CTCCGGTTCTGAAACCCAGGTACTTCTGAAAGCGCTACTCCTG AGTCCGGCCCAGGTAGCCCGGCTGGCTCTCCGACTTCCACCGA GGAAGGTAGCCCGGCTGGCTCTCCAACCTTCTACTGAAGAAGGT ACTTCTACCGAACCTTCCGAGGGCAGCGCACCAGGTACTTCTGA AAGCGCTACCCCTGAGTCCGGCCCAGGTACTTCTGAAAGCGCT

GHXTEN Name*	Amino Acid Sequence	DNA Nucleotide Sequence
	GSAPGTSTEPSEGS PGSEPATSGSETPGT SESATPESGPGTSTEP SEGSAP	ACTCCTGAATCCGGTCCAGGTACTTCTGAAAGCGCTACCCCGGA ATCTGGCCCAGGTAGCGAACCGGCTACTTCTGGTTCTGAAACCC CAGGTAGCGAACCGGCTACCTCCGGTTCTGAAACTCCAGGTAG CCCAGCAGGCTCTCCGACTTCCACTGAGGAAGGTACTTCTACTG AACCTTCCGAAGGCAGCGCACCAGGTACCTCTACTGAACCTTCT GAGGGCAGCGCTCCAGGTAGCGAACCTGCAACCTCTGGCTCTG AAACCCAGGTACCTCTGAAAGCGCTACTCCTGAATCTGGCCC AGGTACTTCTACTGAACCGTCCGAGGGCAGCGACCA
AM923- hGH- Thrombin- AE144	MAEPAGSPTSTEEGA SPGTSSTGSPGSSTPS GATGSPGSSTPSGAT GSPGTSTEPSEGSAP GSEPATSGSETPGSP AGSPTSTEEGSTSST AESPGPGTSTPESGS ASPGTSESPTSGTAP GSTSESPSGTAPGTS TPESGSASPGTSTPES GSASPGSEPATSGSE TPGTSESATPESGPG SPAGSPTSTEEGTSTE PSEGSAPGTSESATP ESGPGTSTEPSEGS PGTSTEPSEGSAPGSP AGSPTSTEEGTSTEPS EGSAPGTSTEPSEGS APGTSESATPESGPG TSESATPESGPGTSTE PSEGSAPGTSTEPSE GSAPGTSESATPESG PGTSTEPSEGSAPGS EPATSGSETPGSPAG SPTSTEEGSTPSGAT GSPGTPGSGTASSSP GSSTPSGATGSPGTS TEPSEGSAPGTSTEPS EGSAPGSEPATSGSE TPGSPAGSPTSTEEG SPAGSPTSTEEGTSTE PSEGSAPGASASGAP STGGTSESATPESGP GSPAGSPTSTEEGSP AGSPTSTEEGSTSST AESPGPGSTSESPTSGT APGTSPSGESSTAPG TPGSGTASSSPGSSTP SGATGSPGSSPSAST GTGPGSEPATSGSET PGTSESATPESGPGS EPATSGSETPGSTST AESPGPGSTSTAESPT GPGTSPSGESSTAPG SEPATSGSETPGSEP ATSGSETPGTSTEPSE GSAPGSTSTAESPT PGTSTPESGSASPGST SESPSGTAPGTSTEPS EGSAPGTSTEPSEGS APGTSTEPSEGSAPG	ATGGCTGAACCTGCTGGCTCTCCAACCTCCACTGAGGAAGGTG CATCCCCGGGCACCAGCTCTACCGGTTCTCCAGGTAGCTCTACC CCGTCTGGTGCTACCGGCTCTCCAGGTAGCTCTACCCCGTCTGG TGCTACTGGCTCTCCAGGTACTTCTACTGAACCGTCTGAAGGCA GCGCACCAGGTAGCGAACCGGCTACTTCCGGTTCTGAAACCC AGGTAGCCCAGCAGGTTCTCCAACCTTCTACTGAAGAAGGTTCTA CCAGCTCTACCGCAGAATCTCCTGGTCCAGGTACCTCTACTCCG GAAAGCGGCTCTGCATCTCCAGGTTCTACTAGCGAATCTCCTTC TGGCACTGCACCAGGTTCTACTAGCGAATCCCGTCTGGTACTG CTCCAGGTACTTCTACTCCTGAAAGCGGTTCCGCTTCTCCAGGT ACCTCTACTCCGGAAGCGGTTCTGCATCTCCAGGTAGCGAACC GGCAACCTCCGGCTCTGAAACCCAGGTACCTCTGAAAGCGCT ACTCCTGAATCCGGCCCAGGTAGCCCGGCAGGTTCTCCGACTTC CACTGAGGAAGGTACCTCTACTGAACCTTCTGAGGGCAGCGCT CCAGGTACTTCTGAAAGCGCTACCCCGGAGTCCGGTCCAGGTA CTTCTACTGAACCGTCCGAAGGTAGCGCACCAGGTACTTCTACC GAACCGTCCGAGGGTAGCGCACCAGGTAGCCCAGCAGGTTCTC CTACCTCCACCGAGGAAGGTACTTCTACCGAACCGTCCGAGGG TAGCGCACCAGGTACTTCTACCGAACCTTCCGAGGGCAGCGCA CCAGGTACTTCTGAAAGCGCTACCCCTGAGTCCGGCCCAGGTA CTTCTGAAAGCGCTACTCCTGAATCCGGTCCAGGTACCTCTACT GAACCTTCCGAAGGCAGCGCTCCAGGTACCTCTACCGAACCGT CCGAGGGCAGCGCACCAGGTACTTCTGAAAGCGCAACCCCTGA ATCCGGTCCAGGTACTTCTACTGAACCTTCCGAAGGTAGCGCTC CAGGTAGCGAACCTGCTACTTCTGGTTCTGAAACCCAGGTAGC CCGGCTGGCTCTCCGACCTCCACCGAGGAAGGTAGCTCTACCC GTCTGGTGCTACTGGTTCTCCAGGTACTCCGGGCAGCGGTACTG CTTCTCCTCTCCAGGTAGCTCTACCCCTTCTGGTGCTACTGGCT CTCCAGGTACCTCTACCGAACCGTCCGAGGGTAGCGCACCAGG TACCTCTACTGAACCGTCTGAGGGTAGCGCTCCAGGTAGCGAA CCGGCAACCTCCGGTTCTGAAACTCCAGGTAGCCCTGCTGGCTC TCCGACTTCTACTGAGGAAGGTAGCCCGGCTGGTTCTCCGACTT CTACTGAGGAAGGTACTTCTACCGAACCTTCCGAAGGTAGCGC TCCAGGTGCAAGCGCAAGCGGCGCGCCAAGCACGGGAGGTACT TCTGAAAGCGCTACTCCTGAGTCCGGCCCAGGTAGCCCGGCTG GCTCTCCGACTTCCACCGAGGAAGGTAGCCCGGCTGGCTCTCCA ACTTCTACTGAAGAAGGTTCTACCAGCTCTACCGCTGAATCTCC TGGCCCAGGTTCTACTAGCGAATCTCCGTCTGGCACCGCACCAG GTACTTCCCCTAGCGGTGAATCTTCTACTGCACCAGGTACCCCT GGCAGCGGTACCGCTTCTTCTCTCCAGGTAGCTCTACCCCGTC TGGTGCTACTGGCTCTCCAGGTTCTAGCCCGTCTGCATCTACCG GTACCGGCCCAGGTAGCGAACCGGCAACCTCCGGCTCTGAAAC TCCAGGTACTTCTGAAAGCGCTACTCCGGAATCCGGCCCAGGT AGCGAACCGGCTACTTCCGGCTCTGAAACCCAGGTTCCACCA GCTCTACTGCAGAATCTCCGGGCCCAGGTTCTACTAGCTCTACT GCAGAATCTCCGGGTCCAGGTACTTCTCCTAGCGGCGAATCTTC TACCGCTCCAGGTAGCGAACCGGCAACCTCTGGCTCTGAAACT CCAGGTAGCGAACCTGCAACCTCCGGCTCTGAAACCCAGGTA CTTCTACTGAACCTTCTGAGGGCAGCGCACCAGGTCTACCAGC TCTACCGCAGAATCTCCTGGTCCAGGTACCTCTACTCCGGAAG CGGCTCTGCATCTCCAGGTTCTACTAGCGAATCTCCTTCTGGCA

GHXTEN Name*	Amino Acid Sequence	DNA Nucleotide Sequence
	SSTPSGATGSPGSSPS ASTGTGPGASPGTSS TGSPGSEPATSGSET PGTSESATPESGPGSP AGSPTSTEEGSSSTPS GATGSPGSSPSASTG TGPASPGTSSTGSP GTSESATPESGPGTS TEPSEGSAPGTSTEPS EGSAPGFPTIPLSRLF DNAMLRAHRLHQL AFDTYQEFEEAYIPK EQKYSFLQNPQTSCL FSESIPTSNREETQQ KSNLELLRISLLLIQS WLEPVQFLRSVFAN SLVYGASDSNVYDL LKDLEEGIQTLMGRL EDGSPRTGQIFKQTY SKFDTNSHNDALL KNYGLLYCFRKDMD KVETFLRIVQCRSVE GSCGFGLTPRSLLVG GGGSEPATSGSETPG TSESATPESGPGSEP ATSGSETPGSPAGSP TSTEEGTSTEPSEGS APGSEPATSGSETPG SEPATSGSETPGSEP ATSGSETPGTSTEPSE GSAPGTSESATPESG PGSEPATSGSETPGT STEPSEGSAP	CTGCACCAGGTACTTCTACCGAACCGTCCGAAGGCAGCGCTCC AGGTACCTCTACTGAACCTTCCGAGGGCAGCGCTCCAGGTACCT CTACCGAACCTTCTGAAGGTAGCGCACCAGGTAGCTCTACTCCG TCTGGTGCAACCGGCTCCCCAGGTTCTAGCCCGTCTGCTTCCAC TGGTACTGGCCCAGGTGCTTCCCCGGGCACCAGCTCTACTGGTT CTCCAGGTAGCGAACCTGCTACCTCCGGTTCTGAAACCCAGGT ACCTCTGAAAGCGCAACTCCGGAGTCTGGTCCAGGTAGCCCTG CAGGTTCTCTACCTCCACTGAGGAAGGTAGCTCTACTCCGTCT GGTGCAACCGGCTCCCCAGGTTCTAGCCCGTCTGCTTCCACTGG TACTGGCCCAGGTGCTTCCCCGGGCACCAGCTCTACTGGTTCTC CAGGTACCTCTGAAAGCGCTACTCCGGAGTCTGGCCCAGGTAC CTCTACTGAACCGTCTGAGGGTAGCGCTCCAGGTACTTCTACTG AACCGTCCGAAGGTAGCGCACCAGGTTTTCCGACTATTCCGCTG TCTCGTCTGTTTGATAATGCTATGCTGCGTGCACCGTCTGCA CCAGCTGGCCTTTGATACTTACCAGGAATTTGAAGAAGCcTACA TTCCTAAAGAGCAGAAGTACTCTTTCCTGCAAAACCCACAGACT TCTCTCTGCTTCAGCGAATCTATTCCGACGCCTTCCAATCGCGA GGAAACTCAGCAAAAGTCCAATCTGGAAGTACTCCGCATTTCTC TGCTTCTGATTACAGAGCTGGCTAGAACAGGTGCAATTTCTGCGT TCCGTCTTCGCCAATAGCCTAGTTTATGGCGCATCCGACAGCAA CGTATACGATCTCCTGAAAGATCTCGAGGAAGGCATTACAGACC CTGATGGGTCTGCTCTCGAGGATGGCTCTCCGCGTACTGGTCAGAT CTTCAAGCAGACTTACTCTAAATTTGATACTAACAGCCACAATG ACGATGCGCTTCTAAAAAACTATGGTCTGCTGTATTGTTTTCGT AAAGATATGGACAAAGTTGAAACCTTCCTGCGTATTGTTCACTG TCGTTCCGTTGAGGGCAGCTGTGGTTTCTAAGGTctgacccgcgcagc ctgctggtggcggcGTTGGTAGCGAACCGGCAACTTCCGGCTCTGAA ACCCCAGGTACTTCTGAAAGCGCTACTCCTGAGTCTGGCCCAGG TAGCGAACCTGCTACCTCTGGCTCTGAAACCCAGGTAGCCCG GCAGGCTCTCCGACTTCCACCGAGGAAGGTACCTCTACTGAAC CTTCTGAGGGTAGCGCTCCAGGTAGCGAACCGGCAACCTCTGG CTCTGAAACCCAGGTAGCGAACCTGCTACCTCCGGCTCTGAA ACTCCAGGTAGCGAACCGGCTACTTCCGGTTCTGAAACTCCAG GTACCTCTACCGAACCTTCCGAAGGCAGCGCACCAGGTACTTCT GAAAGCGCAACCCCTGAATCCGGTCCAGGTAGCGAACCGGCTA CTTCTGGCTCTGAGACTCCAGGTACTTCTACCGAACCGTCCGAA GGTAGCGCACCA
AM923- hGH- FXIa- AE144	MAEPAGSPTSTEEGA SPGTSSTGSPGSSTPS GATGSPGSSTPSGAT GSPGTSTEPSEGSAP GSEPATSGSETPGSP AGSPTSTEEGSTSST AESPGGTSTPESGS ASPGTSESPTSGTAP GSTSESPTSGTAPGTS TPESGSASPTSTPES GSASPGSEPATSGSE TPGTSESATPESGPG SPAGSPTSTEEGTSTE PSEGSAPGTSESATP ESGPGTSTEPSEGS PGTSTEPSEGSAPGSP AGSPTSTEEGTSTEPS EGSAPGTSTEPSEGS APGTSESATPESGPG TSESATPESGPGTSTE PSEGSAPGTSTEPSE GSAPGTSESATPESG	ATGGCTGAACCTGCTGGCTCTCCAACCTCCACTGAGGAAGGTG CATCCCCGGGCACCAGCTCTACCGGTTCTCCAGGTAGCTCTACC CCGTCTGGTGCTACCGGCTCTCCAGGTAGCTCTACCCCGTCTGG TGCTACTGGCTCTCCAGGTACTTCTACTGAACCGTCTGAAGGCA GCGCACCAGGTAGCGAACCGGCTACTTCCGGTTCTGAAACCC AGGTAGCCCAGCAGGTTCTCCAACCTTCTACTGAAGAAGGTTCTA CCAGCTCTACCGCAGAATCTCCTGGTCCAGGTACCTCTACTCCG GAAAGCGGCTCTGCATCTCCAGGTTCTACTAGCGAATCTCCTTC TGGCACTGCACCAGGTTCTACTAGCGAATCCCCGTCTGGTACTG CTCCAGGTACTTCTACTCCTGAAAGCGGTTCCGCTTCTCCAGGT ACCTCTACTCCGGAAGCGGTTCTGCATCTCCAGGTAGCGAACCC GGCAACCTCCGGCTCTGAAACCCAGGTACCTCTGAAAGCGCT ACTCCTGAATCCGGCCCAGGTAGCCCGGCAGGTTCTCCGACTTC CACTGAGGAAGGTACCTCTACTGAACCTTCTGAGGGCAGCGCT CCAGGTACTTCTGAAAGCGCTACCCCGGAGTCCGGTCCAGGTA CTTCTACTGAACCGTCCGAAGGTAGCGCACCAGGTACTTCTACC GAACCGTCCGAGGGTAGCGCACCAGGTAGCCCAGCAGGTTCTC CTACCTCCACCGAGGAAGGTACTTCTACCGAACCGTCCGAGGG TAGCGCACCAGGTACTTCTACCGAACCTTCCGAGGGCAGCGCA CCAGGTACTTCTGAAAGCGCTACCCCTGAGTCCGGCCCAGGTA CTTCTGAAAGCGCTACTCCTGAATCCGGTCCAGGTACCTCTACT GAACCTTCCGAAGGCAGCGCTCCAGGTACCTCTACCGAACCGT

GHXTEN Name*	Amino Acid Sequence	DNA Nucleotide Sequence
	PGTSTEPSEGSAPGS EPATSGSETPGSPAG SPTSTEEGSSTPSGAT GSPGTPGSGTASSSP GSSTPSGATGSPGTS TEPSEGSAPGTSTEPS EGSAPGSEPATSGSE TPGSPAGSPTSTEEG SPAGSPTSTEEGTSTE PSEGSAPGASASGAP STGGTSESATPESGP GSPAGSPTSTEEGSP AGSPTSTEEGSTSST AESPGPGSTSESPTGT APGTSPSGESSTAPG TPGSGTASSSPGSSPT SGATGSPGSSPSAST GTGPGSEPATSGSET PGTSESATPESGPGS EPATSGSETPGSTST AESPGPGSTSTAESPT GPGTSPSGESSTAPG SEPATSGSETPGSEP ATSGSETPGTSTEPSE GSAPGSTSTAESPT PGTSTPESGSASPGST SESPSGTAPGTSTEPS EGSAPGTSTEPSEGS APGTSTEPSEGSAPG SSTPSGATGSPGSSPS ASTGTGPGASPGTSS TGSPGSEPATSGSET PGTSESATPESGPGSP AGSPTSTEEGSSTPS GATGSPGSSPSASTG TPGASPTGSSPTGSP GTSESATPESGPGTS TEPSEGSAPGTSTEPS EGSAPGFPTIPLSRLF DNAMLRAHRLHQL AFDTYQEFEEAYIPK EQKYSFLQNPQTSCL FSESIPTPSNREETQQ KSNLELLRISLLLIQS WLEPVQFLRSVFAN SLVYGASDSNVYDL LKDLEEGIQTLMGRL EDGSPRTGQIFKQTY SKFDTNSHNDALL KNYGLLYCFRKDMD KVETFLRIVQCRSVE GSCGFGGKLTRVV GGGGSEPATSGSETP GTSESATPESGPGSE PATSGSETPGSPAGS PTSTEEGTSTEPSEGS APGSEPATSGSETPG SEPATSGSETPGSEP ATSGSETPGTSTEPSE	CCGAGGGCAGCGCACCAGGTACTTCTGAAAGCGCAACCCCTGA ATCCGGTCCAGGTACTTCTACTGAACCTTCCGAAGGTAGCGCTC CAGGTAGCGAACCTGCTACTTCTGGTTCTGAAACCCAGGTAGC CCGGCTGGCTCTCCGACCTCCACCGAGGAAGGTAGCTCTACCCC GTCTGGTGCTACTGGTTCTCCAGGTACTCCGGGCAGCGGTACTG CTTCTTCTCTCCAGGTAGCTCTACCCCTTCTGGTGCTACTGGCT CTCCAGGTACCTCTACCGAACCGTCCGAGGGTAGCGCACCAGG TACCTCTACTGAACCGTCTGAGGGTAGCGCTCCAGGTAGCGAA CCGGCAACCTCCGGTTCTGAAACTCCAGGTAGCCCTGCTGGCTC TCCGACTTCTACTGAGGAAGGTAGCCCGGCTGGTTCTCCGACTT CTAAGTGAAGGTACTTCTACCGAACCTTCCGAAGGTAGCGC TCCAGGTGCAAGCGCAAGCGCGCGCCAGCAAGCAGGAGGTACT TCTGAAAGCGCTACTCCTGAGTCCGGCCAGGTAGCCCGGCTG GCTCTCCGACTTCCACCGAGGAAGGTAGCCCGGCTGGCTCTCCA ACTTCTACTGAAGAAGGTTCTACCAGCTCTACCGCTGAATCTCC TGGCCCAGGTTCTACTAGCGAATCTCCGTCTGGCACCAGCACCAG GTACTTCCCTAGCGGTGAATCTTCTACTGCACCAGGTACCCCT GGCAGCGGTACCGCTTCTTCTCTCCAGGTAGCTCTACCCCGTC TGGTGCTACTGGCTCTCCAGGTTCTAGCCCGTCTGCATCTACCG GTACCGGCCCAGGTAGCGAACCGGCAACCTCCGGCTCTGAAAC TCCAGGTACTTCTGAAAGCGCTACTCCGGAATCCGGCCCAGGT AGCGAACCGGCTACTTCCGGCTCTGAAACCCAGGTTCCACCA GCTCTACTGCAGAATCTCCGGGCCCAGGTTCTACTAGCTCTACT GCAGAATCTCCGGGTCCAGGTACTTCTCCTAGCGGCGAATCTTC TACCGCTCCAGGTAGCGAACCGGCAACCTCTGGCTCTGAAACT CCAGGTAGCGAACCTGCAACCTCCGGCTCTGAAACCCAGGTA CTTCTACTGAACCTTCTGAGGGCAGCGCACCAGGTTCTACCAGC TCTACCGCAGAATCTCCTGGTCCAGGTACCTCTACTCCGGAAAG CGGCTCTGCATCTCCAGGTTCTACTAGCGAATCTCCTTCTGGCA CTGCACCAGGTACTTCTACCGAACCGTCCGAAGGCAGCGCTCC AGGTACCTCTACTGAACCTTCCGAGGGCAGCGCTCCAGGTACCT CTACCGAACCTTCTGAAGGTAGCGCACCAGGTAGCTCTACTCCG TCTGGTGCAACCGGCTCCCGAGGTTCTAGCCCGTCTGCTTCCAC TGGTACTGGCCCAGGTGCTTCCCGGGCACCAGCTCTACTGGTT CTCCAGGTAGCGAACCTGCTACCTCCGGTCTGAAACCCAGGT ACCTCTGAAAGCGCAACTCCGAGTCTGGTCCAGGTAGCCCTG CAGGTTCTCCTACCTCCACTGAGGAAGGTAGCTCTACTCCGTCT GGTGCAACCGGCTCCCGAGGTTCTAGCCCGTCTGCTTCCACTGG TACTGGCCCAGGTGCTTCCCGGGCACCAGCTCTACTGGTTCTC CAGGTACCTCTGAAAGCGCTACTCCGAGTCTGGCCCAGGTAC CTCTACTGAACCGTCTGAGGGTAGCGCTCCAGGTACTTCTACTG AACCGTCCGAAGGTAGCGCACCAGGTTTTCCGACTATTCCGCTG TCTCGTCTGTTTGATAATGCTATGCTGCGTGCGCACCCTGCA CCAGCTGGCCTTTGATACTTACCAGGAATTTGAAGAAGCCTACA TTCCTAAAGAGCAGAAGTACTCTTTCCTGCAAAACCCACAGACT TCTCTCTGCTTCAGCGAATCTATTCCGACGCTTCCAATCGCGA GGAAACTCAGCAAAAGTCCAATCTGGAATACTCCGCATTCTC TGCTTCTGATTACAGAGCTGGCTAGAACCAAGTGAATTTCTGCGT TCCGTCTTCGCCAATAGCCTAGTTTATGGCGCATCCGACAGCAA CGTATACGATCTCCTGAAAGATCTCGAGGAAGGCATTACAGACC CTGATGGGTCTGCTCTCGAGGATGGCTCTCCGCGTACTGGTCAGAT CTTCAAGCAGACTTACTCTAAATTTGATACTAACAGCCACAATG ACGATGCGCTTCTAAAAAATATGGTCTGCTGTATTGTTTTCTG AAAGATATGGACAAAGTTGAAACCTTCCGTGCGTATTGTTTCAGT TCGTTCCGTTGAGGGCAGCTGTGGTTTCTAAGGTggeggaactgacc cgcgtgggtggcggcGGTGGTAGCGAACCGGCAACTTCCGGCTCTGAA ACCCCAGGTACTTCTGAAAGCGCTACTCCTGAGTCTGGCCCAGG TAGCGAACCTGCTACCTCTGGCTCTGAAACCCAGGTAGCCCG GCAGGCTCTCCGACTTCCACCGAGGAAGGTACCTCTACTGAAC

GHXTEN Name*	Amino Acid Sequence	DNA Nucleotide Sequence
	GSAPGTSESATPESG PGSEPATSGSETPGT STEPSEGSAP	CTTCTGAGGGTAGCGCTCCAGGTAGCGAACCGGCAACCTCTGG CTCTGAAACCCAGGTAGCGAACCTGCTACCTCCGGCTCTGAA ACTCCAGGTAGCGAACCGGCTACTTCCGGTTCTGAAACTCCAG GTACCTCTACCGAACCTTCCGAAGGCAGCGCACCAGGTACTTCT GAAAGCGCAACCCCTGAATCCGGTCCAGGTAGCGAACCGGCTA CTTCTGGCTCTGAGACTCCAGGTACTTCTACCGAACCGTCCGAA GGTAGCGCACCA
AM923- hGH- Elastase- AE144	MAEPAGSPTSTEEGA SPGTSSTGSPGSSTPS GATGSPGSSTPSGAT GSPGTSTEPSEGSAP GSEPATSGSETPGSP AGSPTSTEEGSTSST AESPFGTSTPESGS ASPGTSESPPSGTAP GSTSESPSGTAPGTS TPESGSASPGTSTPES GSASPGSEPATSGSE TPGTSESATPESGPG SPAGSPTSTEEGTSTE PSEGSAPGTSESATP ESPGTSTEPSEGS PGTSTEPSEGSAPGSP AGSPTSTEEGTSTEPS EGSAPGTSTEPSEGS APGTSESATPESGPG TSESATPESGPGTSTE PSEGSAPGTSTEPSE GSAPGTSESATPESG PGTSTEPSEGSAPGS EPATSGSETPGSPAG SPTSTEEGSTPSGAT GSPGTSPSGTASSSP GSSTPSGATGSPGTS TEPSEGSAPGTSTEPS EGSAPGTSEPATSGSE TPGSPAGSPTSTEEG SPAGSPTSTEEGTSTE PSEGSAPGASASGAP STGGTSESATPESGP GSPAGSPTSTEEGSP AGSPTSTEEGSTSST AESPFGTSTPESG APGTSPSGESSTAPG TPGSGTASSSPGSSTP SGATGSPGSSPSAST GTGPGSEPATSGSET PGTSESATPESGPGS EPATSGSETPGSTSS AESPFGTSTSTAES GPGTSPSGESSTAPG SEPATSGSETPGSEP ATSGSETPGTSTEPSE GSAPGSTSTAESPG PGTSTPESGSASPGST SESPSGTAPGTSTEPS EGSAPGTSTEPSEGS APGTSTEPSEGSAPG SSTPSGATGSPGSSPS	ATGGCTGAACCTGCTGGCTCTCCAACCTCCACTGAGGAAGGTG CATCCCCGGGCACCAGCTCTACCGGTTCTCCAGGTAGCTCTACC CCGTCTGGTGCTACCGGCTCTCCAGGTAGCTCTACCCCGTCTGG TGCTACTGGCTCTCCAGGTACTTCTACTGAACCGTCTGAAGGCA GCGCACCAGGTAGCGAACCGGCTACTTCCGGTTCTGAAACCCC AGGTAGCCCAGCAGGTTCTCCAACCTTCTACTGAAGAAGGTTCTA CCAGCTCTACCGCAGAATCTCTGGTCCAGGTACCTCTACTCCG GAAAGCGGCTCTGCATCTCCAGGTTCTACTAGCGAATCTCCTTC TGGCACTGCACCAGGTTCTACTAGCGAATCCCCGTCTGGTACTG CTCCAGGTACTTCTACTCCTGAAAGCGGTTCCGCTTCTCCAGGT ACCTCTACTCCGGAAGCGGTTCTGCATCTCCAGGTAGCGAACCC GGCAACCTCCGGCTCTGAAACCCAGGTACCTCTGAAAGCGCT ACTCCTGAATCCGGCCCAGGTAGCCCGGCAGGTTCTCCGACTTC CACTGAGGAAGGTACCTCTACTGAACCTTCTGAGGGCAGCGCT CCAGGTACTTCTGAAAGCGCTACCCCGGAGTCCGGTCCAGGTA CTTCTACTGAACCGTCCGAAGGTAGCGCACCAGGTACTTCTACC GAACCGTCCGAGGGTAGCGCACCAGGTAGCCCAGCAGGTTCTC CTACCTCCACCGAGGAAGGTACTTCTACCGAACCGTCCGAGGG TAGCGCACCAGGTACTTCTACCGAACCTTCCGAGGGCAGCGCA CCAGGTACTTCTGAAAGCGCTACCCCTGAGTCCGGCCCAGGTA CTTCTGAAAGCGCTACTCCTGAATCCGGTCCAGGTACCTCTACT GAACCTTCCGAAGGCAGCGCTCCAGGTACCTCTACCGAACCGT CCGAGGGCAGCGCACCAGGTACTTCTGAAAGCGCAACCCCTGA ATCCGGTCCAGGTACTTCTACTGAACCTTCCGAAGGTAGCGCTC CAGGTAGCGAACCTGCTACTTCTGGTTCTGAAACCCAGGTAGC CCGGCTGGCTCTCCGACCTCCACCGAGGAAGGTAGCTCTACCC GTCTGGTGCTACTGGTTCTCCAGGTACTCCGGGCAGCGGTACTG CTTCTTCTCTCCAGGTAGCTCTACCCCTTCTGGTGCTACTGGCT CTCCAGGTACCTCTACCGAACCGTCCGAGGGTAGCGCACCAGG TACCTCTACTGAACCGTCTGAGGGTAGCGTCCAGGTACGGA CCGGCAACCTCCGGTTCTGAAACTCCAGGTAGCCCTGCTGGCTC TCCGACTTCTACTGAGGAAGGTAGCCCGGCTGGTTCTCCGACTT CTACTGAGGAAGGTACTTCTACCGAACCTTCCGAAGGTAGCGC TCCAGGTGCAAGCGCAAGCGGCGCGCCAAGCACGGGAGGTACT TCTGAAAGCGCTACTCCTGAGTCCGGCCCAGGTAGCCCGGCTG GCTCTCCGACTTCCACCGAGGAAGGTAGCCCGGCTGGCTCTCCA ACTTCTACTGAAGAAGGTTCTACCAGCTCTACCGCTGAATCTCC TGGCCCAGGTTCTACTAGCGAATCTCCGTCTGGCACCGCACCAG GTACTTCCCTAGCGGTGAATCTTCTACTGCACCAGGTACCCCT GGCAGCGGTACCGCTTCTTCTCTCCAGGTAGCTCTACCCCGTC TGGTGCTACTGGCTCTCCAGGTTCTAGCCCGTCTGCATCTACCG GTACCGGCCAGGTAGCGAACCGGCAACCTCCGGCTCTGAAAC TCCAGGTACTTCTGAAAGCGCTACTCCGGAATCCGGCCCAGGT AGCGAACCGGCTACTTCCGGCTCTGAAACCCAGGTTCCACCA GCTCTACTGCAGAATCTCCGGGCCAGGTTCTACTAGCTCTACT GCAGAATCTCCGGGTCCAGGTACTTCTCCTAGCGGCGAATCTTC TACCGCTCCAGGTAGCGAACCGGCAACCTCTGGCTCTGAAACT CCAGGTAGCGAACCTGCAACCTCCGGCTCTGAAACCCAGGTA CTTCTACTGAACCTTCTGAGGGCAGCGCACCAGGTCTACCAGC TCTACCGCAGAATCTCCTGGTCCAGGTACCTCTACTCCGGAAG CGGCTCTGCATCTCCAGGTTCTACTAGCGAATCTCCTTCTGGCA CTGCACCAGGTACTTCTACCGAACCGTCCGAAGGCAGCGCTCC

GHXTEN Name*	Amino Acid Sequence	DNA Nucleotide Sequence
	ASTGTGPGASPGTSS TGSPGSEPATSGSET PGTSESATPESGPGSP AGSPTSTEEGSSTPS GATGSPGSSPSASTG TGPASPGTSSTGSP GTSESATPESGPGTS TEPSEGSAPGTSTEPS EGSAPGFPTIPLSRLF DNAMLRAHRLHQL AFDTYQEFEEAYIPK EQKYSFQLNPQTS LC FSEIPTPSNREETQQ KSNLELLRISLLLIQS WLEPVQFLRSVFAN SLVYGASDSNVYDL LKDLEEGIQTLMGRL EDGSPRTGQIFKQTY SKFDTNSHND DALL KNYGLLYCFRKDMD KVETFLRIVQCRSVE GSCGFGGGLGPVSG VPGGSEPATSGSETP GTSESATPESGPGSE PATSGSETPGSPAGS PTSTEEGTSTEPSEGS APGSEPATSGSETPG SEPATSGSETPGSEP ATSGSETPGTSTEPSE GSAPGTSESATPESG PGSEPATSGSETPGT STEPSEGSAP	AGGTACCTCTACTGAACCTTCCGAGGGCAGCGCTCCAGGTACCT CTACCGAACCTTCTGAAGGTAGCGCACCAGGTAGCTCTACTCCG TCTGGTGCAACCGGCTCCCCAGGTTCTAGCCCGTCTGCTTCCAC TGGTACTGGCCCAGGTGCTTCCCCGGGCACCAGCTCTACTGGTT CTCCAGGTAGCGAACCTGCTACCTCCGTTCTGAAACCCAGGT ACCTCTGAAAGCGCAACTCCGGAGTCTGGTCCAGGTAGCCCTG CAGGTTCTCCTACCTCCACTGAGGAAGGTAGCTCTACTCCGTCT GGTGCAACCGGCTCCCCAGGTTCTAGCCCGTCTGCTTCCACTGG TACTGGCCCAGGTGCTTCCCCGGGCACCAGCTCTACTGGTTCTC CAGGTACCTCTGAAAGCGCTACTCCGGAGTCTGGCCCAGGTAC CTCTACTGAACCGTCTGAGGGTAGCGCTCCAGGTACTTCTACTG AACCGTCCGAAGGTAGCGCACCAGGTTTTCCGACTATTCCGCTG TCTCGTCTGTTTGATAATGCTATGCTGCGTCCGACCGTCTGCA CCAGCTGGCCTTTGATACTTACCAGGAATTTGAAGAAGCcTACA TTCCTAAAGAGCAGAAGTACTCTTTCCTGCAAAACCCACAGACT TCTCTCTGCTTCAGCGAATCTATTCCGACGCCTTCCAATCGCGA GGAAACTCAGCAAAAGTCCAATCTGGAAGTACTCCGCATTTCTC TGCTTCTGATTCAGAGCTGGCTAGAACAGGTGCAATTTCTGCGT TCCGTCTTCGCCAATAGCCTAGTTTATGGCGCATCCGACAGCAA CGTATACGATCTCCTGAAAGATCTCGAGGAAGGCATTTCAGACC CTGATGGGTCTGCTCTCGAGGATGGCTCTCCGCGTACTGGTCAGAT CTTCAAGCAGACTTACTCTAAATTTGATACTAACAGCCACAATG ACGATGCGCTTCTAAAAAACTATGGTCTGCTGTATTGTTTTCGT AAAGATATGGACAAAGTTGAAACCTTCCGTGCGTATTGTTTCAGTG TCGTTCCGTTGAGGGCAGCTGTGGTTTCTAAGGTggcggcctgggcccg gtgagcggcgtgccgGGTGGTAGCGAACCGGCAACTTCCGGCTCTGAA ACCCCAGGTACTTCTGAAAGCGCTACTCCTGAGTCTGGCCCAGG TAGCGAACCTGCTACCTCTGGCTCTGAAACCCAGGTAGCCCG GCAGGCTCTCCGACTTCCACCGAGGAAGGTACCTCTACTGAAC CTTCTGAGGGTAGCGCTCCAGGTAGCGAACCGGCAACCTCTGG CTCTGAAACCCAGGTAGCGAACCTGCTACCTCCGGCTCTGAA ACTCCAGGTAGCGAACCGGCTACTTCCGGTTCTGAAACTCCAG GTACCTCTACCGAACCTTCCGAAGGCAGCGCACCAGGTACTTCT GAAAGCGCAACCCCTGAATCCGGTCCAGGTAGCGAACCGGCTA CTTCTGGCTCTGAGACTCCAGGTACTTCTACCGAACCGTCCGAA GGTAGCGCACCA
AM923- hGH- MMP-17- AE144	MAEPAGSPTSTEEGA SPGTSSSTGSPGSSTPS GATGSPGSSTPSGAT GSPGTSTEPSEGSAP GSEPATSGSETPGSP AGSPTSTEEGSTSST AESPGPGTSTPESGS ASPGSTSESPSGTAP GSTSESPSGTAPGTS TPESGSASPGTSTPES GSASPGSEPATSGSE TPGTSESATPESGPG SPAGSPTSTEEGTSTE PSEGSAPGTSESATP ESGPGTSTEPSEGS PGTSTEPSEGSAPGSP AGSPTSTEEGTSTEPS EGSAPGTSTEPSEGS APGTSESATPESGPG TSESATPESGPGTSTE PSEGSAPGTSTEPSE GSAPGTSESATPESG PGTSTEPSEGSAPGS	ATGGCTGAACCTGCTGGCTCTCCAACCTCCACTGAGGAAGGTG CATCCCCGGGCACCAGCTCTACCGGTTCTCCAGGTAGCTCTACC CCGTCTGGTGCTACCGGCTCTCCAGGTAGCTCTACCCCGTCTGG TGCTACTGGCTCTCCAGGTACTTCTACTGAACCGTCTGAAGGCA GCGCACCAGGTAGCGAACCGGCTACTTCCGGTTCTGAAACCC AGGTAGCCCAGCAGGTTCTCCAACCTTCTACTGAAGAAGGTTCTA CCAGCTCTACCGCAGAATCTCCTGGTCCAGGTACCTCTACTCCG GAAAGCGGCTCTGCATCTCCAGGTTCTACTAGCGAATCTCCTTC TGGCACTGCACCAGGTTCTACTAGCGAATCCCCGTCTGGTACTG CTCCAGGTACTTCTACTCCTGAAAGCGGTTCCGCTTCTCCAGGT ACCTCTACTCCGGAAGCGGTTCTGCATCTCCAGGTAGCGAACC GGCAACCTCCGGCTCTGAAACCCAGGTACCTCTGAAAGCGCT ACTCCTGAATCCGGCCCCAGGTAGCCCGGCAGGTTCTCCGACTTC CACTGAGGAAGGTACCTCTACTGAACCTTCTGAGGGCAGCGCT CCAGGTACTTCTGAAAGCGCTACCCCGGAGTCCGGTCCAGGTA CTTCTACTGAACCGTCCGAAGGTAGCGCACCAGGTACTTCTACC GAACCGTCCGAGGGTAGCGCACCAGGTAGCCCAGCAGGTTCTC CTACCTCCACCGAGGAAGGTACTTCTACCGAACCGTCCGAGGG TAGCGCACCAGGTACTTCTACCGAACCTTCCGAGGGCAGCGCA CCAGGTACTTCTGAAAGCGCTACCCCTGAGTCCGGCCCCAGGTA CTTCTGAAAGCGCTACTCCTGAATCCGGTCCAGGTACCTCTACT GAACCTTCCGAAGGCAGCGCTCCAGGTACCTCTACCGAACCGT CCGAGGGCAGCGCACCAGGTACTTCTGAAAGCGCAACCCCTGA

GHXTEN Name*	Amino Acid Sequence	DNA Nucleotide Sequence
	EPATSGSETPGSPAG SPTSTEEGSSTPSGAT GSPGTPGSGTASSSP GSSTPSGATGSPGTS TEPSEGSAPGTSTEPS EGSAPGSEPATSGSE TPGSPAGSPTSTEEG SPAGSPTSTEEGTSTE PSEGSAPGASASGAP STGGTSESATPESGP GSPAGSPTSTEEGSP AGSPTSTEEGSTSST AESPGPGSTSESPGT APGTSPSGESSTAPG TPGSGTASSSPGSSTP SGATGSPGSSPSAST GTGPGSEPATSGSET PGTSESATPESGPGS EPATSGSETPGSTSST AESPGPGSTSSTAESP GPGTSPSGESSTAPG SEPATSGSETPGSEP ATSGSETPGTSTEPSE GSAPGSTSSTAESPG PGTSTPESGSASPGST SESPSGTAPGTSTEPS EGSAPGTSTEPSEGS APGTSTEPSEGSAPG SSTPSGATGSPGSSPS ASTGTGPGASPGTSS TGSPGSEPATSGSET PGTSESATPESGPGSP AGSPTSTEEGSSTPS GATGSPGSSPSASTG TGPASPTGSSSTGSP GTSESATPESGPGTS TEPSEGSAPGTSTEPS EGSAPGFPTIPLSRLF DNAMLRAHRLHQL AFDTYQEFEEAYIPK EQKYSFLQNPQTS LC FSESIPTPSNREETQQ KSNLELLRISLLLIQS WLEPVQFLRSVFAN SLVYGASDSNVYDL LKDLEEGIQTLMGRL EDGSPRTGQIFKQTY SKFDTN SHND DALL KNYGLLYCFRKDMD KVETFLRIVQCRSVE GSCGFGAPLGLRLR GGGGSEPATSGSETP GTSESATPESGPGSE PATSGSETPGSPAGS PTSTEEGTSTEPSEGS APGSEPATSGSETPG SEPATSGSETPGSEP ATSGSETPGTSTEPSE GSAPGTSESATPESG	ATCCGGTCCAGGTACTTCTACTGAACCTTCCGAAGGTAGCGCTC CAGGTAGCGAACCTGCTACTTCTGGTTCTGAAACCCAGGTAGC CCGGCTGGCTCTCCGACCTCCACCGAGGAAGGTAGCTCTACCCC GTCTGGTGCTACTGGTTCTCCAGGTACTCCGGGCAGCGGTACTG CTTCTTCTCTCCAGGTAGCTCTACCCCTTCTGGTGCTACTGGCT CTCCAGGTACCTCTACCGAACCGTCCGAGGGTAGCGCACCAGG TACCTCTACTGAACCGTCTGAGGGTAGCGCTCCAGGTAGCGAA CCGGCAACCTCCGGTTCTGAAACTCCAGGTAGCCCTGCTGGCTC TCCGACTTCTACTGAGGAAGGTAGCCCGGCTGGTTCTCCGACTT CTA CTGAGGAAGGTACTTCTACCGAACCTTCCGAAGGTAGCGC TCCAGGTGCAAGCGCAAGCGGCGCGCCAAGCACGGGAGGTACT TCTGAAAGCGCTACTCCCTGAGTCCGGCCAGGTAGCCCGGCTG GCTCTCCGACTTCCACCGAGGAAGGTAGCCCGGCTGGCTCTCCA ACTTCTACTGAAGAAGGTTCTACCAGCTCTACCGCTGAATCTCC TGGCCCAGGTTCTACTAGCGAATCTCCGTCTGGCACCAGCACCAG GTACTTCCCTAGCGGTGAATCTTCTACTGCACCAGGTACCCCT GGCAGCGGTACCGCTTCTTCTCTCCAGGTAGCTCTACCCCGTC TGGTGCTACTGGCTCTCCAGGTTCTAGCCCGTCTGCATCTACCG GTACCGGCCCAGGTAGCGAACCGGCAACCTCCGGCTCTGAAAC TCCAGGTACTTCTGAAAGCGCTACTCCGGAATCCGGCCCAGGT AGCGAACCGGCTACTTCCGGCTCTGAAACCCAGGTTCCACCA GCTCTACTGCAGAATCTCCGGGCCCAGGTTCTACTAGCTCTACT GCAGAATCTCCGGGTCCAGGTACTTCTCCTAGCGGCGAATCTTC TACCGCTCCAGGTAGCGAACCGGCAACCTCTGGCTCTGAAACT CCAGGTAGCGAACCTGCAACCTCCGGCTCTGAAACCCAGGTA CTTCTACTGAACCTTCTGAGGGCAGCGCACCAGGTTCTACCAGC TCTACCGCAGAATCTCCTGGTCCAGGTACCTCTACTCCGGAAAG CGGCTCTGCATCTCCAGGTTCTACTAGCGAATCTCCTTCTGGCA CTGCACCAGGTACTTCTACCGAACCGTCCGAAGGCAGCGCTCC AGGTACCTCTACTGAACCTTCCGAGGGCAGCGCTCCAGGTACCT CTACCGAACCTTCTGAAGGTAGCGCACCAGGTAGCTCTACTCCG TCTGGTGCAACCGGCTCCCCAGGTTCTAGCCCGTCTGCTTCCAC TGGTACTGGCCCAGGTGCTTCCCCGGGCACCAGCTCTACTGGTT CTCCAGGTAGCGAACCTGCTACCTCCGGTTCTGAAACCCAGGT ACCTCTGAAAGCGCAACTCCGGAGTCTGGTCCAGGTAGCCCTG CAGGTTCTCCTACCTCCACTGAGGAAGGTAGCTCTACTCCGCTC TGGTGCAACCGGCTCCCCAGGTTCTAGCCCGTCTGCTTCCACTGG TACTGGCCCAGGTGCTTCCCCGGGCACCAGCTCTACTGGTTCTC CAGGTACCTCTGAAAGCGCTACTCCGGAGTCTGGCCCAGGTAC CTCTACTGAACCGTCTGAGGGTAGCGCTCCAGGTACTTCTACTG AACCGTCCGAAGGTAGCGCACCAGGTTTTCCGACTATTCCGCTG TCTCGTCTGTTTGATAATGCTATGCTGCGTGCGCACCCTGCA CCAGCTGGCCTTTGATACTTACCAGGAATTTGAAGAAGC ₆ TACA TTCCTAAAGAGCAGAAGTACTCTTTCCTGCAAAACCCACAGACT TCTCTCTGCTTCAGCGAATCTATTCCGACGCCTTCCAATCGCGA GGAAACTCAGCAAAAGTCCAATCTGGAATACTCCGCATTCTC TGCTTCTGATTGAGAGCTGGCTAGAACCAAGTGAATTTCTGCGT TCCGTCTTCGCCAATAGCCTAGTTTATGGCGCATCCGACAGCAA CGTATACGATCTCCTGAAAGATCTCGAGGAAGGCATTCAGACC CTGATGGGTCTGCTCTCGAGGATGGCTCTCCGCGTACTGGTCAGAT CTTCAAGCAGACTTACTCTAAATTTGATACTAACAGCCACAATG ACGATGCGCTTCTAAAAAACTATGGTCTGCTGTATTGTTTTCTG AAAGATATGGACAAAGTTGAAACCTTCCCTGCGTATTGTTTCAGTG TCGTTCCGTTGAGGGCAGCTGTGGTTTCTAAGGTgcgccgctggcctg cgctgcgcgcgcgGgGTGGTAGCGAACCGGCAACTTCCGGCTCTGAA ACCCCAGGTACTTCTGAAAGCGCTACTCCTGAGTCTGGCCCAGG TAGCGAACCTGCTACCTCTGGCTCTGAAACCCAGGTAGCCCG GCAGGCTCTCCGACTTCCACCGAGGAAGGTACCTCTACTGAAC CTTCTGAGGGTAGCGCTCCAGGTAGCGAACCGGCAACCTCTGG

GHXTEN Name*	Amino Acid Sequence	DNA Nucleotide Sequence
	PGSEPATSGSETPGT STEPSEGSAP	CTCTGAAACCCAGGTAGCGAACCTGCTACCTCCGGCTCTGAA ACTCCAGGTAGCGAACCGGCTACTTCCGGTTCTGAAACTCCAG GTACCTCTACCGAACCTTCCGAAGGCAGCGCACCAGGTACTTCT GAAAGCGCAACCCCTGAATCCGGTCCAGGTAGCGAACCGGCTA CTTCTGGCTCTGAGACTCCAGGTACTTCTACCGAACCGTCCGAA GGTAGCGCACCA
AM923- hGH- Thrombin- AE288	MAEPAGSPTSTEEGA SPGTSSTGSPGSSTPS GATGSPGSSTPSGAT GSPGTSTEPSEGSAP GSEPATSGSETPGSP AGSPTSTEEGSTSST AESP GPGTSTPESGS ASPGTSESPTSGTAP GSTSESPSGTAPGTS TPESGSASPGTSTPES GSASPGSEPATSGSE TPGTSESATPESGPG SPAGSPTSTEEGTSTE PSEGSAPGTSESATP ESGPGTSTEPSEGS PGTSTEPSEGSAPGSP AGSPTSTEEGTSTEPS EGSAPGTSTEPSEGS APGTSESATPESGPG TSESATPESGPGTSTE PSEGSAPGTSTEPSE GSAPGTSESATPESG PGTSTEPSEGSAPGS EPATSGSETPGSPAG SPTSTEEGSSTPSGAT GSPGTSPSGTASSP GSSTPSGATGSPGTS TEPSEGSAPGTSTEPS EGSAPGSEPATSGSE TPGSPAGSPTSTEEG SPAGSPTSTEEGTSTE PSEGSAPGASASGAP STGGTSESATPESGP GSPAGSPTSTEEGSP AGSPTSTEEGSTSST AESP GPGTSESPTSGT APGTSPSGESSTAPG TPGSGTASSPPGSSTP SGATGSPGSSPSAST GTGPGSEPATSGSET PGTSESATPESGPGS EPATSGSETPGSTSST AESP GPGSTSSTAESP GPGTSPSGESSTAPG SEPATSGSETPGSEP ATSGSETPGTSTEPSE GSAPGSTSSTAESP PGTSTPESGSASPGST SESPSGTAPGTSTEPS EGSAPGTSTEPSEGS APGTSTEPSEGSAPG SSTPSGATGSPGSSPS ASTGTGPGASPGTSS	ATGGCTGAACCTGCTGGCTCTCCAACCTCCACTGAGGAAGGTG CATCCCCGGGCACCAGCTCTACCGGTTCTCCAGGTAGCTCTACC CCGTCTGGTGCTACCGGCTCTCCAGGTAGCTCTACCCCGTCTGG TGCTACTGGCTCTCCAGGTACTTCTACTGAACCGTCTGAAGGCA GCGCACCAGGTAGCGAACCGGCTACTTCCGGTTCTGAAACCCC AGGTAGCCCAGCAGGTTCTCCAATTCTACTGAAGAAGGTTCTA CCAGCTCTACCGCAGAATCTCCTGGTCCAGGTACCTCTACTCCG GAAAGCGGCTCTGCATCTCCAGGTTCTACTAGCGAATCTCCTTC TGGCACTGCACCAGGTTCTACTAGCGAATCCCCGCTGGTACTG CTCCAGGTACTTCTACTCCTGAAAGCGGTTCCGCTTCTCCAGGT ACCTCTACTCCGGAAGCGGTTCTGCATCTCCAGGTAGCGAACCC GGCAACCTCCGGCTCTGAAACCCCAGGTACCTCTGAAAGCGCT ACTCCTGAATCCGGCCCAGGTAGCCCGGCAGGTTCTCCGACTTC CACTGAGGAAGGTACCTCTACTGAACCTTCTGAGGGCAGCGCT CCAGGTACTTCTGAAAGCGCTACCCCGGAGTCCGGTCCAGGTA CTTCTACTGAACCGTCCGAAGGTAGCGCACCAGGTACTTCTACC GAACCGTCCGAGGGTAGCGCACCAGGTAGCCCAGCAGGTTCTC CTACCTCCACCGAGGAAGGTACTTCTACCGAACCGTCCGAGGG TAGCGCACCAGGTACTTCTACCGAACCTTCCGAGGGCAGCGCA CCAGGTACTTCTGAAAGCGCTACCCCTGAGTCCGGCCCAGGTA CTTCTGAAAGCGCTACTCCTGAATCCGGTCCAGGTACCTCTACT GAACCTTCCGAAGGCAGCGCTCCAGGTACCTCTACCGAACCGT CCGAGGGCAGCGCACCAGGTACTTCTGAAAGCGCAACCCCTGA ATCCGGTCCAGGTACTTCTACTGAACCTTCCGAAGGTAGCGCTC CAGGTAGCGAACCTGCTACTTCTGGTTCTGAAACCCCAGGTAGC CCGGCTGGCTCTCCGACCTCCACCGAGGAAGGTAGCTCTACCCC GTCTGGTGCTACTGGTTCTCCAGGTACTCCGGGCAGCGGTACTG CTTCTTCCTCTCCAGGTAGCTCTACCCCTTCTGGTGCTACTGGCT CTCCAGGTACCTCTACCGAACCGTCCGAGGGTAGCGCACCAGG TACCTCTACTGAACCGTCTGAGGGTAGCGCTCCAGGTAGCGAA CCGGCAACCTCCGGTTCTGAAACTCCAGGTAGCCCTGCTGGCTC TCCGACTTCTACTGAGGAAGGTAGCCCGGCTGGTTCTCCGACTT CTACTGAGGAAGGTACTTCTACCGAACCTTCCGAAGGTAGCGC TCCAGGTGCAAGCGCAAGCGGCGCGCCAAGCACGGGAGGTACT TCTGAAAGCGCTACTCCTGAGTCCGGCCCAGGTAGCCCGGCTG GCTCTCCGACTTCCACCGAGGAAGGTAGCCCGGCTGGCTCTCCA ACTTCTACTGAAGAAGGTTCTACCAGCTCTACCGCTGAATCTCC TGGCCCAGGTTCTACTAGCGAATCTCCGTCTGGCACCAGCACCAG GTACTTCCCCTAGCGGTGAATCTTCTACTGCACCAGGTACCCCT GGCAGCGGTACCGCTTCTTCTCTCCAGGTAGCTCTACCCCGTC TGGTGCTACTGGCTCTCCAGGTTCTAGCCCGTCTGCATCTACCG GTACCGGCCCAGGTAGCGAACCGGCAACCTCCGGCTCTGAAAC TCCAGGTACTTCTGAAAGCGCTACTCCGGAATCCGGCCCAGGT AGCGAACCGGCTACTTCCGGCTCTGAAACCCCAGGTTCCACCA GCTCTACTGCAGAATCTCCGGGCCCAGGTTCTACTAGCTCTACT GCAGAATCTCCGGGTCCAGGTACTTCTCCTAGCGGCGAATCTTC TACCGCTCCAGGTAGCGAACCGGCAACCTCTGGCTCTGAAACT CCAGGTAGCGAACCTGCAACCTCCGGCTCTGAAACCCCAGGTA CTTCTACTGAACCTTCTGAGGGCAGCGCACCAGGTCTTACCAGC TCTACCGCAGAATCTCCTGGTCCAGGTACCTCTACTCCGGAAAG CGGCTCTGCATCTCCAGGTTCTACTAGCGAATCTCCTTCTGGCA CTGCACCAGGTACTTCTACCGAACCGTCCGAAGGCAGCGCTCC AGGTACCTCTACTGAACCTTCCGAGGGCAGCGCTCCAGGTACCT

GHXTEN Name*	Amino Acid Sequence	DNA Nucleotide Sequence
	TGSPGSEPATSGSET PGTSESATPESGPGSP AGSPTSTEEGSSTPS GATGSPGSSPSASTG TGPASPGTSSTGSP GTSESATPESGPGTS TEPSEGSAPGTSTEPS EGSAPGFPTIPLSRLF DNAMLRAHRLHQL AFDTYQEFEEAYIPK EQKYSFLQNPQTS LC FSESIPTSPNREETQQ KSNLELLRISLLLIQS WLEPVQFLRSVFAN SLVYGASDSNVYDL LKDLEEGIQTLMGRL EDGSPRTGQIFKQTY SKFDNNSHNDALL KNYGLLYCFRKDMD KVETFLRIVQCRSVE GSCGFGLTPRSLLVG GGGTSESATPESGPG SEPATSGSETPGTSES ATPESGPGSEPATSG SETPGTSESATPESGP GTSTEPSEGSAPGSP AGSPTSTEEGTSESA TPESGPGSEPATSGS ETPGTSESATPESGP GSPAGSPTSTEEGSP AGSPTSTEEGTSTEPS EGSAPGTSESATPES GPGTSESATPESGPG TSESATPESGPGSEP ATSGSETPGSEPATS GSETPGSPAGSPTST EEGTSTEPSEGSAPG TSTEPSEGSAPGSEP ATSGSETPGTSESAT PESGPGTSTEPSEGS AP	CTACCGAACCTTCTGAAGGTAGCGCACCAGGTAGCTCTACTCCG TCTGGTGCAACCGGCTCCCCAGGTTCTAGCCCGTCTGCTTCCAC TGGTACTGGCCCAGGTGCTTCCCCGGGCACCAGCTCTACTGGTT CTCCAGGTAGCGAACCTGCTACCTCCGGTTCTGAAACCCAGGT ACCTCTGAAAGCGCAACTCCGGAGTCTGGTCCAGGTAGCCCTG CAGGTTCTCCTACCTCCACTGAGGAAGGTAGCTCTACTCCGTCT GGTGCAACCGGCTCCCCAGGTTCTAGCCCGTCTGCTTCCACTGG TACTGGCCCAGGTGCTTCCCCGGGCACCAGCTCTACTGGTTCTC CAGGTACCTCTGAAAGCGCTACTCCGGAGTCTGGCCCAGGTAC CTCTACTGAACCGTCTGAGGGTAGCGCTCCAGGTACTTCTACTG AACCGTCCGAAGGTAGCGCACCAGGTTTTCCGACTATTCCGCTG TCTCGTCTGTTTGATAATGCTATGCTGCGTGCGCACCGTCTGCA CCAGCTGGCCTTTGATACTTACCAGGAATTTGAAGAAGCcTACA TTCCTAAAGAGCAGAAGTACTCTTTCCTGCAAAACCCACAGACT TCTCTCTGCTTCAGCGAATCTATTCCGACGCCTTCCAATCGCGA GGAAACTCAGCAAAAGTCCAATCTGGAAGTACTCCGCATTTCTC TGCTTCTGATTACAGAGCTGGCTAGAACAGGTGCAATTTCTGCGT TCCGTCTTCGCCAATAGCCTAGTTTATGGCGCATCCGACAGCAA CGTATACGATCTCCTGAAAGATCTCGAGGAAGGCATTTCAGACC CTGATGGGTCTGCTCTGAGGATGGCTCTCCGCGTACTGGTCAGAT CTTCAAGCAGACTTACTCTAAATTTGATACTAACAGCCACAATG ACGATGCGCTTCTAAAAAACTATGGTCTGCTGTATTGTTTTCGT AAAGATATGGACAAAGTTGAAACCTTCCCTGCGTATTGTTTCAGTG TCGTTCCGTTGAGGGCAGCTGTGGTTTCTAAGGTctgaccccgcgagc ctgctgggtggcggcGGTGGTACCTCTGAAAGCGCAACTCCTGAGTCTG GCCCAGGTAGCGAACCTGCTACCTCCGGCTCTGAGACTCCAGG TACCTCTGAAAGCGCAACCCCGGAATCTGGTCCAGGTAGCGAA CCTGCAACCTCTGGCTCTGAAACCCAGGTACCTCTGAAAGCGC TACTCCTGAATCTGGCCCAGGTACTTCTACTGAACCGTCCGAGG GCAGCGCACCAGGTAGCCCTGCTGGCTCTCCAACCTCCACCGA AGAAGGTACCTCTGAAAGCGCAACCCCTGAATCCGGCCCAGGT AGCGAACCGGCAACCTCCGGTTCTGAAACCCAGGTACTTCTG AAAGCGCTACTCCTGAGTCCGGCCCAGGTAGCCCGGCTGGCTC TCCGACTTCCACCGAGGAAGGTAGCCCGGCTGGCTCTCCAATT CTACTGAAGAAGGTACTTCTACCGAACCTTCCGAGGGCAGCGC ACCAGGTACTTCTGAAAGCGCTACCCCTGAGTCCGGCCCAGGT ACTTCTGAAAGCGCTACTCCTGAATCCGGTCCAGGTACTTCTGA AAGCGCTACCCCGGAATCTGGCCCAGGTAGCGAACCCGGCTACT TCTGGTTCTGAAACCCAGGTAGCGAACCCGGCTACCTCCGGTTC TGAAACTCCAGGTAGCCCAGCAGGCTCTCCGACTTCCACTGAG GAAGGTACTTCTACTGAACCTTCCGAAGGCAGCGCACCAGGTA CCTCTACTGAACCTTCTGAGGGCAGCGCTCCAGGTAGCGAACCT GCAACCTCTGGCTCTGAAACCCAGGTACCTCTGAAAGCGCTA CTCCTGAATCTGGCCCAGGTACTTCTACTGAACCGTCCGAGGGC AGCGCACCA
AM923- hGH- FXIa- AE288	MAEPAGSPTSTEEGA SPGTSSSTGSPGSSTPS GATGSPGSSTPSGAT GSPGTSTEPSEGSAP GSEPATSGSETPGSP AGSPTSTEEGSTSST AESPGPGTSTPESGS ASPGTSESPTSGTAP GSTSESPTSGTAPGTS TPESGSASPGTSTPES GSASPGSEPATSGSE TPGTSESATPESGPG SPAGSPTSTEEGTSTE PSEGSAPGTSESATP	ATGGCTGAACCTGCTGGCTCTCCAACCTCCACTGAGGAAGGTG CATCCCCGGGCACCAGCTCTACCGGTTCTCCAGGTAGCTCTACC CCGTCTGGTGCTACCGGCTCTCCAGGTAGCTCTACCCCGTCTGG TGCTACTGGCTCTCCAGGTACTTCTACTGAACCGTCTGAAGGCA GCGCACCAGGTAGCGAACCCGGCTACTTCCGGTTCTGAAACCC AGGTAGCCCAGCAGGTTCTCCAATTCTACTGAAGAAGGTTCTA CCAGCTCTACCGCAGAATCTCCTGGTCCAGGTACCTCTACTCCG GAAAGCGGCTCTGCATCTCCAGGTTCTACTAGCGAATCTCCTTC TGGCACTGCACCAGGTTCTACTAGCGAATCCCCGTCTGGTACTG CTCCAGGTACTTCTACTCCTGAAAGCGGTTCCGCTTCTCCAGGT ACCTCTACTCCGGAAGCGGTTCTGCATCTCCAGGTAGCGAACC GGCAACCTCCGGCTCTGAAACCCAGGTACCTCTGAAAGCGCT ACTCCTGAATCCGGCCCAGGTAGCCCGGCAGGTTCTCCGACTTC CACTGAGGAAGGTACCTCTACTGAACCTTCTGAGGGCAGCGCT

GHXTEN Name*	Amino Acid Sequence	DNA Nucleotide Sequence
	ESGPGTSTEPSEGS PGTSTEPSEGSAPGSP AGSPTSTEEGTSTEPS EGSAPGTSTEPSEGS APGTSESATPESGPG TSESATPESGPGTSTE PSEGSAPGTSTEPSE GSAPGTSESATPESG PGTSTEPSEGSAPGS EPATSGSETPGSPAG SPTSTEEGSSTPSGAT GSPGTPGSGTASSSP GSSTPSGATGSPGTS TEPSEGSAPGTSTEPS EGSAPGSEPATSGSE TPGSPAGSPTSTEEG SPAGSPTSTEEGTSTE PSEGSAPGASASGAP STGGTSESATPESGP GSPAGSPTSTEEGSP AGSPTSTEEGSTSST AESPGPGSTSESPTGT APGTSPSGESSTAPG TPGSGTASSSPGSSTP SGATGSPGSSPSAST GTGPGSEPATSGSET PGTSESATPESGPGS EPATSGSETPGSTSST AESPGPGSTSSTAESP GPGTSPSGESSTAPG SEPATSGSETPGSEP ATSGSETPGTSTEPSE GSAPGSTSSTAESPG PGTSTPESGSASPST SESPSGTAPGTSTEPS EGSAPGTSTEPSEGS APGTSTEPSEGSAPG SSTPSGATGSPGSSPS ASTGTGPGASPGTSS TGSPGSEPATSGSET PGTSESATPESGPGSP AGSPTSTEEGSSTPS GATGSPGSSPSASTG TPGASPGTSSTGSP GTSESATPESGPGTS TEPSEGSAPGTSTEPS EGSAPGFPTIPLSRLF DNAMLRAHRLHQL AFDTYQEFEEAYIPK EQKYSFLQNPQTS LC FSESIPTPSNREETQQ KSNLELLRISLLLIQS WLEPVQFLRSVFAN SLVYGASDSNVYDL LKDLEEGIQTLMGRL EDGSPRTGQIFKQTY SKFDTNSHND DALL KNYGLLYCFRKMDM KVETFLRIVQCRSVE	CCAGGTACTTCTGAAAGCGCTACCCCGGAGTCCGGTCCAGGTA CTTCTACTGAACCGTCCGAAGGTAGCGCACCAGGTACTTCTACC GAACCGTCCGAGGGTAGCGCACCAGGTAGCCCAGCAGGTTCTC CTACCTCCACCGAGGAAGGTACTTCTACCGAACCTTCCGAGGGCAGCGCA TAGCGCACCAGGTACTTCTACCGAACCTTCCGAGGGCAGCGCA CCAGGTACTTCTGAAAGCGCTACCCCTGAGTCCGGCCCCAGGTA CTTCTGAAAGCGCTACTCCTGAATCCGGTCCAGGTACCTCTACT GAACCTTCCGAAGGCAGCGCTCCAGGTACCTCTACCGAACCGT CCGAGGGCAGCGCACCAGGTACTTCTGAAAGCGCAACCCCTGA ATCCGGTCCAGGTACTTCTACTGAACCTTCCGAAGGTAGCGCTC CAGGTAGCGAACCTGCTACTTCTGGTTCTGAAACCCAGGTAGC CCGGTGGCTCTCCGACCTCCACCGAGGAAGGTAGCTCTACCCC GTCTGGTGCTACTGGTTCTCCAGGTACTCCGGCAGCGGTACTG CTTCTTCTCTCCAGGTAGCTCTACCCCTTCTGGTGCTACTGGCT CTCCAGGTACCTCTACCGAACCGTCCGAGGGTAGCGCACCAGG TACCTCTACTGAACCGTCTGAGGGTAGCGCTCCAGGTAGCGAA CCGGCAACCTCCGGTTCTGAAACTCCAGGTAGCCCTGCTGGCTC TCCGACTTCTACTGAGGAAGGTAGCCCGGCTGGTTCTCCGACTT CTA CTGAGGAAGGTACTTCTACCGAACCTTCCGAAGGTAGCGC TCCAGGTGCAAGCGCAAGCGGCGCGCCAAGCACGGGAGGTACT TCTGAAAGCGCTACTCCTGAGTCCGGGCCAGGTAGCCCGGCTG GCTCTCCGACTTCCACCGAGGAAGGTAGCCCGGCTGGCTCTCCA ACTTCTACTGAAGAAGGTTCTACCGCTCTACCGCTGAATCTCC TGGCCCAGGTTCTACTAGCGAATCTCCGTCTGGCACCGCACCAG GTACTTCCCTAGCGGTGAATCTTCTACTGCACCAGGTACCCCT GGCAGCGGTACCGCTTCTTCTCTCCAGGTAGCTCTACCCCGTC TGGTGCTACTGGCTCTCCAGGTTCTAGCCCGTCTGCATCTACCG GTACCGGCCCAGGTAGCGAACCGGCAACCTCCGGCTCTGAAAC TCCAGGTACTTCTGAAAGCGCTACTCCGGAATCCGGCCCAGGT AGCGAACCGGCTACTTCCGGCTCTGAAACCCAGGTTCCACCA GCTCTACTGCAGAATCTCCGGGCCCAGGTTCTACTAGCTCTACT GCAGAATCTCCGGGTCCAGGTACTTCTCTAGCGGCGAATCTTC TACCGCTCCAGGTAGCGAACCGGCAACCTCTGGCTCTGAAACT CCAGGTAGCGAACCTGCAACCTCCGGCTCTGAAACCCAGGTA CTTCTACTGAACCTTCTGAGGGCAGCGCACCAGGTCTTACCAGC TCTACCGCAGAATCTCTGGTCCAGGTACCTCTACTCTCGAAAG CGGCTCTGCATCTCCAGGTTCTACTAGCGAATCTCCTTCTGGCA CTGCACCAGGTACTTCTACCGAACCGTCCGAAGGCAGCGCTCC AGGTACCTCTACTGAACCTTCCGAGGGCAGCGCTCCAGGTACCT CTACCGAACCTTCTGAAGGTAGCGCACCAGGTAGCTCTACTCCG TCTGGTGCAACCGGCTCCCCAGGTTCTAGCCCGTCTGCTTCCAC TGGTACTGGCCCAGGTGCTTCCCCGGGCACCAGCTCTACTGGTT CTCCAGGTAGCGAACCTGCTACCTCCGGTTCTGAAACCCAGGT ACCTCTGAAAGCGCAACTCCGGAGTCTGGTCCAGGTAGCCCTG CAGGTTCTCCTACCTCCACTGAGGAAGGTAGCTCTACTCCGTCT GGTGCAACCGGCTCCCCAGGTTCTAGCCCGTCTGCTTCCACTGG TACTGGCCCAGGTGCTTCCCCGGGCACCAGCTCTACTGGTTCTC CAGGTACCTCTGAAAGCGCTACTCCGGAGTCTGGCCCAGGTAC CTCTACTGAACCGTCTGAGGGTAGCGCTCCAGGTACTTCTACTG AACCGTCCGAAGGTAGCGCACCAGGTTTTCCGACTATTCCGCTG TCTCGTCTGTTTGATAATGCTATGCTGCGTGCGCACCCTGCA CCAGCTGGCCTTTGATACTTACCAGGAATTTGAAGAAGC ₂ TACA TTCCTAAAGAGCAGAAGTACTCTTTCCTGCAAAACCCACAGACT TCTCTCTGCTTCAGCGAATCTATTCCGACGCCTTCCAATCGCGA GGAAACTCAGCAAAAGTCCAATCTGGAATACTCCGCATTTCTC TGCTTCTGATTACAGAGCTGGCTAGAACCAAGTGAATTTCTGCGT TCCGTCTTCGCCAATAGCCTAGTTTATGGCGCATCCGACAGCAA CGTATACGATCTCCTGAAAGATCTCGAGGAAGGCATTTCAGACC CTGATGGGTCTGCTCTCGAGGATGGCTCTCCGCGTACTGGTCAGAT

GHXTEN Name*	Amino Acid Sequence	DNA Nucleotide Sequence
	GSCGFGGGKLTRVV GGGGTSESATPESGP GSEPATSGSETPGTS ESATPESGPGSEPAT SGSETPGTSESATPES GPGTSTEPSEGSAPG SPAGSPTSTEEGTSES ATPESGPGSEPATSG SETPGTSESATPESGP GSPAGSPTSTEEGSP AGSPTSTEEGTSTEPS EGSAPGTSESATPES GPGTSESATPESGPG TSESATPESGPGSEP ATSGSETPGSEPATS GSETPGSPAGSPTST EEGTSTEPSEGSAPG TSTEPSEGSAPGSEP ATSGSETPGTSESAT PESGPGTSTEPSEGS AP	CTTCAAGCAGACTTACTCTAAATTTGATACTAACAGCCACAATG ACGATGCGCTTCTAAAAAACTATGGTCTGCTGTATTGTTTTCGT AAAGATATGGACAAAGTTGAAACCTTCCTGCGTATTGTTTCAGTG TCGTTCCGTTGAGGGCAGCTGTGGTTTCTAAGGTggcgggcaactgacc cgcggtggggggcGGTGGTACCTCTGAAAGCGCAACTCCTGAGTCT GGCCAGGTAGCGAACCTGCTACCTCCGGCTCTGAGACTCCAG GTACCTCTGAAAGCGCAACCCCGGAATCTGGTCCAGGTAGCGA ACCTGCAACCTCTGGCTCTGAAACCCAGGTACCTCTGAAAGC GCTACTCCTGAATCTGGCCAGGTACTTCTACTGAACCGTCCGA GGGCAGCGCACCAGGTAGCCCTGCTGGCTCTCCAACCTCCACC GAAGAAGGTACCTCTGAAAGCGCAACCCCTGAATCCGGCCCCAG GTAGCGAACCGGCAACCTCCGGTTCTGAAACCCAGGTACTTCT GAAAGCGCTACTCCTGAGTCCGGCCAGGTAGCCCGGCTGGCT CTCCGACTTCCACCGAGGAAGGTAGCCCGGCTGGCTCTCCAAC TCTACTGAAGAAGGTACTTCTACCGAACCTTCCGAGGGCAGCG CACCAGGTACTTCTGAAAGCGCTACCCCTGAGTCCGGCCCCAGG TACTTCTGAAAGCGCTACTCCTGAATCCGGTCCAGGTACTTCTG AAAGCGCTACCCCGGAATCTGGCCAGGTAGCGAACCCGGCTAC TTCTGGTTCTGAAACCCAGGTAGCGAACCCGGCTACCTCCGGTT CTGAAACTCCAGGTAGCCAGCAGGCTCTCCGACTTCCACTGA GGAAGGTACTTCTACTGAACCTTCCGAAGGCAGCGCACCAGGT ACCTCTACTGAACCTTCTGAGGGCAGCGCTCCAGGTAGCGAAC CTGCAACCTCTGGCTCTGAAACCCAGGTACCTCTGAAAGCGCT ACTCCTGAATCTGGCCAGGTACTTCTACTGAACCGTCCGAGGG CAGCGCACCA
AM923- hGH- Elastase- AE288	MAEPAGSPTSTEEGA SPGTSSTGSPGSSTPS GATGSPGSSTPSGAT GSPGTSTEPSEGSAP GSEPATSGSETPGSP AGSPTSTEEGSTSST AESPGGTSTPESGS ASPGTSESPTSGTAP GSTSESPTSGTAPGTS TPESGSASPGTSTPES GSAPGSEPATSGSE TPGTSESATPESGPG SPAGSPTSTEEGTSTE PSEGSAPGTSESATP ESGPGTSTEPSEGS PGTSTEPSEGSAPGSP AGSPTSTEEGTSTEPS EGSAPGTSTEPSEGS APGTSESATPESGPG TSESATPESGPGTSTE PSEGSAPGTSTEPSE GSAPGTSESATPESG PGTSTEPSEGSAPGS EPATSGSETPGSPAG SPTSTEEGSSTPSGAT GSPGTGPGSGTASSP GSSTPSGATGSPGTS TEPSEGSAPGTSTEPS EGSAPGSEPATSGSE TPGSPAGSPTSTEEG SPAGSPTSTEEGTSTE PSEGSAPGASASGAP STGGTSESATPESGP GSPAGSPTSTEEGSP	ATGGCTGAACCTGCTGGCTCTCCAACCTCCACTGAGGAAGGTG CATCCCCGGGCACCAGCTCTACCGGTTCTCCAGGTAGCTCTACC CCGTCTGGTGCTACCGGCTCTCCAGGTAGCTCTACCCCGTCTGG TGCTACTGGCTCTCCAGGTACTTCTACTGAACCGTCTGAAGGCA GCGCACCAGGTAGCGAACCCGGCTACTTCCGGTTCTGAAACCCC AGGTAGCCCAGCAGGTTCTCCAATTCTACTGAAGAAGGTTCTA CCAGCTCTACCGCAGAATCTCCTGGTCCAGGTACCTCTACTCCG GAAAGCGGCTCTGCATCTCCAGGTTCTACTAGCGAATCTCCTTC TGGCACTGCACCAGGTTCTACTAGCGAATCCCCGTCTGGTACTG CTCCAGGTACTTCTACTCCTGAAAGCGGTTCCGCTTCTCCAGGT ACCTCTACTCCGGAAAGCGGTTCTGCATCTCCAGGTAGCGAAC GGCAACCTCCGGCTCTGAAACCCAGGTACCTCTGAAAGCGCT ACTCCTGAATCCGGCCCCAGGTAGCCCGGCAGGTTCTCCGACTTC CACTGAGGAAGGTACCTCTACTGAACCTTCTGAGGGCAGCGCT CCAGGTACTTCTGAAAGCGCTACCCCGGAGTCCGGTCCAGGTA CTTCTACTGAACCGTCCGAAGGTAGCGCACCAGGTACTTCTACC GAACCGTCCGAGGGTAGCGCACCAGGTAGCCCAGCAGGTTCTC CTACCTCCACCAGGAAGGTACTTCTACCGAACCGTCCGAGGG TAGCGCACCAGGTACTTCTACCGAACCTTCCGAGGGCAGCGCA CCAGGTACTTCTGAAAGCGCTACCCCTGAGTCCGGCCCCAGGTA CTTCTGAAAGCGCTACTCCTGAATCCGGTCCAGGTACCTCTACT GAACCTTCCGAAGGCAGCGCTCCAGGTACCTCTACCGAACCGT CCGAGGGCAGCGCACCAGGTACTTCTGAAAGCGCAACCCCTGA ATCCGGTCCAGGTACTTCTACTGAACCTTCCGAAGGTAGCGCTC CAGGTAGCGAACCTGCTACTTCTGGTTCTGAAACCCAGGTAGC CCGGCTGGCTCTCCGACCTCCACCGAGGAAGGTAGCTCTACCCC GTCTGGTGCTACTGGTTCTCCAGGTACTCCGGGCAGCGGTACTG CTTCTTCTCTCCAGGTAGCTCTACCCCTTCTGGTGCTACTGGCT CTCCAGGTACCTCTACCGAACCGTCCGAGGGTAGCGCACCAGG TACCTCTACTGAACCGTCTGAGGGTAGCGCTCCAGGTAGCGAA CCGGCAACCTCCGGTTCTGAAACTCCAGGTAGCCCTGCTGGCTC TCCGACTTCTACTGAGGAAGGTAGCCCGGCTGGTTCTCCGACTT CTAAGGTAGGAAGGTACTTCTACCGAACCTTCCGAAGGTAGCGC TCCAGGTGCAAGCGCAAGCGGCGCGCCAAGCACGGGAGGTACT

GHXTEN Name*	Amino Acid Sequence	DNA Nucleotide Sequence
	AGSPTSTEEGSTSST AESPGPGSTSESPGT APGTSPSGESSTAPG TPGSGTASSSPGSSTP SGATGSPGSSPSAST GTGPGSEPATSGSET PGTSESATPESGPGS EPATSGSETPGSTSST AESPGPGSTSSTAESP GPGTSPSGESSTAPG SEPATSGSETPGSEP ATSGSETPGTSTEPSE GSAPGSTSTAESPG PGTSTPESGSASPGST SESPSGTAPGTSTEPS EGSAPGTSTEPSEGS APGTSTEPSEGSAPG SSTPSGATGSPGSSPS ASTGTGPGASPGTSS TGSPGSEPATSGSET PGTSESATPESGPGSP AGSPTSTEEGSSTPS GATGSPGSSPSASTG TGPASPGTSSTGSP GTSESATPESGPGTS TEPSEGSAPGTSTEPS EGSAPGFPTIPLSRLF DNAMLRAHRLHQL AFDTYQEFEEAYIPK EQKYSFLQNPQTS LC FSESIPTSNREETQQ KSNLELLRISLLLIQS WLEPVQFLRSVFAN SLVYGASDSNVYDL LKDLEEGIQTLMGRL EDGSPRTGQIFKQTY SKFDTNSHNDALL KNYGLLYCFRKDMD KVETFLRIVQCRSVE GSCGFGGGLGPVSG VPGGTSESATPESGP GSEPATSGSETPGTS ESATPESGPGSEPAT SGSETPGTSESATPES GPGTSTEPSEGSAPG SPAGSPTSTEEGTSES ATPESGPGSEPATSG SETPGTSESATPESGP GSPAGSPTSTEEGSP AGSPTSTEEGTSTEPS EGSAPGTSESATPES GPGTSESATPESGPG TSESATPESGPGSEP ATSGSETPGSEPAT GSETPGSPAGSPTST EEGTSTEPSEGSAPG TSTEPSEGSAPGSEP ATSGSETPGTSESAT PESGPGTSTEPSEGS	TCTGAAAGCGCTACTCCTGAGTCCGGCCCCAGGTAGCCCCGGCTG GCTCTCCGACTTCCACCGAGGAAGGTAGCCCCGGCTGGCTCTCCA ACTTCTACTGAAGAAGGTTCTACCAGCTCTACCGCTGAATCTCC TGGCCCCAGGTTCTACTAGCGAATCTCCGTCTGGCACCAGCACCAG GTACTTCCCCCTAGCGGTGAATCTTCTACTGCACCAGGTACCCCT GGCAGCGGTACCGCTTCTTCTCTCCAGGTAGCTCTACCCCGTC TGGTGCTACTGGCTCTCCAGGTTCTAGCCCGTCTGCATCTACCG GTACCGGCCCCAGGTAGCGAACCAGGCAACCTCCGGCTCTGAAAC TCCAGGTACTTCTGAAAGCGCTACTCCGGAATCCGGCCCCAGGT AGCGAACCAGGCTACTTCCGGCTCTGAAACCCAGGTTCCACCA GCTCTACTGCAGAATCTCCGGGCCCCAGGTTCTACTAGCTCTACT GCAGAATCTCCGGGTCCAGGTACTTCTCTAGCGGCGAATCTTC TACCGCTCCAGGTAGCGAACCAGGCAACCTCTGGCTCTGAAACT CCAGGTAGCGAACCCTGCAACCTCCGGCTCTGAAACCCAGGTA CTTCTACTGAACCTTCTGAGGGCAGCGCACCAGGTTCTACCAGC TCTACCGCAGAATCTCCTGGTCCAGGTACCTCTACTCCGGAAG CGGCTCTGCATCTCCAGGTTCTACTAGCGAATCTCCTTCTGGCA CTGCACCAGGTACTTCTACCGAACCCTCCGAAGGCAGCGCTCC AGGTACCTCTACTGAACCTTCCGAGGGCAGCGCTCCAGGTACCT CTACCGAACCTTCTGAAGGTAGCGCACCAGGTAGCTCTACTCCG TCTGGTGCAACCAGGCTCCCCAGGTTCTAGCCCGTCTGCTTCCAC TGGTACTGGCCCAGGTGCTTCCCCGGGCACCAGCTCTACTGGTT CTCCAGGTAGCGAACCCTGCTACCTCCGGTTCTGAAACCCAGGT ACCTCTGAAAGCGCAACTCCGGAGTCTGGTCCAGGTAGCCCTG CAGGTTCTCCTACCTCCACTGAGGAAGGTAGCTCTACTCCGTCT GGTGCAACCAGGCTCCCCAGGTTCTAGCCCGTCTGCTTCCACTGG TACTGGCCCAGGTGCTTCCCCGGGCACCAGCTCTACTGGTTCTC CAGGTACCTCTGAAAGCGCTACTCCGGAGTCTGGCCCAGGTAC CTCTACTGAACCGTCTGAGGGTAGCGCTCCAGGTACTTCTACTG AACCGTCCGAAGGTAGCGCACCAGGTTTTCCGACTATTCCGCTG TCTCGTCTGTTTGATAATGCTATGCTGCGTGCGCACCCTGCA CCAGCTGGCCTTTGATACTTACCAGGAATTTGAAGAAGC ₂ TACA TTCCTAAAGAGCAGAAGTACTCTTTCCTGCAAAACCCACAGACT TCTCTCTGCTTCAGCGAATCTATTCCGACGCCTTCCAATCGCGA GGAAACTCAGCAAAAGTCCAATCTGGAACCTACTCCGATTCTC TGCTTCTGATTAGAGCTGGCTAGAACCACTGCAATTTCTGCGT TCCGTCTTCGCCAATAGCCTAGTTTATGGCGCATCCGACAGCAA CGTATACGATCTCCTGAAAGATCTCGAGGAAGGCATTCAGACC CTGATGGGTGCTCTCGAGGATGGCTCTCCGCGTACTGGTCAGAT CTTCAAGCAGACTTACTCTAAATTTGATACTAACAGCCACAATG ACGATGCGCTTCTAAAAAACTATGGTCTGCTGTATTGTTTTCGT AAAGATATGGACAAAGTTGAAACCTTCTGCGTATTGTTCACTG TCGTTCCGTTGAGGGCAGCTGTGGTTTCTAAGGTggeggcctggcccg gtgagcgcggtgccgGGTGGTACCTCTGAAAGCGCAACTCTGAGTCTG GCCCAGGTAGCGAACCCTGCTACCTCCGGCTCTGAGACTCCAGG TACCTCTGAAAGCGCAACCCCGGAATCTGGTCCAGGTAGCGAA CCTGCAACCTCTGGCTCTGAAACCCAGGTACCTCTGAAAGCGC TACTCCTGAATCTGGCCCAGGTACTTCTACTGAACCGTCCGAGG GCAGCGCACCAGGTAGCCCTGCTGGCTCTCCAACCTCCACCGA AGAAGGTACCTCTGAAAGCGCAACCCCTGAATCCGGCCCCAGGT AGCGAACCAGGCAACCTCCGGTTCTGAAACCCAGGTACTTCTG AAAGCGCTACTCCTGAGTCCGGCCCCAGGTAGCCCGGCTGGCTC TCCGACTTCCACCGAGGAAGGTAGCCCGGCTGGCTCTCCAACCT CTACTGAAGAAGGTACTTCTACCGAACCCTCCGAGGGCAGCGC ACCAGGTACTTCTGAAAGCGCTACCCCTGAGTCCGGCCCCAGGT ACTTCTGAAAGCGCTACTCCTGAATCCGGTCCAGGTACTTCTGA AAGCGCTACCCCGGAATCTGGCCCAGGTAGCGAACCAGGCTACT TCTGGTTCTGAAACCCAGGTAGCGAACCAGGCTACCTCCGGTTC TGAAACTCCAGGTAGCCCAGCAGGCTCTCCGACTTCCACTGAG

GHXTEN Name*	Amino Acid Sequence	DNA Nucleotide Sequence
	AP	GAAGGTACTTCTACTGAACCTTCCGAAGGCAGCGCACCAGGTA CCTCTACTGAACCTTCTGAGGGCAGCGCTCCAGGTAGCGAACCT GCAACCTCTGGCTCTGAAACCCAGGTACCTCTGAAAGCGCTA CTCCTGAATCTGGCCCAGGTACTTCTACTGAACCGTCCGAGGGC AGCGCACCA
AM923- hGH- MMP-17- AE288	MAEPAGSPTSTEEGA SPGTSSTGSPGSSTPS GATGSPGSSTPSGAT GSPGTSTEPSEGSAP GSEPATSGSETPGSP AGSPTSTEEGSTSST AESP GPGTSTPESGS ASPGTSESPSGTAP GSTSESPSGTAPGTS TPESGSASPGTSTPES GSASPGSEPATSGSE TPGTSESATPESGPG SPAGSPTSTEEGTSTE PSEGSAPGTSESATP ESGPGTSTEPSEGS PGTSTEPSEGSAPGSP AGSPTSTEEGTSTEPS EGSAPGTSTEPSEGS APGTSESATPESGPG TSESATPESGPGTSTE PSEGSAPGTSTEPSE GSAPGTSESATPESG PGTSTEPSEGSAPGS EPATSGSETPGSPAG SPTSTEEGSSTPSGAT GSPGTSPSGTASSSP GSSTPSGATGSPGTS TEPSEGSAPGTSTEPS EGSAPGSEPATSGSE TPGSPAGSPTSTEEG SPAGSPTSTEEGTSTE PSEGSAPGASASGAP STGGTSESATPESGP GSPAGSPTSTEEGSP AGSPTSTEEGSTSST AESP GPGTSTPESG APGTSPSGESSTAPG TPGSGTASSSPGSSTP SGATGSPGSSPSAST GTGPGSEPATSGSET PGTSESATPESGPGS EPATSGSETPGSTST AESP GPGTSTSTAES PGTSPSGESSTAPG SEPATSGSETPGSEP ATSGSETPGTSTEPSE GSAPGSTSTSTAES PGTSTPESGSASPGST SESPSGTAPGTSTEPS EGSAPGTSTEPSEGS APGTSTEPSEGSAPG SSTPSGATGSPGSSPS ASTGTGPGASPGTSS TGSPGSEPATSGSET	ATGGCTGAACCTGCTGGCTCTCCAACCTCCACTGAGGAAGGTG CATCCCCGGGCACCAGCTCTACCGGTTCTCCAGGTAGCTCTACC CCGTCTGGTGCTACCGGCTCTCCAGGTAGCTCTACCCCGTCTGG TGCTACTGGCTCTCCAGGTACTTCTACTGAACCGTCTGAAGGCA GCGCACCAGGTAGCGAACCCGGCTACTTCCGGTTCTGAAACCC AGGTAGCCCAGCAGGTTCTCCAATTCTACTGAAGAAGGTTCTA CCAGCTCTACCGCAGAATCTCCTGGTCCAGGTACCTCTACTCCG GAAAGCGGCTCTGCATCTCCAGGTTCTACTAGCGAATCTCCTTC TGGCACTGCACCAGGTTCTACTAGCGAATCCCCGTTCTGGTACTG CTCCAGGTACTTCTACTCCTGAAAGCGGTTCCGCTTCTCCAGGT ACCTCTACTCCGGAAGCGGTTCTGCATCTCCAGGTAGCGAACCC GGCAACCTCCGGCTCTGAAACCCAGGTACCTCTGAAAGCGCT ACTCCTGAATCCGGCCCAGGTAGCCCGGCAGGTTCTCCGACTTC CACTGAGGAAGGTACCTCTACTGAACCTTCTGAGGGCAGCGCT CCAGGTACTTCTGAAAGCGCTACCCCGGAGTCCGGTCCAGGTA CTTCTACTGAACCGTCCGAAGGTAGCGCACCAGGTACTTCTACC GAACCGTCCGAGGGTAGCGCACCAGGTAGCCCAGCAGGTTCTC CTACCTCCACCGAGGAAGGTACTTCTACCGAACCGTCCGAGGG TAGCGCACCAGGTACTTCTACCGAACCTTCCGAGGGCAGCGCA CCAGGTACTTCTGAAAGCGCTACCCCTGAGTCCGGCCCAGGTA CTTCTGAAAGCGCTACTCCTGAATCCGGTCCAGGTACCTCTACT GAACCTTCCGAAGGCAGCGCTCCAGGTACCTCTACCGAACCGT CCGAGGGCAGCGCACCAGGTACTTCTGAAAGCGCAACCCCTGA ATCCGGTCCAGGTACTTCTACTGAACCTTCCGAAGGTAGCGCTC CAGGTAGCGAACCTGCTACTTCTGGTTCTGAAACCCAGGTAGC CCGGCTGGCTCTCCGACCTCCACCGAGGAAGGTAGCTCTACCC GTCTGGTGCTACTGGTTCTCCAGGTACTCCGGGCAGCGGTACTG CTTCTTCTCTCCAGGTAGCTCTACCCCTTCTGGTGCTACTGGCT CTCCAGGTACCTCTACCGAACCGTCCGAGGGTAGCGCACCAGG TACCTCTACTGAACCGTCTGAGGGTAGCGCTCCAGGTAGCGAA CCGGCAACCTCCGGTTCTGAAACTCCAGGTAGCCCTGTCTGGCT TCCGACTTCTACTAGGAAGGTAGCCCGGCTGGTTCTCCGACTT CTACTGAGGAAGGTACTTCTACCGAACCTTCCGAAGGTAGCGC TCCAGGTGCAAGCGCAAGCGGCGCGCCAAGCACGGGAGGTACT TCTGAAAGCGCTACTCCTGAGTCCGGCCCAGGTAGCCCGGCTG GCTCTCCGACTTCCACCGAGGAAGGTAGCCCGGCTGGCTCTCCA ACTTCTACTGAAGAAGGTTCTACCAGCTCTACCGCTGAATCTCC TGGCCCAGGTTCTACTAGCGAATCTCCGTCTGGCACCAGCACCA GTACTTCCCCTAGCGGTGAATCTTCTACTGCACCAGGTACCCCT GGCAGCGGTACCGCTTCTTCTCTCCAGGTAGCTCTACCCCGTC TGGTGCTACTGGCTCTCCAGGTTCTAGCCCGTCTGCATCTACCG GTACCGGCCCAGGTAGCGAACCGGCAACCTCCGGCTCTGAAAC TCCAGGTACTTCTGAAAGCGCTACTCCGGAATCCGGCCCAGGT AGCGAACCGGCTACTTCCGGCTCTGAAACCCAGGTTCCACCA GCTCTACTGCAGAATCTCCGGGCCCAGGTTCTACTAGCTCTACT GCAGAATCTCCGGGTCCAGGTACTTCTCCTAGCGGCGAATCTTC TACCGCTCCAGGTAGCGAACCGGCAACCTCTGGCTCTGAAACT CCAGGTAGCGAACCTGCAACCTCCGGCTCTGAAACCCAGGTA CTTCTACTGAACCTTCTGAGGGCAGCGCACCAGGTTCTACCAGC TCTACCGCAGAATCTCCTGGTCCAGGTACCTCTACTCCGGAAG CGGCTCTGCATCTCCAGGTTCTACTAGCGAATCTCCTTCTGGCA CTGCACCAGGTACTTCTACCGAACCGTCCGAAGGCAGCGCTCC AGGTACCTCTACTGAACCTTCCGAGGGCAGCGCTCCAGGTACCT CTACCGAACCTTCTGAAGGTAGCGCACCAGGTAGCTCTACTCCG

GHXTEN Name*	Amino Acid Sequence	DNA Nucleotide Sequence
	PGTSESATPESGPGSP AGSPTSTEEGSSTPS GATGSPGSSPSASTG TPGGASPGTSSTGSP GTSESATPESGPGTS TEPSEGSAPGTSTEPS EGSAPGFPTIPLSRLF DNAMLRAHRLHQL AFDTYQEFEEAYIPK EQKYSFLQNPQTS LC FSESIPTSPNREETQQ KSNLELLRLISLLLIQS WLEPVQFLRSVFAN SLVYGASDSNVYDL LKDLEEGIQTLMGRL EDGSPRTGQIFKQTY SKFDNNSHNDALL KNYGLLYCFRKDMD KVETFLRIVQCRSVE GSCGFAPLGLRLR GGGGTSESATPESGP GSEPATSGSETPGTS ESATPESGPGSEPAT SGSETPGTSESATPES GPGTSTEPSEGSAPG SPAGSPTSTEEGTSES ATPESGPGSEPATSG SETPGTSESATPESGP GSPAGSPTSTEEGSP AGSPTSTEEGTSTEPS EGSAPGTSESATPES GPGTSESATPESGPG TSESATPESGPGSEP ATSGSETPGSEPATS GSETPGSPAGSPTST EGTSTEPSEGSAPG TSTEPSEGSAPGSEP ATSGSETPGTSESAT PESGPGTSTEPSEGS AP	TCTGGTGCAACCGGCTCCCCAGGTTCTAGCCCGTCTGCTTCCAC TGGTACTGGCCCAGGTGCTTCCCCGGGCACCAGCTCTACTGGTT CTCCAGGTAGCGAACCTGCTACCTCCGGTTCTGAAACCCAGGT ACCTCTGAAAGCGCAACTCCGGAGTCTGGTCCAGGTAGCCCTG CAGGTTCTCCTACCTCCACTGAGGAAGGTAGCTCTACTCCGTCT GGTGCAACCGGCTCCCCAGGTTCTAGCCCGTCTGCTTCCACTGG TACTGGCCCAGGTGCTTCCCCGGGCACCAGCTCTACTGGTTCTC CAGGTACCTCTGAAAGCGCTACTCCGGAGTCTGGCCCAGGTAC CTCTACTGAACCGTCTGAGGGTAGCGCTCCAGGTACTTCTACTG AACCGTCCGAAGGTAGCGCACCAGGTTTTCCGACTATTCCGCTG TCTCGTCTGTTTGATAATGCTATGCTGCGTGCGCACCCTGCA CCAGCTGGCCTTTGATACTTACCAGGAATTTGAAGAAGCcTACA TTCCTAAAGAGCAGAAAGTACTCTTTCTGCAAAACCCACAGACT TCTCTCTGCTTCAGCGAATCTATTCCGACGCTTCCAATCGCGA GGAAACTCAGCAAAAGTCCAATCTGGAAGTACTCCGCATTTCTC TGCTTCTGATTACAGAGCTGGCTAGAACAGGTGCAATTTCTGCGT TCCGTCTTCGCCAATAGCCTAGTTTATGGCGCATCCGACAGCAA CGTATACGATCTCCTGAAAGATCTCGAGGAAGGCATTTCAGACC CTGATGGGTCGTCTCGAGGATGGCTCTCCGCGTACTGGTCAGAT CTTCAAGCAGACTTACTCTAAATTTGATACTAACAGCCACAATG ACGATGCGCTTCTAAAAAACTATGGTCTGCTGTATTGTTTTCGT AAAGATATGGACAAAGTTGAAACCTTCTGCGTATTGTTTCAGTG TCGTTCCGTTGAGGGCAGCTGTGGTTTCTAAGGTgcgccgctgggctg cgctgcgcggcggcGGTGGTACCTCTGAAAGCGCAACTCCTGAGTCT GGCCCAGGTAGCGAACCTGCTACCTCCGGCTCTGAGACTCCAG GTACCTCTGAAAGCGCAACCCCGGAATCTGGTCCAGGTAGCGA ACCTGCAACCTCTGGCTCTGAAACCCAGGTACCTCTGAAAGC GCTACTCCTGAATCTGGCCCAGGTACTTCTACTGAACCGTCCGA GGGCAGCGCACCAGGTAGCCCTGCTGGCTCTCCAACCTCCACC GAAGAAGGTACCTCTGAAAGCGCAACCCCTGAATCCGGCCCCAG GTAGCGAACCGGCAACCTCCGGTTCTGAAACCCAGGTACTTCT GAAAGCGCTACTCCTGAGTCCGGCCCCAGGTAGCCCGGCTGGCT CTCCGACTTCCACCGAGGAAGGTAGCCCGGCTGGCTCTCCAAC TCTACTGAAGAAGGTACTTCTACCGAACCTTCCGAGGGCAGCG CACCAGGTACTTCTGAAAGCGCTACCCCTGAGTCCGGCCCCAGG TACTTCTGAAAGCGCTACTCCTGAATCCGGTCTCAGGTACTTCTG AAAGCGCTACCCCGGAATCTGGCCCAGGTAGCGAACCGGCTAC TTCTGGTTCTGAAACCCAGGTAGCGAACCGGCTACCTCCGGTT CTGAAACTCCAGGTAGCCAGCAGGCTCTCCGACTTCCACTGA GGAAGGTACTTCTACTGAACCTTCCGAAGGCAGCGCACCAGGT ACCTCTACTGAACCTTCTGAGGGCAGCGCTCCAGGTAGCGAAC CTGCAACCTCTGGCTCTGAAACCCAGGTACCTCTGAAAGCGCT ACTCCTGAATCTGGCCCAGGTACTTCTACTGAACCGTCCGAGGG CAGCGCACCA
AE624- hGH- Thrombin- AE144	MAEPAGSPTSTEEGT PGSGTASSPGSSTPS GATGSPGASPGTSST GSPGSPAGSPTSTEE GTSESATPESGPGTS TEPSEGSAPGSPAGS PTSTEEGTSTEPSEGS APGTSTEPSEGSAPG TSESATPESGPGSEP ATSGSETPGSEPATS GSETPGSPAGSPTST EGTSESATPESGPG TSTEPSEGSAPGTSTE PSEGSAPGSPAGSPT STEEGTSTEPSEGSAP	ATGGCTGAACCTGCTGGCTCTCCAACCTCCACTGAGGAAGGTA CCCCGGGTAGCGGTACTGCTTCTTCTCTCCAGGTAGCTCTACC CCTTCTGGTGCAACCGGCTCTCCAGGTGCTTCTCCGGGCACCAG CTCTACCGGTTCTCCAGGTAGCCCGGCTGGCTCTCTACCTCTA CTGAGGAAGGTACTTCTGAAAGCGCTACTCCTGAGTCTGGTCCA GGTACCTCTACTGAACCGTCCGAAGGTAGCGCTCCAGGTAGCC CAGCAGGCTCTCCGACTTCCACTGAGGAAGGTACTTCTACTGAA CCTTCCGAAGGCAGCGCACCAGGTACCTCTACTGAACCTTCTGA GGGCAGCGCTCCAGGTACTTCTGAAAGCGCTACCCCGGAATCT GGCCCAGGTAGCGAACCGGCTACTTCTGGTTCTGAAACCCAG GTAGCGAACCGGCTACCTCCGGTTCTGAAACTCCAGGTAGCCC GGCAGGCTCTCCGACCTCTACTGAGGAAGGTACTTCTGAAAGC GCAACCCCGGAGTCCGGCCCCAGGTACCTCTACCGAACCGTCTG AGGGCAGCGCACCAGGTACTTCTACCGAACCGTCCGAGGGTAG CGCACCAGGTAGCCCAGCAGGTTCTCTACCTCCACCGAGGAA

GHXTEN Name*	Amino Acid Sequence	DNA Nucleotide Sequence
	GTSTEPSEGSAPGTS ESATPESGPGTSTEPS EGSAPGTSESATPES GPGSEPATSGSETPG TSTEPSEGSAPGTSTE PSEGSAPGTSESATP ESGPGTSESATPESG PGSPAGSPTSTEEGT SESATPESGPGSEPA TSGSETPGTSESATPE SGPGTSTEPSEGSAP GTSTEPSEGSAPGTS TEPSEGSAPGTSTEPS EGSAPGTSTEPSEGS APGTSTEPSEGSAPG SPAGSPTSTEEGTSTE PSEGSAPGTSESATP ESGPGSEPATSGSET PGTSESATPESGPGS EPATSGSETPGTSES ATPESGPGTSTEPSE GSAPGTSESATPESG PGSPAGSPTSTEEGSP AGSPTSTEEGSPAGS PTSTEEGTSESATPES GPGTSTEPSEGSAPG FPTIPLSRLFDNAML RAHRLHQLAFDITYQ EFEEAYIPKEQKYSF LQNPQTSLCFSESIPT PSNREETQQKSNLEL LRISLLLIQSWLEPVQ FLRSVFANSLVYGAS DSNVYDLLKDLEEGI QTLMGRLLEDGSPRT QQIFKQTYSKFDTNS HNDDALLKNYGLLY CFRKMDMDKVETFLRI VQCRSVEGSCGFGL TPRSLLVGGGGSEPA TSGSETPGTSESATPE SGPGSEPATSGSETP GSPAGSPTSTEEGTS TEPSEGSAPGSEPAT SGSETPGSEPATSGS ETPGSEPATSGSETP GTSTEPSEGSAPGTS ESATPESGPGSEPAT SGSETPGTSTEPSEGS AP	GGTACTTCTACCGAACCGTCCGAGGGTAGCGCACCAGGTACCT CTACTGAACCTTCTGAGGGCAGCGCTCCAGGTACTTCTGAAAGC GCTACCCCGGAGTCCGGTCCAGGTACTTCTACTGAACCGTCCGA AGGTAGCGCACCAGGTACTTCTGAAAGCGCAACCCCTGAATCC GGTCCAGGTAGCGAACCGGCTACTTCTGGCTCTGAGACTCCAG GTACTTCTACCGAACCGTCCGAAGGTAGCGCACCAGGTACTTCT ACTGAACCGTCTGAAGGTAGCGCACCAGGTACTTCTGAAAGCG CAACCCCGGAATCCGGGCCAGGTACCTCTGAAAGCGCAACCCC GGAGTCCGGGCCAGGTAGCCCTGCTGGCTCTCCAACCTCCACCG AAGAAGGTACCTCTGAAAGCGCAACCCCTGAATCCGGGCCAGG TAGCGAACCGGCAACCTCCGGTTCTGAAACCCAGGTACCTCT GAAAGCGCTACTCCGGAGTCTGGCCAGGTACCTCTACTGAAC CGTCTGAGGGTAGCGCTCCAGGTACTTCTACTGAACCGTCCGAA GGTAGCGCACCAGGTACTTCTACCGAACCGTCCGAAGGCAGCG CTCCAGGTACCTCTACTGAACCTTCCGAGGGCAGCGCTCCAGGT ACCTCTACCGAACCTTCTGAAGGTAGCGCACCAGGTACTTCTAC CGAACCGTCCGAGGGTAGCGCACCAGGTAGCCCAGCAGGTTCT CCTACCTCCACCGAGGAAGGTACTTCTACCGAACCGTCCGAGG GTAGCGCACCAGGTACCTCTGAAAGCGCAACTCCTGAGTCTGG CCCAGGTAGCGAACCTGCTACCTCCGGCTCTGAGACTCCAGGT ACCTCTGAAAGCGCAACCCCGGAATCTGGTCCAGGTAGCGAAC CTGCAACCTCTGGCTCTGAAACCCAGGTACCTCTGAAAGCGCT ACTCCTGAATCTGGCCCAGGTACTTCTACTGAACCGTCCGAGGG CAGCGCACCAGGTACTTCTGAAAGCGCTACTCCTGAGTCCGGC CCAGGTAGCCCGGCTGGCTCTCCGACTTCCACCGAGGAAGGTA GCCCGGCTGGCTCTCCAACCTTCTACTGAAGAAGGTAGCCCGGC AGGCTCTCCGACCTCTACTGAGGAAGGTACTTCTGAAAGCGCA ACCCCGGAGTCCGGGCCAGGTACCTCTACCGAACCGTCTGAGG GCAGCGCACCAGGTATTTCCGACTATTCCGCTGTCTCGTCTGTT GATAATGCTATGCTGCGTGCGCACCGTCTGCACCAGCTGGCCTT TGATACTTACCAGGAATTTGAAGAAGC ₂ TACATTCTAAAGAGC AGAAGTACTCTTTCTGCAAAACCCACAGACTTCTCTCTGCTTC AGCGAATCTATTCCGACGCCTTCCAATCGCGAGGAACTCAGC AAAAGTCCAATCTGGAACCTACTCCGCATTCTCTGCTTCTGATT CAGAGCTGGCTAGAACCAAGTGAATTTCTGCGTTCCGTTCTCGC CAATAGCCTAGTTTATGGCGCATCCGACAGCAACGTATACGAT CTCCTGAAAGATCTCGAGGAAGGCATTCTCAGACCCTGATGGGTC GTCTCGAGGATGGCTCTCCGCGTACTGGTCAGATCTTCAAGCAG ACTTACTCTAAATTTGATACTAACAGCCACAATGACGATGCGCT TCTAAAAAACTATGGTCTGCTGTATTGTTTTCTGTAAGATATGG ACAAAGTTGAAACCTTCTGCGTATTGTTCAAGTGTCTGTTCCGTT GAGGGCAGCTGTGGTTTCTAAGGT _{Tctgaccccgcgagcctgctggtggcggc} GGTGGTAGCGAACCGGCAACTTCCGGCTCTGAAACCCAGGTA CTTCTGAAAGCGCTACTCCTGAGTCTGGCCCAGGTAGCGAACCT GCTACCTCTGGCTCTGAAACCCAGGTAGCCCGGCAGGCTCTCC GACTTCCACCGAGGAAGGTACCTCTACTGAACCTTCTGAGGGT AGCGCTCCAGGTAGCGAACCGGCAACCTCTGGCTCTGAAACCC CAGGTAGCGAACCTGCTACCTCCGGCTCTGAAACTCCAGGTAG CGAACCGGCTACTTCCGGTTCTGAAACTCCAGGTACCTCTACCG AACCTTCCGAAGGCAGCGCACCAGGTACTTCTGAAAGCGCAAC CCCTGAATCCGGTCCAGGTAGCGAACCGGCTACTTCTGGCTCTG AGACTCCAGGTACTTCTACCGAACCGTCCGAAGGTAGCGCACC A
AE624- hGH- FXIa- AE144	MAEPAGSPTSTEEGT PGSGTASSPGSSTPS GATGSPGASPGTSST GSPGSPAGSPTSTEE GTSESATPESGPGTS TEPSEGSAPGSPAGS	ATGGCTGAACCTGCTGGCTCTCCAACCTCCACTGAGGAAGGTA CCCCGGGTAGCGGTACTGCTTCTTCTCTCCAGGTAGCTCTACC CTTCTGGTGCAACCGGCTCTCCAGGTGCTTCTCCGGGCACCAG CTCTACCGGTTCTCCAGGTAGCCCGGCTGGCTCTCCTACCTCTA CTGAGGAAGGTACTTCTGAAAGCGCTACTCCTGAGTCTGGTCCA GGTACCTCTACTGAACCGTCCGAAGGTAGCGCTCCAGGTAGCC

GHXTEN Name*	Amino Acid Sequence	DNA Nucleotide Sequence
	PTSTEEGTSTEPSEGS APGTSTEPSEGSAPG TSESATPESGPGSEP ATSGSETPGSEPATS GSETPGSPAGSPTST EEGTSESATPESGPG TSTEPSEGSAPGTSTE PSEGSAPGSPAGSPT STEEGTSTEPSEGSAP GTSTEPSEGSAPGTS ESATPESGPGTSTEPS EGSAPGTSESATPES GPGSEPATSGSETPG TSTEPSEGSAPGTSTE PSEGSAPGTSESATP ESGPGTSESATPESG PGSPAGSPTSTEEGT SESATPESGPGSEPA TSGSETPGTSESATPE SGPGTSTEPSEGSAP GTSTEPSEGSAPGTS TEPSEGSAPGTSTEPS EGSAPGTSTEPSEGS APGTSTEPSEGSAPG SPAGSPTSTEEGTSTE PSEGSAPGTSESATP ESGPGSEPATSGSET PGTSESATPESGPGS EPATSGSETPGTSES ATPESGPGTSTEPSE GSAPGTSESATPESG PGSPAGSPTSTEEGSP AGSPTSTEEGSPAGS PTSTEEGTSESATPES GPGTSTEPSEGSAPG FPTIPLSRLFDNAML RAHRLHQLAFDITYQ EFEEAYIPKEQKYSF LQNPQTSLCFSESIPT PSNREETQQKSNLEL LRISLLLIQSWLEPVQ FLRSVFANSLVYGAS DSNVYDLLKDLEEGI QTLMGRLEDGSPRT GQIFKQTYSKFDTNS HNDDALLKNYGLLY CFRKDMDKVETFLRI VQCRSVEGSCGFGG GKLTRVVGGGGSEP ATSGSETPGTSESAT PESGPGSEPATSGSE TPGSPAGSPTSTEEG TSTEPSEGSAPGSEP ATSGSETPGSEPATS GSETPGSEPATSGSE TPGTSTEPSEGSAPG TSESATPESGPGSEP ATSGSETPGTSTEPSE GSAP	CAGCAGGCTCTCCGACTTCCACTGAGGAAGGTACTTCTACTGAA CCTTCCGAAGGCAGCGCACCAGGTACCTCTACTGAACCTTCTGA GGGCAGCGCTCCAGGTACTTCTGAAAGCGCTACCCCGGAATCT GGCCAGGTAGCGAACCGGCTACTTCTGGTTCTGAAACCCAG GTAGCGAACCGGCTACCTCCGGTTCTGAAACTCCAGGTAGCCC GGCAGGCTCTCCGACCTCTACTGAGGAAGGTACTTCTGAAAGC GCAACCCCGGAGTCCGGCCCAGGTACCTCTACCGAACCGTCTG AGGGCAGCGCACCAGGTACTTCTACCGAACCGTCCGAGGGTAG CGCACCAGGTAGCCCAGCAGGTTCTCTACCTCCACCGAGGAA GGTACTTCTACCGAACCGTCCGAGGGTAGCGCACCAGGTACCT CTAAGAACCTTCTGAGGGCAGCGCTCCAGGTACTTCTGAAAGC GCTACCCCGGAGTCCGGTCCAGGTACTTCTACTGAACCGTCCGA AGGTAGCGCACCAGGTACTTCTGAAAGCGCAACCCCTGAATCC GGTCCAGGTAGCGAACCGGCTACTTCTGGCTCTGAGACTCCAG GTACTTCTACCGAACCGTCCGAAGGTAGCGCACCAGGTACTTCT ACTGAACCGTCTGAAGGTAGCGCACCAGGTACTTCTGAAAGCG CAACCCCGGAATCCGGCCCAGGTACCTCTGAAAGCGCAACCC GGAGTCCGGCCCAGGTAGCCCTGCTGGCTCTCCAACCTCCACCG AAGAAGGTACCTCTGAAAGCGCAACCCCTGAATCCGGCCCAGG TAGCGAACCGGCAACCTCCGGTTCTGAAACCCAGGTACCTCT GAAAGCGCTACTCCGGAGTCTGGCCCAGGTACCTCTACTGAAC CGTCTGAGGGTAGCGCTCCAGGTACTTCTACTGAACCGTCCGAA GGTAGCGCACCAGGTACTTCTACCGAACCGTCCGAAGGCAGCG CTCCAGGTACCTCTACTGAACCTTCCGAGGGCAGCGCTCCAGGT ACCTCTACCGAACCTTCTGAAGGTAGCGCACCAGGTACTTCTAC CGAACCGTCCGAGGGTAGCGCACCAGGTAGCCCAGCAGGTTCT CCTACCTCCACCGAGGAAGGTACTTCTACCGAACCGTCCGAGG GTAGCGCACCAGGTACCTCTGAAAGCGCAACTCCTGAGTCTGG CCCAGGTAGCGAACCTGCTACCTCCGGCTCTGAGACTCCAGGT ACCTCTGAAAGCGCAACCCCGGAATCTGGTCCAGGTAGCGAAC CTGCAACCTCTGGCTCTGAAACCCAGGTACCTCTGAAAGCGCT ACTCCTGAATCTGGCCCAGGTACTTCTACTGAACCGTCCGAGGG CAGCGCACCAGGTACTTCTGAAAGCGCTACTCCTGAGTCCGGC CCAGGTAGCCCGGCTGGCTCTCCGACTTCCACCGAGGAAGGTA GCCCGGCTGGCTCTCCAACCTTCTACTGAAGAAGGTAGCCCGGC AGGCTCTCCGACCTCTACTGAGGAAGGTACTTCTGAAAGCGCA ACCCCGGAGTCCGGCCCAGGTACCTCTACCGAACCGTCTGAGG GCAGCGCACCAGGTTTTCCGACTATTCCGCTGTCTCGTCTGTTT GATAATGCTATGCTGCGTGCGCACCGTCTGCACCAGCTGGCCTT TGATACTTACCAGGAATTTGAAGAAGC;TACATTCTAAAGAGC AGAAGTACTCTTTCTGCAAAACCCACAGACTTCTCTCTGCTTC AGCGAATCTATTCCGACGCTTCCAATCGCGAGGAACTCAGC AAAAGTCCAATCTGGAATACTCCGCATTCTCTGCTTCTGATT CAGAGCTGGCTAGAACCAAGTGCAATTTCTGCGTTCCGTTCTCGC CAATAGCCTAGTTTATGGCGCATCCGACAGCAACGTATACGAT CTCCTGAAAGATCTCGAGGAAGGCATTACAGACCTGATGGGTC GTCTCGAGGATGGCTCTCCGCGTACTGGTCAGATCTTCAAGCAG ACTTACTCTAAATTTGATACTAACAGCCACAATGACGATGCGCT TCTAAAAAACTATGGTCTGCTGTATTGTTTTCTGAAAGATATGG ACAAAGTTGAAACCTTCTGCGTATTGTTCAAGTGTGCTTCCGTT GAGGGCAGCTGTGGTTTTCTAAGGTggcggaactgaccgctgggtggcg cGGTGGTAGCGAACCGGCAACTTCCGGCTCTGAAACCCAGGT ACTTCTGAAAGCGCTACTCCTGAGTCTGGCCCAGGTAGCGAAC CTGCTACCTCTGGCTCTGAAACCCAGGTAGCCCGGCAGGCTCT CCGACTTCCACCGAGGAAGGTACCTCTACTGAACCTTCTGAGG GTAGCGCTCCAGGTAGCGAACCGGCAACCTCTGGCTCTGAAAC CCCAGGTAGCGAACCTGCTACCTCCGGCTCTGAAACTCCAGGT AGCGAACCGGCTACTTCCGGTTCTGAAACTCCAGGTACCTCTAC CGAACCTTCCGAAGGCAGCGCACCAGGTACTTCTGAAAGCGCA

GHXTEN Name*	Amino Acid Sequence	DNA Nucleotide Sequence
		ACCCCTGAATCCGGTCCAGGTAGCGAACCGGCTACTTCTGGCTC TGAGACTCCAGGTACTTCTACCGAACCGTCCGAAGGTAGCGCA CCA
AE624- hGH- Elastase- AE144	MAEPAGSPTSTEEGT PGSGTASSSPGSSTPS GATGSPGASPGTSST GSPGSPAGSPTSTEE GTSESATPESGPGTS TEPSEGSAPGSPAGS PTSTEEGTSTEPSEGS APGTSTEPSEGSAPG TSESATPESGPGSEP ATSGSTEPGSEPATS GSETPGSPAGSPTST EEGTSESATPESGPG TSTEPSEGSAPGTSTE PSEGSAPGSPAGSPT STEEGTSTEPSEGSAP GTSTEPSEGSAPGTS ESATPESGPGTSTEPS EGSAPGTSESATPES GPGSEPATSGSETPG TSTEPSEGSAPGTSTE PSEGSAPGTSESATP ESGPGTSESATPESG PGSPAGSPTSTEEGT SESATPESGPGSEPA TSGSETPGTSESATPE SGPGTSTEPSEGSAP GTSTEPSEGSAPGTS TEPSEGSAPGTSTEPS EGSAPGTSTEPSEGS APGTSTEPSEGSAPG SPAGSPTSTEEGTSTE PSEGSAPGTSESATP ESGPGSEPATSGSET PGTSESATPESGPGS EPATSGSETPGTSES ATPESGPGTSTEPSE GSAPGTSESATPESG PGSPAGSPTSTEEGSP AGSPTSTEEGSPAGS PTSTEEGTSESATPES GPGTSTEPSEGSAPG FPTIPLSRLFDNAML RAHRLHQLAFDITYQ EFEEAYIPKEQKYSF LQNPQTSLCFSESIPT PSNREETQQKSNLEL LRISLLLIQSWLEPVQ FLRSVFANSLVYGAS DSNVYDLLKDLEEGI QTLMGRLEDGSPRT GQIFKQTYSKFDTNS HNDDALLKNYGLLY CFRKDMDKVETFLRI VQCRSVEGSCGFGG GLGPVSGVPGGSEPA TSGSETPGTSESATPE	ATGGCTGAACCTGCTGGCTCTCCAACCTCCACTGAGGAAGGTA CCCCGGGTAGCGGTACTGCTTCTTCTCTCCAGGTAGCTCTACC CCTTCTGGTGCAACCGGCTCTCCAGGTGCTTCTCCGGGCACCAG CTCTACCGGTTCTCCAGGTAGCCCCGGCTGGCTCTCCTACCTCTA CTGAGGAAGGTACTTCTGAAAGCGCTACTCCTGAGTCTGGTCCA GGTACCTCTACTGAACCGTCCGAAGGTAGCGCTCCAGGTAGCC CAGCAGGCTCTCCGACTTCCACTGAGGAAGGTACTTCTACTGAA CCTTCCGAAGGCAGCGCACCAGGTACCTCTACTGAACCTTCTGA GGGCAGCGCTCCAGGTACTTCTGAAAGCGCTACCCCGGAATCT GGCCCAGGTAGCGAACCGGCTACTTCTGGTTCTGAAACCCCA GTAGCGAACCGGTACCTCCGGTTCTGAAACTCCAGGTAGCC GGCAGGCTCTCCGACCTCTACTGAGGAAGGTACTTCTGAAAGC GCAACCCCGGAGTCCGGCCCAGGTACCTCTACCGAACCGTCTG AGGGCAGCGCACCAGGTACTTCTACCGAACCGTCCGAGGGTAG CGCACCAGGTAGCCCAGCAGGTTCTCCTACCTCCACCGAGGAA GGTACTTCTACCGAACCGTCCGAGGGTAGCGCACCAGGTACCT CTACTGAACCTTCTGAGGGCAGCGCTCCAGGTACTTCTGAAAGC GCTACCCCGGAGTCCGGTCCAGGTACTTCTACTGAACCGTCCGA AGGTAGCGCACCAGGTACTTCTGAAAGCGCAACCCCTGAATCC GGTCCAGGTAGCGAACCGGCTACTTCTGGCTCTGAGACTCCAG GTACTTCTACCGAACCGTCCGAAGGTAGCGCACCAGGTACTTCT ACTGAACCGTCTGAAGGTAGCGCACCAGGTACTTCTGAAAGCG CAACCCCGGAATCCGGCCCAGGTACCTCTGAAAGCGCAACCC GGAGTCCGGCCCAGGTAGCCCTGCTGGCTCTCCAACCTCCACCG AAGAAGGTACCTCTGAAAGCGCAACCCCTGAATCCGGCCCAGG TAGCGAACCGGCAACCTCCGGTTCTGAAACCCAGGTACCTCT GAAAGCGCTACTCCGGAGTCTGGCCCAGGTACCTCTACTGAAC CGTCTGAGGGTAGCGCTCCAGGTACTTCTACTGAACCGTCCGAA GGTAGCGCACCAGGTACTTCTACCGAACCGTCCGAAGGCAGCG CTCCAGGTACCTCTACTGAACCTTCCGAGGGCAGCGCTCCAGGT ACCTCTACCGAACCTTCTGAAGGTAGCGCACCAGGTACTTCTAC CGAACCGTCCGAGGGTAGCGCACCAGGTAGCCCAGCAGGTTCT CCTACCTCCACCAGGAGGTAAGGTACTTCTACCGAACCGTCCGAG GTAGCGCACCAGGTACTTCTGAAAGCGCAACTCCTGAGTCTGG CCCAGGTAGCGAACCTGCTACCTCCGGCTCTGAGACTCCAGGT ACCTCTGAAAGCGCAACCCCGGAATCTGGTCCAGGTAGCGAAC CTGCAACCTCTGGCTCTGAAACCCAGGTACCTCTGAAAGCGCT ACTCCTGAATCTGGCCCAGGTACTTCTACTGAACCGTCCGAGGG CAGCGCACCAGGTACTTCTGAAAGCGCTACTCCTGAGTCCGGC CCAGGTAGCCCGGCTGGCTCTCCGACTTCCACCGAGGAAGGTA GCCCAGGCTGGCTCTCCAACCTTCTACTGAAGAAGGTAGCCCGG AGGCTCTCCGACCTCTACTGAGGAAGGTACTTCTGAAAGCGCA ACCCCGGAGTCCGGCCCAGGTACCTCTACCGAACCGTCTGAGG GCAGCGCACCAGGTTTTCCGACTATTCCGCTGTCTCGTCTGTTT GATAATGCTATGCTGCGTGCGCACCCTGCTGCACCAGCTGGCCTT TGATACTTACCAGGAATTTGAAGAAGCCTACATTCTAAAGAGC AGAAGTACTCTTTCCTGCAAAACCCACAGACTTCTCTCTGCTTC AGCGAATCTATTCCGACGCTTCCAATCGCGAGGAACTCAGC AAAAGTCCAATCTGGAACCTACTCCGCATTCTCTGCTTCTGATT CAGAGCTGGCTAGAACAGGTGCAATTTCTGCGTTCCGTCTTCGC CAATAGCCTAGTTTATGGCGCATCCGACAGCAACGTATACGAT CTCCTGAAAGATCTCGAGGAAGGCATTTCAGACCTGATGGGTC GTCTCGAGGATGGCTCTCCGCGTACTGGTCAGATCTTCAAGCAG ACTTACTCTAAATTTGATACTAACAGCCACAATGACGATGCGCT TCTAAAAAACTATGGTCTGCTGTATTGTTTTCTGTAAGATATGG ACAAAGTTGAAACCTTCTGCGTATTGTTCAAGTGTGCTTCCGTT

GHXTEN Name*	Amino Acid Sequence	DNA Nucleotide Sequence
	SGPGSEPATSGSETP GSPAGSPTSTEEGTS TEPSEGSAPGSEPAT SGSETPGSEPATSGS ETPGSEPATSGSETP GTSTEPSEGSAPGTS ESATPESGPGSEPAT SGSETPGTSTEPSEGS AP	GAGGGCAGCTGTGGTTTCTAAGGTggcggcctgggcccggtagcggcgtgcc gGGTGGTAGCGAACC CGGCAACTTCCGGCTCTGAAACCC CAGGT ACTTCTGAAAGCGCTACTCCTGAGTCTGGCCCAGGTAGCGAAC CTGCTACCTCTGGCTCTGAAACCC CAGGTAGCCCGGCAGGCTCT CCGACTTCCACCGAGGAAGGTACCTCTACTGAACCTTCTGAGG GTAGCGCTCCAGGTAGCGAACC CGGCAACCTCTGGCTCTGAAAC CCCAGGTAGCGAACCTGCTACCTCCGGCTCTGAAACTCCAGGT AGCGAACCGGCTACTTCCGGTTCTGAAACTCCAGGTACCTCTAC CGAACCTTCCGAAGGCAGCGCACCAGGTACTTCTGAAAGCGCA ACCCCTGAATCCGGTCCAGGTAGCGAACCGGCTACTTCTGGCTC TGAGACTCCAGGTACTTCTACCGAACCGTCCGAAGGTAGCGCA CCA
AE624- hGH- MMP-17- AE144	MAEPAGSPTSTEEGT PGSGTASSPGSSTPS GATGSPGASPGTSST GSPGSPAGSPTSTEE GTSESATPESGPGTS TEPSEGSAPGSPAGS PTSTEEGTSTEPSEGS APGTSTEPSEGSAPG TSESATPESGPGSEP ATSGSETPGSEPAT GSETPGSPAGSPTST EEGTSESATPESGPG TSTEPSEGSAPGTSTE PSEGSAPGSPAGSPT STEEGTSTEPSEGSAP GTSTEPSEGSAPGTS ESATPESGPGTSTEPS EGSAPGTSESATPES GPGSEPATSGSETPG TSTEPSEGSAPGTSTE PSEGSAPGTSESATP ESGPGTSESATPESG PGSPAGSPTSTEEGT TSGSETPGTSESATPE SGPGTSTEPSEGSAP GTSTEPSEGSAPGTS TEPSEGSAPGTSTEPS EGSAPGTSTEPSEGS APGTSTEPSEGSAPG SPAGSPTSTEEGTSTE PSEGSAPGTSESATP ESGPGSEPATSGSET PGTSESATPESGPGS EPATSGSETPGTSES ATPESGPGTSTEPSE GSAPGTSESATPESG PGSPAGSPTSTEEGSP AGSPTSTEEGSPAGS PTSTEEGTSESATPES GPGTSTEPSEGSAPG FPTIPLSRLFDNAML RAHRLHQLAFDTYQ EFEEAYIPKEQKYSF LQNPQTSLCFSESIPT PSNREETQQKSNLEL LRISLLLIQSWLEPVQ	ATGGCTGAACCTGCTGGCTCTCCAACCTCCACTGAGGAAGGTA CCCCGGGTAGCGGTACTGCTTCTTCCTCTCCAGGTAGCTCTACC CCTTCTGGTGCAACCGGCTCTCCAGGTGCTTCTCCGGGCACCGAG CTCTACCGGTTCTCCAGGTAGCCCGGCTGGCTCTCTACCTCTA CTGAGGAAGGTACTTCTGAAAGCGCTACTCCTGAGTCTGGTCCA GGTACCTCTACTGAACCGTCCGAAGGTAGCGCTCCAGGTAGCC CAGCAGGCTCTCCGACTTCCACTGAGGAAGGTACTTCTACTGAA CCTTCCGAAGGCAGCGCACCAGGTACCTCTACTGAACCTTCTGA GGGCAGCGCTCCAGGTACTTCTGAAAGCGCTACCCCGGAATCT GGCCAGGTAGCGAACCGGCTACTTCTGGTTCTGAAACCC CAG GTAGCGAACCGGCTACCTCCGGTTCTGAAACTCCAGGTAGCCC GGCAGGCTCTCCGACCTCTACTGAGGAAGGTACTTCTGAAAGC GCAACCCCGGAGTCCGGCCCAGGTACCTCTACCGAACCGTCTG AGGGCAGCGCACCAGGTACTTCTACCGAACCGTCCGAGGGTAG CGCACCAGGTAGCCCAGCAGGTTCTCCTACCTCCACCGAGGAA GGTACTTCTACCGAACCGTCCGAGGGTAGCGCACCAGGTACCT CTACTGAACCTTCTGAGGGCAGCGCTCCAGGTACTTCTGAAAGC GCTACCCCGGAGTCCGGTCCAGGTACTTCTACTGAACCGTCCGA AGGTAGCGCACCAGGTACTTCTGAAAGCGCAACCCCTGAATCC GGTCCAGGTAGCGAACCGGCTACTTCTGGCTCTGAGACTCCAG GTACTTCTACCGAACCGTCCGAAGGTAGCGCACCAGGTACTTCT ACTGAACCGTCTGAAGGTAGCGCACCAGGTACTTCTGAAAGCG CAACCCCGGAATCCGGGCCAGGTACCTCTGAAAGCGCAACCC GGAGTCCGGGCCAGGTAGCCCTGCTGGCTCTCCAACCTCCACCG AAGAAGGTACCTCTGAAAGCGCAACCCCTGAATCCGGGCCAGG TAGCGAACCGGCAACCTCCGGTTCTGAAACCC CAGGTACCTCT GAAAGCGCTACTCCGGAGTCTGGCCCAGGTACCTCTACTGAAC CGTCTGAGGGTAGCGCTCCAGGTACTTCTACTGAACCGTCCGA GGTAGCGCACCAGGTACTTCTACCGAACCGTCCGAAGGCAGCG CTCCAGGTACCTCTACTGAACCTTCCGAGGGCAGCGCTCCAGGT ACCTCTACCGAACCTTCTGAAGGTAGCGCACCAGGTACTTCTAC CGAACCGTCCGAGGGTAGCGCACCAGGTAGCCCAGCAGGTTCT CCTACCTCCACCGAGGAAGGTACTTCTACCGAACCGTCCGAGG GTAGCGCACCAGGTACCTCTGAAAGCGCAACTCCTGAGTCTGG CCCAGGTAGCGAACCTGCTACCTCCGGCTCTGAGACTCCAGGT ACCTCTGAAAGCGCAACCCCGGAATCTGGTCCAGGTAGCGAAC CTGCAACCTCTGGCTCTGAAACCC CAGGTACCTCTGAAAGCGCT ACTCCTGAATCTGGCCCAGGTACTTCTACTGAACCGTCCGAGGG CAGCGCACCAGGTACTTCTGAAAGCGCTACTCCTGAGTCCGGC CCAGGTAGCCCGGCTGGCTCTCCGACTTCCACCGAGGAAGGTA GCCCCGGCTGGCTCTCCAACCTTCTACTGAAGAAGGTAGCCCGGC AGGCTCTCCGACCTCTACTGAGGAAGGTACTTCTGAAAGCGCA ACCCCGGAGTCCGGGCCAGGTACCTCTACCGAACCGTCTGAGG GCAGCGCACCAGGTATTTCCGACTATTCCGCTGTCTCGTCTGTTT GATAATGCTATGCTGCGTGCGCACCGTCTGCACCAGCTGGCCTT TGATACTTACCAGGAATTTGAAGAAGCcTACATTCTAAAGAGC AGAAGTACTCTTTCCTGCAAAACCCACAGACTTCTCTGCTTC

GHXTEN Name*	Amino Acid Sequence	DNA Nucleotide Sequence
	FLRSVVFANSLVYGAS DSNVYDLLKDLEEGI QTLMGRLEDGSPRT GQIFKQTYSKFDTNS HNDDALLKNYGLLY CFRKMDMDKVETFLRI VQCRSVEGSCGFGA PLGLRLRGGGGSEPA TSGSETPGTSESATPE SGPGSEPATSGSETP GSPAGSPTSTEEGTS TEPSEGSAPGSEPAT SGSETPGSEPATSGS ETPGSEPATSGSETP GTSTEPSEGSAPGTS ESATPESGPGSEPAT SGSETPGTSTEPSEGS AP	AGCGAATCTATTCCGACGCCTTCCAATCGCGAGGAAACTCAGC AAAAGTCCAATCTGGAACACTCCGCATTCTCTGCTTCTGATT CAGAGCTGGCTAGAACCAAGTGAATTTCTGCGTTCCGTCTTCGC CAATAGCCTAGTTTATGGCGCATCCGACAGCAACGTATACGAT CTCCTGAAAGATCTCGAGGAAGGCATTGACACCTGATGGGTC GTCTCGAGGATGGCTCTCCGCGTACTGGTCAGATCTTCAAGCAG ACTTACTCTAAATTTGATACTAACAGCCACAATGACGATGCGCT TCTAAAAAACTATGGTCTGCTGTATTGTTTTCTGTAAGATATGG ACAAAGTTGAAACCTTCTGCGTATTGTTTCAAGTGTGCTTCCGTT GAGGGCAGCTGTGGTTTTCTAAGGTgcccgcgtggcctgcgcctgcgcggcg cGGTGGTAGCGAACCGGCAACTTCCGGCTCTGAAACCCAGGT ACTTCTGAAAGCGCTACTCTGAGTCTGGCCAGGTAGCGAAC CTGCTACCTCTGGCTCTGAAACCCAGGTAGCCCGCAGGCTCT CCGACTTCCACCGAGGAAGGTACCTCTACTGAACCTTCTGAGG GTAGCGCTCCAGGTAGCGAACCGGCAACCTCTGGCTCTGAAAC CCCAGGTAGCGAACCTGCTACCTCCGGCTCTGAAACTCCAGGT AGCGAACCGGCTACTTCCGGTTCTGAAACTCCAGGTACCTCTAC CGAACCTTCCGAAGGCAGCGCACCAGGTACTTCTGAAAGCGCA ACCCCTGAATCCGGTCCAGGTAGCGAACCGGCTACTTCTGGCTC TGAGACTCCAGGTACTTCTACCGAACCGTCCGAAGGTAGCGCA CCA
AE624- hGH- Thrombin- AE288	MAEPAGSPTSTEEGT PGSGTASSPGSSTPS GATGSPGASPGTSST GSPGSPAGSPTSTEE GTSESATPESGPGTS TEPSEGSAPGSPAGS PTSTEEGTSTEPSEGS APGTSTEPSEGSAPG TSESATPESGPGSEP ATSGSETPGSEPAT GSETPGSPAGSPTST EGTSESATPESGPG TSTEPSEGSAPGTSTE PSEGSAPGSPAGSPT STEEGTSTEPSEGSAP GTSTEPSEGSAPGTS ESATPESGPGTSTEPS EGSAPGTSESATPES GPGSEPATSGSETPG TSTEPSEGSAPGTSTE PSEGSAPGTSESATP ESGPGTSESATPESG PGSPAGSPTSTEEGT SESATPESGPGSEPA TSGSETPGTSESATPE SGPGTSTEPSEGSAP GTSTEPSEGSAPGTS TEPSEGSAPGTSTEPS EGSAPGTSTEPSEGS APGTSTEPSEGSAPG SPAGSPTSTEEGTSTE PSEGSAPGTSESATP ESGPGSEPATSGSET PGTSESATPESGPGS EPATSGSETPGTSES ATPESGPGTSTEPSE GSAPGTSESATPESG PGSPAGSPTSTEEGSP	ATGGCTGAACCTGCTGGCTCTCCAACCTCCACTGAGGAAGGTA CCCCCGGTAGCGGTACTGCTTCTTCTCTCCAGGTAGCTCTACC CCTTCTGGTGCAACCGGCTCTCCAGGTGCTTCTCCGGGCACCAG CTCTACCGGTTCTCCAGGTAGCCCGGCTGGCTCTCTACCTCTA CTGAGGAAGGTACTTCTGAAAGCGCTACTCCTGAGTCTGGTCCA GGTACCTCTACTGAACCGTCCGAAGGTAGCGCTCCAGGTAGCC CAGCAGGCTCTCCGACTTCCACTGAGGAAGGTACTTCTACTGAA CCTTCCGAAGGCAGCGCACCAGGTACCTCTACTGAACCTTCTGA GGGCAGCGCTCCAGGTACTTCTGAAAGCGCTACCCCGGAATCT GGCCAGGTAGCGAACCGGCTACTTCTGGTTCTGAAACCCAG GTAGCGAACCGGCTACCTCCGGTTCTGAAACTCCAGGTAGCCC GGCAGGCTCTCCGACCTCTACTGAGGAAGGTACTTCTGAAAGC GCAACCCCGGAGTCCGGCCAGGTACCTCTACCGAACCGTCTG AGGGCAGCGCACCAGGTACTTCTACCGAACCGTCCGAGGGTAG CGCACCAGGTAGCCAGCAGGTTCTCTACCTCCACCGAGGAA GGTACTTCTACCGAACCGTCCGAGGGTAGCGCACCAGGTACCT CTACTGAACCTTCTGAGGGCAGCGCTCCAGGTACTTCTGAAAGC GCTACCCCGGAGTCCGGTCCAGGTACTTCTACTGAACCGTCCGA AGGTAGCGCACCAGGTACTTCTGAAAGCGCAACCCCTGAATCC GGTCCAGGTAGCGAACCGGCTACTTCTGGCTCTGAGACTCCAG GTACTTCTACCGAACCGTCCGAAGGTAGCGCACCAGGTACTTCT ACTGAACCGTCTGAAGGTAGCGCACCAGGTACTTCTGAAAGCG CAACCCCGGAATCCGGGCCAGGTACCTCTGAAAGCGCAACCC GGAGTCCGGCCAGGTAGCCCTGCTGGCTCTCCAACCTCCACCG AAGAAGGTACCTCTGAAAGCGCAACCCCTGAATCCGGCCAGG TAGCGAACCGGCAACCTCCGGTTCTGAAACCCAGGTACCTCT GAAAGCGCTACTCCGGAGTCTGGCCAGGTACCTCTACTGAAC CGTCTGAGGGTAGCGCTCCAGGTACTTCTACTGAACCGTCCGAA GGTAGCGCACCAGGTACTTCTACCGAACCGTCCGAAGGCAGCG CTCCAGGTACCTCTACTGAACCTTCCGAGGGCAGCGCTCCAGGT ACCTCTACCGAACCTTCTGAAGGTAGCGCACCAGGTACTTCTAC CGAACCGTCCGAGGGTAGCGCACCAGGTAGCCAGCAGGTTCT CCTACCTCCACCGAGGAAGGTACTTCTACCGAACCGTCCGAGG GTAGCGCACCAGGTACCTCTGAAAGCGCAACTCCTGAGTCTGG CCCAGGTAGCGAACCTGCTACCTCCGGCTCTGAGACTCCAGGT ACCTCTGAAAGCGCAACCCCGAATCTGGTCCAGGTAGCGAAC CTGCAACCTCTGGCTCTGAAACCCAGGTACCTCTGAAAGCGCT ACTCCTGAATCTGGCCAGGTACTTCTACTGAACCGTCCGAGGG

GHXTEN Name*	Amino Acid Sequence	DNA Nucleotide Sequence
	AGSPTSTEEGSPAGS PTSTEEGTSESATPES GPGTSTEPSEGSAPG FPTIPLSRLFDNAML RAHRLHQLAFDTYQ EFEEAYIPKEQKYSF LQNPQTSLCFSESIPT PSNREETQQKSNLEL LRISLLLIQSWLEPVQ FLRSVFANSLVYGAS DSNVYDLLKDLEEGI QTLMGRLYEDGSPRT GQIFKQTYSKFDTNS HNDDALLKNYGLLY CFRKMDMDKVETFLRI VQCRSVEGSCGFGL TPRSLLVGGGGTSES ATPESGPGSEPATSG SETPGTSESATPESGP GSEPATSGSETPGTS ESATPESGPGTSTEPS EGSAPGSPAGSPTST EGTSESATPESGPG SEPATSGSETPGTSES ATPESGPGSPAGSPT STEEGSPAGSPTSTEE GTSTEPSEGSAPGTS ESATPESGPGTSESA TPESGPGTSESATPES GPGSEPATSGSETPG SEPATSGSETPGSPA GSPTSTEEGTSTEPSE GSAPGTSTEPSEGS PGSEPATSGSETPGT SESATPESGPGTSTEP SEGSA	CAGCGCACCAGGTACTTCTGAAAGCGCTACTCCTGAGTCCGGC CCAGGTAGCCCGGCTGGCTCTCCGACTTCCACCGAGGAAGGTA GCCC GGCTGGCTCTCCA ACTTCTACTGAAGAAGGTAGCCCGGC AGGCTCTCCGACCTCTACTGAGGAAGGTACTTCTGAAAGCGCA ACCCCGGAGTCCGGCCCCAGGTACCTCTACCGAACCGTCTGAGG GCAGCGCACCAGGTTTTCCGACTATTCCGCTGTCTCGTCTGTTT GATAATGCTATGCTGCGTGCGCACCGTCTGCACCAGCTGGCCTT TGATACTTACCAGGAATTTGAAGAAGC ₂ TACATTCTAAAGAGC AGAAGTACTCTTTCTGCAAAACCCACAGACTTCTCTCTGCTTC AGCGAATCTATTCCGACGCCTTCCAATCGCGAGGAACTCAGC AAAAGTCCAATCTGGAACACTCCGCATTCTCTGCTTCTGATT CAGAGCTGGCTAGAACCAGTGAATTTCTGCGTTCGGTCTTCGC CAATAGCCTAGTTTATGGCGCATCCGACAGCAACGTATACGAT CTCCTGAAAGATTTCTGAGGAAGGCATTCTCAGACCCTGATGGGTC GTCTCGAGGATGGCTCTCCGCGTACTGGTCAGATCTTCAAGCAG ACTTACTCTAAATTTGATACTAACAGCCACAATGACGATGCGCT TCTAAAAAACTATGGTCTGCTGTATTGTTTTCTGTAAGATATGG ACAAAGTTGAAACCTTCTGCGTATTGTTCAAGTGTCTGTTCCGTT GAGGGCAGCTGTGGTTTTCTAAGGTctgaccccgcgagcctgctggtggcggc GGTGGTACCTCTGAAAGCGCAACTCCTGAGTCTGGCCAGGTA GCGAACCTGCTACCTCCGGCTCTGAGACTCCAGGTACCTCTGAA AGCGCAACCCCGGAATCTGGTCCAGGTAGCGAACCTGCAACCT CTGGCTCTGAAACCCAGGTACCTCTGAAAGCGCTACTCCTGAA TCTGGCCCAGGTACTTCTACTGAACCGTCCGAGGGCAGCGCAC CAGGTAGCCCTGCTGGCTCTCCAACCTCCACCGAAGAAGGTAC CTCTGAAAGCGCAACCCCTGAATCCGGCCCAGGTAGCGAACCG GCAACCTCCGGTTCTGAAACCCAGGTACTTCTGAAAGCGCTAC TCCTGAGTCCGGCCCAGGTAGCCCGGCTGGCTCTCCGACTTCCA CCGAGGAAGGTAGCCCGGCTGGCTCTCCA ACTTCTACTGAAGA AGGTACTTCTACCGAACCTTCCGAGGGCAGCGCACCAGGTACT TCTGAAAGCGCTACCCCTGAGTCCGGCCCAGGTACTTCTGAAA GCGTACTCCTGAATCCGGTCCAGGTACTTCTGAAAGCGCTACC CCGGAATCTGGCCCAGGTAGCGAACCGGCTACTTCTGGTTCTGA AACCCAGGTAGCGAACCGGCTACCTCCGGTTCTGAAACTCCA GGTAGCCCAGCAGGCTCTCCGACTTCCACTGAGGAAGGTACTT CTACTGAACCTTCCGAAGGCAGCGCACCAGGTACCTCTACTGA ACCTTCTGAGGGCAGCGCTCCAGGTAGCGAACCTGCAACCTCT GGCTCTGAAACCCAGGTACCTCTGAAAGCGCTACTCCTGAATC TGGCCCAGGTACTTCTACTGAACCGTCCGAGGGCAGCGCACCA
AE624- hGH- FXIa- AE288	MAEPAGSPTSTEEGT PGSGTASSPGSSTPS GATGSPGASPGTSST GSPGSPAGSPTSTEE GTSESATPESGPGTS TEPSEGSAPGSPAGS PTSTEEGTSTEPSEGS APGTSTEPSEGSAPG TSESATPESGPGSEP ATSGSETPGSEPATS GSETPGSPAGSPTST EGTSESATPESGPG TSTEPSEGSAPGTSTE PSEGSAPGSPAGSPT STEEGTSTEPSEGSAP GTSTEPSEGSAPGTS ESATPESGPGTSTEPS EGSAPGTSESATPES GPGSEPATSGSETPG TSTEPSEGSAPGTSTE	ATGGCTGAACCTGCTGGCTCTCCAACCTCCACTGAGGAAGGTA CCCC GGGTAGCGGTACTGCTTCTTCTCTCCAGGTAGCTCTACC CCTTCTGGTGCAACCGGCTCTCCAGGTGCTTCTCCGGGCACCG CTCTACCGGTTCTCCAGGTAGCCCGGCTGGCTCTCCTACCTCTA CTGAGGAAGGTACTTCTGAAAGCGCTACTCCTGAGTCTGGTCCA GGTACCTCTACTGAACCGTCCGAAGGTAGCGCTCCAGGTAGCC CAGCAGGCTCTCCGACTTCCACTGAGGAAGGTACTTCTACTGAA CCTTCCGAAGGCAGCGCACCAGGTACCTCTACTGAACCTTCTGA GGGCAGCGCTCCAGGTACTTCTGAAAGCGCTACCCCGGAATCT GGCCAGGTAGCGAACCGGCTACTTCTGGTTCTGAAACCCAG GTAGCGAACCGGCTACCTCCGGTTCTGAAACTCCAGGTAGCCC GGCAGGCTCTCCGACCTCTACTGAGGAAGGTACTTCTGAAAGC GCAACCCCGGAGTCCGGCCCAGGTACCTCTACCGAACCGTCTG AGGGCAGCGCACCAGGTACTTCTACCGAACCGTCCGAGGGTAG CGCACCAGGTAGCCCAGCAGGTTCTCTACCTCCACCGAGGAA GGTACTTCTACCGAACCGTCCGAGGGTAGCGCACCAGGTACCT CTACTGAACCTTCTGAGGGCAGCGCTCCAGGTACTTCTGAAAGC GCTACCCCGGAGTCCGGTCCAGGTACTTCTACTGAACCGTCCGA AGGTAGCGCACCAGGTACTTCTGAAAGCGCAACCCCTGAATCC GGTCCAGGTAGCGAACCGGCTACTTCTGGCTCTGAGACTCCAG

GHXTEN Name*	Amino Acid Sequence	DNA Nucleotide Sequence
	PSEGSAPGTSESATP ESGPGTSESATPESG PGSPAGSPTSTEEGT SESATPESGPGSEPA TSGSETPGTSESATPE SGPSTSTEPSEGSAP GTSTEPSEGSAPGTS TEPSEGSAPGTSTEPS EGSAPGTSTEPSEGS APGTSTEPSEGSAPG SPAGSPTSTEEGTSTE PSEGSAPGTSESATP ESGPGSEPATSGSET PGTSESATPESGPGS EPATSGSETPGTSES ATPESGPGTSTEPSE GSAPGTSESATPESG PGSPAGSPTSTEEGSP AGSPTSTEEGSPAGS PTSTEEGTSESATPES GPGTSTEPSEGSAPG FPTIPLSRLFDNAML RAHRLHQLAFDITYQ EFEEAYIPKEQKYSF LQNPQTSLCFSESIPT PSNREETQKSNLEL LRISLLLIQSWLEPVQ FLRSVFANSLVYGAS DSNVYDLLKDLEEGI QTLMRLEDGSPRT GQIFKQTYSKFDTNS HNDDALLKNYGLLY CFRKDMDKVETFLRI VQCRSVEGSCGFGG GKLTRVVGGGTSE SATPESGPGSEPAT GSETPGTSESATPES GPGSEPATSGSETPG TSESATPESGPGTSTE PSEGSAPGSPAGSPT STEEGTSESATPESGP GSEPATSGSETPGTS ESATPESGPGSPAGS PTSTEEGSPAGSPTST EEGTSTEPSEGSAPG TSESATPESGPGTSES ATPESGPGTSESATP ESGPGSEPATSGSET PGSEPATSGSETPGSP AGSPTSTEEGTSTEPS EGSAPGTSTEPSEGS APGSEPATSGSETPG TSESATPESGPGTSTE PSEGSAP	GTACTTCTACCGAACCGTCCGAAGGTAGCGCACCAGGTACTTCT ACTGAACCGTCTGAAGGTAGCGCACCAGGTACTTCTGAAAGCG CAACCCCGGAATCCGGCCAGGTACCTCTGAAAGCGCAACCC GGAGTCCGGCCAGGTAGCCCTGCTGGCTCTCCAACCTCCACCG AAGAAGGTACCTCTGAAAGCGCAACCCCTGAATCCGGCCAGG TAGCGAACCGGCAACCTCCGGTTCTGAAACCCAGGTACCTCT GAAAGCGCTACTCCGGAGTCTGGCCAGGTACCTCTACTGAAC CGTCTGAGGGTAGCGCTCCAGGTACTTCTACTGAACCGTCCGAA GGTAGCGCACCAGGTACTTCTACCGAACCGTCCGAAGGCAGCG CTCAGGTACCTCTACTGAACCTTCCGAGGGCAGCGCTCCAGGT ACCTCTACCGAACCTTCTGAAGGTAGCGCACCAGGTACTTCTAC CGAACCGTCCGAGGGTAGCGCACCAGGTAGCCAGCAGGTTCT CCTACCTCCACCGAGGAAGGTACTTCTACCGAACCGTCCGAGG GTAGCGCACCAGGTACCTCTGAAAGCGCAACTCCTGAGTCTGG CCCAGGTAGCGAACCTGCTACCTCCGGCTCTGAGACTCCAGGT ACCTCTGAAAGCGCAACCCCGGAATCTGGTCCAGGTAGCGAAC CTGCAACCTCTGGCTCTGAAACCCAGGTACCTCTGAAAGCGCT ACTCCTGAATCTGGCCAGGTACTTCTACTGAACCGTCCGAGGG CAGCGCACCAGGTACTTCTGAAAGCGCTACTCCTGAGTCCGGC CCAGGTAGCCCGGCTGGCTCTCCGACTTCCACCGAGGAAGGTA GCCCGGCTGGCTCTCCAACCTTCTACTGAAGAAGGTAGCCCGGC AGGCTCTCCGACCTCTACTGAGGAAGGTACTTCTGAAAGCGCA ACCCCGGAGTCCGGCCAGGTACCTCTACCGAACCGTCTGAGG GCAGCGCACCAGGTTTTCCGACTATTCCGCTGTCTCGTCTGTTT GATAATGCTATGCTGCGTGCGCACCGTCTGCACCAGCTGGCCTT TGATACTTACCAGGAATTTGAAGAAGC&TACATTCTAAAGAGC AGAAGTACTCTTTCCTGCAAAACCCACAGACTTCTCTCTGCTTC AGCGAATCTATTCCGACGCTTCCAATCGCGAGGAACTCAGC AAAAGTCCAATCTGGAACCTACTCCGCATTCTCTGCTTCTGATT CAGAGCTGGCTAGAACCAGTGCAATTTCTGCGTTCGGTCTTCGC CAATAGCCTAGTTTATGGCGCATCCGACAGCAACGTATACGAT CTCCTGAAAGATCTCGAGGAAGGCATTACAGACCTGATGGGTC GTCTCGAGGATGGCTCTCCGCGTACTGGTCAGATCTTCAAGCAG ACTTACTCTAAATTTGATACTAACAGCCACAATGACGATGCGCT TCTAAAAAATATGGTCTGCTGTATTGTTTTTCGTAAGATATGG ACAAGTTGAAACCTTCTGCGTATTGTTTCAGTGTCGTTCCGTT GAGGGCAGCTGTGGTTTCTAAGGTggcggcaaacgaccgctgggaggcgg cGGTGGTACCTCTGAAAGCGCAACTCCTGAGTCTGGCCAGGTA GCGAACCTGCTACCTCCGGCTCTGAGACTCCAGGTACCTCTGAA AGCGCAACCCCGGAATCTGGTCCAGGTAGCGAACCTGCAACCT CTGGCTCTGAAACCCAGGTACCTCTGAAAGCGCTACTCCTGAA TCTGGCCAGGTACTTCTACTGAACCGTCCGAGGGCAGCGCAC CAGGTAGCCCTGTGGCTCTCCAACCTCCACCGAAGAAGGTAC CTCTGAAAGCGCAACCCCTGAATCCGGCCAGGTAGCGAACCG GCAACCTCCGGTTCTGAAACCCAGGTACTTCTGAAAGCGCTAC TCCTGAGTCCGGCCAGGTAGCCCGGCTGGCTCTCCGACTTCCA CCGAGGAAGGTAGCCCGGCTGGCTCTCCAACCTTCTACTGAAGA AGGTACTTCTACCGAACCTTCCGAGGGCAGCGCACCAGGTACT TCTGAAAGCGCTACCCCTGAGTCCGGCCAGGTACTTCTGAAA GCGCTACTCCTGAATCCGGTCCAGGTACTTCTGAAAGCGCTACC CCGGAATCTGGCCAGGTAGCGAACCGGCTACTTCTGGTTCTGA AACCCAGGTAGCGAACCGGCTACCTCCGGTTCTGAAACTCCA GGTAGCCCAGCAGGCTCTCCGACTTCCACTGAGGAAGGTACTT CTAAGAACCTTCCGAAGGCAGCGCACCAGGTACCTCTACTGA ACCTTCTGAGGGCAGCGCTCCAGGTAGCGAACCTGCAACCTCT GGCTCTGAAACCCAGGTACCTCTGAAAGCGCTACTCCTGAATC TGGCCAGGTACTTCTACTGAACCGTCCGAGGGCAGCGCACCA ATGGCTGAACCTGCTGGCTCTCCAACCTCCACTGAGGAAGGTA CCCCAGGTAGCGGTACTGCTTCTCCTCTCCAGGTAGCTCTACC
AE624- hGH-	MAEPAGSPTSTEEGT PGSGTASSPGSSTPS	

GHXTEN Name*	Amino Acid Sequence	DNA Nucleotide Sequence
Elastase- AE288	GATGSPGASPGTSST GSPGSPAGSPTSTEE GTSESATPESGPGTS TEPSEGSAPGSPAGS PTSTEEGTSTEPSEGS APGTSTEPSEGSAPG TSESATPESGPGSEP ATSGSETPGSEPATS GSETPGSPAGSPTST EEGTSESATPESGPG TSTEPSEGSAPGTSTE PSEGSAPGSPAGSPT STEEGTSTEPSEGSAP GTSTEPSEGSAPGTS ESATPESGPGTSTEPS EGSAPGTSESATPES GPGSEPATSGSETPG TSTEPSEGSAPGTSTE PSEGSAPGTSESATP ESGPGTSESATPESG PGSPAGSPTSTEEGT SESATPESGPGSEPA TSGSETPGTSESATPE SGPGTSTEPSEGSAP GTSTEPSEGSAPGTS TEPSEGSAPGTSTEPS EGSAPGTSTEPSEGS APGTSTEPSEGSAPG SPAGSPTSTEEGTSTE PSEGSAPGTSESATP ESGPGSEPATSGSET PGTSESATPESGPGS EPATSGSETPGTSES ATPESGPGTSTEPSE GSAPGTSESATPESG PGSPAGSPTSTEEGSP AGSPTSTEEGSPAGS PTSTEEGTSESATPES GPGTSTEPSEGSAPG FPTIPLSRLFDNAML RAHRLHQLAFDITYQ EFEEAYIPKEQKYSF LQNPQTSLCFSESIPT PSNREETQQKSNLEL LRISLLLIQSWLEPVQ FLRSVFANSLVYGAS DSNVYDLLKDLEEGI QTLMGRLEDGSPRT GQIFKQTYSKFDTNS HNDDALLKNYGLLY CFRKMDMDKVETFLRI VQCRSVEGSCGFGG GLGPVSGVPGGTSES ATPESGPGSEPATSG SETPGTSESATPESGP GSEPATSGSETPGTS ESATPESGPGTSTEPS EGSAPGSPAGSPTST EEGTSESATPESGPG	CCTTCTGGTGCAACCGGCTCTCCAGGTGCTTCTCCGGGCACCAG CTCTACCGGTTCTCCAGGTAGCCCGGCTGGCTCTCTACCTCTA CTGAGGAAGGTACTTCTGAAAGCGCTACTCCTGAGTCTGGTCCA GGTACCTCTACTGAACCGTCCGAAGGTAGCGCTCCAGGTAGCC CAGCAGGCTCTCCGACTTCCACTGAGGAAGGTACTTCTACTGAA CCTTCCGAAGGCAGCGCACCAGGTACCTCTACTGAACCTTCTGA GGGCAGCGCTCCAGGTACTTCTGAAAGCGCTACCCCGGAATCT GGCCAGGTAGCGAACCGGCTACTTCTGGTTCTGAAACCCAG GTAGCGAACCGGCTACCTCCGGTTCTGAAACTCCAGGTAGCCC GGCAGGCTCTCCGACCTCTACTGAGGAAGGTACTTCTGAAAGC GCAACCCCGGAGTCCGGCCAGGTACCTCTACCGAACCCTCTG AGGGCAGCGCACCAGGTACTTCTACCGAACCCTCCGAGGGTAG CGCACCAGGTAGCCCAAGCAGGTTCTCCTACCTCCACCGAGGAA GGTACTTCTACCGAACCCTCCGAGGGTAGCGCACCAGGTACCT CTACTGAACCTTCTGAGGGCAGCGCTCCAGGTACTTCTGAAAGC GCTACCCCGGAGTCCGGTCCAGGTACTTCTACTGAACCGTCCGA AGGTAGCGCACCAGGTACTTCTGAAAGCGCAACCCCTGAATCC GGTCCAGGTAGCGAACCGGCTACTTCTGGCTCTGAGACTCCAG GTACTTCTACCGAACCCTCCGAAGGTAGCGCACCAGGTACTTCT ACTGAACCGTCTGAAGGTAGCGCACCAGGTACTTCTGAAAGCG CAACCCCGGAATCCGGCCAGGTACCTCTGAAAGCGCAACCC GGAGTCCGGCCAGGTAGCCCTGCTGGCTCTCCAACCTCCACCG AAGAAGGTACCTCTGAAAGCGCAACCCCTGAATCCGGCCAGG TAGCGAACCAGGCAACCTCCGGTCTGAAACCCAGGTACCTCT GAAAGCGCTACTCCGGAGTCTGGCCAGGTACCTCTACTGAAC CGTCTGAGGGTAGCGCTCCAGGTACTTCTACTGAACCGTCCGAA GGTAGCGCACCAGGTACTTCTACCGAACCCTCCGAAGGCAGCG CTCCAGGTACCTCTACTGAACCTTCCGAGGGCAGCGCTCCAGGT ACCTCTACCGAACCCTTCTGAAGGTAGCGCACCAGGTACTTCTAC CGAACCCTCCGAGGGTAGCGCACCAGGTAGCCCAAGCAGGTTCT CCTACCTCCACCGAGGAAGGTACTTCTACCGAACCCTCCGAGG GTAGCGCACCAGGTACCTCTGAAAGCGCAACTCCTGAGTCTGG CCCAGGTAGCGAACCCTGCTACCTCCGGCTCTGAGACTCCAGGT ACCTCTGAAAGCGCAACCCCGGAATCTGGTCCAGGTAGCGAAC CTGCAACCTCTGGCTCTGAAACCCAGGTACCTCTGAAAGCGCT ACTCCTGAATCTGGCCAGGTACTTCTACTGAACCGTCCGAGGG CAGCGCACCAGGTACTTCTGAAAGCGCTACTCCTGAGTCCGGC CCAGGTAGCCCGGCTGGCTCTCCGACTTCCACCGAGGAAGGTA GCCCGGCTGGCTCTCCAACCTTCTACTGAAGAAGGTAGCCCGGC AGGCTCTCCGACCTCTACTGAGGAAGGTACTTCTGAAAGCGCA ACCCCGGAGTCCGGCCAGGTACCTCTACCGAACCCTCTGAGG GCAGCGCACCAGGTTTTCCGACTATTCCGCTGTCTCGTCTGTTT GATAATGCTATGCTGCGTGCGCACCGTCTGCACCAGCTGGCCTT TGATACTTACCAGGAATTTGAAGAAGC ₂ TACATTCTAAAGAGC AGAAGTACTCTTTCTGCAAAACCCACAGACTTCTCTCTGCTTC AGCGAATCTATTCCGACGCTTCCAATCGCGAGGAAACTCAGC AAAAGTCCAATCTGGAACCTACTCCGCATTCTCTGCTTCTGATT CAGAGCTGGCTAGAACCAGTGCAATTTCTGCGTTCCGTCTTCGC CAATAGCCTAGTTTATGGCGCATCCGACAGCAACGTATACGAT CTCCTGAAAGATCTCGAGGAAGGCATTTCAGACCTGATGGGTC GTCTCGAGGATGGCTCTCCGCGTACTGGTCAGATCTTCAAGCAG ACTTACTCTAAATTTGATACTAACAGCCACAATGACGATGCGCT TCTAAAAAATATGGTCTGCTGTATTGTTTTCTGTAAGATATGG ACAAAGTTGAAACCTTCTGCGTATTGTTCAAGTGTGCTTCCGTT GAGGGCAGCTGTGGTTTTCTAAGGTgagggcctgggcccggtagcggcgtgccc gGGTGGTACCTCTGAAAGCGCAACTCCTGAGTCTGGCCCAAGGTA GCGAACCCTGCTACCTCCGGCTCTGAGACTCCAGGTACCTCTGAA AGCGCAACCCCGGAATCTGGTCCAGGTAGCGAACCTGCAACCT CTGGCTCTGAAACCCAGGTACCTCTGAAAGCGCTACTCCTGAA

GHXTEN Name*	Amino Acid Sequence	DNA Nucleotide Sequence
	SEPATSGSETPGTSES ATPESGPGSPAGSPT STEEGSPAGSPTSTEE GTSTEPSEGSAPGTS ESATPESGPGTSESA TPESGPGTSESATPES GPGSEPATSGSETPG SEPATSGSETPGSPA GSPTSTEEGTSTEPSE GSAPGTSTEPSEGS PGSEPATSGSETPGT SESATPESGPGTSTEP SEGSA	TCTGGCCCCAGGTACTTCTACTGAACCGTCCGAGGGCAGCGCAC CAGGTAGCCCTGCTGGCTCTCCAACCTCCACCGAAGAAGGTAC CTCTGAAAGCGCAACCCCTGAATCCGGCCCCAGGTAGCGAACCG GCAACCTCCGGTTCTGAAACCCAGGTACTTCTGAAAGCGCTAC TCCTGAGTCCGGCCCCAGGTAGCCCGGCTGGCTCTCCGACTTCCA CCGAGGAAGGTAGCCCGGCTGGCTCTCCAACCTTCTACTGAAGA AGGTACTTCTACCGAACCTTCCGAGGGCAGCGCACCAGGTACT TCTGAAAGCGCTACCCCTGAGTCCGGCCCCAGGTACTTCTGAAA GCGCTACTCCTGAATCCGGTCCAGGTACTTCTGAAAGCGCTACC CCGGAATCTGGCCCCAGGTAGCGAACCCGGCTACTTCTGGTTCTGA AACCCAGGTAGCGAACCCGGCTACCTCCGGTTCTGAAACTCCA GGTAGCCCAGCAGGCTCTCCGACTTCCACTGAGGAAGGTACTT CTACTGAACCTTCCGAAGGCAGCGCACCAGGTACCTCTACTGA ACCTTCTGAGGGCAGCGCTCCAGGTAGCGAACCTGCAACCTCT GGCTCTGAAACCCAGGTACCTCTGAAAGCGCTACTCCTGAATC TGGCCCCAGGTACTTCTACTGAACCGTCCGAGGGCAGCGCACCA
AE624- hGH- MMP-17- AE288	MAEPAGSPTSTEEGT PGSGTASSSPGSSTPS GATGSPGASPGTSST GSPGSPAGSPTSTEE GTSESATPESGPGTS TEPSEGSAPGSPAGS PTSTEEGTSTEPSEGS APGTSTEPSEGSAPG TSESATPESGPGSEP ATSGSETPGSEPATS GSETPGSPAGSPTST EGTSESATPESGPG TSTEPSEGSAPGTSTE PSEGSAPGSPAGSPT STEEGTSTEPSEGSAP GTSTEPSEGSAPGTS ESATPESGPGTSTEPS EGSAPGTSESATPES GPGSEPATSGSETPG TSTEPSEGSAPGTSTE PSEGSAPGTSESATP ESGPGTSESATPESG PGSPAGSPTSTEEGT SESATPESGPGSEPA TSGSETPGTSESATPE SGPGTSTEPSEGSAP GTSTEPSEGSAPGTS TEPSEGSAPGTSTEPS EGSAPGTSTEPSEGS APGTSTEPSEGSAPG SPAGSPTSTEEGTSTE PSEGSAPGTSESATP ESGPGSEPATSGSET PGTSESATPESGPGS EPATSGSETPGTSES ATPESGPGTSTEPSE GSAPGTSESATPESG PGSPAGSPTSTEEGSP AGSPTSTEEGSPAGS PTSTEEGTSESATPES GPGTSTEPSEGSAPG FPTIPLSRLFDNAML RAHRLHQLAFDITYQ	ATGGCTGAACCTGCTGGCTCTCCAACCTCCACTGAGGAAGGTA CCCCAGGTAGCGGTACTGCTTCTTCTCTCCAGGTAGCTCTACC CCTTCTGGTGCAACCGGCTCTCCAGGTGCTTCTCCGGGCACCAG CTCTACCGGTTCTCCAGGTAGCCCGGCTGGCTCTCCTACCTCTA CTGAGGAAGGTACTTCTGAAAGCGCTACTCCTGAGTCTGGTCCA GGTACCTCTACTGAACCGTCCGAAGGTAGCGCTCCAGGTAGCC CAGCAGGCTCTCCGACTTCCACTGAGGAAGGTACTTCTACTGAA CCTTCCGAAGGCAGCGCACCAGGTACCTCTACTGAACCTTCTGA GGGCAGCGCTCCAGGTACTTCTGAAAGCGCTACCCCGGAATCT GGCCAGGTAGCGAACCCGGCTACTTCTGGTTCTGAAACCCAG GTAGCGAACCCGGCTACCTCCGGTTCTGAAACTCCAGGTAGCCC GGCAGGCTCTCCGACCTCTACTGAGGAAGGTACTTCTGAAAGC GCAACCCCGGAGTCCGGCCCCAGGTACCTCTACCGAACCGTCTG AGGGCAGCGCACCAGGTACTTCTACCGAACCGTCCGAGGGTAG CGCACCAGGTAGCCCAGCAGGTTCTCCTACCTCCACCGAGGAA GGTACTTCTACCGAACCGTCCGAGGGTAGCGCACCAGGTACCT CTACTGAACCTTCTGAGGGCAGCGCTCCAGGTACTTCTGAAAGC GCTACCCCGGAGTCCGGTCCAGGTACTTCTACTGAACCGTCCGA AGGTAGCGCACCAGGTACTTCTGAAAGCGCAACCCCTGAATCC GGTCCAGGTAGCGAACCCGGCTACTTCTGGCTCTGAGACTCCAG GTACTTCTACCGAACCTTCCGAAGGTAGCGCACCAGGTACTTCT ACTGAACCGTCTGAAGGTAGCGCACCAGGTACTTCTGAAAGCG CAACCCCGGAATCCGGCCCCAGGTACCTCTGAAAGCGCAACCC GGAGTCCGGCCCCAGGTAGCCCTGCTGGCTCTCCAACCTCCACCG AAGAAGGTACCTCTGAAAGCGCAACCCCTGAATCCGGCCCCAGG TAGCGAACCCGGCAACCTCCGGTTCTGAAACCCAGGTACCTCT GAAAGCGCTACTCCGGAGTCTGGCCCCAGGTACCTCTACTGAAC CGTCTGAGGGTAGCGCTCCAGGTACTTCTACTGAACCGTCCGAA GGTAGCGCACCAGGTACTTCTACCGAACCGTCCGAAGGCAGCG CTCCAGGTACCTCTACTGAACCTTCCGAGGGCAGCGCTCCAGGT ACCTCTACCGAACCTTCTGAAGGTAGCGCACCAGGTACTTCTAC CGAACCGTCCGAGGGTAGCGCACCAGGTAGCCCAGCAGGTTCT CCTACCTCCACCGAGGAAGGTACTTCTACCGAACCGTCCGAGG GTAGCGCACCAGGTACCTCTGAAAGCGCAACTCCTGAGTCTGG CCCAGGTAGCGAACCTGCTACCTCCGGCTCTGAGACTCCAGGT ACCTCTGAAAGCGCAACCCCGGAATCTGGTCCAGGTAGCGAAC CTGCAACCTCTGGCTCTGAAACCCAGGTACCTCTGAAAGCGCT ACTCCTGAATCTGGCCCCAGGTACTTCTACTGAACCGTCCGAGGG CAGCGCACCAGGTACTTCTGAAAGCGCTACTCCTGAGTCCGGC CCAGGTAGCCCGGCTGGCTCTCCGACTTCCACCGAGGAAGGTA GCCCGGCTGGCTCTCCAACCTTCTACTGAAGAAGGTAGCCCGGC AGGCTCTCCGACCTCTACTGAGGAAGGTACTTCTGAAAGCGCA ACCCCGAGTCCGGCCCCAGGTACCTCTACCGAACCGTCTGAGG

GHXTEN Name*	Amino Acid Sequence	DNA Nucleotide Sequence
	EFEEAYIPKEQKYSF LQNPQTSLCFSESIPT PSNREETQQKSNLEL LRISLLLIQSWLEPVQ FLRSVFANSLVYGAS DSNVYDLLKDLEEGI QTLMGRLLEDGSPRT GQIFKQTYSKFDTNS HNDDALLKNYGLLY CFRKDMMDKVETFLRI VQCRSVEGSCGFGA PLGLRLRGGGGTSES ATPESGPGSEPATSG SETPGTSESATPESGP GSEPATSGSETPGTS ESATPESGPGTSTEPS EGSAPGSPAGSPTST EEGTSESATPESGPG SEPATSGSETPGTSES ATPESGPGSPAGSPT STEEGSPAGSPTSTEE GTSTEPSEGSAPGTS ESATPESGPGTSESA TPESGPGTSESATPES GPGSEPATSGSETPG SEPATSGSETPGSPA GSPTSTEEGTSTEPSE GSAPGTSTEPSEGS PGSEPATSGSETPGT SESATPESGPGTSTEP SEGSA	GCAGCGCACCAGGTTTTCCGACTATTCCGCTGTCTCGTCTGTTT GATAATGCTATGCTGCGTGCGCACCGTCTGCACCAGCTGGCCTT TGATACTTACCAGGAATTTGAAGAAGC&TACATTCTTAAAGAGC AGAAGTACTCTTTCTGCAAAACCCACAGACTTCTCTCTGCTTC AGCGAATCTATTCCGACGCTTCCAATCGCGAGGAACTCAGC AAAAGTCCAATCTGGAACACTCCGCATTCTCTGCTTCTGATT CAGAGCTGGCTAGAACCAGTGCAATTTCTGCGTTCGGTCTTCGC CAATAGCCTAGTTTATGGCGCATCCGACAGCAACGTATACGAT CTCCTGAAAGATCTCGAGGAAGGCATTGACACCTGATGGGTC GTCTCGAGGATGGCTCTCCGCGTACTGGTCAGATCTTCAAGCAG ACTTACTCTAAATTTGATACTAACAGCCACAATGACGATGCGCT TCTAAAAAACTATGGTCTGCTGTATTGTTTTTCGTAAAGATATGG ACAAGTTGAAACCTTCTGCGTATTGTTTCAGTGTCGTTCGGTT GAGGGCAGCTGTGGTTTCTAAGGTgcgccgctggcgctgcgctgcgccggg cGGTGGTACCTCTGAAAGCGCAACTCCTGAGTCTGGCCCAGGTA GCGAACCTGCTACCTCCGGCTCTGAGACTCCAGGTACCTCTGAA AGCGCAACCCCGGAATCTGGTCCAGGTAGCGAACCTGCAACCT CTGGCTCTGAAACCCAGGTACCTCTGAAAGCGCTACTCCTGAA TCTGGCCCAGGTACTTCTACTGAACCGTCCGAGGGCAGCGCAC CAGGTAGCCCTGCTGGCTCTCCAACCTCCACCGAAGAAGGTAC CTCTGAAAGCGCAACCCCTGAATCCGGCCCAGGTAGCGAACCG GCAACCTCCGGTTCTGAAACCCAGGTACTTCTGAAAGCGCTAC TCCTGAGTCCGGCCCAGGTAGCCCGGCTGGCTCTCCGACTTCCA CCGAGGAAGGTAGCCCGGCTGGCTCTCCAACCTTCTACTGAAGA AGGTACTTCTACCGAACCTTCCGAGGGCAGCGCACCAGGTACT TCTGAAAGCGCTACCCCTGAGTCCGGCCCAGGTACTTCTGAAA GCGCTACTCCTGAATCCGGTCCAGGTACTTCTGAAAGCGCTACC CCGGAATCTGGCCCAGGTAGCGAACCGGCTACTTCTGGTTCTGA AACCCAGGTAGCGAACCGGCTACCTCCGGTTCTGAAACTCCA GGTAGCCAGCAGGCTCTCCGACTTCCACTGAGGAAGGTACTT CTAAGAACCTTCCGAAGGCAGCGCACCAAGGTACCTCTACTGA ACCTTCTGAGGGCAGCGCTCCAGGTAGCGAACCTGCAACCTCT GGCTCTGAAACCCAGGTACCTCTGAAAGCGCTACTCCTGAATC TGGCCCAGGTACTTCTACTGAACCGTCCGAGGGCAGCGCACCA

* Sequence name reflects N- to C-terminus configuration of the growth factor, cleavage sequence and XTEN components

WHAT IS CLAIMED IS:

1. An isolated fusion protein, comprising a growth hormone (GH) that is at least 90% identical to the human growth hormone amino acid sequence shown in Table 1, wherein said growth hormone is linked to an extended recombinant polypeptide (XTEN) of at least 200 amino acids residues, wherein the XTEN is characterized in that:

(a) the XTEN sequence comprises at least 200 contiguous amino acids that exhibits at least 90% sequence identity to a comparable length of an amino acid sequence selected from Table 3;

(b) the XTEN sequence lacks a predicted T-cell epitope when analyzed by TEPITOPE algorithm, wherein the TEPITOPE algorithm prediction for epitopes within the XTEN sequence is based on a score of -6 or greater;

(c) it has a subsequence score of less than 10;

(d) the sum of glycine (G), alanine (A), serine (S), threonine (T), glutamate (E) and proline (P) residues constitutes more than 90% of the total amino acid residues of the XTEN; and

(e) the XTEN sequence is substantially non-repetitive such that (i) at least 80% of the XTEN sequence consists of non-overlapping sequence motifs wherein each of the sequence motifs has 9 to 14 amino acid residues and wherein the sequence of any two contiguous amino acid residues does not occur more than twice in each of the sequence motifs; or (ii) the XTEN sequence contains no three contiguous amino acids that are identical unless the amino acids are serine residues, in which case no more than three contiguous amino acids are serine.

2. The isolated fusion protein of claim 1, wherein the growth hormone is the human growth hormone amino acid sequence shown in Table 1.

3. The isolated fusion protein of claim 1 or 2, further comprising a second XTEN sequence, and wherein the fusion protein adopts a multiple -XTEN configuration shown in Table 5.

4. The isolated fusion protein of any one of claims 1 to 3, wherein the growth hormone peptide and the XTEN is linked via a spacer, wherein the spacer sequence comprises between 1 to 50 amino acid residues, and wherein the spacer optionally comprises a cleavage sequence.

5. The isolated fusion protein of any of claims 1 to 4, wherein the fusion protein binds to the same target receptor of the corresponding native growth hormone that lacks the XTEN, and wherein said fusion protein retains at least 0.1%-30% of the binding affinity of the corresponding growth hormone that lacks the XTEN.

6. The isolated fusion protein of any of claims 1 to 5, comprising an amino acid sequence that has at least 90% sequence identity to an amino acid sequence selected from Table 35, Table 36, and Table 37.

7. A pharmaceutical composition comprising the isolated fusion protein of any of claims 1 to 6, and a pharmaceutically acceptable carrier.

8. The isolated protein of any of claims 1 to 6 that is configured according to formula I: $(XTEN)_x$ -GH- $(XTEN)_y$, (I) wherein independently for each occurrence:

(a) x is either 0 or 1 ; and

(b) y is either 0 or 1, wherein $x+y \geq 1$.

9. The isolated fusion protein of any of claims 1 to 6, wherein the XTEN is fused to the growth hormone on an N- or C-terminus of the growth hormone.

10. The isolated fusion protein of any of claims 1 to 6 and 8 to 9, comprising a human growth hormone of Table 1 and a first and a second XTEN selected from AE912, AM923, AE144, and AE288 of Table 3.

11. The isolated fusion protein of any of claims 1 to 6 and 8 to 10, characterized in that:

(i) it has a longer terminal half- life when administered to a subject compared to the corresponding growth hormone that lacks the XTEN when administered to a subject at a comparable molar dose;

(ii) when a smaller molar amount of the fusion protein is administered to a subject in comparison to the corresponding growth hormone that lacks the XTEN administered to a subject under an otherwise equivalent dose regimen, the fusion protein achieves a comparable area under the curve (AUC) as the corresponding growth hormone that lacks the XTEN;

(iii) when a smaller molar amount of the fusion protein is administered to a subject in comparison to the corresponding growth hormone that lacks the XTEN administered to a subject under an otherwise equivalent dose regimen, the fusion protein achieves a comparable therapeutic effect as the corresponding growth hormone that lacks the XTEN;

(iv) when the fusion protein is administered to a subject less frequently in comparison to the corresponding growth hormone that lacks the XTEN administered to a subject using an otherwise equivalent molar amount, the fusion protein achieves a comparable area under the curve (AUC) as the corresponding growth hormone that lacks the XTEN;

(v) when the fusion protein is administered to a subject less frequently in comparison to the corresponding growth hormone that lacks the XTEN administered to a subject using an otherwise equivalent molar amount, the fusion protein achieves a comparable therapeutic effect as the corresponding growth hormone that lacks the XTEN;

(vi) when an accumulatively smaller molar amount of the fusion protein is administered to a subject in comparison to the corresponding growth hormone that lacks the XTEN administered to a

subject under an otherwise equivalent dose period, the fusion protein achieves comparable area under the curve (AUC) as the corresponding growth hormone that lacks the XTEN; or

(vii) when an accumulatively smaller molar amount of the fusion protein is administered to a subject in comparison to the corresponding growth hormone that lacks the XTEN administered to a subject under an otherwise equivalent dose period, the fusion protein achieves comparable therapeutic effect as the corresponding growth hormone that lacks the XTEN.

12. A method of producing a fusion protein comprising a growth hormone (GH) fused to one or more extended recombinant polypeptides (XTEN), comprising:

(a) providing host cell comprising a recombinant polynucleotide molecule encoding the fusion protein of claim 1 or 6;

(b) culturing the host cell under conditions permitting the expression of the fusion protein; and

(c) recovering the fusion protein.

13. The method of claim 12, wherein the growth hormone of the fusion protein has at least 90% sequence identity to:

(a) a human growth hormone; or

(b) the human growth hormone sequence selected from Table 1.

14. The method of claim 12 or 13, wherein the one or more XTEN of the expressed fusion protein has at least 90% sequence identity to a sequence selected from Table 3.

15. The method of any of claims 12 to 14, wherein the polynucleotide molecule encoding the fusion protein comprises a nucleic acid sequence exhibiting at least 90% sequence identity of a nucleic acid sequence selected from Table 35, Table 36, and Table 37.

16. The method of any of claims 12 to 15, wherein the polynucleotide is codon optimized for enhanced expression of said fusion protein in the host cell.

17. The method any of claims 12 to 16, wherein the host cell is a prokaryotic cell.

18. The method of any of claims 12 to 17, wherein the isolated fusion protein is recovered from the host cell cytoplasm in substantially soluble form.

19. An isolated nucleic acid comprising a nucleotide sequence encoding the fusion protein of any of claims 1 to 6 and 8 to 11 or the complement thereof.

20. An expression vector comprising the nucleic acid of claim 19.

21. An isolated host cell comprising the nucleic acid of claim 19.

22. A fusion protein comprising a growth hormone (GH) for treating a growth-hormone related condition in a subject, comprising the fusion protein of any of claims 1 to 6 and 8 to 11.

23. The fusion protein of claim 22, wherein the growth-hormone related condition is selected from growth-hormone deficiency, Turner's Syndrome, Prader-Willi Syndrome, idiopathic short stature, AIDS wasting, multiple sclerosis, Crohn's disease, ulcerative colitis, and muscular dystrophy.

24. The fusion protein of claim 22 or 23, wherein a therapeutically effective amount of the fusion protein results in maintaining blood concentrations of the fusion protein within a therapeutic window for the fusion protein at least three-fold longer compared to the corresponding native growth hormone that lacks the XTEN administered at a comparable amount to a subject.

25. The fusion protein of any of claims 22 to 24, wherein two or more consecutive doses of the fusion protein administered under a therapeutically effective dose regimen results in a gain in time between consecutive $C_{\max}$ peaks and/or $C_{\min}$ troughs for blood levels of the fusion protein compared to the corresponding growth hormone not linked to the fusion protein and administered using a therapeutically effective dose regimen established for the GH.

26. The fusion protein of any of claims 22 to 25, wherein

(i) a smaller molar amount of the fusion protein in comparison to the corresponding growth hormone that lacks the XTEN achieves a comparable therapeutic effect as the corresponding growth hormone that lacks the XTEN;

(ii) the fusion protein is administered less frequently to a subject in comparison to the corresponding growth hormone that lacks the XTEN administered to a subject using an otherwise equivalent molar dose, and the fusion protein achieves a comparable therapeutic effect as the corresponding growth hormone that lacks the XTEN; or

(iii) an accumulatively smaller molar amount of the fusion protein is administered to a subject in comparison to the corresponding growth hormone that lacks the XTEN administered to a subject under the otherwise equivalent dose period, the fusion protein achieves a comparable therapeutic effect as the corresponding growth hormone that lacks the XTEN.

27. The fusion protein of claim 26, wherein the therapeutic effect is a measured parameter selected from IGF- 1 concentrations, IGFBP3 concentration, height velocity, lean body mass, total body fat, trunk fat, response to insulin challenge, rate of division of chondrocytes, chondrocyte numbers, bone density, bone growth, and increase in epiphyseal plate width.

28. A kit, comprising the pharmaceutical composition of claim 7, a label identifying the pharmaceutical composition, and an instruction for storage, reconstitution and/or administration of the pharmaceutical compositions to a subject.

29. A fusion protein, comprising an amino acid sequence that is at least 90% identical to the amino acid sequence of AE912-hGH-AE144 as shown in Table 36.

30. The fusion protein of claim 29, comprising an amino acid sequence that is at least 95% identical to the amino acid sequence of AE912-hGH-AE144 as shown in Table 36.

31. The fusion protein of claim 29, comprising an amino acid sequence that is at least 99% identical to the amino acid sequence of AE912-hGH-AE144 as shown in Table 36.

32. A fusion protein, comprising the amino acid sequence of AE912-hGH-AE144 as shown in Table 36.

33. An isolated nucleic acid comprising a nucleotide sequence encoding the fusion protein of any one of claims 29-32, or the complement thereof.

34. An expression vector comprising the nucleic acid of claim 33.

35. An isolated host cell comprising the nucleic acid of claim 33.

36. The isolated host cell of claim 21 or claim 35, wherein the host cell is a prokaryotic host cell.

37. Use of a therapeutically effective amount of a fusion protein of any one of claims 29-32, in the manufacture of a medicament for treating a growth-hormone related condition in a subject.

38. The use of claim 37, wherein the growth-hormone related condition is selected from growth-hormone deficiency, Turner's Syndrome, Prader-Willi Syndrome, idiopathic short stature, AIDS wasting, multiple sclerosis, Crohn's disease, ulcerative colitis, and muscular dystrophy.

39. A pharmaceutical composition comprising the isolated fusion protein of any one of claims 29-32, and a pharmaceutically acceptable carrier.

40. A kit, comprising the pharmaceutical composition of claim 39, a label identifying the pharmaceutical composition, and an instruction for storage, reconstitution and/or administration of the pharmaceutical compositions to a subject.

41. The fusion protein of claim 1 or 2, further comprising an additional XTEN polypeptide sequence having at least 90% sequence identity to the amino acid sequence of amino acids 1106 to 1251 of AE912-hGH-AE144 as shown in Table 36.

42. The fusion protein of claim 41, wherein the additional XTEN polypeptide sequence has at least 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, or 99% identity to the sequence of amino acids 1106 to 1251 of AE912-hGH-AE144 as shown in Table 36.

43. The fusion protein of claim 41, wherein the additional XTEN polypeptide sequence has at least 98% or 99% identity to the sequence of amino acids 1106 to 1251 of AE912-hGH-AE144 as shown in Table 36.

44. The fusion protein of claim 41, wherein the additional XTEN polypeptide sequence comprises the sequence of amino acids 1106 to 1251 of AE912-hGH-AE144 as shown in Table 36.