

SEQUENCE LISTING

<110> The University of North Carolina at Chapel Hill
University of Florida Research Foundation, Incorporated
Asokan, Aravind
Agbandje-McKenna, Mavis
Tse, Long Ping Victor
Gurda, Brittney

<120> METHODS AND COMPOSITIONS FOR ANTIBODY-EVADING VIRUS VECTORS

<130> 5470-752W0

<150> US 62/234,016
<151> 2015-09-28

<160> 493

<170> PatentIn version 3.5

<210> 1
<211> 736
<212> PRT
<213> adeno-associated virus

<400> 1

Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser
1 5 10 15

Glu Gly Ile Arg Glu Trp Trp Asp Leu Lys Pro Gly Ala Pro Lys Pro
20 25 30

Lys Ala Asn Gln Gln Lys Gln Asp Asp Gly Arg Gly Leu Val Leu Pro
35 40 45

Gly Tyr Lys Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro
50 55 60

Val Asn Ala Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp
65 70 75 80

Gln Gln Leu Lys Ala Gly Asp Asn Pro Tyr Leu Arg Tyr Asn His Ala
85 90 95

Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly
100 105 110

Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro
115 120 125

Leu Gly Leu Val Glu Glu Gly Ala Lys Thr Ala Pro Gly Lys Lys Arg
130 135 140

Pro Val Glu Gln Ser Pro Gln Glu Pro Asp Ser Ser Ser Gly Ile Gly
145 150 155 160

Lys Thr Gly Gln Gln Pro Ala Lys Lys Arg Leu Asn Phe Gly Gln Thr
165 170 175

Gly Asp Ser Glu Ser Val Pro Asp Pro Gln Pro Leu Gly Glu Pro Pro
180 185 190

Ala Thr Pro Ala Ala Val Gly Pro Thr Thr Met Ala Ser Gly Gly Gly
195 200 205

Ala Pro Met Ala Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Asn Ala
210 215 220

Ser Gly Asn Trp His Cys Asp Ser Thr Trp Leu Gly Asp Arg Val Ile
225 230 235 240

Thr Thr Ser Thr Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His Leu
245 250 255

Tyr Lys Gln Ile Ser Ser Ala Ser Thr Gly Ala Ser Asn Asp Asn His
260 265 270

Tyr Phe Gly Tyr Ser Thr Pro Trp Gly Tyr Phe Asp Phe Asn Arg Phe
275 280 285

His Cys His Phe Ser Pro Arg Asp Trp Gln Arg Leu Ile Asn Asn Asn
290 295 300

Trp Gly Phe Arg Pro Lys Arg Leu Asn Phe Lys Leu Phe Asn Ile Gln
305 310 315 320

Val Lys Glu Val Thr Thr Asn Asp Gly Val Thr Thr Ile Ala Asn Asn

325

330

335

Leu Thr Ser Thr Val Gln Val Phe Ser Asp Ser Glu Tyr Gln Leu Pro
 340 345 350

Tyr Val Leu Gly Ser Ala His Gln Gly Cys Leu Pro Pro Phe Pro Ala
 355 360 365

Asp Val Phe Met Ile Pro Gln Tyr Gly Tyr Leu Thr Leu Asn Asn Gly
 370 375 380

Ser Gln Ala Val Gly Arg Ser Ser Phe Tyr Cys Leu Glu Tyr Phe Pro
 385 390 395 400

Ser Gln Met Leu Arg Thr Gly Asn Asn Phe Thr Phe Ser Tyr Thr Phe
 405 410 415

Glu Glu Val Pro Phe His Ser Ser Tyr Ala His Ser Gln Ser Leu Asp
 420 425 430

Arg Leu Met Asn Pro Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu Asn Arg
 435 440 445

Thr Gln Asn Gln Ser Gly Ser Ala Gln Asn Lys Asp Leu Leu Phe Ser
 450 455 460

Arg Gly Ser Pro Ala Gly Met Ser Val Gln Pro Lys Asn Trp Leu Pro
 465 470 475 480

Gly Pro Cys Tyr Arg Gln Gln Arg Val Ser Lys Thr Lys Thr Asp Asn
 485 490 495

Asn Asn Ser Asn Phe Thr Trp Thr Gly Ala Ser Lys Tyr Asn Leu Asn
 500 505 510

Gly Arg Glu Ser Ile Ile Asn Pro Gly Thr Ala Met Ala Ser His Lys
 515 520 525

Asp Asp Glu Asp Lys Phe Phe Pro Met Ser Gly Val Met Ile Phe Gly
 530 535 540

Lys Glu Ser Ala Gly Ala Ser Asn Thr Ala Leu Asp Asn Val Met Ile
545 550 555 560

Thr Asp Glu Glu Glu Ile Lys Ala Thr Asn Pro Val Ala Thr Glu Arg
565 570 575

Phe Gly Thr Val Ala Val Asn Phe Gln Ser Ser Ser Thr Asp Pro Ala
580 585 590

Thr Gly Asp Val His Ala Met Gly Ala Leu Pro Gly Met Val Trp Gln
595 600 605

Asp Arg Asp Val Tyr Leu Gln Gly Pro Ile Trp Ala Lys Ile Pro His
610 615 620

Thr Asp Gly His Phe His Pro Ser Pro Leu Met Gly Gly Phe Gly Leu
625 630 635 640

Lys Asn Pro Pro Pro Gln Ile Leu Ile Lys Asn Thr Pro Val Pro Ala
645 650 655

Asn Pro Pro Ala Glu Phe Ser Ala Thr Lys Phe Ala Ser Phe Ile Thr
660 665 670

Gln Tyr Ser Thr Gly Gln Val Ser Val Glu Ile Glu Trp Glu Leu Gln
675 680 685

Lys Glu Asn Ser Lys Arg Trp Asn Pro Glu Val Gln Tyr Thr Ser Asn
690 695 700

Tyr Ala Lys Ser Ala Asn Val Asp Phe Thr Val Asp Asn Asn Gly Leu
705 710 715 720

Tyr Thr Glu Pro Arg Pro Ile Gly Thr Arg Tyr Leu Thr Arg Pro Leu
725 730 735

<210> 2

<211> 735

<212> PRT

<213> adeno-associated virus

<400> 2

Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Thr Leu Ser
1 5 10 15

Glu Gly Ile Arg Gln Trp Trp Lys Leu Lys Pro Gly Pro Pro Pro Pro
20 25 30

Lys Pro Ala Glu Arg His Lys Asp Asp Ser Arg Gly Leu Val Leu Pro
35 40 45

Gly Tyr Lys Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro
50 55 60

Val Asn Glu Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp
65 70 75 80

Arg Gln Leu Asp Ser Gly Asp Asn Pro Tyr Leu Lys Tyr Asn His Ala
85 90 95

Asp Ala Glu Phe Gln Glu Arg Leu Lys Glu Asp Thr Ser Phe Gly Gly
100 105 110

Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro
115 120 125

Leu Gly Leu Val Glu Glu Pro Val Lys Thr Ala Pro Gly Lys Lys Arg
130 135 140

Pro Val Glu His Ser Pro Val Glu Pro Asp Ser Ser Ser Gly Thr Gly
145 150 155 160

Lys Ala Gly Gln Gln Pro Ala Arg Lys Arg Leu Asn Phe Gly Gln Thr
165 170 175

Gly Asp Ala Asp Ser Val Pro Asp Pro Gln Pro Leu Gly Gln Pro Pro
180 185 190

Ala Ala Pro Ser Gly Leu Gly Thr Asn Thr Met Ala Thr Gly Ser Gly
195 200 205

Ala Pro Met Ala Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Asn Ser
210 215 220

Ser Gly Asn Trp His Cys Asp Ser Thr Trp Met Gly Asp Arg Val Ile
225 230 235 240

Thr Thr Ser Thr Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His Leu
245 250 255

Tyr Lys Gln Ile Ser Ser Gln Ser Gly Ala Ser Asn Asp Asn His Tyr
260 265 270

Phe Gly Tyr Ser Thr Pro Trp Gly Tyr Phe Asp Phe Asn Arg Phe His
275 280 285

Cys His Phe Ser Pro Arg Asp Trp Gln Arg Leu Ile Asn Asn Asn Trp
290 295 300

Gly Phe Arg Pro Lys Arg Leu Asn Phe Lys Leu Phe Asn Ile Gln Val
305 310 315 320

Lys Glu Val Thr Gln Asn Asp Gly Thr Thr Thr Ile Ala Asn Asn Leu
325 330 335

Thr Ser Thr Val Gln Val Phe Thr Asp Ser Glu Tyr Gln Leu Pro Tyr
340 345 350

Val Leu Gly Ser Ala His Gln Gly Cys Leu Pro Pro Phe Pro Ala Asp
355 360 365

Val Phe Met Val Pro Gln Tyr Gly Tyr Leu Thr Leu Asn Asn Gly Ser
370 375 380

Gln Ala Val Gly Arg Ser Ser Phe Tyr Cys Leu Glu Tyr Phe Pro Ser
385 390 395 400

Gln Met Leu Arg Thr Gly Asn Asn Phe Thr Phe Ser Tyr Thr Phe Glu
405 410 415

Asp Val Pro Phe His Ser Ser Tyr Ala His Ser Gln Ser Leu Asp Arg
420 425 430

Leu Met Asn Pro Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu Ser Arg Thr
435 440 445

Asn Thr Pro Ser Gly Thr Thr Thr Gln Ser Arg Leu Gln Phe Ser Gln
450 455 460

Ala Gly Ala Ser Asp Ile Arg Asp Gln Ser Arg Asn Trp Leu Pro Gly
465 470 475 480

Pro Cys Tyr Arg Gln Gln Arg Val Ser Lys Thr Ser Ala Asp Asn Asn
485 490 495

Asn Ser Glu Tyr Ser Trp Thr Gly Ala Thr Lys Tyr His Leu Asn Gly
500 505 510

Arg Asp Ser Leu Val Asn Pro Gly Pro Ala Met Ala Ser His Lys Asp
515 520 525

Asp Glu Glu Lys Phe Phe Pro Gln Ser Gly Val Leu Ile Phe Gly Lys
530 535 540

Gln Gly Ser Glu Lys Thr Asn Val Asp Ile Glu Lys Val Met Ile Thr
545 550 555 560

Asp Glu Glu Glu Ile Arg Thr Thr Asn Pro Val Ala Thr Glu Gln Tyr
565 570 575

Gly Ser Val Ser Thr Asn Leu Gln Arg Gly Asn Arg Gln Ala Ala Thr
580 585 590

Ala Asp Val Asn Thr Gln Gly Val Leu Pro Gly Met Val Trp Gln Asp
595 600 605

Arg Asp Val Tyr Leu Gln Gly Pro Ile Trp Ala Lys Ile Pro His Thr
610 615 620

Asp Gly His Phe His Pro Ser Pro Leu Met Gly Gly Phe Gly Leu Lys
625 630 635 640

His Pro Pro Pro Gln Ile Leu Ile Lys Asn Thr Pro Val Pro Ala Asn
645 650 655

Pro Ser Thr Thr Phe Ser Ala Ala Lys Phe Ala Ser Phe Ile Thr Gln
660 665 670

Tyr Ser Thr Gly Gln Val Ser Val Glu Ile Glu Trp Glu Leu Gln Lys
675 680 685

Glu Asn Ser Lys Arg Trp Asn Pro Glu Ile Gln Tyr Thr Ser Asn Tyr
690 695 700

Asn Lys Ser Val Asn Val Asp Phe Thr Val Asp Thr Asn Gly Val Tyr
705 710 715 720

Ser Glu Pro Arg Pro Ile Gly Thr Arg Tyr Leu Thr Arg Asn Leu
725 730 735

<210> 3
<211> 736
<212> PRT
<213> adeno-associated virus

<400> 3

Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser
1 5 10 15

Glu Gly Ile Arg Glu Trp Trp Ala Leu Lys Pro Gly Val Pro Gln Pro
20 25 30

Lys Ala Asn Gln Gln His Gln Asp Asn Arg Arg Gly Leu Val Leu Pro
35 40 45

Gly Tyr Lys Tyr Leu Gly Pro Gly Asn Gly Leu Asp Lys Gly Glu Pro
50 55 60

Val Asn Glu Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp
65 70 75 80

Gln Gln Leu Lys Ala Gly Asp Asn Pro Tyr Leu Lys Tyr Asn His Ala
85 90 95

Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly
100 105 110

Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Ile Leu Glu Pro
115 120 125

Leu Gly Leu Val Glu Glu Ala Ala Lys Thr Ala Pro Gly Lys Lys Gly
130 135 140

Ala Val Asp Gln Ser Pro Gln Glu Pro Asp Ser Ser Ser Gly Val Gly
145 150 155 160

Lys Ser Gly Lys Gln Pro Ala Arg Lys Arg Leu Asn Phe Gly Gln Thr
165 170 175

Gly Asp Ser Glu Ser Val Pro Asp Pro Gln Pro Leu Gly Glu Pro Pro
180 185 190

Ala Ala Pro Thr Ser Leu Gly Ser Asn Thr Met Ala Ser Gly Gly Gly
195 200 205

Ala Pro Met Ala Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Asn Ser
210 215 220

Ser Gly Asn Trp His Cys Asp Ser Gln Trp Leu Gly Asp Arg Val Ile
225 230 235 240

Thr Thr Ser Thr Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His Leu
245 250 255

Tyr Lys Gln Ile Ser Ser Gln Ser Gly Ala Ser Asn Asp Asn His Tyr
260 265 270

Phe Gly Tyr Ser Thr Pro Trp Gly Tyr Phe Asp Phe Asn Arg Phe His
275 280 285

Cys His Phe Ser Pro Arg Asp Trp Gln Arg Leu Ile Asn Asn Asn Trp
290 295 300

Gly Phe Arg Pro Lys Lys Leu Ser Phe Lys Leu Phe Asn Ile Gln Val

305		310		315		320
Arg Gly Val Thr	Gln Asn Asp Gly Thr Thr Thr Ile Ala Asn Asn Leu	325		330		335
Thr Ser Thr Val	Gln Val Phe Thr Asp Ser Glu Tyr Gln Leu Pro Tyr	340		345		350
Val Leu Gly Ser	Ala His Gln Gly Cys Leu Pro Pro Phe Pro Ala Asp	355		360		365
Val Phe Met Val	Pro Gln Tyr Gly Tyr Leu Thr Leu Asn Asn Gly Ser	370		375		380
Gln Ala Val Gly	Arg Ser Ser Phe Tyr Cys Leu Glu Tyr Phe Pro Ser	385		390		400
Gln Met Leu Arg	Thr Gly Asn Asn Phe Gln Phe Ser Tyr Thr Phe Glu	405		410		415
Asp Val Pro Phe	His Ser Ser Tyr Ala His Ser Gln Ser Leu Asp Arg	420		425		430
Leu Met Asn Pro	Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu Asn Arg Thr	435		440		445
Gln Gly Thr Thr	Ser Gly Thr Thr Asn Gln Ser Arg Leu Leu Phe Ser	450		455		460
Gln Ala Gly Pro	Gln Ser Met Ser Leu Gln Ala Arg Asn Trp Leu Pro	465		470		480
Gly Pro Cys Tyr	Arg Gln Gln Arg Leu Ser Lys Thr Ala Asn Asp Asn	485		490		495
Asn Asn Ser Asn	Phe Pro Trp Thr Ala Ala Ser Lys Tyr His Leu Asn	500		505		510
Gly Arg Asp Ser	Leu Val Asn Pro Gly Pro Ala Met Ala Ser His Lys	515		520		525

Asp Asp Glu Glu Lys Phe Phe Pro Met His Gly Asn Leu Ile Phe Gly
530 535 540

Lys Glu Gly Thr Thr Ala Ser Asn Ala Glu Leu Asp Asn Val Met Ile
545 550 555 560

Thr Asp Glu Glu Glu Ile Arg Thr Thr Asn Pro Val Ala Thr Glu Gln
565 570 575

Tyr Gly Thr Val Ala Asn Asn Leu Gln Ser Ser Asn Thr Ala Pro Thr
580 585 590

Thr Gly Thr Val Asn His Gln Gly Ala Leu Pro Gly Met Val Trp Gln
595 600 605

Asp Arg Asp Val Tyr Leu Gln Gly Pro Ile Trp Ala Lys Ile Pro His
610 615 620

Thr Asp Gly His Phe His Pro Ser Pro Leu Met Gly Gly Phe Gly Leu
625 630 635 640

Lys His Pro Pro Pro Gln Ile Met Ile Lys Asn Thr Pro Val Pro Ala
645 650 655

Asn Pro Pro Thr Thr Phe Ser Pro Ala Lys Phe Ala Ser Phe Ile Thr
660 665 670

Gln Tyr Ser Thr Gly Gln Val Ser Val Glu Ile Glu Trp Glu Leu Gln
675 680 685

Lys Glu Asn Ser Lys Arg Trp Asn Pro Glu Ile Gln Tyr Thr Ser Asn
690 695 700

Tyr Asn Lys Ser Val Asn Val Asp Phe Thr Val Asp Thr Asn Gly Val
705 710 715 720

Tyr Ser Glu Pro Arg Pro Ile Gly Thr Arg Tyr Leu Thr Arg Asn Leu
725 730 735

<211> 734
<212> PRT
<213> adeno-associated virus

<400> 4

Met Thr Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser Glu
1 5 10 15

Gly Val Arg Glu Trp Trp Ala Leu Gln Pro Gly Ala Pro Lys Pro Lys
20 25 30

Ala Asn Gln Gln His Gln Asp Asn Ala Arg Gly Leu Val Leu Pro Gly
35 40 45

Tyr Lys Tyr Leu Gly Pro Gly Asn Gly Leu Asp Lys Gly Glu Pro Val
50 55 60

Asn Ala Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp Gln
65 70 75 80

Gln Leu Lys Ala Gly Asp Asn Pro Tyr Leu Lys Tyr Asn His Ala Asp
85 90 95

Ala Glu Phe Gln Gln Arg Leu Gln Gly Asp Thr Ser Phe Gly Gly Asn
100 105 110

Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro Leu
115 120 125

Gly Leu Val Glu Gln Ala Gly Glu Thr Ala Pro Gly Lys Lys Arg Pro
130 135 140

Leu Ile Glu Ser Pro Gln Gln Pro Asp Ser Ser Thr Gly Ile Gly Lys
145 150 155 160

Lys Gly Lys Gln Pro Ala Lys Lys Lys Leu Val Phe Glu Asp Glu Thr
165 170 175

Gly Ala Gly Asp Gly Pro Pro Glu Gly Ser Thr Ser Gly Ala Met Ser
180 185 190

Asp Asp Ser Glu Met Arg Ala Ala Ala Gly Gly Ala Ala Val Glu Gly
195 200 205

Gly Gln Gly Ala Asp Gly Val Gly Asn Ala Ser Gly Asp Trp His Cys
210 215 220

Asp Ser Thr Trp Ser Glu Gly His Val Thr Thr Thr Ser Thr Arg Thr
225 230 235 240

Trp Val Leu Pro Thr Tyr Asn Asn His Leu Tyr Lys Arg Leu Gly Glu
245 250 255

Ser Leu Gln Ser Asn Thr Tyr Asn Gly Phe Ser Thr Pro Trp Gly Tyr
260 265 270

Phe Asp Phe Asn Arg Phe His Cys His Phe Ser Pro Arg Asp Trp Gln
275 280 285

Arg Leu Ile Asn Asn Asn Trp Gly Met Arg Pro Lys Ala Met Arg Val
290 295 300

Lys Ile Phe Asn Ile Gln Val Lys Glu Val Thr Thr Ser Asn Gly Glu
305 310 315 320

Thr Thr Val Ala Asn Asn Leu Thr Ser Thr Val Gln Ile Phe Ala Asp
325 330 335

Ser Ser Tyr Glu Leu Pro Tyr Val Met Asp Ala Gly Gln Glu Gly Ser
340 345 350

Leu Pro Pro Phe Pro Asn Asp Val Phe Met Val Pro Gln Tyr Gly Tyr
355 360 365

Cys Gly Leu Val Thr Gly Asn Thr Ser Gln Gln Gln Thr Asp Arg Asn
370 375 380

Ala Phe Tyr Cys Leu Glu Tyr Phe Pro Ser Gln Met Leu Arg Thr Gly
385 390 395 400

Asn Asn Phe Glu Ile Thr Tyr Ser Phe Glu Lys Val Pro Phe His Ser
405 410 415

Met Tyr Ala His Ser Gln Ser Leu Asp Arg Leu Met Asn Pro Leu Ile
420 425 430

Asp Gln Tyr Leu Trp Gly Leu Gln Ser Thr Thr Thr Gly Thr Thr Leu
435 440 445

Asn Ala Gly Thr Ala Thr Thr Asn Phe Thr Lys Leu Arg Pro Thr Asn
450 455 460

Phe Ser Asn Phe Lys Lys Asn Trp Leu Pro Gly Pro Ser Ile Lys Gln
465 470 475 480

Gln Gly Phe Ser Lys Thr Ala Asn Gln Asn Tyr Lys Ile Pro Ala Thr
485 490 495

Gly Ser Asp Ser Leu Ile Lys Tyr Glu Thr His Ser Thr Leu Asp Gly
500 505 510

Arg Trp Ser Ala Leu Thr Pro Gly Pro Pro Met Ala Thr Ala Gly Pro
515 520 525

Ala Asp Ser Lys Phe Ser Asn Ser Gln Leu Ile Phe Ala Gly Pro Lys
530 535 540

Gln Asn Gly Asn Thr Ala Thr Val Pro Gly Thr Leu Ile Phe Thr Ser
545 550 555 560

Glu Glu Glu Leu Ala Ala Thr Asn Ala Thr Asp Thr Asp Met Trp Gly
565 570 575

Asn Leu Pro Gly Gly Asp Gln Ser Asn Ser Asn Leu Pro Thr Val Asp
580 585 590

Arg Leu Thr Ala Leu Gly Ala Val Pro Gly Met Val Trp Gln Asn Arg
595 600 605

Asp Ile Tyr Tyr Gln Gly Pro Ile Trp Ala Lys Ile Pro His Thr Asp
610 615 620

Gly His Phe His Pro Ser Pro Leu Ile Gly Gly Phe Gly Leu Lys His
625 630 635 640

Pro Pro Pro Gln Ile Phe Ile Lys Asn Thr Pro Val Pro Ala Asn Pro
645 650 655

Ala Thr Thr Phe Ser Ser Thr Pro Val Asn Ser Phe Ile Thr Gln Tyr
660 665 670

Ser Thr Gly Gln Val Ser Val Gln Ile Asp Trp Glu Ile Gln Lys Glu
675 680 685

Arg Ser Lys Arg Trp Asn Pro Glu Val Gln Phe Thr Ser Asn Tyr Gly
690 695 700

Gln Gln Asn Ser Leu Leu Trp Ala Pro Asp Ala Ala Gly Lys Tyr Thr
705 710 715 720

Glu Pro Arg Ala Ile Gly Thr Arg Tyr Leu Thr His His Leu
725 730

<210> 5
<211> 724
<212> PRT
<213> adeno-associated virus

<400> 5

Met Ser Phe Val Asp His Pro Pro Asp Trp Leu Glu Glu Val Gly Glu
1 5 10 15

Gly Leu Arg Glu Phe Leu Gly Leu Glu Ala Gly Pro Pro Lys Pro Lys
20 25 30

Pro Asn Gln Gln His Gln Asp Gln Ala Arg Gly Leu Val Leu Pro Gly
35 40 45

Tyr Asn Tyr Leu Gly Pro Gly Asn Gly Leu Asp Arg Gly Glu Pro Val
50 55 60

Asn Arg Ala Asp Glu Val Ala Arg Glu His Asp Ile Ser Tyr Asn Glu
65 70 75 80

Gln Leu Glu Ala Gly Asp Asn Pro Tyr Leu Lys Tyr Asn His Ala Asp
85 90 95

Ala Glu Phe Gln Glu Lys Leu Ala Asp Asp Thr Ser Phe Gly Gly Asn
100 105 110

Leu Gly Lys Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro Phe
115 120 125

Gly Leu Val Glu Glu Gly Ala Lys Thr Ala Pro Thr Gly Lys Arg Ile
130 135 140

Asp Asp His Phe Pro Lys Arg Lys Lys Ala Arg Thr Glu Glu Asp Ser
145 150 155 160

Lys Pro Ser Thr Ser Ser Asp Ala Glu Ala Gly Pro Ser Gly Ser Gln
165 170 175

Gln Leu Gln Ile Pro Ala Gln Pro Ala Ser Ser Leu Gly Ala Asp Thr
180 185 190

Met Ser Ala Gly Gly Gly Gly Pro Leu Gly Asp Asn Asn Gln Gly Ala
195 200 205

Asp Gly Val Gly Asn Ala Ser Gly Asp Trp His Cys Asp Ser Thr Trp
210 215 220

Met Gly Asp Arg Val Val Thr Lys Ser Thr Arg Thr Trp Val Leu Pro
225 230 235 240

Ser Tyr Asn Asn His Gln Tyr Arg Glu Ile Lys Ser Gly Ser Val Asp
245 250 255

Gly Ser Asn Ala Asn Ala Tyr Phe Gly Tyr Ser Thr Pro Trp Gly Tyr
260 265 270

Phe Asp Phe Asn Arg Phe His Ser His Trp Ser Pro Arg Asp Trp Gln
275 280 285

Arg Leu Ile Asn Asn Tyr Trp Gly Phe Arg Pro Arg Ser Leu Arg Val

290

295

300

Lys Ile Phe Asn Ile Gln Val Lys Glu Val Thr Val Gln Asp Ser Thr
 305 310 315 320

Thr Thr Ile Ala Asn Asn Leu Thr Ser Thr Val Gln Val Phe Thr Asp
 325 330 335

Asp Asp Tyr Gln Leu Pro Tyr Val Val Gly Asn Gly Thr Glu Gly Cys
 340 345 350

Leu Pro Ala Phe Pro Pro Gln Val Phe Thr Leu Pro Gln Tyr Gly Tyr
 355 360 365

Ala Thr Leu Asn Arg Asp Asn Thr Glu Asn Pro Thr Glu Arg Ser Ser
 370 375 380

Phe Phe Cys Leu Glu Tyr Phe Pro Ser Lys Met Leu Arg Thr Gly Asn
 385 390 395 400

Asn Phe Glu Phe Thr Tyr Asn Phe Glu Glu Val Pro Phe His Ser Ser
 405 410 415

Phe Ala Pro Ser Gln Asn Leu Phe Lys Leu Ala Asn Pro Leu Val Asp
 420 425 430

Gln Tyr Leu Tyr Arg Phe Val Ser Thr Asn Asn Thr Gly Gly Val Gln
 435 440 445

Phe Asn Lys Asn Leu Ala Gly Arg Tyr Ala Asn Thr Tyr Lys Asn Trp
 450 455 460

Phe Pro Gly Pro Met Gly Arg Thr Gln Gly Trp Asn Leu Gly Ser Gly
 465 470 475 480

Val Asn Arg Ala Ser Val Ser Ala Phe Ala Thr Thr Asn Arg Met Glu
 485 490 495

Leu Glu Gly Ala Ser Tyr Gln Val Pro Pro Gln Pro Asn Gly Met Thr
 500 505 510

Asn Asn Leu Gln Gly Ser Asn Thr Tyr Ala Leu Glu Asn Thr Met Ile
515 520 525

Phe Asn Ser Gln Pro Ala Asn Pro Gly Thr Thr Ala Thr Tyr Leu Glu
530 535 540

Gly Asn Met Leu Ile Thr Ser Glu Ser Glu Thr Gln Pro Val Asn Arg
545 550 555 560

Val Ala Tyr Asn Val Gly Gly Gln Met Ala Thr Asn Asn Gln Ser Ser
565 570 575

Thr Thr Ala Pro Ala Thr Gly Thr Tyr Asn Leu Gln Glu Ile Val Pro
580 585 590

Gly Ser Val Trp Met Glu Arg Asp Val Tyr Leu Gln Gly Pro Ile Trp
595 600 605

Ala Lys Ile Pro Glu Thr Gly Ala His Phe His Pro Ser Pro Ala Met
610 615 620

Gly Gly Phe Gly Leu Lys His Pro Pro Pro Met Met Leu Ile Lys Asn
625 630 635 640

Thr Pro Val Pro Gly Asn Ile Thr Ser Phe Ser Asp Val Pro Val Ser
645 650 655

Ser Phe Ile Thr Gln Tyr Ser Thr Gly Gln Val Thr Val Glu Met Glu
660 665 670

Trp Glu Leu Lys Lys Glu Asn Ser Lys Arg Trp Asn Pro Glu Ile Gln
675 680 685

Tyr Thr Asn Asn Tyr Asn Asp Pro Gln Phe Val Asp Phe Ala Pro Asp
690 695 700

Ser Thr Gly Glu Tyr Arg Thr Thr Arg Pro Ile Gly Thr Arg Tyr Leu
705 710 715 720

Thr Arg Pro Leu

<210> 6
<211> 736
<212> PRT
<213> adeno-associated virus

<400> 6

Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser
1 5 10 15

Glu Gly Ile Arg Glu Trp Trp Asp Leu Lys Pro Gly Ala Pro Lys Pro
20 25 30

Lys Ala Asn Gln Gln Lys Gln Asp Asp Gly Arg Gly Leu Val Leu Pro
35 40 45

Gly Tyr Lys Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro
50 55 60

Val Asn Ala Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp
65 70 75 80

Gln Gln Leu Lys Ala Gly Asp Asn Pro Tyr Leu Arg Tyr Asn His Ala
85 90 95

Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly
100 105 110

Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro
115 120 125

Phe Gly Leu Val Glu Glu Gly Ala Lys Thr Ala Pro Gly Lys Lys Arg
130 135 140

Pro Val Glu Gln Ser Pro Gln Glu Pro Asp Ser Ser Ser Gly Ile Gly
145 150 155 160

Lys Thr Gly Gln Gln Pro Ala Lys Lys Arg Leu Asn Phe Gly Gln Thr
165 170 175

Gly Asp Ser Glu Ser Val Pro Asp Pro Gln Pro Leu Gly Glu Pro Pro
180 185 190

Ala Thr Pro Ala Ala Val Gly Pro Thr Thr Met Ala Ser Gly Gly Gly
195 200 205

Ala Pro Met Ala Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Asn Ala
210 215 220

Ser Gly Asn Trp His Cys Asp Ser Thr Trp Leu Gly Asp Arg Val Ile
225 230 235 240

Thr Thr Ser Thr Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His Leu
245 250 255

Tyr Lys Gln Ile Ser Ser Ala Ser Thr Gly Ala Ser Asn Asp Asn His
260 265 270

Tyr Phe Gly Tyr Ser Thr Pro Trp Gly Tyr Phe Asp Phe Asn Arg Phe
275 280 285

His Cys His Phe Ser Pro Arg Asp Trp Gln Arg Leu Ile Asn Asn Asn
290 295 300

Trp Gly Phe Arg Pro Lys Arg Leu Asn Phe Lys Leu Phe Asn Ile Gln
305 310 315 320

Val Lys Glu Val Thr Thr Asn Asp Gly Val Thr Thr Ile Ala Asn Asn
325 330 335

Leu Thr Ser Thr Val Gln Val Phe Ser Asp Ser Glu Tyr Gln Leu Pro
340 345 350

Tyr Val Leu Gly Ser Ala His Gln Gly Cys Leu Pro Pro Phe Pro Ala
355 360 365

Asp Val Phe Met Ile Pro Gln Tyr Gly Tyr Leu Thr Leu Asn Asn Gly
370 375 380

Ser Gln Ala Val Gly Arg Ser Ser Phe Tyr Cys Leu Glu Tyr Phe Pro
385 390 395 400

Ser Gln Met Leu Arg Thr Gly Asn Asn Phe Thr Phe Ser Tyr Thr Phe
405 410 415

Glu Asp Val Pro Phe His Ser Ser Tyr Ala His Ser Gln Ser Leu Asp
420 425 430

Arg Leu Met Asn Pro Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu Asn Arg
435 440 445

Thr Gln Asn Gln Ser Gly Ser Ala Gln Asn Lys Asp Leu Leu Phe Ser
450 455 460

Arg Gly Ser Pro Ala Gly Met Ser Val Gln Pro Lys Asn Trp Leu Pro
465 470 475 480

Gly Pro Cys Tyr Arg Gln Gln Arg Val Ser Lys Thr Lys Thr Asp Asn
485 490 495

Asn Asn Ser Asn Phe Thr Trp Thr Gly Ala Ser Lys Tyr Asn Leu Asn
500 505 510

Gly Arg Glu Ser Ile Ile Asn Pro Gly Thr Ala Met Ala Ser His Lys
515 520 525

Asp Asp Lys Asp Lys Phe Phe Pro Met Ser Gly Val Met Ile Phe Gly
530 535 540

Lys Glu Ser Ala Gly Ala Ser Asn Thr Ala Leu Asp Asn Val Met Ile
545 550 555 560

Thr Asp Glu Glu Glu Ile Lys Ala Thr Asn Pro Val Ala Thr Glu Arg
565 570 575

Phe Gly Thr Val Ala Val Asn Leu Gln Ser Ser Ser Thr Asp Pro Ala
580 585 590

Thr Gly Asp Val His Val Met Gly Ala Leu Pro Gly Met Val Trp Gln
595 600 605

Asp Arg Asp Val Tyr Leu Gln Gly Pro Ile Trp Ala Lys Ile Pro His
610 615 620

Thr Asp Gly His Phe His Pro Ser Pro Leu Met Gly Gly Phe Gly Leu
625 630 635 640

Lys His Pro Pro Pro Gln Ile Leu Ile Lys Asn Thr Pro Val Pro Ala
645 650 655

Asn Pro Pro Ala Glu Phe Ser Ala Thr Lys Phe Ala Ser Phe Ile Thr
660 665 670

Gln Tyr Ser Thr Gly Gln Val Ser Val Glu Ile Glu Trp Glu Leu Gln
675 680 685

Lys Glu Asn Ser Lys Arg Trp Asn Pro Glu Val Gln Tyr Thr Ser Asn
690 695 700

Tyr Ala Lys Ser Ala Asn Val Asp Phe Thr Val Asp Asn Asn Gly Leu
705 710 715 720

Tyr Thr Glu Pro Arg Pro Ile Gly Thr Arg Tyr Leu Thr Arg Pro Leu
725 730 735

<210> 7
<211> 737
<212> PRT
<213> adeno-associated virus

<400> 7

Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser
1 5 10 15

Glu Gly Ile Arg Glu Trp Trp Asp Leu Lys Pro Gly Ala Pro Lys Pro
20 25 30

Lys Ala Asn Gln Gln Lys Gln Asp Asn Gly Arg Gly Leu Val Leu Pro
35 40 45

Gly Tyr Lys Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro
50 55 60

Val Asn Ala Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp
65 70 75 80

Gln Gln Leu Lys Ala Gly Asp Asn Pro Tyr Leu Arg Tyr Asn His Ala
85 90 95

Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly
100 105 110

Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro
115 120 125

Leu Gly Leu Val Glu Glu Gly Ala Lys Thr Ala Pro Ala Lys Lys Arg
130 135 140

Pro Val Glu Pro Ser Pro Gln Arg Ser Pro Asp Ser Ser Thr Gly Ile
145 150 155 160

Gly Lys Lys Gly Gln Gln Pro Ala Arg Lys Arg Leu Asn Phe Gly Gln
165 170 175

Thr Gly Asp Ser Glu Ser Val Pro Asp Pro Gln Pro Leu Gly Glu Pro
180 185 190

Pro Ala Ala Pro Ser Ser Val Gly Ser Gly Thr Val Ala Ala Gly Gly
195 200 205

Gly Ala Pro Met Ala Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Asn
210 215 220

Ala Ser Gly Asn Trp His Cys Asp Ser Thr Trp Leu Gly Asp Arg Val
225 230 235 240

Ile Thr Thr Ser Thr Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His
245 250 255

Leu Tyr Lys Gln Ile Ser Ser Glu Thr Ala Gly Ser Thr Asn Asp Asn
260 265 270

Thr Tyr Phe Gly Tyr Ser Thr Pro Trp Gly Tyr Phe Asp Phe Asn Arg

275

280

285

Phe His Cys His Phe Ser Pro Arg Asp Trp Gln Arg Leu Ile Asn Asn
 290 295 300

Asn Trp Gly Phe Arg Pro Lys Lys Leu Arg Phe Lys Leu Phe Asn Ile
 305 310 315 320

Gln Val Lys Glu Val Thr Thr Asn Asp Gly Val Thr Thr Ile Ala Asn
 325 330 335

Asn Leu Thr Ser Thr Ile Gln Val Phe Ser Asp Ser Glu Tyr Gln Leu
 340 345 350

Pro Tyr Val Leu Gly Ser Ala His Gln Gly Cys Leu Pro Pro Phe Pro
 355 360 365

Ala Asp Val Phe Met Ile Pro Gln Tyr Gly Tyr Leu Thr Leu Asn Asn
 370 375 380

Gly Ser Gln Ser Val Gly Arg Ser Ser Phe Tyr Cys Leu Glu Tyr Phe
 385 390 395 400

Pro Ser Gln Met Leu Arg Thr Gly Asn Asn Phe Glu Phe Ser Tyr Ser
 405 410 415

Phe Glu Asp Val Pro Phe His Ser Ser Tyr Ala His Ser Gln Ser Leu
 420 425 430

Asp Arg Leu Met Asn Pro Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu Ala
 435 440 445

Arg Thr Gln Ser Asn Pro Gly Gly Thr Ala Gly Asn Arg Glu Leu Gln
 450 455 460

Phe Tyr Gln Gly Gly Pro Ser Thr Met Ala Glu Gln Ala Lys Asn Trp
 465 470 475 480

Leu Pro Gly Pro Cys Phe Arg Gln Gln Arg Val Ser Lys Thr Leu Asp
 485 490 495

Gln Asn Asn Asn Ser Asn Phe Ala Trp Thr Gly Ala Thr Lys Tyr His
500 505 510

Leu Asn Gly Arg Asn Ser Leu Val Asn Pro Gly Val Ala Met Ala Thr
515 520 525

His Lys Asp Asp Glu Asp Arg Phe Phe Pro Ser Ser Gly Val Leu Ile
530 535 540

Phe Gly Lys Thr Gly Ala Thr Asn Lys Thr Thr Leu Glu Asn Val Leu
545 550 555 560

Met Thr Asn Glu Glu Glu Ile Arg Pro Thr Asn Pro Val Ala Thr Glu
565 570 575

Glu Tyr Gly Ile Val Ser Ser Asn Leu Gln Ala Ala Asn Thr Ala Ala
580 585 590

Gln Thr Gln Val Val Asn Asn Gln Gly Ala Leu Pro Gly Met Val Trp
595 600 605

Gln Asn Arg Asp Val Tyr Leu Gln Gly Pro Ile Trp Ala Lys Ile Pro
610 615 620

His Thr Asp Gly Asn Phe His Pro Ser Pro Leu Met Gly Gly Phe Gly
625 630 635 640

Leu Lys His Pro Pro Pro Gln Ile Leu Ile Lys Asn Thr Pro Val Pro
645 650 655

Ala Asn Pro Pro Glu Val Phe Thr Pro Ala Lys Phe Ala Ser Phe Ile
660 665 670

Thr Gln Tyr Ser Thr Gly Gln Val Ser Val Glu Ile Glu Trp Glu Leu
675 680 685

Gln Lys Glu Asn Ser Lys Arg Trp Asn Pro Glu Ile Gln Tyr Thr Ser
690 695 700

Asn Phe Glu Lys Gln Thr Gly Val Asp Phe Ala Val Asp Ser Gln Gly

705		710		715		720
Val	Tyr	Ser	Glu	Pro	Arg	Pro
				725		
					Ile	Gly
					730	
					Thr	Arg
					Tyr	Leu
					Thr	Arg
						735
						Asn

Leu

<210> 8
 <211> 738
 <212> PRT
 <213> adeno-associated virus

<400> 8

Met	Ala	Ala	Asp	Gly	Tyr	Leu	Pro	Asp	Trp	Leu	Glu	Asp	Asn	Leu	Ser
1				5					10					15	

Glu	Gly	Ile	Arg	Glu	Trp	Trp	Ala	Leu	Lys	Pro	Gly	Ala	Pro	Lys	Pro
			20					25					30		

Lys	Ala	Asn	Gln	Gln	Lys	Gln	Asp	Asp	Gly	Arg	Gly	Leu	Val	Leu	Pro
		35					40					45			

Gly	Tyr	Lys	Tyr	Leu	Gly	Pro	Phe	Asn	Gly	Leu	Asp	Lys	Gly	Glu	Pro
	50					55					60				

Val	Asn	Ala	Ala	Asp	Ala	Ala	Ala	Leu	Glu	His	Asp	Lys	Ala	Tyr	Asp
65					70					75					80

Gln	Gln	Leu	Gln	Ala	Gly	Asp	Asn	Pro	Tyr	Leu	Arg	Tyr	Asn	His	Ala
				85					90					95	

Asp	Ala	Glu	Phe	Gln	Glu	Arg	Leu	Gln	Glu	Asp	Thr	Ser	Phe	Gly	Gly
			100					105					110		

Asn	Leu	Gly	Arg	Ala	Val	Phe	Gln	Ala	Lys	Lys	Arg	Val	Leu	Glu	Pro
		115					120					125			

Leu	Gly	Leu	Val	Glu	Glu	Gly	Ala	Lys	Thr	Ala	Pro	Gly	Lys	Lys	Arg
	130					135					140				

Pro Val Glu Pro Ser Pro Gln Arg Ser Pro Asp Ser Ser Thr Gly Ile
145 150 155 160

Gly Lys Lys Gly Gln Gln Pro Ala Arg Lys Arg Leu Asn Phe Gly Gln
165 170 175

Thr Gly Asp Ser Glu Ser Val Pro Asp Pro Gln Pro Leu Gly Glu Pro
180 185 190

Pro Ala Ala Pro Ser Gly Val Gly Pro Asn Thr Met Ala Ala Gly Gly
195 200 205

Gly Ala Pro Met Ala Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Ser
210 215 220

Ser Ser Gly Asn Trp His Cys Asp Ser Thr Trp Leu Gly Asp Arg Val
225 230 235 240

Ile Thr Thr Ser Thr Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His
245 250 255

Leu Tyr Lys Gln Ile Ser Asn Gly Thr Ser Gly Gly Ala Thr Asn Asp
260 265 270

Asn Thr Tyr Phe Gly Tyr Ser Thr Pro Trp Gly Tyr Phe Asp Phe Asn
275 280 285

Arg Phe His Cys His Phe Ser Pro Arg Asp Trp Gln Arg Leu Ile Asn
290 295 300

Asn Asn Trp Gly Phe Arg Pro Lys Arg Leu Ser Phe Lys Leu Phe Asn
305 310 315 320

Ile Gln Val Lys Glu Val Thr Gln Asn Glu Gly Thr Lys Thr Ile Ala
325 330 335

Asn Asn Leu Thr Ser Thr Ile Gln Val Phe Thr Asp Ser Glu Tyr Gln
340 345 350

Leu Pro Tyr Val Leu Gly Ser Ala His Gln Gly Cys Leu Pro Pro Phe
355 360 365

Pro Ala Asp Val Phe Met Ile Pro Gln Tyr Gly Tyr Leu Thr Leu Asn
370 375 380

Asn Gly Ser Gln Ala Val Gly Arg Ser Ser Phe Tyr Cys Leu Glu Tyr
385 390 395 400

Phe Pro Ser Gln Met Leu Arg Thr Gly Asn Asn Phe Gln Phe Thr Tyr
405 410 415

Thr Phe Glu Asp Val Pro Phe His Ser Ser Tyr Ala His Ser Gln Ser
420 425 430

Leu Asp Arg Leu Met Asn Pro Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu
435 440 445

Ser Arg Thr Gln Thr Thr Gly Gly Thr Ala Asn Thr Gln Thr Leu Gly
450 455 460

Phe Ser Gln Gly Gly Pro Asn Thr Met Ala Asn Gln Ala Lys Asn Trp
465 470 475 480

Leu Pro Gly Pro Cys Tyr Arg Gln Gln Arg Val Ser Thr Thr Thr Gly
485 490 495

Gln Asn Asn Asn Ser Asn Phe Ala Trp Thr Ala Gly Thr Lys Tyr His
500 505 510

Leu Asn Gly Arg Asn Ser Leu Ala Asn Pro Gly Ile Ala Met Ala Thr
515 520 525

His Lys Asp Asp Glu Glu Arg Phe Phe Pro Ser Asn Gly Ile Leu Ile
530 535 540

Phe Gly Lys Gln Asn Ala Ala Arg Asp Asn Ala Asp Tyr Ser Asp Val
545 550 555 560

Met Leu Thr Ser Glu Glu Glu Ile Lys Thr Thr Asn Pro Val Ala Thr
565 570 575

Glu Glu Tyr Gly Ile Val Ala Asp Asn Leu Gln Gln Gln Asn Thr Ala
580 585 590

Pro Gln Ile Gly Thr Val Asn Ser Gln Gly Ala Leu Pro Gly Met Val
595 600 605

Trp Gln Asn Arg Asp Val Tyr Leu Gln Gly Pro Ile Trp Ala Lys Ile
610 615 620

Pro His Thr Asp Gly Asn Phe His Pro Ser Pro Leu Met Gly Gly Phe
625 630 635 640

Gly Leu Lys His Pro Pro Pro Gln Ile Leu Ile Lys Asn Thr Pro Val
645 650 655

Pro Ala Asp Pro Pro Thr Thr Phe Asn Gln Ser Lys Leu Asn Ser Phe
660 665 670

Ile Thr Gln Tyr Ser Thr Gly Gln Val Ser Val Glu Ile Glu Trp Glu
675 680 685

Leu Gln Lys Glu Asn Ser Lys Arg Trp Asn Pro Glu Ile Gln Tyr Thr
690 695 700

Ser Asn Tyr Tyr Lys Ser Thr Ser Val Asp Phe Ala Val Asn Thr Glu
705 710 715 720

Gly Val Tyr Ser Glu Pro Arg Pro Ile Gly Thr Arg Tyr Leu Thr Arg
725 730 735

Asn Leu

<210> 9

<211> 736

<212> PRT

<213> adeno-associated virus

<400> 9

Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser
1 5 10 15

Glu Gly Ile Arg Glu Trp Trp Ala Leu Lys Pro Gly Ala Pro Gln Pro
20 25 30

Lys Ala Asn Gln Gln His Gln Asp Asn Ala Arg Gly Leu Val Leu Pro
35 40 45

Gly Tyr Lys Tyr Leu Gly Pro Gly Asn Gly Leu Asp Lys Gly Glu Pro
50 55 60

Val Asn Ala Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp
65 70 75 80

Gln Gln Leu Lys Ala Gly Asp Asn Pro Tyr Leu Lys Tyr Asn His Ala
85 90 95

Asp Ala Glu Phe Gln Glu Arg Leu Lys Glu Asp Thr Ser Phe Gly Gly
100 105 110

Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Leu Leu Glu Pro
115 120 125

Leu Gly Leu Val Glu Glu Ala Ala Lys Thr Ala Pro Gly Lys Lys Arg
130 135 140

Pro Val Glu Gln Ser Pro Gln Glu Pro Asp Ser Ser Ala Gly Ile Gly
145 150 155 160

Lys Ser Gly Ala Gln Pro Ala Lys Lys Arg Leu Asn Phe Gly Gln Thr
165 170 175

Gly Asp Thr Glu Ser Val Pro Asp Pro Gln Pro Ile Gly Glu Pro Pro
180 185 190

Ala Ala Pro Ser Gly Val Gly Ser Leu Thr Met Ala Ser Gly Gly Gly
195 200 205

Ala Pro Val Ala Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Ser Ser
210 215 220

Ser Gly Asn Trp His Cys Asp Ser Gln Trp Leu Gly Asp Arg Val Ile

225		230		235		240									
Thr	Thr	Ser	Thr	Arg	Thr	Trp	Ala	Leu	Pro	Thr	Tyr	Asn	Asn	His	Leu
				245					250					255	
Tyr	Lys	Gln	Ile	Ser	Asn	Ser	Thr	Ser	Gly	Gly	Ser	Ser	Asn	Asp	Asn
			260					265					270		
Ala	Tyr	Phe	Gly	Tyr	Ser	Thr	Pro	Trp	Gly	Tyr	Phe	Asp	Phe	Asn	Arg
		275					280					285			
Phe	His	Cys	His	Phe	Ser	Pro	Arg	Asp	Trp	Gln	Arg	Leu	Ile	Asn	Asn
	290					295					300				
Asn	Trp	Gly	Phe	Arg	Pro	Lys	Arg	Leu	Asn	Phe	Lys	Leu	Phe	Asn	Ile
305					310					315					320
Gln	Val	Lys	Glu	Val	Thr	Asp	Asn	Asn	Gly	Val	Lys	Thr	Ile	Ala	Asn
				325					330					335	
Asn	Leu	Thr	Ser	Thr	Val	Gln	Val	Phe	Thr	Asp	Ser	Asp	Tyr	Gln	Leu
			340					345					350		
Pro	Tyr	Val	Leu	Gly	Ser	Ala	His	Glu	Gly	Cys	Leu	Pro	Pro	Phe	Pro
		355					360					365			
Ala	Asp	Val	Phe	Met	Ile	Pro	Gln	Tyr	Gly	Tyr	Leu	Thr	Leu	Asn	Asp
	370					375					380				
Gly	Ser	Gln	Ala	Val	Gly	Arg	Ser	Ser	Phe	Tyr	Cys	Leu	Glu	Tyr	Phe
385					390					395					400
Pro	Ser	Gln	Met	Leu	Arg	Thr	Gly	Asn	Asn	Phe	Gln	Phe	Ser	Tyr	Glu
			405						410					415	
Phe	Glu	Asn	Val	Pro	Phe	His	Ser	Ser	Tyr	Ala	His	Ser	Gln	Ser	Leu
			420					425					430		
Asp	Arg	Leu	Met	Asn	Pro	Leu	Ile	Asp	Gln	Tyr	Leu	Tyr	Tyr	Leu	Ser
		435					440					445			

Lys Thr Ile Asn Gly Ser Gly Gln Asn Gln Gln Thr Leu Lys Phe Ser
450 455 460

Val Ala Gly Pro Ser Asn Met Ala Val Gln Gly Arg Asn Tyr Ile Pro
465 470 475 480

Gly Pro Ser Tyr Arg Gln Gln Arg Val Ser Thr Thr Val Thr Gln Asn
485 490 495

Asn Asn Ser Glu Phe Ala Trp Pro Gly Ala Ser Ser Trp Ala Leu Asn
500 505 510

Gly Arg Asn Ser Leu Met Asn Pro Gly Pro Ala Met Ala Ser His Lys
515 520 525

Glu Gly Glu Asp Arg Phe Phe Pro Leu Ser Gly Ser Leu Ile Phe Gly
530 535 540

Lys Gln Gly Thr Gly Arg Asp Asn Val Asp Ala Asp Lys Val Met Ile
545 550 555 560

Thr Asn Glu Glu Glu Ile Lys Thr Thr Asn Pro Val Ala Thr Glu Ser
565 570 575

Tyr Gly Gln Val Ala Thr Asn His Gln Ser Ala Gln Ala Gln Ala Gln
580 585 590

Thr Gly Trp Val Gln Asn Gln Gly Ile Leu Pro Gly Met Val Trp Gln
595 600 605

Asp Arg Asp Val Tyr Leu Gln Gly Pro Ile Trp Ala Lys Ile Pro His
610 615 620

Thr Asp Gly Asn Phe His Pro Ser Pro Leu Met Gly Gly Phe Gly Met
625 630 635 640

Lys His Pro Pro Pro Gln Ile Leu Ile Lys Asn Thr Pro Val Pro Ala
645 650 655

Asp Pro Pro Thr Ala Phe Asn Lys Asp Lys Leu Asn Ser Phe Ile Thr

660

665

670

Gln Tyr Ser Thr Gly Gln Val Ser Val Glu Ile Glu Trp Glu Leu Gln
 675 680 685

Lys Glu Asn Ser Lys Arg Trp Asn Pro Glu Ile Gln Tyr Thr Ser Asn
 690 695 700

Tyr Tyr Lys Ser Asn Asn Val Glu Phe Ala Val Asn Thr Glu Gly Val
 705 710 715 720

Tyr Ser Glu Pro Arg Pro Ile Gly Thr Arg Tyr Leu Thr Arg Asn Leu
 725 730 735

<210> 10

<211> 736

<212> PRT

<213> adeno-associated virus

<400> 10

Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser
 1 5 10 15

Glu Gly Ile Arg Glu Trp Trp Asp Leu Lys Pro Gly Ala Pro Lys Pro
 20 25 30

Lys Ala Asn Gln Gln Lys Gln Asp Asp Gly Arg Gly Leu Val Leu Pro
 35 40 45

Gly Tyr Lys Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro
 50 55 60

Val Asn Ala Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp
 65 70 75 80

Gln Gln Leu Lys Ala Gly Asp Asn Pro Tyr Leu Arg Tyr Asn His Ala
 85 90 95

Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly
 100 105 110

Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro
115 120 125

Leu Gly Leu Val Glu Glu Gly Ala Lys Thr Ala Pro Gly Lys Lys Arg
130 135 140

Pro Val Glu Gln Ser Pro Gln Glu Pro Asp Ser Ser Ser Gly Ile Gly
145 150 155 160

Lys Thr Gly Gln Gln Pro Ala Lys Lys Arg Leu Asn Phe Gly Gln Thr
165 170 175

Gly Asp Ser Glu Ser Val Pro Asp Pro Gln Pro Leu Gly Glu Pro Pro
180 185 190

Ala Ala Pro Ser Gly Leu Gly Pro Asn Thr Met Ala Ser Gly Gly Gly
195 200 205

Ala Pro Met Ala Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Asn Ser
210 215 220

Ser Gly Asn Trp His Cys Asp Ser Thr Trp Leu Gly Asp Arg Val Ile
225 230 235 240

Thr Thr Ser Thr Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His Leu
245 250 255

Tyr Lys Gln Ile Ser Asn Gly Thr Ser Gly Gly Ser Thr Asn Asp Asn
260 265 270

Thr Tyr Phe Gly Tyr Ser Thr Pro Trp Gly Tyr Phe Asp Phe Asn Arg
275 280 285

Phe His Cys His Phe Ser Pro Arg Asp Trp Gln Arg Leu Ile Asn Asn
290 295 300

Asn Trp Gly Phe Arg Pro Lys Arg Leu Asn Phe Lys Leu Phe Asn Ile
305 310 315 320

Gln Val Lys Glu Val Thr Thr Asn Glu Gly Thr Lys Thr Ile Ala Asn
325 330 335

Asn Leu Thr Ser Thr Val Gln Val Phe Thr Asp Ser Glu Tyr Gln Leu
340 345 350

Pro Tyr Val Leu Gly Ser Ala His Gln Gly Cys Leu Pro Pro Phe Pro
355 360 365

Ala Asp Val Phe Met Val Pro Gln Tyr Gly Tyr Leu Thr Leu Asn Asn
370 375 380

Gly Ser Gln Ala Leu Gly Arg Ser Ser Phe Tyr Cys Leu Glu Tyr Phe
385 390 395 400

Pro Ser Gln Met Leu Arg Thr Gly Asn Asn Phe Gln Phe Ser Tyr Thr
405 410 415

Phe Glu Asp Val Pro Phe His Ser Ser Tyr Ala His Ser Gln Ser Leu
420 425 430

Asp Arg Leu Met Asn Pro Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu Val
435 440 445

Arg Thr Gln Thr Thr Gly Thr Gly Gly Thr Gln Thr Leu Ala Phe Ser
450 455 460

Gln Ala Gly Pro Ser Ser Met Ala Asn Gln Ala Arg Asn Trp Val Pro
465 470 475 480

Gly Pro Cys Tyr Arg Gln Gln Arg Val Ser Thr Thr Thr Asn Gln Asn
485 490 495

Asn Asn Ser Asn Phe Ala Trp Thr Gly Ala Ala Lys Phe Lys Leu Asn
500 505 510

Gly Arg Asp Ser Leu Met Asn Pro Gly Val Ala Met Ala Ser His Lys
515 520 525

Asp Asp Asp Asp Arg Phe Phe Pro Ser Ser Gly Val Leu Ile Phe Gly
530 535 540

Lys Gln Gly Ala Gly Asn Asp Gly Val Asp Tyr Ser Gln Val Leu Ile
545 550 555 560

Thr Asp Glu Glu Glu Ile Lys Ala Thr Asn Pro Val Ala Thr Glu Glu
565 570 575

Tyr Gly Ala Val Ala Ile Asn Asn Gln Ala Ala Asn Thr Gln Ala Gln
580 585 590

Thr Gly Leu Val His Asn Gln Gly Val Ile Pro Gly Met Val Trp Gln
595 600 605

Asn Arg Asp Val Tyr Leu Gln Gly Pro Ile Trp Ala Lys Ile Pro His
610 615 620

Thr Asp Gly Asn Phe His Pro Ser Pro Leu Met Gly Gly Phe Gly Leu
625 630 635 640

Lys His Pro Pro Pro Gln Ile Leu Ile Lys Asn Thr Pro Val Pro Ala
645 650 655

Asp Pro Pro Leu Thr Phe Asn Gln Ala Lys Leu Asn Ser Phe Ile Thr
660 665 670

Gln Tyr Ser Thr Gly Gln Val Ser Val Glu Ile Glu Trp Glu Leu Gln
675 680 685

Lys Glu Asn Ser Lys Arg Trp Asn Pro Glu Ile Gln Tyr Thr Ser Asn
690 695 700

Tyr Tyr Lys Ser Thr Asn Val Asp Phe Ala Val Asn Thr Glu Gly Val
705 710 715 720

Tyr Ser Glu Pro Arg Pro Ile Gly Thr Arg Tyr Leu Thr Arg Asn Leu
725 730 735

<210> 11

<211> 738

<212> PRT

<213> adeno-associated virus

<400> 11

Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser
1 5 10 15

Glu Gly Ile Arg Glu Trp Trp Asp Leu Lys Pro Gly Ala Pro Lys Pro
20 25 30

Lys Ala Asn Gln Gln Lys Gln Asp Asp Gly Arg Gly Leu Val Leu Pro
35 40 45

Gly Tyr Lys Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro
50 55 60

Val Asn Ala Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp
65 70 75 80

Gln Gln Leu Lys Ala Gly Asp Asn Pro Tyr Leu Arg Tyr Asn His Ala
85 90 95

Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly
100 105 110

Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro
115 120 125

Leu Gly Leu Val Glu Glu Gly Ala Lys Thr Ala Pro Gly Lys Lys Arg
130 135 140

Pro Val Glu Pro Ser Pro Gln Arg Ser Pro Asp Ser Ser Thr Gly Ile
145 150 155 160

Gly Lys Lys Gly Gln Gln Pro Ala Lys Lys Arg Leu Asn Phe Gly Gln
165 170 175

Thr Gly Asp Ser Glu Ser Val Pro Asp Pro Gln Pro Ile Gly Glu Pro
180 185 190

Pro Ala Gly Pro Ser Gly Leu Gly Ser Gly Thr Met Ala Ala Gly Gly
195 200 205

Gly Ala Pro Met Ala Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Ser

210

215

220

Ser Ser Gly Asn Trp His Cys Asp Ser Thr Trp Leu Gly Asp Arg Val
 225 230 235 240

Ile Thr Thr Ser Thr Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His
 245 250 255

Leu Tyr Lys Gln Ile Ser Asn Gly Thr Ser Gly Gly Ser Thr Asn Asp
 260 265 270

Asn Thr Tyr Phe Gly Tyr Ser Thr Pro Trp Gly Tyr Phe Asp Phe Asn
 275 280 285

Arg Phe His Cys His Phe Ser Pro Arg Asp Trp Gln Arg Leu Ile Asn
 290 295 300

Asn Asn Trp Gly Phe Arg Pro Lys Arg Leu Asn Phe Lys Leu Phe Asn
 305 310 315 320

Ile Gln Val Lys Glu Val Thr Gln Asn Glu Gly Thr Lys Thr Ile Ala
 325 330 335

Asn Asn Leu Thr Ser Thr Ile Gln Val Phe Thr Asp Ser Glu Tyr Gln
 340 345 350

Leu Pro Tyr Val Leu Gly Ser Ala His Gln Gly Cys Leu Pro Pro Phe
 355 360 365

Pro Ala Asp Val Phe Met Ile Pro Gln Tyr Gly Tyr Leu Thr Leu Asn
 370 375 380

Asn Gly Ser Gln Ala Val Gly Arg Ser Ser Phe Tyr Cys Leu Glu Tyr
 385 390 395 400

Phe Pro Ser Gln Met Leu Arg Thr Gly Asn Asn Phe Glu Phe Ser Tyr
 405 410 415

Gln Phe Glu Asp Val Pro Phe His Ser Ser Tyr Ala His Ser Gln Ser
 420 425 430

Leu Asp Arg Leu Met Asn Pro Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu
435 440 445

Ser Arg Thr Gln Ser Thr Gly Gly Thr Ala Gly Thr Gln Gln Leu Leu
450 455 460

Phe Ser Gln Ala Gly Pro Asn Asn Met Ser Ala Gln Ala Lys Asn Trp
465 470 475 480

Leu Pro Gly Pro Cys Tyr Arg Gln Gln Arg Val Ser Thr Thr Leu Ser
485 490 495

Gln Asn Asn Asn Ser Asn Phe Ala Trp Thr Gly Ala Thr Lys Tyr His
500 505 510

Leu Asn Gly Arg Asp Ser Leu Val Asn Pro Gly Val Ala Met Ala Thr
515 520 525

His Lys Asp Asp Glu Glu Arg Phe Phe Pro Ser Ser Gly Val Leu Met
530 535 540

Phe Gly Lys Gln Gly Ala Gly Lys Asp Asn Val Asp Tyr Ser Ser Val
545 550 555 560

Met Leu Thr Ser Glu Glu Glu Ile Lys Thr Thr Asn Pro Val Ala Thr
565 570 575

Glu Gln Tyr Gly Val Val Ala Asp Asn Leu Gln Gln Gln Asn Ala Ala
580 585 590

Pro Ile Val Gly Ala Val Asn Ser Gln Gly Ala Leu Pro Gly Met Val
595 600 605

Trp Gln Asn Arg Asp Val Tyr Leu Gln Gly Pro Ile Trp Ala Lys Ile
610 615 620

Pro His Thr Asp Gly Asn Phe His Pro Ser Pro Leu Met Gly Gly Phe
625 630 635 640

Gly Leu Lys His Pro Pro Pro Gln Ile Leu Ile Lys Asn Thr Pro Val

645

650

655

Pro Ala Asp Pro Pro Thr Thr Phe Ser Gln Ala Lys Leu Ala Ser Phe
 660 665 670

Ile Thr Gln Tyr Ser Thr Gly Gln Val Ser Val Glu Ile Glu Trp Glu
 675 680 685

Leu Gln Lys Glu Asn Ser Lys Arg Trp Asn Pro Glu Ile Gln Tyr Thr
 690 695 700

Ser Asn Tyr Tyr Lys Ser Thr Asn Val Asp Phe Ala Val Asn Thr Asp
 705 710 715 720

Gly Thr Tyr Ser Glu Pro Arg Pro Ile Gly Thr Arg Tyr Leu Thr Arg
 725 730 735

Asn Leu

<210> 12

<211> 738

<212> PRT

<213> adeno-associated virus

<400> 12

Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser
 1 5 10 15

Glu Gly Ile Arg Glu Trp Trp Asp Leu Lys Pro Gly Ala Pro Lys Pro
 20 25 30

Lys Ala Asn Gln Gln Lys Gln Asp Asp Gly Arg Gly Leu Val Leu Pro
 35 40 45

Gly Tyr Lys Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro
 50 55 60

Val Asn Ala Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp
 65 70 75 80

Gln Gln Leu Lys Ala Gly Asp Asn Pro Tyr Leu Arg Tyr Asn His Ala
85 90 95

Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly
100 105 110

Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro
115 120 125

Leu Gly Leu Val Glu Glu Ala Ala Lys Thr Ala Pro Gly Lys Lys Arg
130 135 140

Pro Val Glu Pro Ser Pro Gln Arg Ser Pro Asp Ser Ser Thr Gly Ile
145 150 155 160

Gly Lys Lys Gly Gln Gln Pro Ala Lys Lys Arg Leu Asn Phe Gly Gln
165 170 175

Thr Gly Glu Ser Glu Ser Val Pro Asp Pro Gln Pro Ile Gly Glu Pro
180 185 190

Pro Ala Gly Pro Ser Gly Leu Gly Ser Gly Thr Met Ala Ala Gly Gly
195 200 205

Gly Ala Pro Met Ala Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Ser
210 215 220

Ser Ser Gly Asn Trp His Cys Asp Ser Thr Trp Leu Gly Asp Arg Val
225 230 235 240

Ile Thr Thr Ser Thr Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His
245 250 255

Leu Tyr Lys Gln Ile Ser Asn Gly Thr Ser Gly Gly Ser Thr Asn Asp
260 265 270

Asn Thr Tyr Phe Gly Tyr Ser Thr Pro Trp Gly Tyr Phe Asp Phe Asn
275 280 285

Arg Phe His Cys His Phe Ser Pro Arg Asp Trp Gln Arg Leu Ile Asn
290 295 300

Asn Asn Trp Gly Phe Arg Pro Lys Arg Leu Ser Phe Lys Leu Phe Asn
305 310 315 320

Ile Gln Val Lys Glu Val Thr Gln Asn Glu Gly Thr Lys Thr Ile Ala
325 330 335

Asn Asn Leu Thr Ser Thr Ile Gln Val Phe Thr Asp Ser Glu Tyr Gln
340 345 350

Leu Pro Tyr Val Leu Gly Ser Ala His Gln Gly Cys Leu Pro Pro Phe
355 360 365

Pro Ala Asp Val Phe Met Ile Pro Gln Tyr Gly Tyr Leu Thr Leu Asn
370 375 380

Asn Gly Ser Gln Ala Val Gly Arg Ser Ser Phe Tyr Cys Leu Glu Tyr
385 390 395 400

Phe Pro Ser Gln Met Leu Arg Thr Gly Asn Asn Phe Glu Phe Ser Tyr
405 410 415

Thr Phe Glu Asp Val Pro Phe His Ser Ser Tyr Ala His Ser Gln Ser
420 425 430

Leu Asp Arg Leu Met Asn Pro Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu
435 440 445

Ser Arg Thr Gln Ser Thr Gly Gly Thr Gln Gly Thr Gln Gln Leu Leu
450 455 460

Phe Ser Gln Ala Gly Pro Ala Asn Met Ser Ala Gln Ala Lys Asn Trp
465 470 475 480

Leu Pro Gly Pro Cys Tyr Arg Gln Gln Arg Val Ser Thr Thr Leu Ser
485 490 495

Gln Asn Asn Asn Ser Asn Phe Ala Trp Thr Gly Ala Thr Lys Tyr His
500 505 510

Leu Asn Gly Arg Asp Ser Leu Val Asn Pro Gly Val Ala Met Ala Thr
515 520 525

His Lys Asp Asp Glu Glu Arg Phe Phe Pro Ser Ser Gly Val Leu Met
530 535 540

Phe Gly Lys Gln Gly Ala Gly Arg Asp Asn Val Asp Tyr Ser Ser Val
545 550 555 560

Met Leu Thr Ser Glu Glu Glu Ile Lys Thr Thr Asn Pro Val Ala Thr
565 570 575

Glu Gln Tyr Gly Val Val Ala Asp Asn Leu Gln Gln Ala Asn Thr Gly
580 585 590

Pro Ile Val Gly Asn Val Asn Ser Gln Gly Ala Leu Pro Gly Met Val
595 600 605

Trp Gln Asn Arg Asp Val Tyr Leu Gln Gly Pro Ile Trp Ala Lys Ile
610 615 620

Pro His Thr Asp Gly Asn Phe His Pro Ser Pro Leu Met Gly Gly Phe
625 630 635 640

Gly Leu Lys His Pro Pro Pro Gln Ile Leu Ile Lys Asn Thr Pro Val
645 650 655

Pro Ala Asp Pro Pro Thr Thr Phe Ser Gln Ala Lys Leu Ala Ser Phe
660 665 670

Ile Thr Gln Tyr Ser Thr Gly Gln Val Ser Val Glu Ile Glu Trp Glu
675 680 685

Leu Gln Lys Glu Asn Ser Lys Arg Trp Asn Pro Glu Ile Gln Tyr Thr
690 695 700

Ser Asn Tyr Tyr Lys Ser Thr Asn Val Asp Phe Ala Val Asn Thr Glu
705 710 715 720

Gly Thr Tyr Ser Glu Pro Arg Pro Ile Gly Thr Arg Tyr Leu Thr Arg
725 730 735

Asn Leu

<210> 13
<211> 733
<212> PRT
<213> adeno-associated virus

<400> 13

Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser
1 5 10 15

Glu Gly Ile Arg Glu Trp Trp Asp Leu Lys Pro Gly Ala Pro Lys Pro
20 25 30

Lys Ala Asn Gln Gln Lys Gln Asp Asp Gly Arg Gly Leu Val Leu Pro
35 40 45

Gly Tyr Lys Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro
50 55 60

Val Asn Ala Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp
65 70 75 80

Gln Gln Leu Lys Ala Gly Asp Asn Pro Tyr Leu Arg Tyr Asn His Ala
85 90 95

Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly
100 105 110

Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro
115 120 125

Leu Gly Leu Val Glu Glu Gly Ala Lys Thr Ala Pro Gly Lys Lys Arg
130 135 140

Pro Leu Glu Ser Pro Gln Glu Pro Asp Ser Ser Ser Gly Ile Gly Lys
145 150 155 160

Lys Gly Lys Gln Pro Ala Arg Lys Arg Leu Asn Phe Glu Glu Asp Thr

165

170

175

Gly Ala Gly Asp Gly Pro Pro Glu Gly Ser Asp Thr Ser Ala Met Ser
 180 185 190

Ser Asp Ile Glu Met Arg Ala Ala Pro Gly Gly Asn Ala Val Asp Ala
 195 200 205

Gly Gln Gly Ser Asp Gly Val Gly Asn Ala Ser Gly Asp Trp His Cys
 210 215 220

Asp Ser Thr Trp Ser Glu Gly Lys Val Thr Thr Thr Ser Thr Arg Thr
 225 230 235 240

Trp Val Leu Pro Thr Tyr Asn Asn His Leu Tyr Leu Arg Leu Gly Thr
 245 250 255

Thr Ser Ser Ser Asn Thr Tyr Asn Gly Phe Ser Thr Pro Trp Gly Tyr
 260 265 270

Phe Asp Phe Asn Arg Phe His Cys His Phe Ser Pro Arg Asp Trp Gln
 275 280 285

Arg Leu Ile Asn Asn Asn Trp Gly Leu Arg Pro Lys Ala Met Arg Val
 290 295 300

Lys Ile Phe Asn Ile Gln Val Lys Glu Val Thr Thr Ser Asn Gly Glu
 305 310 315 320

Thr Thr Val Ala Asn Asn Leu Thr Ser Thr Val Gln Ile Phe Ala Asp
 325 330 335

Ser Ser Tyr Glu Leu Pro Tyr Val Met Asp Ala Gly Gln Glu Gly Ser
 340 345 350

Leu Pro Pro Phe Pro Asn Asp Val Phe Met Val Pro Gln Tyr Gly Tyr
 355 360 365

Cys Gly Ile Val Thr Gly Glu Asn Gln Asn Gln Thr Asp Arg Asn Ala
 370 375 380

Phe Tyr Cys Leu Glu Tyr Phe Pro Ser Gln Met Leu Arg Thr Gly Asn
385 390 395 400

Asn Phe Glu Met Ala Tyr Asn Phe Glu Lys Val Pro Phe His Ser Met
405 410 415

Tyr Ala His Ser Gln Ser Leu Asp Arg Leu Met Asn Pro Leu Leu Asp
420 425 430

Gln Tyr Leu Trp His Leu Gln Ser Thr Thr Ser Gly Glu Thr Leu Asn
435 440 445

Gln Gly Asn Ala Ala Thr Thr Phe Gly Lys Ile Arg Ser Gly Asp Phe
450 455 460

Ala Phe Tyr Arg Lys Asn Trp Leu Pro Gly Pro Cys Val Lys Gln Gln
465 470 475 480

Arg Phe Ser Lys Thr Ala Ser Gln Asn Tyr Lys Ile Pro Ala Ser Gly
485 490 495

Gly Asn Ala Leu Leu Lys Tyr Asp Thr His Tyr Thr Leu Asn Asn Arg
500 505 510

Trp Ser Asn Ile Ala Pro Gly Pro Pro Met Ala Thr Ala Gly Pro Ser
515 520 525

Asp Gly Asp Phe Ser Asn Ala Gln Leu Ile Phe Pro Gly Pro Ser Val
530 535 540

Thr Gly Asn Thr Thr Thr Ser Ala Asn Asn Leu Leu Phe Thr Ser Glu
545 550 555 560

Glu Glu Ile Ala Ala Thr Asn Pro Arg Asp Thr Asp Met Phe Gly Gln
565 570 575

Ile Ala Asp Asn Asn Gln Asn Ala Thr Thr Ala Pro Ile Thr Gly Asn
580 585 590

Val Thr Ala Met Gly Val Leu Pro Gly Met Val Trp Gln Asn Arg Asp

595

600

605

Ile Tyr Tyr Gln Gly Pro Ile Trp Ala Lys Ile Pro His Ala Asp Gly
 610 615 620

His Phe His Pro Ser Pro Leu Ile Gly Gly Phe Gly Leu Lys His Pro
 625 630 635 640

Pro Pro Gln Ile Phe Ile Lys Asn Thr Pro Val Pro Ala Asn Pro Ala
 645 650 655

Thr Thr Phe Thr Ala Ala Arg Val Asp Ser Phe Ile Thr Gln Tyr Ser
 660 665 670

Thr Gly Gln Val Ala Val Gln Ile Glu Trp Glu Ile Glu Lys Glu Arg
 675 680 685

Ser Lys Arg Trp Asn Pro Glu Val Gln Phe Thr Ser Asn Tyr Gly Asn
 690 695 700

Gln Ser Ser Met Leu Trp Ala Pro Asp Thr Thr Gly Lys Tyr Thr Glu
 705 710 715 720

Pro Arg Val Ile Gly Ser Arg Tyr Leu Thr Asn His Leu
 725 730

<210> 14

<211> 742

<212> PRT

<213> adeno-associated virus

<400> 14

Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser
 1 5 10 15

Glu Gly Ile Arg Glu Trp Trp Ala Leu Lys Pro Gly Ala Pro Gln Pro
 20 25 30

Lys Ala Asn Gln Gln His Gln Asp Asn Gly Arg Gly Leu Val Leu Pro
 35 40 45

Gly Tyr Lys Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro
50 55 60

Val Asn Glu Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp
65 70 75 80

Lys Gln Leu Glu Gln Gly Asp Asn Pro Tyr Leu Lys Tyr Asn His Ala
85 90 95

Asp Ala Glu Phe Gln Gln Arg Leu Ala Thr Asp Thr Ser Phe Gly Gly
100 105 110

Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Ile Leu Glu Pro
115 120 125

Leu Gly Leu Val Glu Glu Gly Val Lys Thr Ala Pro Gly Lys Lys Arg
130 135 140

Pro Leu Glu Lys Thr Pro Asn Arg Pro Thr Asn Pro Asp Ser Gly Lys
145 150 155 160

Ala Pro Ala Lys Lys Lys Gln Lys Asp Gly Glu Pro Ala Asp Ser Ala
165 170 175

Arg Arg Thr Leu Asp Phe Glu Asp Ser Gly Ala Gly Asp Gly Pro Pro
180 185 190

Glu Gly Ser Ser Ser Gly Glu Met Ser His Asp Ala Glu Met Arg Ala
195 200 205

Ala Pro Gly Gly Asn Ala Val Glu Ala Gly Gln Gly Ala Asp Gly Val
210 215 220

Gly Asn Ala Ser Gly Asp Trp His Cys Asp Ser Thr Trp Ser Glu Gly
225 230 235 240

Arg Val Thr Thr Thr Ser Thr Arg Thr Trp Val Leu Pro Thr Tyr Asn
245 250 255

Asn His Leu Tyr Leu Arg Ile Gly Thr Thr Ala Asn Ser Asn Thr Tyr
260 265 270

Asn Gly Phe Ser Thr Pro Trp Gly Tyr Phe Asp Phe Asn Arg Phe His
275 280 285

Cys His Phe Ser Pro Arg Asp Trp Gln Arg Leu Ile Asn Asn Asn Trp
290 295 300

Gly Leu Arg Pro Lys Ser Met Arg Val Lys Ile Phe Asn Ile Gln Val
305 310 315 320

Lys Glu Val Thr Thr Ser Asn Gly Glu Thr Thr Val Ala Asn Asn Leu
325 330 335

Thr Ser Thr Val Gln Ile Phe Ala Asp Ser Thr Tyr Glu Leu Pro Tyr
340 345 350

Val Met Asp Ala Gly Gln Glu Gly Ser Phe Pro Pro Phe Pro Asn Asp
355 360 365

Val Phe Met Val Pro Gln Tyr Gly Tyr Cys Gly Val Val Thr Gly Lys
370 375 380

Asn Gln Asn Gln Thr Asp Arg Asn Ala Phe Tyr Cys Leu Glu Tyr Phe
385 390 395 400

Pro Ser Gln Met Leu Arg Thr Gly Asn Asn Phe Glu Val Ser Tyr Gln
405 410 415

Phe Glu Lys Val Pro Phe His Ser Met Tyr Ala His Ser Gln Ser Leu
420 425 430

Asp Arg Met Met Asn Pro Leu Leu Asp Gln Tyr Leu Trp His Leu Gln
435 440 445

Ser Thr Thr Thr Gly Asn Ser Leu Asn Gln Gly Thr Ala Thr Thr Thr
450 455 460

Tyr Gly Lys Ile Thr Thr Gly Asp Phe Ala Tyr Tyr Arg Lys Asn Trp
465 470 475 480

Leu Pro Gly Ala Cys Ile Lys Gln Gln Lys Phe Ser Lys Asn Ala Asn
485 490 495

Gln Asn Tyr Lys Ile Pro Ala Ser Gly Gly Asp Ala Leu Leu Lys Tyr
500 505 510

Asp Thr His Thr Thr Leu Asn Gly Arg Trp Ser Asn Met Ala Pro Gly
515 520 525

Pro Pro Met Ala Thr Ala Gly Ala Gly Asp Ser Asp Phe Ser Asn Ser
530 535 540

Gln Leu Ile Phe Ala Gly Pro Asn Pro Ser Gly Asn Thr Thr Thr Ser
545 550 555 560

Ser Asn Asn Leu Leu Phe Thr Ser Glu Glu Glu Ile Ala Thr Thr Asn
565 570 575

Pro Arg Asp Thr Asp Met Phe Gly Gln Ile Ala Asp Asn Asn Gln Asn
580 585 590

Ala Thr Thr Ala Pro His Ile Ala Asn Leu Asp Ala Met Gly Ile Val
595 600 605

Pro Gly Met Val Trp Gln Asn Arg Asp Ile Tyr Tyr Gln Gly Pro Ile
610 615 620

Trp Ala Lys Val Pro His Thr Asp Gly His Phe His Pro Ser Pro Leu
625 630 635 640

Met Gly Gly Phe Gly Leu Lys His Pro Pro Pro Gln Ile Phe Ile Lys
645 650 655

Asn Thr Pro Val Pro Ala Asn Pro Asn Thr Thr Phe Ser Ala Ala Arg
660 665 670

Ile Asn Ser Phe Leu Thr Gln Tyr Ser Thr Gly Gln Val Ala Val Gln
675 680 685

Ile Asp Trp Glu Ile Gln Lys Glu His Ser Lys Arg Trp Asn Pro Glu
690 695 700

Val Gln Phe Thr Ser Asn Tyr Gly Thr Gln Asn Ser Met Leu Trp Ala
705 710 715 720

Pro Asp Asn Ala Gly Asn Tyr His Glu Leu Arg Ala Ile Gly Ser Arg
725 730 735

Phe Leu Thr His His Leu
740

<210> 15
<211> 733
<212> PRT
<213> adeno-associated virus

<400> 15

Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser
1 5 10 15

Glu Gly Ile Arg Glu Trp Trp Asp Leu Lys Pro Gly Ala Pro Lys Pro
20 25 30

Lys Ala Asn Gln Gln Lys Gln Asp Asp Gly Arg Gly Leu Val Leu Pro
35 40 45

Gly Tyr Lys Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro
50 55 60

Val Asn Ala Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp
65 70 75 80

Gln Gln Leu Lys Ala Gly Asp Asn Pro Tyr Leu Arg Tyr Asn His Ala
85 90 95

Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly
100 105 110

Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro
115 120 125

Leu Gly Leu Val Glu Glu Gly Ala Lys Thr Ala Pro Gly Lys Lys Arg

130

135

140

Pro Leu Glu Ser Pro Gln Glu Pro Asp Ser Ser Ser Gly Ile Gly Lys
 145 150 155 160

Lys Gly Lys Gln Pro Ala Lys Lys Arg Leu Asn Phe Glu Glu Asp Thr
 165 170 175

Gly Ala Gly Asp Gly Pro Pro Glu Gly Ser Asp Thr Ser Ala Met Ser
 180 185 190

Ser Asp Ile Glu Met Arg Ala Ala Pro Gly Gly Asn Ala Val Asp Ala
 195 200 205

Gly Gln Gly Ser Asp Gly Val Gly Asn Ala Ser Gly Asp Trp His Cys
 210 215 220

Asp Ser Thr Trp Ser Glu Gly Lys Val Thr Thr Thr Ser Thr Arg Thr
 225 230 235 240

Trp Val Leu Pro Thr Tyr Asn Asn His Leu Tyr Leu Arg Leu Gly Thr
 245 250 255

Thr Ser Asn Ser Asn Thr Tyr Asn Gly Phe Ser Thr Pro Trp Gly Tyr
 260 265 270

Phe Asp Phe Asn Arg Phe His Cys His Phe Ser Pro Arg Asp Trp Gln
 275 280 285

Arg Leu Ile Asn Asn Asn Trp Gly Leu Arg Pro Lys Ala Met Arg Val
 290 295 300

Lys Ile Phe Asn Ile Gln Val Lys Glu Val Thr Thr Ser Asn Gly Glu
 305 310 315 320

Thr Thr Val Ala Asn Asn Leu Thr Ser Thr Val Gln Ile Phe Ala Asp
 325 330 335

Ser Ser Tyr Glu Leu Pro Tyr Val Met Asp Ala Gly Gln Glu Gly Ser
 340 345 350

Leu Pro Pro Phe Pro Asn Asp Val Phe Met Val Pro Gln Tyr Gly Tyr
355 360 365

Cys Gly Ile Val Thr Gly Glu Asn Gln Asn Gln Thr Asp Arg Asn Ala
370 375 380

Phe Tyr Cys Leu Glu Tyr Phe Pro Ser Gln Met Leu Arg Thr Gly Asn
385 390 395 400

Asn Phe Glu Met Ala Tyr Asn Phe Glu Lys Val Pro Phe His Ser Met
405 410 415

Tyr Ala His Ser Gln Ser Leu Asp Arg Leu Met Asn Pro Leu Leu Asp
420 425 430

Gln Tyr Leu Trp His Leu Gln Ser Thr Thr Ser Gly Glu Thr Leu Asn
435 440 445

Gln Gly Asn Ala Ala Thr Thr Phe Gly Lys Ile Arg Ser Gly Asp Phe
450 455 460

Ala Phe Tyr Arg Lys Asn Trp Leu Pro Gly Pro Cys Val Lys Gln Gln
465 470 475 480

Arg Phe Ser Lys Thr Ala Ser Gln Asn Tyr Lys Ile Pro Ala Ser Gly
485 490 495

Gly Asn Ala Leu Leu Lys Tyr Asp Thr His Tyr Thr Leu Asn Asn Arg
500 505 510

Trp Ser Asn Ile Ala Pro Gly Pro Pro Met Ala Thr Ala Gly Pro Ser
515 520 525

Asp Gly Asp Phe Ser Asn Ala Gln Leu Ile Phe Pro Gly Pro Ser Val
530 535 540

Thr Gly Asn Thr Thr Thr Ser Ala Asn Asn Leu Leu Phe Thr Ser Glu
545 550 555 560

Glu Glu Ile Ala Ala Thr Asn Pro Arg Asp Thr Asp Met Phe Gly Gln

565

570

575

Ile Ala Asp Asn Asn Gln Asn Ala Thr Thr Ala Pro Ile Thr Gly Asn
 580 585 590

Val Thr Ala Met Gly Val Leu Pro Gly Met Val Trp Gln Asn Arg Asp
 595 600 605

Ile Tyr Tyr Gln Gly Pro Ile Trp Ala Lys Ile Pro His Ala Asp Gly
 610 615 620

His Phe His Pro Ser Pro Leu Ile Gly Gly Phe Gly Leu Lys His Pro
 625 630 635 640

Pro Pro Gln Ile Phe Ile Lys Asn Thr Pro Val Pro Ala Asn Pro Ala
 645 650 655

Thr Thr Phe Thr Ala Ala Arg Val Asp Ser Phe Ile Thr Gln Tyr Ser
 660 665 670

Thr Gly Gln Val Ala Val Gln Ile Glu Trp Glu Ile Glu Lys Glu Arg
 675 680 685

Ser Lys Arg Trp Asn Pro Glu Val Gln Phe Thr Ser Asn Tyr Gly Asn
 690 695 700

Gln Ser Ser Met Leu Trp Ala Pro Asp Thr Thr Gly Lys Tyr Thr Glu
 705 710 715 720

Pro Arg Val Ile Gly Ser Arg Tyr Leu Thr Asn His Leu
 725 730

<210> 16

<211> 736

<212> PRT

<213> adeno-associated virus

<400> 16

Met Ser Phe Val Asp His Pro Pro Asp Trp Leu Glu Ser Ile Gly Asp
 1 5 10 15

Gly Phe Arg Glu Phe Leu Gly Leu Glu Ala Gly Pro Pro Lys Pro Lys
20 25 30

Ala Asn Gln Gln Lys Gln Asp Asn Ala Arg Gly Leu Val Leu Pro Gly
35 40 45

Tyr Lys Tyr Leu Gly Pro Gly Asn Gly Leu Asp Lys Gly Asp Pro Val
50 55 60

Asn Phe Ala Asp Glu Val Ala Arg Glu His Asp Leu Ser Tyr Gln Lys
65 70 75 80

Gln Leu Glu Ala Gly Asp Asn Pro Tyr Leu Lys Tyr Asn His Ala Asp
85 90 95

Ala Glu Phe Gln Glu Lys Leu Ala Ser Asp Thr Ser Phe Gly Gly Asn
100 105 110

Leu Gly Lys Ala Val Phe Gln Ala Lys Lys Arg Ile Leu Glu Pro Leu
115 120 125

Gly Leu Val Glu Thr Pro Asp Lys Thr Ala Pro Ala Ala Lys Lys Arg
130 135 140

Pro Leu Glu Gln Ser Pro Gln Glu Pro Asp Ser Ser Ser Gly Val Gly
145 150 155 160

Lys Lys Gly Lys Gln Pro Ala Arg Lys Arg Leu Asn Phe Asp Asp Glu
165 170 175

Pro Gly Ala Gly Asp Gly Pro Pro Pro Glu Gly Pro Ser Ser Gly Ala
180 185 190

Met Ser Thr Glu Thr Glu Met Arg Ala Ala Ala Gly Gly Asn Gly Gly
195 200 205

Asp Ala Gly Gln Gly Ala Glu Gly Val Gly Asn Ala Ser Gly Asp Trp
210 215 220

His Cys Asp Ser Thr Trp Ser Glu Ser His Val Thr Thr Thr Ser Thr
225 230 235 240

Arg Thr Trp Val Leu Pro Thr Tyr Asn Asn His Leu Tyr Leu Arg Leu
245 250 255

Gly Ser Ser Asn Ala Ser Asp Thr Phe Asn Gly Phe Ser Thr Pro Trp
260 265 270

Gly Tyr Phe Asp Phe Asn Arg Phe His Cys His Phe Ser Pro Arg Asp
275 280 285

Trp Gln Arg Leu Ile Asn Asn His Trp Gly Leu Arg Pro Lys Ser Met
290 295 300

Gln Val Arg Ile Phe Asn Ile Gln Val Lys Glu Val Thr Thr Ser Asn
305 310 315 320

Gly Glu Thr Thr Val Ser Asn Asn Leu Thr Ser Thr Val Gln Ile Phe
325 330 335

Ala Asp Ser Thr Tyr Glu Leu Pro Tyr Val Met Asp Ala Gly Gln Glu
340 345 350

Gly Ser Leu Pro Pro Phe Pro Asn Asp Val Phe Met Val Pro Gln Tyr
355 360 365

Gly Tyr Cys Gly Leu Val Thr Gly Gly Ser Ser Gln Asn Gln Thr Asp
370 375 380

Arg Asn Ala Phe Tyr Cys Leu Glu Tyr Phe Pro Ser Gln Met Leu Arg
385 390 395 400

Thr Gly Asn Asn Phe Glu Met Val Tyr Lys Phe Glu Asn Val Pro Phe
405 410 415

His Ser Met Tyr Ala His Ser Gln Ser Leu Asp Arg Leu Met Asn Pro
420 425 430

Leu Leu Asp Gln Tyr Leu Trp Glu Leu Gln Ser Thr Thr Ser Gly Gly
435 440 445

Thr Leu Asn Gln Gly Asn Ser Ala Thr Asn Phe Ala Lys Leu Thr Lys
450 455 460

Thr Asn Phe Ser Gly Tyr Arg Lys Asn Trp Leu Pro Gly Pro Met Met
465 470 475 480

Lys Gln Gln Arg Phe Ser Lys Thr Ala Ser Gln Asn Tyr Lys Ile Pro
485 490 495

Gln Gly Arg Asn Asn Ser Leu Leu His Tyr Glu Thr Arg Thr Thr Leu
500 505 510

Asp Gly Arg Trp Ser Asn Phe Ala Pro Gly Thr Ala Met Ala Thr Ala
515 520 525

Ala Asn Asp Ala Thr Asp Phe Ser Gln Ala Gln Leu Ile Phe Ala Gly
530 535 540

Pro Asn Ile Thr Gly Asn Thr Thr Thr Asp Ala Asn Asn Leu Met Phe
545 550 555 560

Thr Ser Glu Asp Glu Leu Arg Ala Thr Asn Pro Arg Asp Thr Asp Leu
565 570 575

Phe Gly His Leu Ala Thr Asn Gln Gln Asn Ala Thr Thr Val Pro Thr
580 585 590

Val Asp Asp Val Asp Gly Val Gly Val Tyr Pro Gly Met Val Trp Gln
595 600 605

Asp Arg Asp Ile Tyr Tyr Gln Gly Pro Ile Trp Ala Lys Ile Pro His
610 615 620

Thr Asp Gly His Phe His Pro Ser Pro Leu Ile Gly Gly Phe Gly Leu
625 630 635 640

Lys Ser Pro Pro Pro Gln Ile Phe Ile Lys Asn Thr Pro Val Pro Ala
645 650 655

Asn Pro Ala Thr Thr Phe Ser Pro Ala Arg Ile Asn Ser Phe Ile Thr
660 665 670

Gln Tyr Ser Thr Gly Gln Val Ala Val Lys Ile Glu Trp Glu Ile Gln
675 680 685

Lys Glu Arg Ser Lys Arg Trp Asn Pro Glu Val Gln Phe Thr Ser Asn
690 695 700

Tyr Gly Ala Gln Asp Ser Leu Leu Trp Ala Pro Asp Asn Ala Gly Ala
705 710 715 720

Tyr Lys Glu Pro Arg Ala Ile Gly Ser Arg Tyr Leu Thr Asn His Leu
725 730 735

<210> 17
<211> 743
<212> PRT
<213> adeno-associated virus

<400> 17

Met Ser Leu Ile Ser Asp Ala Ile Pro Asp Trp Leu Glu Arg Leu Val
1 5 10 15

Lys Lys Gly Val Asn Ala Ala Ala Asp Phe Tyr His Leu Glu Ser Gly
20 25 30

Pro Pro Arg Pro Lys Ala Asn Gln Gln Thr Gln Glu Ser Leu Glu Lys
35 40 45

Asp Asp Ser Arg Gly Leu Val Phe Pro Gly Tyr Asn Tyr Leu Gly Pro
50 55 60

Phe Asn Gly Leu Asp Lys Gly Glu Pro Val Asn Glu Ala Asp Ala Ala
65 70 75 80

Ala Leu Glu His Asp Lys Ala Tyr Asp Leu Glu Ile Lys Asp Gly His
85 90 95

Asn Pro Tyr Phe Glu Tyr Asn Glu Ala Asp Arg Arg Phe Gln Glu Arg
100 105 110

Leu Lys Asp Asp Thr Ser Phe Gly Gly Asn Leu Gly Lys Ala Ile Phe

115

120

125

Gln Ala Lys Lys Arg Val Leu Glu Pro Phe Gly Leu Val Glu Asp Ser
 130 135 140

Lys Thr Ala Pro Thr Gly Asp Lys Arg Lys Gly Glu Asp Glu Pro Arg
 145 150 155 160

Leu Pro Asp Thr Ser Ser Gln Thr Pro Lys Lys Asn Lys Lys Pro Arg
 165 170 175

Lys Glu Arg Pro Ser Gly Gly Ala Glu Asp Pro Gly Glu Gly Thr Ser
 180 185 190

Ser Asn Ala Gly Ala Ala Ala Pro Ala Ser Ser Val Gly Ser Ser Ile
 195 200 205

Met Ala Glu Gly Gly Gly Gly Pro Val Gly Asp Ala Gly Gln Gly Ala
 210 215 220

Asp Gly Val Gly Asn Ser Ser Gly Asn Trp His Cys Asp Ser Gln Trp
 225 230 235 240

Leu Glu Asn Gly Val Val Thr Arg Thr Thr Arg Thr Trp Val Leu Pro
 245 250 255

Ser Tyr Asn Asn His Leu Tyr Lys Arg Ile Gln Gly Pro Ser Gly Gly
 260 265 270

Asp Asn Asn Asn Lys Phe Phe Gly Phe Ser Thr Pro Trp Gly Tyr Phe
 275 280 285

Asp Tyr Asn Arg Phe His Cys His Phe Ser Pro Arg Asp Trp Gln Arg
 290 295 300

Leu Ile Asn Asn Asn Trp Gly Ile Arg Pro Lys Ala Met Arg Phe Arg
 305 310 315 320

Leu Phe Asn Ile Gln Val Lys Glu Val Thr Val Gln Asp Phe Asn Thr
 325 330 335

Thr Ile Gly Asn Asn Leu Thr Ser Thr Val Gln Val Phe Ala Asp Lys
340 345 350

Asp Tyr Gln Leu Pro Tyr Val Leu Gly Ser Ala Thr Glu Gly Thr Phe
355 360 365

Pro Pro Phe Pro Ala Asp Ile Tyr Thr Ile Pro Gln Tyr Gly Tyr Cys
370 375 380

Thr Leu Asn Tyr Asn Asn Glu Ala Val Asp Arg Ser Ala Phe Tyr Cys
385 390 395 400

Leu Asp Tyr Phe Pro Ser Asp Met Leu Arg Thr Gly Asn Asn Phe Glu
405 410 415

Phe Thr Tyr Thr Phe Glu Asp Val Pro Phe His Ser Met Phe Ala His
420 425 430

Asn Gln Thr Leu Asp Arg Leu Met Asn Pro Leu Val Asp Gln Tyr Leu
435 440 445

Trp Ala Phe Ser Ser Val Ser Gln Ala Gly Ser Ser Gly Arg Ala Leu
450 455 460

His Tyr Ser Arg Ala Thr Lys Thr Asn Met Ala Ala Gln Tyr Arg Asn
465 470 475 480

Trp Leu Pro Gly Pro Phe Phe Arg Asp Gln Gln Ile Phe Thr Gly Ala
485 490 495

Ser Asn Ile Thr Lys Asn Asn Val Phe Ser Val Trp Glu Lys Gly Lys
500 505 510

Gln Trp Glu Leu Asp Asn Arg Thr Asn Leu Met Gln Pro Gly Pro Ala
515 520 525

Ala Ala Thr Thr Phe Ser Gly Glu Pro Asp Arg Gln Ala Met Gln Asn
530 535 540

Thr Leu Ala Phe Ser Arg Thr Val Tyr Asp Gln Thr Thr Ala Thr Thr

545		550		555		560									
Asp	Arg	Asn	Gln	Ile	Leu	Ile	Thr	Asn	Glu	Asp	Glu	Ile	Arg	Pro	Thr
			565						570					575	
Asn	Ser	Val	Gly	Ile	Asp	Ala	Trp	Gly	Ala	Val	Pro	Thr	Asn	Asn	Gln
			580					585					590		
Ser	Ile	Val	Thr	Pro	Gly	Thr	Arg	Ala	Ala	Val	Asn	Asn	Gln	Gly	Ala
		595					600				605				
Leu	Pro	Gly	Met	Val	Trp	Gln	Asn	Arg	Asp	Ile	Tyr	Pro	Thr	Gly	Thr
	610					615					620				
His	Leu	Ala	Lys	Ile	Pro	Asp	Thr	Asp	Asn	His	Phe	His	Pro	Ser	Pro
625					630					635					640
Leu	Ile	Gly	Arg	Phe	Gly	Cys	Lys	His	Pro	Pro	Pro	Gln	Ile	Phe	Ile
				645					650					655	
Lys	Asn	Thr	Pro	Val	Pro	Ala	Asn	Pro	Ser	Glu	Thr	Phe	Gln	Thr	Ala
			660					665					670		
Lys	Val	Ala	Ser	Phe	Ile	Asn	Gln	Tyr	Ser	Thr	Gly	Gln	Cys	Thr	Val
	675						680					685			
Glu	Ile	Phe	Trp	Glu	Leu	Lys	Lys	Glu	Thr	Ser	Lys	Arg	Trp	Asn	Pro
	690					695					700				
Glu	Ile	Gln	Phe	Thr	Ser	Asn	Phe	Gly	Asn	Ala	Ala	Asp	Ile	Gln	Phe
705					710					715					720
Ala	Val	Ser	Asp	Thr	Gly	Ser	Tyr	Ser	Glu	Pro	Arg	Pro	Ile	Gly	Thr
				725					730					735	
Arg	Tyr	Leu	Thr	Lys	Pro	Leu									
			740												

<210> 18
 <211> 7
 <212> PRT

<213> Artificial

<220>

<223> AAV capsid protein common antigenic motif (CAM) substitution sequence

<220>

<221> MISC_FEATURE

<222> (1)..(1)

<223> Xaa can be any naturally occurring amino acid other than S

<220>

<221> MISC_FEATURE

<222> (2)..(2)

<223> Xaa can be any naturally occurring amino acid other than A

<220>

<221> MISC_FEATURE

<222> (3)..(3)

<223> Xaa can be any naturally occurring amino acid other than S

<220>

<221> MISC_FEATURE

<222> (4)..(4)

<223> Xaa can be any naturally occurring amino acid other than T

<220>

<221> MISC_FEATURE

<222> (5)..(5)

<223> Xaa can be any naturally occurring amino acid other than G

<220>

<221> MISC_FEATURE

<222> (6)..(6)

<223> Xaa can be any naturally occurring amino acid other than A

<220>

<221> MISC_FEATURE

<222> (7)..(7)

<223> Xaa can be any naturally occurring amino acid other than S

<400> 18

Xaa Xaa Xaa Xaa Xaa Xaa Xaa

1

5

<210> 19

<211> 10

<212> PRT

<213> Artificial

<220>

<223> AAV capsid protein common antigenic motif (CAM) substitution sequence

<220>

<221> MISC_FEATURE

<222> (1)..(1)

<223> Xaa can be any naturally occurring amino acid other than V

<220>

<221> MISC_FEATURE

<222> (2)..(2)

<223> Xaa can be any naturally occurring amino acid other than F

<220>

<221> MISC_FEATURE

<222> (3)..(3)

<223> Xaa can be any naturally occurring amino acid other than M

<220>

<221> MISC_FEATURE

<222> (4)..(4)

<223> Xaa can be any naturally occurring amino acid other than I

<220>

<221> MISC_FEATURE

<222> (5)..(5)

<223> Xaa can be any naturally occurring amino acid other than P

<220>

<221> MISC_FEATURE

<222> (6)..(6)

<223> Xaa can be any naturally occurring amino acid other than Q

<220>

<221> MISC_FEATURE

<222> (7)..(7)

<223> Xaa can be any naturally occurring amino acid other than Y

<220>

<221> MISC_FEATURE

<222> (8)..(8)

<223> Xaa can be any naturally occurring amino acid other than G

<220>

<221> MISC_FEATURE

<222> (9)..(9)

<223> Xaa can be any naturally occurring amino acid other than Y

<220>

<221> MISC_FEATURE

<222> (10)..(10)

<223> Xaa can be any naturally occurring amino acid other than L

<400> 19

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1 5 10

<210> 20

<211> 9

<212> PRT

<213> Artificial

<220>

<223> AAV capsid protein common antigenic motif (CAM) substitution
sequence

<220>

<221> MISC_FEATURE

<222> (1)..(1)

<223> Xaa can be any naturally occurring amino acid other than N

<220>

<221> MISC_FEATURE

<222> (2)..(2)

<223> Xaa can be any naturally occurring amino acid other than Q

<220>

<221> MISC_FEATURE

<222> (3)..(3)

<223> Xaa can be any naturally occurring amino acid other than S

<220>

<221> MISC_FEATURE

<222> (4)..(4)

<223> Xaa can be any naturally occurring amino acid other than G

<220>

<221> MISC_FEATURE

<222> (5)..(5)

<223> Xaa can be any naturally occurring amino acid other than S

<220>

<221> MISC_FEATURE

<222> (6)..(6)

<223> Xaa can be any naturally occurring amino acid other than A

<220>

<221> MISC_FEATURE

<222> (7)..(7)

<223> Xaa can be any naturally occurring amino acid other than Q

<220>

<221> MISC_FEATURE

<222> (8)..(8)

<223> Xaa can be any naturally occurring amino acid other than N

<220>

<221> misc_feature

<222> (9)..(9)

<223> Xaa can be any naturally occurring amino acid

<220>

<221> MISC_FEATURE

<222> (10)..(10)

<223> Xaa can be any naturally occurring amino acid other than K

<400> 20

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa

1 5

<210> 21

<211> 4

<212> PRT

<213> Artificial

<220>

<223> AAV capsid protein common antigenic motif (CAM) substitution sequence

<220>

<221> MISC_FEATURE

<222> (1)..(1)

<223> Xaa can be any naturally occurring amino acid other than A

<220>

<221> MISC_FEATURE

<222> (2)..(2)

<223> Xaa can be any naturally occurring amino acid other than Q

<220>

<221> MISC_FEATURE

<222> (3)..(3)

<223> Xaa can be any naturally occurring amino acid other than N

<220>

<221> MISC_FEATURE

<222> (4)..(4)

<223> Xaa can be any naturally occurring amino acid other than K

<400> 21

Xaa Xaa Xaa Xaa

1

<210> 22
<211> 4
<212> PRT
<213> Artificial

<220>

<223> AAV capsid protein common antigenic motif (CAM) substitution sequence

<400> 22

Gln Val Arg Gly

1

<210> 23
<211> 4
<212> PRT
<213> Artificial

<220>

<223> AAV capsid protein common antigenic motif (CAM) substitution sequence

<400> 23

Glu Arg Pro Arg

1

<210> 24
<211> 4
<212> PRT
<213> Artificial

<220>

<223> AAV capsid protein common antigenic motif (CAM) substitution sequence

<400> 24

Gly Arg Gly Gly

1

<210> 25
<211> 4
<212> PRT
<213> Artificial

<220>

<223> AAV capsid protein common antigenic motif (CAM) substitution sequence

<400> 25

Ser Gly Gly Arg
1

<210> 26

<211> 4

<212> PRT

<213> Artificial

<220>

<223> AAV capsid protein common antigenic motif (CAM) substitution
sequence

<400> 26

Ser Glu Arg Arg
1

<210> 27

<211> 4

<212> PRT

<213> Artificial

<220>

<223> AAV capsid protein common antigenic motif (CAM) substitution
sequence

<400> 27

Leu Arg Gly Gly
1

<210> 28

<211> 8

<212> PRT

<213> Artificial

<220>

<223> AAV capsid protein common antigenic motif (CAM) substitution
sequence

<220>

<221> MISC_FEATURE

<222> (1)..(1)

<223> Xaa can be any naturally occurring amino acid other than K

<220>

<221> MISC_FEATURE

<222> (2)..(2)

<223> Xaa can be any naturally occurring amino acid other than T

<220>

<221> MISC_FEATURE

<222> (3)..(3)

<223> Xaa can be any naturally occurring amino acid other than D

<220>

<221> MISC_FEATURE

<222> (4)..(6)

<223> Xaa can be any naturally occurring amino acid other than N

<220>

<221> MISC_FEATURE

<222> (5)..(5)

<223> Xaa can be any naturally occurring amino acid other than N

<220>

<221> MISC_FEATURE

<222> (7)..(7)

<223> Xaa can be any naturally occurring amino acid other than S

<220>

<221> MISC_FEATURE

<222> (8)..(8)

<223> Xaa can be any naturally occurring amino acid other than N

<400> 28

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1 5

<210> 29

<211> 7

<212> PRT

<213> Artificial

<220>

<223> AAV capsid protein common antigenic motif (CAM) substitution
sequence

<220>

<221> MISC_FEATURE

<222> (1)..(1)

<223> Xaa can be any naturally occurring amino acid other than K

<220>

<221> MISC_FEATURE

<222> (2)..(2)

<223> Xaa can be any naturally occurring amino acid other than T

<220>

<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa can be any naturally occurring amino acid other than D

<220>
<221> MISC_FEATURE
<222> (4)..(6)
<223> Xaa can be any naturally occurring amino acid other than N

<220>
<221> MISC_FEATURE
<222> (7)..(7)
<223> Xaa can be any naturally occurring amino acid other than S

<400> 29

Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1 5

<210> 30
<211> 7
<212> PRT
<213> Artificial

<220>
<223> AAV capsid protein common antigenic motif (CAM) substitution
sequence

<400> 30

Pro Gly Gly Asn Ala Thr Arg
1 5

<210> 31
<211> 10
<212> PRT
<213> Artificial

<220>
<223> AAV capsid protein common antigenic motif (CAM) substitution
sequence

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa can be any naturally occurring amino acid other than S

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> Xaa can be any naturally occurring amino acid other than T

<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa can be any naturally occurring amino acid other than D

<220>
<221> MISC_FEATURE
<222> (4)..(4)
<223> Xaa can be any naturally occurring amino acid other than P

<220>
<221> MISC_FEATURE
<222> (5)..(5)
<223> Xaa can be any naturally occurring amino acid other than A

<220>
<221> MISC_FEATURE
<222> (6)..(6)
<223> Xaa can be any naturally occurring amino acid other than T

<220>
<221> MISC_FEATURE
<222> (7)..(7)
<223> Xaa can be any naturally occurring amino acid other than G

<220>
<221> MISC_FEATURE
<222> (8)..(8)
<223> Xaa can be any naturally occurring amino acid other than D

<220>
<221> MISC_FEATURE
<222> (9)..(9)
<223> Xaa can be any naturally occurring amino acid other than V

<220>
<221> MISC_FEATURE
<222> (10)..(10)
<223> Xaa can be any naturally occurring amino acid other than H

<400> 31

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1 5 10

<210> 32
<211> 10
<212> PRT
<213> Artificial

<220>
<223> AAV capsid protein common antigenic motif (CAM) substitution

sequence

<400> 32

Thr	Ala	Asp	His	Asp	Thr	Lys	Gly	Val	Leu
1				5					10

<210> 33

<211> 10

<212> PRT

<213> Artificial

<220>

<223> AAV capsid protein common antigenic motif (CAM) substitution sequence

<400> 33

Val	Val	Asp	Pro	Asp	Lys	Lys	Gly	Val	Leu
1				5					10

<210> 34

<211> 10

<212> PRT

<213> Artificial

<220>

<223> AAV capsid protein common antigenic motif (CAM) substitution sequence

<400> 34

Ala	Lys	Asp	Thr	Gly	Pro	Leu	Asn	Val	Met
1				5					10

<210> 35

<211> 10

<212> PRT

<213> Artificial

<220>

<223> AAV capsid protein common antigenic motif (CAM) substitution sequence

<400> 35

Gln	Thr	Asp	Ala	Lys	Asp	Asn	Gly	Val	Gln
1				5					10

<210> 36

<211> 10
<212> PRT
<213> Artificial

<220>

<223> AAV capsid protein common antigenic motif (CAM) substitution
sequence

<400> 36

Asp Lys Asp Pro Trp Leu Asn Asp Val Ile
1 5 10

<210> 37
<211> 10
<212> PRT
<213> Artificial

<220>

<223> AAV capsid protein common antigenic motif (CAM) substitution
sequence

<400> 37

Thr Arg Asp Gly Ser Thr Glu Ser Val Leu
1 5 10

<210> 38
<211> 10
<212> PRT
<213> Artificial

<220>

<223> AAV capsid protein common antigenic motif (CAM) substitution
sequence

<400> 38

Val Ile Asp Pro Asp Gln Lys Gly Val Leu
1 5 10

<210> 39
<211> 10
<212> PRT
<213> Artificial

<220>

<223> AAV capsid protein common antigenic motif (CAM) substitution
sequence

<400> 39

Val Asn Asp Met Ser Asn Tyr Met Val His
1 5 10

<210> 40
<211> 7
<212> PRT
<213> Artificial

<220>
<223> AAV capsid protein common antigenic motif (CAM) substitution
sequence

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa can be any naturally occurring amino acid other than D

<220>
<221> MISC_FEATURE
<222> (2)..(3)
<223> Xaa can be any naturally occurring amino acid other than N

<220>
<221> MISC_FEATURE
<222> (4)..(4)
<223> Xaa can be any naturally occurring amino acid other than G

<220>
<221> MISC_FEATURE
<222> (5)..(5)
<223> Xaa can be any naturally occurring amino acid other than L

<220>
<221> MISC_FEATURE
<222> (6)..(6)
<223> Xaa can be any naturally occurring amino acid other than Y

<220>
<221> MISC_FEATURE
<222> (7)..(7)
<223> Xaa can be any naturally occurring amino acid other than T

<400> 40

Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1 5

<210> 41
<211> 6
<212> PRT

<213> Artificial

<220>

<223> AAV capsid protein common antigenic motif (CAM) substitution sequence

<220>

<221> MISC_FEATURE

<222> (1)..(1)

<223> Xaa can be any naturally occurring amino acid other than S

<220>

<221> MISC_FEATURE

<222> (2)..(2)

<223> Xaa can be any naturally occurring amino acid other than Q

<220>

<221> MISC_FEATURE

<222> (3)..(3)

<223> Xaa can be any naturally occurring amino acid other than S

<220>

<221> MISC_FEATURE

<222> (4)..(4)

<223> Xaa can be any naturally occurring amino acid other than G

<220>

<221> MISC_FEATURE

<222> (5)..(5)

<223> Xaa can be any naturally occurring amino acid other than A

<220>

<221> MISC_FEATURE

<222> (5)..(5)

<223> Xaa can be any naturally occurring amino acid other than S

<220>

<221> misc_feature

<222> (6)..(6)

<223> Xaa can be any naturally occurring amino acid

<400> 41

Xaa Xaa Xaa Xaa Xaa Xaa

1

5

<210> 42

<211> 10

<212> PRT

<213> Artificial

<220>

<223> AAV capsid protein common antigenic motif (CAM) substitution sequence

<220>

<221> MISC_FEATURE

<222> (1)..(1)

<223> Xaa can be any naturally occurring amino acid other than V

<220>

<221> MISC_FEATURE

<222> (2)..(2)

<223> Xaa can be any naturally occurring amino acid other than F

<220>

<221> MISC_FEATURE

<222> (3)..(3)

<223> Xaa can be any naturally occurring amino acid other than M

<220>

<221> MISC_FEATURE

<222> (4)..(4)

<223> Xaa can be any naturally occurring amino acid other than V

<220>

<221> MISC_FEATURE

<222> (5)..(5)

<223> Xaa can be any naturally occurring amino acid other than P

<220>

<221> MISC_FEATURE

<222> (6)..(6)

<223> Xaa can be any naturally occurring amino acid other than Q

<220>

<221> MISC_FEATURE

<222> (7)..(7)

<223> Xaa can be any naturally occurring amino acid other than Y

<220>

<221> MISC_FEATURE

<222> (8)..(8)

<223> Xaa can be any naturally occurring amino acid other than G

<220>

<221> MISC_FEATURE

<222> (9)..(9)

<223> Xaa can be any naturally occurring amino acid other than Y

<220>

<221> MISC_FEATURE

<222> (10)..(10)

<223> Xaa can be any naturally occurring amino acid other than L

<400> 42

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1 5 10

<210> 43

<211> 4

<212> PRT

<213> Artificial

<220>

<223> AAV capsid protein common antigenic motif (CAM) substitution
sequence

<220>

<221> MISC_FEATURE

<222> (1)..(2)

<223> Xaa can be any naturally occurring amino acid other than T

<220>

<221> MISC_FEATURE

<222> (3)..(3)

<223> Xaa can be any naturally occurring amino acid other than Q

<220>

<221> MISC_FEATURE

<222> (4)..(4)

<223> Xaa can be any naturally occurring amino acid other than S

<400> 43

Xaa Xaa Xaa Xaa
1

<210> 44

<211> 7

<212> PRT

<213> Artificial

<220>

<223> AAV capsid protein common antigenic motif (CAM) substitution
sequence

<220>

<221> MISC_FEATURE

<222> (1)..(1)

<223> Xaa can be any naturally occurring amino acid other than S

<220>

<221> MISC_FEATURE

<222> (2)..(2)
<223> Xaa can be any naturally occurring amino acid other than A

<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa can be any naturally occurring amino acid other than D

<220>
<221> MISC_FEATURE
<222> (4)..(6)
<223> Xaa can be any naturally occurring amino acid other than N

<220>
<221> MISC_FEATURE
<222> (7)..(7)
<223> Xaa can be any naturally occurring amino acid other than S

<400> 44

Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1 5

<210> 45
<211> 10
<212> PRT
<213> Artificial

<220>
<223> AAV capsid protein common antigenic motif (CAM) substitution
sequence

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa can be any naturally occurring amino acid other than N

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> Xaa can be any naturally occurring amino acid other than R

<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa can be any naturally occurring amino acid other than Q

<220>
<221> MISC_FEATURE
<222> (4)..(5)
<223> Xaa can be any naturally occurring amino acid other than A

<220>
<221> MISC_FEATURE
<222> (6)..(6)
<223> Xaa can be any naturally occurring amino acid other than T

<220>
<221> MISC_FEATURE
<222> (7)..(7)
<223> Xaa can be any naturally occurring amino acid other than A

<220>
<221> MISC_FEATURE
<222> (8)..(8)
<223> Xaa can be any naturally occurring amino acid other than D

<220>
<221> MISC_FEATURE
<222> (9)..(9)
<223> Xaa can be any naturally occurring amino acid other than V

<220>
<221> MISC_FEATURE
<222> (10)..(10)
<223> Xaa can be any naturally occurring amino acid other than N

<400> 45

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1 5 10

<210> 46
<211> 7
<212> PRT
<213> Artificial

<220>
<223> AAV capsid protein common antigenic motif (CAM) substitution sequence

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa can be any naturally occurring amino acid other than D

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> Xaa can be any naturally occurring amino acid other than T

<220>
<221> MISC_FEATURE
<222> (3)..(3)

<223> Xaa can be any naturally occurring amino acid other than N
 <220>
 <221> MISC_FEATURE
 <222> (4)..(4)
 <223> Xaa can be any naturally occurring amino acid other than G
 <220>
 <221> MISC_FEATURE
 <222> (5)..(5)
 <223> Xaa can be any naturally occurring amino acid other than V
 <220>
 <221> MISC_FEATURE
 <222> (6)..(6)
 <223> Xaa can be any naturally occurring amino acid other than Y
 <220>
 <221> MISC_FEATURE
 <222> (7)..(7)
 <223> Xaa can be any naturally occurring amino acid other than S
 <400> 46
 Xaa Xaa Xaa Xaa Xaa Xaa Xaa
 1 5
 <210> 47
 <211> 6
 <212> PRT
 <213> Artificial
 <220>
 <223> AAV capsid protein common antigenic motif (CAM) substitution
 sequence
 <220>
 <221> MISC_FEATURE
 <222> (1)..(1)
 <223> Xaa can be any naturally occurring amino acid other than S
 <220>
 <221> MISC_FEATURE
 <222> (2)..(2)
 <223> Xaa can be any naturally occurring amino acid other than Q
 <220>
 <221> MISC_FEATURE
 <222> (3)..(3)
 <223> Xaa can be any naturally occurring amino acid other than S
 <220>

<221> MISC_FEATURE
<222> (4)..(4)
<223> Xaa can be any naturally occurring amino acid other than G

<220>
<221> MISC_FEATURE
<222> (5)..(5)
<223> Xaa can be any naturally occurring amino acid other than A

<220>
<221> MISC_FEATURE
<222> (6)..(6)
<223> Xaa can be any naturally occurring amino acid other than S

<400> 47

Xaa Xaa Xaa Xaa Xaa Xaa
1 5

<210> 48
<211> 10
<212> PRT
<213> Artificial

<220>
<223> AAV capsid protein common antigenic motif (CAM) substitution sequence

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa can be any naturally occurring amino acid other than V

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> Xaa can be any naturally occurring amino acid other than F

<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa can be any naturally occurring amino acid other than M

<220>
<221> MISC_FEATURE
<222> (4)..(4)
<223> Xaa can be any naturally occurring amino acid other than V

<220>
<221> MISC_FEATURE
<222> (5)..(5)
<223> Xaa can be any naturally occurring amino acid other than P

<220>
<221> MISC_FEATURE
<222> (6)..(6)
<223> Xaa can be any naturally occurring amino acid other than Q

<220>
<221> MISC_FEATURE
<222> (7)..(7)
<223> Xaa can be any naturally occurring amino acid other than Y

<220>
<221> MISC_FEATURE
<222> (8)..(8)
<223> Xaa can be any naturally occurring amino acid other than G

<220>
<221> MISC_FEATURE
<222> (9)..(9)
<223> Xaa can be any naturally occurring amino acid other than Y

<220>
<221> MISC_FEATURE
<222> (10)..(10)
<223> Xaa can be any naturally occurring amino acid other than L

<400> 48

Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa
1				5					10

<210> 49
<211> 4
<212> PRT
<213> Artificial

<220>
<223> AAV capsid protein common antigenic motif (CAM) substitution sequence

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa can be any naturally occurring amino acid other than T

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> Xaa can be any naturally occurring amino acid other than N

<220>
<221> MISC_FEATURE

<222> (3)..(3)
<223> Xaa can be any naturally occurring amino acid other than Q

<220>
<221> MISC_FEATURE
<222> (4)..(4)
<223> Xaa can be any naturally occurring amino acid other than S

<400> 49

Xaa Xaa Xaa Xaa
1

<210> 50
<211> 7
<212> PRT
<213> Artificial

<220>
<223> AAV capsid protein common antigenic motif (CAM) substitution
sequence

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa can be any naturally occurring amino acid other than A

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> Xaa can be any naturally occurring amino acid other than N

<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa can be any naturally occurring amino acid other than D

<220>
<221> MISC_FEATURE
<222> (4)..(6)
<223> Xaa can be any naturally occurring amino acid other than N

<220>
<221> MISC_FEATURE
<222> (7)..(7)
<223> Xaa can be any naturally occurring amino acid other than S

<400> 50

Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1 5

<210> 51
<211> 10
<212> PRT
<213> Artificial

<220>
<223> AAV capsid protein common antigenic motif (CAM) substitution sequence

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa can be any naturally occurring amino acid other than N

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> Xaa can be any naturally occurring amino acid other than T

<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa can be any naturally occurring amino acid other than A

<220>
<221> MISC_FEATURE
<222> (4)..(4)
<223> Xaa can be any naturally occurring amino acid other than P

<220>
<221> MISC_FEATURE
<222> (5)..(6)
<223> Xaa can be any naturally occurring amino acid other than T

<220>
<221> MISC_FEATURE
<222> (7)..(7)
<223> Xaa can be any naturally occurring amino acid other than G

<220>
<221> MISC_FEATURE
<222> (8)..(8)
<223> Xaa can be any naturally occurring amino acid other than T

<220>
<221> MISC_FEATURE
<222> (9)..(9)
<223> Xaa can be any naturally occurring amino acid other than V

<220>
<221> MISC_FEATURE
<222> (10)..(10)

<223> Xaa can be any naturally occurring amino acid other than N

<400> 51

Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa
1				5					10

<210> 52

<211> 7

<212> PRT

<213> Artificial

<220>

<223> AAV capsid protein common antigenic motif (CAM) substitution sequence

<220>

<221> MISC_FEATURE

<222> (1)..(1)

<223> Xaa can be any naturally occurring amino acid other than D

<220>

<221> MISC_FEATURE

<222> (2)..(2)

<223> Xaa can be any naturally occurring amino acid other than T

<220>

<221> MISC_FEATURE

<222> (3)..(3)

<223> Xaa can be any naturally occurring amino acid other than N

<220>

<221> MISC_FEATURE

<222> (4)..(4)

<223> Xaa can be any naturally occurring amino acid other than G

<220>

<221> MISC_FEATURE

<222> (5)..(5)

<223> Xaa can be any naturally occurring amino acid other than V

<220>

<221> MISC_FEATURE

<222> (6)..(6)

<223> Xaa can be any naturally occurring amino acid other than Y

<220>

<221> MISC_FEATURE

<222> (7)..(7)

<223> Xaa can be any naturally occurring amino acid other than S

<400> 52

Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1 5

<210> 53
<211> 8
<212> PRT
<213> Artificial

<220>
<223> AAV capsid protein common antigenic motif (CAM) substitution sequence

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa can be any naturally occurring amino acid other than R

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> Xaa can be any naturally occurring amino acid other than L

<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa can be any naturally occurring amino acid other than G

<220>
<221> MISC_FEATURE
<222> (4)..(4)
<223> Xaa can be any naturally occurring amino acid other than E

<220>
<221> MISC_FEATURE
<222> (5)..(5)
<223> Xaa can be any naturally occurring amino acid other than S

<220>
<221> MISC_FEATURE
<222> (6)..(6)
<223> Xaa can be any naturally occurring amino acid other than L

<220>
<221> MISC_FEATURE
<222> (7)..(7)
<223> Xaa can be any naturally occurring amino acid other than Q

<220>
<221> MISC_FEATURE
<222> (8)..(8)
<223> Xaa can be any naturally occurring amino acid other than S

<400> 53

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1 5

<210> 54

<211> 10

<212> PRT

<213> Artificial

<220>

<223> AAV capsid protein common antigenic motif (CAM) substitution
sequence

<220>

<221> MISC_FEATURE

<222> (1)..(1)

<223> Xaa can be any naturally occurring amino acid other than V

<220>

<221> MISC_FEATURE

<222> (2)..(2)

<223> Xaa can be any naturally occurring amino acid other than F

<220>

<221> MISC_FEATURE

<222> (3)..(3)

<223> Xaa can be any naturally occurring amino acid other than M

<220>

<221> MISC_FEATURE

<222> (4)..(4)

<223> Xaa can be any naturally occurring amino acid other than V

<220>

<221> MISC_FEATURE

<222> (5)..(5)

<223> Xaa can be any naturally occurring amino acid other than P

<220>

<221> MISC_FEATURE

<222> (6)..(6)

<223> Xaa can be any naturally occurring amino acid other than Q

<220>

<221> MISC_FEATURE

<222> (7)..(7)

<223> Xaa can be any naturally occurring amino acid other than Y

<220>

<221> MISC_FEATURE

<222> (8)..(8)
<223> Xaa can be any naturally occurring amino acid other than G

<220>
<221> MISC_FEATURE
<222> (9)..(9)
<223> Xaa can be any naturally occurring amino acid other than Y

<220>
<221> MISC_FEATURE
<222> (10)..(10)
<223> Xaa can be any naturally occurring amino acid other than C

<400> 54

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1 5 10

<210> 55
<211> 4
<212> PRT
<213> Artificial

<220>
<223> AAV capsid protein common antigenic motif (CAM) substitution sequence

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa can be any naturally occurring amino acid other than A

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> Xaa can be any naturally occurring amino acid other than G

<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa can be any naturally occurring amino acid other than T

<220>
<221> MISC_FEATURE
<222> (4)..(4)
<223> Xaa can be any naturally occurring amino acid other than A

<400> 55

Xaa Xaa Xaa Xaa
1

<210> 56
<211> 12
<212> PRT
<213> Artificial

<220>
<223> AAV capsid protein common antigenic motif (CAM) substitution sequence

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa can be any naturally occurring amino acid other than A

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> Xaa can be any naturally occurring amino acid other than N

<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa can be any naturally occurring amino acid other than Q

<220>
<221> MISC_FEATURE
<222> (4)..(4)
<223> Xaa can be any naturally occurring amino acid other than N

<220>
<221> MISC_FEATURE
<222> (5)..(5)
<223> Xaa can be any naturally occurring amino acid other than Y

<220>
<221> MISC_FEATURE
<222> (6)..(6)
<223> Xaa can be any naturally occurring amino acid other than K

<220>
<221> MISC_FEATURE
<222> (7)..(7)
<223> Xaa can be any naturally occurring amino acid other than I

<220>
<221> MISC_FEATURE
<222> (8)..(8)
<223> Xaa can be any naturally occurring amino acid other than P

<220>
<221> MISC_FEATURE
<222> (9)..(9)

<223> Xaa can be any naturally occurring amino acid other than A

<220>

<221> MISC_FEATURE

<222> (10)..(10)

<223> Xaa can be any naturally occurring amino acid other than T

<220>

<221> MISC_FEATURE

<222> (11)..(11)

<223> Xaa can be any naturally occurring amino acid other than G

<220>

<221> MISC_FEATURE

<222> (12)..(12)

<223> Xaa can be any naturally occurring amino acid other than S

<400> 56

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa

1

5

10

<210> 57

<211> 10

<212> PRT

<213> Artificial

<220>

<223> AAV capsid protein common antigenic motif (CAM) substitution sequence

<220>

<221> MISC_FEATURE

<222> (1)..(1)

<223> Xaa can be any naturally occurring amino acid other than S

<220>

<221> MISC_FEATURE

<222> (2)..(2)

<223> Xaa can be any naturally occurring amino acid other than N

<220>

<221> MISC_FEATURE

<222> (3)..(3)

<223> Xaa can be any naturally occurring amino acid other than L

<220>

<221> MISC_FEATURE

<222> (4)..(4)

<223> Xaa can be any naturally occurring amino acid other than P

<220>

<221> MISC_FEATURE
<222> (5)..(5)
<223> Xaa can be any naturally occurring amino acid other than T

<220>
<221> MISC_FEATURE
<222> (6)..(6)
<223> Xaa can be any naturally occurring amino acid other than V

<220>
<221> MISC_FEATURE
<222> (7)..(7)
<223> Xaa can be any naturally occurring amino acid other than D

<220>
<221> MISC_FEATURE
<222> (8)..(8)
<223> Xaa can be any naturally occurring amino acid other than R

<220>
<221> MISC_FEATURE
<222> (9)..(9)
<223> Xaa can be any naturally occurring amino acid other than L

<220>
<221> MISC_FEATURE
<222> (10)..(10)
<223> Xaa can be any naturally occurring amino acid other than T

<400> 57

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1 5 10

<210> 58
<211> 7
<212> PRT
<213> Artificial

<220>
<223> AAV capsid protein common antigenic motif (CAM) substitution sequence

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa can be any naturally occurring amino acid other than D

<220>
<221> MISC_FEATURE
<222> (2)..(3)
<223> Xaa can be any naturally occurring amino acid other than A

<220>
<221> MISC_FEATURE
<222> (4)..(4)
<223> Xaa can be any naturally occurring amino acid other than G

<220>
<221> MISC_FEATURE
<222> (5)..(5)
<223> Xaa can be any naturally occurring amino acid other than K

<220>
<221> MISC_FEATURE
<222> (6)..(6)
<223> Xaa can be any naturally occurring amino acid other than Y

<220>
<221> MISC_FEATURE
<222> (7)..(7)
<223> Xaa can be any naturally occurring amino acid other than T

<400> 58

Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1 5

<210> 59
<211> 10
<212> PRT
<213> Artificial

<220>
<223> AAV capsid protein common antigenic motif (CAM) substitution sequence

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa can be any naturally occurring amino acid other than E

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> Xaa can be any naturally occurring amino acid other than I

<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa can be any naturally occurring amino acid other than K

<220>
<221> MISC_FEATURE

<222> (4)..(4)
<223> Xaa can be any naturally occurring amino acid other than S

<220>
<221> MISC_FEATURE
<222> (5)..(5)
<223> Xaa can be any naturally occurring amino acid other than G

<220>
<221> MISC_FEATURE
<222> (6)..(6)
<223> Xaa can be any naturally occurring amino acid other than S

<220>
<221> MISC_FEATURE
<222> (7)..(7)
<223> Xaa can be any naturally occurring amino acid other than V

<220>
<221> MISC_FEATURE
<222> (8)..(8)
<223> Xaa can be any naturally occurring amino acid other than D

<220>
<221> MISC_FEATURE
<222> (9)..(9)
<223> Xaa can be any naturally occurring amino acid other than G

<220>
<221> MISC_FEATURE
<222> (10)..(10)
<223> Xaa can be any naturally occurring amino acid other than S

<400> 59

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1 5 10

<210> 60
<211> 10
<212> PRT
<213> Artificial

<220>
<223> AAV capsid protein common antigenic motif (CAM) substitution sequence

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa can be any naturally occurring amino acid other than V

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> Xaa can be any naturally occurring amino acid other than F

<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa can be any naturally occurring amino acid other than T

<220>
<221> MISC_FEATURE
<222> (4)..(4)
<223> Xaa can be any naturally occurring amino acid other than L

<220>
<221> MISC_FEATURE
<222> (5)..(5)
<223> Xaa can be any naturally occurring amino acid other than P

<220>
<221> MISC_FEATURE
<222> (6)..(6)
<223> Xaa can be any naturally occurring amino acid other than Q

<220>
<221> MISC_FEATURE
<222> (7)..(7)
<223> Xaa can be any naturally occurring amino acid other than Y

<220>
<221> MISC_FEATURE
<222> (8)..(8)
<223> Xaa can be any naturally occurring amino acid other than G

<220>
<221> MISC_FEATURE
<222> (9)..(9)
<223> Xaa can be any naturally occurring amino acid other than Y

<220>
<221> MISC_FEATURE
<222> (10)..(10)
<223> Xaa can be any naturally occurring amino acid other than A

<400> 60

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1 5 10

<210> 61
<211> 4
<212> PRT

<213> Artificial

<220>

<223> AAV capsid protein common antigenic motif (CAM) substitution sequence

<220>

<221> MISC_FEATURE

<222> (1)..(2)

<223> Xaa can be any naturally occurring amino acid other than G

<220>

<221> MISC_FEATURE

<222> (3)..(3)

<223> Xaa can be any naturally occurring amino acid other than V

<220>

<221> MISC_FEATURE

<222> (4)..(4)

<223> Xaa can be any naturally occurring amino acid other than Q

<400> 61

Xaa Xaa Xaa Xaa

1

<210> 62

<211> 7

<212> PRT

<213> Artificial

<220>

<223> AAV capsid protein common antigenic motif (CAM) substitution sequence

<220>

<221> MISC_FEATURE

<222> (1)..(1)

<223> Xaa can be any naturally occurring amino acid other than S

<220>

<221> MISC_FEATURE

<222> (2)..(2)

<223> Xaa can be any naturally occurring amino acid other than G

<220>

<221> MISC_FEATURE

<222> (3)..(3)

<223> Xaa can be any naturally occurring amino acid other than V

<220>

<221> MISC_FEATURE
<222> (4)..(4)
<223> Xaa can be any naturally occurring amino acid other than N

<220>
<221> MISC_FEATURE
<222> (5)..(5)
<223> Xaa can be any naturally occurring amino acid other than R

<220>
<221> MISC_FEATURE
<222> (6)..(6)
<223> Xaa can be any naturally occurring amino acid other than A

<220>
<221> MISC_FEATURE
<222> (7)..(7)
<223> Xaa can be any naturally occurring amino acid other than S

<400> 62

Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1 5

<210> 63
<211> 10
<212> PRT
<213> Artificial

<220>
<223> AAV capsid protein common antigenic motif (CAM) substitution
sequence

<220>
<221> MISC_FEATURE
<222> (1)..(2)
<223> Xaa can be any naturally occurring amino acid other than T

<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa can be any naturally occurring amino acid other than A

<220>
<221> MISC_FEATURE
<222> (4)..(4)
<223> Xaa can be any naturally occurring amino acid other than P

<220>
<221> MISC_FEATURE
<222> (5)..(5)
<223> Xaa can be any naturally occurring amino acid other than A

<220>
<221> MISC_FEATURE
<222> (6)..(6)
<223> Xaa can be any naturally occurring amino acid other than T

<220>
<221> MISC_FEATURE
<222> (7)..(7)
<223> Xaa can be any naturally occurring amino acid other than G

<220>
<221> MISC_FEATURE
<222> (8)..(8)
<223> Xaa can be any naturally occurring amino acid other than T

<220>
<221> MISC_FEATURE
<222> (9)..(9)
<223> Xaa can be any naturally occurring amino acid other than Y

<220>
<221> MISC_FEATURE
<222> (10)..(10)
<223> Xaa can be any naturally occurring amino acid other than N

<400> 63

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1 5 10

<210> 64
<211> 7
<212> PRT
<213> Artificial

<220>
<223> AAV capsid protein common antigenic motif (CAM) substitution sequence

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa can be any naturally occurring amino acid other than D

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> Xaa can be any naturally occurring amino acid other than S

<220>
<221> MISC_FEATURE

<222> (3)..(3)
<223> Xaa can be any naturally occurring amino acid other than T

<220>
<221> MISC_FEATURE
<222> (4)..(4)
<223> Xaa can be any naturally occurring amino acid other than G

<220>
<221> MISC_FEATURE
<222> (5)..(5)
<223> Xaa can be any naturally occurring amino acid other than E

<220>
<221> MISC_FEATURE
<222> (6)..(6)
<223> Xaa can be any naturally occurring amino acid other than Y

<220>
<221> MISC_FEATURE
<222> (7)..(7)
<223> Xaa can be any naturally occurring amino acid other than R

<400> 64

Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1 5

<210> 65
<211> 7
<212> PRT
<213> Artificial

<220>
<223> AAV capsid protein common antigenic motif (CAM) substitution
sequence

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa can be any naturally occurring amino acid other than S

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> Xaa can be any naturally occurring amino acid other than A

<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa can be any naturally occurring amino acid other than S

<220>
<221> MISC_FEATURE
<222> (4)..(4)
<223> Xaa can be any naturally occurring amino acid other than T

<220>
<221> MISC_FEATURE
<222> (5)..(5)
<223> Xaa can be any naturally occurring amino acid other than G

<220>
<221> MISC_FEATURE
<222> (6)..(6)
<223> Xaa can be any naturally occurring amino acid other than A

<220>
<221> MISC_FEATURE
<222> (7)..(7)
<223> Xaa can be any naturally occurring amino acid other than S

<400> 65

Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1 5

<210> 66
<211> 10
<212> PRT
<213> Artificial

<220>
<223> AAV capsid protein common antigenic motif (CAM) substitution sequence

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa can be any naturally occurring amino acid other than V

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> Xaa can be any naturally occurring amino acid other than F

<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa can be any naturally occurring amino acid other than M

<220>
<221> MISC_FEATURE
<222> (4)..(4)

<223> Xaa can be any naturally occurring amino acid other than I

<220>

<221> MISC_FEATURE

<222> (5)..(5)

<223> Xaa can be any naturally occurring amino acid other than P

<220>

<221> MISC_FEATURE

<222> (6)..(6)

<223> Xaa can be any naturally occurring amino acid other than Q

<220>

<221> MISC_FEATURE

<222> (7)..(7)

<223> Xaa can be any naturally occurring amino acid other than Y

<220>

<221> MISC_FEATURE

<222> (8)..(8)

<223> Xaa can be any naturally occurring amino acid other than G

<220>

<221> MISC_FEATURE

<222> (9)..(9)

<223> Xaa can be any naturally occurring amino acid other than Y

<220>

<221> MISC_FEATURE

<222> (10)..(10)

<223> Xaa can be any naturally occurring amino acid other than L

<400> 66

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa

1

5

10

<210> 67

<211> 4

<212> PRT

<213> Artificial

<220>

<223> AAV capsid protein common antigenic motif (CAM) substitution sequence

<220>

<221> MISC_FEATURE

<222> (1)..(1)

<223> Xaa can be any naturally occurring amino acid other than A

<220>

<221> MISC_FEATURE
<222> (2)..(2)
<223> Xaa can be any naturally occurring amino acid other than Q

<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa can be any naturally occurring amino acid other than N

<220>
<221> MISC_FEATURE
<222> (4)..(4)
<223> Xaa can be any naturally occurring amino acid other than K

<400> 67

Xaa Xaa Xaa Xaa
1

<210> 68
<211> 7
<212> PRT
<213> Artificial

<220>
<223> AAV capsid protein common antigenic motif (CAM) substitution sequence

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa can be any naturally occurring amino acid other than K

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> Xaa can be any naturally occurring amino acid other than T

<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa can be any naturally occurring amino acid other than D

<220>
<221> MISC_FEATURE
<222> (4)..(6)
<223> Xaa can be any naturally occurring amino acid other than N

<220>
<221> MISC_FEATURE
<222> (7)..(7)
<223> Xaa can be any naturally occurring amino acid other than S

<400> 68

Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1 5

<210> 69

<211> 10

<212> PRT

<213> Artificial

<220>

<223> AAV capsid protein common antigenic motif (CAM) substitution
sequence

<220>

<221> MISC_FEATURE

<222> (1)..(1)

<223> Xaa can be any naturally occurring amino acid other than S

<220>

<221> MISC_FEATURE

<222> (2)..(2)

<223> Xaa can be any naturally occurring amino acid other than T

<220>

<221> MISC_FEATURE

<222> (3)..(3)

<223> Xaa can be any naturally occurring amino acid other than D

<220>

<221> MISC_FEATURE

<222> (4)..(4)

<223> Xaa can be any naturally occurring amino acid other than P

<220>

<221> MISC_FEATURE

<222> (5)..(5)

<223> Xaa can be any naturally occurring amino acid other than A

<220>

<221> MISC_FEATURE

<222> (6)..(6)

<223> Xaa can be any naturally occurring amino acid other than T

<220>

<221> MISC_FEATURE

<222> (7)..(7)

<223> Xaa can be any naturally occurring amino acid other than G

<220>

<221> MISC_FEATURE

<222> (8)..(8)
<223> Xaa can be any naturally occurring amino acid other than D

<220>
<221> MISC_FEATURE
<222> (9)..(9)
<223> Xaa can be any naturally occurring amino acid other than V

<220>
<221> MISC_FEATURE
<222> (10)..(10)
<223> Xaa can be any naturally occurring amino acid other than H

<400> 69

Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa
1				5					10

<210> 70
<211> 7
<212> PRT
<213> Artificial

<220>
<223> AAV capsid protein common antigenic motif (CAM) substitution sequence

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa can be any naturally occurring amino acid other than D

<220>
<221> MISC_FEATURE
<222> (2)..(3)
<223> Xaa can be any naturally occurring amino acid other than N

<220>
<221> MISC_FEATURE
<222> (4)..(4)
<223> Xaa can be any naturally occurring amino acid other than G

<220>
<221> MISC_FEATURE
<222> (5)..(5)
<223> Xaa can be any naturally occurring amino acid other than L

<220>
<221> MISC_FEATURE
<222> (6)..(6)
<223> Xaa can be any naturally occurring amino acid other than Y

<220>
<221> MISC_FEATURE
<222> (7)..(7)
<223> Xaa can be any naturally occurring amino acid other than T

<400> 70

Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1 5

<210> 71
<211> 7
<212> PRT
<213> Artificial

<220>
<223> AAV capsid protein common antigenic motif (CAM) substitution sequence

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa can be any naturally occurring amino acid other than S

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> Xaa can be any naturally occurring amino acid other than E

<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa can be any naturally occurring amino acid other than T

<220>
<221> MISC_FEATURE
<222> (4)..(4)
<223> Xaa can be any naturally occurring amino acid other than A

<220>
<221> MISC_FEATURE
<222> (5)..(5)
<223> Xaa can be any naturally occurring amino acid other than G

<220>
<221> MISC_FEATURE
<222> (6)..(6)
<223> Xaa can be any naturally occurring amino acid other than S

<220>
<221> MISC_FEATURE
<222> (7)..(7)

<223> Xaa can be any naturally occurring amino acid other than T

<400> 71

Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1 5

<210> 72

<211> 10

<212> PRT

<213> Artificial

<220>

<223> AAV capsid protein common antigenic motif (CAM) substitution sequence

<220>

<221> MISC_FEATURE

<222> (1)..(1)

<223> Xaa can be any naturally occurring amino acid other than V

<220>

<221> MISC_FEATURE

<222> (2)..(2)

<223> Xaa can be any naturally occurring amino acid other than F

<220>

<221> MISC_FEATURE

<222> (3)..(3)

<223> Xaa can be any naturally occurring amino acid other than M

<220>

<221> MISC_FEATURE

<222> (4)..(4)

<223> Xaa can be any naturally occurring amino acid other than I

<220>

<221> MISC_FEATURE

<222> (5)..(5)

<223> Xaa can be any naturally occurring amino acid other than P

<220>

<221> MISC_FEATURE

<222> (6)..(6)

<223> Xaa can be any naturally occurring amino acid other than Q

<220>

<221> MISC_FEATURE

<222> (7)..(7)

<223> Xaa can be any naturally occurring amino acid other than Y

<220>

<221> MISC_FEATURE
<222> (8)..(8)
<223> Xaa can be any naturally occurring amino acid other than G

<220>
<221> MISC_FEATURE
<222> (9)..(9)
<223> Xaa can be any naturally occurring amino acid other than Y

<220>
<221> MISC_FEATURE
<222> (10)..(10)
<223> Xaa can be any naturally occurring amino acid other than L

<400> 72

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1 5 10

<210> 73
<211> 4
<212> PRT
<213> Artificial

<220>
<223> AAV capsid protein common antigenic motif (CAM) substitution
sequence

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa can be any naturally occurring amino acid other than A

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> Xaa can be any naturally occurring amino acid other than G

<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa can be any naturally occurring amino acid other than N

<220>
<221> MISC_FEATURE
<222> (4)..(4)
<223> Xaa can be any naturally occurring amino acid other than R

<400> 73

Xaa Xaa Xaa Xaa
1

<210> 74
 <211> 7
 <212> PRT
 <213> Artificial

 <220>
 <223> AAV capsid protein common antigenic motif (CAM) substitution sequence

 <220>
 <221> MISC_FEATURE
 <222> (1)..(1)
 <223> Xaa can be any naturally occurring amino acid other than L

 <220>
 <221> MISC_FEATURE
 <222> (2)..(2)
 <223> Xaa can be any naturally occurring amino acid other than D

 <220>
 <221> MISC_FEATURE
 <222> (3)..(3)
 <223> Xaa can be any naturally occurring amino acid other than Q

 <220>
 <221> MISC_FEATURE
 <222> (4)..(6)
 <223> Xaa can be any naturally occurring amino acid other than N

 <220>
 <221> MISC_FEATURE
 <222> (7)..(7)
 <223> Xaa can be any naturally occurring amino acid other than S

 <400> 74

 Xaa Xaa Xaa Xaa Xaa Xaa Xaa
 1 5

<210> 75
 <211> 10
 <212> PRT
 <213> Artificial

 <220>
 <223> AAV capsid protein common antigenic motif (CAM) substitution sequence

 <220>

<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa can be any naturally occurring amino acid other than N

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> Xaa can be any naturally occurring amino acid other than T

<220>
<221> MISC_FEATURE
<222> (3)..(4)
<223> Xaa can be any naturally occurring amino acid other than A

<220>
<221> MISC_FEATURE
<222> (5)..(5)
<223> Xaa can be any naturally occurring amino acid other than Q

<220>
<221> MISC_FEATURE
<222> (6)..(6)
<223> Xaa can be any naturally occurring amino acid other than T

<220>
<221> MISC_FEATURE
<222> (7)..(7)
<223> Xaa can be any naturally occurring amino acid other than Q

<220>
<221> MISC_FEATURE
<222> (8)..(9)
<223> Xaa can be any naturally occurring amino acid other than V

<220>
<221> MISC_FEATURE
<222> (10)..(10)
<223> Xaa can be any naturally occurring amino acid other than N

<400> 75

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1 5 10

<210> 76
<211> 7
<212> PRT
<213> Artificial

<220>
<223> AAV capsid protein common antigenic motif (CAM) substitution
sequence

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa can be any naturally occurring amino acid other than D

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> Xaa can be any naturally occurring amino acid other than S

<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa can be any naturally occurring amino acid other than Q

<220>
<221> MISC_FEATURE
<222> (4)..(4)
<223> Xaa can be any naturally occurring amino acid other than G

<220>
<221> MISC_FEATURE
<222> (5)..(5)
<223> Xaa can be any naturally occurring amino acid other than V

<220>
<221> MISC_FEATURE
<222> (6)..(6)
<223> Xaa can be any naturally occurring amino acid other than Y

<220>
<221> MISC_FEATURE
<222> (7)..(7)
<223> Xaa can be any naturally occurring amino acid other than S

<400> 76

Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1 5

<210> 77
<211> 8
<212> PRT
<213> Artificial

<220>
<223> AAV capsid protein common antigenic motif (CAM) substitution
sequence

<220>
<221> MISC_FEATURE

<222> (1)..(1)
<223> Xaa can be any naturally occurring amino acid other than N

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> Xaa can be any naturally occurring amino acid other than G

<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa can be any naturally occurring amino acid other than T

<220>
<221> MISC_FEATURE
<222> (4)..(4)
<223> Xaa can be any naturally occurring amino acid other than S

<220>
<221> MISC_FEATURE
<222> (5)..(6)
<223> Xaa can be any naturally occurring amino acid other than G

<220>
<221> MISC_FEATURE
<222> (7)..(7)
<223> Xaa can be any naturally occurring amino acid other than A

<220>
<221> MISC_FEATURE
<222> (8)..(8)
<223> Xaa can be any naturally occurring amino acid other than T

<400> 77

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1 5

<210> 78
<211> 10
<212> PRT
<213> Artificial

<220>
<223> AAV capsid protein common antigenic motif (CAM) substitution sequence

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa can be any naturally occurring amino acid other than V

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> Xaa can be any naturally occurring amino acid other than F

<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa can be any naturally occurring amino acid other than M

<220>
<221> MISC_FEATURE
<222> (4)..(4)
<223> Xaa can be any naturally occurring amino acid other than I

<220>
<221> MISC_FEATURE
<222> (5)..(5)
<223> Xaa can be any naturally occurring amino acid other than P

<220>
<221> MISC_FEATURE
<222> (6)..(6)
<223> Xaa can be any naturally occurring amino acid other than Q

<220>
<221> MISC_FEATURE
<222> (7)..(7)
<223> Xaa can be any naturally occurring amino acid other than Y

<220>
<221> MISC_FEATURE
<222> (8)..(8)
<223> Xaa can be any naturally occurring amino acid other than G

<220>
<221> MISC_FEATURE
<222> (9)..(9)
<223> Xaa can be any naturally occurring amino acid other than Y

<220>
<221> MISC_FEATURE
<222> (10)..(10)
<223> Xaa can be any naturally occurring amino acid other than L

<400> 78

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1 5 10

<210> 79
<211> 4
<212> PRT

<213> Artificial

<220>

<223> AAV capsid protein common antigenic motif (CAM) substitution sequence

<220>

<221> MISC_FEATURE

<222> (1)..(1)

<223> Xaa can be any naturally occurring amino acid other than A

<220>

<221> MISC_FEATURE

<222> (2)..(2)

<223> Xaa can be any naturally occurring amino acid other than N

<220>

<221> MISC_FEATURE

<222> (3)..(3)

<223> Xaa can be any naturally occurring amino acid other than T

<220>

<221> MISC_FEATURE

<222> (4)..(4)

<223> Xaa can be any naturally occurring amino acid other than Q

<400> 79

Xaa Xaa Xaa Xaa

1

<210> 80

<211> 7

<212> PRT

<213> Artificial

<220>

<223> AAV capsid protein common antigenic motif (CAM) substitution sequence

<220>

<221> MISC_FEATURE

<222> (1)..(1)

<223> Xaa can be any naturally occurring amino acid other than T

<220>

<221> MISC_FEATURE

<222> (2)..(2)

<223> Xaa can be any naturally occurring amino acid other than G

<220>

<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa can be any naturally occurring amino acid other than Q

<220>
<221> MISC_FEATURE
<222> (4)..(6)
<223> Xaa can be any naturally occurring amino acid other than N

<220>
<221> MISC_FEATURE
<222> (7)..(7)
<223> Xaa can be any naturally occurring amino acid other than S

<400> 80

Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1 5

<210> 81
<211> 11
<212> PRT
<213> Artificial

<220>
<223> AAV capsid protein common antigenic motif (CAM) substitution sequence

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa can be any naturally occurring amino acid other than N

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> Xaa can be any naturally occurring amino acid other than T

<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa can be any naturally occurring amino acid other than A

<220>
<221> MISC_FEATURE
<222> (4)..(4)
<223> Xaa can be any naturally occurring amino acid other than P

<220>
<221> MISC_FEATURE
<222> (5)..(5)
<223> Xaa can be any naturally occurring amino acid other than Q

<220>
<221> MISC_FEATURE
<222> (6)..(6)
<223> Xaa can be any naturally occurring amino acid other than I

<220>
<221> MISC_FEATURE
<222> (7)..(7)
<223> Xaa can be any naturally occurring amino acid other than G

<220>
<221> MISC_FEATURE
<222> (8)..(8)
<223> Xaa can be any naturally occurring amino acid other than T

<220>
<221> MISC_FEATURE
<222> (9)..(9)
<223> Xaa can be any naturally occurring amino acid other than V

<220>
<221> MISC_FEATURE
<222> (10)..(10)
<223> Xaa can be any naturally occurring amino acid other than N

<220>
<221> MISC_FEATURE
<222> (11)..(11)
<223> Xaa can be any naturally occurring amino acid other than S

<400> 81

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1 5 10

<210> 82
<211> 7
<212> PRT
<213> Artificial

<220>
<223> AAV capsid protein common antigenic motif (CAM) substitution
sequence

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa can be any naturally occurring amino acid other than N

<220>
<221> MISC_FEATURE

<222> (2)..(2)
<223> Xaa can be any naturally occurring amino acid other than T

<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa can be any naturally occurring amino acid other than E

<220>
<221> MISC_FEATURE
<222> (4)..(4)
<223> Xaa can be any naturally occurring amino acid other than G

<220>
<221> MISC_FEATURE
<222> (5)..(5)
<223> Xaa can be any naturally occurring amino acid other than V

<220>
<221> MISC_FEATURE
<222> (6)..(6)
<223> Xaa can be any naturally occurring amino acid other than Y

<220>
<221> MISC_FEATURE
<222> (7)..(7)
<223> Xaa can be any naturally occurring amino acid other than S

<400> 82

Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1 5

<210> 83
<211> 8
<212> PRT
<213> Artificial

<220>
<223> AAV capsid protein common antigenic motif (CAM) substitution sequence

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa can be any naturally occurring amino acid other than N

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> Xaa can be any naturally occurring amino acid other than S

<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa can be any naturally occurring amino acid other than T

<220>
<221> MISC_FEATURE
<222> (4)..(4)
<223> Xaa can be any naturally occurring amino acid other than S

<220>
<221> MISC_FEATURE
<222> (5)..(6)
<223> Xaa can be any naturally occurring amino acid other than G

<220>
<221> MISC_FEATURE
<222> (7)..(8)
<223> Xaa can be any naturally occurring amino acid other than S

<400> 83

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1 5

<210> 84
<211> 10
<212> PRT
<213> Artificial

<220>
<223> AAV capsid protein common antigenic motif (CAM) substitution sequence

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa can be any naturally occurring amino acid other than V

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> Xaa can be any naturally occurring amino acid other than F

<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa can be any naturally occurring amino acid other than M

<220>
<221> MISC_FEATURE
<222> (4)..(4)

<223> Xaa can be any naturally occurring amino acid other than I

<220>

<221> MISC_FEATURE

<222> (5)..(5)

<223> Xaa can be any naturally occurring amino acid other than P

<220>

<221> MISC_FEATURE

<222> (6)..(6)

<223> Xaa can be any naturally occurring amino acid other than Q

<220>

<221> MISC_FEATURE

<222> (7)..(7)

<223> Xaa can be any naturally occurring amino acid other than Y

<220>

<221> MISC_FEATURE

<222> (8)..(8)

<223> Xaa can be any naturally occurring amino acid other than G

<220>

<221> MISC_FEATURE

<222> (9)..(9)

<223> Xaa can be any naturally occurring amino acid other than Y

<220>

<221> MISC_FEATURE

<222> (10)..(10)

<223> Xaa can be any naturally occurring amino acid other than L

<400> 84

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa

1

5

10

<210> 85

<211> 4

<212> PRT

<213> Artificial

<220>

<223> AAV capsid protein common antigenic motif (CAM) substitution sequence

<220>

<221> MISC_FEATURE

<222> (1)..(1)

<223> Xaa can be any naturally occurring amino acid other than Q

<220>

<221> MISC_FEATURE
<222> (2)..(2)
<223> Xaa can be any naturally occurring amino acid other than N

<220>
<221> MISC_FEATURE
<222> (3)..(4)
<223> Xaa can be any naturally occurring amino acid other than Q

<400> 85

Xaa Xaa Xaa Xaa

1

<210> 86
<211> 7
<212> PRT
<213> Artificial

<220>
<223> AAV capsid protein common antigenic motif (CAM) substitution
sequence

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa can be any naturally occurring amino acid other than V

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> Xaa can be any naturally occurring amino acid other than T

<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa can be any naturally occurring amino acid other than Q

<220>
<221> MISC_FEATURE
<222> (4)..(6)
<223> Xaa can be any naturally occurring amino acid other than N

<220>
<221> MISC_FEATURE
<222> (7)..(7)
<223> Xaa can be any naturally occurring amino acid other than S

<400> 86

Xaa Xaa Xaa Xaa Xaa Xaa Xaa

1

5

<210> 87
<211> 10
<212> PRT
<213> Artificial

<220>
<223> AAV capsid protein common antigenic motif (CAM) substitution sequence

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa can be any naturally occurring amino acid other than Q

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> Xaa can be any naturally occurring amino acid other than A

<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa can be any naturally occurring amino acid other than Q

<220>
<221> MISC_FEATURE
<222> (4)..(4)
<223> Xaa can be any naturally occurring amino acid other than A

<220>
<221> MISC_FEATURE
<222> (5)..(5)
<223> Xaa can be any naturally occurring amino acid other than Q

<220>
<221> MISC_FEATURE
<222> (6)..(6)
<223> Xaa can be any naturally occurring amino acid other than T

<220>
<221> MISC_FEATURE
<222> (7)..(7)
<223> Xaa can be any naturally occurring amino acid other than G

<220>
<221> MISC_FEATURE
<222> (8)..(8)
<223> Xaa can be any naturally occurring amino acid other than W

<220>
<221> MISC_FEATURE

<222> (9)..(9)
<223> Xaa can be any naturally occurring amino acid other than V

<220>
<221> MISC_FEATURE
<222> (10)..(10)
<223> Xaa can be any naturally occurring amino acid other than Q

<400> 87

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1 5 10

<210> 88
<211> 7
<212> PRT
<213> Artificial

<220>
<223> AAV capsid protein common antigenic motif (CAM) substitution
sequence

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa can be any naturally occurring amino acid other than N

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> Xaa can be any naturally occurring amino acid other than T

<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa can be any naturally occurring amino acid other than E

<220>
<221> MISC_FEATURE
<222> (4)..(4)
<223> Xaa can be any naturally occurring amino acid other than G

<220>
<221> MISC_FEATURE
<222> (5)..(5)
<223> Xaa can be any naturally occurring amino acid other than V

<220>
<221> MISC_FEATURE
<222> (6)..(6)
<223> Xaa can be any naturally occurring amino acid other than Y

<220>
<221> MISC_FEATURE
<222> (7)..(7)
<223> Xaa can be any naturally occurring amino acid other than S

<400> 88

Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1 5

<210> 89
<211> 8
<212> PRT
<213> Artificial

<220>
<223> AAV capsid protein common antigenic motif (CAM) substitution
sequence

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa can be any naturally occurring amino acid other than N

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> Xaa can be any naturally occurring amino acid other than G

<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa can be any naturally occurring amino acid other than T

<220>
<221> MISC_FEATURE
<222> (4)..(4)
<223> Xaa can be any naturally occurring amino acid other than S

<220>
<221> MISC_FEATURE
<222> (5)..(6)
<223> Xaa can be any naturally occurring amino acid other than G

<220>
<221> MISC_FEATURE
<222> (7)..(7)
<223> Xaa can be any naturally occurring amino acid other than S

<220>
<221> MISC_FEATURE
<222> (8)..(8)

<223> Xaa can be any naturally occurring amino acid other than T

<400> 89

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1 5

<210> 90

<211> 10

<212> PRT

<213> Artificial

<220>

<223> AAV capsid protein common antigenic motif (CAM) substitution sequence

<220>

<221> MISC_FEATURE

<222> (1)..(1)

<223> Xaa can be any naturally occurring amino acid other than V

<220>

<221> MISC_FEATURE

<222> (2)..(2)

<223> Xaa can be any naturally occurring amino acid other than F

<220>

<221> MISC_FEATURE

<222> (3)..(3)

<223> Xaa can be any naturally occurring amino acid other than M

<220>

<221> MISC_FEATURE

<222> (4)..(4)

<223> Xaa can be any naturally occurring amino acid other than I

<220>

<221> MISC_FEATURE

<222> (5)..(5)

<223> Xaa can be any naturally occurring amino acid other than P

<220>

<221> MISC_FEATURE

<222> (6)..(6)

<223> Xaa can be any naturally occurring amino acid other than Q

<220>

<221> MISC_FEATURE

<222> (7)..(7)

<223> Xaa can be any naturally occurring amino acid other than Y

<220>

<221> MISC_FEATURE
<222> (8)..(8)
<223> Xaa can be any naturally occurring amino acid other than G

<220>
<221> MISC_FEATURE
<222> (9)..(9)
<223> Xaa can be any naturally occurring amino acid other than Y

<220>
<221> MISC_FEATURE
<222> (10)..(10)
<223> Xaa can be any naturally occurring amino acid other than L

<400> 90

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1 5 10

<210> 91
<211> 4
<212> PRT
<213> Artificial

<220>
<223> AAV capsid protein common antigenic motif (CAM) substitution sequence

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa can be any naturally occurring amino acid other than A

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> Xaa can be any naturally occurring amino acid other than G

<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa can be any naturally occurring amino acid other than T

<220>
<221> MISC_FEATURE
<222> (4)..(4)
<223> Xaa can be any naturally occurring amino acid other than Q

<400> 91

Xaa Xaa Xaa Xaa
1

<210> 92
 <211> 7
 <212> PRT
 <213> Artificial

 <220>
 <223> AAV capsid protein common antigenic motif (CAM) substitution sequence

 <220>
 <221> MISC_FEATURE
 <222> (1)..(1)
 <223> Xaa can be any naturally occurring amino acid other than L

 <220>
 <221> MISC_FEATURE
 <222> (2)..(2)
 <223> Xaa can be any naturally occurring amino acid other than S

 <220>
 <221> MISC_FEATURE
 <222> (3)..(3)
 <223> Xaa can be any naturally occurring amino acid other than Q

 <220>
 <221> MISC_FEATURE
 <222> (4)..(6)
 <223> Xaa can be any naturally occurring amino acid other than N

 <220>
 <221> MISC_FEATURE
 <222> (7)..(7)
 <223> Xaa can be any naturally occurring amino acid other than S

 <400> 92

 Xaa Xaa Xaa Xaa Xaa Xaa Xaa
 1 5

<210> 93
 <211> 10
 <212> PRT
 <213> Artificial

 <220>
 <223> AAV capsid protein common antigenic motif (CAM) substitution sequence

 <220>

<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa can be any naturally occurring amino acid other than N

<220>
<221> MISC_FEATURE
<222> (2)..(3)
<223> Xaa can be any naturally occurring amino acid other than A

<220>
<221> MISC_FEATURE
<222> (4)..(4)
<223> Xaa can be any naturally occurring amino acid other than P

<220>
<221> MISC_FEATURE
<222> (5)..(5)
<223> Xaa can be any naturally occurring amino acid other than I

<220>
<221> MISC_FEATURE
<222> (6)..(6)
<223> Xaa can be any naturally occurring amino acid other than V

<220>
<221> MISC_FEATURE
<222> (7)..(7)
<223> Xaa can be any naturally occurring amino acid other than G

<220>
<221> MISC_FEATURE
<222> (8)..(8)
<223> Xaa can be any naturally occurring amino acid other than A

<220>
<221> MISC_FEATURE
<222> (9)..(9)
<223> Xaa can be any naturally occurring amino acid other than V

<220>
<221> MISC_FEATURE
<222> (10)..(10)
<223> Xaa can be any naturally occurring amino acid other than N

<400> 93

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1 5 10

<210> 94
<211> 7
<212> PRT
<213> Artificial

<220>
<223> AAV capsid protein common antigenic motif (CAM) substitution
sequence

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa can be any naturally occurring amino acid other than N

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> Xaa can be any naturally occurring amino acid other than T

<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa can be any naturally occurring amino acid other than D

<220>
<221> MISC_FEATURE
<222> (4)..(4)
<223> Xaa can be any naturally occurring amino acid other than G

<220>
<221> MISC_FEATURE
<222> (5)..(5)
<223> Xaa can be any naturally occurring amino acid other than T

<220>
<221> MISC_FEATURE
<222> (6)..(6)
<223> Xaa can be any naturally occurring amino acid other than Y

<220>
<221> MISC_FEATURE
<222> (7)..(7)
<223> Xaa can be any naturally occurring amino acid other than S

<400> 94

Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1 5

<210> 95
<211> 8
<212> PRT
<213> Artificial

<220>
<223> AAV capsid protein common antigenic motif (CAM) substitution

sequence

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa can be any naturally occurring amino acid other than N

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> Xaa can be any naturally occurring amino acid other than G

<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa can be any naturally occurring amino acid other than T

<220>
<221> MISC_FEATURE
<222> (4)..(4)
<223> Xaa can be any naturally occurring amino acid other than S

<220>
<221> MISC_FEATURE
<222> (5)..(6)
<223> Xaa can be any naturally occurring amino acid other than G

<220>
<221> MISC_FEATURE
<222> (7)..(7)
<223> Xaa can be any naturally occurring amino acid other than S

<220>
<221> MISC_FEATURE
<222> (8)..(8)
<223> Xaa can be any naturally occurring amino acid other than T

<400> 95

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1 5

<210> 96
<211> 10
<212> PRT
<213> Artificial

<220>
<223> AAV capsid protein common antigenic motif (CAM) substitution
sequence

<220>
 <221> MISC_FEATURE
 <222> (1)..(1)
 <223> Xaa can be any naturally occurring amino acid other than V

<220>
 <221> MISC_FEATURE
 <222> (2)..(2)
 <223> Xaa can be any naturally occurring amino acid other than F

<220>
 <221> MISC_FEATURE
 <222> (3)..(3)
 <223> Xaa can be any naturally occurring amino acid other than M

<220>
 <221> MISC_FEATURE
 <222> (4)..(4)
 <223> Xaa can be any naturally occurring amino acid other than V

<220>
 <221> MISC_FEATURE
 <222> (5)..(5)
 <223> Xaa can be any naturally occurring amino acid other than P

<220>
 <221> MISC_FEATURE
 <222> (6)..(6)
 <223> Xaa can be any naturally occurring amino acid other than Q

<220>
 <221> MISC_FEATURE
 <222> (7)..(7)
 <223> Xaa can be any naturally occurring amino acid other than Y

<220>
 <221> MISC_FEATURE
 <222> (8)..(8)
 <223> Xaa can be any naturally occurring amino acid other than G

<220>
 <221> MISC_FEATURE
 <222> (9)..(9)
 <223> Xaa can be any naturally occurring amino acid other than Y

<220>
 <221> MISC_FEATURE
 <222> (10)..(10)
 <223> Xaa can be any naturally occurring amino acid other than L

<400> 96

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
 1 5 10

<210> 97
<211> 4
<212> PRT
<213> Artificial

<220>
<223> AAV capsid protein common antigenic motif (CAM) substitution
sequence

<220>
<221> MISC_FEATURE
<222> (1)..(2)
<223> Xaa can be any naturally occurring amino acid other than G

<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa can be any naturally occurring amino acid other than T

<220>
<221> MISC_FEATURE
<222> (4)..(4)
<223> Xaa can be any naturally occurring amino acid other than Q

<400> 97

Xaa Xaa Xaa Xaa
1

<210> 98
<211> 7
<212> PRT
<213> Artificial

<220>
<223> AAV capsid protein common antigenic motif (CAM) substitution
sequence

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa can be any naturally occurring amino acid other than T

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> Xaa can be any naturally occurring amino acid other than N

<220>

<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa can be any naturally occurring amino acid other than Q

<220>
<221> MISC_FEATURE
<222> (4)..(6)
<223> Xaa can be any naturally occurring amino acid other than N

<220>
<221> MISC_FEATURE
<222> (7)..(7)
<223> Xaa can be any naturally occurring amino acid other than S

<400> 98

Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1 5

<210> 99
<211> 10
<212> PRT
<213> Artificial

<220>
<223> AAV capsid protein common antigenic motif (CAM) substitution sequence

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa can be any naturally occurring amino acid other than N

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> Xaa can be any naturally occurring amino acid other than T

<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa can be any naturally occurring amino acid other than Q

<220>
<221> MISC_FEATURE
<222> (4)..(4)
<223> Xaa can be any naturally occurring amino acid other than A

<220>
<221> MISC_FEATURE
<222> (5)..(5)
<223> Xaa can be any naturally occurring amino acid other than Q

<220>
<221> MISC_FEATURE
<222> (6)..(6)
<223> Xaa can be any naturally occurring amino acid other than T

<220>
<221> MISC_FEATURE
<222> (7)..(7)
<223> Xaa can be any naturally occurring amino acid other than G

<220>
<221> MISC_FEATURE
<222> (8)..(8)
<223> Xaa can be any naturally occurring amino acid other than L

<220>
<221> MISC_FEATURE
<222> (9)..(9)
<223> Xaa can be any naturally occurring amino acid other than V

<220>
<221> MISC_FEATURE
<222> (10)..(10)
<223> Xaa can be any naturally occurring amino acid other than H

<400> 99

Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa
1				5					10

<210> 100
<211> 7
<212> PRT
<213> Artificial

<220>
<223> AAV capsid protein common antigenic motif (CAM) substitution sequence

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa can be any naturally occurring amino acid other than N

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> Xaa can be any naturally occurring amino acid other than T

<220>
<221> MISC_FEATURE

<222> (3)..(3)
<223> Xaa can be any naturally occurring amino acid other than E

<220>
<221> MISC_FEATURE
<222> (4)..(4)
<223> Xaa can be any naturally occurring amino acid other than G

<220>
<221> MISC_FEATURE
<222> (5)..(5)
<223> Xaa can be any naturally occurring amino acid other than V

<220>
<221> MISC_FEATURE
<222> (6)..(6)
<223> Xaa can be any naturally occurring amino acid other than Y

<220>
<221> \MISC_FEATURE
<222> (7)..(7)
<223> Xaa can be any naturally occurring amino acid other than S

<400> 100

Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1 5

<210> 101
<211> 8
<212> PRT
<213> Artificial

<220>
<223> AAV capsid protein common antigenic motif (CAM) substitution
sequence

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa can be any naturally occurring amino acid other than N

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> Xaa can be any naturally occurring amino acid other than G

<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa can be any naturally occurring amino acid other than T

<220>
<221> MISC_FEATURE
<222> (4)..(4)
<223> Xaa can be any naturally occurring amino acid other than S

<220>
<221> MISC_FEATURE
<222> (5)..(6)
<223> Xaa can be any naturally occurring amino acid other than G

<220>
<221> MISC_FEATURE
<222> (7)..(7)
<223> Xaa can be any naturally occurring amino acid other than S

<220>
<221> MISC_FEATURE
<222> (8)..(8)
<223> Xaa can be any naturally occurring amino acid other than T

<400> 101

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1 5

<210> 102
<211> 10
<212> PRT
<213> Artificial

<220>
<223> AAV capsid protein common antigenic motif (CAM) substitution sequence

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa can be any naturally occurring amino acid other than V

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> Xaa can be any naturally occurring amino acid other than F

<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa can be any naturally occurring amino acid other than M

<220>
<221> MISC_FEATURE
<222> (4)..(4)

<223> Xaa can be any naturally occurring amino acid other than I

<220>

<221> MISC_FEATURE

<222> (5)..(5)

<223> Xaa can be any naturally occurring amino acid other than P

<220>

<221> MISC_FEATURE

<222> (6)..(6)

<223> Xaa can be any naturally occurring amino acid other than Q

<220>

<221> MISC_FEATURE

<222> (7)..(7)

<223> Xaa can be any naturally occurring amino acid other than Y

<220>

<221> MISC_FEATURE

<222> (8)..(8)

<223> Xaa can be any naturally occurring amino acid other than G

<220>

<221> MISC_FEATURE

<222> (9)..(9)

<223> Xaa can be any naturally occurring amino acid other than Y

<220>

<221> MISC_FEATURE

<222> (10)..(10)

<223> Xaa can be any naturally occurring amino acid other than L

<400> 102

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa

1

5

10

<210> 103

<211> 4

<212> PRT

<213> Artificial

<220>

<223> AAV capsid protein common antigenic motif (CAM) substitution sequence

<220>

<221> MISC_FEATURE

<222> (1)..(1)

<223> Xaa can be any naturally occurring amino acid other than Q

<220>

<221> MISC_FEATURE
<222> (2)..(2)
<223> Xaa can be any naturally occurring amino acid other than G

<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa can be any naturally occurring amino acid other than T

<220>
<221> MISC_FEATURE
<222> (4)..(4)
<223> Xaa can be any naturally occurring amino acid other than Q

<400> 103

Xaa Xaa Xaa Xaa
1

<210> 104
<211> 7
<212> PRT
<213> Artificial

<220>
<223> AAV capsid protein common antigenic motif (CAM) substitution sequence

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa can be any naturally occurring amino acid other than L

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> Xaa can be any naturally occurring amino acid other than S

<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa can be any naturally occurring amino acid other than Q

<220>
<221> MISC_FEATURE
<222> (4)..(6)
<223> Xaa can be any naturally occurring amino acid other than N

<220>
<221> MISC_FEATURE
<222> (7)..(7)
<223> Xaa can be any naturally occurring amino acid other than S

<400> 104

Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1 5

<210> 105

<211> 10

<212> PRT

<213> Artificial

<220>

<223> AAV capsid protein common antigenic motif (CAM) substitution
sequence

<220>

<221> MISC_FEATURE

<222> (1)..(1)

<223> Xaa can be any naturally occurring amino acid other than N

<220>

<221> MISC_FEATURE

<222> (2)..(2)

<223> Xaa can be any naturally occurring amino acid other than T

<220>

<221> MISC_FEATURE

<222> (3)..(3)

<223> Xaa can be any naturally occurring amino acid other than G

<220>

<221> MISC_FEATURE

<222> (4)..(4)

<223> Xaa can be any naturally occurring amino acid other than P

<220>

<221> MISC_FEATURE

<222> (5)..(5)

<223> Xaa can be any naturally occurring amino acid other than I

<220>

<221> MISC_FEATURE

<222> (6)..(6)

<223> Xaa can be any naturally occurring amino acid other than V

<220>

<221> MISC_FEATURE

<222> (7)..(7)

<223> Xaa can be any naturally occurring amino acid other than G

<220>

<221> MISC_FEATURE

<222> (8)..(8)
<223> Xaa can be any naturally occurring amino acid other than N

<220>
<221> MISC_FEATURE
<222> (9)..(9)
<223> Xaa can be any naturally occurring amino acid other than V

<220>
<221> MISC_FEATURE
<222> (10)..(10)
<223> Xaa can be any naturally occurring amino acid other than N

<400> 105

Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa
1				5					10

<210> 106
<211> 7
<212> PRT
<213> Artificial

<220>
<223> AAV capsid protein common antigenic motif (CAM) substitution sequence

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa can be any naturally occurring amino acid other than N

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> Xaa can be any naturally occurring amino acid other than T

<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa can be any naturally occurring amino acid other than E

<220>
<221> MISC_FEATURE
<222> (4)..(4)
<223> Xaa can be any naturally occurring amino acid other than G

<220>
<221> MISC_FEATURE
<222> (5)..(5)
<223> Xaa can be any naturally occurring amino acid other than T

<220>
<221> MISC_FEATURE
<222> (6)..(6)
<223> Xaa can be any naturally occurring amino acid other than Y

<220>
<221> MISC_FEATURE
<222> (7)..(7)
<223> Xaa can be any naturally occurring amino acid other than S

<400> 106

Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1 5

<210> 107
<211> 8
<212> PRT
<213> Artificial

<220>
<223> AAV capsid protein common antigenic motif (CAM) substitution
sequence

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa can be any naturally occurring amino acid other than R

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> Xaa can be any naturally occurring amino acid other than L

<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa can be any naturally occurring amino acid other than G

<220>
<221> MISC_FEATURE
<222> (4)..(5)
<223> Xaa can be any naturally occurring amino acid other than T

<220>
<221> MISC_FEATURE
<222> (6)..(8)
<223> Xaa can be any naturally occurring amino acid other than S

<400> 107

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa

<210> 108
<211> 10
<212> PRT
<213> Artificial

<220>
<223> AAV capsid protein common antigenic motif (CAM) substitution sequence

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa can be any naturally occurring amino acid other than V

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> Xaa can be any naturally occurring amino acid other than F

<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa can be any naturally occurring amino acid other than M

<220>
<221> MISC_FEATURE
<222> (4)..(4)
<223> Xaa can be any naturally occurring amino acid other than V

<220>
<221> MISC_FEATURE
<222> (5)..(5)
<223> Xaa can be any naturally occurring amino acid other than P

<220>
<221> MISC_FEATURE
<222> (6)..(6)
<223> Xaa can be any naturally occurring amino acid other than Q

<220>
<221> MISC_FEATURE
<222> (7)..(7)
<223> Xaa can be any naturally occurring amino acid other than Y

<220>
<221> MISC_FEATURE
<222> (8)..(8)
<223> Xaa can be any naturally occurring amino acid other than G

<220>

<221> MISC_FEATURE
<222> (9)..(9)
<223> Xaa can be any naturally occurring amino acid other than Y

<220>
<221> MISC_FEATURE
<222> (10)..(10)
<223> Xaa can be any naturally occurring amino acid other than C

<400> 108

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1 5 10

<210> 109
<211> 4
<212> PRT
<213> Artificial

<220>
<223> AAV capsid protein common antigenic motif (CAM) substitution
sequence

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa can be any naturally occurring amino acid other than Q

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> Xaa can be any naturally occurring amino acid other than G

<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa can be any naturally occurring amino acid other than N

<220>
<221> MISC_FEATURE
<222> (4)..(4)
<223> Xaa can be any naturally occurring amino acid other than A

<400> 109

Xaa Xaa Xaa Xaa
1

<210> 110
<211> 12
<212> PRT

<213> Artificial

<220>

<223> AAV capsid protein common antigenic motif (CAM) substitution sequence

<220>

<221> MISC_FEATURE

<222> (1)..(1)

<223> Xaa can be any naturally occurring amino acid other than A

<220>

<221> MISC_FEATURE

<222> (2)..(2)

<223> Xaa can be any naturally occurring amino acid other than S

<220>

<221> MISC_FEATURE

<222> (3)..(3)

<223> Xaa can be any naturally occurring amino acid other than Q

<220>

<221> MISC_FEATURE

<222> (4)..(4)

<223> Xaa can be any naturally occurring amino acid other than N

<220>

<221> MISC_FEATURE

<222> (5)..(5)

<223> Xaa can be any naturally occurring amino acid other than Y

<220>

<221> MISC_FEATURE

<222> (6)..(6)

<223> Xaa can be any naturally occurring amino acid other than K

<220>

<221> MISC_FEATURE

<222> (7)..(7)

<223> Xaa can be any naturally occurring amino acid other than I

<220>

<221> MISC_FEATURE

<222> (8)..(8)

<223> Xaa can be any naturally occurring amino acid other than P

<220>

<221> MISC_FEATURE

<222> (9)..(9)

<223> Xaa can be any naturally occurring amino acid other than A

<220>

<221> MISC_FEATURE

<222> (10)..(10)
<223> Xaa can be any naturally occurring amino acid other than S

<220>
<221> MISC_FEATURE
<222> (11)..(12)
<223> Xaa can be any naturally occurring amino acid other than G

<400> 110

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1 5 10

<210> 111
<211> 10
<212> PRT
<213> Artificial

<220>
<223> AAV capsid protein common antigenic motif (CAM) substitution
sequence

<220>
<221> MISC_FEATURE
<222> (1)..(2)
<223> Xaa can be any naturally occurring amino acid other than T

<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa can be any naturally occurring amino acid other than A

<220>
<221> MISC_FEATURE
<222> (4)..(4)
<223> Xaa can be any naturally occurring amino acid other than P

<220>
<221> MISC_FEATURE
<222> (5)..(5)
<223> Xaa can be any naturally occurring amino acid other than I

<220>
<221> MISC_FEATURE
<222> (6)..(6)
<223> Xaa can be any naturally occurring amino acid other than T

<220>
<221> MISC_FEATURE
<222> (7)..(7)
<223> Xaa can be any naturally occurring amino acid other than G

<220>
<221> MISC_FEATURE
<222> (8)..(8)
<223> Xaa can be any naturally occurring amino acid other than N

<220>
<221> MISC_FEATURE
<222> (9)..(9)
<223> Xaa can be any naturally occurring amino acid other than V

<220>
<221> MISC_FEATURE
<222> (10)..(10)
<223> Xaa can be any naturally occurring amino acid other than T

<400> 111

Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa
1				5					10

<210> 112
<211> 7
<212> PRT
<213> Artificial

<220>
<223> AAV capsid protein common antigenic motif (CAM) substitution sequence

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa can be any naturally occurring amino acid other than D

<220>
<221> MISC_FEATURE
<222> (2)..(3)
<223> Xaa can be any naturally occurring amino acid other than T

<220>
<221> MISC_FEATURE
<222> (4)..(4)
<223> Xaa can be any naturally occurring amino acid other than G

<220>
<221> MISC_FEATURE
<222> (5)..(5)
<223> Xaa can be any naturally occurring amino acid other than K

<220>
<221> MISC_FEATURE
<222> (6)..(6)

<223> Xaa can be any naturally occurring amino acid other than Y

<220>

<221> MISC_FEATURE

<222> (7)..(7)

<223> Xaa can be any naturally occurring amino acid other than T

<400> 112

Xaa Xaa Xaa Xaa Xaa Xaa Xaa

1

5

<210> 113

<211> 8

<212> PRT

<213> Artificial

<220>

<223> AAV capsid protein common antigenic motif (CAM) substitution sequence

<220>

<221> MISC_FEATURE

<222> (1)..(1)

<223> Xaa can be any naturally occurring amino acid other than R

<220>

<221> MISC_FEATURE

<222> (2)..(2)

<223> Xaa can be any naturally occurring amino acid other than I

<220>

<221> MISC_FEATURE

<222> (3)..(3)

<223> Xaa can be any naturally occurring amino acid other than G

<220>

<221> MISC_FEATURE

<222> (4)..(5)

<223> Xaa can be any naturally occurring amino acid other than T

<220>

<221> MISC_FEATURE

<222> (6)..(6)

<223> Xaa can be any naturally occurring amino acid other than A

<220>

<221> MISC_FEATURE

<222> (7)..(7)

<223> Xaa can be any naturally occurring amino acid other than N

<220>

<221> MISC_FEATURE
<222> (8)..(8)
<223> Xaa can be any naturally occurring amino acid other than S

<400> 113

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1 5

<210> 114
<211> 10
<212> PRT
<213> Artificial

<220>
<223> AAV capsid protein common antigenic motif (CAM) substitution
sequence

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa can be any naturally occurring amino acid other than V

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> Xaa can be any naturally occurring amino acid other than F

<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa can be any naturally occurring amino acid other than M

<220>
<221> MISC_FEATURE
<222> (4)..(4)
<223> Xaa can be any naturally occurring amino acid other than V

<220>
<221> MISC_FEATURE
<222> (5)..(5)
<223> Xaa can be any naturally occurring amino acid other than P

<220>
<221> MISC_FEATURE
<222> (6)..(6)
<223> Xaa can be any naturally occurring amino acid other than Q

<220>
<221> MISC_FEATURE
<222> (7)..(7)
<223> Xaa can be any naturally occurring amino acid other than Y

<220>
<221> MISC_FEATURE
<222> (8)..(8)
<223> Xaa can be any naturally occurring amino acid other than G

<220>
<221> MISC_FEATURE
<222> (9)..(9)
<223> Xaa can be any naturally occurring amino acid other than Y

<220>
<221> MISC_FEATURE
<222> (10)..(10)
<223> Xaa can be any naturally occurring amino acid other than C

<400> 114

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1 5 10

<210> 115
<211> 4
<212> PRT
<213> Artificial

<220>
<223> AAV capsid protein common antigenic motif (CAM) substitution
sequence

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa can be any naturally occurring amino acid other than Q

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> Xaa can be any naturally occurring amino acid other than G

<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa can be any naturally occurring amino acid other than T

<220>
<221> MISC_FEATURE
<222> (4)..(4)
<223> Xaa can be any naturally occurring amino acid other than A

<400> 115

Xaa Xaa Xaa Xaa

1

<210> 116

<211> 12

<212> PRT

<213> Artificial

<220>

<223> AAV capsid protein common antigenic motif (CAM) substitution sequence

<220>

<221> MISC_FEATURE

<222> (1)..(1)

<223> Xaa can be any naturally occurring amino acid other than N

<220>

<221> MISC_FEATURE

<222> (2)..(2)

<223> Xaa can be any naturally occurring amino acid other than N

<220>

<221> MISC_FEATURE

<222> (3)..(3)

<223> Xaa can be any naturally occurring amino acid other than Q

<220>

<221> MISC_FEATURE

<222> (4)..(4)

<223> Xaa can be any naturally occurring amino acid other than N

<220>

<221> MISC_FEATURE

<222> (5)..(5)

<223> Xaa can be any naturally occurring amino acid other than Y

<220>

<221> MISC_FEATURE

<222> (6)..(6)

<223> Xaa can be any naturally occurring amino acid other than K

<220>

<221> MISC_FEATURE

<222> (7)..(7)

<223> Xaa can be any naturally occurring amino acid other than I

<220>

<221> MISC_FEATURE

<222> (8)..(8)

<223> Xaa can be any naturally occurring amino acid other than P

<220>
<221> MISC_FEATURE
<222> (9)..(9)
<223> Xaa can be any naturally occurring amino acid other than A

<220>
<221> MISC_FEATURE
<222> (10)..(10)
<223> Xaa can be any naturally occurring amino acid other than S

<220>
<221> MISC_FEATURE
<222> (11)..(12)
<223> Xaa can be any naturally occurring amino acid other than G

<400> 116

Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa
1				5						10	

<210> 117
<211> 10
<212> PRT
<213> Artificial

<220>
<223> AAV capsid protein common antigenic motif (CAM) substitution sequence

<220>
<221> MISC_FEATURE
<222> (1)..(2)
<223> Xaa can be any naturally occurring amino acid other than T

<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa can be any naturally occurring amino acid other than A

<220>
<221> MISC_FEATURE
<222> (4)..(4)
<223> Xaa can be any naturally occurring amino acid other than H

<220>
<221> MISC_FEATURE
<222> (5)..(5)
<223> Xaa can be any naturally occurring amino acid other than H

<220>
<221> MISC_FEATURE
<222> (6)..(6)

<223> Xaa can be any naturally occurring amino acid other than I
 <220>
 <221> MISC_FEATURE
 <222> (7)..(7)
 <223> Xaa can be any naturally occurring amino acid other than A
 <220>
 <221> MISC_FEATURE
 <222> (8)..(8)
 <223> Xaa can be any naturally occurring amino acid other than N
 <220>
 <221> MISC_FEATURE
 <222> (9)..(9)
 <223> Xaa can be any naturally occurring amino acid other than L
 <220>
 <221> MISC_FEATURE
 <222> (10)..(10)
 <223> Xaa can be any naturally occurring amino acid other than D
 <400> 117
 Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
 1 5 10
 <210> 118
 <211> 7
 <212> PRT
 <213> Artificial
 <220>
 <223> AAV capsid protein common antigenic motif (CAM) substitution
 sequence
 <220>
 <221> MISC_FEATURE
 <222> (1)..(1)
 <223> Xaa can be any naturally occurring amino acid other than D
 <220>
 <221> MISC_FEATURE
 <222> (2)..(2)
 <223> Xaa can be any naturally occurring amino acid other than N
 <220>
 <221> MISC_FEATURE
 <222> (3)..(3)
 <223> Xaa can be any naturally occurring amino acid other than A
 <220>

<221> MISC_FEATURE
<222> (4)..(4)
<223> Xaa can be any naturally occurring amino acid other than G

<220>
<221> MISC_FEATURE
<222> (5)..(5)
<223> Xaa can be any naturally occurring amino acid other than N

<220>
<221> MISC_FEATURE
<222> (6)..(6)
<223> Xaa can be any naturally occurring amino acid other than Y

<220>
<221> MISC_FEATURE
<222> (7)..(7)
<223> Xaa can be any naturally occurring amino acid other than H

<400> 118

Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1 5

<210> 119
<211> 8
<212> PRT
<213> Artificial

<220>
<223> AAV capsid protein common antigenic motif (CAM) substitution sequence

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa can be any naturally occurring amino acid other than R

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> Xaa can be any naturally occurring amino acid other than L

<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa can be any naturally occurring amino acid other than G

<220>
<221> MISC_FEATURE
<222> (4)..(5)
<223> Xaa can be any naturally occurring amino acid other than T

<220>
<221> MISC_FEATURE
<222> (6)..(6)
<223> Xaa can be any naturally occurring amino acid other than S

<220>
<221> MISC_FEATURE
<222> (7)..(7)
<223> Xaa can be any naturally occurring amino acid other than N

<220>
<221> MISC_FEATURE
<222> (8)..(8)
<223> Xaa can be any naturally occurring amino acid other than S

<400> 119

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1 5

<210> 120
<211> 10
<212> PRT
<213> Artificial

<220>
<223> AAV capsid protein common antigenic motif (CAM) substitution
sequence

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa can be any naturally occurring amino acid other than V

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> Xaa can be any naturally occurring amino acid other than F

<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa can be any naturally occurring amino acid other than M

<220>
<221> MISC_FEATURE
<222> (4)..(4)
<223> Xaa can be any naturally occurring amino acid other than V

<220>
<221> MISC_FEATURE

<222> (5)..(5)
<223> Xaa can be any naturally occurring amino acid other than P

<220>
<221> MISC_FEATURE
<222> (6)..(6)
<223> Xaa can be any naturally occurring amino acid other than Q

<220>
<221> MISC_FEATURE
<222> (7)..(7)
<223> Xaa can be any naturally occurring amino acid other than Y

<220>
<221> MISC_FEATURE
<222> (8)..(8)
<223> Xaa can be any naturally occurring amino acid other than G

<220>
<221> MISC_FEATURE
<222> (9)..(9)
<223> Xaa can be any naturally occurring amino acid other than Y

<220>
<221> MISC_FEATURE
<222> (10)..(10)
<223> Xaa can be any naturally occurring amino acid other than C

<400> 120

Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa
1				5					10

<210> 121
<211> 4
<212> PRT
<213> Artificial

<220>
<223> AAV capsid protein common antigenic motif (CAM) substitution sequence

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa can be any naturally occurring amino acid other than Q

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> Xaa can be any naturally occurring amino acid other than G

<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa can be any naturally occurring amino acid other than N

<220>
<221> MISC_FEATURE
<222> (4)..(4)
<223> Xaa can be any naturally occurring amino acid other than A

<400> 121

Xaa Xaa Xaa Xaa
1

<210> 122
<211> 12
<212> PRT
<213> Artificial

<220>
<223> AAV capsid protein common antigenic motif (CAM) substitution
sequence

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa can be any naturally occurring amino acid other than A

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> Xaa can be any naturally occurring amino acid other than S

<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa can be any naturally occurring amino acid other than Q

<220>
<221> MISC_FEATURE
<222> (4)..(4)
<223> Xaa can be any naturally occurring amino acid other than N

<220>
<221> MISC_FEATURE
<222> (5)..(5)
<223> Xaa can be any naturally occurring amino acid other than Y

<220>
<221> MISC_FEATURE
<222> (6)..(6)

<223> Xaa can be any naturally occurring amino acid other than K
 <220>
 <221> MISC_FEATURE
 <222> (7)..(7)
 <223> Xaa can be any naturally occurring amino acid other than I
 <220>
 <221> MISC_FEATURE
 <222> (8)..(8)
 <223> Xaa can be any naturally occurring amino acid other than P
 <220>
 <221> MISC_FEATURE
 <222> (9)..(9)
 <223> Xaa can be any naturally occurring amino acid other than A
 <220>
 <221> MISC_FEATURE
 <222> (10)..(10)
 <223> Xaa can be any naturally occurring amino acid other than S
 <220>
 <221> MISC_FEATURE
 <222> (11)..(12)
 <223> Xaa can be any naturally occurring amino acid other than G
 <400> 122
 Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
 1 5 10
 <210> 123
 <211> 10
 <212> PRT
 <213> Artificial
 <220>
 <223> AAV capsid protein common antigenic motif (CAM) substitution
 sequence
 <220>
 <221> MISC_FEATURE
 <222> (1)..(2)
 <223> Xaa can be any naturally occurring amino acid other than T
 <220>
 <221> MISC_FEATURE
 <222> (3)..(3)
 <223> Xaa can be any naturally occurring amino acid other than A
 <220>

<221> MISC_FEATURE
<222> (4)..(4)
<223> Xaa can be any naturally occurring amino acid other than P

<220>
<221> MISC_FEATURE
<222> (5)..(5)
<223> Xaa can be any naturally occurring amino acid other than I

<220>
<221> MISC_FEATURE
<222> (6)..(6)
<223> Xaa can be any naturally occurring amino acid other than T

<220>
<221> MISC_FEATURE
<222> (7)..(7)
<223> Xaa can be any naturally occurring amino acid other than G

<220>
<221> MISC_FEATURE
<222> (8)..(8)
<223> Xaa can be any naturally occurring amino acid other than N

<220>
<221> MISC_FEATURE
<222> (9)..(9)
<223> Xaa can be any naturally occurring amino acid other than V

<220>
<221> MISC_FEATURE
<222> (10)..(10)
<223> Xaa can be any naturally occurring amino acid other than T

<400> 123

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1 5 10

<210> 124
<211> 7
<212> PRT
<213> Artificial

<220>
<223> AAV capsid protein common antigenic motif (CAM) substitution
sequence

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa can be any naturally occurring amino acid other than D

<220>
<221> MISC_FEATURE
<222> (2)..(3)
<223> Xaa can be any naturally occurring amino acid other than T

<220>
<221> MISC_FEATURE
<222> (4)..(4)
<223> Xaa can be any naturally occurring amino acid other than G

<220>
<221> MISC_FEATURE
<222> (5)..(5)
<223> Xaa can be any naturally occurring amino acid other than K

<220>
<221> MISC_FEATURE
<222> (6)..(6)
<223> Xaa can be any naturally occurring amino acid other than Y

<220>
<221> MISC_FEATURE
<222> (7)..(7)
<223> Xaa can be any naturally occurring amino acid other than T

<400> 124

Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1 5

<210> 125
<211> 8
<212> PRT
<213> Artificial

<220>
<223> AAV capsid protein common antigenic motif (CAM) substitution sequence

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa can be any naturally occurring amino acid other than R

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> Xaa can be any naturally occurring amino acid other than L

<220>
<221> MISC_FEATURE

<222> (3)..(3)
<223> Xaa can be any naturally occurring amino acid other than G

<220>
<221> MISC_FEATURE
<222> (4)..(5)
<223> Xaa can be any naturally occurring amino acid other than S

<220>
<221> MISC_FEATURE
<222> (6)..(6)
<223> Xaa can be any naturally occurring amino acid other than N

<220>
<221> MISC_FEATURE
<222> (7)..(7)
<223> Xaa can be any naturally occurring amino acid other than A

<220>
<221> MISC_FEATURE
<222> (8)..(8)
<223> Xaa can be any naturally occurring amino acid other than S

<400> 125

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1 5

<210> 126
<211> 10
<212> PRT
<213> Artificial

<220>
<223> AAV capsid protein common antigenic motif (CAM) substitution sequence

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa can be any naturally occurring amino acid other than V

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> Xaa can be any naturally occurring amino acid other than F

<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa can be any naturally occurring amino acid other than M

<220>
<221> MISC_FEATURE
<222> (4)..(4)
<223> Xaa can be any naturally occurring amino acid other than V

<220>
<221> MISC_FEATURE
<222> (5)..(5)
<223> Xaa can be any naturally occurring amino acid other than P

<220>
<221> MISC_FEATURE
<222> (6)..(6)
<223> Xaa can be any naturally occurring amino acid other than Q

<220>
<221> MISC_FEATURE
<222> (7)..(7)
<223> Xaa can be any naturally occurring amino acid other than Y

<220>
<221> MISC_FEATURE
<222> (8)..(8)
<223> Xaa can be any naturally occurring amino acid other than G

<220>
<221> MISC_FEATURE
<222> (9)..(9)
<223> Xaa can be any naturally occurring amino acid other than Y

<220>
<221> MISC_FEATURE
<222> (10)..(10)
<223> Xaa can be any naturally occurring amino acid other than C

<400> 126

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1 5 10

<210> 127
<211> 4
<212> PRT
<213> Artificial

<220>
<223> AAV capsid protein common antigenic motif (CAM) substitution
sequence

<220>
<221> MISC_FEATURE
<222> (1)..(1)

<223> Xaa can be any naturally occurring amino acid other than Q

<220>

<221> MISC_FEATURE

<222> (2)..(2)

<223> Xaa can be any naturally occurring amino acid other than G

<220>

<221> MISC_FEATURE

<222> (3)..(3)

<223> Xaa can be any naturally occurring amino acid other than N

<220>

<221> MISC_FEATURE

<222> (4)..(4)

<223> Xaa can be any naturally occurring amino acid other than S

<400> 127

Xaa Xaa Xaa Xaa

1

<210> 128

<211> 12

<212> PRT

<213> Artificial

<220>

<223> AAV capsid protein common antigenic motif (CAM) substitution sequence

<220>

<221> MISC_FEATURE

<222> (1)..(1)

<223> Xaa can be any naturally occurring amino acid other than A

<220>

<221> MISC_FEATURE

<222> (2)..(2)

<223> Xaa can be any naturally occurring amino acid other than S

<220>

<221> MISC_FEATURE

<222> (3)..(3)

<223> Xaa can be any naturally occurring amino acid other than Q

<220>

<221> MISC_FEATURE

<222> (4)..(4)

<223> Xaa can be any naturally occurring amino acid other than N

<220>

<221> MISC_FEATURE
<222> (5)..(5)
<223> Xaa can be any naturally occurring amino acid other than Y

<220>
<221> MISC_FEATURE
<222> (6)..(6)
<223> Xaa can be any naturally occurring amino acid other than K

<220>
<221> MISC_FEATURE
<222> (7)..(7)
<223> Xaa can be any naturally occurring amino acid other than I

<220>
<221> MISC_FEATURE
<222> (8)..(8)
<223> Xaa can be any naturally occurring amino acid other than P

<220>
<221> MISC_FEATURE
<222> (9)..(9)
<223> Xaa can be any naturally occurring amino acid other than Q

<220>
<221> MISC_FEATURE
<222> (10)..(10)
<223> Xaa can be any naturally occurring amino acid other than G

<220>
<221> MISC_FEATURE
<222> (11)..(11)
<223> Xaa can be any naturally occurring amino acid other than R

<220>
<221> MISC_FEATURE
<222> (12)..(12)
<223> Xaa can be any naturally occurring amino acid other than N

<400> 128

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1 5 10

<210> 129
<211> 10
<212> PRT
<213> Artificial

<220>
<223> AAV capsid protein common antigenic motif (CAM) substitution
sequence

<220>
<221> MISC_FEATURE
<222> (1)..(2)
<223> Xaa can be any naturally occurring amino acid other than T

<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa can be any naturally occurring amino acid other than V

<220>
<221> MISC_FEATURE
<222> (4)..(4)
<223> Xaa can be any naturally occurring amino acid other than P

<220>
<221> MISC_FEATURE
<222> (5)..(5)
<223> Xaa can be any naturally occurring amino acid other than T

<220>
<221> MISC_FEATURE
<222> (6)..(6)
<223> Xaa can be any naturally occurring amino acid other than V

<220>
<221> MISC_FEATURE
<222> (7)..(7)
<223> Xaa can be any naturally occurring amino acid other than D

<220>
<221> MISC_FEATURE
<222> (8)..(8)
<223> Xaa can be any naturally occurring amino acid other than D

<220>
<221> MISC_FEATURE
<222> (9)..(9)
<223> Xaa can be any naturally occurring amino acid other than V

<220>
<221> MISC_FEATURE
<222> (10)..(10)
<223> Xaa can be any naturally occurring amino acid other than D

<400> 129

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1 5 10

<210> 130
<211> 7

<212> PRT
<213> Artificial

<220>
<223> AAV capsid protein common antigenic motif (CAM) substitution sequence

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa can be any naturally occurring amino acid other than D

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> Xaa can be any naturally occurring amino acid other than N

<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa can be any naturally occurring amino acid other than A

<220>
<221> MISC_FEATURE
<222> (4)..(4)
<223> Xaa can be any naturally occurring amino acid other than G

<220>
<221> MISC_FEATURE
<222> (5)..(5)
<223> Xaa can be any naturally occurring amino acid other than A

<220>
<221> MISC_FEATURE
<222> (6)..(6)
<223> Xaa can be any naturally occurring amino acid other than Y

<220>
<221> MISC_FEATURE
<222> (7)..(7)
<223> Xaa can be any naturally occurring amino acid other than K

<400> 130

Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1 5

<210> 131
<211> 8
<212> PRT
<213> Artificial

<220>
<223> AAV capsid protein common antigenic motif (CAM) substitution
sequence

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa can be any naturally occurring amino acid other than R

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> Xaa can be any naturally occurring amino acid other than I

<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa can be any naturally occurring amino acid other than Q

<220>
<221> MISC_FEATURE
<222> (4)..(4)
<223> Xaa can be any naturally occurring amino acid other than G

<220>
<221> MISC_FEATURE
<222> (5)..(5)
<223> Xaa can be any naturally occurring amino acid other than P

<220>
<221> MISC_FEATURE
<222> (6)..(6)
<223> Xaa can be any naturally occurring amino acid other than S

<220>
<221> MISC_FEATURE
<222> (7)..(8)
<223> Xaa can be any naturally occurring amino acid other than G

<400> 131

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1 5

<210> 132
<211> 10
<212> PRT
<213> Artificial

<220>
<223> AAV capsid protein common antigenic motif (CAM) substitution
sequence

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa can be any naturally occurring amino acid other than I

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> Xaa can be any naturally occurring amino acid other than Y

<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa can be any naturally occurring amino acid other than T

<220>
<221> MISC_FEATURE
<222> (4)..(4)
<223> Xaa can be any naturally occurring amino acid other than I

<220>
<221> MISC_FEATURE
<222> (5)..(5)
<223> Xaa can be any naturally occurring amino acid other than P

<220>
<221> MISC_FEATURE
<222> (6)..(6)
<223> Xaa can be any naturally occurring amino acid other than Q

<220>
<221> MISC_FEATURE
<222> (7)..(7)
<223> Xaa can be any naturally occurring amino acid other than Y

<220>
<221> MISC_FEATURE
<222> (8)..(8)
<223> Xaa can be any naturally occurring amino acid other than G

<220>
<221> MISC_FEATURE
<222> (9)..(9)
<223> Xaa can be any naturally occurring amino acid other than Y

<220>
<221> MISC_FEATURE
<222> (10)..(10)
<223> Xaa can be any naturally occurring amino acid other than C

<400> 132

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1 5 10

<210> 133
<211> 4
<212> PRT
<213> Artificial

<220>
<223> AAV capsid protein common antigenic motif (CAM) substitution
sequence

<220>
<221> MISC_FEATURE
<222> (1)..(2)
<223> Xaa can be any naturally occurring amino acid other than S

<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa can be any naturally occurring amino acid other than G

<220>
<221> MISC_FEATURE
<222> (4)..(4)
<223> Xaa can be any naturally occurring amino acid other than R

<400> 133

Xaa Xaa Xaa Xaa
1

<210> 134
<211> 12
<212> PRT
<213> Artificial

<220>
<223> AAV capsid protein common antigenic motif (CAM) substitution
sequence

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa can be any naturally occurring amino acid other than A

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> Xaa can be any naturally occurring amino acid other than S

<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa can be any naturally occurring amino acid other than N

<220>
<221> MISC_FEATURE
<222> (4)..(4)
<223> Xaa can be any naturally occurring amino acid other than I

<220>
<221> MISC_FEATURE
<222> (5)..(5)
<223> Xaa can be any naturally occurring amino acid other than T

<220>
<221> MISC_FEATURE
<222> (6)..(6)
<223> Xaa can be any naturally occurring amino acid other than K

<220>
<221> MISC_FEATURE
<222> (7)..(8)
<223> Xaa can be any naturally occurring amino acid other than N

<220>
<221> MISC_FEATURE
<222> (9)..(9)
<223> Xaa can be any naturally occurring amino acid other than V

<220>
<221> MISC_FEATURE
<222> (10)..(10)
<223> Xaa can be any naturally occurring amino acid other than F

<220>
<221> MISC_FEATURE
<222> (11)..(11)
<223> Xaa can be any naturally occurring amino acid other than S

<220>
<221> MISC_FEATURE
<222> (12)..(12)
<223> Xaa can be any naturally occurring amino acid other than V

<400> 134

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1 5 10

<210> 135
<211> 10

<212> PRT
<213> Artificial

<220>
<223> AAV capsid protein common antigenic motif (CAM) substitution sequence

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa can be any naturally occurring amino acid other than V

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> Xaa can be any naturally occurring amino acid other than T

<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa can be any naturally occurring amino acid other than P

<220>
<221> MISC_FEATURE
<222> (4)..(4)
<223> Xaa can be any naturally occurring amino acid other than G

<220>
<221> MISC_FEATURE
<222> (5)..(5)
<223> Xaa can be any naturally occurring amino acid other than T

<220>
<221> MISC_FEATURE
<222> (6)..(6)
<223> Xaa can be any naturally occurring amino acid other than R

<220>
<221> MISC_FEATURE
<222> (7)..(8)
<223> Xaa can be any naturally occurring amino acid other than A

<220>
<221> MISC_FEATURE
<222> (9)..(9)
<223> Xaa can be any naturally occurring amino acid other than V

<220>
<221> MISC_FEATURE
<222> (10)..(10)
<223> Xaa can be any naturally occurring amino acid other than N

<400> 135

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1 5 10

<210> 136
<211> 7
<212> PRT
<213> Artificial

<220>
<223> AAV capsid protein common antigenic motif (CAM) substitution
sequence

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa can be any naturally occurring amino acid other than S

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> Xaa can be any naturally occurring amino acid other than D

<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa can be any naturally occurring amino acid other than T

<220>
<221> MISC_FEATURE
<222> (4)..(4)
<223> Xaa can be any naturally occurring amino acid other than G

<220>
<221> MISC_FEATURE
<222> (5)..(5)
<223> Xaa can be any naturally occurring amino acid other than S

<220>
<221> MISC_FEATURE
<222> (6)..(6)
<223> Xaa can be any naturally occurring amino acid other than Y

<220>
<221> MISC_FEATURE
<222> (7)..(7)
<223> Xaa can be any naturally occurring amino acid other than S

<400> 136

Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1 5

<210> 137
 <211> 9
 <212> PRT
 <213> Artificial

 <220>
 <223> AAV capsid protein common antigenic motif (CAM) substitution sequence

 <220>
 <221> MISC_FEATURE
 <222> (1)..(1)
 <223> Xaa can be any naturally occurring amino acid other than T

 <220>
 <221> MISC_FEATURE
 <222> (2)..(2)
 <223> Xaa can be any naturally occurring amino acid other than P

 <220>
 <221> MISC_FEATURE
 <222> (3)..(3)
 <223> Xaa can be any naturally occurring amino acid other than S

 <220>
 <221> MISC_FEATURE
 <222> (4)..(4)
 <223> Xaa can be any naturally occurring amino acid other than G

 <220>
 <221> MISC_FEATURE
 <222> (5)..(7)
 <223> Xaa can be any naturally occurring amino acid other than T

 <220>
 <221> MISC_FEATURE
 <222> (8)..(8)
 <223> Xaa can be any naturally occurring amino acid other than Q

 <220>
 <221> MISC_FEATURE
 <222> (9)..(9)
 <223> Xaa can be any naturally occurring amino acid other than S

 <400> 137

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
 1 5

<210> 138

<211> 8
<212> PRT
<213> Artificial

<220>
<223> AAV capsid protein common antigenic motif (CAM) substitution sequence

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa can be any naturally occurring amino acid other than S

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> Xaa can be any naturally occurring amino acid other than A

<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa can be any naturally occurring amino acid other than D

<220>
<221> MISC_FEATURE
<222> (4)..(6)
<223> Xaa can be any naturally occurring amino acid other than N

<220>
<221> MISC_FEATURE
<222> (7)..(7)
<223> Xaa can be any naturally occurring amino acid other than S

<220>
<221> MISC_FEATURE
<222> (8)..(8)
<223> Xaa can be any naturally occurring amino acid other than E

<400> 138

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1 5

<210> 139
<211> 9
<212> PRT
<213> Artificial

<220>
<223> AAV capsid protein common antigenic motif (CAM) substitution sequence

<220>
<221> MISC_FEATURE
<222> (1)..(2)
<223> Xaa can be any naturally occurring amino acid other than T

<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa can be any naturally occurring amino acid other than S

<220>
<221> MISC_FEATURE
<222> (4)..(4)
<223> Xaa can be any naturally occurring amino acid other than G

<220>
<221> MISC_FEATURE
<222> (5)..(6)
<223> Xaa can be any naturally occurring amino acid other than T

<220>
<221> MISC_FEATURE
<222> (7)..(7)
<223> Xaa can be any naturally occurring amino acid other than N

<220>
<221> MISC_FEATURE
<222> (8)..(8)
<223> Xaa can be any naturally occurring amino acid other than Q

<220>
<221> MISC_FEATURE
<222> (9)..(9)
<223> Xaa can be any naturally occurring amino acid other than S

<400> 139

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1 5

<210> 140
<211> 8
<212> PRT
<213> Artificial

<220>
<223> AAV capsid protein common antigenic motif (CAM) substitution
sequence

<220>
<221> MISC_FEATURE

<222> (1)..(1)
<223> Xaa can be any naturally occurring amino acid other than A

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> Xaa can be any naturally occurring amino acid other than N

<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa can be any naturally occurring amino acid other than D

<220>
<221> MISC_FEATURE
<222> (4)..(6)
<223> Xaa can be any naturally occurring amino acid other than N

<220>
<221> MISC_FEATURE
<222> (7)..(7)
<223> Xaa can be any naturally occurring amino acid other than S

<220>
<221> MISC_FEATURE
<222> (8)..(8)
<223> Xaa can be any naturally occurring amino acid other than N

<400> 140

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1 5

<210> 141
<211> 9
<212> PRT
<213> Artificial

<220>
<223> AAV capsid protein common antigenic motif (CAM) substitution sequence

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa can be any naturally occurring amino acid other than G

<220>
<221> MISC_FEATURE
<222> (2)..(3)
<223> Xaa can be any naturally occurring amino acid other than T

<220>
<221> MISC_FEATURE
<222> (4)..(4)
<223> Xaa can be any naturally occurring amino acid other than L

<220>
<221> MISC_FEATURE
<222> (5)..(5)
<223> Xaa can be any naturally occurring amino acid other than N

<220>
<221> MISC_FEATURE
<222> (6)..(6)
<223> Xaa can be any naturally occurring amino acid other than A

<220>
<221> MISC_FEATURE
<222> (7)..(7)
<223> Xaa can be any naturally occurring amino acid other than G

<220>
<221> MISC_FEATURE
<222> (8)..(8)
<223> Xaa can be any naturally occurring amino acid other than T

<220>
<221> MISC_FEATURE
<222> (9)..(9)
<223> Xaa can be any naturally occurring amino acid other than A

<400> 141

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa

1 5

<210> 142
<211> 9
<212> PRT
<213> Artificial

<220>
<223> AAV capsid protein common antigenic motif (CAM) substitution sequence

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa can be any naturally occurring amino acid other than S

<220>
<221> MISC_FEATURE
<222> (2)..(2)

<223> Xaa can be any naturally occurring amino acid other than T

<220>

<221> MISC_FEATURE

<222> (3)..(4)

<223> Xaa can be any naturally occurring amino acid other than N

<220>

<221> MISC_FEATURE

<222> (5)..(5)

<223> Xaa can be any naturally occurring amino acid other than T

<220>

<221> MISC_FEATURE

<222> (6)..(7)

<223> Xaa can be any naturally occurring amino acid other than G

<220>

<221> MISC_FEATURE

<222> (8)..(8)

<223> Xaa can be any naturally occurring amino acid other than V

<220>

<221> MISC_FEATURE

<222> (9)..(9)

<223> Xaa can be any naturally occurring amino acid other than Q

<400> 142

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa

1

5

<210> 143

<211> 9

<212> PRT

<213> Artificial

<220>

<223> AAV capsid protein common antigenic motif (CAM) substitution sequence

<220>

<221> MISC_FEATURE

<222> (1)..(1)

<223> Xaa can be any naturally occurring amino acid other than N

<220>

<221> MISC_FEATURE

<222> (2)..(2)

<223> Xaa can be any naturally occurring amino acid other than Q

<220>

<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa can be any naturally occurring amino acid other than S

<220>
<221> MISC_FEATURE
<222> (4)..(4)
<223> Xaa can be any naturally occurring amino acid other than G

<220>
<221> MISC_FEATURE
<222> (5)..(5)
<223> Xaa can be any naturally occurring amino acid other than S

<220>
<221> MISC_FEATURE
<222> (6)..(6)
<223> Xaa can be any naturally occurring amino acid other than A

<220>
<221> MISC_FEATURE
<222> (7)..(7)
<223> Xaa can be any naturally occurring amino acid other than Q

<220>
<221> MISC_FEATURE
<222> (8)..(8)
<223> Xaa can be any naturally occurring amino acid other than N

<220>
<221> MISC_FEATURE
<222> (9)..(9)
<223> Xaa can be any naturally occurring amino acid other than K

<400> 143

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1 5

<210> 144
<211> 8
<212> PRT
<213> Artificial

<220>
<223> AAV capsid protein common antigenic motif (CAM) substitution
sequence

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa can be any naturally occurring amino acid other than K

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> Xaa can be any naturally occurring amino acid other than T

<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa can be any naturally occurring amino acid other than D

<220>
<221> MISC_FEATURE
<222> (4)..(6)
<223> Xaa can be any naturally occurring amino acid other than N

<220>
<221> MISC_FEATURE
<222> (7)..(7)
<223> Xaa can be any naturally occurring amino acid other than S

<220>
<221> MISC_FEATURE
<222> (8)..(8)
<223> Xaa can be any naturally occurring amino acid other than N

<400> 144

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1 5

<210> 145
<211> 9
<212> PRT
<213> Artificial

<220>
<223> AAV capsid protein common antigenic motif (CAM) substitution sequence

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa can be any naturally occurring amino acid other than N

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> Xaa can be any naturally occurring amino acid other than P

<220>
<221> MISC_FEATURE

<222> (3)..(4)
<223> Xaa can be any naturally occurring amino acid other than G

<220>
<221> MISC_FEATURE
<222> (5)..(5)
<223> Xaa can be any naturally occurring amino acid other than T

<220>
<221> MISC_FEATURE
<222> (6)..(6)
<223> Xaa can be any naturally occurring amino acid other than A

<220>
<221> MISC_FEATURE
<222> (7)..(7)
<223> Xaa can be any naturally occurring amino acid other than G

<220>
<221> MISC_FEATURE
<222> (8)..(8)
<223> Xaa can be any naturally occurring amino acid other than N

<220>
<221> MISC_FEATURE
<222> (9)..(9)
<223> Xaa can be any naturally occurring amino acid other than R

<400> 145

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1 5

<210> 146
<211> 8
<212> PRT
<213> Artificial

<220>
<223> AAV capsid protein common antigenic motif (CAM) substitution
sequence

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa can be any naturally occurring amino acid other than L

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> Xaa can be any naturally occurring amino acid other than D

<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa can be any naturally occurring amino acid other than Q

<220>
<221> MISC_FEATURE
<222> (4)..(6)
<223> Xaa can be any naturally occurring amino acid other than N

<220>
<221> MISC_FEATURE
<222> (7)..(7)
<223> Xaa can be any naturally occurring amino acid other than S

<220>
<221> MISC_FEATURE
<222> (8)..(8)
<223> Xaa can be any naturally occurring amino acid other than N

<400> 146

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1 5

<210> 147
<211> 9
<212> PRT
<213> Artificial

<220>
<223> AAV capsid protein common antigenic motif (CAM) substitution sequence

<220>
<221> MISC_FEATURE
<222> (1)..(2)
<223> Xaa can be any naturally occurring amino acid other than T

<220>
<221> MISC_FEATURE
<222> (3)..(4)
<223> Xaa can be any naturally occurring amino acid other than G

<220>
<221> MISC_FEATURE
<222> (5)..(5)
<223> Xaa can be any naturally occurring amino acid other than T

<220>
<221> MISC_FEATURE
<222> (6)..(6)

<223> Xaa can be any naturally occurring amino acid other than A

<220>

<221> MISC_FEATURE

<222> (7)..(7)

<223> Xaa can be any naturally occurring amino acid other than N

<220>

<221> MISC_FEATURE

<222> (8)..(8)

<223> Xaa can be any naturally occurring amino acid other than T

<220>

<221> misc_feature

<222> (9)..(9)

<223> Xaa can be any naturally occurring amino acid

<400> 147

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa

1

5

<210> 148

<211> 8

<212> PRT

<213> Artificial

<220>

<223> AAV capsid protein common antigenic motif (CAM) substitution sequence

<220>

<221> MISC_FEATURE

<222> (1)..(1)

<223> Xaa can be any naturally occurring amino acid other than t

<220>

<221> MISC_FEATURE

<222> (2)..(2)

<223> Xaa can be any naturally occurring amino acid other than G

<220>

<221> MISC_FEATURE

<222> (3)..(3)

<223> Xaa can be any naturally occurring amino acid other than Q

<220>

<221> MISC_FEATURE

<222> (4)..(6)

<223> Xaa can be any naturally occurring amino acid other than N

<220>

<221> MISC_FEATURE
<222> (7)..(7)
<223> Xaa can be any naturally occurring amino acid other than S

<220>
<221> MISC_FEATURE
<222> (8)..(8)
<223> Xaa can be any naturally occurring amino acid other than N

<400> 148

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1 5

<210> 149
<211> 9
<212> PRT
<213> Artificial

<220>
<223> AAV capsid protein common antigenic motif (CAM) substitution
sequence

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa can be any naturally occurring amino acid other than i

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> Xaa can be any naturally occurring amino acid other than N

<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa can be any naturally occurring amino acid other than G

<220>
<221> MISC_FEATURE
<222> (4)..(4)
<223> Xaa can be any naturally occurring amino acid other than S

<220>
<221> MISC_FEATURE
<222> (5)..(5)
<223> Xaa can be any naturally occurring amino acid other than G

<220>
<221> MISC_FEATURE
<222> (6)..(6)
<223> Xaa can be any naturally occurring amino acid other than Q

<220>
<221> MISC_FEATURE
<222> (7)..(7)
<223> Xaa can be any naturally occurring amino acid other than N

<220>
<221> MISC_FEATURE
<222> (8)..(9)
<223> Xaa can be any naturally occurring amino acid other than Q

<400> 149

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1 5

<210> 150
<211> 8
<212> PRT
<213> Artificial

<220>
<223> AAV capsid protein common antigenic motif (CAM) substitution
sequence

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa can be any naturally occurring amino acid other than V

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> Xaa can be any naturally occurring amino acid other than T

<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa can be any naturally occurring amino acid other than Q

<220>
<221> MISC_FEATURE
<222> (4)..(6)
<223> Xaa can be any naturally occurring amino acid other than N

<220>
<221> MISC_FEATURE
<222> (7)..(7)
<223> Xaa can be any naturally occurring amino acid other than S

<220>
<221> MISC_FEATURE

<222> (8)..(8)
<223> Xaa can be any naturally occurring amino acid other than E

<400> 150

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1 5

<210> 151
<211> 9
<212> PRT
<213> Artificial

<220>
<223> AAV capsid protein common antigenic motif (CAM) substitution
sequence

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa can be any naturally occurring amino acid other than S

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> Xaa can be any naturally occurring amino acid other than T

<220>
<221> MISC_FEATURE
<222> (3)..(4)
<223> Xaa can be any naturally occurring amino acid other than G

<220>
<221> MISC_FEATURE
<222> (5)..(5)
<223> Xaa can be any naturally occurring amino acid other than T

<220>
<221> MISC_FEATURE
<222> (6)..(6)
<223> Xaa can be any naturally occurring amino acid other than A

<220>
<221> MISC_FEATURE
<222> (7)..(7)
<223> Xaa can be any naturally occurring amino acid other than G

<220>
<221> MISC_FEATURE
<222> (8)..(8)
<223> Xaa can be any naturally occurring amino acid other than T

<220>
<221> MISC_FEATURE
<222> (9)..(9)
<223> Xaa can be any naturally occurring amino acid other than Q

<400> 151

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1 5

<210> 152
<211> 8
<212> PRT
<213> Artificial

<220>
<223> AAV capsid protein common antigenic motif (CAM) substitution
sequence

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa can be any naturally occurring amino acid other than L

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> Xaa can be any naturally occurring amino acid other than S

<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa can be any naturally occurring amino acid other than Q

<220>
<221> MISC_FEATURE
<222> (4)..(6)
<223> Xaa can be any naturally occurring amino acid other than N

<220>
<221> MISC_FEATURE
<222> (7)..(7)
<223> Xaa can be any naturally occurring amino acid other than S

<220>
<221> MISC_FEATURE
<222> (8)..(8)
<223> Xaa can be any naturally occurring amino acid other than N

<400> 152

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa

<210> 153
<211> 9
<212> PRT
<213> Artificial

<220>
<223> AAV capsid protein common antigenic motif (CAM) substitution sequence

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa can be any naturally occurring amino acid other than Q

<220>
<221> MISC_FEATURE
<222> (2)..(3)
<223> Xaa can be any naturally occurring amino acid other than T

<220>
<221> MISC_FEATURE
<222> (4)..(4)
<223> Xaa can be any naturally occurring amino acid other than G

<220>
<221> MISC_FEATURE
<222> (5)..(5)
<223> Xaa can be any naturally occurring amino acid other than T

<220>
<221> MISC_FEATURE
<222> (6)..(7)
<223> Xaa can be any naturally occurring amino acid other than G

<220>
<221> MISC_FEATURE
<222> (8)..(8)
<223> Xaa can be any naturally occurring amino acid other than T

<220>
<221> MISC_FEATURE
<222> (9)..(9)
<223> Xaa can be any naturally occurring amino acid other than Q

<400> 153

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1 5

<210> 154
<211> 8
<212> PRT
<213> Artificial

<220>
<223> AAV capsid protein common antigenic motif (CAM) substitution
sequence

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa can be any naturally occurring amino acid other than T

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> Xaa can be any naturally occurring amino acid other than N

<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa can be any naturally occurring amino acid other than Q

<220>
<221> MISC_FEATURE
<222> (4)..(6)
<223> Xaa can be any naturally occurring amino acid other than N

<220>
<221> MISC_FEATURE
<222> (7)..(7)
<223> Xaa can be any naturally occurring amino acid other than S

<220>
<221> MISC_FEATURE
<222> (8)..(8)
<223> Xaa can be any naturally occurring amino acid other than N

<400> 154

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1 5

<210> 155
<211> 9
<212> PRT
<213> Artificial

<220>
<223> AAV capsid protein common antigenic motif (CAM) substitution
sequence

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa can be any naturally occurring amino acid other than S

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> Xaa can be any naturally occurring amino acid other than T

<220>
<221> MISC_FEATURE
<222> (3)..(4)
<223> Xaa can be any naturally occurring amino acid other than G

<220>
<221> MISC_FEATURE
<222> (5)..(5)
<223> Xaa can be any naturally occurring amino acid other than T

<220>
<221> MISC_FEATURE
<222> (6)..(6)
<223> Xaa can be any naturally occurring amino acid other than Q

<220>
<221> MISC_FEATURE
<222> (7)..(7)
<223> Xaa can be any naturally occurring amino acid other than G

<220>
<221> MISC_FEATURE
<222> (8)..(8)
<223> Xaa can be any naturally occurring amino acid other than T

<220>
<221> MISC_FEATURE
<222> (9)..(9)
<223> Xaa can be any naturally occurring amino acid other than Q

<400> 155

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1 5

<210> 156
<211> 8
<212> PRT
<213> Artificial

<220>

<223> AAV capsid protein common antigenic motif (CAM) substitution sequence

<220>

<221> MISC_FEATURE

<222> (1)..(1)

<223> Xaa can be any naturally occurring amino acid other than L

<220>

<221> MISC_FEATURE

<222> (2)..(2)

<223> Xaa can be any naturally occurring amino acid other than S

<220>

<221> MISC_FEATURE

<222> (3)..(3)

<223> Xaa can be any naturally occurring amino acid other than Q

<220>

<221> MISC_FEATURE

<222> (4)..(6)

<223> Xaa can be any naturally occurring amino acid other than N

<220>

<221> MISC_FEATURE

<222> (7)..(7)

<223> Xaa can be any naturally occurring amino acid other than S

<220>

<221> MISC_FEATURE

<222> (8)..(8)

<223> Xaa can be any naturally occurring amino acid other than N

<400> 156

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa

1

5

<210> 157

<211> 9

<212> PRT

<213> Artificial

<220>

<223> Targeting peptide sequence

<220>

<221> MISC_FEATURE

<222> (1)..(1)

<223> Xaa can be any naturally occurring amino acid other than G

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> Xaa can be any naturally occurring amino acid other than E

<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa can be any naturally occurring amino acid other than T

<220>
<221> MISC_FEATURE
<222> (4)..(4)
<223> Xaa can be any naturally occurring amino acid other than L

<220>
<221> MISC_FEATURE
<222> (5)..(5)
<223> Xaa can be any naturally occurring amino acid other than N

<220>
<221> MISC_FEATURE
<222> (6)..(6)
<223> Xaa can be any naturally occurring amino acid other than Q

<220>
<221> MISC_FEATURE
<222> (7)..(7)
<223> Xaa can be any naturally occurring amino acid other than G

<220>
<221> MISC_FEATURE
<222> (8)..(8)
<223> Xaa can be any naturally occurring amino acid other than N

<220>
<221> MISC_FEATURE
<222> (9)..(9)
<223> Xaa can be any naturally occurring amino acid other than A

<400> 157

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1 5

<210> 158
<211> 9
<212> PRT
<213> Artificial

<220>
<223> Targeting peptide sequence

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa can be any naturally occurring amino acid other than G

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> Xaa can be any naturally occurring amino acid other than N

<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa can be any naturally occurring amino acid other than S

<220>
<221> MISC_FEATURE
<222> (4)..(4)
<223> Xaa can be any naturally occurring amino acid other than L

<220>
<221> MISC_FEATURE
<222> (5)..(5)
<223> Xaa can be any naturally occurring amino acid other than N

<220>
<221> MISC_FEATURE
<222> (6)..(6)
<223> Xaa can be any naturally occurring amino acid other than Q

<220>
<221> MISC_FEATURE
<222> (7)..(7)
<223> Xaa can be any naturally occurring amino acid other than G

<220>
<221> MISC_FEATURE
<222> (8)..(8)
<223> Xaa can be any naturally occurring amino acid other than T

<220>
<221> MISC_FEATURE
<222> (9)..(9)
<223> Xaa can be any naturally occurring amino acid other than A

<400> 158

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1 5

<210> 159
<211> 9

<212> PRT
<213> Artificial

<220>
<223> Targeting peptide sequence

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa can be any naturally occurring amino acid other than G

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> Xaa can be any naturally occurring amino acid other than E

<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa can be any naturally occurring amino acid other than T

<220>
<221> MISC_FEATURE
<222> (4)..(4)
<223> Xaa can be any naturally occurring amino acid other than L

<220>
<221> MISC_FEATURE
<222> (5)..(5)
<223> Xaa can be any naturally occurring amino acid other than N

<220>
<221> misc_feature
<222> (6)..(6)
<223> Xaa can be any naturally occurring amino acid

<220>
<221> MISC_FEATURE
<222> (7)..(7)
<223> Xaa can be any naturally occurring amino acid other than G

<220>
<221> MISC_FEATURE
<222> (8)..(8)
<223> Xaa can be any naturally occurring amino acid other than N

<220>
<221> MISC_FEATURE
<222> (9)..(9)
<223> Xaa can be any naturally occurring amino acid other than A

<400> 159

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1 5

<210> 160
<211> 9
<212> PRT
<213> Artificial

<220>
<223> Targeting peptide sequence

<220>
<221> MISC_FEATURE
<222> (1)..(2)
<223> Xaa can be any naturally occurring amino acid other than G

<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa can be any naturally occurring amino acid other than T

<220>
<221> MISC_FEATURE
<222> (4)..(4)
<223> Xaa can be any naturally occurring amino acid other than L

<220>
<221> MISC_FEATURE
<222> (5)..(5)
<223> Xaa can be any naturally occurring amino acid other than N

<220>
<221> MISC_FEATURE
<222> (6)..(6)
<223> Xaa can be any naturally occurring amino acid other than Q

<220>
<221> MISC_FEATURE
<222> (7)..(7)
<223> Xaa can be any naturally occurring amino acid other than G

<220>
<221> MISC_FEATURE
<222> (8)..(8)
<223> Xaa can be any naturally occurring amino acid other than N

<220>
<221> MISC_FEATURE
<222> (9)..(9)
<223> Xaa can be any naturally occurring amino acid other than S

<400> 160

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1 5

<210> 161
<211> 9
<212> PRT
<213> Artificial

<220>
<223> Targeting peptide sequence

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa can be any naturally occurring amino acid other than V

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> Xaa can be any naturally occurring amino acid other than S

<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa can be any naturally occurring amino acid other than Q

<220>
<221> MISC_FEATURE
<222> (4)..(4)
<223> Xaa can be any naturally occurring amino acid other than A

<220>
<221> MISC_FEATURE
<222> (5)..(5)
<223> Xaa can be any naturally occurring amino acid other than G

<220>
<221> MISC_FEATURE
<222> (6)..(7)
<223> Xaa can be any naturally occurring amino acid other than S

<220>
<221> MISC_FEATURE
<222> (8)..(8)
<223> Xaa can be any naturally occurring amino acid other than G

<220>
<221> MISC_FEATURE
<222> (9)..(9)
<223> Xaa can be any naturally occurring amino acid other than R

<400> 161

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1 5

<210> 162

<211> 5

<212> PRT

<213> Artificial

<220>

<223> Targeting peptide sequence

<400> 162

Phe Val Phe Leu Pro
1 5

<210> 163

<211> 4

<212> PRT

<213> Artificial

<220>

<223> Targeting peptide sequence

<220>

<221> MISC_FEATURE

<222> (1)..(1)

<223> Xaa can be any basic amino acid

<220>

<221> MISC_FEATURE

<222> (2)..(3)

<223> Xaa can be any neutral and/or hydrophobic amino acid

<220>

<221> MISC_FEATURE

<222> (4)..(4)

<223> Xaa can be any basic amino acid

<400> 163

Xaa Xaa Xaa Xaa
1

<210> 164

<211> 4

<212> PRT

<213> Artificial

<220>
<223> Targeting peptide sequence

<400> 164

Arg Gly Asn Arg
1

<210> 165
<211> 7
<212> PRT
<213> Artificial

<220>
<223> Targeting peptide sequence

<220>
<221> MISC_FEATURE
<222> (7)..(7)
<223> Xaa can be G or S

<400> 165

Asn Ser Val Arg Asp Leu Xaa
1 5

<210> 166
<211> 7
<212> PRT
<213> Artificial

<220>
<223> Targeting peptide sequence

<400> 166

Pro Arg Ser Val Thr Val Pro
1 5

<210> 167
<211> 7
<212> PRT
<213> Artificial

<220>
<223> Targeting peptide sequence

<220>

<221> misc_feature
<222> (6)..(6)
<223> Xaa can be any naturally occurring amino acid

<220>
<221> MISC_FEATURE
<222> (7)..(7)
<223> Xaa can be S or A

<400> 167

Asn Ser Val Ser Ser Xaa Xaa
1 5

<210> 168
<211> 6
<212> PRT
<213> Artificial

<220>
<223> Targeting peptide sequence

<400> 168

Asn Gly Arg Ala His Ala
1 5

<210> 169
<211> 7
<212> PRT
<213> Artificial

<220>
<223> Targeting peptide sequence

<400> 169

Gln Pro Glu His Ser Ser Thr
1 5

<210> 170
<211> 7
<212> PRT
<213> Artificial

<220>
<223> Targeting peptide sequence

<400> 170

Val Asn Thr Ala Asn Ser Thr

1 5

<210> 171
<211> 7
<212> PRT
<213> Artificial

<220>
<223> Targeting peptide sequence

<400> 171

His Gly Pro Met Gln Lys Ser
1 5

<210> 172
<211> 7
<212> PRT
<213> Artificial

<220>
<223> Targeting peptide sequence

<400> 172

Pro His Lys Pro Pro Leu Ala
1 5

<210> 173
<211> 7
<212> PRT
<213> Artificial

<220>
<223> Targeting peptide sequence

<400> 173

Ile Lys Asn Asn Glu Met Trp
1 5

<210> 174
<211> 7
<212> PRT
<213> Artificial

<220>
<223> Targeting peptide sequence

<400> 174

Arg Asn Leu Asp Thr Pro Met
1 5

<210> 175
<211> 7
<212> PRT
<213> Artificial

<220>
<223> Targeting peptide sequence

<400> 175

Val Asp Ser His Arg Gln Ser
1 5

<210> 176
<211> 7
<212> PRT
<213> Artificial

<220>
<223> Targeting peptide sequence

<400> 176

Tyr Asp Ser Lys Thr Lys Thr
1 5

<210> 177
<211> 7
<212> PRT
<213> Artificial

<220>
<223> Targeting peptide sequence

<400> 177

Ser Gln Leu Pro His Gln Lys
1 5

<210> 178
<211> 7
<212> PRT
<213> Artificial

<220>
<223> Targeting peptide sequence

<400> 178

Ser Thr Met Gln Gln Asn Thr
1 5

<210> 179

<211> 7

<212> PRT

<213> Artificial

<220>

<223> Targeting peptide sequence

<400> 179

Thr Glu Arg Tyr Met Thr Gln
1 5

<210> 180

<211> 7

<212> PRT

<213> Artificial

<220>

<223> Targeting peptide sequence

<400> 180

Gln Pro Glu His Ser Ser Thr
1 5

<210> 181

<211> 7

<212> PRT

<213> Artificial

<220>

<223> Targeting peptide sequence

<400> 181

Asp Ala Ser Leu Ser Thr Ser
1 5

<210> 182

<211> 7

<212> PRT

<213> Artificial

<220>
<223> Targeting peptide sequence

<400> 182

Asp Leu Pro Asn Lys Lys Thr
1 5

<210> 183
<211> 7
<212> PRT
<213> Artificial

<220>
<223> Targeting peptide sequence

<400> 183

Asp Leu Thr Ala Ala Arg Leu
1 5

<210> 184
<211> 7
<212> PRT
<213> Artificial

<220>
<223> Targeting peptide sequence

<400> 184

Glu Pro His Gln Phe Asn Tyr
1 5

<210> 185
<211> 7
<212> PRT
<213> Artificial

<220>
<223> Targeting peptide sequence

<400> 185

Glu Pro Gln Ser Asn His Thr
1 5

<210> 186
<211> 7
<212> PRT

<213> Artificial

<220>

<223> Targeting peptide sequence

<400> 186

Met Ser Ser Trp Pro Ser Gln
1 5

<210> 187

<211> 7

<212> PRT

<213> Artificial

<220>

<223> Targeting peptide sequence

<400> 187

Asn Pro Lys His Asn Ala Thr
1 5

<210> 188

<211> 7

<212> PRT

<213> Artificial

<220>

<223> Targeting peptide sequence

<400> 188

Pro Asp Gly Met Arg Thr Thr
1 5

<210> 189

<211> 7

<212> PRT

<213> Artificial

<220>

<223> Targeting peptide sequence

<400> 189

Pro Asn Asn Asn Lys Thr Thr
1 5

<210> 190

<211> 7
<212> PRT
<213> Artificial

<220>
<223> Targeting peptide sequence

<400> 190

Gln Ser Thr Thr His Asp Ser
1 5

<210> 191
<211> 7
<212> PRT
<213> Artificial

<220>
<223> Targeting peptide sequence

<400> 191

Thr Gly Ser Lys Gln Lys Gln
1 5

<210> 192
<211> 7
<212> PRT
<213> Artificial

<220>
<223> Targeting peptide sequence

<400> 192

Ser Leu Lys His Gln Ala Leu
1 5

<210> 193
<211> 7
<212> PRT
<213> Artificial

<220>
<223> Targeting peptide sequence

<400> 193

Ser Pro Ile Asp Gly Glu Gln
1 5

<210> 194
<211> 8
<212> PRT
<213> Artificial

<220>
<223> Targeting peptide sequence

<400> 194

Trp Ile Phe Pro Trp Ile Gln Leu
1 5

<210> 195
<211> 9
<212> PRT
<213> Artificial

<220>
<223> Targeting peptide sequence

<400> 195

Cys Asp Cys Arg Gly Asp Cys Phe Cys
1 5

<210> 196
<211> 5
<212> PRT
<213> Artificial

<220>
<223> Targeting peptide sequence

<400> 196

Cys Asn Gly Arg Cys
1 5

<210> 197
<211> 7
<212> PRT
<213> Artificial

<220>
<223> Targeting peptide sequence

<400> 197

Cys Pro Arg Glu Cys Glu Ser

1

5

<210> 198
<211> 10
<212> PRT
<213> Artificial

<220>
<223> Targeting peptide sequence

<400> 198

Cys Thr Thr His Trp Gly Phe Thr Leu Cys
1 5 10

<210> 199
<211> 9
<212> PRT
<213> Artificial

<220>
<223> Targeting peptide sequence

<400> 199

Cys Gly Arg Arg Ala Gly Gly Ser Cys
1 5

<210> 200
<211> 9
<212> PRT
<213> Artificial

<220>
<223> Targeting peptide sequence

<400> 200

Cys Lys Gly Gly Arg Ala Lys Asp Cys
1 5

<210> 201
<211> 9
<212> PRT
<213> Artificial

<220>
<223> Targeting peptide sequence

<400> 201

Cys Val Pro Glu Leu Gly His Glu Cys
1 5

<210> 202
<211> 9
<212> PRT
<213> Artificial

<220>
<223> Targeting peptide sequence

<400> 202

Cys Arg Arg Glu Thr Ala Trp Ala Lys
1 5

<210> 203
<211> 14
<212> PRT
<213> Artificial

<220>
<223> Targeting peptide sequence

<400> 203

Val Ser Trp Phe Ser His Arg Tyr Ser Pro Phe Ala Val Ser
1 5 10

<210> 204
<211> 13
<212> PRT
<213> Artificial

<220>
<223> Targeting peptide sequence

<400> 204

Gly Tyr Arg Asp Gly Tyr Ala Gly Pro Ile Leu Tyr Asn
1 5 10

<210> 205
<211> 7
<212> PRT
<213> Artificial

<220>
<223> Targeting peptide sequence

<220>
<221> misc_feature
<222> (1)..(3)
<223> Xaa can be any naturally occurring amino acid

<220>
<221> MOD_RES
<222> (4)..(4)
<223> PHOSPHORYLATION

<220>
<221> misc_feature
<222> (5)..(7)
<223> Xaa can be any naturally occurring amino acid

<400> 205

Xaa Xaa Xaa Tyr Xaa Xaa Xaa
1 5

<210> 206
<211> 4
<212> PRT
<213> Artificial

<220>
<223> Targeting peptide sequence

<220>
<221> MOD_RES
<222> (1)..(1)
<223> PHOSPHORYLATION

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> Xaa can be E or M

<400> 206

Tyr Xaa Asn Trp
1

<210> 207
<211> 7
<212> PRT
<213> Artificial

<220>

<223> Targeting peptide sequence

<400> 207

Arg Pro Leu Pro Pro Leu Pro
1 5

<210> 208

<211> 7

<212> PRT

<213> Artificial

<220>

<223> Targeting peptide sequence

<400> 208

Ala Pro Pro Leu Pro Pro Arg
1 5

<210> 209

<211> 12

<212> PRT

<213> Artificial

<220>

<223> Targeting peptide sequence

<400> 209

Asp Val Phe Tyr Pro Tyr Pro Tyr Ala Ser Gly Ser
1 5 10

<210> 210

<211> 6

<212> PRT

<213> Artificial

<220>

<223> Targeting peptide sequence

<400> 210

Met Tyr Trp Tyr Pro Tyr
1 5

<210> 211

<211> 12

<212> PRT

<213> Artificial

<220>

<223> Targeting peptide sequence

<400> 211

Asp Ile Thr Trp Asp Gln Leu Trp Asp Leu Met Lys
1 5 10

<210> 212

<211> 8

<212> PRT

<213> Artificial

<220>

<223> Targeting peptide sequence

<220>

<221> MISC_FEATURE

<222> (5)..(5)

<223> Xaa can be G or L

<400> 212

Cys Trp Asp Asp Xaa Trp Leu Cys
1 5

<210> 213

<211> 14

<212> PRT

<213> Artificial

<220>

<223> Targeting peptide sequence

<400> 213

Glu Trp Cys Glu Tyr Leu Gly Gly Tyr Leu Arg Cys Tyr Ala
1 5 10

<210> 214

<211> 14

<212> PRT

<213> Artificial

<220>

<223> Targeting peptide sequence

<220>

<221> misc_feature
<222> (2)..(2)
<223> Xaa can be any naturally occurring amino acid

<220>
<221> misc_feature
<222> (4)..(5)
<223> Xaa can be any naturally occurring amino acid

<220>
<221> misc_feature
<222> (8)..(8)
<223> Xaa can be any naturally occurring amino acid

<220>
<221> misc_feature
<222> (11)..(11)
<223> Xaa can be any naturally occurring amino acid

<220>
<221> misc_feature
<222> (13)..(13)
<223> Xaa can be any naturally occurring amino acid

<400> 214

Tyr Xaa Cys Xaa Xaa Gly Pro Xaa Thr Trp Xaa Cys Xaa Pro
1 5 10

<210> 215
<211> 14
<212> PRT
<213> Artificial

<220>
<223> Targeting peptide sequence

<400> 215

Ile Glu Gly Pro Thr Leu Arg Gln Trp Leu Ala Ala Arg Ala
1 5 10

<210> 216
<211> 5
<212> PRT
<213> Artificial

<220>
<223> Targeting peptide sequence

<220>

<221> misc_feature
<222> (3)..(4)
<223> Xaa can be any naturally occurring amino acid

<220>
<221> MISC_FEATURE
<222> (5)..(5)
<223> Xaa can be Y, W, F or H

<400> 216

Leu Trp Xaa Xaa Xaa
1 5

<210> 217
<211> 7
<212> PRT
<213> Artificial

<220>
<223> Targeting peptide sequence

<220>
<221> misc_feature
<222> (1)..(1)
<223> Xaa can be any naturally occurring amino acid

<220>
<221> misc_feature
<222> (3)..(4)
<223> Xaa can be any naturally occurring amino acid

<400> 217

Xaa Phe Xaa Xaa Tyr Leu Trp
1 5

<210> 218
<211> 13
<212> PRT
<213> Artificial

<220>
<223> Targeting peptide sequence

<400> 218

Ser Ser Ile Ile Ser His Phe Arg Trp Gly Leu Cys Asp
1 5 10

<210> 219
<211> 13
<212> PRT
<213> Artificial

<220>
<223> Targeting peptide sequence

<400> 219

Met Ser Arg Pro Ala Cys Pro Pro Asn Asp Lys Tyr Glu
1 5 10

<210> 220
<211> 8
<212> PRT
<213> Artificial

<220>
<223> Targeting peptide sequence

<400> 220

Cys Leu Arg Ser Gly Arg Gly Cys
1 5

<210> 221
<211> 9
<212> PRT
<213> Artificial

<220>
<223> Targeting peptide sequence

<400> 221

Cys His Trp Met Phe Ser Pro Trp Cys
1 5

<210> 222
<211> 4
<212> PRT
<213> Artificial

<220>
<223> Targeting peptide sequence

<220>
<221> misc_feature
<222> (2)..(3)

<223> Xaa can be any naturally occurring amino acid

<400> 222

Trp Xaa Xaa Phe
1

<210> 223

<211> 8

<212> PRT

<213> Artificial

<220>

<223> Targeting peptide sequence

<400> 223

Cys Ser Ser Arg Leu Asp Ala Cys
1 5

<210> 224

<211> 7

<212> PRT

<213> Artificial

<220>

<223> Targeting peptide sequence

<400> 224

Cys Leu Pro Val Ala Ser Cys
1 5

<210> 225

<211> 13

<212> PRT

<213> Artificial

<220>

<223> Targeting peptide sequence

<400> 225

Cys Gly Phe Glu Cys Val Arg Gln Cys Pro Glu Arg Cys
1 5 10

<210> 226

<211> 13

<212> PRT

<213> Artificial

<220>

<223> Targeting peptide sequence

<400> 226

Cys Val Ala Leu Cys Arg Glu Ala Cys Gly Glu Gly Cys
1 5 10

<210> 227

<211> 9

<212> PRT

<213> Artificial

<220>

<223> Targeting peptide sequence

<400> 227

Ser Trp Cys Glu Pro Gly Trp Cys Arg
1 5

<210> 228

<211> 7

<212> PRT

<213> Artificial

<220>

<223> Targeting peptide sequence

<400> 228

Tyr Ser Gly Lys Trp Gly Trp
1 5

<210> 229

<211> 7

<212> PRT

<213> Artificial

<220>

<223> Targeting peptide sequence

<400> 229

Gly Leu Ser Gly Gly Arg Ser
1 5

<210> 230

<211> 7

<212> PRT
<213> Artificial

<220>
<223> Targeting peptide sequence

<400> 230

Leu Met Leu Pro Arg Ala Asp
1 5

<210> 231
<211> 9
<212> PRT
<213> Artificial

<220>
<223> Targeting peptide sequence

<400> 231

Cys Ser Cys Phe Arg Asp Val Cys Cys
1 5

<210> 232
<211> 9
<212> PRT
<213> Artificial

<220>
<223> Targeting peptide sequence

<400> 232

Cys Arg Asp Val Val Ser Val Ile Cys
1 5

<210> 233
<211> 5
<212> PRT
<213> Artificial

<220>
<223> Targeting peptide sequence

<400> 233

Cys Asn Gly Arg Cys
1 5

<210> 234
<211> 6
<212> PRT
<213> Artificial

<220>
<223> Targeting peptide sequence

<400> 234

Met Ala Arg Ser Gly Leu
1 5

<210> 235
<211> 6
<212> PRT
<213> Artificial

<220>
<223> Targeting peptide sequence

<400> 235

Met Ala Arg Ala Lys Glu
1 5

<210> 236
<211> 6
<212> PRT
<213> Artificial

<220>
<223> Targeting peptide sequence

<400> 236

Met Ser Arg Thr Met Ser
1 5

<210> 237
<211> 6
<212> PRT
<213> Artificial

<220>
<223> Targeting peptide sequence

<400> 237

Lys Cys Cys Tyr Ser Leu
1 5

<210> 238
<211> 14
<212> PRT
<213> Artificial

<220>
<223> Targeting peptide sequence

<400> 238

Met Tyr Trp Gly Asp Ser His Trp Leu Gln Tyr Trp Tyr Glu
1 5 10

<210> 239
<211> 7
<212> PRT
<213> Artificial

<220>
<223> Targeting peptide sequence

<400> 239

Met Gln Leu Pro Leu Ala Thr
1 5

<210> 240
<211> 4
<212> PRT
<213> Artificial

<220>
<223> Targeting peptide sequence

<400> 240

Glu Trp Leu Ser
1

<210> 241
<211> 4
<212> PRT
<213> Artificial

<220>
<223> Targeting peptide sequence

<400> 241

Ser Asn Glu Trp
1

<210> 242
<211> 4
<212> PRT
<213> Artificial

<220>
<223> Targeting peptide sequence

<400> 242

Thr Asn Tyr Leu
1

<210> 243
<211> 8
<212> PRT
<213> Artificial

<220>
<223> Targeting peptide sequence

<400> 243

Trp Ile Phe Pro Trp Ile Gln Leu
1 5

<210> 244
<211> 12
<212> PRT
<213> Artificial

<220>
<223> Targeting peptide sequence

<400> 244

Trp Asp Leu Ala Trp Met Phe Arg Leu Pro Val Gly
1 5 10

<210> 245
<211> 13
<212> PRT
<213> Artificial

<220>
<223> Targeting peptide sequence

<400> 245

Cys Thr Val Ala Leu Pro Gly Gly Tyr Val Arg Val Cys
1 5 10

<210> 246

<211> 9

<212> PRT

<213> Artificial

<220>

<223> Targeting peptide sequence

<400> 246

Cys Val Pro Glu Leu Gly His Glu Cys
1 5

<210> 247

<211> 9

<212> PRT

<213> Artificial

<220>

<223> Targeting peptide sequence

<400> 247

Cys Gly Arg Arg Ala Gly Gly Ser Cys
1 5

<210> 248

<211> 13

<212> PRT

<213> Artificial

<220>

<223> Targeting peptide sequence

<400> 248

Cys Val Ala Tyr Cys Ile Glu His His Cys Trp Thr Cys
1 5 10

<210> 249

<211> 12

<212> PRT

<213> Artificial

<220>

<223> Targeting peptide sequence

<400> 249

Cys Val Phe Ala His Asn Tyr Asp Tyr Leu Val Cys
1 5 10

<210> 250

<211> 10

<212> PRT

<213> Artificial

<220>

<223> Targeting peptide sequence

<400> 250

Cys Val Phe Thr Ser Asn Tyr Ala Phe Cys
1 5 10

<210> 251

<211> 7

<212> PRT

<213> Artificial

<220>

<223> Targeting peptide sequence

<400> 251

Val His Ser Pro Asn Lys Lys
1 5

<210> 252

<211> 9

<212> PRT

<213> Artificial

<220>

<223> Targeting peptide sequence

<400> 252

Cys Asp Cys Arg Gly Asp Cys Phe Cys
1 5

<210> 253

<211> 7

<212> PRT

<213> Artificial

<220>
<223> Targeting peptide sequence

<400> 253

Cys Arg Gly Asp Gly Trp Cys
1 5

<210> 254
<211> 6
<212> PRT
<213> Artificial

<220>
<223> Targeting peptide sequence

<220>
<221> misc_feature
<222> (1)..(1)
<223> Xaa can be any naturally occurring amino acid

<220>
<221> misc_feature
<222> (6)..(6)
<223> Xaa can be any naturally occurring amino acid

<400> 254

Xaa Arg Gly Cys Asp Xaa
1 5

<210> 255
<211> 4
<212> PRT
<213> Artificial

<220>
<223> Targeting peptide sequence

<220>
<221> misc_feature
<222> (2)..(3)
<223> Xaa can be any naturally occurring amino acid

<220>
<221> MISC_FEATURE
<222> (4)..(4)
<223> Xaa can be S or T

<400> 255

Pro Xaa Xaa Xaa
1

<210> 256
<211> 10
<212> PRT
<213> Artificial

<220>
<223> Targeting peptide sequence

<400> 256

Cys Thr Thr His Trp Gly Phe Thr Leu Cys
1 5 10

<210> 257
<211> 11
<212> PRT
<213> Artificial

<220>
<223> Targeting peptide sequence

<400> 257

Ser Gly Lys Gly Pro Arg Gln Ile Thr Ala Leu
1 5 10

<210> 258
<211> 6
<212> PRT
<213> Artificial

<220>
<223> Targeting peptide sequence

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> Xaa can be A or Q

<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa can be N or A

<220>

<221> MISC_FEATURE
<222> (4)..(4)
<223> Xaa can be L or Y

<220>
<221> MISC_FEATURE
<222> (5)..(5)
<223> Xaa can be T, V, M or R

<220>
<221> MISC_FEATURE
<222> (6)..(6)
<223> Xaa can be R or K

<400> 258

Ala Xaa Xaa Xaa Xaa Xaa
1 5

<210> 259
<211> 6
<212> PRT
<213> Artificial

<220>
<223> Targeting peptide sequence

<400> 259

Val Tyr Met Ser Pro Phe
1 5

<210> 260
<211> 7
<212> PRT
<213> Artificial

<220>
<223> Targeting peptide sequence

<400> 260

Met Gln Leu Pro Leu Ala Thr
1 5

<210> 261
<211> 7
<212> PRT
<213> Artificial

<220>

<223> Targeting peptide sequence

<400> 261

Ala Thr Trp Leu Pro Pro Arg
1 5

<210> 262

<211> 12

<212> PRT

<213> Artificial

<220>

<223> Targeting peptide sequence

<400> 262

His Thr Met Tyr Tyr His His Tyr Gln His His Leu
1 5 10

<210> 263

<211> 19

<212> PRT

<213> Artificial

<220>

<223> Targeting peptide sequence

<400> 263

Ser Glu Val Gly Cys Arg Ala Gly Pro Leu Gln Trp Leu Cys Glu Lys
1 5 10 15

Tyr Phe Gly

<210> 264

<211> 18

<212> PRT

<213> Artificial

<220>

<223> Targeting peptide sequence

<400> 264

Cys Gly Leu Leu Pro Val Gly Arg Pro Asp Arg Asn Val Trp Arg Trp
1 5 10 15

Leu Cys

<210> 265
<211> 15
<212> PRT
<213> Artificial

<220>
<223> Targeting peptide sequence

<400> 265

Cys	Lys	Gly	Gln	Cys	Asp	Arg	Phe	Lys	Gly	Leu	Pro	Trp	Glu	Cys
1				5					10					15

<210> 266
<211> 5
<212> PRT
<213> Artificial

<220>
<223> Targeting peptide sequence

<400> 266

Ser	Gly	Arg	Ser	Ala
1				5

<210> 267
<211> 4
<212> PRT
<213> Artificial

<220>
<223> Targeting peptide sequence

<400> 267

Trp	Gly	Phe	Pro
1			

<210> 268
<211> 7
<212> PRT
<213> Artificial

<220>
<223> Targeting peptide sequence

<220>
<221> misc_feature
<222> (1)..(1)
<223> Xaa can be any naturally occurring amino acid

<220>
<221> misc_feature
<222> (3)..(4)
<223> Xaa can be any naturally occurring amino acid

<400> 268

Xaa Phe Xaa Xaa Tyr Leu Trp
1 5

<210> 269
<211> 17
<212> PRT
<213> Artificial

<220>
<223> Targeting peptide sequence

<400> 269

Ala Glu Pro Met Pro His Ser Leu Asn Phe Ser Gln Tyr Leu Trp Tyr
1 5 10 15

Thr

<210> 270
<211> 6
<212> PRT
<213> Artificial

<220>
<223> Targeting peptide sequence

<220>
<221> MISC_FEATURE
<222> (4)..(4)
<223> Xaa can be W or F

<400> 270

Trp Ala Tyr Xaa Ser Pro
1 5

<210> 271
<211> 7
<212> PRT
<213> Artificial

<220>
<223> Targeting peptide sequence

<400> 271

Ile Glu Leu Leu Gln Ala Arg
1 5

<210> 272
<211> 12
<212> PRT
<213> Artificial

<220>
<223> Targeting peptide sequence

<400> 272

Asp Ile Thr Trp Asp Gln Leu Trp Asp Leu Met Lys
1 5 10

<210> 273
<211> 16
<212> PRT
<213> Artificial

<220>
<223> Targeting peptide sequence

<400> 273

Ala Tyr Thr Lys Cys Ser Arg Gln Trp Arg Thr Cys Met Thr Thr His
1 5 10 15

<210> 274
<211> 15
<212> PRT
<213> Artificial

<220>
<223> Targeting peptide sequence

<400> 274

Pro Gln Asn Ser Lys Ile Pro Gly Pro Thr Phe Leu Asp Pro His

1 5 10 15

<210> 275
<211> 15
<212> PRT
<213> Artificial

<220>
<223> Targeting peptide sequence

<400> 275

Ser Met Glu Pro Ala Leu Pro Asp Trp Trp Trp Lys Met Phe Lys
1 5 10 15

<210> 276
<211> 16
<212> PRT
<213> Artificial

<220>
<223> Targeting peptide sequence

<400> 276

Ala Asn Thr Pro Cys Gly Pro Tyr Thr His Asp Cys Pro Val Lys Arg
1 5 10 15

<210> 277
<211> 12
<212> PRT
<213> Artificial

<220>
<223> Targeting peptide sequence

<400> 277

Thr Ala Cys His Gln His Val Arg Met Val Arg Pro
1 5 10

<210> 278
<211> 12
<212> PRT
<213> Artificial

<220>
<223> Targeting peptide sequence

<400> 278

Val Pro Trp Met Glu Pro Ala Tyr Gln Arg Phe Leu
1 5 10

<210> 279
<211> 8
<212> PRT
<213> Artificial

<220>
<223> Targeting peptide sequence

<400> 279

Asp Pro Arg Ala Thr Pro Gly Ser
1 5

<210> 280
<211> 12
<212> PRT
<213> Artificial

<220>
<223> Targeting peptide sequence

<400> 280

Phe Arg Pro Asn Arg Ala Gln Asp Tyr Asn Thr Asn
1 5 10

<210> 281
<211> 9
<212> PRT
<213> Artificial

<220>
<223> Targeting peptide sequence

<400> 281

Cys Thr Lys Asn Ser Tyr Leu Met Cys
1 5

<210> 282
<211> 11
<212> PRT
<213> Artificial

<220>
<223> Targeting peptide sequence

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> Xaa can be R or Q

<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa can be L or R

<220>
<221> MISC_FEATURE
<222> (5)..(5)
<223> Xaa can be G or N

<220>
<221> misc_feature
<222> (6)..(7)
<223> Xaa can be any naturally occurring amino acid

<220>
<221> MISC_FEATURE
<222> (9)..(9)
<223> Xaa can be A or V

<400> 282

Cys Xaa Xaa Thr Xaa Xaa Xaa Gly Xaa Gly Cys
1 5 10

<210> 283
<211> 9
<212> PRT
<213> Artificial

<220>
<223> Targeting peptide sequence

<400> 283

Cys Pro Ile Glu Asp Arg Pro Met Cys
1 5

<210> 284
<211> 12
<212> PRT
<213> Artificial

<220>
<223> Targeting peptide sequence

<400> 284

His Glu Trp Ser Tyr Leu Ala Pro Tyr Pro Trp Phe
1 5 10

<210> 285

<211> 9

<212> PRT

<213> Artificial

<220>

<223> Targeting peptide sequence

<400> 285

Met Cys Pro Lys His Pro Leu Gly Cys
1 5

<210> 286

<211> 15

<212> PRT

<213> Artificial

<220>

<223> Targeting peptide sequence

<400> 286

Arg Met Trp Pro Ser Ser Thr Val Asn Leu Ser Ala Gly Arg Arg
1 5 10 15

<210> 287

<211> 20

<212> PRT

<213> Artificial

<220>

<223> Targeting peptide sequence

<400> 287

Ser Ala Lys Thr Ala Val Ser Gln Arg Val Trp Leu Pro Ser His Arg
1 5 10 15

Gly Gly Glu Pro
20

<210> 288

<211> 20
<212> PRT
<213> Artificial

<220>
<223> Targeting peptide sequence

<400> 288

Lys	Ser	Arg	Glu	His	Val	Asn	Asn	Ser	Ala	Cys	Pro	Ser	Lys	Arg	Ile
1				5					10					15	

Thr	Ala	Ala	Leu
			20

<210> 289
<211> 4
<212> PRT
<213> Artificial

<220>
<223> Targeting peptide sequence

<400> 289

Glu	Gly	Phe	Arg
1			

<210> 290
<211> 6
<212> PRT
<213> Artificial

<220>
<223> Targeting peptide sequence

<400> 290

Ala	Gly	Leu	Gly	Val	Arg
1				5	

<210> 291
<211> 15
<212> PRT
<213> Artificial

<220>
<223> Targeting peptide sequence

<400> 291

Gly Thr Arg Gln Gly His Thr Met Arg Leu Gly Val Ser Asp Gly
1 5 10 15

<210> 292
<211> 15
<212> PRT
<213> Artificial

<220>
<223> Targeting peptide sequence

<400> 292

Ile Ala Gly Leu Ala Thr Pro Gly Trp Ser His Trp Leu Ala Leu
1 5 10 15

<210> 293
<211> 7
<212> PRT
<213> Artificial

<220>
<223> Targeting peptide sequence

<400> 293

Ser Met Ser Ile Ala Arg Leu
1 5

<210> 294
<211> 7
<212> PRT
<213> Artificial

<220>
<223> Targeting peptide sequence

<400> 294

His Thr Phe Glu Pro Gly Val
1 5

<210> 295
<211> 15
<212> PRT
<213> Artificial

<220>
<223> Targeting peptide sequence

<400> 295

Asn Thr Ser Leu Lys Arg Ile Ser Asn Lys Arg Ile Arg Arg Lys
1 5 10 15

<210> 296

<211> 15

<212> PRT

<213> Artificial

<220>

<223> Targeting peptide sequence

<400> 296

Leu Arg Ile Lys Arg Lys Arg Arg Lys Arg Lys Lys Thr Arg Lys
1 5 10 15

<210> 297

<211> 10

<212> PRT

<213> Artificial

<220>

<223> AAV capsid protein common antigenic motif (CAM) substitution
sequence

<400> 297

Cys Asn Asp Glu Met Gln Val Gln Val Asn
1 5 10

<210> 298

<211> 10

<212> PRT

<213> Artificial

<220>

<223> AAV capsid protein common antigenic motif (CAM) substitution
sequence

<400> 298

Ser Pro Asp Ile Val Tyr Ala Asp Val Cys
1 5 10

<210> 299

<211> 10

<212> PRT

<213> Artificial

<220>

<223> AAV capsid protein common antigenic motif (CAM) substitution sequence

<400> 299

Leu Asp Asp Cys His Asn Ile Asp Val Asn
1 5 10

<210> 300

<211> 10

<212> PRT

<213> Artificial

<220>

<223> AAV capsid protein common antigenic motif (CAM) substitution sequence

<400> 300

Ser Cys Asp Cys Val Thr Asn Ser Val Ser
1 5 10

<210> 301

<211> 10

<212> PRT

<213> Artificial

<220>

<223> AAV capsid protein common antigenic motif (CAM) substitution sequence

<400> 301

Thr Val Asp Ser Asn Pro Tyr Glu Val Asn
1 5 10

<210> 302

<211> 10

<212> PRT

<213> Artificial

<220>

<223> AAV capsid protein common antigenic motif (CAM) substitution sequence

<400> 302

Gly Asp Asp His Pro Asn Pro Asp Val Leu

1 5 10

<210> 303
<211> 7
<212> PRT
<213> adeno-associated virus

<400> 303

Ser Ala Ser Thr Gly Ala Ser
1 5

<210> 304
<211> 10
<212> PRT
<213> adeno-associated virus

<400> 304

Val Phe Met Ile Pro Gln Tyr Gly Tyr Leu
1 5 10

<210> 305
<211> 9
<212> PRT
<213> adeno-associated virus

<400> 305

Asn Gln Ser Gly Ser Ala Gln Asn Lys
1 5

<210> 306
<211> 8
<212> PRT
<213> adeno-associated virus

<400> 306

Lys Thr Asp Asn Asn Asn Ser Asn
1 5

<210> 307
<211> 7
<212> PRT
<213> adeno-associated virus

<400> 307

Lys Asp Asp Glu Asp Lys Phe
1 5

<210> 308
<211> 6
<212> PRT
<213> adeno-associated virus

<400> 308

Ser Ala Gly Ala Ser Asn
1 5

<210> 309
<211> 10
<212> PRT
<213> adeno-associated virus

<400> 309

Ser Thr Asp Pro Ala Thr Gly Asp Val His
1 5 10

<210> 310
<211> 7
<212> PRT
<213> adeno-associated virus

<400> 310

Asp Asn Asn Gly Leu Tyr Thr
1 5

<210> 311
<211> 6
<212> PRT
<213> adeno-associated virus

<400> 311

Ser Gln Ser Gly Ala Ser
1 5

<210> 312
<211> 10
<212> PRT
<213> adeno-associated virus

<400> 312

Val Phe Met Val Pro Gln Tyr Gly Tyr Leu
1 5 10

<210> 313
<211> 9
<212> PRT
<213> adeno-associated virus

<400> 313

Thr Pro Ser Gly Thr Thr Thr Gln Ser
1 5

<210> 314
<211> 8
<212> PRT
<213> adeno-associated virus

<400> 314

Ser Ala Asp Asn Asn Asn Ser Glu
1 5

<210> 315
<211> 7
<212> PRT
<213> adeno-associated virus

<400> 315

Lys Asp Asp Glu Glu Lys Phe
1 5

<210> 316
<211> 6
<212> PRT
<213> adeno-associated virus

<400> 316

Gly Ser Glu Lys Thr Asn
1 5

<210> 317
<211> 10
<212> PRT
<213> adeno-associated virus

<400> 317

Asn Arg Gln Ala Ala Thr Ala Asp Val Asn
1 5 10

<210> 318

<211> 7

<212> PRT

<213> adeno-associated virus

<400> 318

Asp Thr Asn Gly Val Tyr Ser
1 5

<210> 319

<211> 6

<212> PRT

<213> adeno-associated virus

<400> 319

Ser Gln Ser Gly Ala Ser
1 5

<210> 320

<211> 10

<212> PRT

<213> adeno-associated virus

<400> 320

Val Phe Met Val Pro Gln Tyr Gly Tyr Leu
1 5 10

<210> 321

<211> 9

<212> PRT

<213> adeno-associated virus

<400> 321

Thr Thr Ser Gly Thr Thr Asn Gln Ser
1 5

<210> 322

<211> 8

<212> PRT

<213> adeno-associated virus

<400> 322

Ala Asn Asp Asn Asn Asn Ser Asn
1 5

<210> 323

<211> 7

<212> PRT

<213> adeno-associated virus

<400> 323

Lys Asp Asp Glu Glu Lys Phe
1 5

<210> 324

<211> 6

<212> PRT

<213> adeno-associated virus

<400> 324

Gly Thr Thr Ala Ser Asn
1 5

<210> 325

<211> 10

<212> PRT

<213> adeno-associated virus

<400> 325

Asn Thr Ala Pro Thr Thr Gly Thr Val Asn
1 5 10

<210> 326

<211> 7

<212> PRT

<213> adeno-associated virus

<400> 326

Asp Thr Asn Gly Val Tyr Ser
1 5

<210> 327

<211> 8

<212> PRT

<213> adeno-associated virus

<400> 327

Arg Leu Gly Glu Ser Leu Gln Ser
1 5

<210> 328

<211> 10

<212> PRT

<213> adeno-associated virus

<400> 328

Val Phe Met Val Pro Gln Tyr Gly Tyr Cys
1 5 10

<210> 329

<211> 9

<212> PRT

<213> adeno-associated virus

<400> 329

Gly Thr Thr Leu Asn Ala Gly Thr Ala
1 5

<210> 330

<211> 12

<212> PRT

<213> adeno-associated virus

<400> 330

Ala Asn Gln Asn Tyr Lys Ile Pro Ala Thr Gly Ser
1 5 10

<210> 331

<211> 7

<212> PRT

<213> adeno-associated virus

<400> 331

Gly Pro Ala Asp Ser Lys Phe
1 5

<210> 332

<211> 6

<212> PRT
<213> adeno-associated virus

<400> 332

Gln Asn Gly Asn Thr Ala
1 5

<210> 333
<211> 10
<212> PRT
<213> adeno-associated virus

<400> 333

Ser Asn Leu Pro Thr Val Asp Arg Leu Thr
1 5 10

<210> 334
<211> 7
<212> PRT
<213> adeno-associated virus

<400> 334

Asp Ala Ala Gly Lys Tyr Thr
1 5

<210> 335
<211> 10
<212> PRT
<213> adeno-associated virus

<400> 335

Glu Ile Lys Ser Gly Ser Val Asp Gly Ser
1 5 10

<210> 336
<211> 10
<212> PRT
<213> adeno-associated virus

<400> 336

Val Phe Thr Leu Pro Gln Tyr Gly Tyr Ala
1 5 10

<210> 337

<211> 9
<212> PRT
<213> adeno-associated virus

<400> 337

Ser Thr Asn Asn Thr Gly Gly Val Gln
1 5

<210> 338
<211> 7
<212> PRT
<213> adeno-associated virus

<400> 338

Ser Gly Val Asn Arg Ala Ser
1 5

<210> 339
<211> 7
<212> PRT
<213> adeno-associated virus

<400> 339

Leu Gln Gly Ser Asn Thr Tyr
1 5

<210> 340
<211> 8
<212> PRT
<213> adeno-associated virus

<400> 340

Ala Asn Pro Gly Thr Thr Ala Thr
1 5

<210> 341
<211> 10
<212> PRT
<213> adeno-associated virus

<400> 341

Thr Thr Ala Pro Ala Thr Gly Thr Tyr Asn
1 5 10

<210> 342
<211> 7
<212> PRT
<213> adeno-associated virus

<400> 342

Asp Ser Thr Gly Glu Tyr Arg
1 5

<210> 343
<211> 7
<212> PRT
<213> adeno-associated virus

<400> 343

Ser Ala Ser Thr Gly Ala Ser
1 5

<210> 344
<211> 10
<212> PRT
<213> adeno-associated virus

<400> 344

Val Phe Met Ile Pro Gln Tyr Gly Tyr Leu
1 5 10

<210> 345
<211> 9
<212> PRT
<213> adeno-associated virus

<400> 345

Asn Gln Ser Gly Ser Ala Gln Asn Lys
1 5

<210> 346
<211> 8
<212> PRT
<213> adeno-associated virus

<400> 346

Lys Thr Asp Asn Asn Asn Ser Asn
1 5

<210> 347
<211> 7
<212> PRT
<213> adeno-associated virus

<400> 347

Lys Asp Asp Lys Asp Lys Phe
1 5

<210> 348
<211> 6
<212> PRT
<213> adeno-associated virus

<400> 348

Ser Ala Gly Ala Ser Asn
1 5

<210> 349
<211> 10
<212> PRT
<213> adeno-associated virus

<400> 349

Ser Thr Asp Pro Ala Thr Gly Asp Val His
1 5 10

<210> 350
<211> 7
<212> PRT
<213> adeno-associated virus

<400> 350

Asp Asn Asn Gly Leu Tyr Thr
1 5

<210> 351
<211> 7
<212> PRT
<213> adeno-associated virus

<400> 351

Ser Glu Thr Ala Gly Ser Thr
1 5

<210> 352
<211> 10
<212> PRT
<213> adeno-associated virus

<400> 352

Val Phe Met Ile Pro Gln Tyr Gly Tyr Leu
1 5 10

<210> 353
<211> 9
<212> PRT
<213> adeno-associated virus

<400> 353

Asn Pro Gly Gly Thr Ala Gly Asn Arg
1 5

<210> 354
<211> 8
<212> PRT
<213> adeno-associated virus

<400> 354

Leu Asp Gln Asn Asn Asn Ser Asn
1 5

<210> 355
<211> 7
<212> PRT
<213> adeno-associated virus

<400> 355

Lys Asp Asp Glu Asp Arg Phe
1 5

<210> 356
<211> 6
<212> PRT
<213> adeno-associated virus

<400> 356

Gly Ala Thr Asn Lys Thr

1 5

<210> 357
<211> 10
<212> PRT
<213> adeno-associated virus

<400> 357

Asn Thr Ala Ala Gln Thr Gln Val Val Asn
1 5 10

<210> 358
<211> 7
<212> PRT
<213> adeno-associated virus

<400> 358

Asp Ser Gln Gly Val Tyr Ser
1 5

<210> 359
<211> 8
<212> PRT
<213> adeno-associated virus

<400> 359

Asn Gly Thr Ser Gly Gly Ala Thr
1 5

<210> 360
<211> 10
<212> PRT
<213> adeno-associated virus

<400> 360

Val Phe Met Ile Pro Gln Tyr Gly Tyr Leu
1 5 10

<210> 361
<211> 9
<212> PRT
<213> adeno-associated virus

<400> 361

Thr Thr Gly Gly Thr Ala Asn Thr Gln
1 5

<210> 362
<211> 8
<212> PRT
<213> adeno-associated virus

<400> 362

Thr Gly Gln Asn Asn Asn Ser Asn
1 5

<210> 363
<211> 7
<212> PRT
<213> adeno-associated virus

<400> 363

Lys Asp Asp Glu Glu Arg Phe
1 5

<210> 364
<211> 6
<212> PRT
<213> adeno-associated virus

<400> 364

Asn Ala Ala Arg Asp Asn
1 5

<210> 365
<211> 11
<212> PRT
<213> adeno-associated virus

<400> 365

Asn Thr Ala Pro Gln Ile Gly Thr Val Asn Ser
1 5 10

<210> 366
<211> 7
<212> PRT
<213> adeno-associated virus

<400> 366

Asn Thr Glu Gly Val Tyr Ser
1 5

<210> 367
<211> 8
<212> PRT
<213> adeno-associated virus

<400> 367

Asn Ser Thr Ser Gly Gly Ser Ser
1 5

<210> 368
<211> 10
<212> PRT
<213> adeno-associated virus

<400> 368

Val Phe Met Ile Pro Gln Tyr Gly Tyr Leu
1 5 10

<210> 369
<211> 9
<212> PRT
<213> adeno-associated virus

<400> 369

Ile Asn Gly Ser Gly Gln Asn Gln Gln
1 5

<210> 370
<211> 8
<212> PRT
<213> adeno-associated virus

<400> 370

Val Thr Gln Asn Asn Asn Ser Glu
1 5

<210> 371
<211> 7
<212> PRT
<213> adeno-associated virus

<400> 371

Lys Glu Gly Glu Asp Arg Phe
1 5

<210> 372

<211> 6

<212> PRT

<213> adeno-associated virus

<400> 372

Gly Thr Gly Arg Asp Asn
1 5

<210> 373

<211> 10

<212> PRT

<213> adeno-associated virus

<400> 373

Gln Ala Gln Ala Gln Thr Gly Trp Val Gln
1 5 10

<210> 374

<211> 7

<212> PRT

<213> adeno-associated virus

<400> 374

Asn Thr Glu Gly Val Tyr Ser
1 5

<210> 375

<211> 8

<212> PRT

<213> adeno-associated virus

<400> 375

Asn Gly Thr Ser Gly Gly Ser Thr
1 5

<210> 376

<211> 10

<212> PRT

<213> adeno-associated virus

<400> 376

Val Phe Met Val Pro Gln Tyr Gly Tyr Leu
1 5 10

<210> 377

<211> 9

<212> PRT

<213> adeno-associated virus

<400> 377

Gln Thr Thr Gly Thr Gly Gly Thr Gln
1 5

<210> 378

<211> 8

<212> PRT

<213> adeno-associated virus

<400> 378

Thr Asn Gln Asn Asn Asn Ser Asn
1 5

<210> 379

<211> 7

<212> PRT

<213> adeno-associated virus

<400> 379

Lys Asp Asp Asp Asp Arg Phe
1 5

<210> 380

<211> 6

<212> PRT

<213> adeno-associated virus

<400> 380

Gly Ala Gly Asn Asp Gly
1 5

<210> 381

<211> 10

<212> PRT

<213> adeno-associated virus

<400> 381

Asn Thr Gln Ala Gln Thr Gly Leu Val His
1 5 10

<210> 382

<211> 7

<212> PRT

<213> adeno-associated virus

<400> 382

Asn Thr Glu Gly Val Tyr Ser
1 5

<210> 383

<211> 8

<212> PRT

<213> adeno-associated virus

<400> 383

Asn Gly Thr Ser Gly Gly Ser Thr
1 5

<210> 384

<211> 10

<212> PRT

<213> adeno-associated virus

<400> 384

Val Phe Met Ile Pro Gln Tyr Gly Tyr Leu
1 5 10

<210> 385

<211> 9

<212> PRT

<213> adeno-associated virus

<400> 385

Ser Thr Gly Gly Thr Ala Gly Thr Gln
1 5

<210> 386

<211> 8

<212> PRT
<213> adeno-associated virus

<400> 386

Leu Ser Gln Asn Asn Asn Ser Asn
1 5

<210> 387
<211> 7
<212> PRT
<213> adeno-associated virus

<400> 387

Lys Asp Asp Glu Glu Arg Phe
1 5

<210> 388
<211> 6
<212> PRT
<213> adeno-associated virus

<400> 388

Gly Ala Gly Lys Asp Asn
1 5

<210> 389
<211> 10
<212> PRT
<213> adeno-associated virus

<400> 389

Asn Ala Ala Pro Ile Val Gly Ala Val Asn
1 5 10

<210> 390
<211> 7
<212> PRT
<213> adeno-associated virus

<400> 390

Asn Thr Asp Gly Thr Tyr Ser
1 5

<210> 391

<211> 8
<212> PRT
<213> adeno-associated virus

<400> 391

Asn Gly Thr Ser Gly Gly Ser Thr
1 5

<210> 392
<211> 10
<212> PRT
<213> adeno-associated virus

<400> 392

Val Phe Met Ile Pro Gln Tyr Gly Tyr Leu
1 5 10

<210> 393
<211> 9
<212> PRT
<213> adeno-associated virus

<400> 393

Ser Thr Gly Gly Thr Gln Gly Thr Gln
1 5

<210> 394
<211> 8
<212> PRT
<213> adeno-associated virus

<400> 394

Leu Ser Gln Asn Asn Asn Ser Asn
1 5

<210> 395
<211> 7
<212> PRT
<213> adeno-associated virus

<400> 395

Lys Asp Asp Glu Glu Arg Phe
1 5

<210> 396
<211> 6
<212> PRT
<213> adeno-associated virus

<400> 396

Gly Ala Gly Arg Asp Asn
1 5

<210> 397
<211> 10
<212> PRT
<213> adeno-associated virus

<400> 397

Asn Thr Gly Pro Ile Val Gly Asn Val Asn
1 5 10

<210> 398
<211> 7
<212> PRT
<213> adeno-associated virus

<400> 398

Asn Thr Glu Gly Thr Tyr Ser
1 5

<210> 399
<211> 8
<212> PRT
<213> adeno-associated virus

<400> 399

Arg Leu Gly Thr Thr Ser Ser Ser
1 5

<210> 400
<211> 10
<212> PRT
<213> adeno-associated virus

<400> 400

Val Phe Met Val Pro Gln Tyr Gly Tyr Cys
1 5 10

<210> 401
<211> 9
<212> PRT
<213> adeno-associated virus

<400> 401

Gly Glu Thr Leu Asn Gln Gly Asn Ala
1 5

<210> 402
<211> 12
<212> PRT
<213> adeno-associated virus

<400> 402

Ala Ser Gln Asn Tyr Lys Ile Pro Ala Ser Gly Gly
1 5 10

<210> 403
<211> 7
<212> PRT
<213> adeno-associated virus

<400> 403

Gly Pro Ser Asp Gly Asp Phe
1 5

<210> 404
<211> 6
<212> PRT
<213> adeno-associated virus

<400> 404

Val Thr Gly Asn Thr Thr
1 5

<210> 405
<211> 10
<212> PRT
<213> adeno-associated virus

<400> 405

Thr Thr Ala Pro Ile Thr Gly Asn Val Thr
1 5 10

<210> 406
<211> 7
<212> PRT
<213> adeno-associated virus

<400> 406

Asp Thr Thr Gly Lys Tyr Thr
1 5

<210> 407
<211> 8
<212> PRT
<213> adeno-associated virus

<400> 407

Arg Ile Gly Thr Thr Ala Asn Ser
1 5

<210> 408
<211> 10
<212> PRT
<213> adeno-associated virus

<400> 408

Val Phe Met Val Pro Gln Tyr Gly Tyr Cys
1 5 10

<210> 409
<211> 9
<212> PRT
<213> adeno-associated virus

<400> 409

Gly Asn Ser Leu Asn Gln Gly Thr Ala
1 5

<210> 410
<211> 12
<212> PRT
<213> adeno-associated virus

<400> 410

Ala Asn Gln Asn Tyr Lys Ile Pro Ala Ser Gly Gly

1 5 10

<210> 411
<211> 7
<212> PRT
<213> adeno-associated virus

<400> 411

Gly Ala Gly Asp Ser Asp Phe
1 5

<210> 412
<211> 6
<212> PRT
<213> adeno-associated virus

<400> 412

Pro Ser Gly Asn Thr Thr
1 5

<210> 413
<211> 10
<212> PRT
<213> adeno-associated virus

<400> 413

Thr Thr Ala Pro His Ile Ala Asn Leu Asp
1 5 10

<210> 414
<211> 7
<212> PRT
<213> adeno-associated virus

<400> 414

Asp Asn Ala Gly Asn Tyr His
1 5

<210> 415
<211> 8
<212> PRT
<213> adeno-associated virus

<400> 415

Arg Leu Gly Thr Thr Ser Asn Ser
1 5

<210> 416
<211> 10
<212> PRT
<213> adeno-associated virus

<400> 416

Val Phe Met Val Pro Gln Tyr Gly Tyr Cys
1 5 10

<210> 417
<211> 9
<212> PRT
<213> adeno-associated virus

<400> 417

Gly Glu Thr Leu Asn Gln Gly Asn Ala
1 5

<210> 418
<211> 12
<212> PRT
<213> adeno-associated virus

<400> 418

Ala Ser Gln Asn Tyr Lys Ile Pro Ala Ser Gly Gly
1 5 10

<210> 419
<211> 7
<212> PRT
<213> adeno-associated virus

<400> 419

Gly Pro Ser Asp Gly Asp Phe
1 5

<210> 420
<211> 6
<212> PRT
<213> adeno-associated virus

<400> 420

Val Thr Gly Asn Thr Thr
1 5

<210> 421
<211> 10
<212> PRT
<213> adeno-associated virus

<400> 421

Thr Thr Ala Pro Ile Thr Gly Asn Val Thr
1 5 10

<210> 422
<211> 7
<212> PRT
<213> adeno-associated virus

<400> 422

Asp Thr Thr Gly Lys Tyr Thr
1 5

<210> 423
<211> 8
<212> PRT
<213> adeno-associated virus

<400> 423

Arg Leu Gly Ser Ser Asn Ala Ser
1 5

<210> 424
<211> 10
<212> PRT
<213> adeno-associated virus

<400> 424

Val Phe Met Val Pro Gln Tyr Gly Tyr Cys
1 5 10

<210> 425
<211> 9
<212> PRT
<213> adeno-associated virus

<400> 425

Gly Gly Thr Leu Asn Gln Gly Asn Ser
1 5

<210> 426

<211> 12

<212> PRT

<213> adeno-associated virus

<400> 426

Ala Ser Gln Asn Tyr Lys Ile Pro Gln Gly Arg Asn
1 5 10

<210> 427

<211> 7

<212> PRT

<213> adeno-associated virus

<400> 427

Ala Asn Asp Ala Thr Asp Phe
1 5

<210> 428

<211> 6

<212> PRT

<213> adeno-associated virus

<400> 428

Ile Thr Gly Asn Thr Thr
1 5

<210> 429

<211> 10

<212> PRT

<213> adeno-associated virus

<400> 429

Thr Thr Val Pro Thr Val Asp Asp Val Asp
1 5 10

<210> 430

<211> 7

<212> PRT

<213> adeno-associated virus

<400> 430

Asp Asn Ala Gly Ala Tyr Lys
1 5

<210> 431

<211> 8

<212> PRT

<213> adeno-associated virus

<400> 431

Arg Ile Gln Gly Pro Ser Gly Gly
1 5

<210> 432

<211> 10

<212> PRT

<213> adeno-associated virus

<400> 432

Ile Tyr Thr Ile Pro Gln Tyr Gly Tyr Cys
1 5 10

<210> 433

<211> 9

<212> PRT

<213> adeno-associated virus

<400> 433

Val Ser Gln Ala Gly Ser Ser Gly Arg
1 5

<210> 434

<211> 12

<212> PRT

<213> adeno-associated virus

<400> 434

Ala Ser Asn Ile Thr Lys Asn Asn Val Phe Ser Val
1 5 10

<210> 435

<211> 7

<212> PRT

<213> adeno-associated virus

<400> 435

Phe Ser Gly Glu Pro Asp Arg
1 5

<210> 436

<211> 8

<212> PRT

<213> adeno-associated virus

<400> 436

Val Tyr Asp Gln Thr Thr Ala Thr
1 5

<210> 437

<211> 10

<212> PRT

<213> adeno-associated virus

<400> 437

Val Thr Pro Gly Thr Arg Ala Ala Val Asn
1 5 10

<210> 438

<211> 7

<212> PRT

<213> adeno-associated virus

<400> 438

Ser Asp Thr Gly Ser Tyr Ser
1 5

<210> 439

<211> 53

<212> DNA

<213> Artificial

<220>

<223> Radomized AAV1e common antigenic motif coding sequence

<400> 439

ctcaaatacag tccggaagtg gggggggggg ggacttgctg tttagccgtg ggt

53

<210> 440

<211> 55
 <212> DNA
 <213> Artificial

 <220>
 <223> Radomized AAV1e common antigenic motif coding sequence

 <400> 440
 agcgcgtttc taaatggggg gggggggggg gggggggtaa tttacctgg actgg 55

 <210> 441
 <211> 55
 <212> DNA
 <213> Artificial

 <220>
 <223> Radomized AAV1e common antigenic motif coding sequence

 <400> 441
 tcaatttcca gagcagcttt atggacttat tattattatg gtgatggcta tggga 55

 <210> 442
 <211> 57
 <212> DNA
 <213> Artificial

 <220>
 <223> Radomized AAV1e common antigenic motif coding sequence

 <400> 442
 aatctgttgt tgttgatfff actgtgaata atgataataa taagaatgag cctcgcc 57

 <210> 443
 <211> 7
 <212> PRT
 <213> Artificial

 <220>
 <223> AAV capsid protein common antigenic motif (CAM) substitution
 sequence

 <220>
 <221> MISC_FEATURE
 <222> (1)..(1)
 <223> Xaa can be any naturally occurring amino acid other than K

 <220>
 <221> MISC_FEATURE
 <222> (2)..(3)
 <223> Xaa can be any naturally occurring amino acid other than D

<220>
<221> MISC_FEATURE
<222> (4)..(4)
<223> Xaa can be any naturally occurring amino acid other than E

<220>
<221> MISC_FEATURE
<222> (5)..(5)
<223> Xaa can be any naturally occurring amino acid other than D

<220>
<221> MISC_FEATURE
<222> (6)..(6)
<223> Xaa can be any naturally occurring amino acid other than K

<220>
<221> MISC_FEATURE
<222> (7)..(7)
<223> Xaa can be any naturally occurring amino acid other than F

<400> 443

Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1 5

<210> 444
<211> 7
<212> PRT
<213> Artificial

<220>
<223> AAV capsid protein common antigenic motif (CAM) substitution sequence

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa can be any naturally occurring amino acid other than K

<220>
<221> MISC_FEATURE
<222> (2)..(3)
<223> Xaa can be any naturally occurring amino acid other than D

<220>
<221> MISC_FEATURE
<222> (4)..(5)
<223> Xaa can be any naturally occurring amino acid other than E

<220>
<221> MISC_FEATURE

<222> (6)..(6)
<223> Xaa can be any naturally occurring amino acid other than K

<220>
<221> MISC_FEATURE
<222> (7)..(7)
<223> Xaa can be any naturally occurring amino acid other than F

<400> 444

Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1 5

<210> 445
<211> 7
<212> PRT
<213> Artificial

<220>
<223> AAV capsid protein common antigenic motif (CAM) substitution
sequence

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa can be any naturally occurring amino acid other than K

<220>
<221> MISC_FEATURE
<222> (2)..(3)
<223> Xaa can be any naturally occurring amino acid other than D

<220>
<221> MISC_FEATURE
<222> (4)..(5)
<223> Xaa can be any naturally occurring amino acid other than E

<220>
<221> MISC_FEATURE
<222> (6)..(6)
<223> Xaa can be any naturally occurring amino acid other than K

<220>
<221> MISC_FEATURE
<222> (7)..(7)
<223> Xaa can be any naturally occurring amino acid other than F

<400> 445

Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1 5

<210> 446
<211> 7
<212> PRT
<213> Artificial

<220>
<223> AAV capsid protein common antigenic motif (CAM) substitution
sequence

<220>
<221> MISC_FEAURE
<222> (1)..(1)
<223> Xaa can be any naturally occurring amino acid other than G

<220>
<221> MISC_FEAURE
<222> (2)..(2)
<223> Xaa can be any naturally occurring amino acid other than P

<220>
<221> MISC_FEAURE
<222> (3)..(3)
<223> Xaa can be any naturally occurring amino acid other than A

<220>
<221> MISC_FEAURE
<222> (4)..(4)
<223> Xaa can be any naturally occurring amino acid other than D

<220>
<221> MISC_FEAURE
<222> (5)..(5)
<223> Xaa can be any naturally occurring amino acid other than S

<220>
<221> MISC_FEAURE
<222> (6)..(6)
<223> Xaa can be any naturally occurring amino acid other than K

<220>
<221> MISC_FEAURE
<222> (7)..(7)
<223> Xaa can be any naturally occurring amino acid other than F

<400> 446

Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1 5

<210> 447
<211> 7

<212> PRT
<213> Artificial

<220>
<223> AAV capsid protein common antigenic motif (CAM) substitution sequence

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa can be any naturally occurring amino acid other than L

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> Xaa can be any naturally occurring amino acid other than Q

<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa can be any naturally occurring amino acid other than G

<220>
<221> MISC_FEATURE
<222> (4)..(4)
<223> Xaa can be any naturally occurring amino acid other than S

<220>
<221> MISC_FEATURE
<222> (5)..(5)
<223> Xaa can be any naturally occurring amino acid other than N

<220>
<221> MISC_FEATURE
<222> (6)..(6)
<223> Xaa can be any naturally occurring amino acid other than T

<220>
<221> MISC_FEATURE
<222> (7)..(7)
<223> Xaa can be any naturally occurring amino acid other than Y

<400> 447

Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1 5

<210> 448
<211> 7
<212> PRT
<213> Artificial

<220>
<223> AAV capsid protein common antigenic motif (CAM) substitution
sequence

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa can be any naturally occurring amino acid other than K

<220>
<221> MISC_FEATURE
<222> (2)..(3)
<223> Xaa can be any naturally occurring amino acid other than D

<220>
<221> MISC_FEATURE
<222> (4)..(4)
<223> Xaa can be any naturally occurring amino acid other than K

<220>
<221> MISC_FEATURE
<222> (5)..(5)
<223> Xaa can be any naturally occurring amino acid other than D

<220>
<221> MISC_FEATURE
<222> (6)..(6)
<223> Xaa can be any naturally occurring amino acid other than K

<220>
<221> MISC_FEATURE
<222> (7)..(7)
<223> Xaa can be any naturally occurring amino acid other than F

<400> 448

Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1 5

<210> 449
<211> 7
<212> PRT
<213> Artificial

<220>
<223> AAV capsid protein common antigenic motif (CAM) substitution
sequence

<220>
<221> MISC_FEATURE
<222> (1)..(1)

<223> Xaa can be any naturally occurring amino acid other than K
 <220>
 <221> MISC_FEATURE
 <222> (2)..(3)
 <223> Xaa can be any naturally occurring amino acid other than D
 <220>
 <221> MISC_FEATURE
 <222> (4)..(4)
 <223> Xaa can be any naturally occurring amino acid other than E
 <220>
 <221> MISC_FEATURE
 <222> (5)..(5)
 <223> Xaa can be any naturally occurring amino acid other than D
 <220>
 <221> MISC_FEATURE
 <222> (6)..(6)
 <223> Xaa can be any naturally occurring amino acid other than R
 <220>
 <221> MISC_FEATURE
 <222> (7)..(7)
 <223> Xaa can be any naturally occurring amino acid other than F
 <400> 449
 Xaa Xaa Xaa Xaa Xaa Xaa Xaa
 1 5
 <210> 450
 <211> 7
 <212> PRT
 <213> Artificial
 <220>
 <223> AAV capsid protein common antigenic motif (CAM) substitution
 sequence
 <220>
 <221> MISC_FEATURE
 <222> (1)..(1)
 <223> Xaa can be any naturally occurring amino acid other than K
 <220>
 <221> MISC_FEATURE
 <222> (2)..(3)
 <223> Xaa can be any naturally occurring amino acid other than D
 <220>

<221> MISC_FEATURE
<222> (4)..(5)
<223> Xaa can be any naturally occurring amino acid other than E

<220>
<221> MISC_FEATURE
<222> (6)..(6)
<223> Xaa can be any naturally occurring amino acid other than R

<220>
<221> MISC_FEATURE
<222> (7)..(7)
<223> Xaa can be any naturally occurring amino acid other than F

<400> 450

Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1 5

<210> 451
<211> 7
<212> PRT
<213> Artificial

<220>
<223> AAV capsid protein common antigenic motif (CAM) substitution sequence

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa can be any naturally occurring amino acid other than K

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> Xaa can be any naturally occurring amino acid other than E

<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa can be any naturally occurring amino acid other than G

<220>
<221> MISC_FEATURE
<222> (4)..(4)
<223> Xaa can be any naturally occurring amino acid other than E

<220>
<221> MISC_FEATURE
<222> (5)..(5)
<223> Xaa can be any naturally occurring amino acid other than D

<220>
<221> MISC_FEATURE
<222> (6)..(6)
<223> Xaa can be any naturally occurring amino acid other than R

<220>
<221> MISC_FEATURE
<222> (7)..(7)
<223> Xaa can be any naturally occurring amino acid other than F

<400> 451

Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1 5

<210> 452
<211> 7
<212> PRT
<213> Artificial

<220>
<223> AAV capsid protein common antigenic motif (CAM) substitution sequence

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa can be any naturally occurring amino acid other than K

<220>
<221> MISC_FEATURE
<222> (2)..(5)
<223> Xaa can be any naturally occurring amino acid other than E

<220>
<221> MISC_FEATURE
<222> (6)..(6)
<223> Xaa can be any naturally occurring amino acid other than R

<220>
<221> MISC_FEATURE
<222> (7)..(7)
<223> Xaa can be any naturally occurring amino acid other than F

<400> 452

Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1 5

<210> 453

<211> 7
<212> PRT
<213> Artificial

<220>
<223> AAV capsid protein common antigenic motif (CAM) substitution sequence

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa can be any naturally occurring amino acid other than K

<220>
<221> MISC_FEATURE
<222> (2)..(3)
<223> Xaa can be any naturally occurring amino acid other than D

<220>
<221> MISC_FEATURE
<222> (4)..(5)
<223> Xaa can be any naturally occurring amino acid other than E

<220>
<221> MISC_FEATURE
<222> (6)..(6)
<223> Xaa can be any naturally occurring amino acid other than R

<220>
<221> MISC_FEATURE
<222> (7)..(7)
<223> Xaa can be any naturally occurring amino acid other than F

<400> 453

Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1 5

<210> 454
<211> 7
<212> PRT
<213> Artificial

<220>
<223> AAV capsid protein common antigenic motif (CAM) substitution sequence

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa can be any naturally occurring amino acid other than K

<220>
<221> MISC_FEATURE
<222> (2)..(3)
<223> Xaa can be any naturally occurring amino acid other than D

<220>
<221> MISC_FEATURE
<222> (4)..(5)
<223> Xaa can be any naturally occurring amino acid other than E

<220>
<221> MISC_FEATURE
<222> (6)..(6)
<223> Xaa can be any naturally occurring amino acid other than R

<220>
<221> MISC_FEATURE
<222> (7)..(7)
<223> Xaa can be any naturally occurring amino acid other than F

<400> 454

Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1 5

<210> 455
<211> 7
<212> PRT
<213> Artificial

<220>
<223> AAV capsid protein common antigenic motif (CAM) substitution sequence

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa can be any naturally occurring amino acid other than G

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> Xaa can be any naturally occurring amino acid other than P

<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa can be any naturally occurring amino acid other than S

<220>
<221> MISC_FEATURE

<222> (4)..(4)
<223> Xaa can be any naturally occurring amino acid other than D

<220>
<221> MISC_FEATURE
<222> (5)..(5)
<223> Xaa can be any naturally occurring amino acid other than G

<220>
<221> MISC_FEATURE
<222> (6)..(6)
<223> Xaa can be any naturally occurring amino acid other than D

<220>
<221> MISC_FEATURE
<222> (7)..(7)
<223> Xaa can be any naturally occurring amino acid other than F

<400> 455

Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1 5

<210> 456
<211> 7
<212> PRT
<213> Artificial

<220>
<223> AAV capsid protein common antigenic motif (CAM) substitution sequence

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa can be any naturally occurring amino acid other than G

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> Xaa can be any naturally occurring amino acid other than A

<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa can be any naturally occurring amino acid other than G

<220>
<221> MISC_FEATURE
<222> (4)..(4)
<223> Xaa can be any naturally occurring amino acid other than D

<220>
<221> MISC_FEATURE
<222> (5)..(5)
<223> Xaa can be any naturally occurring amino acid other than S

<220>
<221> MISC_FEATURE
<222> (6)..(6)
<223> Xaa can be any naturally occurring amino acid other than D

<220>
<221> MISC_FEATURE
<222> (7)..(7)
<223> Xaa can be any naturally occurring amino acid other than F

<400> 456

Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1 5

<210> 457
<211> 7
<212> PRT
<213> Artificial

<220>
<223> AAV capsid protein common antigenic motif (CAM) substitution
sequence

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa can be any naturally occurring amino acid other than G

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> Xaa can be any naturally occurring amino acid other than P

<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa can be any naturally occurring amino acid other than S

<220>
<221> MISC_FEATURE
<222> (4)..(4)
<223> Xaa can be any naturally occurring amino acid other than D

<220>
<221> MISC_FEATURE
<222> (5)..(5)

<223> Xaa can be any naturally occurring amino acid other than G

<220>

<221> MISC_FEATURE

<222> (6)..(6)

<223> Xaa can be any naturally occurring amino acid other than D

<220>

<221> MISC_FEATURE

<222> (7)..(7)

<223> Xaa can be any naturally occurring amino acid other than F

<400> 457

Xaa Xaa Xaa Xaa Xaa Xaa Xaa

1

5

<210> 458

<211> 7

<212> PRT

<213> Artificial

<220>

<223> AAV capsid protein common antigenic motif (CAM) substitution sequence

<220>

<221> MISC_FEATURE

<222> (1)..(1)

<223> Xaa can be any naturally occurring amino acid other than A

<220>

<221> MISC_FEATURE

<222> (2)..(2)

<223> Xaa can be any naturally occurring amino acid other than N

<220>

<221> MISC_FEATURE

<222> (3)..(3)

<223> Xaa can be any naturally occurring amino acid other than D

<220>

<221> MISC_FEATURE

<222> (4)..(4)

<223> Xaa can be any naturally occurring amino acid other than A

<220>

<221> MISC_FEATURE

<222> (5)..(5)

<223> Xaa can be any naturally occurring amino acid other than T

<220>

<221> MISC_FEATURE
<222> (6)..(6)
<223> Xaa can be any naturally occurring amino acid other than D

<220>
<221> MISC_FEATURE
<222> (7)..(7)
<223> Xaa can be any naturally occurring amino acid other than F

<400> 458

Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1 5

<210> 459
<211> 7
<212> PRT
<213> Artificial

<220>
<223> AAV capsid protein common antigenic motif (CAM) substitution
sequence

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa can be any naturally occurring amino acid other than F

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> Xaa can be any naturally occurring amino acid other than S

<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa can be any naturally occurring amino acid other than G

<220>
<221> MISC_FEATURE
<222> (4)..(4)
<223> Xaa can be any naturally occurring amino acid other than E

<220>
<221> MISC_FEATURE
<222> (5)..(5)
<223> Xaa can be any naturally occurring amino acid other than P

<220>
<221> MISC_FEATURE
<222> (6)..(6)
<223> Xaa can be any naturally occurring amino acid other than D

<220>
<221> MISC_FEATURE
<222> (7)..(7)
<223> Xaa can be any naturally occurring amino acid other than R

<400> 459

Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1 5

<210> 460
<211> 6
<212> PRT
<213> Artificial

<220>
<223> AAV capsid protein common antigenic motif (CAM) substitution sequence

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa can be any naturally occurring amino acid other than S

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> Xaa can be any naturally occurring amino acid other than A

<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa can be any naturally occurring amino acid other than G

<220>
<221> MISC_FEATURE
<222> (4)..(4)
<223> Xaa can be any naturally occurring amino acid other than A

<220>
<221> MISC_FEATURE
<222> (5)..(5)
<223> Xaa can be any naturally occurring amino acid other than S

<220>
<221> MISC_FEATURE
<222> (6)..(6)
<223> Xaa can be any naturally occurring amino acid other than N

<400> 460

Xaa Xaa Xaa Xaa Xaa Xaa
1 5

<210> 461
<211> 6
<212> PRT
<213> Artificial

<220>
<223> AAV capsid protein common antigenic motif (CAM) substitution
sequence

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa can be any naturally occurring amino acid other than G

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> Xaa can be any naturally occurring amino acid other than S

<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa can be any naturally occurring amino acid other than E

<220>
<221> MISC_FEATURE
<222> (4)..(4)
<223> Xaa can be any naturally occurring amino acid other than K

<220>
<221> MISC_FEATURE
<222> (5)..(5)
<223> Xaa can be any naturally occurring amino acid other than T

<220>
<221> MISC_FEATURE
<222> (6)..(6)
<223> Xaa can be any naturally occurring amino acid other than N

<400> 461

Xaa Xaa Xaa Xaa Xaa Xaa
1 5

<210> 462
<211> 6
<212> PRT
<213> Artificial

<220>
<223> AAV capsid protein common antigenic motif (CAM) substitution
sequence

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa can be any naturally occurring amino acid other than G

<220>
<221> MISC_FEATURE
<222> (2)..(3)
<223> Xaa can be any naturally occurring amino acid other than T

<220>
<221> MISC_FEATURE
<222> (4)..(4)
<223> Xaa can be any naturally occurring amino acid other than A

<220>
<221> MISC_FEATURE
<222> (5)..(5)
<223> Xaa can be any naturally occurring amino acid other than S

<220>
<221> MISC_FEATURE
<222> (6)..(6)
<223> Xaa can be any naturally occurring amino acid other than N

<400> 462

Xaa Xaa Xaa Xaa Xaa Xaa
1 5

<210> 463
<211> 6
<212> PRT
<213> Artificial

<220>
<223> AAV capsid protein common antigenic motif (CAM) substitution
sequence

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa can be any naturally occurring amino acid other than Q

<220>
<221> MISC_FEATURE

<222> (2)..(2)
<223> Xaa can be any naturally occurring amino acid other than N

<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa can be any naturally occurring amino acid other than G

<220>
<221> MISC_FEATURE
<222> (4)..(4)
<223> Xaa can be any naturally occurring amino acid other than N

<220>
<221> MISC_FEATURE
<222> (5)..(5)
<223> Xaa can be any naturally occurring amino acid other than T

<220>
<221> MISC_FEATURE
<222> (6)..(6)
<223> Xaa can be any naturally occurring amino acid other than A

<400> 463

Xaa Xaa Xaa Xaa Xaa Xaa
1 5

<210> 464
<211> 8
<212> PRT
<213> Artificial

<220>
<223> AAV capsid protein common antigenic motif (CAM) substitution
sequence

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa can be any naturally occurring amino acid other than A

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> Xaa can be any naturally occurring amino acid other than N

<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa can be any naturally occurring amino acid other than P

<220>
<221> MISC_FEATURE
<222> (4)..(4)
<223> Xaa can be any naturally occurring amino acid other than G

<220>
<221> MISC_FEATURE
<222> (5)..(6)
<223> Xaa can be any naturally occurring amino acid other than T

<220>
<221> MISC_FEATURE
<222> (7)..(7)
<223> Xaa can be any naturally occurring amino acid other than A

<220>
<221> MISC_FEATURE
<222> (8)..(8)
<223> Xaa can be any naturally occurring amino acid other than T

<400> 464

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1 5

<210> 465
<211> 6
<212> PRT
<213> Artificial

<220>
<223> AAV capsid protein common antigenic motif (CAM) substitution sequence

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa can be any naturally occurring amino acid other than S

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> Xaa can be any naturally occurring amino acid other than A

<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa can be any naturally occurring amino acid other than G

<220>
<221> MISC_FEATURE
<222> (4)..(4)

<223> Xaa can be any naturally occurring amino acid other than A

<220>

<221> MISC_FEATURE

<222> (5)..(5)

<223> Xaa can be any naturally occurring amino acid other than S

<220>

<221> MISC_FEATURE

<222> (6)..(6)

<223> Xaa can be any naturally occurring amino acid other than N

<400> 465

Xaa Xaa Xaa Xaa Xaa Xaa

1

5

<210> 466

<211> 6

<212> PRT

<213> Artificial

<220>

<223> AAV capsid protein common antigenic motif (CAM) substitution sequence

<220>

<221> MISC_FEATURE

<222> (1)..(1)

<223> Xaa can be any naturally occurring amino acid other than G

<220>

<221> MISC_FEATURE

<222> (2)..(2)

<223> Xaa can be any naturally occurring amino acid other than A

<220>

<221> MISC_FEATURE

<222> (3)..(3)

<223> Xaa can be any naturally occurring amino acid other than T

<220>

<221> MISC_FEATURE

<222> (4)..(4)

<223> Xaa can be any naturally occurring amino acid other than N

<220>

<221> MISC_FEATURE

<222> (5)..(5)

<223> Xaa can be any naturally occurring amino acid other than K

<220>

<221> MISC_FEATURE
<222> (6)..(6)
<223> Xaa can be any naturally occurring amino acid other than T

<400> 466

Xaa Xaa Xaa Xaa Xaa Xaa
1 5

<210> 467
<211> 6
<212> PRT
<213> Artificial

<220>
<223> AAV capsid protein common antigenic motif (CAM) substitution
sequence

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa can be any naturally occurring amino acid other than N

<220>
<221> MISC_FEATURE
<222> (2)..(3)
<223> Xaa can be any naturally occurring amino acid other than A

<220>
<221> MISC_FEATURE
<222> (4)..(4)
<223> Xaa can be any naturally occurring amino acid other than R

<220>
<221> MISC_FEATURE
<222> (5)..(5)
<223> Xaa can be any naturally occurring amino acid other than D

<220>
<221> MISC_FEATURE
<222> (6)..(6)
<223> Xaa can be any naturally occurring amino acid other than N

<400> 467

Xaa Xaa Xaa Xaa Xaa Xaa
1 5

<210> 468
<211> 6
<212> PRT

<213> Artificial

<220>

<223> AAV capsid protein common antigenic motif (CAM) substitution sequence

<220>

<221> MISC_FEATURE

<222> (1)..(1)

<223> Xaa can be any naturally occurring amino acid other than G

<220>

<221> MISC_FEATURE

<222> (2)..(2)

<223> Xaa can be any naturally occurring amino acid other than T

<220>

<221> MISC_FEATURE

<222> (3)..(3)

<223> Xaa can be any naturally occurring amino acid other than G

<220>

<221> MISC_FEATURE

<222> (4)..(4)

<223> Xaa can be any naturally occurring amino acid other than R

<220>

<221> MISC_FEATURE

<222> (5)..(5)

<223> Xaa can be any naturally occurring amino acid other than D

<220>

<221> MISC_FEATURE

<222> (6)..(6)

<223> Xaa can be any naturally occurring amino acid other than N

<400> 468

Xaa Xaa Xaa Xaa Xaa Xaa

1

5

<210> 469

<211> 6

<212> PRT

<213> Artificial

<220>

<223> AAV capsid protein common antigenic motif (CAM) substitution sequence

<220>

<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa can be any naturally occurring amino acid other than G

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> Xaa can be any naturally occurring amino acid other than A

<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa can be any naturally occurring amino acid other than G

<220>
<221> MISC_FEATURE
<222> (4)..(4)
<223> Xaa can be any naturally occurring amino acid other than N

<220>
<221> MISC_FEATURE
<222> (5)..(5)
<223> Xaa can be any naturally occurring amino acid other than D

<220>
<221> MISC_FEATURE
<222> (6)..(6)
<223> Xaa can be any naturally occurring amino acid other than G

<400> 469

Xaa Xaa Xaa Xaa Xaa Xaa
1 5

<210> 470
<211> 6
<212> PRT
<213> Artificial

<220>
<223> AAV capsid protein common antigenic motif (CAM) substitution sequence

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa can be any naturally occurring amino acid other than G

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> Xaa can be any naturally occurring amino acid other than A

<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa can be any naturally occurring amino acid other than G

<220>
<221> MISC_FEATURE
<222> (4)..(4)
<223> Xaa can be any naturally occurring amino acid other than K

<220>
<221> MISC_FEATURE
<222> (5)..(5)
<223> Xaa can be any naturally occurring amino acid other than D

<220>
<221> MISC_FEATURE
<222> (6)..(6)
<223> Xaa can be any naturally occurring amino acid other than N

<400> 470

Xaa Xaa Xaa Xaa Xaa Xaa
1 5

<210> 471
<211> 6
<212> PRT
<213> Artificial

<220>
<223> AAV capsid protein common antigenic motif (CAM) substitution sequence

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa can be any naturally occurring amino acid other than G

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> Xaa can be any naturally occurring amino acid other than A

<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa can be any naturally occurring amino acid other than G

<220>
<221> MISC_FEATURE

<222> (4)..(4)
<223> Xaa can be any naturally occurring amino acid other than R

<220>
<221> MISC_FEATURE
<222> (5)..(5)
<223> Xaa can be any naturally occurring amino acid other than D

<220>
<221> MISC_FEATURE
<222> (6)..(6)
<223> Xaa can be any naturally occurring amino acid other than N

<400> 471

Xaa Xaa Xaa Xaa Xaa Xaa
1 5

<210> 472
<211> 6
<212> PRT
<213> Artificial

<220>
<223> AAV capsid protein common antigenic motif (CAM) substitution sequence

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa can be any naturally occurring amino acid other than V

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> Xaa can be any naturally occurring amino acid other than T

<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa can be any naturally occurring amino acid other than G

<220>
<221> MISC_FEATURE
<222> (4)..(4)
<223> Xaa can be any naturally occurring amino acid other than N

<220>
<221> MISC_FEATURE
<222> (5)..(6)
<223> Xaa can be any naturally occurring amino acid other than T

<400> 472

Xaa Xaa Xaa Xaa Xaa Xaa
1 5

<210> 473

<211> 6

<212> PRT

<213> Artificial

<220>

<223> AAV capsid protein common antigenic motif (CAM) substitution
sequence

<220>

<221> MISC_FEATURE

<222> (1)..(1)

<223> Xaa can be any naturally occurring amino acid other than P

<220>

<221> MISC_FEATURE

<222> (2)..(2)

<223> Xaa can be any naturally occurring amino acid other than S

<220>

<221> MISC_FEATURE

<222> (3)..(3)

<223> Xaa can be any naturally occurring amino acid other than G

<220>

<221> MISC_FEATURE

<222> (4)..(4)

<223> Xaa can be any naturally occurring amino acid other than N

<220>

<221> MISC_FEATURE

<222> (5)..(6)

<223> Xaa can be any naturally occurring amino acid other than T

<400> 473

Xaa Xaa Xaa Xaa Xaa Xaa
1 5

<210> 474

<211> 6

<212> PRT

<213> Artificial

<220>

<223> AAV capsid protein common antigenic motif (CAM) substitution

sequence

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa can be any naturally occurring amino acid other than V

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> Xaa can be any naturally occurring amino acid other than T

<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa can be any naturally occurring amino acid other than G

<220>
<221> MISC_FEATURE
<222> (4)..(4)
<223> Xaa can be any naturally occurring amino acid other than N

<220>
<221> MISC_FEATURE
<222> (5)..(6)
<223> Xaa can be any naturally occurring amino acid other than T

<400> 474

Xaa Xaa Xaa Xaa Xaa Xaa
1 5

<210> 475
<211> 6
<212> PRT
<213> Artificial

<220>
<223> AAV capsid protein common antigenic motif (CAM) substitution
sequence

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa can be any naturally occurring amino acid other than I

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> Xaa can be any naturally occurring amino acid other than T

<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa can be any naturally occurring amino acid other than G

<220>
<221> MISC_FEATURE
<222> (4)..(4)
<223> Xaa can be any naturally occurring amino acid other than N

<220>
<221> MISC_FEATURE
<222> (5)..(6)
<223> Xaa can be any naturally occurring amino acid other than T

<400> 475

Xaa Xaa Xaa Xaa Xaa Xaa
1 5

<210> 476
<211> 8
<212> PRT
<213> Artificial

<220>
<223> AAV capsid protein common antigenic motif (CAM) substitution
sequence

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa can be any naturally occurring amino acid other than V

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> Xaa can be any naturally occurring amino acid other than Y

<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa can be any naturally occurring amino acid other than D

<220>
<221> MISC_FEATURE
<222> (4)..(4)
<223> Xaa can be any naturally occurring amino acid other than Q

<220>
<221> MISC_FEATURE
<222> (5)..(6)

<223> Xaa can be any naturally occurring amino acid other than T

<220>

<221> MISC_FEATURE

<222> (7)..(7)

<223> Xaa can be any naturally occurring amino acid other than A

<220>

<221> MISC_FEATURE

<222> (8)..(8)

<223> Xaa can be any naturally occurring amino acid other than T

<400> 476

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1 5

<210> 477

<211> 25

<212> DNA

<213> Artificial

<220>

<223> qPCR primer sequence

<400> 477

aacatgctac gcagagaggg agtgg

25

<210> 478

<211> 29

<212> DNA

<213> Artificial

<220>

<223> qPCR primer sequence

<400> 478

catgagacaa ggaacccta gtgatggag

29

<210> 479

<211> 54

<212> DNA

<213> Artificial

<220>

<223> AAV CAM library amplification primer sequence

<220>

<221> misc_feature

<222> (25)..(29)

<223> n is a, c, g, or t

<400> 479
ccctacacga cgctcttccg atctnnnnnc agaactcaaa atcagtccgg aagt 54

<210> 480
<211> 58
<212> DNA
<213> Artificial

<220>
<223> AAV CAM library amplification primer sequence

<220>
<221> misc_feature
<222> (33)..(37)
<223> n is a, c, g, or t

<400> 480
gactggagtt cagacgtgtg ctcttccgat ctnnnnngcc aggtaatgct cccatagc 58

<210> 481
<211> 22
<212> DNA
<213> Artificial

<220>
<223> qPCR primer sequence

<400> 481
ccttcgcttc aaaaaatgga ac 22

<210> 482
<211> 24
<212> DNA
<213> Artificial

<220>
<223> qPCR primer sequence

<400> 482
aaaagcactc tgattgacaa atac 24

<210> 483
<211> 4
<212> PRT
<213> adeno-associated virus

<400> 483

Ala Gln Asn Lys

1

<210> 484

<211> 7

<212> PRT

<213> adeno-associated virus

<400> 484

Lys Thr Asp Asn Asn Asn Ser

1

5

<210> 485

<211> 8

<212> PRT

<213> Artificial

<220>

<223> AAV capsid protein common antigenic motif (CAM) substitution
sequence

<400> 485

Thr Pro Gly Gly Asn Ala Thr Arg

1

5

<210> 486

<211> 9

<212> PRT

<213> Artificial

<220>

<223> AAV capsid protein common antigenic motif (CAM) substitution

<400> 486

Thr Ala Asp His Asp Thr Lys Gly Val

1

5

<210> 487

<211> 10

<212> PRT

<213> Artificial

<220>

<223> AAV capsid protein common antigenic motif (CAM) substitution

<400> 487

Asp Leu Asp Pro Lys Ala Thr Glu Val Glu
1 5 10

<210> 488
<211> 6
<212> PRT
<213> Artificial

<220>
<223> AAV capsid protein common antigenic motif (CAM) substitution
sequence

<400> 488

Ser Asn Gly Arg Gly Val
1 5

<210> 489
<211> 7
<212> PRT
<213> Artificial

<220>
<223> AAV capsid protein common antigenic motif (CAM) substitution
sequence

<400> 489

Val Asn Thr Ser Leu Val Gly
1 5

<210> 490
<211> 7
<212> PRT
<213> Artificial

<220>
<223> AAV capsid protein common antigenic motif (CAM) substitution
sequence

<400> 490

Ile Arg Gly Ala Gly Ala Val
1 5

<210> 491
<211> 7
<212> PRT
<213> Artificial

<220>

<223> AAV capsid protein common antigenic motif (CAM) substitution
sequence

<400> 491

Tyr Pro Gly Gly Asn Tyr Lys
1 5

<210> 492

<211> 6

<212> PRT

<213> Artificial

<220>

<223> AAV capsid protein common antigenic motif (CAM) substitution
sequence

<400> 492

Lys Gln Lys Asn Val Asn
1 5

<210> 493

<211> 6

<212> PRT

<213> Artificial

<220>

<223> AAV capsid protein common antigenic motif (CAM) substitution
sequence

<400> 493

Arg Met Ser Ser Ile Lys
1 5