

100




FIG. 1




FIG. 2




FIG. 3

400




FIG. 4A

400




FIG. 4B




FIG. 4C




FIG. 5A

500

Data derived from network layer data and/or transport layer data

Data derived from session layer data, presentation layer data, and/or application layer data

IP Address associated with malicious traffic	Email address associated with malicious traffic	Fingerprint associated with malicious traffic	Transaction data associated with malicious proxy	User device associated with malicious traffic	Packet associated with malicious traffic	Transaction data associated with malicious traffic	Transaction data associated with spam traffic	Decision
Block	Yes	Allow	Yes	Yes	No	No	No	First Class
Allow	No	Block	No	No	No	Yes	No	Third Class
Block	No	No	No	No	No	No	No	Second Class

...




FIG. 5B




FIG. 5C

500

Data derived from network layer data and/or transport layer data

Data derived from session layer data, presentation layer data, and/or application layer data

IP Address associated with malicious traffic	Email address associated with malicious traffic	Fingerprint associated with malicious traffic	Transaction data associated with malicious proxy	User device associated with malicious traffic	Packet associated with malicious traffic	Transaction data associated with malicious traffic	Transaction data associated with spam traffic	Decision
Block	Yes	Allow	Yes	Yes	No	No	No	First Class
Allow	No	Block	No	No	No	Yes	No	Third Class
Block	No	No	No	No	No	No	No	Second Class

⋮




FIG. 5D

500




FIG. 5E




FIG. 5F