

FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5

L-SIG																							
0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
RATE				R	LENGTH												P	Tail					

FIG. 6

HE-SIG-A1 HE SU PPDU/HE extended range SU PPDU																											
0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25		
Format		Beam Change		UL/DL		MCS		DCM		BSS Color				Reserved		Spatial Reuse			Bandwidth			GI+TF Size			Nsts		
HE-SIG-A2 HE SU PPDU/HE extended range SU PPDU																											
0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25		
TXOP Duration							Coding		LDPC Extra Sym		STBC		Tx BF		Pre-FEC Padding Factor		PE Disambiguity		Reserved		Doppler		CRC			Tail	

FIG. 7




FIG. 8




FIG. 10




FIG. 11




FIG. 12




FIG. 14




FIG. 15

Mid-SIG_1																							
0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
Rate (Reserved)				R	Remaining Duration (Length)												P	TPC Level		Number of HE-LTF			

Mid-SIG_2																							
0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
MCS Parameter				Spatial Reuse				BSS Color								CRC				Tail			

FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG. 20




FIG. 21




FIG. 22




FIG. 23

