

Figure 1. Sustained increases in FIX activity following AAV5-wildtypeFIX administration.




Figure 1 (1/2)

Figure 1. Sustained increases in FIX activity following AAV5-wildtypeFIX administration.




Figure 1 con. (2/2)

Figure 2. Sustained increases in FIX activity following AAV5-PaduaFIX administration.




Figure 3. Joint Health Scores (HJHS 2.1) following AAV5-PaduaFIX administration.




Figure 4. Change in Joint Health Scores (Δ HJHS 2.1) after 1 year following AAV5-PaduaFIX administration.




Figure 4 (1/2)

Figure 4. Change in Joint Health Scores (Δ HJHS 2.1) after 1 year following AAV5-PaduaFIX administration.

Figure 4b




Figure 4 con. (2/2)

Figure 5. Change in Joint Health Scores (Δ HJHS 2.1) after 1 year and 5 years following AAV5-wildtypeFIX administration

Figure 5a




Figure 5 (1/2)




Figure 5 con. (2/2)

Figure 6. Change in Joint Health Scores (Δ HJHS 2.1) after 1 year and 2 years following AAV5-PaduaFIX administration.

Figure 6a




Figure 6 (1/2)

Figure 6. Change in Joint Health Scores (Δ HJHS 2.1) after 1 year and 2 years following AAV5-PaduaFIX administration.

Figure 6b




Figure 6 con. (2/2)