

Fig. 1





Fig. 2



2/24
Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7







Fig. 8



Case 1 (3+)




Case 2 (3+)




Case 3 (1+)

Fig. 9




Case 1 (2+)



Case 2 (1+)

Fig. 10




Case 3 (1+)

Case 2 (2+)

Case 1 (2+)

Fig. 11



Case 1 (1+)

Case 2 (1+)

Case 3 (1+)

Fig. 12




Fig. 13






Fig. 14



BT-474 (1+)




BT20 (1+)




MDA-MB-231 (2+)

Fig. 15




MCF-7 (3+)




MFM-223 (1+)


Fig. 16



NCI-H460 (1+)




NCI-H1975 (1+)



NCI-H292 (3+)

Fig. 17




A549 (2+)


NCI-H322 (3+)

NCI-H522 (1+)


Fig. 18



NCI-H228 (2+)




NCI-H441 (2+)




NCI-H1993 (1+)

Fig. 19




NCI-H82 (2+)



NCI-H226 (2+)

Fig. 20




MC38 (1+)


Lewis Lung (2+)

4T1 (2+)


Fig. 21



CT26 (1+)



F9 (1+)



B16F10 (1+)

Fig. 22




Fig. 23




Fig. 24




Fig. 25 A




Fig. 25 B




Fig. 26




Fig. 27

