


CLAIMS

1. A Compound of formula (I)



(I)

their pharmaceutically acceptable salts and their stereoisomers, atropisomers, conformers, tautomers, polymorphs, hydrates, solvates and N-oxide;
wherein,


- 10 X is selected from O, S(O)_n, NH and N(C₁-C₃)alkyl;

- R₁ and R₂ is independently selected from hydrogen, A, CHO, C=N-OH, C=N-O-(C₁-C₆)alkyl, CH₂OH, CH₂R₃, N(R₅)CO₂R₄, CH₂-halogen, NR₅R₆, N(R₅)C(O)-A, N(R₅)S(O)_m-A, N(R₅)C(O)N(R₅)-A, N(R₅)C(S)N(R₅)-A, C(O)NR₅R₆, CO₂R₇, C(O)-A, CH(OH)-A
15 C(CH₃)=N-OH, C(CH₃)=N-O-(C₁-C₆)alkyl, C(O)CH₂-halogen and C(O)CH₂R₃;

- R is independently selected from hydrogen, (C₁-C₆)alkyl, (C₃-C₁₀)carbocycle, CN, CHO, C(O)-A, C(CH₃)=N-OH, C(CH₃)=N-O-(C₁-C₆)alkyl, C(O)CH₂-halogen, C(O)CH₂R₃, NR₅R₆, N(R₅)C(O)-A, N(R₅)S(O)_m-A, N(R₅)C(O)O-A, N(R₅)C(O)N(R₅)-A, N(R₅)C(S)N(R₅)-A,
20 CO₂R₇, C(O)N(R₅)-A, (C₁-C₆)alkyl-OR₇, (C₁-C₆)alkyl-halogen, (C₁-C₆)alkyl-N₃, (C₁-C₆)alkyl-NR₅R₆, (C₁-C₆)alkyl-N(R₅)C(O)-A, (C₁-C₆)alkyl-N(R₅)S(O)_m-A, (C₁-C₆)alkyl-N(R₅)C(O)O-A, (C₁-C₆)alkyl-N(R₅)C(O)N(R₅)-A, (C₁-C₆)alkyl-N(R₅)C(S)N(R₅)-A and (C₁-C₆)alkyl-OC(O)N(R₅)-A;

- 25 A is independently selected from (C₁-C₆)alkyl, (C₃-C₁₀)carbocycle, aryl, heteroaryl and heterocyclic, the said (C₁-C₆)alkyl, (C₃-C₁₀)carbocycle, aryl, heteroaryl or heterocyclic may

be optionally substituted with 1-3 substituents independently selected from halogen, (C₁-C₆)alkyl, (C₃-C₁₀)carbocycle, aryl, heteroaryl, heterocyclic, hydroxyl, CF₃, OCF₃, O(C₁-C₆)alkyl, O-(C₃-C₁₀)carbocycle, NO₂, C(O)-(C₁-C₆)alkyl, C(O)CH₂-halogen, C(O)CH₂R₃, NR₅R₆, CO₂R₇, C(O)N(R₅)-A, N(R₅)S(O)_m-A, SH, S(O)_n(C₁-C₆)alkyl, S(O)_mN(R₅)-A, CN, CHO, (C₁-C₆)alkyl-OR₇, (C₁-C₆)alkyl-halogen and (C₁-C₆)alkyl-NR₅R₆ wherein each aryl or heteroaryl may be further optionally substituted with 1-3 substituents independently selected from halogen, (C₁-C₆)alkyl, (C₃-C₁₀)carbocycle, aryl, heteroaryl, heterocyclic, hydroxyl, CF₃, OCF₃, O(C₁-C₆)alkyl, O-(C₃-C₁₀)carbocycle, NO₂, C(O)-(C₁-C₆)alkyl, C(O)CH₂-halogen, C(O)CH₂R₃, NR₅R₆, CO₂R₇, C(O)N(R₅)-A, N(R₅)S(O)_m-A, SH, S(O)_n(C₁-C₆)alkyl, S(O)_mN(R₅)-A, CN, OSO₃H, CHO, (C₁-C₆)alkyl-OR₇, (C₁-C₆)alkyl-halogen, (C₁-C₆)alkyl-



R₃ is independently selected from O-A, NR₅R₆, S(O)_n-A, S(O)_n-(C₁-C₆)alkyl-CO₂(C₁-C₆)alkyl, S(O)_n-(C₁-C₆)alkyl-OH, S(O)_n-(C₁-C₆)alkyl-CO₂H, N(R₅)C(O)-A, N(R₅)C(O)O-A, N(R₅)C(O)N(R₅)-A, N(R₅)S(O)_m-A, N(R₅)C(O)-heterocyclic and N(R₅)C(S)N(R₅)-A;

R₄ is hydrogen or A;

R₅ and R₅' is independently selected from hydrogen, (C₁-C₆)alkyl, (C₁-C₆)alkyl-(C₃-C₁₀)carbocycle and (C₃-C₁₀)carbocycle;

R₆ and R₆' is independently selected from hydrogen, A, (C₁-C₆)alkyl-OH, (C₁-C₆)alkyl-NR₅R₆', CH(CH₂OH)-aryl, CH(CH₂OH)₂, (C₁-C₆)alkyl-aryl, (C₁-C₆)alkyl-heterocyclic and (C₁-C₆)alkyl-heteroaryl;

R₅ and R₆ or R₅' and R₆' together with the nitrogen to which they are attached may form a 3 to 8 membered monocyclic or 8 to 12 membered bicyclic heterocycle ring, which ring optionally contains an additional heteroatom selected from O, S or N and the said ring is optionally substituted by one or more R₉ or R₁₀ substituent. The nitrogen of said ring may

also form N-oxide. In bicyclic heterocyclic system, the rings can be attached to each other in a spiro or fused manner;

R₇ is hydrogen or A;

5

Each R₈ is independently 1-2 substituents and each selected from hydrogen, halogen, A, CN, CHO, C(O)-A, C(O)CH₂-halogen, C(O)CH₂R₃, hydroxyl, CF₃, OCF₃, NR₅R₆, N(R₅)C(O)-A, N(R₅)S(O)_m-A, C(O)N(R₅)-A, O-(C₁-C₆)alkyl, O-(C₃-C₁₀)carbocycle, S(O)_n-A and S(O)_mN(R₅)-A, wherein R and R₈ are simultaneously not hydrogen;

10

R₉ is independently selected from hydrogen, halogen, A, hydroxyl, CF₃, OCF₃, O(C₁-C₆)alkyl, O-(C₃-C₁₀)carbocycle, NO₂, C(O)-A, C(O)CH₂-halogen, C(O)CH₂R₃, NR₅R₆, N(R₅)C(O)O-A, N(R₅)C(O)N(R₅)-A, N(R₅)C(S)N(R₅)-A, CO₂R₇, C(O)N(R₅)-A, CN, CHO, (C₁-C₆)alkyl-OR₇, (C₁-C₆)alkyl-halogen, (C₁-C₆)alkyl-aryl, (C₁-C₆)alkyl-NR₅R₆, (C₁-C₆)alkyl-N(R₅)C(O)O-A, (C₁-C₆)alkyl-N(R₅)C(O)N(R₅)-A, (C₁-C₆)alkyl-N(R₅)C(S)N(R₅)-A, (C₁-C₆)alkyl-OC(O)N(R₅)-A and N(R₅)S(O)_m-A;

15

R₁₀ is selected from hydrogen, halogen, A, hydroxyl, (C₁-C₆)alkyl-(C₃-C₁₀)carbocycle, (C₁-C₆)alkyl-aryl, C(O)-A, CO₂R₇, C(O)N(R₅)-A, C(O)(C₁-C₆)alkyl-A, oxo, thio, =N-OH, =N-O-(C₁-C₆)alkyl, O-(C₁-C₆)alkyl, O-(C₃-C₁₀)carbocycle, O-aryl, O-heteroaryl, S(O)_n-A, NR₅R₆, N(R₅)C(O)-A, N(R₅)C(O)O-A, N(R₅)C(O)N(R₅)-A, N(R₅)S(O)_m-A, N(R₅)C(O)-heterocyclic and N(R₅)C(S)N(R₅)-A;

m is 1 or 2;

n is 0, 1 or 2.

25

2. A compound of formula (I) according to claim 1, wherein;


X is O, NH or S(O)_n;

R₁ and R₂ is independently selected from hydrogen, A, CHO, CH₂OH, CH₂R₃, CH₂-halogen, N(R₅)CO₂R₄, C(O)NR₅R₆, CO₂R₇ and C(O)-A;

30

R is independently selected from CN, CHO, C(O)-A, NR₅R₆, N(R₅)C(O)-A, N(R₅)C(O)O-A, N(R₅)C(O)N(R₅)-A, C(O)N(R₅)-A, (C₁-C₆)alkyl-OR₇, (C₁-C₆)alkyl-halogen, (C₁-C₆)alkyl-N₃, (C₁-C₆)alkyl-NR₅R₆, (C₁-C₆)alkyl-N(R₅)C(O)-A, (C₁-C₆)alkyl-N(R₅)C(O)O-A, (C₁-C₆)alkyl-N(R₅)C(O)N(R₅)-A and (C₁-C₆)alkyl-OC(O)N(R₅)-A;

- 5 A is independently selected from (C₁-C₆)alkyl, (C₃-C₁₀)carbocycle, aryl, heteroaryl and heterocyclic, the said (C₁-C₆)alkyl, aryl or heteroaryl may be further substituted with 1-3 substituents independently selected from halogen, (C₁-C₆)alkyl, (C₃-C₁₀)carbocycle, aryl, heterocyclic, hydroxyl, CF₃, O(C₁-C₆)alkyl, N(R₅)S(O)_m-A and (C₁-C₆)alkyl-OR₇, each aryl may be further substituted with 1-3 substituents independently selected from halogen, (C₁-

- 10 C₆)alkyl, hydroxyl, OSO₃H, O(C₁-C₆)alkyl and  ;

R₃ is independently selected from O-A, NR₅R₆, S(O)_n-A, S(O)_n-(C₁-C₆)alkyl-CO₂(C₁-C₆)alkyl and S(O)_n-(C₁-C₆)alkyl-OH;

R₄ is hydrogen or A;

R₅ is hydrogen or (C₁-C₆)alkyl;

- 15 R₆ is independently selected from hydrogen, A, (C₁-C₆)alkyl-OH, CH(CH₂OH)-aryl, CH(CH₂OH)₂, (C₁-C₆)alkyl-aryl, (C₁-C₆)alkyl-heterocyclic and (C₁-C₆)alkyl-heteroaryl;

R₅ and R₆ together with the nitrogen to which they are attached may form a 3 to 8 membered monocyclic heterocycle ring, which ring contains an additional heteroatom selected from O, S and N and the said ring is substituted by R₉; the nitrogen of said ring may also form N-

- 20 oxide;

R₇ is hydrogen or A, which is (C₁-C₆)alkyl;

R₈ is hydrogen or A, which is (C₁-C₆)alkyl;

R₉ is hydrogen, hydroxyl or A, which is (C₁-C₆)alkyl;

n is 0;

- 25 m is 2.

3. A compound according to claim 1, selected from the group consisting of:

7-[4-({[3-tert-butyl-1-(3-chloro-4-hydroxyphenyl)-1H-pyrazol-5-yl]carbamoyl}amino)phenoxy]-N-[2-(morpholin-4-yl)ethyl]imidazo[2,1-b][1,3]benzothiazole-2-carboxamide

- 5 7-[4-({[3-tert-butyl-1-(4-methylphenyl)-1H-pyrazol-5-yl]carbamoyl}amino)phenoxy]-N-[2-(morpholin-4-yl)ethyl]imidazo[2,1-b][1,3]benzothiazole-2-carboxamide

7-[4-({[3-tert-butyl-1-(4-methylphenyl)-1H-pyrazol-5-yl]carbamoyl}amino)phenoxy]-N-(2-hydroxy-1-phenylethyl)imidazo[2,1-b][1,3]benzothiazole-2-carboxamide

10

7-[4-({[3-tert-butyl-1-(4-methylphenyl)-1H-pyrazol-5-yl]carbamoyl}amino)phenoxy]-N-(2-hydroxyethyl)imidazo[2,1-b][1,3]benzothiazole-2-carboxamide

- 15 ethyl 7-[4-({[3-tert-butyl-1-(3-chloro-4-methoxyphenyl)-1H-pyrazol-5-yl]carbamoyl}amino)phenoxy]imidazo[2,1-b][1,3]benzothiazole-3-carboxylate

7-[4-({[3-tert-butyl-1-(3-chloro-4-methoxyphenyl)-1H-pyrazol-5-yl]carbamoyl}amino)phenoxy]imidazo[2,1-b][1,3]benzothiazole-3-carboxylic acid

- 20 7-[4-({[3-tert-butyl-1-(3-chloro-4-methoxyphenyl)-1H-pyrazol-5-yl]carbamoyl}amino)phenoxy]-N-(2-hydroxyethyl)imidazo[2,1-b][1,3]benzothiazole-3-carboxamide

- 25 7-[4-({[3-tert-butyl-1-(3-chloro-4-hydroxyphenyl)-1H-pyrazol-5-yl]carbamoyl}amino)phenoxy]imidazo[2,1-b][1,3]benzothiazole-3-carboxylic acid

7-{[4-({[3-tert-butyl-1-(4-hydroxyphenyl)-1H-pyrazol-5-yl]carbamoyl}amino)phenyl]sulfanyl}imidazo[2,1-b][1,3]benzothiazole-3-carboxylic acid

7-{[4-({[3-tert-butyl-1-(4-methoxyphenyl)-1H-pyrazol-5-yl]carbamoyl}amino)phenyl]sulfanyl}imidazo[2,1-b][1,3]benzothiazole-3-carboxylic acid

5 7-{[4-({[3-tert-butyl-1-(4-hydroxyphenyl)-1H-pyrazol-5-yl]carbamoyl}amino)phenyl]sulfanyl}-N-(2-hydroxyethyl)imidazo[2,1-b][1,3]benzothiazole-3-carboxamide

10 ethyl 7-{2-[({[3-tert-butyl-1-(4-methoxyphenyl)-1H-pyrazol-5-yl]carbamoyl}amino)methyl]phenoxy}imidazo[2,1-b][1,3]benzothiazole-3-carboxylate

7-{2-[({[3-tert-butyl-1-(4-hydroxyphenyl)-1H-pyrazol-5-yl]carbamoyl}amino)methyl]phenoxy}imidazo[2,1-b][1,3]benzothiazole-3-carboxylic acid

15 7-{2-[({[3-tert-butyl-1-(4-hydroxyphenyl)-1H-pyrazol-5-yl]carbamoyl}amino)methyl]phenoxy}-N-(2-hydroxyethyl)imidazo[2,1-b][1,3]benzothiazole-3-carboxamide

20 1-[3-tert-butyl-1-(4-methoxyphenyl)-1H-pyrazol-5-yl]-3-(4-{[3-(hydroxymethyl)imidazo[2,1-b][1,3]benzothiazol-7-yl]oxy}phenyl)urea

1-[3-tert-butyl-1-(4-hydroxyphenyl)-1H-pyrazol-5-yl]-3-(2-{[3-(hydroxymethyl)imidazo[2,1-b][1,3]benzothiazol-7-yl]oxy}benzyl)urea

25 Ethyl 7-{2-[({[3-tert-butyl-1-(4-hydroxyphenyl)-1H-pyrazol-5-yl]carbamoyl}amino)methyl]phenoxy}imidazo[2,1-b][1,3]benzothiazole-3-carboxylate

1-[3-tert-butyl-1-(4-hydroxyphenyl)-1H-pyrazol-5-yl]-3-(4-{[3-(hydroxymethyl)imidazo[2,1-b][1,3]benzothiazol-7-yl]sulfanyl}phenyl)urea

7-{2-[(3-tert-butyl-1-(3-chloro-4-hydroxyphenyl)-1H-pyrazol-5-yl)carbamoyl]amino)methyl]phenoxy}imidazo[2,1-b][1,3]benzothiazole-3-carboxylic acid

5 7-{2-[(3-tert-butyl-1-(3-chloro-4-hydroxyphenyl)-1H-pyrazol-5-yl)carbamoyl]amino)methyl]phenoxy}-N-(2-hydroxyethyl)imidazo[2,1-b][1,3]benzothiazole-3-carboxamide

10 7-{2-[(3-tert-butyl-1-(3-chloro-4-hydroxyphenyl)-1H-pyrazol-5-yl)carbamoyl]amino)methyl]phenoxy}-N-(1,3-dihydroxypropan-2-yl)imidazo[2,1-b][1,3]benzothiazole-3-carboxamide

1-[3-tert-butyl-1-(3-chloro-4-hydroxyphenyl)-1H-pyrazol-5-yl]-3-(2-{[3-(hydroxymethyl)imidazo[2,1-b][1,3]benzothiazol-7-yl]oxy}benzyl)urea

15 1-[3-tert-butyl-1-(3-chloro-4-hydroxyphenyl)-1H-pyrazol-5-yl]-3-{2-[(3-{[2-(hydroxyethyl)sulfanyl]methyl}imidazo[2,1-b][1,3]benzothiazol-7-yl)oxy]benzyl}urea

20 7-({2-[(3-tert-butyl-1-(3-chloro-4-hydroxyphenyl)-1H-pyrazol-5-yl)carbamoyl]amino)methyl]phenyl}sulfanyl)imidazo[2,1-b][1,3]benzothiazole-3-carboxylic acid

ethyl 7-{2-[(3-tert-butyl-1-(3-chloro-4-hydroxyphenyl)-1H-pyrazol-5-yl)carbamoyl]amino)methyl]phenoxy}imidazo[2,1-b][1,3]benzothiazole-3-carboxylate

25 ethyl 7-[4-({[3-tert-butyl-1-(3-chloro-4-hydroxyphenyl)-1H-pyrazol-5-yl]carbamoyl]amino)phenoxy]imidazo[2,1-b][1,3]benzothiazole-3-carboxylate

1-[3-tert-butyl-1-(3-chloro-4-hydroxyphenyl)-1H-pyrazol-5-yl]-3-(4-{[3-(hydroxymethyl)imidazo[2,1-b][1,3]benzothiazol-7-yl]oxy}phenyl)urea

7-{2-[(3-tert-butyl-1-(3-chloro-4-hydroxyphenyl)-1H-pyrazol-5-yl)carbamoyl]amino)methyl]phenoxy}-N-(2-hydroxyethyl)-N-methylimidazo[2,1-b][1,3]benzothiazole-3-carboxamide

5

1-[3-tert-butyl-1-(3-chloro-4-hydroxyphenyl)-1H-pyrazol-5-yl]-3-(2-{[3-(thiomorpholin-4-ylmethyl)imidazo[2,1-b][1,3]benzothiazol-7-yl]oxy}benzyl)urea

ethyl {[7-2-[(3-tert-butyl-1-(3-chloro-4-hydroxyphenyl)-1H-pyrazol-5-yl)carbamoyl]amino)methyl]phenoxy}imidazo[2,1-b][1,3]benzothiazol-2-yl)methyl]sulfanyl}acetate

10

1-[3-tert-butyl-1-(3-chloro-4-hydroxyphenyl)-1H-pyrazol-5-yl]-3-(2-{[3-(methoxymethyl)imidazo[2,1-b][1,3]benzothiazol-7-yl]oxy}benzyl)urea

15

1-[3-tert-butyl-1-(3-chloro-4-hydroxyphenyl)-1H-pyrazol-5-yl]-3-{2-[3-[(2-hydroxyethyl)(methyl)amino]methyl]imidazo[2,1-b][1,3]benzothiazol-7-yl]oxy}benzyl}urea

N-[3-tert-butyl-1-(3-chloro-4-hydroxyphenyl)-1H-pyrazol-5-yl]-4-{[3-(morpholin-4-ylcarbonyl)imidazo[2,1-b][1,3]benzothiazol-7-yl]oxy}benzamide

20

methyl {[7-2-[(3-tert-butyl-1-(3-chloro-4-hydroxyphenyl)-1H-pyrazol-5-yl)carbamoyl]amino)methyl]phenoxy}imidazo[2,1-b][1,3]benzothiazol-3-yl)methyl]sulfanyl}acetate

25

1-[3-tert-butyl-1-(3-chloro-4-hydroxyphenyl)-1H-pyrazol-5-yl]-3-(2-{[3-(morpholin-4-ylmethyl)imidazo[2,1-b][1,3]benzothiazol-7-yl]oxy}benzyl)urea

1-[3-tert-butyl-1-(3-chloro-4-hydroxyphenyl)-1H-pyrazol-5-yl]-3-(2-{{3-(morpholin-4-ylcarbonyl)imidazo[2,1-b][1,3]benzothiazol-7-yl}oxy}benzyl)urea

1-[3-tert-butyl-1-(3-chloro-4-hydroxyphenyl)-1H-pyrazol-5-yl]-3-(2-{{3-(methoxymethyl)-2-methylimidazo[2,1-b][1,3]benzothiazol-7-yl}oxy}benzyl)urea

1-(3-tert-butyl-1-phenyl-1H-pyrazol-5-yl)-3-(2-{{3-(hydroxymethyl)-2-methylimidazo[2,1-b][1,3]benzothiazol-7-yl}oxy}benzyl)urea

2-methoxyethyl 7-(2-{{3-tert-butyl-1-(3-chloro-4-hydroxyphenyl)-1H-pyrazol-5-yl}carbamoyl}amino)methyl)phenoxy}imidazo[2,1-b][1,3]benzothiazol-3-yl)carbamate

1-[3-tert-butyl-1-(3-chloro-4-hydroxyphenyl)-1H-pyrazol-5-yl]-3-(2-{{2-methyl-3-(morpholin-4-ylmethyl)imidazo[2,1-b][1,3]benzothiazol-7-yl}oxy}benzyl)urea

7-(4-{{(2-hydroxy-1-phenylethyl)carbamoyl}amino}phenoxy)imidazo[2,1-b][1,3]benzothiazole-3-carboxylic acid

ethyl 7-[2-{{(2-hydroxy-1-phenylethyl)carbamoyl} amino}methyl) phenoxy]imidazo[2,1-b][1,3]benzothiazole-3-carboxylate

ethyl 7-(4-{{(5-methyl-3-phenyl-1,2-oxazol-4-yl)carbamoyl} amino}phenoxy)imidazo[2,1-b][1,3]benzothiazole-3-carboxylate

ethyl 7-[2-{{(3-chloro-4-methoxyphenyl)carbamoyl} amino}methyl)phenoxy]imidazo[2,1-b][1,3]benzothiazole-3-carboxylate

ethyl 7-[2-{{(3,5-dimethoxyphenyl)carbamoyl} amino}methyl) phenoxy]imidazo[2,1-b][1,3]benzothiazole-3-carboxylate

ethyl 7-(2-([(cyclohexylcarbamoyl)amino]methyl}phenoxy)imidazo[2,1-
b][1,3]benzothiazole-3-carboxylate

- 5 ethyl 7-[4-([4-chloro-3-(trifluoromethyl)phenyl] carbamoyl)amino] phenoxy]imidazo[2,1-
b][1,3]benzothiazole-3-carboxylate

1-(3-chloro-4-methoxyphenyl)-3-(2-{[3-(methoxymethyl)-2-methylimidazo[2,1-
b][1,3]benzothiazol-7-yl]oxy}benzyl)urea

10

1-[4-chloro-3-(trifluoromethyl)phenyl]-3-(2-{[3-(methoxymethyl)-2-methylimidazo[2,1-
b][1,3]benzothiazol-7-yl]oxy}benzyl)urea

15

1-(3-tert-butyl-1,2-oxazol-5-yl)-3-(2-{[3-(methoxymethyl)-2-methylimidazo[2,1-
b][1,3]benzothiazol-7-yl]oxy}benzyl)urea

ethyl 7-(2-formylphenoxy)imidazo[2,1-*b*][1,3]benzothiazole-3-carboxylate

ethyl 7-[2-(hydroxymethyl)phenoxy]imidazo[2,1-*b*][1,3]benzothiazole-3-carboxylate

20

ethyl 7-[2-(chloromethyl)phenoxy]imidazo[2,1-*b*][1,3]benzothiazole-3-carboxylate

ethyl 7-[2-(azidomethyl)phenoxy]imidazo[2,1-*b*][1,3]benzothiazole-3-carboxylate

25

ethyl 7-[2-(aminomethyl)phenoxy]imidazo[2,1-*b*][1,3]benzothiazole-3-carboxylate
hydrochloride

1-[3-tert-butyl-1-(3-chloro-4-hydroxyphenyl)-1H-pyrazol-5-yl]-3-[2-({3-
[(cyclopropylmethoxy)methyl]imidazo[2,1-*b*][1,3]benzothiazol-7-yl]oxy}benzyl)urea

1-[3-*tert*-butyl-1-(3-chloro-4-hydroxyphenyl)-1H-pyrazol-5-yl]-3-(2-{{3-(chloromethyl)imidazo[2,1-*b*][1,3]benzothiazol-7-yl}oxy}benzyl)urea

5 ethyl 7-[(4-aminophenyl)sulfanyl]imidazo[2,1-*b*][1,3]benzothiazole-3-carboxylate

Ethyl 7-{{4-({[3-*tert*-butyl-1-(4-methoxyphenyl)-1H-pyrazol-5-yl] carbamoyl} amino)phenyl] sulfanyl} imidazo [2,1-*b*][1,3]benzothiazole-3-carboxylate

10 ethyl 7-(4-aminophenoxy)imidazo[2,1-*b*][1,3]benzothiazole-3-carboxylate

1-[3-*tert*-butyl-1-(3-chloro-4-hydroxyphenyl)-1H-pyrazol-5-yl]-3-(2-{{3-(ethoxymethyl)imidazo[2,1-*b*][1,3]benzothiazol-7-yl}oxy}benzyl)urea

15 1-[3-*tert*-butyl-1-(3-chloro-4-hydroxyphenyl)-1H-pyrazol-5-yl]-3-(2-{{3-(5-methyl-1,3-oxazol-2-yl)imidazo[2,1-*b*][1,3]benzothiazol-7-yl}oxy}benzyl)urea

1-[3-*tert*-butyl-1-(3-chloro-4-hydroxyphenyl)-1H-pyrazol-5-yl]-3-[2-({3-[(4-hydroxypiperidin-1-yl)methyl]imidazo[2,1-*b*][1,3]benzothiazol-7-yl}oxy)benzyl]urea

20

methyl 7-(2-{{({5-*tert*-butyl-2-methoxy-3-[methyl(methylsulfonyl) amino]phenyl} carbamoyl)amino)methyl} phenoxy)imidazo[2,1-*b*][1,3]benzothiazole-3-carboxylate

ethyl 7-[2-({[(3-*tert*-butyl-1-phenyl-1H-pyrazol-5-yl)carbamoyl] amino}

25 methyl)phenoxy]imidazo[2,1-*b*][1,3]benzothiazole-3-carboxylate

ethyl 7-(2-{{(propylcarbamoyl)amino)methyl}phenoxy)imidazo[2,1-*b*][1,3] benzothiazole-3-carboxylate

ethyl 7-(2-({[(piperidin-4-ylcarbamoyl)amino]methyl}phenoxy)imidazo[2,1-
b][1,3]benzothiazole-3-carboxylate

ethyl 7-[2-({[3-*tert*-butyl-1-(3-chloro-4-hydroxyphenyl)-1*H*-pyrazol-5-
5 yl]carbamoyl}amino)phenoxy]imidazo[2,1-*b*][1,3]benzothiazole-3-carboxylate

ethyl 7-{2-([3-*tert*-butyl-1-(3-chloro-4-hydroxyphenyl)-1*H*-pyrazol-5-
yl]carbamoyl}amino)methyl]-5-methylphenoxy}-5-methylimidazo[2,1-*b*][1,3]benzothiazole-
3-carboxylate

10

ethyl 7-{[3-({[3-*tert*-butyl-1-(3-chloro-4-hydroxyphenyl)-1*H*-pyrazol-5-
yl]carbamoyl}amino)phenyl]amino}imidazo[2,1-*b*][1,3]benzothiazole-3-carboxylate`

ethyl 7-{[4-({[3-*tert*-butyl-1-(3-chloro-4-hydroxyphenyl)-1*H*-pyrazol-5-
15 yl]carbamoyl}amino)phenyl]amino}imidazo[2,1-*b*][1,3]benzothiazole-3-carboxylate

N-(5-*tert*-butyl-2-methoxy-3-{{(2-{{[3-(morpholin-4-ylmethyl)imidazo[2,1-
b][1,3]benzothiazol-7-yl]oxy}benzyl) carbamoyl] amino}phenyl) methanesulfonamide

20 *N*-(5-*tert*-butyl-2-methoxy-3-{{(2-{{[3-(morpholin-4-ylmethyl)imidazo[2,1-
b][1,3]benzothiazol-7-yl]oxy}benzyl)carbamoyl]amino} phenyl) ethanesulfonamide

N-(5-*tert*-butyl-2-methoxy-3-{{(2-{{[3-(morpholin-4-ylmethyl)imidazo[2,1-
b][1,3]benzothiazol-7-yl]oxy}benzyl)carbamoyl]amino}phenyl)-*N*-methylethanesulfonamide

25

N-(5-*tert*-butyl-2-methoxy-3-{{(2-{{[3-(morpholin-4-ylmethyl)imidazo[2,1-
b][1,3]benzothiazol-7-yl]oxy}benzyl)carbamoyl]amino}phenyl)-*N*-
methylmethanesulfonamide

Methyl 7-{4-[(3-tert-butyl-1-(3-chloro-4-hydroxyphenyl)-1H-pyrazol-5-yl)carbamoyl]amino)methyl}phenoxy}imidazo[2,1-b][1,3]benzothiazole-3-carboxylate

ethyl 6-{2-[(3-tert-butyl-1-(3-chloro-4-hydroxyphenyl)-1H-pyrazol-5-yl)carbamoyl]amino)methyl]-4-fluorophenoxy}pyrrolo[2,1-b][1,3]benzothiazole-1-carboxylate

ethyl 7-(2-[(phenoxy-carbonyl)amino] methyl}phenoxy) imidazo[2,1-b][1,3]benzothiazole-3-carboxylate

10

4-(3-tert-butyl-5-{(2-{[3-(morpholin-4-ylmethyl)imidazo[2,1-b][1,3]benzothiazol-7-yl]oxy}benzyl)carbamoyl]amino}-1H-pyrazol-1-yl)-2-chlorophenyl beta-D-glucopyranosiduronic acid

15 4-(3-tert-butyl-5-{(2-{[3-(morpholin-4-ylmethyl)imidazo[2,1-b][1,3]benzothiazol-7-yl]oxy}benzyl)carbamoyl]amino}-1H-pyrazol-1-yl)-2-chlorophenyl hydrogen sulfate

1-[3-tert-butyl-1-(3-chloro-4-hydroxyphenyl)-1H-pyrazol-5-yl]-3-[2-({3-[(4-oxido-morpholin-4-yl)methyl]imidazo[2,1-b][1,3]benzothiazol-7-yl]oxy}benzyl)urea

20

1-[3-tert-butyl-1-(3-chloro-4-hydroxyphenyl)-1H-pyrazol-5-yl]-3-(2-{[3-(morpholin-4-ylmethyl)-1-oxidoimidazo[2,1-b][1,3]benzothiazol-7-yl]oxy}benzyl)urea

1-[3-tert-butyl-1-(3-chloro-4-hydroxyphenyl)-1H-pyrazol-5-yl]-3-(2-{[3-(morpholin-4-ylmethyl)imidazo[2,1-b][1,3]benzothiazol-7-yl]oxy}benzyl)urea: Dihydrochloride

25

1-[3-tert-butyl-1-(3-chloro-4-hydroxyphenyl)-1H-pyrazol-5-yl]-3-(2-{[3-(morpholin-4-ylmethyl)imidazo[2,1-b][1,3]benzothiazol-7-yl]oxy}benzyl)urea: Dimethanesulfonate

1-[3-tert-butyl-1-(3-chloro-4-hydroxyphenyl)-1H-pyrazol-5-yl]-3-[2-(imidazo[2,1-b][1,3]benzothiazol-7-yloxy)benzyl]urea and pharmaceutically acceptable salts thereof.

4. A compound selected from the group consisting of:

5

ethyl 7-[(4-nitrophenyl)sulfanyl]imidazo[2,1-b][1,3]benzothiazole-3-carboxylate,

ethyl 7-(4-nitrophenoxy)imidazo[2,1-b][1,3]benzothiazole-3-carboxylate and pharmaceutically acceptable salts thereof.

10

5. A pharmaceutical composition comprising a therapeutically effective amount of one or more compound of claim 1 to 3, in admixture with a pharmaceutically acceptable adjuvant or carrier.

15

6. A method of treating allergic and non-allergic airway diseases in a mammal, including human being, the method comprising administering a therapeutically effective amount of a compound of claim 1 to 3.

20

7. A method according to claim 6, wherein allergic and non-allergic airway disease is selected from chronic obstructive pulmonary disease and asthma.

8. Use of a compound as claimed in claim 1 to 3 for the preparation of a medicament for treating allergic and non-allergic airway diseases.

25

9. Use according to claim 8, wherein allergic and non-allergic airway disease is selected from chronic obstructive pulmonary disease and asthma.