
{NPL 16} Guile, S.D., et al., J. Med. Chem, 2009, 52, 3123-3141

{NPL 17} Gunosewoyo, H. and Kassiou, M., Exp Opin, 2010, 20, 625-646

Summary

{0011a} In one aspect of the present disclosure, there is provided a compound represented by the following formula (I):

{Chem. 1}



(I)

or a pharmaceutically acceptable salt thereof,

wherein:

X is N or N-oxide;

n is 0 or 1;

R^1 is selected from the group consisting of:

(1) hydrogen, (2) halogen, (3) hydroxyl, (4) $-NH_2$, (5) $-NH-C_{1-6}$ alkyl and (6) $-S(O)_m-C_{1-6}$ alkyl; wherein m is independently 0, 1 or 2;

R^2 is selected from the group consisting of:

(1) hydrogen, (2) halogen, (3) C_{1-6} alkyl and (4) $-O-C_{1-6}$ alkyl; wherein the C_{1-6} alkyl or the $-O-C_{1-6}$ alkyl is unsubstituted or substituted with one or more substituents independently selected from the group consisting of: halogen, hydroxyl, $-O-C_{1-6}$ alkyl, -CN, $-NR^{9a}R^{10a}$, $-(C=O)-R^{9a}$, $-(C=O)-NR^{9a}R^{10a}$ and $-S(O)_m-R^{9a}$; wherein m is independently 0, 1 or 2;

R^1 may form $=CH_2$ or =O with R^2; or

R^1 may form a 3 to 7 membered ring with R^2 which may contain one or more independently selected from the group consisting of: nitrogen atom, oxygen atom, sulfur atom and carbonyl group; where the 3 to 7 membered ring is unsubstituted or substituted one or more with C_{1-6} alkyl;

R^3 is independently selected from the group consisting of:
(1) hydrogen, (2) halogen, (3) C_{1-6} alkyl and (4) -O-C_{1-6} alkyl;
p is 0, 1, 2 or 3;
when p is 2 or 3, each R^3 is the same or different;
R^4 is selected from the group consisting of:
(1) hydrogen, (2) halogen and (3) hydroxyl;
R^5 is hydrogen or C_{1-6} alkyl;
R^6 is selected from the group consisting of:
(1) hydrogen, (2) C_{1-6} alkyl, (3) hydroxyC_{1-6} alkyl, (4) C_{1-6} alkoxy C_{1-6} alkyl and (5) heterocyclyl C_{1-6} alkyl;
R^5 may form a saturated 3 to 7 membered ring with R^6 which may contain a nitrogen atom, an oxygen atom, a sulfur atom or a double bond; or a saturated or unsaturated bicyclic 9 to 10 membered ring with R^6 which may contain a nitrogen atom, an oxygen atom or a sulfur atom; wherein the saturated 3 to 7 membered ring or the saturated or unsaturated bicyclic 9 to 10 membered ring is optionally substituted with 1 to 6 substituents independently selected from the group consisting of: (1) hydroxyl, (2) halogen, (3) -O-aryl and (4) -O-C_{1-6} alkylaryl;
R^{7a} and R^{7b} are independently selected from the group consisting of:
(1) hydrogen, (2) halogen, (3) hydroxyl, (4) C_{1-6} alkyl and (5) -$NR^{9b}R^{10b}$;
R^{7a} may form a 3 to 7 membered ring with R^5 which may contain a nitrogen atom or an oxygen atom; or
R^{7a} may form a 3 to 7 membered ring with R^{7b} which may contain a nitrogen atom or an oxygen atom;
q is 0 or 1;
R^8 is selected from the group consisting of:
(1) hydrogen, (2) C_{1-6} alkyl, (3) -O-C_{1-6} alkyl, (4) C_{2-6} alkenyl, (5) C_{3-10} cycloalkyl, (6) -$NR^{9b}R^{10b}$: wherein the C_{1-6} alkyl, the -O-C_{1-6} alkyl, the C_{2-6} alkenyl, the C_{3-10} cycloalkyl or the -$NR^{9b}R^{10b}$ is unsubstituted or substituted with one or more substituents independently selected from the group consisting of: halogen and hydroxyl; (7) heterocyclyl, (8) aryl, (9) -O-C_{1-6} alkylaryl, (10) -O-aryl, (11) heteroaryl and (12) aryl-substituted heteroaryl: wherein the heterocyclyl, the aryl, the -O-C_{1-6} alkylaryl, the -O-aryl, the heteroaryl or the aryl-substituted heteroaryl is unsubstituted or substituted with one or more substituents independently selected from the group consisting of: halogen, hydroxyl, -O-C_{1-6} alkyl, -O-C_{1-6} haloalkyl, -C_{3-7} cycloalkyl, -O-C_{3-7} cycloalkyl, hydroxyl-C_{1-6} alkoxy, -CN, -$NR^{9b}R^{10b}$, -(C=O)-R^{9b}, -(C=O)-$NR^{9b}R^{10b}$, -NR^{9b}-(C=O)-R^{10b}, -NR^{11}-(C=O)-$NR^{9b}R^{10b}$, -NR^{9b}-(C=O)-OR^{10b},

-NR^{9b}-$S(O)_m$-R^{10b}, -NR^{11}-$S(O)_m$- $NR^{9b}R^{10b}$, -$S(O)_m$-R^{9b} and C_{1-6} alkyl which may be substituted one or more with halogen, hydroxyl, -O-C_{1-6} alkyl or $NR^{9b}R^{10b}$; wherein m is independently 0, 1 or 2;

R^{9a}, R^{9b}, R^{10a}, R^{10b} or R^{11} is independently selected from the group consisting of:


(1) hydrogen, (2) hydroxyl, (3) C_{1-6} alkyl and (4) hydroxyC_{1-6} alkyl;

R^{9a} may form a 4 to 7 membered ring with R^{10a} which may contain one or more independently selected from the group consisting of: nitrogen atom, oxygen atom, sulfur atom and double bond, wherein the 4 to 7 membered ring is optionally substituted with 1 to 6 substituents independently selected from the group consisting of: (1) hydroxyl, (2) halogen, (3) C_{1-6} alkyl and (4) -O-C_{1-6} alkyl;

R^{9b} may form a 4 to 7 membered ring with R^{10b} which may contain one or more independently selected from the group consisting of: nitrogen atom, oxygen atom, sulfur atom and double bond, wherein the 4 to 7 membered ring is optionally substituted with 1 to 6 substituents independently selected from the group consisting of: (1) hydroxyl, (2) halogen and (3) C_{1-6} alkyl.

{0011b} In another aspect of the present disclosure, there is provided a compound represented by the following formula (M):

{Chem. 2}



(M)

or a pharmaceutically acceptable salt thereof,

wherein:

n is 0 or 1;

R^1 is selected from the group consisting of:
(1) hydrogen, (2) halogen, (3) hydroxyl, (4) $-NH_2$, (5) $-NH-C_{1-6}$ alkyl and (6) $-S(O)_m-C_{1-6}$ alkyl; wherein m is independently 0, 1 or 2;
R^2 is selected from the group consisting of:
(1) hydrogen, (2) halogen, (3) C_{1-6} alkyl and (4) $-O-C_{1-6}$ alkyl; wherein the C_{1-6} alkyl or the $-O-C_{1-6}$ alkyl is unsubstituted or substituted with one or more substituents independently selected from the group consisting of: halogen, hydroxyl, $-O-C_{1-6}$ alkyl, -CN, $-NR^{9a}R^{10a}$, $-(C=O)-R^{9a}$, $-(C=O)-NR^{9a}R^{10a}$ and $-S(O)_m-R^{9a}$; wherein m is independently 0, 1 or 2;
R^1 may form $=CH_2$ or =O with R^2; or
R^1 may form a 3 to 7 membered ring with R^2 which may contain one or more independently selected from the group consisting of: nitrogen atom, oxygen atom, sulfur atom and carbonyl group; where the 3 to 7 membered ring is unsubstituted or substituted one or more with C_{1-6} alkyl;
R^3 is independently selected from the group consisting of:
(1) hydrogen, (2) halogen, (3) C_{1-6} alkyl and (4) $-O-C_{1-6}$ alkyl;
p is 0, 1, 2 or 3;
when p is 2 or 3, each R^3 is the same or different;
R^4 is selected from the group consisting of:
(1) hydrogen, (2) halogen and (3) hydroxyl;
R^5 is hydrogen or C_{1-6} alkyl;
R^6 is selected from the group consisting of:
(1) hydrogen, (2) C_{1-6} alkyl, (3) hydroxyC_{1-6} alkyl, (4) C_{1-6} alkoxy C_{1-6} alkyl and (5) heterocyclyl C_{1-6} alkyl;
R^5 may form a saturated 3 to 7 membered ring with R^6 which may contain a nitrogen atom, an oxygen atom, a sulfur atom or a double bond; wherein the saturated 3 to 7 membered ring is optionally substituted with 1 to 6 substituents independently selected from the group consisting of: (1) hydroxyl, (2) halogen, (3) -O-aryl and (4) $-O-C_{1-6}$ alkylaryl;
R^{9a}, R^{9b}, R^{10a} or R^{10b} is independently selected from the group consisting of:
(1) hydrogen, (2) hydroxyl, (3) C_{1-6} alkyl and (4) hydroxyC_{1-6} alkyl;
R^{9a} may form a 4 to 7 membered ring with R^{10a} which may contain a nitrogen atom or an oxygen atom; wherein the 4 to 7 membered ring is optionally substituted with 1 to 6 substituents independently selected from the group consisting of: (1) hydroxyl, (2) halogen, (3) C_{1-6} alkyl and (4) $-O-C_{1-6}$ alkyl;

R^{9b} may form a 4 to 7 membered ring with R^{10b} which may contain a nitrogen atom or an oxygen atom; wherein the 4 to 7 membered ring is optionally substituted with 1 to 6 substituents independently selected from the group consisting of: (1) hydroxyl, (2) halogen and (3) C_{1-6} alkyl;

R^{12}, R^{13}, R^{14} and R^{15} are independently selected from the group consisting of:

(1) hydrogen, (2) hydroxyl, (3) halogen, (4) C_{1-6} alkyl, (5) -O-C_{1-6} alkyl and (6) CN; wherein the C_{1-6} alkyl or the -O-C_{1-6} alkyl is unsubstituted or substituted with one or more substituents independently selected from the group consisting of: halogen, hydroxyl, -O-C_{1-6} alkyl and $NR^{9b}R^{10b}$;or

R^{12} may form a 5 to 7 membered ring with R^5 which may contain one or more independently selected from the group consisting of: nitrogen atom and oxygen atom.

{0011c} In a further aspect of the present disclosure, there is provided a compound which is selected from the group following or a pharmaceutically acceptable salt thereof,

N-(2,4-dichloro-6-methylbenzyl)-8-oxo-5,6,7,8-tetrahydroquinoline-5-carboxamide;

N-(2-chloro-3-(trifluoromethyl)benzyl)-8-oxo-5,6,7,8-tetrahydroquinoline-5-carboxamide;

N-(2,3-dichlorobenzyl)-8-oxo-5,6,7,8-tetrahydroquinoline-5-carboxamide;

N-(2,4-dichloro-6-(hydroxymethyl)benzyl)-8-oxo-5,6,7,8-tetrahydroquinoline-5-carboxamide;

N-(cycloheptylmethyl)-8-oxo-5,6,7,8-tetrahydroquinoline-5-carboxamide;

N-(2,4-dichloro-6-methylbenzyl)-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;

N-(2-chloro-3-(trifluoromethyl)benzyl)-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide
;

N-(2,3-dichlorobenzyl)-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;

N-(2,4-dichloro-6-(hydroxymethyl)benzyl)-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxa
mide;

N-(2,4-dichloro-6-(methoxymethyl)benzyl)-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxa
mide;

N-(2,4-dichloro-6-methylbenzyl)-7-methylene-6,7-dihydro-5H-cyclopenta[b]pyridine-5-carbo
xamide;

N-(2,4-dichloro-6-methylbenzyl)-5-fluoro-8-oxo-5,6,7,8-tetrahydroquinoline-5-carboxamide;

N-(2-chloro-3-(trifluoromethyl)benzyl)-5-fluoro-8-oxo-5,6,7,8-tetrahydroquinoline-5-carboxa
mide;

N-(2,4-dichloro-6-(hydroxymethyl)benzyl)-5-fluoro-8-oxo-5,6,7,8-tetrahydroquinoline-5-carb
oxamide;

N-(2,4-dichloro-6-methylbenzyl)-5-hydroxy-8-oxo-5,6,7,8-tetrahydroquinoline-5-carboxamide;
N-(2,4-dichloro-6-methylbenzyl)-7-oxo-6,7-dihydro-5H-cyclopenta[b]pyridine-5-carboxamide;
N-(2-chloro-3-(trifluoromethyl)benzyl)-7-oxo-6,7-dihydro-5H-cyclopenta[b]pyridine-5-carboxamide;
N-(2,4-dichloro-6-methylbenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
N-(2-chloro-3-(trifluoromethyl)benzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
N-(2,4-dichloro-6-(hydroxymethyl)benzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
N-(2,3-dichlorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
N-(2,4-dichlorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
N-(2,4-dichloro-6-(methoxymethyl)benzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
N-(2,4-dichloro-6-methylbenzyl)-5,8-dihydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
N-(2-chloro-3-(trifluoromethyl)benzyl)-5,8-dihydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
N-(2,4-dichloro-6-methylbenzyl)-7-hydroxy-6,7-dihydro-5H-cyclopenta[b]pyridine-5-carboxamide;
N-(2-chloro-3-(trifluoromethyl)benzyl)-7-hydroxy-6,7-dihydro-5H-cyclopenta[b]pyridine-5-carboxamide;
N-(2,3-dichlorobenzyl)-7-hydroxy-6,7-dihydro-5H-cyclopenta[b]pyridine-5-carboxamide;
N-(2,4-dichlorobenzyl)-5-fluoro-7-hydroxy-6,7-dihydro-5H-cyclopenta[b]pyridine-5-carboxamide;
2-(5-((2,4-dichloro-6-methylbenzyl)carbamoyl)-5,6,7,8-tetrahydroquinolin-8-yl)acetic acid;
2-(5-((2-chloro-3-(trifluoromethyl)benzyl)carbamoyl)-5,6,7,8-tetrahydroquinolin-8-yl)acetic acid;
(2-amino-2-oxoethyl)-N-(2-chloro-3-(trifluoromethyl)benzyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
N-(2,4-dichloro-6-methylbenzyl)-8-hydroxy-8-(hydroxymethyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;

N-(2,4-dichloro-6-methylbenzyl)-5-fluoro-8-hydroxy-8-(hydroxymethyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
N-(2-chloro-3-(trifluoromethyl)benzyl)-5-fluoro-8-hydroxy-8-(hydroxymethyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
N-(2,3-dichlorobenzyl)-5-fluoro-8-hydroxy-8-(hydroxymethyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
N-(2,4-dichlorobenzyl)-5-fluoro-8-hydroxy-8-(hydroxymethyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
N-(2,4-dichlorobenzyl)-5-fluoro-7-hydroxy-7-(hydroxymethyl)-6,7-dihydro-5H-cyclopenta[b]pyridine-5-carboxamide;
N-(2,4-dichloro-6-methylbenzyl)-5-fluoro-8-hydroxy-8-(methoxymethyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
N-(2-chloro-3-(trifluoromethyl)benzyl)-5-fluoro-8-hydroxy-8-(methoxymethyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S*,8S*)-N-(2,4-dichlorobenzyl)-5-fluoro-8-hydroxy-8-(methoxymethyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S*,8S*)-N-(2-chloro-4-fluorobenzyl)-5-fluoro-8-hydroxy-8-(methoxymethyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
8-(aminomethyl)-N-(2,4-dichloro-6-methylbenzyl)-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
N-(2,4-dichloro-6-methylbenzyl)-8-hydroxy-8-((methylamino)methyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
8-(aminomethyl)-N-(2,4-dichloro-6-methylbenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
N-(2,4-dichloro-6-methylbenzyl)-5-fluoro-8-hydroxy-8-((methylamino)methyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
N-(2,4-dichloro-6-methylbenzyl)-8-((dimethylamino)methyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
8-(aminomethyl)-N-(2-chloro-3-(trifluoromethyl)benzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
N-(2-chloro-3-(trifluoromethyl)benzyl)-5-fluoro-8-hydroxy-8-((methylamino)methyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;

N-(2-chloro-3-(trifluoromethyl)benzyl)-8-((dimethylamino)methyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S*,8R*)-N-(2,4-dichlorobenzyl)-5-fluoro-8-hydroxy-8-((3-hydroxyazetidin-1-yl)methyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S*,8R*)-N-(2-chloro-4-fluorobenzyl)-5-fluoro-8-hydroxy-8-((3-hydroxyazetidin-1-yl)methyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S*,8R*)-N-(2-chloro-4-fluorobenzyl)-5-fluoro-8-hydroxy-8-((3-methoxyazetidin-1-yl)methyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S*,8R*)-N-(2-chloro-4-fluorobenzyl)-5-fluoro-8-hydroxy-8-((3-hydroxy-3-methylazetidin-1-yl)methyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S*,8R*)-N-(2-chloro-4-fluorobenzyl)-5-fluoro-8-hydroxy-8-((3-methoxy-3-methylazetidin-1-yl)methyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S*,8R*)-N-(2-chloro-4-fluorobenzyl)-5-fluoro-8-hydroxy-8-(((2-hydroxyethyl)amino)methyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S*,8R*)-N-(2-chloro-4-fluorobenzyl)-5-fluoro-8-hydroxy-8-(((2-hydroxyethyl)(methyl)amino)methyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
N-(2-chloro-3-(trifluoromethyl)benzyl)-5-fluoro-8-hydroxy-8-methyl-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S*,8R*)-8-amino-N-(2,4-dichlorobenzyl)-5-fluoro-8-(hydroxymethyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S*,8S*)-8-amino-N-(2,4-dichlorobenzyl)-5-fluoro-8-(hydroxymethyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(3R*,5'S*)-N-(2,4-dichlorobenzyl)-5'-fluoro-5-oxo-6',7'-dihydro-5'H-spiro[morpholine-3,8'-quinoline]-5'-carboxamide;
(3S*,5'S*)-N-(2,4-dichlorobenzyl)-5'-fluoro-5-oxo-6',7'-dihydro-5'H-spiro[morpholine-3,8'-quinoline]-5'-carboxamide;
(5S,8S)-N-(2,4-dichloro-6-methylbenzyl)-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8S)-N-(2,4-dichloro-6-methylbenzyl)-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2,4-dichlorobenzyl)-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8S)-N-(2,4-dichlorobenzyl)-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2-chloro-4-fluorobenzyl)-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;

(5R,8S)-N-(2-chloro-4-fluorobenzyl)-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2,4-dichloro-6-fluorobenzyl)-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8S)-N-(2,4-dichloro-6-fluorobenzyl)-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-8-hydroxy-N-(2,3,4-trifluorobenzyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8S)-8-hydroxy-N-(2,3,4-trifluorobenzyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8S)-8-hydroxy-N-(2,4,6-trifluorobenzyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8S)-N-(2,4-difluorobenzyl)-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(4-fluoro-2-(trifluoromethyl)benzyl)-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8S)-N-(4-fluoro-2-(trifluoromethyl)benzyl)-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(4-chloro-2-fluorobenzyl)-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8S)-N-(4-chloro-2-fluorobenzyl)-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(4-bromo-2-fluorobenzyl)-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8S)-N-(4-bromo-2-fluorobenzyl)-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2-chloro-3,4-difluorobenzyl)-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8S)-N-(2-chloro-3,4-difluorobenzyl)-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,7S)-N-(2,4-dichloro-6-methylbenzyl)-7-hydroxy-6,7-dihydro-5H-cyclopenta[b]pyridine-5-carboxamide;
(5R,8R)-N-(2,4-dichloro-6-methylbenzyl)-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8R)-N-(2,4-dichloro-6-methylbenzyl)-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2-chloro-3-(trifluoromethyl)benzyl)-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8R)-N-(2,4-dichlorobenzyl)-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8R)-N-(2,4-dichlorobenzyl)-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8R)-N-(2-chloro-4-fluorobenzyl)-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8R)-N-(2-chloro-4-fluorobenzyl)-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;

(5R,8R)-N-(2,4-dichloro-6-fluorobenzyl)-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8R)-N-(2,4-dichloro-6-fluorobenzyl)-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8R)-8-hydroxy-N-(2,3,4-trifluorobenzyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8R)-8-hydroxy-N-(2,3,4-trifluorobenzyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8R)-N-(4-chloro-2-fluorobenzyl)-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8R)-N-(4-chloro-2-fluorobenzyl)-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,7R)-N-(2,4-dichloro-6-methylbenzyl)-7-hydroxy-6,7-dihydro-5H-cyclopenta[b]pyridine-5-carboxamide;
(5S,7R)-N-(2,4-dichloro-6-methylbenzyl)-7-hydroxy-6,7-dihydro-5H-cyclopenta[b]pyridine-5-carboxamide;
(5R,8S)-N-(2,4-dichloro-6-methylbenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8R)-N-(2,4-dichloro-6-methylbenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8S)-N-(2-chloro-3-(trifluoromethyl)benzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8R)-N-(2-chloro-3-(trifluoromethyl)benzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8S)-N-(2,4-dichloro-6-(hydroxymethyl)benzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8R)-N-(2,4-dichloro-6-(hydroxymethyl)benzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8S)-N-(2,4-dichlorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8R)-N-(2,4-dichlorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8R)-N-(2-chloro-4-fluorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8R)-5-fluoro-8-hydroxy-N-(2,3,4-trifluorobenzyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8R)-N-(2,4-difluorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;

(5S,8R)-5-fluoro-N-(4-fluoro-2-(trifluoromethyl)benzyl)-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8R)-N-(4-chloro-2-fluorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8S)-N-(2,6-dichloro-4-(trifluoromethyl)benzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8R)-N-(2,6-dichloro-4-(trifluoromethyl)benzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8S)-N-(2,4-dichloro-6-(difluoromethyl)benzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8R)-N-(2,4-dichloro-6-(difluoromethyl)benzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8S)-N-(2,4-dichloro-6-fluorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8R)-N-(2,4-dichloro-6-fluorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8R)-N-(4-bromo-2-chlorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8R)-N-((R)-1-(2,4-dichlorophenyl)ethyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8S)-N-(2,3-dichlorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8R)-N-(2,3-dichlorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8R)-N-(2-chloro-6-methylbenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8R)-N-(2-chloro-4,5-difluorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8R)-5-fluoro-8-hydroxy-N-(2,3,6-trichlorobenzyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8R)-N-(2-chloro-4-methylbenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8R)-N-(2,4-dichloro-6-methylbenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;

(5S,8S)-N-(2,4-dichloro-6-methylbenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8R)-N-(2-chloro-3-(trifluoromethyl)benzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2-chloro-3-(trifluoromethyl)benzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8R)-N-(2,4-dichloro-6-(hydroxymethyl)benzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2,4-dichloro-6-(hydroxymethyl)benzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8R)-N-(2,4-dichlorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2,4-dichlorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8R)-N-(2-chloro-4-fluorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2-chloro-4-fluorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8R)-5-fluoro-8-hydroxy-N-(2,3,4-trifluorobenzyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-5-fluoro-8-hydroxy-N-(2,3,4-trifluorobenzyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8R)-N-(2,6-dichlorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2,6-dichlorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8R)-N-(2,4-difluorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2,4-difluorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2-chloro-6-fluoro-3-methylbenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;

(5R,8R)-5-fluoro-N-(4-fluoro-2-(trifluoromethyl)benzyl)-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-5-fluoro-N-(4-fluoro-2-(trifluoromethyl)benzyl)-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8R)-N-(4-chloro-2-fluorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(4-chloro-2-fluorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8R)-N-(2,6-dichloro-4-(trifluoromethyl)benzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2,6-dichloro-4-(trifluoromethyl)benzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2,4-dichloro-6-(difluoromethyl)benzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2-chloro-4-fluoro-6-(hydroxymethyl)benzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8R)-N-(2,4-dichloro-6-fluorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2,4-dichloro-6-fluorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8R)-N-(4-bromo-2-chlorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(4-bromo-2-chlorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8R)-N-((R)-1-(2,4-dichlorophenyl)ethyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8R)-N-(4-chloro-2-(trifluoromethyl)benzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(4-chloro-2-(trifluoromethyl)benzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8R)-N-(2,3-dichlorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2,3-dichlorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;

(5R,8R)-N-(2-chloro-6-methylbenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2-chloro-6-methylbenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8R)-N-(2-chloro-4,5-difluorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2-chloro-4,5-difluorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8R)-5-fluoro-8-hydroxy-N-(2,3,6-trichlorobenzyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-5-fluoro-8-hydroxy-N-(2,3,6-trichlorobenzyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8R)-N-(2-chloro-4-methylbenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2-chloro-4-methylbenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-5-fluoro-8-hydroxy-N-((S)-1-(2,3,4-trichlorophenyl)ethyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2-chloro-3-fluorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2-chloro-3,6-difluorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2-chloro-6-fluorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2-chloro-4-methoxybenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2,5-dichlorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2-chloro-3,4-difluorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-5-fluoro-N-(2-fluoro-3-(trifluoromethyl)benzyl)-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;

(5S,8S)-N-(2-chloro-4,6-difluorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-((3,5-dichloropyridin-2-yl)methyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-5-fluoro-N-(3-fluoro-2-(trifluoromethyl)benzyl)-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2-chloro-6-(trifluoromethyl)benzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-5-fluoro-8-hydroxy-N-(2,4,6-trifluorobenzyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(5-bromo-2-chlorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(4-bromo-2-fluorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(4-chloro-2,3-difluorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(4-chloro-2,6-difluorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(3-chloro-2,4-difluorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-5-fluoro-N-(2-fluoro-6-(trifluoromethyl)benzyl)-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2-chloro-4-(trifluoromethyl)benzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(3-chloro-4-fluorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-5-fluoro-8-hydroxy-N-((R)-1,2,3,4-tetrahydronaphthalen-1-yl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(3-chloro-2-fluorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2,4-dichlorophenethyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-5-fluoro-8-hydroxy-N-((1-morpholinocyclohexyl)methyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;

(5S,8S)-N-(3-chloro-2,6-difluorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-((3-chloro-5-(trifluoromethyl)pyridin-2-yl)methyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2-chlorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-((R)-2,3-dihydro-1H-inden-1-yl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(3,4-dichlorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2-chloro-6-methoxybenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-5-fluoro-8-hydroxy-N-(2-(trifluoromethyl)benzyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-5-fluoro-8-hydroxy-N-(3,4,5-trifluorobenzyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(4-cyano-2-fluorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(3,4-difluorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(3-chloro-5-fluorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide
(5S,8S)-N-(2-chloro-5-fluorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(3-chlorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(4-chloro-3-fluorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-5-fluoro-N-(2-fluoro-4-(trifluoromethoxy)benzyl)-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2,3-difluorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2-chloro-5-(trifluoromethyl)benzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;

(5S,8S)-N-(4-chlorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-5-fluoro-8-hydroxy-N-(4-methoxy-2-(trifluoromethyl)benzyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(3,5-dichlorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-((4-(4-chlorophenyl)thiazol-2-yl)methyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-5-fluoro-8-hydroxy-N-(2-(morpholinomethyl)benzyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-5-fluoro-8-hydroxy-N-((1S,2R)-2-phenylcyclopropyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(6-chloro-2-fluoro-3-methylbenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2,6-difluorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-5-fluoro-8-hydroxy-N-((S)-1,2,3,4-tetrahydronaphthalen-1-yl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-5-fluoro-8-hydroxy-N-(2-(3-(trifluoromethyl)phenoxy)ethyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-5-fluoro-N-((1-(4-fluorophenyl)cyclopropyl)methyl)-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(3,5-difluorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-5-fluoro-8-hydroxy-N-((1R,2S)-2-phenylcyclopropyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-5-fluoro-N-(2-fluorobenzyl)-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2-chloro-3-methoxybenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-((1S,2S)-2-(benzyloxy)cyclopentyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-((S)-2,3-dihydro-1H-inden-1-yl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(3,3-dimethylbutyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;

(5S,8S)-5-fluoro-8-hydroxy-N-(2-phenoxyethyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(4,6-dichloro-2,3-dihydrobenzofuran-3-yl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(5,7-dichlorochroman-4-yl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(1-(adamantan-1-yl)ethyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2-(4-chlorophenyl)-2-(4,4-difluoropiperidin-1-yl)ethyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(chroman-3-yl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2-(4-chlorophenyl)propyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-5-fluoro-8-hydroxy-N-(2-morpholino-2-phenylethyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2-(4,4-difluoropiperidin-1-yl)-2-(4-methylthiazol-5-yl)ethyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-((R)-1-(2-chloro-4-fluorophenyl)ethyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-((trans)-2-(2,4-dichlorophenyl)cyclopropyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-((S)-1-(2-chloro-4-fluorophenyl)ethyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-((4-(2,4-dichlorophenyl)tetrahydro-2H-pyran-4-yl)methyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2,4-dichlorobenzyl)-3,5-difluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2-chloro-4-fluorobenzyl)-3,5-difluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2,4-dichlorobenzyl)-5-fluoro-8-hydroxy-3-methyl-5,6,7,8-tetrahydroquinoline-5-carboxamide
(5S,8S)-N-(2-chloro-4-fluorobenzyl)-5-fluoro-8-hydroxy-3-methyl-5,6,7,8-tetrahydroquinoline-5-carboxamide;

(5S,8S)-5-((2,4-dichlorobenzyl)carbamoyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline 1-oxide;
(R)-N-(2-chloro-3-(trifluoromethyl)benzyl)-5-fluoro-8-oxo-5,6,7,8-tetrahydroquinoline-5-carb oxamide;
(S)-N-(2-chloro-3-(trifluoromethyl)benzyl)-5-fluoro-8-oxo-5,6,7,8-tetrahydroquinoline-5-carb oxamide;
(S)-N-(2,4-dichlorobenzyl)-5-fluoro-8-oxo-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(S)-N-(2-chloro-4-fluorobenzyl)-5-fluoro-8-oxo-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(S)-N-(2-chloro-3-fluorobenzyl)-5-fluoro-8-oxo-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(S)-N-(2,4-dichloro-6-fluorobenzyl)-5-fluoro-8-oxo-5,6,7,8-tetrahydroquinoline-5-carboxamid e;
(S)-N-(2,3-dichlorobenzyl)-5-fluoro-8-oxo-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(S)-N-(2-chloro-4-(trifluoromethyl)benzyl)-5-fluoro-8-oxo-5,6,7,8-tetrahydroquinoline-5-carb oxamide;
(S)-5-fluoro-8-oxo-N-(2,3,4-trifluorobenzyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(S)-N-((3,5-dichloropyridin-2-yl)methyl)-5-fluoro-8-oxo-5,6,7,8-tetrahydroquinoline-5-carbox amide;
(5S,8S)-N-(2,4-dichlorobenzyl)-5-fluoro-8-hydroxy-8-methyl-5,6,7,8-tetrahydroquinoline-5-c arboxamide;
(5S,8R)-N-(2,4-dichlorobenzyl)-5-fluoro-8-hydroxy-8-methyl-5,6,7,8-tetrahydroquinoline-5-c arboxamide;
(5S,8S)-5-fluoro-8-hydroxy-8-methyl-N-(2,3,4-trifluorobenzyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2-chloro-4-fluorobenzyl)-5-fluoro-8-hydroxy-8-methyl-5,6,7,8-tetrahydroquinolin e-5-carboxamide;
(5S,8R)-N-(2-chloro-4-fluorobenzyl)-5-fluoro-8-hydroxy-8-methyl-5,6,7,8-tetrahydroquinolin e-5-carboxamide;
(5S,8S)-N-(2,4-dichloro-6-(hydroxymethyl)benzyl)-5-fluoro-8-hydroxy-8-methyl-5,6,7,8-tetra hydroquinoline-5-carboxamide;
(5S,8S)-N-(2-chloro-4-fluoro-6-(hydroxymethyl)benzyl)-5-fluoro-8-hydroxy-8-methyl-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2,4-difluorobenzyl)-5-fluoro-8-hydroxy-8-methyl-5,6,7,8-tetrahydroquinoline-5-ca rboxamide;

(5S,8S)-N-(4-chloro-2-fluorobenzyl)-5-fluoro-8-hydroxy-8-methyl-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2,4-dichloro-6-fluorobenzyl)-5-fluoro-8-hydroxy-8-methyl-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2-chloro-4,6-difluorobenzyl)-5-fluoro-8-hydroxy-8-methyl-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(4-chloro-2,3-difluorobenzyl)-5-fluoro-8-hydroxy-8-methyl-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(3-chloro-2,4-difluorobenzyl)-5-fluoro-8-hydroxy-8-methyl-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(4-chloro-2,6-difluorobenzyl)-5-fluoro-8-hydroxy-8-methyl-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-((R)-1-(2-chloro-4-fluorophenyl)ethyl)-5-fluoro-8-hydroxy-8-methyl-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-((S)-1-(2-chloro-4-fluorophenyl)ethyl)-5-fluoro-8-hydroxy-8-methyl-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-((3,5-dichloropyridin-2-yl)methyl)-5-fluoro-8-hydroxy-8-methyl-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-((trans)-2-(2,4-dichlorophenyl)cyclopropyl)-5-fluoro-8-hydroxy-8-methyl-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-5-fluoro-8-hydroxy-8-methyl-N-((1-morpholinocyclohexyl)methyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8R)-5-fluoro-8-hydroxy-8-methyl-N-((1-morpholinocyclohexyl)methyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2-chloro-4-fluorobenzyl)-5-fluoro-8-hydroxy-3,8-dimethyl-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8R)-N-(2,4-dichlorobenzyl)-5-fluoro-8-hydroxy-8-(((2-hydroxyethyl)(methyl)amino)methyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8S)-N-(2,4-dichlorobenzyl)-5-fluoro-8-hydroxy-8-(((2-hydroxyethyl)(methyl)amino)methyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8S)-N-(2,4-dichlorobenzyl)-5-fluoro-8-hydroxy-8-((3-hydroxyazetidin-1-yl)methyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8R)-8-(cyanomethyl)-N-(2,4-dichlorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;

(5S,8R)-N-(2-chloro-4-fluorobenzyl)-8-(cyanomethyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2-chloro-4-fluorobenzyl)-8-(cyanomethyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8R)-8-(cyanomethyl)-N-(2,4-dichloro-6-(hydroxymethyl)benzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8R)-N-(2-chloro-4-fluoro-6-(hydroxymethyl)benzyl)-8-(cyanomethyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2,4-dichlorobenzyl)-5-fluoro-8-(fluoromethyl)-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2-chloro-4-fluorobenzyl)-5-fluoro-8-(fluoromethyl)-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2,4-dichlorobenzyl)-5-fluoro-8-hydroxy-8-((methylthio)methyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2-chloro-4-fluorobenzyl)-5-fluoro-8-hydroxy-8-((methylthio)methyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2-chloro-4-fluorobenzyl)-5-fluoro-8-hydroxy-8-(((2-hydroxyethyl)thio)methyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(2R,5'S)-N-(2,4-dichlorobenzyl)-5'-fluoro-4-methyl-6',7'-dihydro-5'H-spiro[morpholine-2,8'-quinoline]-5'-carboxamide;
(5S,5'S)-N-(2,4-dichlorobenzyl)-5'-fluoro-2-oxo-6',7'-dihydro-5'H-spiro[oxazolidine-5,8'-quinoline]-5'-carboxamide;
(5R,5'S)-N-(2,4-dichlorobenzyl)-5'-fluoro-2-oxo-6',7'-dihydro-5'H-spiro[oxazolidine-5,8'-quinoline]-5'-carboxamide;
(2S,5'R)-N-(2,4-dichlorobenzyl)-5'-fluoro-5-oxo-6',7'-dihydro-5'H-spiro[morpholine-2,8'-quinoline]-5'-carboxamide;
(2S,5'S)-N-(2,4-dichlorobenzyl)-5'-fluoro-5-oxo-6',7'-dihydro-5'H-spiro[morpholine-2,8'-quinoline]-5'-carboxamide;
(2R,5'S)-N-(2,4-dichlorobenzyl)-5'-fluoro-5-oxo-6',7'-dihydro-5'H-spiro[morpholine-2,8'-quinoline]-5'-carboxamide;
(5S,8S)-N-(2-chloro-4-fluorobenzyl)-5-fluoro-8-hydroxy-8-((methylsulfinyl)methyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8R)-N-(2,4-dichlorobenzyl)-5-fluoro-8-hydroxy-8-((methylthio)methyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;


(5S,8S)-N-(2,4-dichlorobenzyl)-5-fluoro-8-hydroxy-8-((methylsulfonyl)methyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2-chloro-4-fluorobenzyl)-5-fluoro-8-hydroxy-8-((methylsulfonyl)methyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2,4-dichlorobenzyl)-5-fluoro-8-hydroxy-8-(((2-hydroxyethyl)sulfonyl)methyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2-chloro-4-fluorobenzyl)-5-fluoro-8-hydroxy-8-(((2-hydroxyethyl)sulfonyl)methyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8R)-N-(2,4-dichlorobenzyl)-5-fluoro-8-hydroxy-8-(hydroxymethyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8S)-N-(2,4-dichlorobenzyl)-5-fluoro-8-hydroxy-8-(hydroxymethyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2,4-dichlorobenzyl)-5-fluoro-8-hydroxy-8-(hydroxymethyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8R)-N-(2,4-dichlorobenzyl)-5-fluoro-8-hydroxy-8-(hydroxymethyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2-chloro-4-fluorobenzyl)-5-fluoro-8-hydroxy-8-(hydroxymethyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8R)-N-(2-chloro-4-fluorobenzyl)-5-fluoro-8-hydroxy-8-(hydroxymethyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-5-fluoro-8-hydroxy-8-(hydroxymethyl)-N-(2,3,4-trifluorobenzyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8R)-5-fluoro-8-hydroxy-8-(hydroxymethyl)-N-(2,3,4-trifluorobenzyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2,4-dichloro-6-fluorobenzyl)-5-fluoro-8-hydroxy-8-(hydroxymethyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8R)-N-(2,4-dichloro-6-fluorobenzyl)-5-fluoro-8-hydroxy-8-(hydroxymethyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2-chloro-3,4-difluorobenzyl)-5-fluoro-8-hydroxy-8-(hydroxymethyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8R)-N-(2-chloro-3,4-difluorobenzyl)-5-fluoro-8-hydroxy-8-(hydroxymethyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(4-chloro-2-fluorobenzyl)-5-fluoro-8-hydroxy-8-(hydroxymethyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;

(5S,8R)-N-(4-chloro-2-fluorobenzyl)-5-fluoro-8-hydroxy-8-(hydroxymethyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2,4-dichloro-6-(hydroxymethyl)benzyl)-5-fluoro-8-hydroxy-8-(hydroxymethyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2-chloro-4-fluoro-6-(hydroxymethyl)benzyl)-5-fluoro-8-hydroxy-8-(hydroxymethyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2,4-difluorobenzyl)-5-fluoro-8-hydroxy-8-(hydroxymethyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2,4-dichloro-3-fluorobenzyl)-5-fluoro-8-hydroxy-8-(hydroxymethyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2,3-dichloro-4-fluorobenzyl)-5-fluoro-8-hydroxy-8-(hydroxymethyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2-chloro-4,6-difluorobenzyl)-5-fluoro-8-hydroxy-8-(hydroxymethyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(4-chloro-2,3-difluorobenzyl)-5-fluoro-8-hydroxy-8-(hydroxymethyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(3-chloro-2,4-difluorobenzyl)-5-fluoro-8-hydroxy-8-(hydroxymethyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(4-chloro-2,6-difluorobenzyl)-5-fluoro-8-hydroxy-8-(hydroxymethyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2,4-dichlorobenzyl)-5-fluoro-8-hydroxy-8-(hydroxymethyl)-3-methyl-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-((R)-1-(2,4-dichlorophenyl)ethyl)-5-fluoro-8-hydroxy-8-(hydroxymethyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-((R)-1-(2-chloro-4-fluorophenyl)ethyl)-5-fluoro-8-hydroxy-8-(hydroxymethyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8R)-N-((R)-1-(2-chloro-4-fluorophenyl)ethyl)-5-fluoro-8-hydroxy-8-(hydroxymethyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-((3,5-dichloropyridin-2-yl)methyl)-5-fluoro-8-hydroxy-8-(hydroxymethyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2,4-dichlorophenethyl)-5-fluoro-8-hydroxy-8-(hydroxymethyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-((trans)-2-(2,4-dichlorophenyl)cyclopropyl)-5-fluoro-8-hydroxy-8-(hydroxymethyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;

(5S,8S)-N-((4-(2,4-dichlorophenyl)tetrahydro-2H-pyran-4-yl)methyl)-5-fluoro-8-hydroxy-8-(hydroxymethyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8S)-N-(2,4-dichloro-6-(hydroxymethyl)benzyl)-5-fluoro-8-methoxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8R)-N-(2,4-dichloro-6-(hydroxymethyl)benzyl)-5-fluoro-8-methoxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2,4-dichloro-6-fluorobenzyl)-5-fluoro-8-methoxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2,3-dichlorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2-chloro-4-fluorobenzyl)-5-fluoro-8-methoxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2-chloro-4-(trifluoromethyl)benzyl)-5-fluoro-8-methoxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-5-fluoro-8-methoxy-N-(2,3,4-trifluorobenzyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(4-chloro-2-fluorobenzyl)-5-fluoro-8-methoxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-5-fluoro-8-methoxy-N-(2,4,6-trifluorobenzyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2,4-difluorobenzyl)-5-fluoro-8-methoxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2,4-dichloro-6-(hydroxymethyl)benzyl)-5-fluoro-8-(2-hydroxyethoxy)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2-chloro-4-fluorobenzyl)-5-fluoro-8-(2-hydroxyethoxy)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-5-fluoro-8-(2-hydroxyethoxy)-N-(2,3,4-trifluorobenzyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(4-chloro-2-fluorobenzyl)-5-fluoro-8-(2-hydroxyethoxy)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2,4-difluorobenzyl)-5-fluoro-8-(2-hydroxyethoxy)-5,6,7,8-tetrahydroquinoline-5-carboxamide;

(5R,8R)-N-(2,4-dichlorobenzyl)-5-fluoro-8-(2-hydroxyethoxy)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2,4-dichlorobenzyl)-8-(2,3-dihydroxypropoxy)-5-fluoro-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8rac)-N-(2,4-dichlorobenzyl)-5-fluoro-8-(methylsulfonyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8rac)-N-(2,4-dichlorobenzyl)-5-fluoro-8-((2-hydroxyethyl)sulfonyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8S)-N-(2-chloro-3-(trifluoromethyl)benzyl)-5,8-difluoro-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8S)-N-(2,4-dichlorobenzyl)-5,8-difluoro-5,6,7,8-tetrahydroquinoline-5-carboxamide and
(5R,8S)-N-(2,3-dichlorobenzyl)-5,8-difluoro-5,6,7,8-tetrahydroquinoline-5-carboxamide.


{0011d} In another aspect of the present disclosure, there is provided a compound represented by the following formula (L-a) or a pharmaceutically acceptable salt thereof:
{Chem. 3}



(L-a)

wherein:
R^3 is independently selected from the group consisting of:
(1) hydrogen, (2) halogen, (3) C_{1-6} alkyl and (4) -O-C_{1-6} alkyl;
p is 0, 1, 2 or 3;
when p is 2 or 3, each R^3 is the same or different;
R^{16} is selected from the group consisting of:
(1) CN and (2) -CO_2R^{18};
R^{17} is selected from the group consisting of:
(1) fluoro and (2) hydroxyl; or,
R^{16} may form =O with R^{17};
R^{18} is selected from the group consisting of:
(1) hydrogen and (2) C_{1-6} alkyl.

{0011e} In a further aspect of the present disclosure, there is provided a compound represented by the following formula (L-b) or a pharmaceutically acceptable salt thereof:
{Chem. 4}



(L-b)

wherein:
R^3 is independently selected from the group consisting of:
(1) hydrogen, (2) halogen, (3) C_{1-6} alkyl and (4) -O-C_{1-6} alkyl;
p is 0, 1, 2 or 3;
when p is 2 or 3, each R^3 is the same or different;
R^4 is selected from the group consisting of:
(1) hydrogen, (2) halogen and (3) hydroxyl.

{0011f} In another aspect of the present disclosure, there is provided a use of a compound disclosed herein or a pharmaceutically acceptable salt thereof for the manufacture of a medicament for the treatment of a condition or disorder mediated by P2X7 receptor antagonistic activity,
wherein the condition or disorder is selected from the group consisting of: diseases of the autoimmune and inflammatory system; diseases of the nervous and neuro-immune system; diseases involving with, and without, neuroinflammation of the Central Nervous System (CNS); diseases of the cardiovascular, metabolic, gastrointestinal and urogenital systems; skeletal disorders, diseases involving the secretoryfunction of exocrine glands and glaucoma, Glomerulonephritis, Chaga's Disease, chlamydia, neuroblastoma, Tuberculosis, □olycystic Kidney Disease, cancer, and acne; and combinations thereof.

{0011g} In a further aspect of the present disclosure, there is provided a compound disclosed herein or a pharmaceutically acceptable salt thereof for use in the treatment of a condition or disorder mediated by P2X7 receptor antagonistic activity.

{0011h} In another aspect of the present disclosure, there is provided a pharmaceutical composition comprising a compound or a pharmaceutically acceptable salt thereof, as disclosed herein, and a pharmaceutically acceptable carrier.

{0011i} In a further aspect of the present disclosure, there is provided a process for preparing a pharmaceutical composition, wherein the process comprises mixing a compound disclosed herein or a pharmaceutically acceptable salt thereof and a pharmaceutically acceptable carrier or excipient.

Technical Problem

{0012} There is a need in the art for P2X7 antagonists that can be used to treat a disease, syndrome, or condition in a mammal including human, wherein the disease, syndrome, or condition is affected by the modulation of P2X7 receptors, such as diseases of the autoimmune and inflammatory system; diseases of the nervous and neuro-immune system; diseases involved with, and without, neuroinflammation of the CNS; diseases of the cardiovascular, metabolic, gastrointestinal and urogenital systems; skeletal disorders, diseases involving the secretory function of exocrine glands and glaucoma, Glomerulonephritis, Chaga's Disease, chlamydia, neuroblastoma, Tuberculosis, Polycystic Kidney Disease, cancer, and acne.

{0013} It is an objective of the invention to provide new P2X7 receptor antagonists that are good drug candidates. P2X7 antagonists should be well absorbed from the GI tract and should be metabolically stable and possess favorable pharmacokinetic properties. They should be non-toxic. Furthermore, the ideal drug candidate would exist in a physical form that is stable, non-hygroscopic and easily formulated. In particular, it has been desired that compounds would have to bind potently to the P2X7 receptor and show functional activity as antagonists. Also it has been desired that compounds would have favorable pharmacokinetic properties.

Solution to Problem

{0014} With respect to other compounds disclosed in the art, the compounds of the present invention may show less toxicity, good absorption and distribution, good solubility, less plasma protein binding, less drug-drug interaction, good metabolic stability. The present invention provides novel compounds which have excellent P2X7 antagonistic activities as well as excellent pharmacokinetic properties.

{0015} In addition, the tetrahydroquinoline derivatives of the present invention show an excellent selectivity for the P2X7 channel as compared with other P2X families, especially P2X1 channel. Involvement of P2X1 against auto regulation in kidney has been reported in P2X1 antagonist (NF 279) (Purinergic Signalling (2012) 8 : 375-417). Thus, selective P2X7 compounds of the present invention lead to improvements in the side-effect profile.

{0016} The present invention provides the following items.


{0017} [1] A compound represented by the following formula (I):

{CLAIMS}

{Claim 1}

A compound represented by the following formula (I):

{Chem. 1}



(I)

or a pharmaceutically acceptable salt thereof,

wherein:

X is N or N-oxide;

n is 0 or 1;

R^1 is selected from the group consisting of:

(1) hydrogen, (2) halogen, (3) hydroxyl, (4) $-NH_2$, (5) $-NH-C_{1-6}$ alkyl and (6) $-S(O)_m-C_{1-6}$ alkyl; wherein m is independently 0, 1 or 2;

R^2 is selected from the group consisting of:

(1) hydrogen, (2) halogen, (3) C_{1-6} alkyl and (4) $-O-C_{1-6}$ alkyl; wherein the C_{1-6} alkyl or the $-O-C_{1-6}$ alkyl is unsubstituted or substituted with one or more substituents independently selected from the group consisting of: halogen, hydroxyl, $-O-C_{1-6}$ alkyl, -CN, $-NR^{9a}R^{10a}$, $-(C=O)-R^{9a}$, $-(C=O)-NR^{9a}R^{10a}$ and $-S(O)_m-R^{9a}$; wherein m is independently 0, 1 or 2;

R^1 may form $=CH_2$ or =O with R^2; or

R^1 may form a 3 to 7 membered ring with R^2 which may contain one or more independently selected from the group consisting of: nitrogen atom, oxygen atom, sulfur atom and carbonyl group; where the 3 to 7 membered ring is unsubstituted or substituted one or more with C_{1-6} alkyl;

R^3 is independently selected from the group consisting of:

(1) hydrogen, (2) halogen, (3) C_{1-6} alkyl and (4) $-O-C_{1-6}$ alkyl;

p is 0, 1, 2 or 3;

when p is 2 or 3, each R^3 is the same or different;

R^4 is selected from the group consisting of:

(1) hydrogen, (2) halogen and (3) hydroxyl;

R^5 is hydrogen or C_{1-6} alkyl;

R^6 is selected from the group consisting of:

(1) hydrogen, (2) C_{1-6} alkyl, (3) hydroxyC_{1-6} alkyl, (4) C_{1-6} alkoxy C_{1-6} alkyl and (5) heterocyclyl C_{1-6} alkyl;

R^5 may form a saturated 3 to 7 membered ring with R^6 which may contain a nitrogen atom, an oxygen atom, a sulfur atom or a double bond; or a saturated or unsaturated bicyclic 9 to 10 membered ring with R^6 which may contain a nitrogen atom, an oxygen atom or a sulfur atom; wherein the saturated 3 to 7 membered ring or the saturated or unsaturated bicyclic 9 to 10 membered ring is optionally substituted with 1 to 6 substituents independently selected from the group consisting of: (1) hydroxyl, (2) halogen, (3) -O-aryl and (4) -O-C_{1-6} alkylaryl;

R^{7a} and R^{7b} are independently selected from the group consisting of:

(1) hydrogen, (2) halogen, (3) hydroxyl, (4) C_{1-6} alkyl and (5) -$NR^{9b}R^{10b}$;

R^{7a} may form a 3 to 7 membered ring with R^5 which may contain a nitrogen atom or an oxygen atom; or

R^{7a} may form a 3 to 7 membered ring with R^{7b} which may contain a nitrogen atom or an oxygen atom;

q is 0 or 1;

R^8 is selected from the group consisting of:

(1) hydrogen, (2) C_{1-6} alkyl, (3) -O-C_{1-6} alkyl, (4) C_{2-6} alkenyl, (5) C_{3-10} cycloalkyl, (6) -$NR^{9b}R^{10b}$: wherein the C_{1-6} alkyl, the -O-C_{1-6} alkyl, the C_{2-6} alkenyl, the C_{3-10} cycloalkyl or the -$NR^{9b}R^{10b}$ is unsubstituted or substituted with one or more substituents independently selected from the group consisting of: halogen and hydroxyl; (7) heterocyclyl, (8) aryl, (9) -O-C_{1-6} alkylaryl, (10) -O-aryl, (11) heteroaryl and (12) aryl-substituted heteroaryl: wherein the heterocyclyl, the aryl, the -O-C_{1-6} alkylaryl, the -O-aryl, the heteroaryl or the aryl-substituted heteroaryl is unsubstituted or substituted with one or more substituents independently selected from the group consisting of: halogen, hydroxyl, -O-C_{1-6} alkyl, -O-C_{1-6} haloalkyl, -C_{3-7} cycloalkyl, -O-C_{3-7} cycloalkyl, hydroxyl-C_{1-6} alkoxy, -CN, -$NR^{9b}R^{10b}$, -(C=O)-R^{9b}, -(C=O)-$NR^{9b}R^{10b}$, -NR^{9b}-(C=O)-R^{10b}, -NR^{11}-(C=O)-$NR^{9b}R^{10b}$, -NR^{9b}-(C=O)-OR^{10b}, -NR^{9b}-$S(O)_m$-R^{10b}, -NR^{11}-$S(O)_m$- $NR^{9b}R^{10b}$, -$S(O)_m$-R^{9b} and C_{1-6} alkyl which may be substituted one or more with halogen, hydroxyl, -O-C_{1-6} alkyl or $NR^{9b}R^{10b}$; wherein m is independently 0, 1 or 2;

R^{9a}, R^{9b}, R^{10a}, R^{10b} or R^{11} is independently selected from the group consisting of:

(1) hydrogen, (2) hydroxyl, (3) C_{1-6} alkyl and (4) hydroxyC_{1-6} alkyl;

R^{9a} may form a 4 to 7 membered ring with R^{10a} which may contain one or more independently selected from the group consisting of: nitrogen atom, oxygen atom, sulfur atom and double bond, wherein the 4 to 7 membered ring is optionally substituted with 1 to 6 substituents independently selected from the group consisting of: (1) hydroxyl, (2) halogen, (3) C_{1-6} alkyl and (4) -O-C_{1-6} alkyl;

R^{9b} may form a 4 to 7 membered ring with R^{10b} which may contain one or more independently

selected from the group consisting of: nitrogen atom, oxygen atom, sulfur atom and double bond, wherein the 4 to 7 membered ring is optionally substituted with 1 to 6 substituents independently selected from the group consisting of: (1) hydroxyl, (2) halogen and (3) C_{1-6} alkyl.

{Claim 2}

The compound according to claim 1:

or a pharmaceutically acceptable salt thereof,

wherein:

X is N;

R^5 is hydrogen or C_{1-6} alkyl;

R^6 is selected from the group consisting of:

(1) hydrogen and (2) C_{1-6} alkyl;

R^5 may form a saturated or unsaturated bicyclic 9 to 10 membered ring with R^6 which may contain a nitrogen atom, an oxygen atom or a sulfur atom; wherein the saturated or unsaturated bicyclic 9 to 10 membered ring is optionally substituted with 1 to 6 substituents independently selected from the group consisting of: (1) hydroxyl, (2) halogen and (3) -O-aryl;

R^{7a} and R^{7b} are independently selected from the group consisting of:

(1) hydrogen, (4) C_{1-6} alkyl and (5) $-NR^{9b}R^{10b}$;

R^{7a} may form a 3 to 7 membered ring with R^5 which may contain a nitrogen atom or an oxygen atom; or

R^{7a} may form a 3 to 7 membered ring with R^{7b} which may contain a nitrogen atom or an oxygen atom;


R^8 is selected from the group consisting of:

(1) hydrogen, (2) C_{1-6} alkyl, (5) C_{3-10} cycloalkyl, wherein the C_{1-6} alkyl or the C_{3-10} cycloalkyl is unsubstituted or substituted with one or more substituents independently selected from the group consisting of: halogen and hydroxyl; (7) heterocyclyl, (8) aryl, (9) -O-C_{1-6} alkylaryl, (10) -O-aryl, (11) heteroaryl and (12) aryl-substituted heteroaryl, wherein the heterocyclyl, the aryl, the -O-C_{1-6} alkylaryl, the -O-aryl, the heteroaryl or the aryl-substituted heteroaryl is unsubstituted or substituted with one or more substituents independently selected from the group consisting of: halogen, hydroxyl, -O-C_{1-6} alkyl, -O-C_{1-6} haloalkyl, -CN and C_{1-6} alkyl which may be substituted one or more with halogen, hydroxyl, -O-C_{1-6} alkyl or $NR^{9b}R^{10b}$.

{Claim 3}

A compound represented by the following formula (M):

{Chem. 2}



(M)

or a pharmaceutically acceptable salt thereof,

wherein:

n is 0 or 1;

R^1 is selected from the group consisting of:

(1) hydrogen, (2) halogen, (3) hydroxyl, (4) $-NH_2$, (5) $-NH-C_{1-6}$ alkyl and (6) $-S(O)_m-C_{1-6}$ alkyl; wherein m is independently 0, 1 or 2;

R^2 is selected from the group consisting of:

(1) hydrogen, (2) halogen, (3) C_{1-6} alkyl and (4) $-O-C_{1-6}$ alkyl; wherein the C_{1-6} alkyl or the $-O-C_{1-6}$ alkyl is unsubstituted or substituted with one or more substituents independently selected from the group consisting of: halogen, hydroxyl, $-O-C_{1-6}$ alkyl, -CN, $-NR^{9a}R^{10a}$, $-(C=O)-R^{9a}$, $-(C=O)-NR^{9a}R^{10a}$ and $-S(O)_m-R^{9a}$; wherein m is independently 0, 1 or 2;

R^1 may form $=CH_2$ or =O with R^2; or

R^1 may form a 3 to 7 membered ring with R^2 which may contain one or more independently selected from the group consisting of: nitrogen atom, oxygen atom, sulfur atom and carbonyl group; where the 3 to 7 membered ring is unsubstituted or substituted one or more with C_{1-6} alkyl;

R^3 is independently selected from the group consisting of:

(1) hydrogen, (2) halogen, (3) C_{1-6} alkyl and (4) $-O-C_{1-6}$ alkyl;

p is 0, 1, 2 or 3;

when p is 2 or 3, each R^3 is the same or different;

R^4 is selected from the group consisting of:

(1) hydrogen, (2) halogen and (3) hydroxyl;

R^5 is hydrogen or C_{1-6} alkyl;

R^6 is selected from the group consisting of:

(1) hydrogen, (2) C_{1-6} alkyl, (3) hydroxyC_{1-6} alkyl, (4) C_{1-6} alkoxy C_{1-6} alkyl and (5) heterocyclyl C_{1-6} alkyl;

R^5 may form a saturated 3 to 7 membered ring with R^6 which may contain a nitrogen atom, an oxygen atom, a sulfur atom or a double bond; wherein the saturated 3 to 7 membered ring is optionally substituted with 1 to 6 substituents independently selected from the group

consisting of: (1) hydroxyl, (2) halogen, (3) -O-aryl and (4) -O-C_{1-6} alkylaryl;
R^{9a}, R^{9b}, R^{10a} or R^{10b} is independently selected from the group consisting of:
(1) hydrogen, (2) hydroxyl, (3) C_{1-6} alkyl and (4) hydroxyC_{1-6} alkyl;
R^{9a} may form a 4 to 7 membered ring with R^{10a} which may contain a nitrogen atom or an oxygen atom; wherein the 4 to 7 membered ring is optionally substituted with 1 to 6 substituents independently selected from the group consisting of: (1) hydroxyl, (2) halogen, (3) C_{1-6} alkyl and (4) -O-C_{1-6} alkyl;
R^{9b} may form a 4 to 7 membered ring with R^{10b} which may contain a nitrogen atom or an oxygen atom; wherein the 4 to 7 membered ring is optionally substituted with 1 to 6 substituents independently selected from the group consisting of: (1) hydroxyl, (2) halogen and (3) C_{1-6} alkyl;
R^{12}, R^{13}, R^{14} and R^{15} are independently selected from the group consisting of:
(1) hydrogen, (2) hydroxyl, (3) halogen, (4) C_{1-6} alkyl, (5) -O-C_{1-6} alkyl and (6) CN; wherein the C_{1-6} alkyl or the -O-C_{1-6} alkyl is unsubstituted or substituted with one or more substituents independently selected from the group consisting of: halogen, hydroxyl, -O-C_{1-6} alkyl and $NR^{9b}R^{10b}$;or
R^{12} may form a 5 to 7 membered ring with R^5 which may contain one or more independently selected from the group consisting of: nitrogen atom and oxygen atom.
{Claim 4}
The compound according to claim 3:
or a pharmaceutically acceptable salt thereof,
wherein:
n is 1;
R^1 is hydrogen or hydroxyl;
R^2 is methyl which is unsubstituted or substituted with one or more substituents independently selected from the group consisting of: halogen, hydroxyl, -O-C_{1-6} alkyl, -CN and -$NR^{9a}R^{10a}$;
p is 0;
R^4 is hydrogen or fluoro;
R^5 and R^6 are independently selected from the group consisting of: (1) hydrogen and (2) C_{1-6} alkyl;
R^{12}, R^{13} and R^{14} are independently selected from the group consisting of: (1) hydrogen, (3) halogen, and (4) C_{1-3} alkyl which may be substituted one or more with hydroxyl;
R^{15} is hydrogen.
{Claim 5}
A compound which is selected from the group following or a pharmaceutically acceptable salt thereof,
N-(2,4-dichloro-6-methylbenzyl)-8-oxo-5,6,7,8-tetrahydroquinoline-5-carboxamide;
N-(2-chloro-3-(trifluoromethyl)benzyl)-8-oxo-5,6,7,8-tetrahydroquinoline-5-carboxamide;

N-(2,3-dichlorobenzyl)-8-oxo-5,6,7,8-tetrahydroquinoline-5-carboxamide;
N-(2,4-dichloro-6-(hydroxymethyl)benzyl)-8-oxo-5,6,7,8-tetrahydroquinoline-5-carboxamide;
N-(cycloheptylmethyl)-8-oxo-5,6,7,8-tetrahydroquinoline-5-carboxamide;
N-(2,4-dichloro-6-methylbenzyl)-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
N-(2-chloro-3-(trifluoromethyl)benzyl)-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
N-(2,3-dichlorobenzyl)-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
N-(2,4-dichloro-6-(hydroxymethyl)benzyl)-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
N-(2,4-dichloro-6-(methoxymethyl)benzyl)-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
N-(2,4-dichloro-6-methylbenzyl)-7-methylene-6,7-dihydro-5H-cyclopenta[b]pyridine-5-carboxamide;
N-(2,4-dichloro-6-methylbenzyl)-5-fluoro-8-oxo-5,6,7,8-tetrahydroquinoline-5-carboxamide;
N-(2-chloro-3-(trifluoromethyl)benzyl)-5-fluoro-8-oxo-5,6,7,8-tetrahydroquinoline-5-carboxamide;
N-(2,4-dichloro-6-(hydroxymethyl)benzyl)-5-fluoro-8-oxo-5,6,7,8-tetrahydroquinoline-5-carboxamide;
N-(2,4-dichloro-6-methylbenzyl)-5-hydroxy-8-oxo-5,6,7,8-tetrahydroquinoline-5-carboxamide;
N-(2,4-dichloro-6-methylbenzyl)-7-oxo-6,7-dihydro-5H-cyclopenta[b]pyridine-5-carboxamide;
N-(2-chloro-3-(trifluoromethyl)benzyl)-7-oxo-6,7-dihydro-5H-cyclopenta[b]pyridine-5-carboxamide;
N-(2,4-dichloro-6-methylbenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
N-(2-chloro-3-(trifluoromethyl)benzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
N-(2,4-dichloro-6-(hydroxymethyl)benzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
N-(2,3-dichlorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
N-(2,4-dichlorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
N-(2,4-dichloro-6-(methoxymethyl)benzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
N-(2,4-dichloro-6-methylbenzyl)-5,8-dihydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
N-(2-chloro-3-(trifluoromethyl)benzyl)-5,8-dihydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
N-(2,4-dichloro-6-methylbenzyl)-7-hydroxy-6,7-dihydro-5H-cyclopenta[b]pyridine-5-carboxamide;

N-(2-chloro-3-(trifluoromethyl)benzyl)-7-hydroxy-6,7-dihydro-5H-cyclopenta[b]pyridine-5-carboxamide;
N-(2,3-dichlorobenzyl)-7-hydroxy-6,7-dihydro-5H-cyclopenta[b]pyridine-5-carboxamide;
N-(2,4-dichlorobenzyl)-5-fluoro-7-hydroxy-6,7-dihydro-5H-cyclopenta[b]pyridine-5-carboxamide;
2-(5-((2,4-dichloro-6-methylbenzyl)carbamoyl)-5,6,7,8-tetrahydroquinolin-8-yl)acetic acid;
2-(5-((2-chloro-3-(trifluoromethyl)benzyl)carbamoyl)-5,6,7,8-tetrahydroquinolin-8-yl)acetic acid;
(2-amino-2-oxoethyl)-N-(2-chloro-3-(trifluoromethyl)benzyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
N-(2,4-dichloro-6-methylbenzyl)-8-hydroxy-8-(hydroxymethyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
N-(2,4-dichloro-6-methylbenzyl)-5-fluoro-8-hydroxy-8-(hydroxymethyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
N-(2-chloro-3-(trifluoromethyl)benzyl)-5-fluoro-8-hydroxy-8-(hydroxymethyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
N-(2,3-dichlorobenzyl)-5-fluoro-8-hydroxy-8-(hydroxymethyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
N-(2,4-dichlorobenzyl)-5-fluoro-8-hydroxy-8-(hydroxymethyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
N-(2,4-dichlorobenzyl)-5-fluoro-7-hydroxy-7-(hydroxymethyl)-6,7-dihydro-5H-cyclopenta[b]pyridine-5-carboxamide;
N-(2,4-dichloro-6-methylbenzyl)-5-fluoro-8-hydroxy-8-(methoxymethyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
N-(2-chloro-3-(trifluoromethyl)benzyl)-5-fluoro-8-hydroxy-8-(methoxymethyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S*,8S*)-N-(2,4-dichlorobenzyl)-5-fluoro-8-hydroxy-8-(methoxymethyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S*,8S*)-N-(2-chloro-4-fluorobenzyl)-5-fluoro-8-hydroxy-8-(methoxymethyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
8-(aminomethyl)-N-(2,4-dichloro-6-methylbenzyl)-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
N-(2,4-dichloro-6-methylbenzyl)-8-hydroxy-8-((methylamino)methyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
8-(aminomethyl)-N-(2,4-dichloro-6-methylbenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
N-(2,4-dichloro-6-methylbenzyl)-5-fluoro-8-hydroxy-8-((methylamino)methyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
N-(2,4-dichloro-6-methylbenzyl)-8-((dimethylamino)methyl)-5-fluoro-8-hydroxy-5,6,7,8-

tetrahydroquinoline-5-carboxamide;
8-(aminomethyl)-N-(2-chloro-3-(trifluoromethyl)benzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
N-(2-chloro-3-(trifluoromethyl)benzyl)-5-fluoro-8-hydroxy-8-((methylamino)methyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
N-(2-chloro-3-(trifluoromethyl)benzyl)-8-((dimethylamino)methyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S*,8R*)-N-(2,4-dichlorobenzyl)-5-fluoro-8-hydroxy-8-((3-hydroxyazetidin-1-yl)methyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S*,8R*)-N-(2-chloro-4-fluorobenzyl)-5-fluoro-8-hydroxy-8-((3-hydroxyazetidin-1-yl)methyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S*,8R*)-N-(2-chloro-4-fluorobenzyl)-5-fluoro-8-hydroxy-8-((3-methoxyazetidin-1-yl)methyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S*,8R*)-N-(2-chloro-4-fluorobenzyl)-5-fluoro-8-hydroxy-8-((3-hydroxy-3-methylazetidin-1-yl)methyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S*,8R*)-N-(2-chloro-4-fluorobenzyl)-5-fluoro-8-hydroxy-8-((3-methoxy-3-methylazetidin-1-yl)methyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S*,8R*)-N-(2-chloro-4-fluorobenzyl)-5-fluoro-8-hydroxy-8-(((2-hydroxyethyl)amino)methyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S*,8R*)-N-(2-chloro-4-fluorobenzyl)-5-fluoro-8-hydroxy-8-(((2-hydroxyethyl)(methyl)amino)methyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
N-(2-chloro-3-(trifluoromethyl)benzyl)-5-fluoro-8-hydroxy-8-methyl-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S*,8R*)-8-amino-N-(2,4-dichlorobenzyl)-5-fluoro-8-(hydroxymethyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S*,8S*)-8-amino-N-(2,4-dichlorobenzyl)-5-fluoro-8-(hydroxymethyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(3R*,5'S*)-N-(2,4-dichlorobenzyl)-5'-fluoro-5-oxo-6',7'-dihydro-5'H-spiro[morpholine-3,8'-quinoline]-5'-carboxamide;
(3S*,5'S*)-N-(2,4-dichlorobenzyl)-5'-fluoro-5-oxo-6',7'-dihydro-5'H-spiro[morpholine-3,8'-quinoline]-5'-carboxamide;
(5S,8S)-N-(2,4-dichloro-6-methylbenzyl)-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8S)-N-(2,4-dichloro-6-methylbenzyl)-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2,4-dichlorobenzyl)-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8S)-N-(2,4-dichlorobenzyl)-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2-chloro-4-fluorobenzyl)-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8S)-N-(2-chloro-4-fluorobenzyl)-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;

(5S,8S)-N-(2,4-dichloro-6-fluorobenzyl)-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8S)-N-(2,4-dichloro-6-fluorobenzyl)-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-8-hydroxy-N-(2,3,4-trifluorobenzyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8S)-8-hydroxy-N-(2,3,4-trifluorobenzyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8S)-8-hydroxy-N-(2,4,6-trifluorobenzyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8S)-N-(2,4-difluorobenzyl)-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(4-fluoro-2-(trifluoromethyl)benzyl)-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8S)-N-(4-fluoro-2-(trifluoromethyl)benzyl)-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(4-chloro-2-fluorobenzyl)-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8S)-N-(4-chloro-2-fluorobenzyl)-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(4-bromo-2-fluorobenzyl)-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8S)-N-(4-bromo-2-fluorobenzyl)-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2-chloro-3,4-difluorobenzyl)-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8S)-N-(2-chloro-3,4-difluorobenzyl)-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,7S)-N-(2,4-dichloro-6-methylbenzyl)-7-hydroxy-6,7-dihydro-5H-cyclopenta[b]pyridine-5-carboxamide;
(5R,8R)-N-(2,4-dichloro-6-methylbenzyl)-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8R)-N-(2,4-dichloro-6-methylbenzyl)-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2-chloro-3-(trifluoromethyl)benzyl)-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8R)-N-(2,4-dichlorobenzyl)-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8R)-N-(2,4-dichlorobenzyl)-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8R)-N-(2-chloro-4-fluorobenzyl)-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8R)-N-(2-chloro-4-fluorobenzyl)-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8R)-N-(2,4-dichloro-6-fluorobenzyl)-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8R)-N-(2,4-dichloro-6-fluorobenzyl)-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8R)-8-hydroxy-N-(2,3,4-trifluorobenzyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8R)-8-hydroxy-N-(2,3,4-trifluorobenzyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8R)-N-(4-chloro-2-fluorobenzyl)-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;

(5S,8R)-N-(4-chloro-2-fluorobenzyl)-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,7R)-N-(2,4-dichloro-6-methylbenzyl)-7-hydroxy-6,7-dihydro-5H-cyclopenta[b]pyridine-5-carboxamide;
(5S,7R)-N-(2,4-dichloro-6-methylbenzyl)-7-hydroxy-6,7-dihydro-5H-cyclopenta[b]pyridine-5-carboxamide;
(5R,8S)-N-(2,4-dichloro-6-methylbenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8R)-N-(2,4-dichloro-6-methylbenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8S)-N-(2-chloro-3-(trifluoromethyl)benzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8R)-N-(2-chloro-3-(trifluoromethyl)benzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8S)-N-(2,4-dichloro-6-(hydroxymethyl)benzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8R)-N-(2,4-dichloro-6-(hydroxymethyl)benzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8S)-N-(2,4-dichlorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8R)-N-(2,4-dichlorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8R)-N-(2-chloro-4-fluorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8R)-5-fluoro-8-hydroxy-N-(2,3,4-trifluorobenzyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8R)-N-(2,4-difluorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8R)-5-fluoro-N-(4-fluoro-2-(trifluoromethyl)benzyl)-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8R)-N-(4-chloro-2-fluorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8S)-N-(2,6-dichloro-4-(trifluoromethyl)benzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8R)-N-(2,6-dichloro-4-(trifluoromethyl)benzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8S)-N-(2,4-dichloro-6-(difluoromethyl)benzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8R)-N-(2,4-dichloro-6-(difluoromethyl)benzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;

(5R,8S)-N-(2,4-dichloro-6-fluorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8R)-N-(2,4-dichloro-6-fluorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8R)-N-(4-bromo-2-chlorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8R)-N-((R)-1-(2,4-dichlorophenyl)ethyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8S)-N-(2,3-dichlorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8R)-N-(2,3-dichlorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8R)-N-(2-chloro-6-methylbenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8R)-N-(2-chloro-4,5-difluorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8R)-5-fluoro-8-hydroxy-N-(2,3,6-trichlorobenzyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8R)-N-(2-chloro-4-methylbenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8R)-N-(2,4-dichloro-6-methylbenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2,4-dichloro-6-methylbenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8R)-N-(2-chloro-3-(trifluoromethyl)benzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2-chloro-3-(trifluoromethyl)benzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8R)-N-(2,4-dichloro-6-(hydroxymethyl)benzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2,4-dichloro-6-(hydroxymethyl)benzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8R)-N-(2,4-dichlorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2,4-dichlorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8R)-N-(2-chloro-4-fluorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2-chloro-4-fluorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-

carboxamide;
(5R,8R)-5-fluoro-8-hydroxy-N-(2,3,4-trifluorobenzyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-5-fluoro-8-hydroxy-N-(2,3,4-trifluorobenzyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8R)-N-(2,6-dichlorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2,6-dichlorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8R)-N-(2,4-difluorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2,4-difluorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2-chloro-6-fluoro-3-methylbenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8R)-5-fluoro-N-(4-fluoro-2-(trifluoromethyl)benzyl)-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-5-fluoro-N-(4-fluoro-2-(trifluoromethyl)benzyl)-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8R)-N-(4-chloro-2-fluorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(4-chloro-2-fluorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8R)-N-(2,6-dichloro-4-(trifluoromethyl)benzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2,6-dichloro-4-(trifluoromethyl)benzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2,4-dichloro-6-(difluoromethyl)benzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2-chloro-4-fluoro-6-(hydroxymethyl)benzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8R)-N-(2,4-dichloro-6-fluorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2,4-dichloro-6-fluorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8R)-N-(4-bromo-2-chlorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(4-bromo-2-chlorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;

(5R,8R)-N-((R)-1-(2,4-dichlorophenyl)ethyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8R)-N-(4-chloro-2-(trifluoromethyl)benzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(4-chloro-2-(trifluoromethyl)benzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8R)-N-(2,3-dichlorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2,3-dichlorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8R)-N-(2-chloro-6-methylbenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2-chloro-6-methylbenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8R)-N-(2-chloro-4,5-difluorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2-chloro-4,5-difluorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8R)-5-fluoro-8-hydroxy-N-(2,3,6-trichlorobenzyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-5-fluoro-8-hydroxy-N-(2,3,6-trichlorobenzyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8R)-N-(2-chloro-4-methylbenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2-chloro-4-methylbenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-5-fluoro-8-hydroxy-N-((S)-1-(2,3,4-trichlorophenyl)ethyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2-chloro-3-fluorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2-chloro-3,6-difluorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2-chloro-6-fluorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2-chloro-4-methoxybenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2,5-dichlorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2-chloro-3,4-difluorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-

carboxamide;
(5S,8S)-5-fluoro-N-(2-fluoro-3-(trifluoromethyl)benzyl)-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2-chloro-4,6-difluorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-((3,5-dichloropyridin-2-yl)methyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-5-fluoro-N-(3-fluoro-2-(trifluoromethyl)benzyl)-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2-chloro-6-(trifluoromethyl)benzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-5-fluoro-8-hydroxy-N-(2,4,6-trifluorobenzyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(5-bromo-2-chlorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(4-bromo-2-fluorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(4-chloro-2,3-difluorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(4-chloro-2,6-difluorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(3-chloro-2,4-difluorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-5-fluoro-N-(2-fluoro-6-(trifluoromethyl)benzyl)-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2-chloro-4-(trifluoromethyl)benzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(3-chloro-4-fluorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-5-fluoro-8-hydroxy-N-((R)-1,2,3,4-tetrahydronaphthalen-1-yl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(3-chloro-2-fluorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2,4-dichlorophenethyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-5-fluoro-8-hydroxy-N-((1-morpholinocyclohexyl)methyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(3-chloro-2,6-difluorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;

(5S,8S)-N-((3-chloro-5-(trifluoromethyl)pyridin-2-yl)methyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2-chlorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-((R)-2,3-dihydro-1H-inden-1-yl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(3,4-dichlorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2-chloro-6-methoxybenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-5-fluoro-8-hydroxy-N-(2-(trifluoromethyl)benzyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-5-fluoro-8-hydroxy-N-(3,4,5-trifluorobenzyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(4-cyano-2-fluorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(3,4-difluorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(3-chloro-5-fluorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide
(5S,8S)-N-(2-chloro-5-fluorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(3-chlorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(4-chloro-3-fluorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-5-fluoro-N-(2-fluoro-4-(trifluoromethoxy)benzyl)-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2,3-difluorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2-chloro-5-(trifluoromethyl)benzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(4-chlorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-5-fluoro-8-hydroxy-N-(4-methoxy-2-(trifluoromethyl)benzyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(3,5-dichlorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-((4-(4-chlorophenyl)thiazol-2-yl)methyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-5-fluoro-8-hydroxy-N-(2-(morpholinomethyl)benzyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;

(5S,8S)-5-fluoro-8-hydroxy-N-((1S,2R)-2-phenylcyclopropyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(6-chloro-2-fluoro-3-methylbenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2,6-difluorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-5-fluoro-8-hydroxy-N-((S)-1,2,3,4-tetrahydronaphthalen-1-yl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-5-fluoro-8-hydroxy-N-(2-(3-(trifluoromethyl)phenoxy)ethyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-5-fluoro-N-((1-(4-fluorophenyl)cyclopropyl)methyl)-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(3,5-difluorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-5-fluoro-8-hydroxy-N-((1R,2S)-2-phenylcyclopropyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-5-fluoro-N-(2-fluorobenzyl)-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2-chloro-3-methoxybenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-((1S,2S)-2-(benzyloxy)cyclopentyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-((S)-2,3-dihydro-1H-inden-1-yl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(3,3-dimethylbutyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-5-fluoro-8-hydroxy-N-(2-phenoxyethyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(4,6-dichloro-2,3-dihydrobenzofuran-3-yl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(5,7-dichlorochroman-4-yl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(1-(adamantan-1-yl)ethyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2-(4-chlorophenyl)-2-(4,4-difluoropiperidin-1-yl)ethyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(chroman-3-yl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2-(4-chlorophenyl)propyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-5-fluoro-8-hydroxy-N-(2-morpholino-2-phenylethyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;

(5S,8S)-N-(2-(4,4-difluoropiperidin-1-yl)-2-(4-methylthiazol-5-yl)ethyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-((R)-1-(2-chloro-4-fluorophenyl)ethyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-((trans)-2-(2,4-dichlorophenyl)cyclopropyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-((S)-1-(2-chloro-4-fluorophenyl)ethyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-((4-(2,4-dichlorophenyl)tetrahydro-2H-pyran-4-yl)methyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2,4-dichlorobenzyl)-3,5-difluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2-chloro-4-fluorobenzyl)-3,5-difluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2,4-dichlorobenzyl)-5-fluoro-8-hydroxy-3-methyl-5,6,7,8-tetrahydroquinoline-5-carboxamide
(5S,8S)-N-(2-chloro-4-fluorobenzyl)-5-fluoro-8-hydroxy-3-methyl-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-5-((2,4-dichlorobenzyl)carbamoyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline 1-oxide;
(R)-N-(2-chloro-3-(trifluoromethyl)benzyl)-5-fluoro-8-oxo-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(S)-N-(2-chloro-3-(trifluoromethyl)benzyl)-5-fluoro-8-oxo-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(S)-N-(2,4-dichlorobenzyl)-5-fluoro-8-oxo-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(S)-N-(2-chloro-4-fluorobenzyl)-5-fluoro-8-oxo-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(S)-N-(2-chloro-3-fluorobenzyl)-5-fluoro-8-oxo-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(S)-N-(2,4-dichloro-6-fluorobenzyl)-5-fluoro-8-oxo-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(S)-N-(2,3-dichlorobenzyl)-5-fluoro-8-oxo-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(S)-N-(2-chloro-4-(trifluoromethyl)benzyl)-5-fluoro-8-oxo-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(S)-5-fluoro-8-oxo-N-(2,3,4-trifluorobenzyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(S)-N-((3,5-dichloropyridin-2-yl)methyl)-5-fluoro-8-oxo-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2,4-dichlorobenzyl)-5-fluoro-8-hydroxy-8-methyl-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8R)-N-(2,4-dichlorobenzyl)-5-fluoro-8-hydroxy-8-methyl-5,6,7,8-tetrahydroquinoline-5-carboxamide;

(5S,8S)-5-fluoro-8-hydroxy-8-methyl-N-(2,3,4-trifluorobenzyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2-chloro-4-fluorobenzyl)-5-fluoro-8-hydroxy-8-methyl-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8R)-N-(2-chloro-4-fluorobenzyl)-5-fluoro-8-hydroxy-8-methyl-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2,4-dichloro-6-(hydroxymethyl)benzyl)-5-fluoro-8-hydroxy-8-methyl-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2-chloro-4-fluoro-6-(hydroxymethyl)benzyl)-5-fluoro-8-hydroxy-8-methyl-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2,4-difluorobenzyl)-5-fluoro-8-hydroxy-8-methyl-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(4-chloro-2-fluorobenzyl)-5-fluoro-8-hydroxy-8-methyl-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2,4-dichloro-6-fluorobenzyl)-5-fluoro-8-hydroxy-8-methyl-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2-chloro-4,6-difluorobenzyl)-5-fluoro-8-hydroxy-8-methyl-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(4-chloro-2,3-difluorobenzyl)-5-fluoro-8-hydroxy-8-methyl-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(3-chloro-2,4-difluorobenzyl)-5-fluoro-8-hydroxy-8-methyl-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(4-chloro-2,6-difluorobenzyl)-5-fluoro-8-hydroxy-8-methyl-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-((R)-1-(2-chloro-4-fluorophenyl)ethyl)-5-fluoro-8-hydroxy-8-methyl-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-((S)-1-(2-chloro-4-fluorophenyl)ethyl)-5-fluoro-8-hydroxy-8-methyl-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-((3,5-dichloropyridin-2-yl)methyl)-5-fluoro-8-hydroxy-8-methyl-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-((trans)-2-(2,4-dichlorophenyl)cyclopropyl)-5-fluoro-8-hydroxy-8-methyl-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-5-fluoro-8-hydroxy-8-methyl-N-((1-morpholinocyclohexyl)methyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8R)-5-fluoro-8-hydroxy-8-methyl-N-((1-morpholinocyclohexyl)methyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2-chloro-4-fluorobenzyl)-5-fluoro-8-hydroxy-3,8-dimethyl-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8R)-N-(2,4-dichlorobenzyl)-5-fluoro-8-hydroxy-8-(((2-

hydroxyethyl)(methyl)amino)methyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8S)-N-(2,4-dichlorobenzyl)-5-fluoro-8-hydroxy-8-(((2-hydroxyethyl)(methyl)amino)methyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8S)-N-(2,4-dichlorobenzyl)-5-fluoro-8-hydroxy-8-((3-hydroxyazetidin-1-yl)methyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8R)-8-(cyanomethyl)-N-(2,4-dichlorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8R)-N-(2-chloro-4-fluorobenzyl)-8-(cyanomethyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2-chloro-4-fluorobenzyl)-8-(cyanomethyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8R)-8-(cyanomethyl)-N-(2,4-dichloro-6-(hydroxymethyl)benzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8R)-N-(2-chloro-4-fluoro-6-(hydroxymethyl)benzyl)-8-(cyanomethyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2,4-dichlorobenzyl)-5-fluoro-8-(fluoromethyl)-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2-chloro-4-fluorobenzyl)-5-fluoro-8-(fluoromethyl)-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2,4-dichlorobenzyl)-5-fluoro-8-hydroxy-8-((methylthio)methyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2-chloro-4-fluorobenzyl)-5-fluoro-8-hydroxy-8-((methylthio)methyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2-chloro-4-fluorobenzyl)-5-fluoro-8-hydroxy-8-(((2-hydroxyethyl)thio)methyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(2R,5'S)-N-(2,4-dichlorobenzyl)-5'-fluoro-4-methyl-6',7'-dihydro-5'H-spiro[morpholine-2,8'-quinoline]-5'-carboxamide;
(5S,5'S)-N-(2,4-dichlorobenzyl)-5'-fluoro-2-oxo-6',7'-dihydro-5'H-spiro[oxazolidine-5,8'-quinoline]-5'-carboxamide;
(5R,5'S)-N-(2,4-dichlorobenzyl)-5'-fluoro-2-oxo-6',7'-dihydro-5'H-spiro[oxazolidine-5,8'-quinoline]-5'-carboxamide;
(2S,5'R)-N-(2,4-dichlorobenzyl)-5'-fluoro-5-oxo-6',7'-dihydro-5'H-spiro[morpholine-2,8'-quinoline]-5'-carboxamide;
(2S,5'S)-N-(2,4-dichlorobenzyl)-5'-fluoro-5-oxo-6',7'-dihydro-5'H-spiro[morpholine-2,8'-quinoline]-5'-carboxamide;
(2R,5'S)-N-(2,4-dichlorobenzyl)-5'-fluoro-5-oxo-6',7'-dihydro-5'H-spiro[morpholine-2,8'-quinoline]-5'-carboxamide;
(5S,8S)-N-(2-chloro-4-fluorobenzyl)-5-fluoro-8-hydroxy-8-((methylsulfinyl)methyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;

(5S,8R)-N-(2,4-dichlorobenzyl)-5-fluoro-8-hydroxy-8-((methylthio)methyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2,4-dichlorobenzyl)-5-fluoro-8-hydroxy-8-((methylsulfonyl)methyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2-chloro-4-fluorobenzyl)-5-fluoro-8-hydroxy-8-((methylsulfonyl)methyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2,4-dichlorobenzyl)-5-fluoro-8-hydroxy-8-(((2-hydroxyethyl)sulfonyl)methyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2-chloro-4-fluorobenzyl)-5-fluoro-8-hydroxy-8-(((2-hydroxyethyl)sulfonyl)methyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8R)-N-(2,4-dichlorobenzyl)-5-fluoro-8-hydroxy-8-(hydroxymethyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8S)-N-(2,4-dichlorobenzyl)-5-fluoro-8-hydroxy-8-(hydroxymethyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2,4-dichlorobenzyl)-5-fluoro-8-hydroxy-8-(hydroxymethyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8R)-N-(2,4-dichlorobenzyl)-5-fluoro-8-hydroxy-8-(hydroxymethyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2-chloro-4-fluorobenzyl)-5-fluoro-8-hydroxy-8-(hydroxymethyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8R)-N-(2-chloro-4-fluorobenzyl)-5-fluoro-8-hydroxy-8-(hydroxymethyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-5-fluoro-8-hydroxy-8-(hydroxymethyl)-N-(2,3,4-trifluorobenzyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8R)-5-fluoro-8-hydroxy-8-(hydroxymethyl)-N-(2,3,4-trifluorobenzyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2,4-dichloro-6-fluorobenzyl)-5-fluoro-8-hydroxy-8-(hydroxymethyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8R)-N-(2,4-dichloro-6-fluorobenzyl)-5-fluoro-8-hydroxy-8-(hydroxymethyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2-chloro-3,4-difluorobenzyl)-5-fluoro-8-hydroxy-8-(hydroxymethyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8R)-N-(2-chloro-3,4-difluorobenzyl)-5-fluoro-8-hydroxy-8-(hydroxymethyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(4-chloro-2-fluorobenzyl)-5-fluoro-8-hydroxy-8-(hydroxymethyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8R)-N-(4-chloro-2-fluorobenzyl)-5-fluoro-8-hydroxy-8-(hydroxymethyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2,4-dichloro-6-(hydroxymethyl)benzyl)-5-fluoro-8-hydroxy-8-(hydroxymethyl)-

5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2-chloro-4-fluoro-6-(hydroxymethyl)benzyl)-5-fluoro-8-hydroxy-8-(hydroxymethyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2,4-difluorobenzyl)-5-fluoro-8-hydroxy-8-(hydroxymethyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2,4-dichloro-3-fluorobenzyl)-5-fluoro-8-hydroxy-8-(hydroxymethyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2,3-dichloro-4-fluorobenzyl)-5-fluoro-8-hydroxy-8-(hydroxymethyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2-chloro-4,6-difluorobenzyl)-5-fluoro-8-hydroxy-8-(hydroxymethyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(4-chloro-2,3-difluorobenzyl)-5-fluoro-8-hydroxy-8-(hydroxymethyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(3-chloro-2,4-difluorobenzyl)-5-fluoro-8-hydroxy-8-(hydroxymethyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(4-chloro-2,6-difluorobenzyl)-5-fluoro-8-hydroxy-8-(hydroxymethyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2,4-dichlorobenzyl)-5-fluoro-8-hydroxy-8-(hydroxymethyl)-3-methyl-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-((R)-1-(2,4-dichlorophenyl)ethyl)-5-fluoro-8-hydroxy-8-(hydroxymethyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-((R)-1-(2-chloro-4-fluorophenyl)ethyl)-5-fluoro-8-hydroxy-8-(hydroxymethyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8R)-N-((R)-1-(2-chloro-4-fluorophenyl)ethyl)-5-fluoro-8-hydroxy-8-(hydroxymethyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-((3,5-dichloropyridin-2-yl)methyl)-5-fluoro-8-hydroxy-8-(hydroxymethyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2,4-dichlorophenethyl)-5-fluoro-8-hydroxy-8-(hydroxymethyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-((trans)-2-(2,4-dichlorophenyl)cyclopropyl)-5-fluoro-8-hydroxy-8-(hydroxymethyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-((4-(2,4-dichlorophenyl)tetrahydro-2H-pyran-4-yl)methyl)-5-fluoro-8-hydroxy-8-(hydroxymethyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8S)-N-(2,4-dichloro-6-(hydroxymethyl)benzyl)-5-fluoro-8-methoxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8R)-N-(2,4-dichloro-6-(hydroxymethyl)benzyl)-5-fluoro-8-methoxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2,4-dichloro-6-fluorobenzyl)-5-fluoro-8-methoxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;

(5S,8S)-N-(2,3-dichlorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2-chloro-4-fluorobenzyl)-5-fluoro-8-methoxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2-chloro-4-(trifluoromethyl)benzyl)-5-fluoro-8-methoxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-5-fluoro-8-methoxy-N-(2,3,4-trifluorobenzyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(4-chloro-2-fluorobenzyl)-5-fluoro-8-methoxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-5-fluoro-8-methoxy-N-(2,4,6-trifluorobenzyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2,4-difluorobenzyl)-5-fluoro-8-methoxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2,4-dichloro-6-(hydroxymethyl)benzyl)-5-fluoro-8-(2-hydroxyethoxy)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2-chloro-4-fluorobenzyl)-5-fluoro-8-(2-hydroxyethoxy)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-5-fluoro-8-(2-hydroxyethoxy)-N-(2,3,4-trifluorobenzyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(4-chloro-2-fluorobenzyl)-5-fluoro-8-(2-hydroxyethoxy)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2,4-difluorobenzyl)-5-fluoro-8-(2-hydroxyethoxy)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8R)-N-(2,4-dichlorobenzyl)-5-fluoro-8-(2-hydroxyethoxy)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2,4-dichlorobenzyl)-8-(2,3-dihydroxypropoxy)-5-fluoro-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8rac)-N-(2,4-dichlorobenzyl)-5-fluoro-8-(methylsulfonyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8rac)-N-(2,4-dichlorobenzyl)-5-fluoro-8-((2-hydroxyethyl)sulfonyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8S)-N-(2-chloro-3-(trifluoromethyl)benzyl)-5,8-difluoro-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8S)-N-(2,4-dichlorobenzyl)-5,8-difluoro-5,6,7,8-tetrahydroquinoline-5-carboxamide and
(5R,8S)-N-(2,3-dichlorobenzyl)-5,8-difluoro-5,6,7,8-tetrahydroquinoline-5-carboxamide.

{Claim 6}

The compound according to claim 5, which is selected from the group following or a pharmaceutically acceptable salt thereof,

N-(2,3-dichlorobenzyl)-8-oxo-5,6,7,8-tetrahydroquinoline-5-carboxamide;
N-(2,4-dichloro-6-(hydroxymethyl)benzyl)-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
N-(2-chloro-3-(trifluoromethyl)benzyl)-7-oxo-6,7-dihydro-5H-cyclopenta[b]pyridine-5-carboxamide;
N-(2,4-dichloro-6-methylbenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
N-(2-chloro-3-(trifluoromethyl)benzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
N-(2,4-dichloro-6-(hydroxymethyl)benzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
N-(2,3-dichlorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
N-(2,4-dichlorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
N-(2-chloro-3-(trifluoromethyl)benzyl)-7-hydroxy-6,7-dihydro-5H-cyclopenta[b]pyridine-5-carboxamide;
N-(2,4-dichlorobenzyl)-5-fluoro-7-hydroxy-6,7-dihydro-5H-cyclopenta[b]pyridine-5-carboxamide;
2-(5-((2,4-dichloro-6-methylbenzyl)carbamoyl)-5,6,7,8-tetrahydroquinolin-8-yl)acetic acid;
2-(5-((2-chloro-3-(trifluoromethyl)benzyl)carbamoyl)-5,6,7,8-tetrahydroquinolin-8-yl)acetic acid;
N-(2-chloro-3-(trifluoromethyl)benzyl)-5-fluoro-8-hydroxy-8-(hydroxymethyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
N-(2,3-dichlorobenzyl)-5-fluoro-8-hydroxy-8-(hydroxymethyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
N-(2,4-dichlorobenzyl)-5-fluoro-8-hydroxy-8-(hydroxymethyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
N-(2,4-dichlorobenzyl)-5-fluoro-7-hydroxy-7-(hydroxymethyl)-6,7-dihydro-5H-cyclopenta[b]pyridine-5-carboxamide;
(5S*,8S*)-N-(2-chloro-4-fluorobenzyl)-5-fluoro-8-hydroxy-8-(methoxymethyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
N-(2,4-dichloro-6-methylbenzyl)-8-((dimethylamino)methyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S*,8R*)-N-(2,4-dichlorobenzyl)-5-fluoro-8-hydroxy-8-((3-hydroxyazetidin-1-yl)methyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S*,8R*)-N-(2-chloro-4-fluorobenzyl)-5-fluoro-8-hydroxy-8-((3-hydroxyazetidin-1-yl)methyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S*,8R*)-N-(2-chloro-4-fluorobenzyl)-5-fluoro-8-hydroxy-8-((3-methoxyazetidin-1-yl)methyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S*,8R*)-N-(2-chloro-4-fluorobenzyl)-5-fluoro-8-hydroxy-8-((3-hydroxy-3-methylazetidin-1-

yl)methyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S*,8R*)-N-(2-chloro-4-fluorobenzyl)-5-fluoro-8-hydroxy-8-((3-methoxy-3-methylazetidin-1-yl)methyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S*,8R*)-N-(2-chloro-4-fluorobenzyl)-5-fluoro-8-hydroxy-8-(((2-hydroxyethyl)amino)methyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S*,8R*)-N-(2-chloro-4-fluorobenzyl)-5-fluoro-8-hydroxy-8-(((2-hydroxyethyl)(methyl)amino)methyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(3R*,5'S*)-N-(2,4-dichlorobenzyl)-5'-fluoro-5-oxo-6',7'-dihydro-5'H-spiro[morpholine-3,8'-quinoline]-5'-carboxamide;
(3S*,5'S*)-N-(2,4-dichlorobenzyl)-5'-fluoro-5-oxo-6',7'-dihydro-5'H-spiro[morpholine-3,8'-quinoline]-5'-carboxamide;
(5S,8S)-N-(2,4-dichloro-6-methylbenzyl)-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2,4-dichlorobenzyl)-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2-chloro-4-fluorobenzyl)-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8S)-N-(2-chloro-4-fluorobenzyl)-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2,4-dichloro-6-fluorobenzyl)-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-8-hydroxy-N-(2,3,4-trifluorobenzyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8S)-8-hydroxy-N-(2,3,4-trifluorobenzyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8S)-8-hydroxy-N-(2,4,6-trifluorobenzyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8S)-N-(2,4-difluorobenzyl)-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(4-fluoro-2-(trifluoromethyl)benzyl)-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8S)-N-(4-fluoro-2-(trifluoromethyl)benzyl)-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(4-chloro-2-fluorobenzyl)-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8S)-N-(4-chloro-2-fluorobenzyl)-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(4-bromo-2-fluorobenzyl)-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8S)-N-(4-bromo-2-fluorobenzyl)-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2-chloro-3,4-difluorobenzyl)-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8R)-N-(2,4-dichloro-6-methylbenzyl)-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2-chloro-3-(trifluoromethyl)benzyl)-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8R)-N-(2-chloro-4-fluorobenzyl)-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8R)-N-(2-chloro-4-fluorobenzyl)-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8R)-N-(2,4-dichloro-6-fluorobenzyl)-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-

carboxamide;
(5R,8R)-8-hydroxy-N-(2,3,4-trifluorobenzyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8R)-8-hydroxy-N-(2,3,4-trifluorobenzyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8R)-N-(4-chloro-2-fluorobenzyl)-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8S)-N-(2,4-dichloro-6-methylbenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8S)-N-(2,4-dichloro-6-(hydroxymethyl)benzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8S)-N-(2,4-dichlorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8R)-N-(2,4-dichlorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8R)-N-(2-chloro-4-fluorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8R)-5-fluoro-8-hydroxy-N-(2,3,4-trifluorobenzyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8R)-N-(2,4-difluorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8R)-5-fluoro-N-(4-fluoro-2-(trifluoromethyl)benzyl)-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8R)-N-(4-chloro-2-fluorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8S)-N-(2,6-dichloro-4-(trifluoromethyl)benzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8R)-N-(2,6-dichloro-4-(trifluoromethyl)benzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8S)-N-(2,4-dichloro-6-fluorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8R)-N-(2,4-dichloro-6-fluorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8R)-N-(4-bromo-2-chlorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8S)-N-(2,3-dichlorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8R)-N-(2,3-dichlorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8R)-N-(2-chloro-6-methylbenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8R)-N-(2-chloro-4,5-difluorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-

carboxamide;
(5S,8R)-N-(2-chloro-4-methylbenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8R)-N-(2,4-dichloro-6-methylbenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8R)-N-(2-chloro-3-(trifluoromethyl)benzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8R)-N-(2,4-dichloro-6-(hydroxymethyl)benzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2,4-dichloro-6-(hydroxymethyl)benzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8R)-N-(2,4-dichlorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2,4-dichlorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8R)-N-(2-chloro-4-fluorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2-chloro-4-fluorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8R)-5-fluoro-8-hydroxy-N-(2,3,4-trifluorobenzyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-5-fluoro-8-hydroxy-N-(2,3,4-trifluorobenzyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8R)-N-(2,6-dichlorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8R)-N-(2,4-difluorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2,4-difluorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8R)-5-fluoro-N-(4-fluoro-2-(trifluoromethyl)benzyl)-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-5-fluoro-N-(4-fluoro-2-(trifluoromethyl)benzyl)-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8R)-N-(4-chloro-2-fluorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(4-chloro-2-fluorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8R)-N-(2,6-dichloro-4-(trifluoromethyl)benzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;

(5S,8S)-N-(2,4-dichloro-6-(difluoromethyl)benzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2-chloro-4-fluoro-6-(hydroxymethyl)benzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8R)-N-(2,4-dichloro-6-fluorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2,4-dichloro-6-fluorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8R)-N-(4-bromo-2-chlorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(4-bromo-2-chlorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8R)-N-(2,3-dichlorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2,3-dichlorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8R)-N-(2-chloro-6-methylbenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8R)-N-(2-chloro-4,5-difluorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8R)-5-fluoro-8-hydroxy-N-(2,3,6-trichlorobenzyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8R)-N-(2-chloro-4-methylbenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2-chloro-4-methylbenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2-chloro-3-fluorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2-chloro-3,6-difluorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2-chloro-6-fluorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2-chloro-4-methoxybenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2-chloro-3,4-difluorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2-chloro-4,6-difluorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-5-fluoro-N-(3-fluoro-2-(trifluoromethyl)benzyl)-8-hydroxy-5,6,7,8-

tetrahydroquinoline-5-carboxamide;
(5S,8S)-5-fluoro-8-hydroxy-N-(2,4,6-trifluorobenzyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(4-bromo-2-fluorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(4-chloro-2,3-difluorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(4-chloro-2,6-difluorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2-chloro-4-(trifluoromethyl)benzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(3-chloro-4-fluorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-5-fluoro-8-hydroxy-N-((R)-1,2,3,4-tetrahydronaphthalen-1-yl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(3-chloro-2-fluorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(3-chloro-2,6-difluorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-((3-chloro-5-(trifluoromethyl)pyridin-2-yl)methyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2-chlorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-((R)-2,3-dihydro-1H-inden-1-yl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(3,4-dichlorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-5-fluoro-8-hydroxy-N-(2-(trifluoromethyl)benzyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-5-fluoro-8-hydroxy-N-(3,4,5-trifluorobenzyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(4-cyano-2-fluorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(3,4-difluorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(3-chloro-5-fluorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2-chloro-5-fluorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(3-chlorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;

(5S,8S)-N-(4-chloro-3-fluorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-5-fluoro-N-(2-fluoro-4-(trifluoromethoxy)benzyl)-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2,3-difluorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(4-chlorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(3,5-dichlorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-5-fluoro-8-hydroxy-N-((1S,2R)-2-phenylcyclopropyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2,6-difluorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-5-fluoro-8-hydroxy-N-((S)-1,2,3,4-tetrahydronaphthalen-1-yl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-5-fluoro-8-hydroxy-N-(2-(3-(trifluoromethyl)phenoxy)ethyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(3,5-difluorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-5-fluoro-8-hydroxy-N-((1R,2S)-2-phenylcyclopropyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-5-fluoro-N-(2-fluorobenzyl)-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2-chloro-3-methoxybenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-((S)-2,3-dihydro-1H-inden-1-yl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(3,3-dimethylbutyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-5-fluoro-8-hydroxy-N-(2-phenoxyethyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(4,6-dichloro-2,3-dihydrobenzofuran-3-yl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(chroman-3-yl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-5-fluoro-8-hydroxy-N-(2-morpholino-2-phenylethyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2-(4,4-difluoropiperidin-1-yl)-2-(4-methylthiazol-5-yl)ethyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-((trans)-2-(2,4-dichlorophenyl)cyclopropyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2,4-dichlorobenzyl)-5-fluoro-8-hydroxy-3-methyl-5,6,7,8-tetrahydroquinoline-5-

carboxamide;
(5S,8S)-N-(2-chloro-4-fluorobenzyl)-5-fluoro-8-hydroxy-3-methyl-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-5-((2,4-dichlorobenzyl)carbamoyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline 1-oxide;
(5S,8S)-5-fluoro-8-hydroxy-8-methyl-N-(2,3,4-trifluorobenzyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2-chloro-4-fluorobenzyl)-5-fluoro-8-hydroxy-8-methyl-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8R)-N-(2-chloro-4-fluorobenzyl)-5-fluoro-8-hydroxy-8-methyl-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2-chloro-4-fluoro-6-(hydroxymethyl)benzyl)-5-fluoro-8-hydroxy-8-methyl-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2,4-difluorobenzyl)-5-fluoro-8-hydroxy-8-methyl-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(4-chloro-2-fluorobenzyl)-5-fluoro-8-hydroxy-8-methyl-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2-chloro-4,6-difluorobenzyl)-5-fluoro-8-hydroxy-8-methyl-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(4-chloro-2,3-difluorobenzyl)-5-fluoro-8-hydroxy-8-methyl-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(4-chloro-2,6-difluorobenzyl)-5-fluoro-8-hydroxy-8-methyl-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-((S)-1-(2-chloro-4-fluorophenyl)ethyl)-5-fluoro-8-hydroxy-8-methyl-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-((3,5-dichloropyridin-2-yl)methyl)-5-fluoro-8-hydroxy-8-methyl-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-((trans)-2-(2,4-dichlorophenyl)cyclopropyl)-5-fluoro-8-hydroxy-8-methyl-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8R)-N-(2,4-dichlorobenzyl)-5-fluoro-8-hydroxy-8-(((2-hydroxyethyl)(methyl)amino)methyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8S)-N-(2,4-dichlorobenzyl)-5-fluoro-8-hydroxy-8-(((2-hydroxyethyl)(methyl)amino)methyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8S)-N-(2,4-dichlorobenzyl)-5-fluoro-8-hydroxy-8-((3-hydroxyazetidin-1-yl)methyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8R)-8-(cyanomethyl)-N-(2,4-dichlorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8R)-N-(2-chloro-4-fluorobenzyl)-8-(cyanomethyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;

(5S,8S)-N-(2-chloro-4-fluorobenzyl)-8-(cyanomethyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8R)-N-(2-chloro-4-fluoro-6-(hydroxymethyl)benzyl)-8-(cyanomethyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2,4-dichlorobenzyl)-5-fluoro-8-(fluoromethyl)-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2-chloro-4-fluorobenzyl)-5-fluoro-8-(fluoromethyl)-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(2R,5'S)-N-(2,4-dichlorobenzyl)-5'-fluoro-4-methyl-6',7'-dihydro-5'H-spiro[morpholine-2,8'-quinoline]-5'-carboxamide;
(5S,5'S)-N-(2,4-dichlorobenzyl)-5'-fluoro-2-oxo-6',7'-dihydro-5'H-spiro[oxazolidine-5,8'-quinoline]-5'-carboxamide;
(5R,5'S)-N-(2,4-dichlorobenzyl)-5'-fluoro-2-oxo-6',7'-dihydro-5'H-spiro[oxazolidine-5,8'-quinoline]-5'-carboxamide;
(2S,5'R)-N-(2,4-dichlorobenzyl)-5'-fluoro-5-oxo-6',7'-dihydro-5'H-spiro[morpholine-2,8'-quinoline]-5'-carboxamide;
(2S,5'S)-N-(2,4-dichlorobenzyl)-5'-fluoro-5-oxo-6',7'-dihydro-5'H-spiro[morpholine-2,8'-quinoline]-5'-carboxamide;
(2R,5'S)-N-(2,4-dichlorobenzyl)-5'-fluoro-5-oxo-6',7'-dihydro-5'H-spiro[morpholine-2,8'-quinoline]-5'-carboxamide;
(5S,8S)-N-(2-chloro-4-fluorobenzyl)-5-fluoro-8-hydroxy-8-((methylsulfinyl)methyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2-chloro-4-fluorobenzyl)-5-fluoro-8-hydroxy-8-((methylsulfonyl)methyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2,4-dichlorobenzyl)-5-fluoro-8-hydroxy-8-(((2-hydroxyethyl)sulfonyl)methyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2-chloro-4-fluorobenzyl)-5-fluoro-8-hydroxy-8-(((2-hydroxyethyl)sulfonyl)methyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8R)-N-(2,4-dichlorobenzyl)-5-fluoro-8-hydroxy-8-(hydroxymethyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8S)-N-(2,4-dichlorobenzyl)-5-fluoro-8-hydroxy-8-(hydroxymethyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2,4-dichlorobenzyl)-5-fluoro-8-hydroxy-8-(hydroxymethyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8R)-N-(2,4-dichlorobenzyl)-5-fluoro-8-hydroxy-8-(hydroxymethyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2-chloro-4-fluorobenzyl)-5-fluoro-8-hydroxy-8-(hydroxymethyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8R)-N-(2-chloro-4-fluorobenzyl)-5-fluoro-8-hydroxy-8-(hydroxymethyl)-5,6,7,8-


tetrahydroquinoline-5-carboxamide;
(5S,8S)-5-fluoro-8-hydroxy-8-(hydroxymethyl)-N-(2,3,4-trifluorobenzyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8R)-5-fluoro-8-hydroxy-8-(hydroxymethyl)-N-(2,3,4-trifluorobenzyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2,4-dichloro-6-fluorobenzyl)-5-fluoro-8-hydroxy-8-(hydroxymethyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8R)-N-(2,4-dichloro-6-fluorobenzyl)-5-fluoro-8-hydroxy-8-(hydroxymethyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2-chloro-3,4-difluorobenzyl)-5-fluoro-8-hydroxy-8-(hydroxymethyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8R)-N-(2-chloro-3,4-difluorobenzyl)-5-fluoro-8-hydroxy-8-(hydroxymethyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(4-chloro-2-fluorobenzyl)-5-fluoro-8-hydroxy-8-(hydroxymethyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8R)-N-(4-chloro-2-fluorobenzyl)-5-fluoro-8-hydroxy-8-(hydroxymethyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2,4-dichloro-6-(hydroxymethyl)benzyl)-5-fluoro-8-hydroxy-8-(hydroxymethyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2-chloro-4-fluoro-6-(hydroxymethyl)benzyl)-5-fluoro-8-hydroxy-8-(hydroxymethyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2,4-difluorobenzyl)-5-fluoro-8-hydroxy-8-(hydroxymethyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2,4-dichloro-3-fluorobenzyl)-5-fluoro-8-hydroxy-8-(hydroxymethyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2-chloro-4,6-difluorobenzyl)-5-fluoro-8-hydroxy-8-(hydroxymethyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(4-chloro-2,3-difluorobenzyl)-5-fluoro-8-hydroxy-8-(hydroxymethyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(3-chloro-2,4-difluorobenzyl)-5-fluoro-8-hydroxy-8-(hydroxymethyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(4-chloro-2,6-difluorobenzyl)-5-fluoro-8-hydroxy-8-(hydroxymethyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-((R)-1-(2,4-dichlorophenyl)ethyl)-5-fluoro-8-hydroxy-8-(hydroxymethyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-((R)-1-(2-chloro-4-fluorophenyl)ethyl)-5-fluoro-8-hydroxy-8-(hydroxymethyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8R)-N-((R)-1-(2-chloro-4-fluorophenyl)ethyl)-5-fluoro-8-hydroxy-8-(hydroxymethyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;

(5S,8S)-N-((3,5-dichloropyridin-2-yl)methyl)-5-fluoro-8-hydroxy-8-(hydroxymethyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-((trans)-2-(2,4-dichlorophenyl)cyclopropyl)-5-fluoro-8-hydroxy-8-(hydroxymethyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide; (5S,8S)-5-fluoro-8-methoxy-N-(2,4,6-trifluorobenzyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2,4-difluorobenzyl)-5-fluoro-8-methoxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(4-chloro-2-fluorobenzyl)-5-fluoro-8-(2-hydroxyethoxy)-5,6,7,8-tetrahydroquinoline-5-carboxamide and
(5S,8S)-N-(2,4-difluorobenzyl)-5-fluoro-8-(2-hydroxyethoxy)-5,6,7,8-tetrahydroquinoline-5-carboxamide.

{Claim 7}

A compound represented by the following formula (L-a) or a pharmaceutically acceptable salt thereof:

{Chem. 3}



(L-a)

wherein:

R^3 is independently selected from the group consisting of:

(1) hydrogen, (2) halogen, (3) $C_{1\text{-}6}$ alkyl and (4) -O-$C_{1\text{-}6}$ alkyl;

p is 0, 1, 2 or 3;

when p is 2 or 3, each R^3 is the same or different;

R^{16} is selected from the group consisting of:

(1) CN and (2) -CO_2R^{18};

R^{17} is selected from the group consisting of:

(1) fluoro and (2) hydroxyl; or,

R^{16} may form =O with R^{17};


R^{18} is selected from the group consisting of:

(1) hydrogen and (2) $C_{1\text{-}6}$ alkyl.

{Claim 8}

A compound represented by the following formula (L-b) or a pharmaceutically acceptable salt thereof:

{Chem. 4}



(L-b)

wherein:

R^3 is independently selected from the group consisting of:

(1) hydrogen, (2) halogen, (3) C_{1-6} alkyl and (4) -O-C_{1-6} alkyl;

p is 0, 1, 2 or 3;

when p is 2 or 3, each R^3 is the same or different;

R^4 is selected from the group consisting of:

(1) hydrogen, (2) halogen and (3) hydroxyl.

{Claim 9}

A use of a compound described in any one of claims 1 to 6 or a pharmaceutically acceptable salt thereof for the manufacture of a medicament for the treatment of a condition or disorder mediated by P2X7 receptor antagonistic activity,
wherein the condition or disorder is selected from the group consisting of: diseases of the autoimmune and inflammatory system; diseases of the nervous and neuro-immune system; diseases involved with, and without, neuroinflammation of the Central Nervous System (CNS); diseases of the cardiovascular, metabolic, gastrointestinal and urogenital systems; skeletal disorders, diseases involving the secretoryfunction of exocrine glands and glaucoma, Glomerulonephritis, Chaga's Disease, chlamydia, neuroblastoma, Tuberculosis, Polycystic Kidney Disease, cancer, and acne; and combinations thereof.

{Claim 10}

A compound for use described in any one of claims 1 to 6 or a pharmaceutically acceptable salt thereof for use in the treatment of a condition or disorder mediated by P2X7 receptor antagonistic activity.

{Claim 11}

The compound as described in claim 10, wherein the condition or disorder is selected from the group consisting of: diseases of the autoimmune and inflammatory system; diseases of the nervous and neuro-immune system; diseases involved with, and without, neuroinflammation of the Central Nervous System (CNS); diseases of the cardiovascular, metabolic, gastrointestinal and urogenital systems; skeletal disorders, diseases involving the secretory function of exocrine glands and glaucoma, Glomerulonephritis, Chaga's Disease, chlamydia, neuroblastoma, Tuberculosis, Polycystic Kidney Disease, cancer, and acne; and combinations thereof.

{Claim 12}

A pharmaceutical composition comprising a compound or a pharmaceutically acceptable

salt thereof, as described in any one of claims 1 to 6, and a pharmaceutically acceptable carrier.

{Claim 13}

The pharmaceutical composition as described in claim 12, further comprising another pharmacologically active agent.

{Claim 14}

A process for preparing a pharmaceutical composition, wherein the process comprises mixing a compound described in any one of claims 1 to 6 or a pharmaceutically acceptable salt thereof and a pharmaceutically acceptable carrier or excipient.

{Claim 15}

The compound according to claim 6, or a pharmaceutically acceptable salt thereof, which is (5S,8S)-N-(2,4-dichloro-6-fluorobenzyl)-5-fluoro-8-hydroxy-8-(hydroxymethyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide or a pharmaceutically acceptable salt thereof.

{Claim 16}

The compound according to claim 6, or a pharmaceutically acceptable salt thereof, which is (5S,8S)-N-(2-chloro-4,6-difluorobenzyl)-5-fluoro-8-hydroxy-8-(hydroxymethyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide.

{Claim 17}

The compound according to claim 6, or a pharmaceutically acceptable salt thereof, which is (5S,8S)-N-(2,4-dichloro-6-(hydroxymethyl)benzyl)-5-fluoro-8-hydroxy-8-(hydroxymethyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide.

{Claim 18}

The compound according to claim 6, or a pharmaceutically acceptable salt thereof, which is (5S,8S)-N-((R)-1-(2-chloro-4-fluorophenyl)ethyl)-5-fluoro-8-hydroxy-8-(hydroxymethyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide.

{Claim 19}

The compound according to claim 6, or a pharmaceutically acceptable salt thereof, which is (5S,8S)-N-((3,5-dichloropyridin-2-yl)methyl)-5-fluoro-8-hydroxy-8-(hydroxymethyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide.

{Claim 20}

The compound according to claim 6, or a pharmaceutically acceptable salt thereof, which is (5S,8S)-N-((R)-1-(2,4-dichlorophenyl)ethyl)-5-fluoro-8-hydroxy-8-(hydroxymethyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide.

{Claim 21}

The compound according to claim 6, or a pharmaceutically acceptable salt thereof, which is (5S,8S)-N-(2-chloro-4-fluorobenzyl)-5-fluoro-8-hydroxy-8-(hydroxymethyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide.

{Claim 22}

The compound according to claim 6, or a pharmaceutically acceptable salt thereof, which is (5S,8S)-N-(2-chloro-3,4-difluorobenzyl)-5-fluoro-8-hydroxy-8-(hydroxymethyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide.

{Claim 23}

The compound according to claim 6, or a pharmaceutically acceptable salt thereof, which is (5S,8S)-N-(2,4-dichloro-3-fluorobenzyl)-5-fluoro-8-hydroxy-8-(hydroxymethyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide.

{Claim 24}

The compound according to claim 6, or a pharmaceutically acceptable salt thereof, which is (5S,8S)-N-(2,4-dichlorobenzyl)-5-fluoro-8-hydroxy-8-(hydroxymethyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide.

{Claim 25}

The compound according to claim 6, or a pharmaceutically acceptable salt thereof, which is (5S,8S)-N-((3,5-dichloropyridin-2-yl)methyl)-5-fluoro-8-hydroxy-8-methyl-5,6,7,8-tetrahydroquinoline-5-carboxamide.

{Claim 26}

The compound according to claim 6, or a pharmaceutically acceptable salt thereof, which is (2R,5’S)-N-(2,4-dichlorobenzyl)-5’-fluoro-5-oxo-6’,7’-dihydro-5’H-spiro[morpholine-2,8’-quinoline]-5’-carboxamide.

{Claim 27}

A compound described in any one of claims 15 to 26 or a pharmaceutically acceptable salt thereof for use in the treatment of a condition or disorder mediated by P2X7 receptor antagonistic activity.

{Claim 28}

The compound for use as described in claim 27, wherein the condition or disorder is neuropathic pain.