


CLAIMS

What is claimed is:


- 5 1. A compound of Formula (I)



or a salt thereof, wherein:

Z is CR₆R₆ or C=O;

Ring A is:



R₁ is $-(\text{CR}_z\text{R}_z)_{1-2}\text{NR}_{1a}\text{R}_{1b}$;

R_{1a} is hydrogen, C₁₋₆ alkyl, C₁₋₄ fluoroalkyl, C₁₋₃ cyanoalkyl, C₁₋₆ hydroxyalkyl,

- 15 $-(\text{CH}_2)_{1-3}\text{O}(\text{C}_{1-3} \text{ alkyl})$, $-(\text{CH}_2)_{1-3}\text{S}(\text{O})_2(\text{C}_{1-3} \text{ alkyl})$, $-(\text{CH}_2)_{1-3}\text{C}(\text{O})\text{O}(\text{C}_{1-3} \text{ alkyl})$,
 $-(\text{CH}_2)_{1-3}\text{NR}_x\text{R}_x$, $-(\text{CH}_2)_{1-3}\text{C}(\text{O})\text{NR}_x\text{R}_x$, $-(\text{CH}_2)_{1-3}\text{NR}_x\text{C}(\text{O})(\text{C}_{1-3} \text{ alkyl})$, $-\text{C}(\text{O})(\text{C}_{1-3} \text{ alkyl})$,
 $-\text{CH}(\text{phenyl})(\text{C}_{1-2} \text{ hydroxyalkyl})$, $-\text{CR}_x\text{R}_x\text{CR}_x(\text{phenyl})_2$, R_{1c}, $-(\text{CR}_x\text{R}_x)_{1-3}\text{R}_{1c}$,
 $-(\text{CR}_x\text{R}_x)_{1-3}\text{OR}_{1c}$, or $-\text{C}(\text{O})\text{R}_{1c}$;

R_{1b} is hydrogen, C₁₋₃ alkyl, or $-\text{CH}_2(\text{phenyl})$;

- 20 or R_{1a} and R_{1b} along with the nitrogen atom to which they are attached, are joined together to
 form a cyclic group selected from azaspiro[2.5]octanyl, azepanyl, azetidiny, azocanyl,
 diazepanyl, dioxidothiomorpholinyl, isoindolinyl, morpholinyl,
 octahydrocyclopenta[b]pyrrolyl, octahydropyrrolo[3,4-c]pyrrolyl,
 oxaazabicyclo[2.2.1]heptanyl, piperazinonyl, piperazinyl, piperidinonyl, piperidinyl,
 pyrrolidinyl, pyrrolidinonyl, and tetrahydroisoquinolinyl, each substituted with zero to 1
 25 R_{1d} and zero to 2 R_{1e};

- R_{1c} is C₃₋₇ cycloalkyl, phenyl, oxetanyl, azetidiny, furanyl, pyranal, pyrrol, pyrrolidinyl, pyrrolidinonyl, pyrazolyl, imidazolyl, indazolyl, thiazolyl, piperidinyl, pyridinyl, tetrahydrofuranyl, tetrahydropyranal, morpholinyl, dioxotetrahydrothiopyranal, dioxidotetrahydrothiophenyl, benzo[d]thiazolyl, naphthalenyl, quinolinyl, or quinoxalinyl, each substituted with zero to 2 substituents independently selected from F, Cl, -CN, -OH, C₁₋₃ alkyl, C₁₋₃ fluoroalkyl, C₁₋₃ hydroxyalkyl, C₁₋₃ alkoxy, C₁₋₃ fluoroalkoxy, -C(O)O(C₁₋₃ alkyl), -NR_yR_y, -S(O)₂(C₁₋₃ alkyl), -S(O)₂NR_xR_x, -CH₂(phenyl), -NO₂, C₃₋₆ cycloalkyl, imidazolyl, and phenyl;
- R_{1d} is C₁₋₄ alkyl, C₁₋₂ fluoroalkyl, C₁₋₃ alkoxy, -NR_yR_y, -NR_xC(O)(C₁₋₃ alkyl), -C(O)(C₁₋₃ alkyl), -C(O)NR_yR_y, -CH₂(phenyl), -CH₂(methylpyrrolidinyl), -CH₂(benzo[d][1,3]dioxolyl), -CH(phenyl)₂, -C(O)(tetrahydrofuranyl), -C(O)(furanyl), -S(O)₂(methylphenyl), phenyl, methylphenyl, aminophenyl, piperidinyl, pyrazinyl, pyridinyl, pyrimidinyl, pyrrolidinyl, or dihydrobenzo[d]imidazolonyl;
- R_{1e} is -CH₃;
- each R₂ is independently halogen, -CN, C₁₋₃ alkyl, C₁₋₃ fluoroalkyl, C₁₋₃ alkoxy, or C₁₋₃ fluoroalkoxy; NR₂ (R = H, C₁₋₃ alkyl), optionally substituted phenyl, optionally substituted heteroaryl ;
- R₃ is R_{1a};
- each R₄ is independently halogen, -CN, C₁₋₃ alkyl, C₁₋₃ fluoroalkyl, C₁₋₃ alkoxy, or C₁₋₃ fluoroalkoxy;
- each R₄ is independently halogen, -CN, -OH, C₁₋₃ alkyl, C₁₋₃ fluoroalkyl, C₁₋₃ alkoxy, C₁₋₃ fluoroalkoxy, or -NR_yR_y;
- R₅ is hydrogen, F, or C₁₋₃ alkyl;
- each R₆ is independently hydrogen or C₁₋₃ alkyl;
- each R_x is independently H or -CH₃;
- each R_y is independently H or C₁₋₄ alkyl;
- each R_z is independently H or -CH₃; or two R_z attached to the same carbon atom, form a 3- to 6-membered carbocyclic ring or 3- to 6-membered heterocyclic ring;
- m is zero, 1, or 2; and
- n is zero, 1, 2, or 3.

2. The compound according to claim 1 or a salt thereof, wherein:

R_{1a} is hydrogen, C₁₋₆ alkyl, C₁₋₃ fluoroalkyl, C₁₋₂ cyanoalkyl, C₁₋₄ hydroxyalkyl,

–(CH₂)₁₋₃OCH₃, –(CH₂)₁₋₃S(O)₂(C₁₋₂ alkyl), –(CH₂)₁₋₂C(O)O(C₁₋₃ alkyl),

–(CH₂)₁₋₃NR_xR_x, –(CH₂)₁₋₂C(O)NR_xR_x, –(CH₂)₁₋₃NR_xC(O)(C₁₋₃ alkyl), –C(O)(C₁₋₃

5 alkyl), –CH(phenyl)(C₁₋₂ hydroxyalkyl), –CR_xR_xCR_x(phenyl)₂, R_{1c}, –(CR_xR_x)₁₋₃R_{1c},
–(CR_xR_x)₁₋₃OR_{1c}, or –C(O)R_{1c};

or R_{1a} and R_{1b} along with the nitrogen atom to which they are attached, are joined together to form a cyclic group selected from azaspiro[2.5]octanyl, azepanyl, azetidiny, azocanyl, diazepanyl, dioxidothiomorpholinyl, isoindolinyl, morpholinyl,
10 octahydrocyclopenta[b]pyrrolyl, octahydropyrrolo[3,4-c]pyrrolyl,
oxaazabicyclo[2.2.1]heptanyl, piperazinonyl, piperaziny, piperidiny, pyrrolidinyl, and tetrahydroisoquinolinyl, each substituted with zero to 1 R_{1d} and zero to 2 R_{1e};

R_{1c} is C₃₋₆ cycloalkyl, phenyl, oxetanyl, furanyl, pyrrolyl, pyrrolidinyl, pyrrolidinonyl,

imidazolyl, indazolyl, thiazolyl, piperidiny, pyridiny, tetrahydrofuranly,

15 tetrahydropyranyl, morpholinyl, dioxotetrahydrothiopyranyl,

dioxidotetrahydrothiophenyl, benzo[d]thiazolyl, naphthalenyl, quinolinyl, or

quinoxalinyl, each substituted with zero to 2 substituents independently selected from F,

Cl, –CN, –OH, C₁₋₂ alkyl, C₁₋₂ fluoroalkyl, C₁₋₂ hydroxyalkyl, C₁₋₂ alkoxy, C₁₋₂

fluoroalkoxy, –C(O)O(C₁₋₂ alkyl), –NR_xR_y, –S(O)₂(C₁₋₂ alkyl), –S(O)₂NR_xR_x,

20 –CH₂(phenyl), –NO₂, C₃₋₆ cycloalkyl, imidazolyl, and phenyl;

R_{1d} is C₁₋₃ alkyl, C₁₋₂ fluoroalkyl, C₁₋₃ alkoxy, –NR_xR_y, –NR_xC(O)(C₁₋₂ alkyl), –C(O)(C₁₋₂ alkyl), –C(O)NR_yR_y, –CH₂(phenyl), –CH₂(methylpyrrolidinyl),

–CH₂(benzo[d][1,3]dioxolyl), –CH(phenyl)₂, –C(O)(tetrahydrofuranly), –C(O)(furanly),

–S(O)₂(methylphenyl), phenyl, methylphenyl, aminophenyl, piperidiny, pyraziny,

25 pyridiny, pyrimidinyl, pyrrolidinyl, or dihydrobenzo[d]imidazolonyl;

each R₄ is independently F, Cl, –CN, –CH₃, –CHF₂, –CF₃, –OCH₃, or –OCF₃;


R₅ is hydrogen, F, or –CH₃;

m is zero or 1; and


n is zero, 1, or 2.

30

3. The compound according to any one of claims 1-2 or a salt thereof, wherein Ring A is:



4. The compound according to any one of claims 1-3 or a salt thereof, having the structure:



wherein:

R_{1a} is hydrogen, C₁₋₆ alkyl, -CH₂CH₂CF₃, -CH₂CN, -CH₂CH₂OH, -CH(CH₃)CH₂OH,

-CH₂CH₂CH₂CH₂OH, -CH(CH₃)CH₂CH₂OH, -CH₂CH₂OCH₃, -CH₂CH₂C(O)OCH₃,

-CH₂CH₂N(CH₃)₂, -CH₂C(O)NH₂, -CH₂C(O)N(CH₃)₂, -CH₂CH₂C(O)NH₂,

10 -CH₂CH₂NHC(O)CH₃, -CH(phenyl)(CH₂CH₂OH), -CH₂CH(phenyl)₂, R_{1c}, -CR_xR_xR_{1c},

-CH₂CH₂R_{1c}, -CH₂CH₂CH₂R_{1c}, or -CH₂CH₂OR_{1c};

or R_{1a} and R_{1b} along with the nitrogen atom to which they are attached, are joined together to form a cyclic group selected from azaspiro[2.5]octanyl, azepanyl, azetidiny, diazepanyl, dioxidothiomorpholinyl, morpholinyl, octahydrocyclopenta[b]pyrrolyl, octahydropyrrolo[3,4-c]pyrrolyl, oxazabicyclo[2.2.1]heptanyl, piperazinonyl, piperazinyl, piperidinyl, pyrrolidinyl, and tetrahydroisoquinolinyl, each substituted with zero to 1 R_{1d} and zero to 1 R_{1e};

R_{1c} is C₃₋₆ cycloalkyl, phenyl, oxetanyl, furanyl, pyrrolidinyl, pyrrolidinonyl, imidazolyl,

indazolyl, thiazolyl, piperidinyl, pyridinyl, tetrahydrofuranyl, tetrahydropyranyl,

20 morpholinyl, benzo[d]thiazolyl, naphthalenyl, quinolinyl, or quinoxalinyl, each

substituted with zero to 2 substituents independently selected from F, Cl, -CN, -OH,

-CH₃, -CF₃, -OCH₃, -OCF₃, -C(O)OCH₃, -NH(CH₃), -N(CH₃)₂, -S(O)₂CH₃,

-S(O)₂N(CH₃)₂, -CH₂(phenyl), -NO₂, cyclopropyl, imidazolyl, and phenyl;

R_{1d} is -CH₃, -CH(CH₃)₂, -OCH₃, -OCH₂CH₃, -OCH(CH₃)₂, -N(CH₃)₂, -NHC(O)CH₃,

25 -C(O)CH₃, -C(O)NH₂, -C(O)N(CH₃)₂, -C(O)N(CH₂CH₃)₂, -CH₂(phenyl),

-CH₂(methylpyrrolidinyl), -CH₂(benzo[d][1,3]dioxolyl), -CH(phenyl)₂,

-C(O)(tetrahydrofuranyl), -C(O)(furanyl), -S(O)₂(methylphenyl), phenyl, methylphenyl,

aminophenyl, piperidinyl, pyrazinyl, pyridinyl, pyrimidinyl, pyrrolidinyl, or dihydrobenzo[d]imidazolonyl; and

R_{1e} is -CH₃;

R₄ is -CH₃; and

5 n is zero or 1.


5. The compound according to any one of claims 1-4 or a salt thereof, wherein Z is CR₆R₆.

10 6. The compound according to any one of claims 1-5 or a salt thereof, wherein R_{1a} is hydrogen, C₁₋₆ alkyl, C₁₋₄ fluoroalkyl, C₁₋₃ cyanoalkyl, C₁₋₆ hydroxyalkyl, -(CH₂)₁₋₃O(C₁₋₃ alkyl), -(CH₂)₁₋₃S(O)₂(C₁₋₃ alkyl), -(CH₂)₁₋₃C(O)O(C₁₋₃ alkyl), -(CH₂)₁₋₃NR_xR_x, -(CH₂)₁₋₃C(O)NR_xR_x, -(CH₂)₁₋₃NR_xC(O)(C₁₋₃ alkyl), -C(O)(C₁₋₃ alkyl), -CH(phenyl)(C₁₋₂ hydroxyalkyl), -CR_xR_xCR_x(phenyl)₂, R_{1c}, -(CR_xR_x)₁₋₃R_{1c},
15 -(CR_xR_x)₁₋₃OR_{1c}, or -C(O)R_{1c}.

7. The compound according to any one of claims 1-5 or a salt thereof, wherein R_{1a} is hydrogen, C₁₋₆ alkyl, -CH₂CH₂CF₃, -CH₂CN, -CH₂CH₂OH, -CH(CH₃)CH₂OH, -CH₂CH₂CH₂CH₂OH, -CH(CH₃)CH₂CH₂OH, -CH₂CH₂OCH₃, -CH₂CH₂C(O)OCH₃,
20 -CH₂CH₂N(CH₃)₂, -CH₂C(O)NH₂, -CH₂C(O)N(CH₃)₂, -CH₂CH₂C(O)NH₂, -CH₂CH₂NHC(O)CH₃, -CH(phenyl)(CH₂CH₂OH), -CH₂CH(phenyl)₂, R_{1c}, -CR_xR_xR_{1c}, -CH₂CH₂R_{1c}, -CH₂CH₂CH₂R_{1c}, or -CH₂CH₂OR_{1c}.

8. The compound according to any one of claims 1-5 or a salt thereof, wherein R_{1a} and
25 R_{1b} along with the nitrogen atom to which they are attached, are joined together to form a cyclic group selected from azaspiro[2.5]octanyl, azepanyl, azetidiny, diazepanyl, dioxidothiomorpholinyl, morpholinyl, octahydrocyclopenta[b]pyrrolyl, octahydropyrrolo[3,4-c]pyrrolyl, oxaazabicyclo[2.2.1]heptanyl, piperazinonyl, piperazinyl, piperidinyl, pyrrolidinyl, and tetrahydroisoquinolinyl, each substituted with
30 zero to 1 R_{1d} and zero to 1 R_{1e}.

9. The compound according to any one of claims 1-2 and 5-8 or a salt thereof, wherein



10. The compound according to claim 1 or a salt thereof, wherein said compound is:
- 3-(5-{4-[(dimethylamino)methyl]pyridin-2-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione (1);
- 3-(5-(4-((benzylamino)methyl)pyridin-2-yl)-1-oxoisoindolin-2-yl)piperidine-2,6-dione (2);
- 3-(5-(4-((methyl(propyl)amino)methyl)pyridin-2-yl)-1-oxoisoindolin-2-yl)piperidine-2,6-dione (3);
- 3-(5-(4-((ethyl(methyl)amino)methyl)pyridin-2-yl)-1-oxoisoindolin-2-yl)piperidine-2,6-dione (4);
- 3-(5-(4-((ethyl(methyl)amino)methyl)pyridin-2-yl)-1-oxoisoindolin-2-yl)piperidine-2,6-dione (5);
- 3-(5-(4-(((2-methoxyethyl)(methyl)amino)methyl)pyridin-2-yl)-1-oxoisoindolin-2-yl)piperidine-2,6-dione (7);
- 3-(5-(4-(((butyl(methyl)amino)methyl)pyridin-2-yl)-1-oxoisoindolin-2-yl)piperidine-2,6-dione (9);
- 3-(5-(4-(((cyclopropylmethyl)(propyl)amino)methyl)pyridin-2-yl)-1-oxoisoindolin-2-yl)piperidine-2,6-dione (10);
- 3-(5-(4-((methyl(2-(pyridin-2-yl)ethyl)amino)methyl)pyridin-2-yl)-1-oxoisoindolin-2-yl)piperidine-2,6-dione (16);
- 3-(5-(4-((benzyl(isopropyl)amino)methyl)pyridin-2-yl)-1-oxoisoindolin-2-yl)piperidine-2,6-dione (19);
- 3-(5-(4-(((2-(dimethylamino)ethyl)(methyl)amino)methyl)pyridin-2-yl)-1-oxoisoindolin-2-yl)piperidine-2,6-dione (21);
- 3-(5-(4-((ethyl(pyridin-4-ylmethyl)amino)methyl)pyridin-2-yl)-1-oxoisoindolin-2-yl)

- piperidine-2,6-dione (22);
3-(5-(4-((methyl(1-methylpyrrolidin-3-yl)amino)methyl)pyridin-2-yl)-1-oxoisindolin-2-yl)piperidine-2,6-dione (29);
2-(((2-(2-(2,6-dioxopiperidin-3-yl)-1-oxoisindolin-5-yl)pyridin-4-yl)methyl)
5 (methyl)amino)-N,N-dimethylacetamide (34);
3-(5-(4-((methyl(1-methylpyrrolidin-3-yl)amino)methyl)pyridin-2-yl)-1-oxoisindolin-2-yl)piperidine-2,6-dione (49);
3-(5-(4-((diethylamino)methyl)pyridin-2-yl)-1-oxoisindolin-2-yl)piperidine-2,6-dione (50);
10 3-(5-(4-(((cyclohexylmethyl)amino)methyl)pyridin-2-yl)-1-oxoisindolin-2-yl)piperidine-2,6-dione (54);
3-(1-oxo-5-(4-(((1-phenylethyl)amino)methyl)pyridin-2-yl)isindolin-2-yl)piperidine-2,6-dione (55);
3-(5-(4-(((2-methylbenzyl)amino)methyl)pyridin-2-yl)-1-oxoisindolin-2-yl)
15 piperidine-2,6-dione (56);
3-(5-(4-(((3-methylbenzyl)amino)methyl)pyridin-2-yl)-1-oxoisindolin-2-yl)piperidine-2,6-dione (57);
3-(5-(4-(((4-methylbenzyl)amino)methyl)pyridin-2-yl)-1-oxoisindolin-2-yl)piperidine-2,6-dione (58);
20 3-(5-(4-(((cyclohexylmethyl)(methyl)amino)methyl)pyridin-2-yl)-1-oxoisindolin-2-yl)piperidine-2,6-dione (59);
3-(5-(4-((butylamino)methyl)pyridin-2-yl)-1-oxoisindolin-2-yl)piperidine-2,6-dione (61);
3-(1-oxo-5-(4-((propylamino)methyl)pyridin-2-yl)isindolin-2-yl)piperidine-2,6-dione (62);
25 3-(1-oxo-5-(4-((phenethylamino)methyl)pyridin-2-yl)isindolin-2-yl)piperidine-2,6-dione (63);
3-(5-(4-(((cyclopropylmethyl)amino)methyl)pyridin-2-yl)-1-oxoisindolin-2-yl)piperidine-2,6-dione (64);
30 3-(5-(4-((neopentylamino)methyl)pyridin-2-yl)-1-oxoisindolin-2-yl)piperidine-2,6-dione (65);
3-(1-oxo-5-(4-(((tetrahydrofuran-2-yl)methyl)amino)methyl)pyridin-2-yl)isindolin-

- 2-yl)piperidine-2,6-dione (66);
3-(5-(4-(((4-methoxybenzyl)amino)methyl)pyridin-2-yl)-1-oxoisindolin-2-yl)
piperidine-2,6-dione (67);
3-(5-(4-(((2-methoxyethyl)amino)methyl)pyridin-2-yl)-1-oxoisindolin-2-yl)
5 piperidine-2,6-dione (68);
3-(5-(4-(((1-cyclopropylcyclobutyl)amino)methyl)pyridin-2-yl)-1-oxoisindolin-2-yl)
piperidine-2,6-dione (77);
3-(5-(4-(((2-methyltetrahydro-2H-pyran-4-yl)amino)methyl)pyridin-2-yl)-1-
oxoisindolin-2-yl)piperidine-2,6-dione (80);
10 3-(1-oxo-5-(4-(((1R,2R)-2-phenylcyclopentyl)amino)methyl)pyridin-2-yl)isoindolin-
2-yl)piperidine-2,6-dione (84);
3-(5-(4-((cyclopentylamino)methyl)pyridin-2-yl)-1-oxoisindolin-2-yl)piperidine-2,6-
dione (86);
3-(5-(4-((cyclohexylamino)methyl)pyridin-2-yl)-1-oxoisindolin-2-yl)piperidine-2,6-
15 dione (87);
3-(5-(4-(((2-morpholinoethyl)amino)methyl)pyridin-2-yl)-1-oxoisindolin-2-yl)
piperidine-2,6-dione (88);
3-(5-(4-((tert-butylamino)methyl)pyridin-2-yl)-1-oxoisindolin-2-yl)piperidine-2,6-
dione (89);
20 3-(5-(4-(((2,2-diphenylethyl)amino)methyl)pyridin-2-yl)-1-oxoisindolin-2-yl)
piperidine-2,6-dione (90);
N-(2-(((2-(2,6-dioxopiperidin-3-yl)-1-oxoisindolin-5-yl)pyridin-4-yl)methyl)
amino)ethyl)acetamide (91);
3-(5-(4-(((2-hydroxyethyl)amino)methyl)pyridin-2-yl)-1-oxoisindolin-2-yl)
25 piperidine-2,6-dione (92);
3-(5-(4-(((2-chlorophenethyl)amino)methyl)pyridin-2-yl)-1-oxoisindolin-2-yl)
piperidine-2,6-dione (93);
3-(5-(4-(((4-chlorophenethyl)amino)methyl)pyridin-2-yl)-1-oxoisindolin-2-yl)
piperidine-2,6-dione (94);
30 3-(5-(4-(((4-methoxyphenethyl)amino)methyl)pyridin-2-yl)-1-oxoisindolin-2-yl)
piperidine-2,6-dione (95);
3-(5-(4-(((4-hydroxyphenethyl)amino)methyl)pyridin-2-yl)-1-oxoisindolin-2-yl)

- piperidine-2,6-dione (96);
3-(5-(4-((isopentylamino)methyl)pyridin-2-yl)-1-oxoisindolin-2-yl)piperidine-2,6-dione (97);
3-(1-oxo-5-(4-(((3-phenylpropyl)amino)methyl)pyridin-2-yl)isoindolin-2-yl)
- 5 piperidine-2,6-dione (98);
2-(((2-(2-(2,6-dioxopiperidin-3-yl)-1-oxoisindolin-5-yl)pyridin-4-yl)methyl)amino)acetonitrile (99);
2-(((2-(2-(2,6-dioxopiperidin-3-yl)-1-oxoisindolin-5-yl)pyridin-4-yl)methyl)amino)acetamide (100);
- 10 3-(5-(4-(((4-hydroxycyclohexyl)amino)methyl)pyridin-2-yl)-1-oxoisindolin-2-yl)piperidine-2,6-dione (101);
3-(5-(4-(((3-chlorophenethyl)amino)methyl)pyridin-2-yl)-1-oxoisindolin-2-yl)piperidine-2,6-dione (102);
3-(1-oxo-5-(4-(((2-phenoxyethyl)amino)methyl)pyridin-2-yl)isoindolin-2-yl)
- 15 piperidine-2,6-dione (103);
3-(5-(4-(((1-benzylpyrrolidin-3-yl)amino)methyl)pyridin-2-yl)-1-oxoisindolin-2-yl)piperidine-2,6-dione (104);
3-(((2-(2-(2,6-dioxopiperidin-3-yl)-1-oxoisindolin-5-yl)pyridin-4-yl)methyl)amino)propanamide (105);
- 20 3-(5-(4-(((2-(benzo[d]thiazol-2-yl)ethyl)amino)methyl)pyridin-2-yl)-1-oxoisindolin-2-yl)piperidine-2,6-dione (106);
3-(5-(4-(((4-(dimethylamino)cyclohexyl)amino)methyl)pyridin-2-yl)-1-oxoisindolin-2-yl)piperidine-2,6-dione (107);
3-(5-(4-((cyclobutylamino)methyl)pyridin-2-yl)-1-oxoisindolin-2-yl)piperidine-2,6-
- 25 dione (108);
3-(5-(4-((cyclopropylamino)methyl)pyridin-2-yl)-1-oxoisindolin-2-yl)piperidine-2,6-dione (109);
3-(1-oxo-5-(4-(((2-phenylthiazol-4-yl)methyl)amino)methyl)pyridin-2-yl)isoindolin-2-yl)piperidine-2,6-dione (110);
- 30 3-(1-oxo-5-(4-(((1R,2S)-2-phenylcyclopropyl)amino)methyl)pyridin-2-yl)isoindolin-2-yl)piperidine-2,6-dione (111);
methyl 3-(((2-(2-(2,6-dioxopiperidin-3-yl)-1-oxoisindolin-5-yl)pyridin-4-yl)methyl)

- amino)propanoate (112);
3-(5-(4-(((3-(1H-imidazol-1-yl)propyl)amino)methyl)pyridin-2-yl)-1-oxoisindolin-2-yl)piperidine-2,6-dione (113);
3-(5-(4-(((3-morpholinopropyl)amino)methyl)pyridin-2-yl)-1-oxoisindolin-2-yl)
5 piperidine-2,6-dione (114);
3-(1-oxo-5-(4-(((3-(2-oxopyrrolidin-1-yl)propyl)amino)methyl)pyridin-2-yl)isoindolin-2-yl)piperidine-2,6-dione (115);
3-(5-(4-((ethylamino)methyl)pyridin-2-yl)-1-oxoisindolin-2-yl)piperidine-2,6-dione (116);
10 3-(1-oxo-5-(4-(((R)-1-phenylethyl)amino)methyl)pyridin-2-yl)isoindolin-2-yl)piperidine-2,6-dione (122);
3-(1-oxo-5-(4-(((S)-1-phenylethyl)amino)methyl)pyridin-2-yl)isoindolin-2-yl)piperidine-2,6-dione (123);
3-(5-(4-(((1-hydroxycyclohexyl)methyl)amino)methyl)pyridin-2-yl)-1-oxoisindolin-2-yl)piperidine-2,6-dione (124);
15 2-yl)piperidine-2,6-dione (124);
3-(5-(4-(((2-methyltetrahydro-2H-pyran-4-yl)amino)methyl)pyridin-2-yl)-1-oxoisindolin-2-yl)piperidine-2,6-dione (126);
3-(5-(4-(((4-hydroxybutyl)amino)methyl)pyridin-2-yl)-1-oxoisindolin-2-yl)piperidine-2,6-dione (128);
20 3-(5-(4-(((oxetan-2-ylmethyl)amino)methyl)pyridin-2-yl)-1-oxoisindolin-2-yl)piperidine-2,6-dione (129);
3-(5-(4-(((R)-3-hydroxy-1-phenylpropyl)amino)methyl)pyridin-2-yl)-1-oxoisindolin-2-yl)piperidine-2,6-dione (131);
3-(5-(4-((methyl((S)-1-phenylethyl)amino)methyl)pyridin-2-yl)-1-oxoisindolin-2-yl)piperidine-2,6-dione (136);
25 3-(5-(4-((methyl((R)-1-phenylethyl)amino)methyl)pyridin-2-yl)-1-oxoisindolin-2-yl)piperidine-2,6-dione (137);
3-(5-(4-((methyl((1R,2R)-2-(methylamino)cyclohexyl)amino)methyl)pyridin-2-yl)-1-oxoisindolin-2-yl)piperidine-2,6-dione (140);
30 3-(5-(4-((methyl(2-phenylpropan-2-yl)amino)methyl)pyridin-2-yl)-1-oxoisindolin-2-yl)piperidine-2,6-dione (142);
3-(1-oxo-5-(4-((3-phenylpiperidin-1-yl)methyl)pyridin-2-yl)isoindolin-2-yl)

- piperidine-2,6-dione (144);
3-(5-{4-[(methylamino)methyl]pyridin-2-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)
piperidine-2,6-dione (145);
4-{{{2-[2-(2,6-dioxopiperidin-3-yl)-1-oxo-2,3-dihydro-1H-isoindol-5-yl]pyridin-4-
5 yl}methyl)(methylamino)methyl}-N,N-dimethylbenzene-1-sulfonamide (146);
3-(5-(4-(((4-fluorobenzyl)(methylamino)methyl)pyridin-2-yl)-1-oxoisindolin-2-yl)
piperidine-2,6-dione (147);
3-(5-(4-((methyl(3-(trifluoromethyl)benzyl)amino)methyl)pyridin-2-yl)-1-
oxoisindolin-2-yl)piperidine-2,6-dione (148);
10 3-(5-(4-((methyl(4-(trifluoromethyl)benzyl)amino)methyl)pyridin-2-yl)-1-
oxoisindolin-2-yl)piperidine-2,6-dione (149);
4-(((2-(2-(2,6-dioxopiperidin-3-yl)-1-oxoisindolin-5-yl)pyridin-4-yl)methyl)
(methylamino)methyl)benzonitrile (150);
3-(5-(4-((methyl(4-nitrobenzyl)amino)methyl)pyridin-2-yl)-1-oxoisindolin-2-yl)
15 piperidine-2,6-dione (151);
3-(5-(4-(((3,4-difluorobenzyl)(methylamino)methyl)pyridin-2-yl)-1-oxoisindolin-2-
yl)piperidine-2,6-dione (152);
methyl 4-(((2-(2-(2,6-dioxopiperidin-3-yl)-1-oxoisindolin-5-yl)pyridin-4-yl)methyl)
(methylamino)methyl)benzoate (153);
20 3-(5-(4-(((4-chlorobenzyl)(methylamino)methyl)pyridin-2-yl)-1-oxoisindolin-2-yl)
piperidine-2,6-dione (154);
3-(5-(4-((methyl(quinolin-8-ylmethyl)amino)methyl)pyridin-2-yl)-1-oxoisindolin-2-
yl)piperidine-2,6-dione (155);
3-(5-(4-((methyl(3-(trifluoromethoxy)benzyl)amino)methyl)pyridin-2-yl)-1-
25 oxoisindolin-2-yl)piperidine-2,6-dione (156);
3-(5-(4-((methyl(4-(methylsulfonyl)benzyl)amino)methyl)pyridin-2-yl)-1-
oxoisindolin-2-yl)piperidine-2,6-dione (157);
3-(5-(4-(((3-methoxybenzyl)(methylamino)methyl)pyridin-2-yl)-1-oxoisindolin-2-
yl)piperidine-2,6-dione (158);
30 3-(5-(4-((methyl(pyridin-3-ylmethyl)amino)methyl)pyridin-2-yl)-1-oxoisindolin-2-
yl)piperidine-2,6-dione (159);
3-(5-(4-((methyl(pyridin-4-ylmethyl)amino)methyl)pyridin-2-yl)-1-oxoisindolin-2-

yl)piperidine-2,6-dione (160);

3-(5-(4-((methyl(4-methylbenzyl)amino)methyl)pyridin-2-yl)-1-oxoisindolin-2-yl)
piperidine-2,6-dione (161);

3-(5-(4-((methyl(naphthalen-2-ylmethyl)amino)methyl)pyridin-2-yl)-1-oxoisindolin-
5 2-yl)piperidine-2,6-dione (162);

3-(5-{4-[(dibenzylamino)methyl]pyridin-2-yl}-1-oxo-2,3-dihydro-1H-isindol-2-yl)
piperidine-2,6-dione (163);

3-[5-(4-{[benzyl(methyl)amino]methyl}pyridin-2-yl)-1-oxo-2,3-dihydro-1H-isindol-
2-yl]piperidine-2,6-dione (164);

10 3-{5-[4-({[(6-methoxy-pyridin-3-yl)methyl](methyl)amino}methyl)pyridin-2-yl]-1-
oxo-2,3-dihydro-1H-isindol-2-yl}piperidine-2,6-dione (168);

3-(5-(4-(((1H-indazol-4-yl)methyl)(methyl)amino)methyl)pyridin-2-yl)-1-
oxoisindolin-2-yl)piperidine-2,6-dione (169);

3-(5-(4-((methyl(1-methylpiperidin-4-yl)amino)methyl)pyridin-2-yl)-1-oxoisindolin-
15 2-yl)piperidine-2,6-dione (170);

3-(5-(4-((methyl(phenethyl)amino)methyl)pyridin-2-yl)-1-oxoisindolin-2-yl)
piperidine-2,6-dione (171);

3-(5-(4-(((furan-3-ylmethyl)(methyl)amino)methyl)pyridin-2-yl)-1-oxoisindolin-2-
yl)piperidine-2,6-dione (172);

20 3-(5-(4-(((cyclopropylmethyl)(methyl)amino)methyl)pyridin-2-yl)-1-oxoisindolin-2-
yl)piperidine-2,6-dione (173);

3-(5-(4-((methyl((1-methyl-1H-imidazol-5-yl)methyl)amino)methyl)pyridin-2-yl)-1-
oxoisindolin-2-yl)piperidine-2,6-dione (174);

3-(5-(4-(((cyclopentylmethyl)(methyl)amino)methyl)pyridin-2-yl)-1-oxoisindolin-2-
25 yl)piperidine-2,6-dione (175);

3-(5-(4-((methyl(thiazol-2-ylmethyl)amino)methyl)pyridin-2-yl)-1-oxoisindolin-2-
yl)piperidine-2,6-dione (176);

3-(5-(4-(((4-(1H-imidazol-1-yl)benzyl)(methyl)amino)methyl)pyridin-2-yl)-1-
oxoisindolin-2-yl)piperidine-2,6-dione (177);

30 3-(5-(4-(((cyclobutylmethyl)(methyl)amino)methyl)pyridin-2-yl)-1-oxoisindolin-2-
yl)piperidine-2,6-dione (178);

3-(5-(4-((isobutyl(methyl)amino)methyl)pyridin-2-yl)-1-oxoisindolin-2-yl)

piperidine-2,6-dione (179);

3-(5-(4-((isopentyl(methyl)amino)methyl)pyridin-2-yl)-1-oxoisindolin-2-yl)

piperidine-2,6-dione (180);

3-(5-(4-(((1-hydroxypropan-2-yl)(methyl)amino)methyl)pyridin-2-yl)-1-

5 oxoisindolin-2-yl)piperidine-2,6-dione (181);

3-(5-(4-(((methyl((tetrahydrofuran-3-yl)methyl)amino)methyl)pyridin-2-yl)-1-

oxoisindolin-2-yl)piperidine-2,6-dione (182);

3-(5-(4-(((methyl(quinoxalin-2-ylmethyl)amino)methyl)pyridin-2-yl)-1-oxoisindolin-2-yl)piperidine-2,6-dione (183);

10 3-(5-(4-(((methyl(3,3,3-trifluoropropyl)amino)methyl)pyridin-2-yl)-1-oxoisindolin-2-yl)piperidine-2,6-dione (184);

3-(5-(4-(((4-hydroxybutan-2-yl)(methyl)amino)methyl)pyridin-2-yl)-1-oxoisindolin-2-yl)piperidine-2,6-dione (185); or

3-(5-(4-(((dimethylamino)methyl)pyridin-2-yl)-6-methyl-1-oxoisindolin-2-yl)

15 piperidine-2,6-dione (194).

11. The compound according to claim 1 or a salt thereof, wherein said compound is selected from a compound of

20 3-(5-(4-((ethyl(methyl)amino)methyl)pyridin-2-yl)-1-oxoisindolin-2-yl)piperidine-2,6-dione (6);

3-(1-oxo-5-(4-(pyrrolidin-1-ylmethyl)pyridin-2-yl)isindolin-2-yl)piperidine-2,6-dione (8);

3-(1-oxo-5-(4-((4-(2-oxo-2,3-dihydro-1H-benzo[d]imidazol-1-yl)piperidin-1-yl)methyl)pyridin-2-yl)isindolin-2-yl)piperidine-2,6-dione (11);

25 3-(5-(4-((4-(benzo[d][1,3]dioxol-5-ylmethyl)piperazin-1-yl)methyl)pyridin-2-yl)-1-oxoisindolin-2-yl)piperidine-2,6-dione (12);

1-((2-(2-(2,6-dioxopiperidin-3-yl)-1-oxoisindolin-5-yl)pyridin-4-yl)methyl)-N,N-diethylpiperidine-3-carboxamide (13);

30 3-(5-(4-((4-methylpiperidin-1-yl)methyl)pyridin-2-yl)-1-oxoisindolin-2-yl)piperidine-2,6-dione (14);

3-(1-oxo-5-(4-((4-(pyridin-2-yl)piperidin-1-yl)methyl)pyridin-2-yl)isindolin-2-yl)piperidine-2,6-dione (15);

- 3-(5-(4-([1,4'-bipiperidin]-1'-ylmethyl)pyridin-2-yl)-1-oxoisindolin-2-yl)piperidine-2,6-dione (17);
- 3-(1-oxo-5-(4-((4-(pyrimidin-2-yl)piperidin-1-yl)methyl)pyridin-2-yl)isoindolin-2-yl)piperidine-2,6-dione (18);
- 5 3-(5-(4-((2-methylpyrrolidin-1-yl)methyl)pyridin-2-yl)-1-oxoisindolin-2-yl)piperidine-2,6-dione (20);
- 3-(1-oxo-5-(4-((4-(pyrrolidin-1-yl)piperidin-1-yl)methyl)pyridin-2-yl)isoindolin-2-yl)piperidine-2,6-dione (23);
- 10 3-(5-(4-((4-(furan-2-carbonyl)piperazin-1-yl)methyl)pyridin-2-yl)-1-oxoisindolin-2-yl)piperidine-2,6-dione (24);
- 3-(1-oxo-5-(4-((4-(pyridin-4-yl)piperazin-1-yl)methyl)pyridin-2-yl)isoindolin-2-yl)piperidine-2,6-dione (25);
- 3-(1-oxo-5-(4-((4-(pyrazin-2-yl)piperazin-1-yl)methyl)pyridin-2-yl)isoindolin-2-yl)piperidine-2,6-dione (26);
- 15 3-(5-(4-((3-methyl-4-(m-tolyl)piperazin-1-yl)methyl)pyridin-2-yl)-1-oxoisindolin-2-yl)piperidine-2,6-dione (27);
- 3-(5-(4-((4-acetylpiperazin-1-yl)methyl)pyridin-2-yl)-1-oxoisindolin-2-yl)piperidine-2,6-dione (28);
- 3-(5-(4-((2-(((S)-1-methylpyrrolidin-2-yl)methyl)piperidin-1-yl)methyl)pyridin-2-yl)-1-oxoisindolin-2-yl)piperidine-2,6-dione (30);
- 20 N-((3S)-1-((2-(2-(2,6-dioxopiperidin-3-yl)-1-oxoisindolin-5-yl)pyridin-4-yl)methyl)pyrrolidin-3-yl)acetamide (31);
- 3-(1-oxo-5-(4-((4-(tetrahydrofuran-2-carbonyl)piperazin-1-yl)methyl)pyridin-2-yl)isoindolin-2-yl)piperidine-2,6-dione (32);
- 25 3-(5-(4-(((S)-3-(dimethylamino)pyrrolidin-1-yl)methyl)pyridin-2-yl)-1-oxoisindolin-2-yl)piperidine-2,6-dione (33);
- 3-(5-(4-((4-methylpiperazin-1-yl)methyl)pyridin-2-yl)-1-oxoisindolin-2-yl)piperidine-2,6-dione (35);
- 3-(5-(4-((4-benzylpiperazin-1-yl)methyl)pyridin-2-yl)-1-oxoisindolin-2-yl)piperidine-2,6-dione (36);
- 30 3-(1-oxo-5-(4-((3-oxopiperazin-1-yl)methyl)pyridin-2-yl)isoindolin-2-yl)piperidine-2,6-dione (37);

- 3-(5-(4-((4-benzylpiperidin-1-yl)methyl)pyridin-2-yl)-1-oxoisindolin-2-yl)
piperidine-2,6-dione (38);
- 3-(5-(4-((3,4-dihydroisoquinolin-2(1H)-yl)methyl)pyridin-2-yl)-1-oxoisindolin-2-yl)
piperidine-2,6-dione (39);
- 5 3-(5-(4-((4-(dimethylamino)piperidin-1-yl)methyl)pyridin-2-yl)-1-oxoisindolin-2-yl)
piperidine-2,6-dione (40);
- 1-((2-(2-(2,6-dioxopiperidin-3-yl)-1-oxoisindolin-5-yl)pyridin-4-yl)methyl)
piperidine-4-carboxamide (41);
- 3-(5-(4-((4-benzhydrylpiperidin-1-yl)methyl)pyridin-2-yl)-1-oxoisindolin-2-yl)
10 piperidine-2,6-dione (42);
- 3-(5-(4-((4-methyl-1,4-diazepan-1-yl)methyl)pyridin-2-yl)-1-oxoisindolin-2-yl)
piperidine-2,6-dione (43);
- 3-(5-(4-((4-isopropylpiperazin-1-yl)methyl)pyridin-2-yl)-1-oxoisindolin-2-yl)
piperidine-2,6-dione (44);
- 15 3-(5-(4-(((R)-3-(dimethylamino)pyrrolidin-1-yl)methyl)pyridin-2-yl)-1-oxoisindolin-
2-yl)piperidine-2,6-dione (45);
- 3-(5-(4-((2-methylazetidin-1-yl)methyl)pyridin-2-yl)-1-oxoisindolin-2-yl)piperidine-
2,6-dione (46);
- 3-(5-(4-((3-methylazetidin-1-yl)methyl)pyridin-2-yl)-1-oxoisindolin-2-yl)piperidine-
20 2,6-dione (47);
- 3-(5-(4-(azepan-1-yl)methyl)pyridin-2-yl)-1-oxoisindolin-2-yl)piperidine-2,6-dione
(48);
- 3-(5-(4-((3,3-dimethylazetidin-1-yl)methyl)pyridin-2-yl)-1-oxoisindolin-2-yl)
piperidine-2,6-dione (51);
- 25 3-(5-(4-((2,2-dimethylazetidin-1-yl)methyl)pyridin-2-yl)-1-oxoisindolin-2-yl)
piperidine-2,6-dione (52);
- 3-(5-(4-((2,6-dimethylpiperidin-1-yl)methyl)pyridin-2-yl)-1-oxoisindolin-2-yl)
piperidine-2,6-dione (53);
- 3-(5-(4-((hexahydrocyclopenta[b]pyrrol-1(2H)-yl)methyl)pyridin-2-yl)-1-
30 oxoisindolin-2-yl)piperidine-2,6-dione (60);
- 3-(5-(4-(((S)-2-methylpyrrolidin-1-yl)methyl)pyridin-2-yl)-1-oxoisindolin-2-yl)
piperidine-2,6-dione (69);

- 3-(5-(4-(((R)-3-methylpyrrolidin-1-yl)methyl)pyridin-2-yl)-1-oxoisindolin-2-yl) piperidine-2,6-dione (70);
- 3-(5-(4-(((R)-2-methylpiperidin-1-yl)methyl)pyridin-2-yl)-1-oxoisindolin-2-yl) piperidine-2,6-dione (71);
- 5 3-(5-(4-(((S)-3-methylpyrrolidin-1-yl)methyl)pyridin-2-yl)-1-oxoisindolin-2-yl) piperidine-2,6-dione (72);
- 3-(5-(4-(((S)-3-methylpiperidin-1-yl)methyl)pyridin-2-yl)-1-oxoisindolin-2-yl) piperidine-2,6-dione (73);
- 3-(5-(4-(((S)-2-methylpiperidin-1-yl)methyl)pyridin-2-yl)-1-oxoisindolin-2-yl) piperidine-2,6-dione (74);
- 10 3-(5-(4-(((R)-3-methylpiperidin-1-yl)methyl)pyridin-2-yl)-1-oxoisindolin-2-yl) piperidine-2,6-dione (75);
- 3-(1-oxo-5-(4-((2-phenylazetidin-1-yl)methyl)pyridin-2-yl)isindolin-2-yl)piperidine-2,6-dione (76);
- 15 3-(5-(4-(((3aR,6aS)-5-methylhexahydropyrrolo[3,4-c]pyrrol-2(1H)-yl)methyl)pyridin-2-yl)-1-oxoisindolin-2-yl)piperidine-2,6-dione (78);
- 3-(5-(4-((2-oxa-5-azabicyclo[2.2.1]heptan-5-yl)methyl)pyridin-2-yl)-1-oxoisindolin-2-yl)piperidine-2,6-dione (79);
- 3-(5-(4-(((3S,5R)-3,5-dimethylpiperidin-1-yl)methyl)pyridin-2-yl)-1-oxoisindolin-2-yl)piperidine-2,6-dione (81);
- 20 3-(5-(4-((4,4-dimethylpiperidin-1-yl)methyl)pyridin-2-yl)-1-oxoisindolin-2-yl) piperidine-2,6-dione (82);
- 3-(1-oxo-5-(4-((3-phenylazetidin-1-yl)methyl)pyridin-2-yl)isindolin-2-yl)piperidine-2,6-dione (83);
- 25 3-(5-(4-((3,3-dimethylpiperidin-1-yl)methyl)pyridin-2-yl)-1-oxoisindolin-2-yl) piperidine-2,6-dione (85);
- 3-(5-(4-((2,2-dimethylpyrrolidin-1-yl)methyl)pyridin-2-yl)-1-oxoisindolin-2-yl) piperidine-2,6-dione (117);
- 3-(5-(4-((3,3-dimethylpyrrolidin-1-yl)methyl)pyridin-2-yl)-1-oxoisindolin-2-yl) piperidine-2,6-dione (118);
- 30 3-(5-(4-((2,5-dimethylpyrrolidin-1-yl)methyl)pyridin-2-yl)-1-oxoisindolin-2-yl) piperidine-2,6-dione (119);

- 3-(5-(4-(((2R,6S)-2,6-dimethylpiperidin-1-yl)methyl)pyridin-2-yl)-1-oxoisindolin-2-yl)piperidine-2,6-dione (120);
- 3-(5-(4-(((4-(4-aminophenyl)-4-methylpiperidin-1-yl)methyl)pyridin-2-yl)-1-oxoisindolin-2-yl)piperidine-2,6-dione (121);
- 5 3-(5-(4-(((R)-2-methylpyrrolidin-1-yl)methyl)pyridin-2-yl)-1-oxoisindolin-2-yl)piperidine-2,6-dione (125);
- 3-(5-(4-(((6-azaspiro[2.5]octan-6-yl)methyl)pyridin-2-yl)-1-oxoisindolin-2-yl)piperidine-2,6-dione (127);
- 3-(5-(4-(((3-isopropoxyazetidin-1-yl)methyl)pyridin-2-yl)-1-oxoisindolin-2-yl)piperidine-2,6-dione (130);
- 10 3-(1-oxo-5-(4-(((4-tosylpiperidin-1-yl)methyl)pyridin-2-yl)isindolin-2-yl)piperidine-2,6-dione (132);
- 3-(1-oxo-5-(4-(((S)-2-phenylpyrrolidin-1-yl)methyl)pyridin-2-yl)isindolin-2-yl)piperidine-2,6-dione (133);
- 15 3-(1-oxo-5-(4-(((R)-2-phenylpyrrolidin-1-yl)methyl)pyridin-2-yl)isindolin-2-yl)piperidine-2,6-dione (134);
- 3-(1-oxo-5-(4-(((S)-3-phenylpiperidin-1-yl)methyl)pyridin-2-yl)isindolin-2-yl)piperidine-2,6-dione (135);
- 3-(1-oxo-5-(4-(((R)-3-phenylpyrrolidin-1-yl)methyl)pyridin-2-yl)isindolin-2-yl)piperidine-2,6-dione (138);
- 20 3-(1-oxo-5-(4-(((S)-3-phenylpyrrolidin-1-yl)methyl)pyridin-2-yl)isindolin-2-yl)piperidine-2,6-dione (139);
- 3-(1-oxo-5-(4-(((4-phenylpiperidin-1-yl)methyl)pyridin-2-yl)isindolin-2-yl)piperidine-2,6-dione (141);
- 25 3-(1-oxo-5-(4-(((3-phenylpiperidin-1-yl)methyl)pyridin-2-yl)isindolin-2-yl)piperidine-2,6-dione (143);
- 3-(5-{4-[(azetidin-1-yl)methyl]pyridin-2-yl}-1-oxo-2,3-dihydro-1H-isindol-2-yl)piperidine-2,6-dione (165);
- 3-(5-{4-[(morpholin-4-yl)methyl]pyridin-2-yl}-1-oxo-2,3-dihydro-1H-isindol-2-yl)piperidine-2,6-dione (166);
- 30 4-({2-[2-(2,6-dioxopiperidin-3-yl)-1-oxo-2,3-dihydro-1H-isindol-5-yl]pyridin-4-yl)methyl)-1λ6-thiomorpholine-1,1-dione (167);

- 3-(5-(5-chloro-4-((3-phenylazetidin-1-yl)methyl)pyridin-2-yl)-1-oxoisindolin-2-yl) piperidine-2,6-dione (186);
- 3-(5-(5-chloro-4-((2-phenylazetidin-1-yl)methyl)pyridin-2-yl)-1-oxoisindolin-2-yl) piperidine-2,6-dione (187);
- 5 3-(5-(5-fluoro-4-((3-phenylazetidin-1-yl)methyl)pyridin-2-yl)-1-oxoisindolin-2-yl) piperidine-2,6-dione (188);
- 3-(5-(5-fluoro-4-((2-phenylazetidin-1-yl)methyl)pyridin-2-yl)-1-oxoisindolin-2-yl) piperidine-2,6-dione (189);
- 3-(5-(5-fluoro-4-((3-(pyridin-3-yl)azetidin-1-yl)methyl)pyridin-2-yl)-1-oxoisindolin-2-yl) piperidine-2,6-dione (190);
- 10 3-(5-(3-fluoro-4-((3-phenylazetidin-1-yl)methyl)pyridin-2-yl)-1-oxoisindolin-2-yl) piperidine-2,6-dione (191);
- 3-(5-(3-fluoro-4-((3-(pyridin-3-yl)azetidin-1-yl)methyl)pyridin-2-yl)-1-oxoisindolin-2-yl) piperidine-2,6-dione (192);
- 15 3-(5-(3-fluoro-4-((2-phenylazetidin-1-yl)methyl)pyridin-2-yl)-1-oxoisindolin-2-yl) piperidine-2,6-dione (193);
- 3-(1-oxo-5-(4-((3-(pyridin-4-yl)azetidin-1-yl)methyl)pyridin-2-yl)isoindolin-2-yl) piperidine-2,6-dione (195);
- 3-(5-(4-((3-methoxy-3-methylazetidin-1-yl)methyl)pyridin-2-yl)-1-oxoisindolin-2-yl) piperidine-2,6-dione (196);
- 20 3-(5-(4-((3-methoxyazetidin-1-yl)methyl)pyridin-2-yl)-1-oxoisindolin-2-yl) piperidine-2,6-dione (197);
- 3-(5-(4-((3-ethoxyazetidin-1-yl)methyl)pyridin-2-yl)-1-oxoisindolin-2-yl) piperidine-2,6-dione (198);
- 25 3-(1-oxo-5-(4-((4-(p-tolyl)piperidin-1-yl)methyl)pyridin-2-yl)isoindolin-2-yl) piperidine-2,6-dione (199);
- 3-(5-(4-(((S)-2-benzylaziridin-1-yl)methyl)pyridin-2-yl)-1-oxoisindolin-2-yl) piperidine-2,6-dione (200);
- 3-(5-(4-((2-methylaziridin-1-yl)methyl)pyridin-2-yl)-1-oxoisindolin-2-yl) piperidine-2,6-dione (201);
- 30 1-((2-(2-(2,6-dioxopiperidin-3-yl)-1-oxoisindolin-5-yl)pyridin-4-yl)methyl)-N,N-dimethylazetidine-3-carboxamide (202);

3-(1-oxo-5-(4-((3-(pyridin-3-yl)azetidin-1-yl)methyl)pyridin-2-yl)isoindolin-2-yl) piperidine-2,6-dione (203);

3-(1-oxo-5-(4-((2-phenylazetidin-1-yl)methyl)pyridin-2-yl)isoindolin-2-yl)piperidine-2,6-dione (204-205);

5 1-((2-(2-(2,6-dioxopiperidin-3-yl)-1-oxoisoindolin-5-yl)pyridin-4-yl)methyl) azetidine-2-carboxamide (206);

3-(5-(4-((4-methoxy-3,3-dimethylpiperidin-1-yl)methyl)pyridin-2-yl)-1-oxoisoindolin-2-yl)piperidine-2,6-dione (207); or

10 3-(4-fluoro-1-oxo-5-(4-((3-phenylazetidin-1-yl)methyl)pyridin-2-yl)isoindolin-2-yl) piperidine-2,6-dione (208).

12. A pharmaceutical composition comprising a compound according to any one of claims 1-11 or a pharmaceutically-acceptable salt thereof; and a pharmaceutically acceptable carrier.

15

13. Use of a compound according to any one of claims 1-11 for the treatment of cancer.

14. The use of claim 13, wherein said cancer is selected from cancer of the colon, gastric, pancreatic cancer, breast cancer, prostate cancer, lung cancer, ovarian cancer, cervical
20 cancer, renal cancer, cancer of the head and neck, lymphoma, leukemia and melanoma.

15. A method of decreasing Helios protein levels, Helios activity level, or Helios expression level in the cells comprising contacting said Helios protein with a compound according to any one of claims 1-11, or a pharmaceutically acceptable salt thereof.

25

16. The method according to Claim 15, wherein Helios protein is the amino acid sequence encoded by SEQ ID NOs: 1, 2, 3, 4, or 5.

17. A method of decreasing Eos protein levels, Eos activity level, or Eos expression level
30 in the cells comprising contacting said Eos protein with a compound according to any one of claims 1-11, or a pharmaceutically acceptable salt thereof.

18. The method according to Claim 17, wherein Eos protein is the amino acid sequence encoded by SEQ ID NOs: 7 or 8.