PCT WORLD INTELLECTUAL PROPERTY ORGANIZATION
International Bureau

INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 7 : A61K 9/107, 31/553

A1

(11) International Publication Number: WO 00/48571

(43) International Publication Date: 24 August 2000 (24.08.00)

(21) International Application Number: PCT/EP00/01196

(22) International Filing Date: 14 February 2000 (14.02.00)

(30) Priority Data:
9903547.9 16 February 1999 (16.02.99) GB

(71) Applicant *(for all designated States except AT US)*: NOVARTIS AG [CH/CH]; Schwarzwaldallee 215, CH–4058 Basel (CH).

(71) Applicant *(for AT only)*: NOVARTIS–ERFINDUNGEN VERWALTUNGSGESELLSCHAFT M.B.H. [AT/AT]; Brunner Strasse 59, A–1230 Vienna (AT).

(72) Inventors; and
(75) Inventors/Applicants *(for US only)*: MATTHEWS, Graham, Paul [GB/GB]; 101 Trafalgar Road, Horsham, West Sussex RH12 2QL (GB). HÄBERLIN, Barbara [CH/CH]; Haselrain 77, CH–4125 Riehen (CH).

(74) Agent: BECKER, Konrad; Novartis AG, Corporate Intellectual Property, Patent & Trademark Department, CH–4002 Basel (CH).

(81) Designated States: AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ, DE, DK, DM, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

Published
With international search report.
Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.

(54) Title: SPONTANEOUSLY DISPERSIBLE N–BENZOYL STAUROSPORINE COMPOSITIONS

(57) Abstract

Spontaneously dispersible N–benzoyl–staurosporine compositions are discussed for oral administration having high bioavailability levels and reduced variability of bioavailability levels of N–benzoyl–staurosporine, as well as their preparation and use in medical treatment.