



[도1]




[도2]



- 1): P<0.05 compared with Placebo
 2): P<0.05 compared with L100
 3): P<0.05 compared with A5

[E3]

Change from Baseline in sitDBP at Week 8 - Full Analysis Set




1): P<0.05 compared with Placebo

2): P<0.05 compared with L100

5): P<0.05 compared with A/L/C 1.25/12.5/3.13

[E4]

Proportion of Subjects Achieving Blood Pressure Control at Week 8 - Full Analysis Set




1): P<0.05 compared with Placebo

2): P<0.05 compared with L100

3): P<0.05 compared with A5

[E5]

Proportion of responders at Week 8 - Full Analysis Set




1): P<0.05 compared with Placebo

2): P<0.05 compared with L100

[E6]


Change from Baseline in Pulse Pressure at Week 8 - Full Analysis Set



1): P<0.05 compared with Placebo


3): P<0.05 compared with A5

[도7]




[도8]


Change from baseline in [Max. Change] of Ankle Circumference at Week 8-Full Analysis Set




[도9a]




[도9b]




[도10a]




[도10b]




[도11a]




[도11b]




[도12a]




[도 12b]




[도 13a]




[도 13b]




[도 13c]




[도14a]




[도14b]



[도14c]



[도15a]



[도15b]

