

32, AL2p-35, AL2p-36, AL2p-37, AL2p-38, AL2p-39, AL2p-40, AL2p-41, AL2p-42, AL2p-43, AL2p-44, AL2p-45, AL2p-46, AL2p-47, AL2p-48, AL2p-49, AL2p-50, AL2p-51, AL2p-52, AL2p-53, AL2p-54, AL2p-55, AL2p-56, AL2p-57, AL2p-58, AL2p-59, AL2p-60, AL2p-61, or AL2p-62 (as shown in Tables 2A to 2C). Other examples of the present disclosure relate to an antibody that binds to a TREM2 protein, wherein the antibody comprises a heavy chain variable region and a light chain variable region, wherein the light chain variable region comprises the HVR-L1, HVR-L2, and HVR-L3 of antibody AL2p-5, AL2p-6, AL2p-7, AL2p-8, AL2p-9, AL2p-10, AL2p-11, AL2p-12, AL2p-13, AL2p-14, AL2p-15, AL2p-16, AL2p-17, AL2p-18, AL2p-19, AL2p-20, AL2p-21, AL2p-22, AL2p-23, AL2p-24, AL2p-25, AL2p-26, AL2p-27, AL2p-28, AL2p-29, AL2p-30, AL2p-31, AL2p-32, AL2p-33, AL2p-38, AL2p-39, AL2p-40, AL2p-41, AL2p-42, AL2p-43, AL2p-44, AL2p-45, AL2p-46, AL2p-47, AL2p-48, AL2p-49, AL2p-50, AL2p-51, AL2p-52, AL2p-53, AL2p-54, AL2p-55, AL2p-56, AL2p-57, AL2p-58, AL2p-59, AL2p-60, AL2p-61, or AL2p-62 (as shown in Tables 3A to 3C). Other examples of the present disclosure relate to an antibody that binds to a TREM2 protein, wherein the antibody comprises a heavy chain variable region and a light chain variable region, wherein the heavy chain variable region comprises the HVR-H1, HVR-H2, and HVR-H3 of antibody AL2p-2, AL2p-3, AL2p-4, AL2p-7, AL2p-8, AL2p-9, AL2p-10, AL2p-11, AL2p-12, AL2p-13, AL2p-14, AL2p-15, AL2p-16, AL2p-17, AL2p-18, AL2p-19, AL2p-20, AL2p-21, AL2p-22, AL2p-23, AL2p-24, AL2p-25, AL2p-26, AL2p-27, AL2p-28, AL2p-29, AL2p-30, AL2p-31, AL2p-32, AL2p-35, AL2p-36, AL2p-37, AL2p-38, AL2p-39, AL2p-40, AL2p-41, AL2p-42, AL2p-43, AL2p-44, AL2p-45, AL2p-46, AL2p-47, AL2p-48, AL2p-49, AL2p-50, AL2p-51, AL2p-52, AL2p-53, AL2p-54, AL2p-55, AL2p-56, AL2p-57, AL2p-58, AL2p-59, AL2p-60, AL2p-61, or AL2p-62 (as shown in Tables 2A to 2C); and the light chain variable region comprises the HVR-L1, HVR-L2, and HVR-L3 of antibody AL2p-5, AL2p-6, AL2p-7, AL2p-8, AL2p-9, AL2p-10, AL2p-11, AL2p-12, AL2p-13, AL2p-14, AL2p-15, AL2p-16, AL2p-17, AL2p-18, AL2p-19, AL2p-20, AL2p-21, AL2p-22, AL2p-23, AL2p-24, AL2p-25, AL2p-26, AL2p-27, AL2p-28, AL2p-29, AL2p-30, AL2p-31, AL2p-32, AL2p-33, AL2p-38, AL2p-39, AL2p-40, AL2p-41, AL2p-42, AL2p-43, AL2p-44, AL2p-45, AL2p-46, AL2p-47, AL2p-48, AL2p-49, AL2p-50, AL2p-51, AL2p-52, AL2p-53, AL2p-54, AL2p-55, AL2p-56, AL2p-57, AL2p-58, AL2p-59, AL2p-60, AL2p-61, or AL2p-62 (as shown in Tables 3A to 3C). In one aspect, the present disclosure refers to an antibody that binds to a TREM2 protein, wherein the antibody comprises a heavy chain variable region comprising an HVR-H1, HVR-H2, and HVR-H3, and a light chain variable region comprising an HVR-L1, HVR-L2, and HVR-L3, wherein:

[illegible]

[illegible]

[illegible]

comprises the sequence of SEQ ID NO: 134, and the HVR-L3 comprises the sequence of SEQ ID NO: 129; or the HVR-H1 comprises the sequence of SEQ ID NO: 132, the HVR-H2 comprises the sequence of SEQ ID NO: 143, the HVR-H3 comprises the sequence of SEQ ID NO: 126, the HVR-L1 comprises the sequence of SEQ ID NO: 142, the HVR-L2 comprises the sequence of SEQ ID NO: 131, and the HVR-L3 comprises the sequence of SEQ ID NO: 129.

[0013] In some examples that may be combined with any of the preceding examples, the heavy chain variable region comprises one, two, three or four frame work regions selected from VH FR1, VH FR2, VH FR3, and VH FR4, wherein: the VH FR1 comprises a sequence selected from the group consisting of SEQ ID NOs: 9-11, the VH FR2 comprises a sequence selected from the group consisting of SEQ ID NOs: 12 and 13, the VH FR3 comprises a sequence selected from the group consisting of SEQ ID NOs: 14 and 15, and the VH FR4 comprises the sequence of SEQ ID NO: 16; and/or the light chain variable region comprises one, two, three or four frame work regions selected from VL FR1, VL FR2, VL FR3, and VL FR4, wherein: the VL FR1 comprises a sequence selected from the group consisting of SEQ ID NOs: 17-20, the VL FR2 comprises a sequence selected from the group consisting of SEQ ID NOs: 21 and 22, the VL FR3 comprises a sequence selected from the group consisting of SEQ ID NOs: 23 and 24, and the VL FR4 comprises a sequence selected from the group consisting of SEQ ID NOs: 25 and 26. In some examples that may be combined with any of the preceding examples, the antibody comprises a heavy chain variable region comprising an amino acid sequence selected from the group consisting of SEQ ID NOs: 27-71 and 91; and/or a light chain variable region comprising an amino acid sequence selected from the group consisting of SEQ ID NOs: 92-113 and 118. In some examples that may be combined with any of the preceding examples, the antibody comprises the heavy chain variable region of antibody AL2p-h50, AL2p-2, AL2p-3, AL2p-4, AL2p-5, AL2p-6, AL2p-7, AL2p-8, AL2p-9, AL2p-10, AL2p-11, AL2p-12, AL2p-13, AL2p-14, AL2p-15, AL2p-16, AL2p-17, AL2p-18, AL2p-19, AL2p-20, AL2p-21, AL2p-22, AL2p-23, AL2p-24, AL2p-25, AL2p-26, AL2p-27, AL2p-28, AL2p-29, AL2p-30, AL2p-31, AL2p-32, AL2p-33, AL2p-h77, AL2p-35, AL2p-36, AL2p-37, AL2p-38, AL2p-39, AL2p-40, AL2p-41, AL2p-42, AL2p-43, AL2p-44, AL2p-45, AL2p-46, AL2p-47, AL2p-48, AL2p-49, AL2p-50, AL2p-51, AL2p-52, AL2p-53, AL2p-54, AL2p-55, AL2p-56, AL2p-57, AL2p-58, AL2p-59, AL2p-60, AL2p-61, or AL2p-62 (as shown in Table 6A); and/or the antibody comprises the light chain variable region of antibody AL2p-h50, AL2p-2, AL2p-3, AL2p-4, AL2p-5, AL2p-6, AL2p-7, AL2p-8, AL2p-9, AL2p-10, AL2p-11, AL2p-12, AL2p-13, AL2p-14, AL2p-15, AL2p-16, AL2p-17, AL2p-18, AL2p-19, AL2p-20, AL2p-21, AL2p-22, AL2p-23, AL2p-24, AL2p-25, AL2p-26, AL2p-27, AL2p-28, AL2p-29, AL2p-30, AL2p-31, AL2p-32, AL2p-33, AL2p-h77, AL2p-35, AL2p-36, AL2p-37, AL2p-38, AL2p-39, AL2p-40, AL2p-41, AL2p-42, AL2p-43, AL2p-44, AL2p-45, AL2p-46, AL2p-47, AL2p-48, AL2p-49, AL2p-50, AL2p-51, AL2p-52, AL2p-53, AL2p-54, AL2p-55, AL2p-56, AL2p-57, AL2p-58, AL2p-59, AL2p-60, AL2p-61, or AL2p-62 (as shown in Table 7A). In some examples that may be combined with any of the preceding examples: (a) the HVR-H1 comprises the amino acid sequence YAFSSQWMN (SEQ ID NO: 132), the HVR-H2 comprises the amino acid sequence RIYPGGGDTNYARKFQG (SEQ ID NO: 133), the HVR-H3 comprises the amino acid sequence ARLLRNQPGESYAMDY (SEQ ID NO: 126), the HVR-L1 comprises the

KVSNRFS (SEQ ID NO: 131), and the HVR-L3 comprises the amino acid sequence SQSTRVPYT (SEQ ID NO: 129). In some examples that may be combined with any of the preceding examples, the HVR-H1 comprises the amino acid sequence YAFSSQWMN (SEQ ID NO: 132), the HVR-H2 comprises the amino acid sequence RIYPGGGDTNYARKFQG (SEQ ID NO: 133), the HVR-H3 comprises the amino acid sequence ARLLRNQPGESYAMDY (SEQ ID NO: 126), the HVR-L1 comprises the amino acid sequence RSSQSLVHSNRYTYLH (SEQ ID NO: 144), the HVR-L2 comprises the amino acid sequence KVSNNRS (SEQ ID NO: 134), and the HVR-L3 comprises the amino acid sequence SQSTRVPYT (SEQ ID NO: 129). In some examples, the HVR-H1 comprises the amino acid sequence YAFSSQWMN (SEQ ID NO: 132), the HVR-H2 comprises the amino acid sequence RIYPGGGDTNYAGKFQG (SEQ ID NO: 135), the HVR-H3 comprises the amino acid sequence ARLLRNQPGESYAMDY (SEQ ID NO: 126), the HVR-L1 comprises the amino acid sequence RSSQSLVHSNRYTYLH (SEQ ID NO: 144), the HVR-L2 comprises the amino acid sequence KVSNRFS (SEQ ID NO: 131), and the HVR-L3 comprises the amino acid sequence SQSTRVPYT (SEQ ID NO: 129).

[0013a] In another aspect, the present disclosure refers to an antibody that binds to a TREM2 protein, wherein the antibody comprises a heavy chain variable region comprising an HVR-H1, HVR-H2, and HVR-H3, and a light chain variable region comprising an HVR-L1, HVR-L2, and HVR-L3, wherein the HVR-H1 comprises the amino acid sequence YAFSSDWMN (SEQ ID NO: 136), the HVR-H2 comprises the amino acid sequence RIYPGEGDTNYARKFHG (SEQ ID NO: 137), the HVR-H3 comprises the amino acid sequence ARLLRNKPGESYAMDY (SEQ ID NO: 138), the HVR-L1 comprises the amino acid sequence RTSQSLVHSNAYTYLH (SEQ ID NO: 139), the HVR-L2 comprises the amino acid sequence KVSNNRS (SEQ ID NO: 140), and the HVR-L3 comprises the amino acid sequence SQSTRVPYT (SEQ ID NO: 129).

[0013b] In another aspect, the present disclosure refers to an antibody that binds to a TREM2 protein, wherein the antibody comprises a heavy chain variable region comprising an HVR-H1, HVR-H2, and HVR-H3, and a light chain variable region comprising an HVR-L1, HVR-L2, and HVR-L3, wherein the HVR-H1 comprises the amino acid sequence YAFSSQWMN (SEQ ID NO: 132), the HVR-H2 comprises the amino acid sequence RIYPGEGDTNYARKFQG (SEQ ID NO: 141), the HVR-H3 comprises the amino acid sequence ARLLRNQPGESYAMDY (SEQ ID NO: 126), the HVR-L1 comprises the amino acid sequence RSSQSLVHSNQYTYLH (SEQ ID NO: 142), the HVR-L2 comprises the amino acid sequence KVSNNRS (SEQ ID NO: 134), and the HVR-L3 comprises the amino acid sequence SQSTRVPYT (SEQ ID NO: 129).

[0013c] In another aspect, the present disclosure refers to an antibody that binds to a TREM2 protein, wherein the antibody comprises a heavy chain variable region comprising an HVR-H1, HVR-H2, and HVR-H3, and a light chain variable region comprising an HVR-L1, HVR-L2, and HVR-L3, wherein the HVR-H1 comprises the amino acid sequence YAFSSQWMN (SEQ ID NO: 132), the HVR-H2 comprises the amino acid sequence RIYPGGGDTNYAGKFQG (SEQ ID NO: 135), the HVR-H3 comprises the amino acid sequence ARLLRNQPGESYAMDY (SEQ ID NO: 126), the HVR-L1 comprises the amino acid sequence RSSQSLVHSNRYTYLH (SEQ ID NO: 144), the HVR-L2 comprises the amino acid sequence KVSNRFS (SEQ ID NO: 131), and the HVR-L3 comprises the amino acid sequence SQSTRVPYT (SEQ ID NO: 129).

[0013d] In another aspect, the present disclosure refers to an antibody that binds to a TREM2 protein, wherein the antibody comprises:

a heavy chain variable region comprising the amino acid sequence of SEQ ID NO: 27 and a light chain variable region comprising the amino acid sequence of SEQ ID NO: 92;

a heavy chain variable region comprising the amino acid sequence of SEQ ID NO: 28 and a light chain variable region comprising the amino acid sequence of SEQ ID NO: 92;

a heavy chain variable region comprising the amino acid sequence of SEQ ID NO: 29 and a light chain variable region comprising the amino acid sequence of SEQ ID NO: 92;

a heavy chain variable region comprising the amino acid sequence of SEQ ID NO: 30 and a light chain variable region comprising the amino acid sequence of SEQ ID NO: 92;

a heavy chain variable region comprising the amino acid sequence of SEQ ID NO: 27 and a light chain variable region comprising the amino acid sequence of SEQ ID NO: 93;

a heavy chain variable region comprising the amino acid sequence of SEQ ID NO: 27 and a light chain variable region comprising the amino acid sequence of SEQ ID NO: 94;

a heavy chain variable region comprising the amino acid sequence of SEQ ID NO: 31 and a light chain variable region comprising the amino acid sequence of SEQ ID NO: 95;

a heavy chain variable region comprising the amino acid sequence of SEQ ID NO: 32 and a light chain variable region comprising the amino acid sequence of SEQ ID NO: 95;

a heavy chain variable region comprising the amino acid sequence of SEQ ID NO: 33 and a light chain variable region comprising the amino acid sequence of SEQ ID NO: 96;

a heavy chain variable region comprising the amino acid sequence of SEQ ID NO: 34 and a light chain variable region comprising the amino acid sequence of SEQ ID NO: 97;

a heavy chain variable region comprising the amino acid sequence of SEQ ID NO: 35 and a light chain variable region comprising the amino acid sequence of SEQ ID NO: 98;

a heavy chain variable region comprising the amino acid sequence of SEQ ID NO: 36 and a light chain variable region comprising the amino acid sequence of SEQ ID NO: 97;

a heavy chain variable region comprising the amino acid sequence of SEQ ID NO: 37 and a light chain variable region comprising the amino acid sequence of SEQ ID NO: 95;

a heavy chain variable region comprising the amino acid sequence of SEQ ID NO: 38 and a light chain variable region comprising the amino acid sequence of SEQ ID NO: 99;

a heavy chain variable region comprising the amino acid sequence of SEQ ID NO: 38 and a light chain variable region comprising the amino acid sequence of SEQ ID NO: 100;

a heavy chain variable region comprising the amino acid sequence of SEQ ID NO: 39 and a light chain variable region comprising the amino acid sequence of SEQ ID NO: 96;

a heavy chain variable region comprising the amino acid sequence of SEQ ID NO: 40 and a light chain variable region comprising the amino acid sequence of SEQ ID NO: 98;

a heavy chain variable region comprising the amino acid sequence of SEQ ID NO: 41 and a light chain variable region comprising the amino acid sequence of SEQ ID NO: 96;

a heavy chain variable region comprising the amino acid sequence of SEQ ID NO: 69 and a light chain variable region comprising the amino acid sequence of SEQ ID NO: 109;

a heavy chain variable region comprising the amino acid sequence of SEQ ID NO: 59 and a light chain variable region comprising the amino acid sequence of SEQ ID NO: 112;

a heavy chain variable region comprising the amino acid sequence of SEQ ID NO: 91 and a light chain variable region comprising the amino acid sequence of SEQ ID NO: 118;

a heavy chain variable region comprising the amino acid sequence of SEQ ID NO: 53 and a light chain variable region comprising the amino acid sequence of SEQ ID NO: 113;

a heavy chain variable region comprising the amino acid sequence of SEQ ID NO: 70 and a light chain variable region comprising the amino acid sequence of SEQ ID NO: 110; or

a heavy chain variable region comprising the amino acid sequence of SEQ ID NO: 71 and a light chain variable region comprising the amino acid sequence of SEQ ID NO: 111.

[0013e] In another example, the present disclosure refers to an antibody that binds to a TREM2 protein, wherein the antibody comprises a heavy chain variable region and a light chain variable region, wherein the antibody comprises the heavy chain variable region and the light chain variable region of antibody AL2p-h50, AL2p-2, AL2p-3, AL2p-4, AL2p-5, AL2p-6, AL2p-7, AL2p-8, AL2p-9, AL2p-10, AL2p-11, AL2p-12, AL2p-13, AL2p-14, AL2p-15, AL2p-16, AL2p-17, AL2p-18, AL2p-19, AL2p-20, AL2p-21, AL2p-22, AL2p-23, AL2p-24, AL2p-25, AL2p-26, AL2p-27, AL2p-28, AL2p-29, AL2p-30, AL2p-31, AL2p-32, AL2p-33, AL2p-h77, AL2p-35, AL2p-36, AL2p-37, AL2p-38, AL2p-39, AL2p-40, AL2p-41, AL2p-42, AL2p-43, AL2p-44, AL2p-45, AL2p-46, AL2p-47, AL2p-48, AL2p-49, AL2p-50, AL2p-51, AL2p-52, AL2p-53, AL2p-54, AL2p-55, AL2p-56, AL2p-57, AL2p-58, AL2p-59, AL2p-60, AL2p-61, or AL2p-62 (as shown in Tables 6A and 7A).

[0014] Other examples of the present disclosure relate to an antibody that binds to a TREM2 protein, wherein the antibody comprises a heavy chain variable region and a light chain variable region, wherein the heavy chain variable region comprises Kabat CDRs; and/or the light chain variable region comprises Kabat CDRs. In some examples, the heavy chain variable region comprises a CDR-H1 comprising the sequence of SQWMN (SEQ ID NO: 194), a CDR-H2 comprising the sequence of RIYPGGGDTNYAGKFQG (SEQ ID NO: 135); and a CDR-H3 comprising the sequence of LLRNQPGESYAMDY (SEQ ID NO: 195). In some examples, the light chain variable region comprises a CDR-L1 comprising the sequence of RSSQSLVHSNGYTYLH (SEQ ID NO: 130), a CDR-L2 comprising the sequence of KVSNRFS (SEQ ID NO: 131); and a CDR-L3 comprising the sequence of SQSTRVPYT (SEQ ID NO: 129). In some examples, the heavy chain variable region comprises a CDR-H1 comprising the sequence of SQWMN (SEQ ID NO: 194), a CDR-H2 comprising the sequence of RIYPGGGDTNYAGKFQG (SEQ ID NO: 135); and a CDR-H3 comprising the sequence of

SEQ ID NOs: 200 and 201; and a light chain comprising the amino acid sequence of SEQ ID NO: 214. In some examples, the antibody comprises a heavy chain comprising an amino acid sequence selected from the group consisting of SEQ ID NOs: 202 and 203; and a light chain comprising the amino acid sequence of SEQ ID NO: 215. In some examples, the antibody comprises a heavy chain comprising an amino acid sequence selected from the group consisting of SEQ ID NOs: 204 and 205; and a light chain comprising the amino acid sequence of SEQ ID NO: 215. In some examples, the antibody comprises a heavy chain comprising an amino acid sequence selected from the group consisting of SEQ ID NOs: 206 and 207; and a light chain comprising the amino acid sequence of SEQ ID NO: 216. In some examples, the antibody comprises a heavy chain comprising an amino acid sequence selected from the group consisting of SEQ ID NOs: 208 and 209; and a light chain comprising the amino acid sequence of SEQ ID NO: 218. In some examples, the antibody comprises a heavy chain comprising an amino acid sequence selected from the group consisting of SEQ ID NOs: 210 and 211; and a light chain comprising the amino acid sequence of SEQ ID NO: 218. In some examples, the antibody comprises a heavy chain comprising an amino acid sequence selected from the group consisting of SEQ ID NOs: 212 and 213; and a light chain comprising the amino acid sequence of SEQ ID NO: 217.

[0019a] In another aspect, the present disclosure refers to an antibody that binds to a TREM2 protein, wherein the antibody comprises a heavy chain variable region comprising the amino acid sequence of SEQ ID NO: 64 and a light chain variable region comprising the amino acid sequence of SEQ ID NO: 108.

[0019b] In another aspect, the present disclosure refers to an antibody that binds to a TREM2 protein, wherein the antibody comprises a heavy chain variable region comprising the amino acid sequence of SEQ ID NO: 70 and a light chain variable region comprising the amino acid sequence of SEQ ID NO: 110.

[0019c] In another aspect, the present disclosure refers to an antibody that binds to a TREM2 protein, wherein the antibody comprises a heavy chain variable region comprising the amino acid sequence of SEQ ID NO: 59 and a light chain variable region comprising the amino acid sequence of SEQ ID NO: 112.

[0019d] In another aspect, the present disclosure refers to an antibody that binds to a TREM2 protein, wherein the antibody comprises:

- (a) a heavy chain comprising the amino acid sequence of SEQ ID NO: 202, and a light chain comprising the amino acid sequence of SEQ ID NO: 215; or
- (b) a heavy chain comprising the amino acid sequence of SEQ ID NO: 203, and a light chain comprising the amino acid sequence of SEQ ID NO: 215.

[0019e] In another aspect, the present disclosure refers to an antibody that binds to a TREM2 protein, wherein the antibody comprises:

- (a) a heavy chain comprising the amino acid sequence of SEQ ID NO: 206, and a light chain comprising the amino acid sequence of SEQ ID NO: 216; or
- (b) a heavy chain comprising the amino acid sequence of SEQ ID NO: 207, and a light chain comprising the amino acid sequence of SEQ ID NO: 216.

[0019f] In another aspect, the present disclosure refers to an antibody that binds to a TREM2 protein, wherein the antibody comprises:

- (a) a heavy chain comprising the amino acid sequence of SEQ ID NO: 200, and a light chain comprising the amino acid sequence of SEQ ID NO: 214; or
- (b) a heavy chain comprising the amino acid sequence of SEQ ID NO: 201, and a light chain comprising the amino acid sequence of SEQ ID NO: 214.

[0020] In some examples, the heavy chain variable region comprises the amino acid sequence of SEQ ID NO: 53, and/or the light chain variable region comprises the amino acid sequence of SEQ ID NO: 97. In some examples, the heavy chain variable region comprises the amino acid sequence of SEQ ID NO: 59; and/or the light chain variable region comprises the amino acid sequence of SEQ ID NO: 104. In some examples, the heavy chain variable region comprises the amino acid sequence of SEQ ID NO: 64; and/or the light chain variable region comprises the amino acid sequence of SEQ ID NO: 108. In some examples, the heavy chain variable region comprises the amino acid sequence of SEQ ID NO: 70; and/or the light chain variable region comprises the amino acid sequence of SEQ ID NO: 110. In some examples, the heavy chain variable region comprises the amino acid sequence of SEQ ID NO: 71; and/or the light chain variable region comprises the amino acid sequence of SEQ ID NO: 11. In some examples, the heavy chain variable region comprises the amino acid sequence of SEQ ID NO: 59; and/or the light chain variable region comprises the amino acid sequence of SEQ ID NO: 112. In some examples, the heavy chain variable region comprises the amino acid sequence of SEQ ID NO: 53; and/or the light chain variable region comprises the amino acid sequence of SEQ ID NO: 113.

[0021] Other examples of the present disclosure relate to an antibody that binds to a TREM2 protein, wherein the antibody comprises a heavy chain variable region comprising an amino acid sequence selected from the group consisting of SEQ ID NOs: 27, 56 and 72-90; and/or a light chain variable region comprising an amino acid sequence selected from the group consisting of SEQ ID NOs: 92, 104, and 114-117. In some examples, the antibody comprises the heavy chain variable

region of antibody AL2p-h19, AL2p-h21, AL2p-h22, AL2p-h23, AL2p-h24, AL2p-h25, AL2p-h26, AL2p-h27, AL2p-h28, AL2p-h29, AL2p-h30, AL2p-h31, AL2p-h32, AL2p-h33, AL2p-h34, AL2p-h35, AL2p-h36, AL2p-h42, AL2p-h43, AL2p-h44, AL2p-h47, AL2p-h59, AL2p-h76, or AL2p-h90 (as shown in Table 6A); and/or the antibody comprises the light chain variable region of antibody AL2p-h19, AL2p-h21, AL2p-h22, AL2p-h23, AL2p-h24, AL2p-h25, AL2p-h26, AL2p-h27, AL2p-h28, AL2p-h29, AL2p-h30, AL2p-h31, AL2p-h32, AL2p-h33, AL2p-h34, AL2p-h35, AL2p-h36, AL2p-h42, AL2p-h43, AL2p-h44, AL2p-h47, AL2p-h59, AL2p-h76, or AL2p-h90 (as shown in Table 7A).

[0021a] In another aspect, the present disclosure refers to an antibody that binds to a TREM2 protein, wherein the antibody comprises:

- a heavy chain variable region comprising the amino acid sequence of SEQ ID NO: 53, and a light chain variable region comprising the amino acid sequence of SEQ ID NO: 115;

- a heavy chain variable region comprising the amino acid sequence of SEQ ID NO: 27, and a light chain variable region comprising the amino acid sequence of SEQ ID NO: 92;

- a heavy chain variable region comprising the amino acid sequence of SEQ ID NO: 56, and a light chain variable region comprising the amino acid sequence of SEQ ID NO: 104;

- a heavy chain variable region comprising the amino acid sequence of SEQ ID NO: 56, and a light chain variable region comprising the amino acid sequence of SEQ ID NO: 117;

- a heavy chain variable region comprising the amino acid sequence of SEQ ID NO: 56, and a light chain variable region comprising the amino acid sequence of SEQ ID NO: 115;

- a heavy chain variable region comprising the amino acid sequence of SEQ ID NO: 72, and a light chain variable region comprising the amino acid sequence of SEQ ID NO: 114;

- a heavy chain variable region comprising the amino acid sequence of SEQ ID NO: 72, and a light chain variable region comprising the amino acid sequence of SEQ ID NO: 115;

- a heavy chain variable region comprising the amino acid sequence of SEQ ID NO: 73, and a light chain variable region comprising the amino acid sequence of SEQ ID NO: 115;

- a heavy chain variable region comprising the amino acid sequence of SEQ ID NO: 74, and a light chain variable region comprising the amino acid sequence of SEQ ID NO: 115;

- a heavy chain variable region comprising the amino acid sequence of SEQ ID NO: 75, and a light chain variable region comprising the amino acid sequence of SEQ ID NO: 115;

- a heavy chain variable region comprising the amino acid sequence of SEQ ID NO: 76, and a light chain variable region comprising the amino acid sequence of SEQ ID NO: 115;

- a heavy chain variable region comprising the amino acid sequence of SEQ ID NO: 77, and a light chain variable region comprising the amino acid sequence of SEQ ID NO: 115;

- a heavy chain variable region comprising the amino acid sequence of SEQ ID NO: 78, and a light chain variable region comprising the amino acid sequence of SEQ ID NO: 115;

- a heavy chain variable region comprising the amino acid sequence of SEQ ID NO: 79, and a light chain variable region comprising the amino acid sequence of SEQ ID NO: 115;

a heavy chain variable region comprising the amino acid sequence of SEQ ID NO: 80, and a light chain variable region comprising the amino acid sequence of SEQ ID NO: 115;

a heavy chain variable region comprising the amino acid sequence of SEQ ID NO: 81, and a light chain variable region comprising the amino acid sequence of SEQ ID NO: 115;

a heavy chain variable region comprising the amino acid sequence of SEQ ID NO: 82, and a light chain variable region comprising the amino acid sequence of SEQ ID NO: 115;

a heavy chain variable region comprising the amino acid sequence of SEQ ID NO: 83, and a light chain variable region comprising the amino acid sequence of SEQ ID NO: 115;

a heavy chain variable region comprising the amino acid sequence of SEQ ID NO: 84, and a light chain variable region comprising the amino acid sequence of SEQ ID NO: 115;

a heavy chain variable region comprising the amino acid sequence of SEQ ID NO: 85, and a light chain variable region comprising the amino acid sequence of SEQ ID NO: 115;

a heavy chain variable region comprising the amino acid sequence of SEQ ID NO: 86, and a light chain variable region comprising the amino acid sequence of SEQ ID NO: 92;

a heavy chain variable region comprising the amino acid sequence of SEQ ID NO: 86, and a light chain variable region comprising the amino acid sequence of SEQ ID NO: 116;

a heavy chain variable region comprising the amino acid sequence of SEQ ID NO: 87, and a light chain variable region comprising the amino acid sequence of SEQ ID NO: 92;

a heavy chain variable region comprising the amino acid sequence of SEQ ID NO: 88, and a light chain variable region comprising the amino acid sequence of SEQ ID NO: 92;

a heavy chain variable region comprising the amino acid sequence of SEQ ID NO: 89, and a light chain variable region comprising the amino acid sequence of SEQ ID NO: 92; or

a heavy chain variable region comprising the amino acid sequence of SEQ ID NO: 90, and a light chain variable region comprising the amino acid sequence of SEQ ID NO: 104.

[0021b] In another example, the present disclosure refers to an antibody that binds to a TREM2 protein, wherein the antibody comprises a heavy chain variable region and a light chain variable region, wherein the antibody comprises the heavy chain variable region and the light chain variable region of antibody AL2p-h19, AL2p-h21, AL2p-h22, AL2p-h23, AL2p-h24, AL2p-h25, AL2p-h26, AL2p-h27, AL2p-h28, AL2p-h29, AL2p-h30, AL2p-h31, AL2p-h32, AL2p-h33, AL2p-h34, AL2p-h35, AL2p-h36, AL2p-h42, AL2p-h43, AL2p-h44, AL2p-h47, AL2p-h59, AL2p-h76, or AL2p-h90 (as shown in Tables 6A and 7A).

[0022] Other examples of the present disclosure relate to an antibody that binds to a TREM2 protein, wherein the antibody comprises a heavy chain comprising an amino acid sequence selected from the group consisting of SEQ ID NOs: 198-213; and/or a light chain comprising an amino acid sequence selected from the group consisting of SEQ ID NOs: 214-218. In some examples, the antibody comprises a heavy chain comprising an amino acid sequence selected from the group consisting of SEQ ID NOs: 198 and 199; and a light chain comprising the

amino acid sequence of SEQ ID NO: 214. In some examples, the antibody comprises a heavy chain comprising an amino acid sequence selected from the group consisting of SEQ ID NOs: 200 and 201; and a light chain comprising the amino acid sequence of SEQ ID NO: 214. In some examples, the antibody comprises a heavy chain comprising an amino acid sequence selected from the group consisting of SEQ ID NOs: 202 and 203; and a light chain comprising the amino acid sequence of SEQ ID NO: 215. In some examples, the antibody comprises a heavy chain comprising an amino acid sequence selected from the group consisting of SEQ ID NOs: 204 and 205; and a light chain comprising the amino acid sequence of SEQ ID NO: 215. In some examples, the antibody comprises a heavy chain comprising an amino acid sequence selected from the group consisting of SEQ ID NOs: 206 and 207; and a light chain comprising the amino acid sequence of SEQ ID NO: 216. In some examples, the antibody comprises a heavy chain comprising an amino acid sequence selected from the group consisting of SEQ ID NOs: 208 and 209; and a light chain comprising the amino acid sequence of SEQ ID NO: 218. In some examples, the antibody comprises a heavy chain comprising an amino acid sequence selected from the group consisting of SEQ ID NOs: 210 and 211; and a light chain comprising the amino acid sequence of SEQ ID NO: 218. In some examples, the antibody comprises a heavy chain comprising an amino acid sequence selected from the group consisting of SEQ ID NOs: 212 and 213; and a light chain comprising the amino acid sequence of SEQ ID NO: 217.

[0022a] In another aspect, the present disclosure refers to an antibody that binds to a TREM2 protein, wherein the antibody comprises:

- (a) a heavy chain variable region comprising an HVR-H1, HVR-H2, and HVR-H3, and a light chain variable region comprising an HVR-L1, HVR-L2, and HVR-L3, wherein the HVR-H1 comprises the amino acid sequence YAFSSDWMN (SEQ ID NO: 136), the HVR-H2 comprises the amino acid sequence RIYPGEGDTNYARKFHG (SEQ ID NO: 137), the HVR-H3 comprises the amino acid sequence ARLLRNKPGESYAMDY (SEQ ID NO: 138), the HVR-L1 comprises the amino acid sequence RTSQSLVHSNAYTYLH (SEQ ID NO: 139), the HVR-L2 comprises the amino acid sequence KVSNRVS (SEQ ID NO: 140), and the HVR-L3 comprises the amino acid sequence SQSTRVPYT (SEQ ID NO: 129), wherein the antibody has an IgG1 isotype;
- (b) a heavy chain variable region comprising the amino acid sequence of SEQ ID NO: 64 and a light chain variable region comprising the amino acid sequence of SEQ ID NO: 108, wherein the antibody has an IgG1 isotype;
- (c) a heavy chain comprising the amino acid sequence of SEQ ID NO: 202, and a light chain comprising the amino acid sequence of SEQ ID NO: 215; or
- (d) a heavy chain comprising the amino acid sequence of SEQ ID NO: 203, and a light chain comprising the amino acid sequence of SEQ ID NO: 215.

[0022b] In another aspect, the present disclosure refers to an antibody that binds to a TREM2 protein, wherein the antibody comprises:

- (a) a heavy chain variable region comprising an HVR-H1, HVR-H2, and HVR-H3, and a light chain variable region comprising an HVR-L1, HVR-L2, and HVR-L3, wherein the HVR-H1 comprises the amino acid sequence YAFSSQWMN (SEQ ID NO: 132), the HVR-H2 comprises the amino acid sequence RIYPGEGDTNYARKFQG (SEQ ID NO: 141), the HVR-H3 comprises the amino acid sequence ARLLRNQPGESYAMDY (SEQ ID NO: 126), the HVR-L1 comprises the amino acid sequence RSSQSLVHSNQYTYLH (SEQ ID NO: 142), the HVR-L2 comprises the amino acid sequence KVSNNRRS (SEQ ID NO: 134), and the HVR-L3 comprises the amino acid sequence SQSTRVPYT (SEQ ID NO: 129), wherein the antibody has an IgG1 isotype;
- (b) a heavy chain variable region comprising the amino acid sequence of SEQ ID NO: 70 and a light chain variable region comprising the amino acid sequence of SEQ ID NO: 110, wherein the antibody has an IgG1 isotype;
- (c) a heavy chain comprising the amino acid sequence of SEQ ID NO: 206, and a light chain comprising the amino acid sequence of SEQ ID NO: 216; or
- (d) a heavy chain comprising the amino acid sequence of SEQ ID NO: 207, and a light chain comprising the amino acid sequence of SEQ ID NO: 216.

[0022c] In another aspect, the present disclosure refers to an antibody that binds to a TREM2 protein, wherein the antibody comprises:

- (a) a heavy chain variable region comprising an HVR-H1, HVR-H2, and HVR-H3, and a light chain variable region comprising an HVR-L1, HVR-L2, and HVR-L3, wherein the HVR-H1 comprises the amino acid sequence YAFSSQWMN (SEQ ID NO: 132), the HVR-H2 comprises the amino acid sequence RIYPGGGDTNYAGKFQG (SEQ ID NO: 135), the HVR-H3 comprises the amino acid sequence ARLLRNQPGESYAMDY (SEQ ID NO: 126), the HVR-L1 comprises the amino acid sequence RSSQSLVHSNRYTYLH (SEQ ID NO: 144), the HVR-L2 comprises the amino acid sequence KVSNNRFS (SEQ ID NO: 131), and the HVR-L3 comprises the amino acid sequence SQSTRVPYT (SEQ ID NO: 129), wherein the antibody has an IgG1 isotype comprising an Fc region that comprises an amino acid substitution at positions E430G and P331S, wherein the numbering of the residue position is according to EU numbering;
- (b) a heavy chain variable region comprising the amino acid sequence of SEQ ID NO: 59 and a light chain variable region comprising the amino acid sequence of SEQ ID NO: 112, wherein the antibody has an IgG1 isotype comprising an Fc region that comprises an amino acid substitution at positions E430G and P331S, wherein the numbering of the residue position is according to EU numbering;
- (c) a heavy chain comprising the amino acid sequence of SEQ ID NO: 200, and a light chain comprising the amino acid sequence of SEQ ID NO: 214; or
- (d) a heavy chain comprising the amino acid sequence of SEQ ID NO: 201, and a light chain comprising the amino acid sequence of SEQ ID NO: 214.

[0026] In another aspect, the present disclosure refers to an isolated nucleic acid comprising a nucleic acid sequence encoding the antibody as disclosed herein. In another aspect, the present disclosure refers to a vector comprising the nucleic acid as disclosed herein. In another aspect, the present disclosure refers to an isolated host cell comprising the vector as disclosed herein. In another aspect, the present disclosure refers to a method of producing an antibody that binds to TREM2, comprising culturing the cell as disclosed herein so that the antibody is produced. In some examples, the method further comprises recovering the antibody produced by the cell. In another example, the present disclosure refers to an isolated antibody that binds to TREM2 produced by the method as disclosed herein. In another aspect, the present disclosure refers to a pharmaceutical composition comprising the antibody as disclosed herein and a pharmaceutically acceptable carrier.

[0027] Other examples of the present disclosure relate to a method of preventing, reducing risk, or treating an individual having a disease, disorder, or injury selected from the group consisting of dementia, frontotemporal dementia, Alzheimer's disease, Nasu-Hakola disease, cognitive deficit, memory loss, spinal cord injury, traumatic brain injury, multiple sclerosis, chronic colitis, ulcerative colitis, and cancer, comprising administering to an individual in need thereof a therapeutically effective amount of the antibody of the preceding examples. In some examples, the disease, disorder, or injury is Alzheimer's disease.

[0027a] In another aspect, the present disclosure refers to use of a therapeutically effective amount of the antibody as disclosed herein in the manufacture of a medicament for preventing, reducing risk, or treating an individual in need thereof having a disease, disorder, or injury selected from the group consisting of dementia, frontotemporal dementia, Alzheimer's disease, cognitive deficit, memory loss, spinal cord injury, traumatic brain injury, multiple sclerosis, chronic colitis, ulcerative colitis, and cancer.

[0028] Other examples of the present disclosure relate to an antibody comprising an Fc region, wherein the antibody comprises an amino acid substitution at position E430G and one or more amino acid substitutions in the Fc region at a residue position selected from the group consisting of: L234F, L235A, L235E, S267E, K322A, L328F, A330S, P331S, and any combination thereof, wherein the numbering of the residues is according to EU or Kabat numbering. In some examples: (a) the Fc region comprises an amino acid substitution at positions E430G, L243A, L235A, and P331S, wherein the numbering of the residue position is according to EU numbering; (b) the Fc region comprises an amino acid substitution at positions E430G and P331S, wherein the numbering of the residue position is according to EU numbering; (c) the Fc region comprises an amino acid substitution at positions E430G and K322A, wherein the numbering of the residue position is according to EU numbering; (d) the Fc region comprises an amino acid substitution at positions E430G, A330S, and P331S, wherein the numbering of the residue position is according to EU numbering; (e) the Fc region comprises an amino acid substitution at positions E430G, K322A, A330S, and P331S, wherein the numbering of the residue position is according to EU numbering; (f) the Fc region comprises an amino acid substitution at positions E430G, K322A, and A330S, wherein the numbering of the residue position is according to EU numbering; (g) the Fc region comprises an amino acid substitution at positions E430G, K322A, and P331S, wherein the numbering of the residue position is according to EU numbering; of (h) the Fc region comprises an amino acid sequence selected from the group consisting

of SEQ ID NOs: 146-156. In some examples, the Fc region comprises an amino acid substitution at positions E430G, L243A, L235A, and P331S, wherein the numbering of the residue position is according to EU numbering. In some examples, the Fc region comprises an amino acid substitution at positions E430G and P331S, wherein the numbering of the residue position is according to EU numbering. In some examples, the Fc region comprises an amino acid substitution at positions E430G and K322A, wherein the numbering of the residue position is according to EU numbering. In some examples, the Fc region comprises an amino acid substitution at positions E430G, A330S, and P331S, wherein the numbering of the residue position is according to EU numbering. In some examples, the Fc region comprises an amino acid substitution at positions E430G, K322A, A330S, and P331S, wherein the numbering of the residue position is according to EU numbering. In some examples, the Fc region comprises an amino acid substitution at positions E430G, K322A, and A330S, wherein the numbering of the residue position is according to EU numbering. In some examples, the Fc region comprises an amino acid substitution at positions E430G, K322A, and P331S, wherein the numbering of the residue position is according to EU numbering. In some examples, the Fc region increases clustering without activating complement as compared to a corresponding antibody comprising an Fc region that does not comprise the amino acid substitutions. In some examples, the antibody induces one or more activities of a target specifically bound by the antibody. In some examples, the antibody binds to TREM2.

[0028a] In another example, the present disclosure refers to an antibody comprising an Fc region, wherein the antibody comprises an amino acid substitution at position E430G and one or more amino acid substitutions in the Fc region at a residue position selected from the group consisting of: L234F, L235A, L235E, S267E, K322A, L328F, A330S, P331S, and any combination thereof, wherein the numbering of the residues is according to EU or Kabat numbering; wherein the antibody binds to TREM2; and wherein the antibody is of the IgG class and has an IgG1 isotype.

[0029] It is to be understood that one, some, or all of the properties of the various examples described herein may be combined to form other examples of the present disclosure. These and other examples of the disclosure will become apparent to one of skill in the art. These and other examples of the disclosure are further described by the detailed description that follows.

BRIEF DESCRIPTION OF THE DRAWINGS

[0030] **FIG. 1A** shows increased agonistic activity of Fc variant anti-TREM2 antibodies. Luciferase activity after 6h culture with Fc variants of an anti-TREM2 antibody. **FIG. 1B** shows increased agonistic activity of Fc variant anti-TREM2 antibodies. Luciferase activity after 6hr co-culture of Fc variant antibodies with BWZ reporter cells and THP-1 cells in 1:1 ratio.

[0031] **FIG. 2A** shows C3b deposition induced by Fc variant anti-TREM2 antibodies. Fold change of C3b deposition on HEK expressing TREM2 cell line by AL2p Fc variants over human IgG1 isotype control antibody at 10 µg/mL. **FIG. 2B** shows C3b deposition induced by Fc variant anti-TREM2 antibodies. Fold change of C3b deposition by AL2p affinity matured variants with the listed Fc mutations over their parental IgG1 Fc variant.

[0032] **FIG. 3A** shows increased activity of soluble anti-TREM2 antibodies. **FIG. 3B** shows increased activity of plate bound anti-TREM2 antibodies. **FIG. 3C** shows reporter activity of affinity matured anti-TREM2 antibodies plate bound at 5 µg/ml (grey bars) compared to parental humanized

What is claimed is:

1. An antibody that binds to a TREM2 protein, wherein the antibody comprises a heavy chain variable region comprising an HVR-H1, HVR-H2, and HVR-H3, and a light chain variable region comprising an HVR-L1, HVR-L2, and HVR-L3, wherein:

the HVR-H1 comprises the sequence of SEQ ID NO: 124, the HVR-H2 comprises the sequence of SEQ ID NO: 162, the HVR-H3 comprises the sequence of SEQ ID NO: 126, the HVR-L1 comprises the sequence of SEQ ID NO: 130, the HVR-L2 comprises the sequence of SEQ ID NO: 131, and the HVR-L3 comprises the sequence of SEQ ID NO: 129;

the HVR-H1 comprises the sequence of SEQ ID NO: 124, the HVR-H2 comprises the sequence of SEQ ID NO: 163, the HVR-H3 comprises the sequence of SEQ ID NO: 126, the HVR-L1 comprises the sequence of SEQ ID NO: 130, the HVR-L2 comprises the sequence of SEQ ID NO: 131, and the HVR-L3 comprises the sequence of SEQ ID NO: 129;

the HVR-H1 comprises the sequence of SEQ ID NO: 124, the HVR-H2 comprises the sequence of SEQ ID NO: 164, the HVR-H3 comprises the sequence of SEQ ID NO: 126, the HVR-L1 comprises the sequence of SEQ ID NO: 130, the HVR-L2 comprises the sequence of SEQ ID NO: 131, and the HVR-L3 comprises the sequence of SEQ ID NO: 129;

the HVR-H1 comprises the sequence of SEQ ID NO: 124, the HVR-H2 comprises the sequence of SEQ ID NO: 125, the HVR-H3 comprises the sequence of SEQ ID NO: 126, the HVR-L1 comprises the sequence of SEQ ID NO: 144, the HVR-L2 comprises the sequence of SEQ ID NO: 131, and the HVR-L3 comprises the sequence of SEQ ID NO: 129;

the HVR-H1 comprises the sequence of SEQ ID NO: 124, the HVR-H2 comprises the sequence of SEQ ID NO: 125, the HVR-H3 comprises the sequence of SEQ ID NO: 126, the HVR-L1 comprises the sequence of SEQ ID NO: 184, the HVR-L2 comprises the sequence of SEQ ID NO: 131, and the HVR-L3 comprises the sequence of SEQ ID NO: 129;

the HVR-H1 comprises the sequence of SEQ ID NO: 157, the HVR-H2 comprises the sequence of SEQ ID NO: 165, the HVR-H3 comprises the sequence of SEQ ID NO: 126, the HVR-L1 comprises the sequence of SEQ ID NO: 185, the HVR-L2 comprises the sequence of SEQ ID NO: 134, and the HVR-L3 comprises the sequence of SEQ ID NO: 129;

the HVR-H1 comprises the sequence of SEQ ID NO: 157, the HVR-H2 comprises the sequence of SEQ ID NO: 166, the HVR-H3 comprises the sequence of SEQ ID NO: 181, the HVR-L1 comprises

the HVR-H1 comprises the sequence of SEQ ID NO: 132, the HVR-H2 comprises the sequence of SEQ ID NO: 143, the HVR-H3 comprises the sequence of SEQ ID NO: 126, the HVR-L1 comprises the sequence of SEQ ID NO: 142, the HVR-L2 comprises the sequence of SEQ ID NO: 131, and the HVR-L3 comprises the sequence of SEQ ID NO: 129.

2. The antibody of claim 1, wherein the heavy chain variable region comprises one, two, three or four framework regions selected from VH FR1, VH FR2, VH FR3, and VH FR4, wherein:

the VH FR1 comprises a sequence selected from the group consisting of SEQ ID NOs: 9-11,

the VH FR2 comprises a sequence selected from the group consisting of SEQ ID NOs: 12 and 13,

the VH FR3 comprises a sequence selected from the group consisting of SEQ ID NOs: 14 and 15, and

the VH FR4 comprises the sequence of SEQ ID NO: 16; and/or

the light chain variable region comprises one, two, three or four framework regions selected from VL FR1, VL FR2, VL FR3, and VL FR4, wherein:

the VL FR1 comprises a sequence selected from the group consisting of SEQ ID NOs: 17-20,

the VL FR2 comprises a sequence selected from the group consisting of SEQ ID NOs: 21 and 22,

the VL FR3 comprises a sequence selected from the group consisting of SEQ ID NOs: 23 and 24, and

the VL FR4 comprises a sequence selected from the group consisting of SEQ ID NOs: 25 and 26.

3. The antibody of claim 1 or 2, wherein:

(a) the HVR-H1 comprises the amino acid sequence YAFSSQWMN (SEQ ID NO: 132), the HVR-H2 comprises the amino acid sequence RIYPGGGDTNYARKFQG (SEQ ID NO: 133), the HVR-H3 comprises the amino acid sequence ARLLRNQPGESYAMDY (SEQ ID NO: 126), the HVR-L1 comprises the amino acid sequence RSSQSLVHSNGYTYLH (SEQ ID NO: 130), the HVR-L2 comprises the amino acid sequence KVSNNRRS (SEQ ID NO: 134), and the HVR-L3 comprises the amino acid sequence SQSTRVPYT (SEQ ID NO: 129);

(b) the HVR-H1 comprises the amino acid sequence YAFSSQWMN (SEQ ID NO: 132), the HVR-H2 comprises the amino acid sequence RIYPGGGDTNYAGKFQG (SEQ ID NO: 135), the HVR-H3 comprises the amino acid sequence ARLLRNQPGESYAMDY (SEQ ID NO: 126), the HVR-L1 comprises the amino acid sequence RSSQSLVHSNGYTYLH (SEQ ID NO: 130), the HVR-L2 comprises the amino acid sequence KVSNNRFS (SEQ ID NO: 131), and the HVR-L3 comprises the amino acid sequence SQSTRVPYT (SEQ ID NO: 129);

(c) the HVR-H1 comprises the amino acid sequence YAFSSDWMN (SEQ ID NO: 136), the HVR-H2 comprises the amino acid sequence RIYPGEGDTNYARKFHG (SEQ ID NO:

- 137), the HVR-H3 comprises the amino acid sequence ARLLRNKPGESYAMDY (SEQ ID NO: 138), the HVR-L1 comprises the amino acid sequence RTSQSLVHSNAYTYLH (SEQ ID NO: 139), the HVR-L2 comprises the amino acid sequence KVSNNRVS (SEQ ID NO: 140), and the HVR-L3 comprises the amino acid sequence SQSTRVPYT (SEQ ID NO: 129);
- (d) the HVR-H1 comprises the amino acid sequence YAFSSQWMN (SEQ ID NO: 132), the HVR-H2 comprises the amino acid sequence RIYPGEGDTNYARKFQG (SEQ ID NO: 141), the HVR-H3 comprises the amino acid sequence ARLLRNQPGESYAMDY (SEQ ID NO: 126), the HVR-L1 comprises the amino acid sequence RSSQSLVHSNQYTYLH (SEQ ID NO: 142), the HVR-L2 comprises the amino acid sequence KVSNNRRS (SEQ ID NO: 134), and the HVR-L3 comprises the amino acid sequence SQSTRVPYT (SEQ ID NO: 129);
- (e) the HVR-H1 comprises the amino acid sequence YAFSSQWMN (SEQ ID NO: 132), the HVR-H2 comprises the amino acid sequence RIYPGEGDTNYAGKFQG (SEQ ID NO: 143), the HVR-H3 comprises the amino acid sequence ARLLRNQPGESYAMDY (SEQ ID NO: 126), the HVR-L1 comprises the amino acid sequence RSSQSLVHSNQYTYLH (SEQ ID NO: 142), the HVR-L2 comprises the amino acid sequence KVSNNRFS (SEQ ID NO: 131), and the HVR-L3 comprises the amino acid sequence SQSTRVPYT (SEQ ID NO: 129);
- (f) the HVR-H1 comprises the amino acid sequence YAFSSQWMN (SEQ ID NO: 132), the HVR-H2 comprises the amino acid sequence RIYPGGGDTNYAGKFQG (SEQ ID NO: 135), the HVR-H3 comprises the amino acid sequence ARLLRNQPGESYAMDY (SEQ ID NO: 126), the HVR-L1 comprises the amino acid sequence RSSQSLVHSNNRYTYLH (SEQ ID NO: 144), the HVR-L2 comprises the amino acid sequence KVSNNRFS (SEQ ID NO: 131), and the HVR-L3 comprises the amino acid sequence SQSTRVPYT (SEQ ID NO: 129); or
- (g) the HVR-H1 comprises the amino acid sequence YAFSSQWMN (SEQ ID NO: 132), the HVR-H2 comprises the amino acid sequence RIYPGGGDTNYARKFQG (SEQ ID NO: 133), the HVR-H3 comprises the amino acid sequence ARLLRNQPGESYAMDY (SEQ ID NO: 126), the HVR-L1 comprises the amino acid sequence RSSQSLVHSNNRYTYLH (SEQ ID NO: 144), the HVR-L2 comprises the amino acid sequence KVSNNRRS (SEQ ID NO: 134), and the HVR-L3 comprises the amino acid sequence SQSTRVPYT (SEQ ID NO: 129).

4. An antibody that binds to a TREM2 protein, wherein the antibody comprises a heavy chain variable region comprising an HVR-H1, HVR-H2, and HVR-H3, and a light chain variable region comprising an HVR-L1, HVR-L2, and HVR-L3, wherein the HVR-H1 comprises the amino acid sequence YAFSSDWMN (SEQ ID NO: 136), the HVR-H2 comprises the amino acid sequence RIYPGEGDTNYARKFHG (SEQ ID NO: 137), the HVR-H3 comprises the amino acid sequence ARLLRNKPGESYAMDY (SEQ ID NO: 138), the HVR-L1 comprises the amino acid sequence RTSQSLVHSNAYTYLH (SEQ ID NO: 139), the HVR-L2 comprises the amino acid sequence KVSNRVS (SEQ ID NO: 140), and the HVR-L3 comprises the amino acid sequence SQSTRVPYT (SEQ ID NO: 129).

5. An antibody that binds to a TREM2 protein, wherein the antibody comprises a heavy chain variable region comprising an HVR-H1, HVR-H2, and HVR-H3, and a light chain variable region comprising an HVR-L1, HVR-L2, and HVR-L3, wherein the HVR-H1 comprises the amino acid sequence YAFSSQWMN (SEQ ID NO: 132), the HVR-H2 comprises the amino acid sequence RIYPGEGDTNYARKFQG (SEQ ID NO: 141), the HVR-H3 comprises the amino acid sequence ARLLRNQPGESYAMDY (SEQ ID NO: 126), the HVR-L1 comprises the amino acid sequence RSSQSLVHSNQYTYLH (SEQ ID NO: 142), the HVR-L2 comprises the amino acid sequence KVSNNRS (SEQ ID NO: 134), and the HVR-L3 comprises the amino acid sequence SQSTRVPYT (SEQ ID NO: 129).

6. An antibody that binds to a TREM2 protein, wherein the antibody comprises a heavy chain variable region comprising an HVR-H1, HVR-H2, and HVR-H3, and a light chain variable region comprising an HVR-L1, HVR-L2, and HVR-L3, wherein the HVR-H1 comprises the amino acid sequence YAFSSQWMN (SEQ ID NO: 132), the HVR-H2 comprises the amino acid sequence RIYPGGGDTNYAGKFQG (SEQ ID NO: 135), the HVR-H3 comprises the amino acid sequence ARLLRNQPGESYAMDY (SEQ ID NO: 126), the HVR-L1 comprises the amino acid sequence RSSQSLVHSNRYTYLH (SEQ ID NO: 144), the HVR-L2 comprises the amino acid sequence KVSNNRFS (SEQ ID NO: 131), and the HVR-L3 comprises the amino acid sequence SQSTRVPYT (SEQ ID NO: 129).

7. An antibody that binds to a TREM2 protein, wherein the antibody comprises:
a heavy chain variable region comprising the amino acid sequence of SEQ ID NO: 27 and a light chain variable region comprising the amino acid sequence of SEQ ID NO: 92;
a heavy chain variable region comprising the amino acid sequence of SEQ ID NO: 28 and a light chain variable region comprising the amino acid sequence of SEQ ID NO: 92;

a heavy chain variable region comprising the amino acid sequence of SEQ ID NO: 68 and a light chain variable region comprising the amino acid sequence of SEQ ID NO: 109;

a heavy chain variable region comprising the amino acid sequence of SEQ ID NO: 69 and a light chain variable region comprising the amino acid sequence of SEQ ID NO: 108;

a heavy chain variable region comprising the amino acid sequence of SEQ ID NO: 69 and a light chain variable region comprising the amino acid sequence of SEQ ID NO: 109;

a heavy chain variable region comprising the amino acid sequence of SEQ ID NO: 59 and a light chain variable region comprising the amino acid sequence of SEQ ID NO: 112;

a heavy chain variable region comprising the amino acid sequence of SEQ ID NO: 91 and a light chain variable region comprising the amino acid sequence of SEQ ID NO: 118;

a heavy chain variable region comprising the amino acid sequence of SEQ ID NO: 53 and a light chain variable region comprising the amino acid sequence of SEQ ID NO: 113;

a heavy chain variable region comprising the amino acid sequence of SEQ ID NO: 70 and a light chain variable region comprising the amino acid sequence of SEQ ID NO: 110; or

a heavy chain variable region comprising the amino acid sequence of SEQ ID NO: 71 and a light chain variable region comprising the amino acid sequence of SEQ ID NO: 111.

8. The antibody of claim 7, wherein:

- (a) the heavy chain variable region comprises the amino acid sequence of SEQ ID NO: 53, and the light chain variable region comprises the amino acid sequence of SEQ ID NO: 97;
- (b) the heavy chain variable region comprises the amino acid sequence of SEQ ID NO: 59; and the light chain variable region comprises the amino acid sequence of SEQ ID NO: 104;
- (c) the heavy chain variable region comprises the amino acid sequence of SEQ ID NO: 64; and the light chain variable region comprises the amino acid sequence of SEQ ID NO: 108;
- (d) the heavy chain variable region comprises the amino acid sequence of SEQ ID NO: 70; and the light chain variable region comprises the amino acid sequence of SEQ ID NO: 110;
- (e) the heavy chain variable region comprises the amino acid sequence of SEQ ID NO: 71; and the light chain variable region comprises the amino acid sequence of SEQ ID NO: 111;

- (f) the heavy chain variable region comprises the amino acid sequence of SEQ ID NO: 59; and the light chain variable region comprises the amino acid sequence of SEQ ID NO: 112; or
 - (g) the heavy chain variable region comprises the amino acid sequence of SEQ ID NO: 53; and the light chain variable region comprises the amino acid sequence of SEQ ID NO: 113.
9. An antibody that binds to a TREM2 protein, wherein the antibody comprises a heavy chain variable region comprising the amino acid sequence of SEQ ID NO: 64 and a light chain variable region comprising the amino acid sequence of SEQ ID NO: 108.
10. An antibody that binds to a TREM2 protein, wherein the antibody comprises a heavy chain variable region comprising the amino acid sequence of SEQ ID NO: 70 and a light chain variable region comprising the amino acid sequence of SEQ ID NO: 110.
11. An antibody that binds to a TREM2 protein, wherein the antibody comprises a heavy chain variable region comprising the amino acid sequence of SEQ ID NO: 59 and a light chain variable region comprising the amino acid sequence of SEQ ID NO: 112.
12. The antibody of any one of claims 1-11, wherein the antibody comprises:
- a heavy chain comprising the amino acid sequence of SEQ ID NO: 198, and a light chain comprising the amino acid sequence of SEQ ID NO: 214;
 - a heavy chain comprising the amino acid sequence of SEQ ID NO: 199, and a light chain comprising the amino acid sequence of SEQ ID NO: 214;
 - a heavy chain comprising the amino acid sequence of SEQ ID NO: 200, and a light chain comprising the amino acid sequence of SEQ ID NO: 214;
 - a heavy chain comprising the amino acid sequence of SEQ ID NO: 201, and a light chain comprising the amino acid sequence of SEQ ID NO: 214;
 - a heavy chain comprising the amino acid sequence of SEQ ID NO: 202, and a light chain comprising the amino acid sequence of SEQ ID NO: 215;
 - a heavy chain comprising the amino acid sequence of SEQ ID NO: 203, and a light chain comprising the amino acid sequence of SEQ ID NO: 215;
 - a heavy chain comprising the amino acid sequence of SEQ ID NO: 204, and a light chain comprising the amino acid sequence of SEQ ID NO: 215;
 - a heavy chain comprising the amino acid sequence of SEQ ID NO: 205, and a light chain comprising the amino acid sequence of SEQ ID NO: 215;

a heavy chain comprising the amino acid sequence of SEQ ID NO: 206, and a light chain comprising the amino acid sequence of SEQ ID NO: 216;

a heavy chain comprising the amino acid sequence of SEQ ID NO: 207, and a light chain comprising the amino acid sequence of SEQ ID NO: 216;

a heavy chain comprising the amino acid sequence of SEQ ID NO: 208, and a light chain comprising the amino acid sequence of SEQ ID NO: 218;

a heavy chain comprising the amino acid sequence of SEQ ID NO: 209, and a light chain comprising the amino acid sequence of SEQ ID NO: 218;

a heavy chain comprising the amino acid sequence of SEQ ID NO: 210, and a light chain comprising the amino acid sequence of SEQ ID NO: 218;

a heavy chain comprising the amino acid sequence of SEQ ID NO: 211, and a light chain comprising the amino acid sequence of SEQ ID NO: 218;

a heavy chain comprising the amino acid sequence of SEQ ID NO: 212, and a light chain comprising the amino acid sequence of SEQ ID NO: 217; or

a heavy chain comprising the amino acid sequence of SEQ ID NO: 213, and a light chain comprising the amino acid sequence of SEQ ID NO: 217.

13. An antibody that binds to a TREM2 protein, wherein the antibody comprises:

(a) a heavy chain comprising the amino acid sequence of SEQ ID NO: 202, and a light chain comprising the amino acid sequence of SEQ ID NO: 215; or

(b) a heavy chain comprising the amino acid sequence of SEQ ID NO: 203, and a light chain comprising the amino acid sequence of SEQ ID NO: 215.

14. An antibody that binds to a TREM2 protein, wherein the antibody comprises:

(a) a heavy chain comprising the amino acid sequence of SEQ ID NO: 206, and a light chain comprising the amino acid sequence of SEQ ID NO: 216; or

(b) a heavy chain comprising the amino acid sequence of SEQ ID NO: 207, and a light chain comprising the amino acid sequence of SEQ ID NO: 216.

15. An antibody that binds to a TREM2 protein, wherein the antibody comprises:

(a) a heavy chain comprising the amino acid sequence of SEQ ID NO: 200, and a light chain comprising the amino acid sequence of SEQ ID NO: 214; or

(b) a heavy chain comprising the amino acid sequence of SEQ ID NO: 201, and a light chain comprising the amino acid sequence of SEQ ID NO: 214.

16. An antibody that binds to a TREM2 protein, wherein the antibody comprises:
- a heavy chain variable region comprising the amino acid sequence of SEQ ID NO: 53, and a light chain variable region comprising the amino acid sequence of SEQ ID NO: 115;
 - a heavy chain variable region comprising the amino acid sequence of SEQ ID NO: 27, and a light chain variable region comprising the amino acid sequence of SEQ ID NO: 92;
 - a heavy chain variable region comprising the amino acid sequence of SEQ ID NO: 56, and a light chain variable region comprising the amino acid sequence of SEQ ID NO: 104;
 - a heavy chain variable region comprising the amino acid sequence of SEQ ID NO: 56, and a light chain variable region comprising the amino acid sequence of SEQ ID NO: 117;
 - a heavy chain variable region comprising the amino acid sequence of SEQ ID NO: 56, and a light chain variable region comprising the amino acid sequence of SEQ ID NO: 115;
 - a heavy chain variable region comprising the amino acid sequence of SEQ ID NO: 72, and a light chain variable region comprising the amino acid sequence of SEQ ID NO: 114;
 - a heavy chain variable region comprising the amino acid sequence of SEQ ID NO: 72, and a light chain variable region comprising the amino acid sequence of SEQ ID NO: 115;
 - a heavy chain variable region comprising the amino acid sequence of SEQ ID NO: 73, and a light chain variable region comprising the amino acid sequence of SEQ ID NO: 115;
 - a heavy chain variable region comprising the amino acid sequence of SEQ ID NO: 74, and a light chain variable region comprising the amino acid sequence of SEQ ID NO: 115;
 - a heavy chain variable region comprising the amino acid sequence of SEQ ID NO: 75, and a light chain variable region comprising the amino acid sequence of SEQ ID NO: 115;
 - a heavy chain variable region comprising the amino acid sequence of SEQ ID NO: 76, and a light chain variable region comprising the amino acid sequence of SEQ ID NO: 115;
 - a heavy chain variable region comprising the amino acid sequence of SEQ ID NO: 77, and a light chain variable region comprising the amino acid sequence of SEQ ID NO: 115;
 - a heavy chain variable region comprising the amino acid sequence of SEQ ID NO: 78, and a light chain variable region comprising the amino acid sequence of SEQ ID NO: 115;
 - a heavy chain variable region comprising the amino acid sequence of SEQ ID NO: 79, and a light chain variable region comprising the amino acid sequence of SEQ ID NO: 115;
 - a heavy chain variable region comprising the amino acid sequence of SEQ ID NO: 80, and a light chain variable region comprising the amino acid sequence of SEQ ID NO: 115;
 - a heavy chain variable region comprising the amino acid sequence of SEQ ID NO: 81, and a light chain variable region comprising the amino acid sequence of SEQ ID NO: 115;

a heavy chain variable region comprising the amino acid sequence of SEQ ID NO: 82, and a light chain variable region comprising the amino acid sequence of SEQ ID NO: 115;

a heavy chain variable region comprising the amino acid sequence of SEQ ID NO: 83, and a light chain variable region comprising the amino acid sequence of SEQ ID NO: 115;

a heavy chain variable region comprising the amino acid sequence of SEQ ID NO: 84, and a light chain variable region comprising the amino acid sequence of SEQ ID NO: 115;

a heavy chain variable region comprising the amino acid sequence of SEQ ID NO: 85, and a light chain variable region comprising the amino acid sequence of SEQ ID NO: 115;

a heavy chain variable region comprising the amino acid sequence of SEQ ID NO: 86, and a light chain variable region comprising the amino acid sequence of SEQ ID NO: 92;

a heavy chain variable region comprising the amino acid sequence of SEQ ID NO: 86, and a light chain variable region comprising the amino acid sequence of SEQ ID NO: 116;

a heavy chain variable region comprising the amino acid sequence of SEQ ID NO: 87, and a light chain variable region comprising the amino acid sequence of SEQ ID NO: 92;

a heavy chain variable region comprising the amino acid sequence of SEQ ID NO: 88, and a light chain variable region comprising the amino acid sequence of SEQ ID NO: 92;

a heavy chain variable region comprising the amino acid sequence of SEQ ID NO: 89, and a light chain variable region comprising the amino acid sequence of SEQ ID NO: 92; or

a heavy chain variable region comprising the amino acid sequence of SEQ ID NO: 90, and a light chain variable region comprising the amino acid sequence of SEQ ID NO: 104.

17. The antibody of any one of claims 1-11 or 16, wherein the antibody is of the IgG class, the IgM class, or the IgA class.

18. The antibody of claim 17, wherein the antibody is of the IgG class and has an IgG1, IgG2, IgG3, or IgG4 isotype.

19. The antibody of claim 18, wherein the antibody comprises one or more amino acid substitutions in the Fc region at a residue position selected from the group consisting of: C127S, L234A, L234F, L235A, L235E, S267E, K322A, L328F, A330S, P331S, E345R, E430G, S440Y, and any combination thereof, wherein the numbering of the residues is according to EU or Kabat numbering.

20. The antibody of claim 19, wherein:

- (a) the Fc region comprises an amino acid substitution at positions E430G, L243A, L235A, and P331S, wherein the numbering of the residue position is according to EU numbering;
- (b) the Fc region comprises an amino acid substitution at positions E430G and P331S, wherein the numbering of the residue position is according to EU numbering;

- (c) the Fc region comprises an amino acid substitution at positions E430G and K322A , wherein the numbering of the residue position is according to EU numbering;
 - (d) the Fc region comprises an amino acid substitution at positions E430G, A330S, and P331S, wherein the numbering of the residue position is according to EU numbering;
 - (e) the Fc region comprises an amino acid substitution at positions E430G, K322A, A330S, and P331S, wherein the numbering of the residue position is according to EU numbering;
 - (f) the Fc region comprises an amino acid substitution at positions E430G, K322A, and A330S, wherein the numbering of the residue position is according to EU numbering;
 - (g) the Fc region comprises an amino acid substitution at positions E430G, K322A, and P331S, wherein the numbering of the residue position is according to EU numbering;
 - (h) the Fc region comprises an amino acid substitution at positions S267E and L328F, wherein the numbering of the residue position is according to EU numbering;
 - (i) the Fc region comprises an amino acid substitution at position C127S, wherein the numbering of the residue position is according to EU numbering;
 - (j) the Fc region comprises an amino acid substitution at positions E345R, E430G and S440Y, wherein the numbering of the residue position is according to EU numbering; or
 - (k) the Fc region comprises an amino acid sequence selected from the group consisting of SEQ ID NOs: 146-156.
21. An antibody that binds to a TREM2 protein, wherein the antibody comprises:
- (a) a heavy chain variable region comprising an HVR-H1, HVR-H2, and HVR-H3, and a light chain variable region comprising an HVR-L1, HVR-L2, and HVR-L3, wherein the HVR-H1 comprises the amino acid sequence YAFSSDWMN (SEQ ID NO: 136), the HVR-H2 comprises the amino acid sequence RIYPGEGDTNYARKFHG (SEQ ID NO: 137), the HVR-H3 comprises the amino acid sequence ARLLRNKPGESYAMDY (SEQ ID NO: 138), the HVR-L1 comprises the amino acid sequence RTSQSLVHSNAYTYLH (SEQ ID NO: 139), the HVR-L2 comprises the amino acid sequence KVSNRVS (SEQ ID NO: 140), and the HVR-L3 comprises the amino acid sequence SQSTRVPYT (SEQ ID NO: 129), wherein the antibody has an IgG1 isotype;
 - (b) a heavy chain variable region comprising the amino acid sequence of SEQ ID NO: 64 and a light chain variable region comprising the amino acid sequence of SEQ ID NO: 108, wherein the antibody has an IgG1 isotype;
 - (c) a heavy chain comprising the amino acid sequence of SEQ ID NO: 202, and a light chain comprising the amino acid sequence of SEQ ID NO: 215; or

- (d) a heavy chain comprising the amino acid sequence of SEQ ID NO: 203, and a light chain comprising the amino acid sequence of SEQ ID NO: 215.
22. An antibody that binds to a TREM2 protein, wherein the antibody comprises:
- (a) a heavy chain variable region comprising an HVR-H1, HVR-H2, and HVR-H3, and a light chain variable region comprising an HVR-L1, HVR-L2, and HVR-L3, wherein the HVR-H1 comprises the amino acid sequence YAFSSQWMN (SEQ ID NO: 132), the HVR-H2 comprises the amino acid sequence RIYPGEGDTNYARKFQG (SEQ ID NO: 141), the HVR-H3 comprises the amino acid sequence ARLLRNQPGESYAMDY (SEQ ID NO: 126), the HVR-L1 comprises the amino acid sequence RSSQSLVHSNQYTYLH (SEQ ID NO: 142), the HVR-L2 comprises the amino acid sequence KVSNNRRS (SEQ ID NO: 134), and the HVR-L3 comprises the amino acid sequence SQSTRVPYT (SEQ ID NO: 129), wherein the antibody has an IgG1 isotype;
 - (b) a heavy chain variable region comprising the amino acid sequence of SEQ ID NO: 70 and a light chain variable region comprising the amino acid sequence of SEQ ID NO: 110, wherein the antibody has an IgG1 isotype;
 - (c) a heavy chain comprising the amino acid sequence of SEQ ID NO: 206, and a light chain comprising the amino acid sequence of SEQ ID NO: 216; or
 - (d) a heavy chain comprising the amino acid sequence of SEQ ID NO: 207, and a light chain comprising the amino acid sequence of SEQ ID NO: 216.
23. An antibody that binds to a TREM2 protein, wherein the antibody comprises:
- (a) a heavy chain variable region comprising an HVR-H1, HVR-H2, and HVR-H3, and a light chain variable region comprising an HVR-L1, HVR-L2, and HVR-L3, wherein the HVR-H1 comprises the amino acid sequence YAFSSQWMN (SEQ ID NO: 132), the HVR-H2 comprises the amino acid sequence RIYPGGGDTNYAGKFQG (SEQ ID NO: 135), the HVR-H3 comprises the amino acid sequence ARLLRNQPGESYAMDY (SEQ ID NO: 126), the HVR-L1 comprises the amino acid sequence RSSQSLVHSNRYTYLH (SEQ ID NO: 144), the HVR-L2 comprises the amino acid sequence KVSNNRFS (SEQ ID NO: 131), and the HVR-L3 comprises the amino acid sequence SQSTRVPYT (SEQ ID NO: 129), wherein the antibody has an IgG1 isotype comprising an Fc region that comprises an amino acid substitution at positions E430G and P331S, wherein the numbering of the residue position is according to EU numbering;
 - (b) a heavy chain variable region comprising the amino acid sequence of SEQ ID NO: 59 and a light chain variable region comprising the amino acid sequence of SEQ ID NO: 112, wherein the antibody has an IgG1 isotype comprising an Fc region that comprises an amino acid substitution at

positions E430G and P331S, wherein the numbering of the residue position is according to EU numbering;

(c) a heavy chain comprising the amino acid sequence of SEQ ID NO: 200, and a light chain comprising the amino acid sequence of SEQ ID NO: 214; or

(d) a heavy chain comprising the amino acid sequence of SEQ ID NO: 201, and a light chain comprising the amino acid sequence of SEQ ID NO: 214.

24. The antibody of any one of claims 1-23, wherein the TREM2 protein is a human protein.

25. The antibody of claim 24, wherein the TREM2 protein is a wild-type protein.

26. The antibody of claim 24, wherein the TREM2 protein is a naturally occurring variant.

27. The antibody of any one of claims 1-11 or 16-26, wherein the antibody is an antibody fragment that binds to one or more human proteins selected from the group consisting of human TREM2, a naturally occurring variant of human TREM2, and a disease variant of human TREM2, and optionally wherein the antibody fragment is cross-linked to a second antibody fragment that binds to one or more human proteins selected from the group consisting of human TREM2, a naturally occurring variant of human TREM2, and a disease variant of human TREM2.

28. The antibody of claim 27, wherein the fragment is an Fab, Fab', Fab'-SH, F(ab')₂, Fv or scFv fragment.

29. The antibody of any one of claims 1-28, wherein the antibody is a monoclonal antibody.

30. The antibody of any one of claims 1-11 and 16-28, wherein the antibody is a humanized antibody.

31. The antibody of any one of claims 1-30, wherein the antibody is a bispecific antibody recognizing a first antigen and a second antigen, wherein the first antigen is human TREM2 or a naturally occurring variant thereof, and the second antigen is:

(a) an antigen facilitating transport across the blood-brain-barrier;

(b) an antigen facilitating transport across the blood-brain-barrier selected from the group consisting of transferrin receptor (TR), insulin receptor (HIR), insulin-like growth factor receptor (IGFR), low-density lipoprotein receptor related proteins 1 and 2 (LPR-1 and 2), diphtheria toxin receptor, CRM197, a llama single domain antibody, TMEM 30(A), a protein transduction domain, TAT, Syn-B, penetratin, a poly-arginine peptide, an angiopeptide, and ANG1005;

(c) a disease-causing agent selected from the group consisting of disease-causing peptides or proteins, and disease-causing nucleic acids, wherein the disease-causing nucleic acids are

antisense GGCCCC (G2C4) repeat-expansion RNA, and the disease-causing proteins are selected from the group consisting of amyloid beta, oligomeric amyloid beta, amyloid beta plaques, amyloid precursor protein or fragments thereof, Tau, IAPP, alpha-synuclein, TDP-43, FUS protein, C9orf72 (chromosome 9 open reading frame 72), c9RAN protein, prion protein, PrPSc, huntingtin, calcitonin, superoxide dismutase, ataxin, ataxin 1, ataxin 2, ataxin 3, ataxin 7, ataxin 8, ataxin 10, Lewy body, atrial natriuretic factor, islet amyloid polypeptide, insulin, apolipoprotein AI, serum amyloid A, medin, prolactin, transthyretin, lysozyme, beta 2 microglobulin, gelsolin, keratoepithelin, cystatin, immunoglobulin light chain AL, S-IBM protein, Repeat-associated non-ATG (RAN) translation products, DiPeptide repeat (DPR) peptides, glycine-alanine (GA) repeat peptides, glycine-proline (GP) repeat peptides, glycine-arginine (GR) repeat peptides, proline-alanine (PA) repeat peptides, ubiquitin, and proline-arginine (PR) repeat peptides;

- (d) ligands and/or proteins expressed on immune cells, wherein the ligands and/or proteins are selected from the group consisting of CD40, OX40, ICOS, CD28, CD137/4-1BB, CD27, GITR, PD-L1, CTLA-4, PD-L2, PD-1, B7-H3, B7-H4, HVEM, BTLA, KIR, GAL9, TIM3, A2AR, LAG-3, and phosphatidylserine; or
- (e) a protein, lipid, polysaccharide, or glycolipid expressed on one or more tumor cells.

32. The antibody of any one of the preceding claims, wherein the antibody binds specifically to both human TREM2 and cynomolgus monkey TREM2.

33. The antibody of claim 32, wherein the antibody has a dissociation constant (K_D) for cynomolgus monkey TREM2 that ranges from 50 nM to 100 pM, or less than 100 pM, wherein the K_D is determined at a temperature of approximately 25°C.

34. The antibody of any one of the preceding claims, wherein the antibody binds to primary human immune cells with an affinity that is at least 10 times higher than that of an anti-TREM2 antibody comprising a heavy chain variable region comprising the amino acid sequence of SEQ ID NO: 27 and a light chain variable region comprising the amino acid sequence of SEQ ID NO: 92; or at least 10 times higher than an anti-TREM2 antibody comprising a heavy chain variable region comprising the amino acid sequence of SEQ ID NO: 56 and a light chain variable region comprising the amino acid sequence of SEQ ID NO: 104.

35. The antibody of any one of the preceding claims, wherein the antibody clusters and activates TREM2 signaling in an amount that is greater than that of a human control IgG1 antibody.

36. The antibody of any one of the preceding claims, wherein the antibody increases immune cell survival *in vitro* to an extent that is greater than a human control IgG1 antibody.
37. The antibody of any one of the preceding claims, wherein the antibody has an *in vivo* half-life that is lower than a human control IgG1 antibody.
38. The antibody of any one of the preceding claims, wherein the antibody decreases plasma levels of soluble TREM2 *in vivo* by at least 20%.
39. The antibody of claim 38, wherein the antibody decreases plasma levels of soluble TREM2 *in vivo* by blocking cleavage and/or by inducing internalization.
40. An isolated nucleic acid comprising a nucleic acid sequence encoding the antibody of any one of the preceding claims.
41. A vector comprising the nucleic acid of claim 40.
42. An isolated host cell comprising the vector of claim 41.
43. A method of producing an antibody that binds to TREM2, comprising culturing the cell of claim 42 so that the antibody is produced.
44. The method of claim 43, further comprising recovering the antibody produced by the cell.
45. A pharmaceutical composition comprising the antibody of any one of claims 1-39 and a pharmaceutically acceptable carrier.
46. Use of a therapeutically effective amount of the antibody of any one of claims 1-39 in the manufacture of a medicament for preventing, reducing risk, or treating an individual in need thereof having a disease, disorder, or injury selected from the group consisting of dementia, frontotemporal dementia, Alzheimer's disease, cognitive deficit, memory loss, spinal cord injury, traumatic brain injury, multiple sclerosis, chronic colitis, ulcerative colitis, and cancer.
47. The use of claim 46, wherein the disease, disorder, or injury is Alzheimer's disease.