




FIGURE 1A

—●— No channel —●— 6.25 μM [IPTG] —●— 12.5 μM [IPTG] —●— 25 μM [IPTG] —●— 50 μM [IPTG]




FIGURE 1B




FIGURE 2A




FIGURE 2B




FIGURE 3A




FIGURE 3B




FIGURE 4A

FIGURE 4B




FIGURE 5A




FIGURE 5B




FIGURE 5C




FIGURE 6A




FIGURE 6B




FIGURE 6C




FIGURE 7A




FIGURE 7B




FIGURE 7C




FIGURE 8A

NC




FIGURE 8B




FIGURE 8C




FIGURE 9A




FIGURE 9B




FIGURE 9C




FIGURE 10A




FIGURE 10B




FIGURE 10C




FIGURE 11A




FIGURE 11B




FIGURE 11C




FIGURE 12A




FIGURE 12B










FIGURE 12C

12/22








FIGURE 15A




FIGURE 15B




FIGURE 15C




FIGURE 16A




FIGURE 16B




FIGURE 16C




FIGURE 17A




FIGURE 17B




FIGURE 17C




FIGURE 18A




FIGURE 18B




FIGURE 18C




FIGURE 19A




FIGURE 19B




FIGURE 19C




FIGURE 20A




FIGURE 20B




FIGURE 20C




FIGURE 21A




FIGURE 21B




FIGURE 21C




FIGURE 22A




FIGURE 22B




FIGURE 22C




FIGURE 23