

1/18




FIG. 1

SUBSTITUTE SHEET (RULE 26)




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6





FIG. 7






FIG. 9




FIG. 10




FIG. 11

	Cell M (Digit M)	...	Cell 3 (Digit 3)	Cell 2 (Digit 2)	Cell 1 (Digit 1)
	N ... 3 2 1 DBM	...	N ... 3 2 1 DB3	N ... 3 2 1 DB2	N ... 3 2 1 DB1
For: N=4	4 different values (0 to 3)	...	4 different values (0 to 3)	4 different values (0 to 3)	4 different values (0 to 3)
For: N=8	8 different values (0 to 7)	...	8 different values (0 to 7)	8 different values (0 to 7)	8 different values (0 to 7)
For: N=10 (Decimal)	10 different values (0 to 10)	...	10 different values (0 to 10)	10 different values (0 to 10)	10 different values (0 to 10)
For: N=16 (Hexadecimal)	16 different values (0 to 15 or 0 to F)	...	16 different values (0 to 15 or 0 to F)	16 different values (0 to 15 or 0 to F)	16 different values (0 to 15 or 0 to F)

FIG. 12




FIG. 13




FIG. 14

15/18




FIG. 15

