



(51) International Patent Classification:

C10G 45/04 (2006.01) C10L 1/04 (2006.01)
C10G 49/02 (2006.01)

(21) International Application Number:

PCT/US2014/022348

(22) International Filing Date:

10 March 2014 (10.03.2014)

(25) Filing Language:

English

(26) Publication Language:

English

(30) Priority Data:

61/778,989 13 March 2013 (13.03.2013) US

(71) Applicant: BASF CORPORATION [US/US]; 100 Park Avenue, Florham Park, New Jersey 07932 (US).

(72) Inventors: PETROVIC, Ivan; 46 McComb Road, Princeton, New Jersey 08540 (US). MOINI, Ahmad; 168 Carter Road, Princeton, New Jersey 08540 (US). HEDRICK, Scott; 37075 Fox Run Drive, Solon, Ohio 44139 (US). KRAUS, Martin; 245 Tuttle Parkway, Westfield, New Jersey 07090 (US).

(74) Agents: BROWN, Melanie et al.; BASF Corporation, 100 Park Avenue, Florham Park, New Jersey 07932 (US).


(81) Designated States (unless otherwise indicated, for every kind of national protection available): AE, AG, AL, AM, AO, AT, AU, AZ, BA, BB, BG, BH, BN, BR, BW, BY, BZ, CA, CH, CL, CN, CO, CR, CU, CZ, DE, DK, DM, DO, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, GT, HN, HR, HU, ID, IL, IN, IR, IS, JP, KE, KG, KN, KP, KR, KZ, LA, LC, LK, LR, LS, LT, LU, LY, MA, MD, ME, MG, MK, MN, MW, MX, MY, MZ, NA, NG, NI, NO, NZ, OM, PA, PE, PG, PH, PL, PT, QA, RO, RS, RU, RW, SA, SC, SD, SE, SG, SK, SL, SM, ST, SV, SY, TH, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, ZA, ZM, ZW.

(84) Designated States (unless otherwise indicated, for every kind of regional protection available): ARIPO (BW, GH, GM, KE, LR, LS, MW, MZ, NA, RW, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, RU, TJ, TM), European (AL, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HR, HU, IE, IS, IT, LT, LU, LV, MC, MK, MT, NL, NO, PL, PT, RO, RS, SE, SI, SK, SM, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, KM, ML, MR, NE, SN, TD, TG).

[Continued on next page]

(54) Title: HYDROISOMERIZATION CATALYSTS BASED ON FE CONTAINING MOLECULAR SIEVES

Fig. 1



(57) Abstract: The hydroisomerization of a paraffinic hydrocarbon feedstock obtained from renewable sources is effectively achieved by passing the feedstock in the presence of hydrogen over a hydroisomerization catalyst comprising a crystalline metal silicate molecular sieve, in which a portion of the crystalline framework contains iron.



Published:

— *with international search report (Art. 21(3))*