

FIG. 1




FIG. 2

OF

AR

[AREA ID=a1] [USER ID=Y1]	[AREA ID=a4] [USER ID=Y4]	[AREA ID=a7] [USER ID=Y7]	[AREA ID=a10] [USER ID=Y10]	[AREA ID=a13] [USER ID=Y13]	[AREA ID=a16] [USER ID=Y16]
[AREA ID=a2] [USER ID=Y2]	[AREA ID=a5] [USER ID=Y5]	[AREA ID=a8] [USER ID=Y8]	[AREA ID=a11] [USER ID=Y11]	[AREA ID=a14] [USER ID=Y14]	[AREA ID=a17] [USER ID=Y17]
[AREA ID=a3] [USER ID=Y3]	[AREA ID=a6] [USER ID=Y6]	[AREA ID=a9] [USER ID=Y9]	[AREA ID=a12] [USER ID=Y12]	[AREA ID=a15] [USER ID=Y15]	[AREA ID=a18] [USER ID=Y18]

FIG. 3




FIG. 4




FIG. 5




FIG. 6

AREA ID	LIGHTING INSTRUMENT ID	DIMMING CONTROL DEVICE ID	USER ID	SENSOR ID	USER-SPECIFIC LUMINOUS INTENSITY
a1	m1	v1	Y1	s1	200
a2	m2	v2	Y2	s2	300
a3	m3	v3	Y3	s3	150
⋮	⋮	⋮	⋮	⋮	⋮
a18	m18	v18	Y18	s18	250

FIG. 7




FIG. 8

