



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁶ : A61K 9/16, 9/54, 9/62	A1	(11) International Publication Number: WO 99/61002 (43) International Publication Date: 2 December 1999 (02.12.99)
(21) International Application Number: PCT/US98/16128 (22) International Filing Date: 4 August 1998 (04.08.98) (30) Priority Data: 09/083,597 22 May 1998 (22.05.98) US (71) Applicant: BRISTOL-MYERS SQUIBB COMPANY [US/US]; P.O. Box 4000, Princeton, NJ 08543-4000 (US). (72) Inventors: ULLAH, Ismat; 2 Mockingbird Court, Cranbury, NJ 08512 (US). WILEY, Gary, J.; 72 Tuscany Drive, Jackson, NJ 08527 (US). (74) Agents: MARENBERG, Barry, J. et al.; Bristol-Myers Squibb Company, P.O. Box 4000, Princeton, NJ 08543-4000 (US).	(81) Designated States: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GE, GH, GM, HU, ID, IL, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, UZ, VN, YU, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG). Published With international search report. With amended claims.	

(54) Title: ENTERIC COATED PHARMACEUTICAL COMPOSITION AND METHOD OF MANUFACTURING

(57) Abstract

A high drug load enteric coated pharmaceutical composition is provided which includes a core comprised of a medicament which is sensitive to a low pH environment of less than 3, such as ddi, which composition is preferably in the form of beadlets having an enteric coating formed of methacrylic acid copolymer, plasticizer and an additional coat comprising an anti-adherent. The so-called beadlets have excellent resistance to disintegration at pH less than 3 but have excellent drug release properties at pH greater than 4.5. A novel method of making said pharmaceutical composition is also disclosed.

