

FIG. 1


125-1
126
106-2
104-2
208
124
112
201
102
128
118
110
116
108
202
104-1
201
125-2
206
106-1

FIG. 2


304
312
314
208
310
201
106-2
302
122
d1
118
114-1
202
108
C
C'
114-3
114-2
124
120-1
d2
120-2
122
116
302
201
206
304
106-1
126

FIG. 3



FIG. 4



FIG. 5


108
110
130
130-2
d_{t1}
130-1
602
604

FIG. 6a


108
110
d_{t2}
130
130-1
130-2
604
602

FIG. 6b


700
DISPOSING A FIRST FASTENING MEMBER AND A FIRST CLAMPING MEMBER ON A FIRST CABLE AND A SECOND FASTENING MEMBER AND A SECOND CLAMPING MEMBER ON A SECOND CABLE
702
PULLING ONE OF THE FIRST CABLE AND THE SECOND CABLE THROUGH A HOUSING MEMBER OF THE CABLE CONNECTOR
704
FASTENING THE FIRST CABLE AND THE SECOND CABLE TO AT LEAST ONE TERMINAL BLOCK
706
INSERTING THE AT LEAST ONE TERMINAL BLOCK WITHIN THE HOUSING MEMBER OF THE CABLE CONNECTOR THROUGH ONE OF A FIRST END AND A SECOND END OF THE HOUSING MEMBER
708
A

FIG. 7a


700
A
710
SEALABLY ENGAGING THE FIRST CLAMPING MEMBER AND THE SECOND CLAMPING MEMBER WITH A FIRST ENGAGING PORTION EXTENDING FROM THE FIRST END AND A SECOND ENGAGING PORTION EXTENDING FROM THE SECOND END, RESPECTIVELY, OF THE HOUSING MEMBER
712
ENGAGING THE FIRST FASTENING MEMBER AND THE SECOND FASTENING MEMBER WITH THE FIRST ENGAGING PORTION AND THE SECOND ENGAGING PORTION, RESPECTIVELY
714
ROTATING EACH OF THE FIRST FASTENING MEMBER AND THE SECOND FASTENING MEMBER WITH RESPECT TO THE FIRST ENGAGING PORTION AND THE SECOND ENGAGING PORTION, RESPECTIVELY, FOR DEFORMABLY COMPRESSING THE FIRST CLAMPING MEMBER TO CLAMP THE FIRST CABLE AND THE SECOND CLAMPING MEMBER TO CLAMP THE SECOND CABLE

FIG. 7b



FIG. 8a



FIG. 8b



FIG. 8c



FIG. 8d