

PASSWORD PROTECTION QUESTION SETTING METHOD AND DEVICE

Technical Field

The present application relates to the field of security technologies, and in particular, to methods and apparatuses for setting a password protection question.

Background

Along with the development of the Internet, the number of platforms having different service functions has increased. For example, a platform may provide portal websites, instant messaging tools, and the like. These platforms provide convenience for people in their lives and work.

Generally, a user may register an account on a platform, and set up a corresponding password to ensure the security of the account. The user may accept a service provided by the platform using the account and the password. For example, the user can log into an instant messaging tool using the account and the password to conduct instant messaging with another user.

After setting up the password, a situation that the user forgets the password or the password is stolen may easily happen, such that the account cannot be used anymore. Moreover, user information in the account may occupy a large amount of storage resources. Therefore, in order to reduce user churn and resource occupation caused by the loss of user passwords, the platform may conduct security authentication on an identity of a user through a password protection question.

When a user needs to modify a password, a platform requires the user to answer a password protection question. When the answer is correct, the user is allowed to reset the

password.

Currently, for password protection questions, a platform generally provides a number of password protection questions for a user to choose randomly, and the user sets corresponding answers to the password protection questions.

Since password protection questions are infrequently used by a user after setting, the user easily forgets respective answers set thereby. When needed, the user may not be able to answer a password protection question correctly, so that a password cannot be retrieved.

Therefore, a technical problem urgently to be solved by one skilled in the art is how to provide a mechanism for setting up a password protection question, to improve the practicability of the password protection question and to reduce the occupation of storage resources by useless user information.

Summary

The technical problem to be solved by embodiments of the present application is to provide a method for setting a password protection question to improve the practicability of the password protection question and to reduce the occupation of storage resources by useless user information.

Correspondingly, the embodiments of the present application further provide an apparatus for setting a password protection question to improve the practicability of the password protection question and to reduce the occupation of storage resources by useless user information.

In order to solve the above problems, the embodiments of the present application disclose a method for setting password protection question, which includes:

receiving a password protection question set request for a password, the set request

including a user identifier;

extracting one or more pieces of setting information corresponding to the user identifier;

acquiring one or more password protection questions that separately match the one or more pieces of setting information; and

outputting the one or more password protection questions.

Preferably, the setting information includes preference information, and the setting information is obtained by:

acquiring behavior information corresponding to the user identifier; and

learning the preference information from the behavior information.

Preferably, extracting the one or more pieces of setting information corresponding to the user identifier includes:

extracting one or more pieces of preset setting information corresponding to the user identifier from a preset database.

Preferably, acquiring the one or more password protection questions that separately match the one or more pieces of setting information includes:

searching a preset question bank for one or more password protection questions including the one or more pieces of setting information.

Preferably, acquiring the one or more password protection questions that separately match the one or more pieces of setting information respectively includes:

searching a preset question bank for one or more password protection questions having a semantic meaning that is the same as the one or more pieces of setting information, where each protection question has corresponding category information; and

determining whether the one or more pieces of setting information match with the

category information individually, and extracting the password protection question if affirmative.

Preferably, acquiring the one or more password protection questions that separately match the one or more pieces of setting information includes:

generating the one or more password protection questions using the one or more pieces of setting information.

Preferably, the method further includes:

receiving one or more first answers for the one or more password protection questions;
and

individually establishing association relationships between the one or more password protection questions and the one or more first answers.

Preferably, the method further includes:

outputting one or more password protection questions corresponding to the password in response to receiving a modification request for the password;

receiving one or more second answers for the one or more password protection questions; and

configuring a permission of modifying the password when the one or more second answers are identical to the one or more first answers associated with the one or more password protection questions.

To solve the aforementioned problems, the embodiments of the present application further disclose an apparatus for setting a password protection question, which includes:

a set request receiving module configured to receive a password protection question set request for a password, the set request including a user identifier;

a setting information extraction module configured to extract one or more pieces of

setting information corresponding to the user identifier;

a password protection question acquisition module configured to acquire one or more password protection questions that separately match the one or more pieces of setting information; and

a first password protection question output module configured to output the one or more password protection questions.

Preferably, the setting information includes preference information, and the setting information is obtained by:

acquiring behavior information corresponding to the user identifier; and

learning the preference information from the behavior information.

Preferably, the setting information extraction module includes:

a database extraction sub-module configured to extract one or more pieces of preset setting information corresponding to the user identifier from a preset database.

Preferably, the password protection question acquisition module includes:

a first search sub-module configured to search a preset question bank for one or more password protection questions including the one or more pieces of setting information.

Preferably, the password protection question acquisition module includes:

a second search sub-module configured to search a preset question bank for one or more password protection questions having a semantic meaning that is identical to the one or more pieces of setting information, where each protection question has corresponding category information;

a matching determination sub-module configured to separately determine whether the one or more pieces of setting information match the category information, and invoke a password protection question extraction sub-module if affirmative; and

the password protection question extraction sub-module configured to extract the password protection question.

Preferably, the password protection question acquisition module includes:

a password protection question generation sub-module configured to generate the one or more password protection questions using the one or more pieces of setting information.

Preferably, the apparatus further includes:

a first answer receiving module configured to receive one or more first answers for the one or more password protection questions; and

an association relationship establishment module configured to individually establish association relationships between the one or more password protection questions and the one or more first answers.

Preferably, the apparatus further includes:

a second password protection question output module configured to output the one or more password protection questions corresponding to the password in response to receiving a modification request for the password;

a second answer receiving module configured to receive one or more second answers for the one or more password protection questions; and

a permission configuration module configured to configure a permission of modifying the password when the one or more second answers are the same as the one or more first answers associated with the one or more password protection questions.

Compared with existing technologies, the embodiments of the present application have the following advantages:

For a request of setting password protection question(s), the embodiments of the present application acquire one or more password protection questions that separately

match one or more pieces of setting information through an extraction of the one or more pieces of setting information corresponding to a user identifier. As the setting information can represent preference or interest of a user to some extent, password protection questions related to the preference or interest of the user may be outputted to the user when setting up the password protection questions. Therefore, the impression of the user on the password protection questions is reinforced, and occasions in which the user forgets the set password protection questions and answers thereof are reduced, thus improving the practicability of the password protection questions.

For a request of modifying a password, the embodiments of the present application output a password protection question corresponding to the password, and allow the password to be modified when a second answer to the password protection question is the same as a first answer. As the password protection question may be configured according to the preference or interest of the user, the user can easily answer the password protection question to reclaim the ownership of an associated account, thus greatly improving the convenience of operations for password protection, reducing the occurrence of useless user information, and thereby reducing the occupation of storage resources by the useless user information.

Brief Description of the Drawings

FIG. 1 is a schematic diagram of setting a conventional password protection question.

FIG. 2 is a flowchart of a first exemplary password protection question setting method according to the present application.

FIG. 3 is a flowchart of a second exemplary password protection question setting method according to the present application.

FIG. 4 is a schematic diagram of a password protection question setting method according to the present application.

FIG. 5 is a structural block diagram of a first exemplary password protection question setting apparatus according to the present application.

FIG. 6 is a structural block diagram of a second exemplary password protection question setting apparatus according to the present application.

Detailed Description

To make the above objectives, features and advantages of the present application in a more apparent and comprehensible manner, the present application is further described in detail hereinafter in conjunction with the accompanying drawings and specific implementations.

In the Internet world, various types of information of a user is generally represented by a specific set of data, and various types of network systems need to identify a digital identity of the user to confirm an offer of a corresponding permission of operation. At the initial stage of development of the Internet industry, a password is a core element for a network system to identify a legal digital identity owner and operator (i.e., ensuring a physical identity of the operator to correspond to a digital identity thereof) in a network.

After the Internet industry developed to a new level, a digital identity of a user in a network is prone to intercepting and capturing by lawbreakers using Trojan viruses and hacker programs due to openness and interconnectivity of a computer system, thus damaging various interests of the user.

Accordingly, a network system needs a strengthened password method or product to ensure that a physical identity of a user is consistent with a digital identity thereof, and

password protection thus emerges.

The password protection may refer to a security product that records a user identity and is responsible for identifying the user identity.

A password protection question may be applied to security protection of an account password in a form of an answer and a question. As a password protection question generally includes personal private information of a user, such as a name of a class teacher in a junior middle school, a spouse's birthday, a student number in a university, etc., a respective answer is generally known only by the user who sets thereof, and is a reliable password protection.

FIG. 1 shows a schematic diagram of setting a conventional password protection question.

In a scenario when password protection 102 (for example, a password protection question) is set as shown in FIG. 1, a user 101 may send a request for setting up password protection question(s) to a service platform at step 104. The service platform may randomly select three password protection questions for a user 101 to configure at step 105, and return a message indicating successful configuration at step 106, such that the service platform can store the password protection questions and corresponding answers.

In a situation such as when a password is forgotten or stolen, a scenario 103, in which a password is needed, is entered. The user 101 may send a request for modifying the password to the service platform at step 107, and the service platform may retrieve the three preset password protection questions, and wait for the user to answer at step 108.

Since a password protection question is generally used only in some special scenarios (for example, resetting a password) and a probability of using thereof is relatively low, a respective answer is easily forgotten by the user 101. Even the password protection question

itself may also be easily forgotten by the user 101, and the user 101 generally cannot provide the correct answer. Therefore, the service platform generally returns a message indicating an incorrect answer to the password protection question at step 109. As such, the user 101 is not able to modify the password.

Password protection questions that are set according to traditional methods cannot protect a password well, and are poor in practicability. Therefore, one of core concepts of the embodiments of the present application is proposed. A password protection question close to the preference or interest of a user is associated based on the preference or interest of the user. The impression of the user on the password protection question may be strengthened, and ensures that a correct answer may be provided when the password protection question is needed, such that the password protection question can play a role of password protection in reality.

FIG. 2 shows a flowchart of a first exemplary password protection question setting method according to the present application. Details thereof include the steps as follows.

Step 201: A password protection question set request for a password is received.

In a real application, the password protection question set request may be an instruction sent by a user for setting up password protection question(s) for a certain password.

For example, the user may submit the password protection question set request in a designated webpage, submit a password protection question set request through a designated control of an application, or submit the password protection question set request in other manners.

It should be noted that the password protected by the password protection question(s) may be at least one of an account password or an individual password.

An account password may be a password for logging into a user account. An individual password may be a password for protecting certain service object(s) after the user account is logged in.

For example, an individual password may be a password of viewing a chatting record in an instant messaging tool, a password for logging into an associated mailbox, a password for confirming a payment, or a protection password for processing (such as trading, destroying, etc.) a virtual goods, etc., which is not limited in the embodiments of the present application.

In a specific implementation, the set request may include a user identifier. A user identifier may represent information that can determine a user, which may specifically include a user account, user information associated with the user account (another user account, a mailbox, a telephone number, and a title), an Internet Protocol (IP) address of the user, a COOKIE ID, and the like.

Step 202: One or more pieces of setting information corresponding to the user identifier are retrieved.

Setting information may be information representing preference or interest of a user corresponding to the user identifier that is set in a database to some extent.

In a preferred embodiment of the present application, the setting information may include preference information, and the setting information may be acquired by an approach as follows.

Sub-step S11: Behavior information corresponding to the user identifier is obtained.

Sub-step S12: Preference information is learned from the behavior information.

Behavior information may be information recording operation behaviors of the user, and may include operation behaviors on the Internet such as shopping, browsing webpages,

and playing streaming media, etc., and may also include local operation behaviors such as playing games, browsing electronic books, and playing audios/videos, etc.

In the embodiments of the present application, preference information of the user may be acquired by learning the behavior information of the user. The preference information may be information identifying the preference/interest of the user.

For example, if behavior information about shopping of a certain user is analyzed, the user purchased 100 pieces of clothes, which include 75 pieces of one-piece dresses, 10 pieces of shirts, 10 pieces of fleeces, and 5 pieces of dust coats. The frequency of purchasing one-piece dresses is relatively high, and therefore, preference information of the user may be learned as "clothes: one-piece dress".

The embodiments of the present application may learn the preference information of the user offline in advance, and store the preference information in a database for direct retrieval when needed.

Apparently, the embodiments of the present application may also learn the preference information of the user online, which is not limited in the embodiments of the present application.

In another preferred embodiment of the present application, step 202 may further include the following sub-step.

Sub-step S13: One or more pieces of preset setting information corresponding to the user identifier are retrieved from a preset database.

Using the embodiments of the present application, the user may configure some options in scenarios such as a website and a communications tool in advance, for example, configuring personal data, subscribed information, etc., which is stored in a database.

Certain pieces of setting information may represent the preference or interest of the

user to some extent.

For example, options such as "a favorite star", "a favorite color", and "a city most desired to go" generally exist in personal data.

For another example, when subscribing information, the user may choose to subscribe a football club, a comic book, information (such as news, talk shows, etc.) of a topic (such as military, beauty, and food).

After configuration is completed, the setting information may be stored in the database and associated with the user identifier.

For example, a user whose user account is "123456" may set "a favorite star" as "Zhang San" and the "a city most desired to go" as "Beijing" on a website, and subscribe information of the Beijing Football Club. A record as shown in the following table may therefore be stored in the database.

User Account	Favorite Star	City most desired to go	Subscribed information
123456	Zhang San	Beijing	Beijing Football Club

In the embodiments of the present invention, one or more pieces of setting information that represent the preference or interest and are associated with the user identifier may be searched from the database, and the one or more pieces of setting information are retrieved.

Step 203: One or more password protection questions matched with the one or more pieces of setting information are acquired individually.

In a specific implementation, acquisition of one or more password protection questions that match the one or more pieces of setting information representing preference or interest can reinforce the impression of the user on the password protection questions.

In a preferred embodiment of the present application, step 203 may further include the

following sub-step.

Sub-step S21: A preset question bank is searched for one or more password protection questions that include the one or more pieces of setting information.

Using the embodiments of the present invention, a question bank may be set up in advance, and the question bank includes a number of basic password protection questions, for example, "Where do you like to go most?", "Who is your favorite star?", and the like.

In the embodiments of the present invention, a comparison may be made as to whether a password protection question in the question bank includes setting information, and the password protection question is retrieved if affirmative.

For example, from the setting information of the user whose user account is "123456" that is found by querying the database, "a favorite star" of the user is "Zhang San". The question bank is searched for password protection question(s) having a header that includes "favorite star" based on the character string "favorite star". When a comparison is made to a password protection question "Who is your favorite star?", the password protection question is found to include the character string of "favorite star" also. As such, "Who is your favorite star?" is used as a password protection question of the current user.

In a preferred embodiment of the present application, step 203 may further include the following sub-steps:

Sub-step S31: A preset question bank is searched for one or more password protection questions having the same semantic meaning(s) of the one or more pieces of setting information.

Sub-step S32: A determination is made individually as to whether the one or more pieces of setting information match with the category information. Sub-step S33 is performed if affirmative.

Sub-step S33: The password protection question is retrieved.

Using the embodiments of the present invention, a question bank may be set up in advance. The question bank includes a number of basic password protection questions, and each protection question may have corresponding category information. For example, a category of a password protection question "Where do you like to go most?" is geography, and a category of a password protection question "Who is your favorite star?" is entertainment, etc.

In the embodiments of the present invention, in situations such as no password protection question being found to in the question bank include the setting information, a password protection question having the same semantic meaning of the setting information may be searched for, and a determination is made as to whether the setting information matches category information of the password protection question. If affirmative, the password protection question is extracted.

In a specific implementation, a degree of semantic similarity between preference information and a password protection question may be calculated. If the degree of semantic similarity exceeds a similarity threshold, the preference information and the password protection question may be considered to have the same semantic meaning.

Two types of approaches for calculating a degree of semantic similarity mainly exist. One type of approach is to organize concepts of related terms into a tree structure through semantic dictionary(ies) for calculation. Another type of approach is to obtain a solution using a statistical method through context information of term.

For example, from among the setting information of the user whose user account is "123456" that is found from querying the database, the "city most desired to go" for the user is "Beijing". A password protection question of which a header includes "city most

desired to go" is not found by querying the question bank according to the character string "city most desired to go". When a comparison is made to a password protection question "Where do you want to go most?", the password protection question is found to have a semantic meaning that is identical to "city most desired to go". A category of "Where do you want to go most?" is geography, and "city most desired to go" also belongs to the category of geography. Therefore, "Where do you want to go most?" may be retrieved as a password protection question for the current user.

In a preferred embodiment of the present application, step 203 may further include the following sub-step:

Sub-step S41: One or more password protection questions are generated from the one or more pieces of setting information.

In the embodiments of the present invention, in situations such no password protection question that includes the setting information or no password protection question having the same semantic meaning of the setting information is found in the question bank, a password protection question may be generated using the setting information.

For example, from the setting information of the user whose user account is "123456" that is found by querying the database, information subscribed by the user is "Beijing Football Club". By querying the question bank according to the character string "Beijing Football Club", a password protection question of which a header includes "city most desired to go" is not found, nor can a password protection question having the same semantic meaning of "Beijing Football Club" be found. A character string "football club" in "Beijing Football Club" of the setting information may be extracted, and added with character strings "like most" and "which", to generate a password protection question of "Which football club do you like most?".

For another example, for preference information, "clothes: one-piece dress" indicates that a category the user likes is one-piece dress in clothes. The character string "clothes" is extracted and added with character strings "like most" and "what", to generate a password protection question "What clothes do you like most?".

It should be noted that different categories of setting information may have different generation rules, and one skilled in the art may perform configurations according to actual situations.

Step 204: The one or more password protection questions are outputted.

In a specific implementation, the password protection questions may be outputted to an object in which the password protection question set request is submitted for display, to allow the user to select and set corresponding answers.

For example, if the user submits the password protection question set request in a designated webpage, the one or more password protection questions may be outputted to the designated webpage for display. If the user submits the password protection question set request through a designated control of an application, the one or more password protection questions may be outputted to a designated interface in the application for display. If the user submits the password protection question set request in other manners, the password protection question may be outputted to a corresponding object for display.

By retrieving one or more pieces of setting information corresponding to a user identifier for a password protection question set request, the embodiments of the present application acquires one or more password protection questions that individually match the one or more pieces of setting information. As the setting information can represent preference or interest of the user to some extent, a password protection question related to the preference or interest of the user may be outputted when the user sets the password

protection question, which reinforces the impression of the user on the password protection question, thereby reducing occasions that the user forgets the set password protection question and a answer thereof, and improving the practicability of the password protection question.

FIG. 3 shows a flowchart of a second exemplary password protection question setting method according to the present application. Details thereof may specifically include the following steps.

Step 301: A password protection question set request for a password is received, the set request including a user identifier.

Step 302: One or more pieces of setting information corresponding to the user identifier are retrieved.

Step 303: One or more password protection questions matched with the one or more pieces of setting information are acquired separately.

Step 304: The one or more password protection questions are outputted.

Step 305: One or more first answers to the one or more password protection questions are received.

Step 306: Association relationships between the one or more password protection questions and the one or more first answers are established respectively.

In the embodiments of the present invention, the user may set first answer(s) for all or some of the password protection questions that are outputted. The first answer(s) is/are received at the backend, and association relationship(s) between the first answer(s) and respective password protection question(s) is/are established and stored in a database, for verifying identity information in situations such as password reset.

For example, three password protection questions are provided to the user whose user

account is "123456", namely, "Who is your favorite star?", "Where do you want to go most?", and "Which football club do you like most?". The user sets corresponding answers for all of them, that is, "Zhang San", "Beijing", and "Beijing Football Club", and association relationships therebetween as shown in the following table may be established:

Password Protection Question	First Answer
Who is your favorite star?	Zhang San
Where do you want to go most?	Beijing
Which football club do you like most?	Beijing Football Club

Step 307: When a modification request for the password is received, one or more password protection questions corresponding to the password are outputted.

Step 308: One or more second answers for the one or more password protection questions are received.

Step 309: When the one or more second answers are the same as the one or more first answers associated with the one or more password protection questions, a permission of modifying the password is configured.

In the embodiments of the present invention, the password modification request may refer to an instruction from the user to modify a password.

In situations such as a password being forgotten or the password being stolen, a user may send a request for modifying the password to reset the password. At this point, an identity of the current user needs to be verified to determine whether the user is a legitimate owner who owns a digital identity to which the password belongs. If verification thereof is successful, a determination is made that the current user has the permission of modifying the password, and the user is allowed to modify the password.

For example, a current user sends a request for modifying a password associated with a

user account "123456". A database may then be searched for one or more password protection questions corresponding to the password of the user account "123456", and the one or more password protection questions are outputted for display, as shown in the following table:

		Answer
Question 1	Who is your favorite star?	Zhang San
Question 2	Where do you want to go most?	Beijing
Question 3	Which football club do you like most?	Beijing Football Club

If the user enters second answers "Zhang San", "Beijing", and "Beijing Football Club" respectively in an answer column as shown in the above table, the current user is allowed to modify the password upon determining that the second answers are the same as the first answers associated with the password protection questions.

For a password modification request, the embodiments of the present application output password protection question(s) corresponding to a password and allow the password to be modified in response to second answer(s) for the password protection question(s) is/are the same as first answer(s). As a password protection question may be set according to preference or interest of a user, the user can easily answer the password protection question to reclaim the ownership of an associated account, thus greatly improving the convenience of operations of password protection, reduce the occurrence of useless user information, and thereby reducing the occupation of storage resources by the useless user information.

To enable one skilled in the art to better understand the embodiments of the present application, the password protection question setting methods in the embodiments of the present application are described hereinafter through specific examples.

FIG. 4 shows a schematic diagram of setting a password protection question according to the present application.

As shown in 4, in a scenario where password protection 402 (for example, a password protection question) is set, a user 401 may send a password protection question set request to a service platform at step 405. The service platform may select three password protection questions according to setting information that represents preference or interest 403 of the user at step 406, and return the three password protection questions at step 407. The three password protection questions are displayed at step 408 for the user 401 to configure. After configuration is successful, a message indicating a successful configuration is returned at step 409, such that the service platform can establish an association relationship between the password protection question and a corresponding answer, and store the association relationship in a database.

In a situation such as a password being forgotten or the password being stolen, a scenario 404 in which a password is needed is entered. The user 401 may send a modification request of the password to the service platform at step 410. The service platform may retrieve the three preset password protection questions, and wait for the user to answer at step 411.

As the password protection questions are questions that are set according to the preference or interest of the user and related to the user's own information, the answers thereof are not easily forgotten by the user 101 even though they are rarely used. The user can easily provide the correct answers. Therefore, the service platform generally returns a message indicating that answers to the password protection questions are correct at step 412, to allow the user 401 to modify the password.

In this example, a password protection question close to the preference or interest of

the user is associated according to the preference or interest of the user, the impression of the user on the password protection question may be strengthened, to ensure that a correct answer may be provided when the password protection question is needed, such that the password protection question can play an actual role of password protection.

It should be noted that the method embodiments are described as a series of combinations of actions for the ease of description. One skilled in the art should know, however, that the embodiments of the present application are not limited to the orders of actions described herein, because certain steps may be performed in other orders or in parallel according to the embodiments of the present application. Furthermore, one skilled in the art should know that the embodiments described in the specification are all preferred embodiments, and actions involved therein may not be essential for the embodiments of the present application.

FIG. 5 shows a structural block diagram of a first exemplary password protection question setting apparatus of the present application, which may specifically include the following modules:

- a set request receiving module 501 configured to receive a password protection question set request for a password, the set request including a user identifier;

- a setting information extraction module 502 configured to extract one or more pieces of setting information corresponding to the user identifier;

- a password protection question acquisition module 503 configured to acquire one or more password protection questions separately matched with the one or more pieces of setting information; and

- a first password protection question output module 504 configured to output the one or more password protection questions.

In a preferred embodiment of the present application, the setting information may include preference information, and the setting information may be acquired by:

acquiring behavior information corresponding to the user identifier; and

learning the preference information from the behavior information.

In a preferred embodiment of the present application, the setting information extraction module 502 may include the following sub-module:

a database extraction sub-module configured to retrieve one or more pieces of preset setting information corresponding to the user identifier from a preset database.

In a preferred embodiment of the present application, the password protection question acquisition module 503 may include the following sub-module:

a first search sub-module configured to search a preset question bank for one or more password protection questions that includes the one or more pieces of setting information.

In a preferred embodiment of the present application, the password protection question acquisition module 503 may include the following sub-modules:

a second search sub-module configured to search a preset question bank for one or more password protection questions having respective semantic meanings identical to the one or more pieces of setting information, wherein each protection question has corresponding category information;

a matching determination sub-module configured to individually determine whether the one or more pieces of setting information match the category information; and invoke a password protection question extraction sub-module if affirmative; and

the password protection question extraction sub-module configured to retrieve the password protection questions.

In a preferred embodiment of the present application, the password protection

question acquisition module 503 may include the following sub-module:

a password protection question generation sub-module configured to generate one or more password protection questions using the one or more pieces of setting information.

FIG. 6 shows a structural block diagram a second exemplary password protection question setting apparatus of the present application, which may specifically include the following modules:

a set request receiving module 601 configured to receive a password protection question set request for a password, the set request including a user identifier;

a setting information extraction module 602 configured to extract one or more pieces of setting information corresponding to the user identifier;

a password protection question acquisition module 603 configured to acquire one or more password protection questions individually matched with the one or more pieces of setting information;

a first password protection question output module 604 configured to output the one or more password protection questions;

a first answer receiving module 605 configured to receive one or more first answers to the one or more password protection questions;

an association relationship establishment module 606 configured to establish respective association relationships between the one or more password protection questions and the one or more first answers;

a second password protection question output module 607 configured to output the one or more password protection questions corresponding to the password in response to receiving a modification request for the password;

a second answer receiving module 608 configured to receive one or more second

answers to the one or more password protection questions; and

a permission configuration module 609 configured to set up a permission of modifying the password when the one or more second answers are identical to the one or more first answers associated with the one or more password protection questions.

Since the apparatus embodiments are basically similar to the method embodiments, a description thereof is relatively simple. Related portions can be referenced to the descriptions of respective portions in the method embodiments.

The embodiments of this specification are all described in a progressive manner. Each embodiment emphasizes an area different from other embodiments. Same or similar parts among the embodiments may be cross-referenced to each other.

One skilled in the art should understand that the embodiments in the embodiments of the present application may be provided as a method, an apparatus, or a computer program product. Therefore, the embodiments of the present application may be implemented as a complete hardware embodiment, a complete software embodiment, or an embodiment that is a combination of software and hardware. Moreover, the embodiments of the present application may be in a form of a computer program product implemented on one or more computer usable storage media (including, but not limited to, a magnetic disk storage, a CD-ROM, an optical storage, etc.) including computer usable program codes.

In a typical configuration, the computer includes one or more processors (CPU), an input/output interface, a network interface, and memory. The memory may include volatile memory, random access memory (RAM) and/or non-volatile memory, etc., in computer readable media, for example, read only memory (ROM) or flash RAM. The memory is an example of the computer readable media. The computer readable media includes non-volatile and volatile media, and movable and non-movable media, and can implement

information storage by means of any method or technology. Information may be a computer readable instruction, a data structure, and a module of a program or other data. A storage media of a computer includes, for example, but is not limited to, phase change memory (PRAM), static random access memory (SRAM), dynamic random access memory (DRAM), other types of RAMs, ROM, electrically erasable programmable read-only memory (EEPROM), flash memory or other memory technologies, a compact disk read only memory (CD-ROM), a digital versatile disc (DVD) or other optical storages, a cassette tape, a magnetic tape/magnetic disk storage or other magnetic storage devices, or any other non-transmission medium, and can be used to store information accessible to a computing device. As defined herein, computer readable media does not include transitory media, such as a modulated data signal and a carrier wave.

The embodiments of the present application are described in accordance with flowcharts and/or block diagrams of the exemplary methods, terminal devices (systems) and computer program products of the present application. It should be understood that each process and/or block and combinations of the processes and/or blocks of the flowcharts and/or the block diagrams may be implemented by computer program instructions. Such computer program instructions may be provided to a general purpose computer, a special purpose computer, an embedded processor or other processing device having a programmable data processing terminal device to generate a machine, so that an apparatus having the functions indicated in one or more blocks described in one or more processes of the flowcharts and/or one or more blocks of the block diagrams may be implemented by executing the instructions by the computer or the other processing device having the programmable data processing terminal device.

Such computer program instructions may also be stored in a computer readable

memory device which may cause a computer or another programmable data processing terminal device to function in a specific manner, so that a manufacture including an instruction apparatus may be built based on the instructions stored in the computer readable memory device. That instruction device implements functions indicated by one or more processes of the flowcharts and/or one or more blocks of the block diagrams.

The computer program instructions may also be loaded into a computer or another programmable data processing terminal device, so that a series of operations may be executed by the computer or the other data processing terminal device to generate a computer implemented process. Therefore, the instructions executed by the computer or the other programmable terminal device may be used to implement one or more processes of the flowcharts and/or one or more blocks of the block diagrams.

Although preferred embodiments of the embodiments of the present application have been described, one skilled in the art can make additional variations and modifications to the embodiments upon understanding the basic creative concepts. Therefore, the appended claims are intended to be explained as including the preferred embodiments and all variations and modifications that fall in the scope of the embodiments of the present application.

Finally, it should be noted that relational terms described herein, such as “first” and “second”, etc., are used solely to distinguish one entity or operation from another entity or operation without necessarily requiring or implying any existence of such relationship or ordering between these entities or operations in reality. Moreover, terms such as “comprise”, “include” and any other variants thereof are intended to cover a non-exclusive inclusion. A process, method, product or terminal device that includes a series of elements not only includes those elements, but also includes other elements that are not explicitly listed, or

further includes elements that already existed in such process, method, product or terminal device. In a condition without further limitations, an element defined by a phrase "include a/an ..." does not exclude any other similar elements from existing in the process, method, product or terminal device.

The password protection question setting methods and the password protection question setting apparatuses provided by the present application are described in details above. Specific examples are used in the present disclosure illustrating the principles and implementations of the present disclosure. The foregoing embodiments are merely used for facilitating the understanding of the methods of the present application and corresponding core concepts. One of ordinary skill in the art may make changes to the specific implementations and scopes of application based on the concepts of the present application. In view of the above, the content of the present application should not be construed as a limitation to the present application.

Claims

1. A password protection question setting method, comprising:
 - receiving a password protection question set request for a password, the set request comprising a user identifier;
 - extracting one or more pieces of setting information corresponding to the user identifier;
 - individually acquiring one or more password protection questions that match the one or more pieces of setting information; and
 - outputting the one or more password protection questions.
2. The method of claim 1, wherein the setting information comprises preference information, and the setting information is acquired by:
 - acquiring behavior information corresponding to the user identifier; and
 - learning the preference information from the behavior information.
3. The method of claim 1, wherein extracting the one or more pieces of setting information corresponding to the user identifier comprises:
 - extracting one or more pieces of preset setting information corresponding to the user identifier from a preset database.
4. The method of claim 1, 2, or 3, wherein individually acquiring the one or more password protection questions that match the one or more pieces of setting information comprises:
 - searching a preset question bank for one or more password protection questions

comprising the one or more pieces of setting information.

5. The method of claim 1, 2, or 3, wherein individually acquiring the one or more password protection questions that match the one or more pieces of setting information comprises:

searching a preset question bank for one or more password protection questions with respective semantic meanings being identical to the one or more pieces of setting information, wherein each protection question has corresponding category information; and

separately determining whether the one or more pieces of setting information match the category information; and extracting the password protection questions if affirmative.

6. The method of claim 1, 2, or 3, wherein individually acquiring the one or more password protection questions that match the one or more pieces of setting information comprises:

generating the one or more password protection questions using the one or more pieces of setting information.

7. The method of claim 1, 2, or 3, further comprising:

receiving one or more first answers for the one or more password protection questions;
and

establishing respective association relationships between the one or more password protection questions and the one or more first answers.

8. The method of claim 7, further comprising:

outputting the one or more password protection questions corresponding to the password in response to receiving a modification request for the password;

receiving one or more second answers for the one or more password protection questions; and

configuring a permission of modifying the password in response to the one or more second answers being identical to the one or more first answers associated with the one or more password protection questions.

9. A password protection question setting apparatus comprising:

a set request receiving module configured to receive a password protection question set request for a password, the set request comprising a user identifier;

a setting information extraction module configured to extract one or more pieces of setting information corresponding to the user identifier;

a password protection question acquisition module configured to individually acquire one or more password protection questions that match the one or more pieces of setting information; and

a first password protection question output module configured to output the one or more password protection questions.

10. The apparatus of claim 9, wherein the setting information comprises preference information, and the setting information is obtained by:

acquiring behavior information corresponding to the user identifier; and

learning the preference information from the behavior information.

11. The apparatus of claim 9, wherein the setting information extraction module comprises:

a database extraction sub-module configured to extract one or more pieces of preset setting information corresponding to the user identifier from a preset database.

12. The apparatus of claim 9, 10, or 11, wherein the password protection question acquisition module comprises:

a first search sub-module configured to search a preset question bank for one or more password protection questions comprising the one or more pieces of setting information.

13. The apparatus of claim 9, 10, or 11, wherein the password protection question acquisition module comprises:

a second search sub-module configured to search a preset question bank for one or more password protection questions with respective semantic meanings being identical to the one or more pieces of setting information, wherein each protection question has corresponding category information;

a matching determination sub-module configured to separately determine whether the one or more pieces of setting information match the category information, and invoke a password protection question extraction sub-module if affirmative; and

a password protection question extraction sub-module configured to extract the password protection questions.

14. The apparatus of claim 9, 10, or 11, wherein the password protection question acquisition module comprises:

a password protection question generation sub-module configured to generate one or more password protection questions using the one or more pieces of setting information.

15. The apparatus of claim 9, 10, or 11, further comprising:

a first answer receiving module configured to receive one or more first answers for the one or more password protection questions; and

an association relationship establishment module configured to establish respective association relationships between the one or more password protection questions and the one or more first answers.

16. The apparatus of claim 15, further comprising:

a second password protection question output module configured to output the one or more password protection questions corresponding to the password in response to receiving a modification request for the password is received;

a second answer receiving module configured to receive one or more second answers for the one or more password protection questions; and

a permission configuration module configured to set up a permission of modifying the password in response to the one or more second answers being identical to the one or more first answers associated with the one or more password protection questions.