

1 / 16




Fig. Form Ia Powder X-ray diffractogram of Form I




Fig. Form Ib DSC scan of Form I (5 K/min)




Fig. Form I c TGA scan of Form I (5 K/min)




Fig. Form I d Water Vapour Sorption Isotherm (25 °C) of Form I

3 / 16




Fig. Form IIa Powder X-ray diffractogram of Form II




Fig. Form IIb DSC scan of Form II (5 K/min)

4 / 16




Fig. Form IIc TGA scan of Form II (5 K/min)




Fig. Form IIc Water Vapour Sorption Isotherm (25 °C) of Form II




Fig. Form IIIa Powder X-ray diffractogram of Form III




Fig. Form IIIb DSC scan of Form III (5 K/min)




Fig. Form IIIc TGA scan of Form III (5 K/min)




Fig. Form IIIId Water Vapour Sorption Isotherm (25 °C) of Form III

7 / 16




Fig. Form IVa Powder X-ray diffractogram of Form IV




Fig. Form IVb DSC scan of Form IV (5 K/min)




Fig. Form IVc TGA scan of Form IV (5 K/min)




Fig. Form IVd Water Vapour Sorption Isotherm (25 °C) of Form IV

9 / 16




Fig. Form Va Powder X-ray diffractogram of Form V




Fig. Form Vb DSC scan of Form V (5 K/min)




Fig. Form Vc TGA scan of Form V (5 K/min)




Fig. Form Vd Water Vapour Sorption Isotherm (25 °C) of Form V

11 / 16




Fig. Form VIa Powder X-ray diffractogram of Form VI




Fig. Form VIb DSC scan of Form VI (5 K/min)




Fig. Form VIc TGA scan of Form VI (5 K/min)




Fig. Form VIId Water Vapour Sorption Isotherm (25 °C) of Form VI




Fig. Form VIIa Powder X-ray diffractogram of Form VII




Fig. Form VIIb DSC scan of Form VII (5 K/min)




Fig. Form VIIc TGA scan of Form VII (5 K/min)




Fig. Form VIId Water Vapour Sorption Isotherm (25 °C) of Form VII




Fig. Tetraphosphatea Powder X-ray diffractogram of tetraphosphate form




Fig. Tetraphosphateb DSC scan of Tetraphosphate form (5 K/min)




Fig. Tetraphosphate TGA scan of Tetraphosphate form (5 K/min)




Fig. Tetraphosphated Water Vapour Sorption Isotherm (25 °C) of Tetraphosphate form