




CLAIMS

1. A compound represented by a formula (I):



~~(wherein~~

~~A represents~~



;

~~R₁ represents 1) a hydrogen atom, 2) a halogen atom, 3) a cyano group, 4) a C₁₋₃ alkyl group which may be substituted with 1 to 3 halogen atoms, 5) a C₁₋₃ alkoxy group, 6) a C₃₋₆ cycloalkyl group, or 7) a phenyl group;~~

~~R₂ represents 1) a hydrogen atom or 2) a halogen atom;~~

~~R₃ represents 1) a C₁₋₆ alkyl group which may be substituted with 1 to 3 substituents selected from a C₁₋₃ alkoxy group, a hydroxyl group and a halogen atom, 2) a pyrazolyl group which may be substituted with 1 to 3 substituents selected from a C₁₋₃ alkyl group and a halogen atom, 3) a C₃₋₆ cycloalkyl group, 4) an amino group di-~~

substituted with a C₁₋₃-alkyl group, or 5) a phenyl group which may be substituted with 1 to 3 halogen atoms;

R₄ and R₆ represent 1) a hydrogen atom, 2) a halogen atom, 3) a C₁₋₃-alkyl group which may be substituted with 1 to 3 substituents selected from a) a hydroxyl group, b) a C₁₋₃-alkoxy group which may be substituted with a 4-methoxyphenyl group and c) a halogen atom, or 4) a C₁₋₃-alkoxy group which may be substituted with 1 to 3 halogen atoms;

R₅, R₇ and R₉ represent 1) a C₁₋₆-alkyl group which may be substituted with 1 to 3 C₁₋₃-alkoxy groups or 2) a phenyl group which may be substituted with 1 to 3 halogen atoms;

R₈ represents a C₁₋₃-alkyl group; and

B represents

1) a phenyl group which may be substituted with 1 to 3 substituents selected from a) a halogen atom, b) a cyano group, c) a C₁₋₃-alkoxy group which may be substituted with 1 to 3 halogen atoms, and d) a triazolyl group,

2) a C₃₋₆-cycloalkyl group which may be substituted with 1 to 3 substituents selected from a) a C₁₋₃-alkyl group which may be substituted with 1 to 3 halogen atoms and b) a halogen atom,

3) a pyridyl group which may be substituted with 1 to 3 substituents selected from a) a halogen atom, b) a cyano group, c) a C₁₋₃-alkyl group which may be substituted with 1 to 3 halogen atoms, d) a C₁₋₃-alkoxy group which may be substituted with 1 to 3 substituents selected from a halogen atom and a C₁₋₃-alkoxy group, e) a pyrazolyl group which may be substituted with 1 to 3 C₁₋₃-alkyl groups, f) an imidazolyl group which may be substituted with 1 to 3 C₁₋₃-alkyl groups, g) a triazolyl group which may be substituted with 1 to 3 C₁₋₃-alkyl groups which may be substituted with 1 to 3


substituents selected from a C₁₋₃-alkoxy group and a halogen atom, h) an azetidiny-
group, i) a pyrrolidinonyl group, j) a tetrazolyl group which may be substituted with 1 to 3
C₁₋₃-alkyl groups, k) a pyrimidinyl group, and l) an oxazolyl group,

4) a pyrazolyl group which may be substituted with 1 to 3 substituents selected
from a) a C₁₋₃-alkyl group which may be substituted with 1 to 3 halogen atoms, b) a C₁₋₃-
alkoxy group which may be substituted with 1 to 3 halogen atoms, c) a cyano group,
and d) a halogen atom, or


5) an imidazopyridyl group which may be substituted with 1 to 3 halogen-
atoms)

or a salt thereof, or a co-crystal, a hydrate or a solvate thereof.


2. The compound according to claim 1, wherein A is



3. The compound according to claim 1, wherein A is



4. The compound according to claim 1, wherein A is



R₁ is 1) a halogen atom or 2) a C₁₋₃ alkyl group;

R₂ is a hydrogen atom;

R₃ is a C₁₋₆ alkyl group which may be substituted with 1 to 3 C₁₋₃ alkoxy groups;

R₄ is 1) a halogen atom or 2) a C₁₋₃ alkyl group;

R₅ is a C₁₋₆ alkyl group which may be substituted with 1 to 3 C₁₋₃ alkoxy groups; and

B is a pyridyl group which may be substituted with 1 to 3 substituents selected from a) a halogen atom, b) a cyano group, c) a C₁₋₃ alkyl group which may be substituted with 1 to 3 halogen atoms, d) a C₁₋₃ alkoxy group which may be substituted with 1 to 3 halogen atoms, and e) a triazolyl group.

or a salt thereof, or a co-crystal, a hydrate or a solvate thereof.

52. The compound according to claim 1, being (S)-N-(5-chloro-6-(difluoromethoxy)pyridin-3-yl)-N'-(8-(1-methoxyethyl)-2-methylimidazo[1,2-b]pyridazin-7-yl)urea,

(S)-N-(6-chloro-4-(1-methoxyethyl)-1,5-naphthyridin-3-yl)-N'-(6-(2H-1,2,3-triazol-2-yl)-5-(trifluoromethyl)pyridin-3-yl)urea,

(S)-N-(4-(1-methoxyethyl)-6-methyl-1,5-naphthyridin-3-yl)-N'-(6-(2H-1,2,3-triazol-2-yl)-5-(trifluoromethyl)pyridin-3-yl)urea,

(S)-N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-N'-(8-(1-methoxyethyl)-2-methylimidazo[1,2-b]pyridazin-7-yl)urea,

(S)-N-(5-cyano-6-(difluoromethoxy)pyridin-3-yl)-N'-(8-(1-methoxyethyl)-2-methylimidazo[1,2-b]pyridazin-7-yl)urea,

(S)-N-(8-(1-methoxyethyl)-2-methylimidazo[1,2-b]pyridazin-7-yl)-N'-(6-(2H-1,2,3-triazol-2-yl)-5-(trifluoromethyl)pyridin-3-yl)urea,

N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-N'-(8-(2-methoxypropan-2-yl)-2-methylimidazo[1,2-b]pyridazin-7-yl)urea,

N-(5-chloro-6-(difluoromethoxy)pyridin-3-yl)-N'-(2-chloro-8-(propan-2-yl)imidazo[1,2-b]pyridazin-7-yl)urea, or

N-(5-chloro-6-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-N'-(2-methyl-8-(propan-2-yl)imidazo[1,2-b]pyridazin-7-yl)urea.

~~63~~. The compound according to claim 1, being (S)-N-(5-chloro-6-(difluoromethoxy)pyridin-3-yl)-N'-(8-(1-methoxyethyl)-2-methylimidazo[1,2-b]pyridazin-7-yl)urea.

~~74~~. The compound according to claim 1, being (S)-N-(6-chloro-4-(1-methoxyethyl)-1,5-naphthyridin-3-yl)-N'-(6-(2H-1,2,3-triazol-2-yl)-5-(trifluoromethyl)pyridin-3-yl)urea.

~~85~~. A medicine comprising the compound according to claim 1, or a salt thereof, or a co-crystal, a hydrate or a solvate thereof.

~~96~~. The medicine according to claim ~~85~~, being a MALT1 inhibitor.

~~107~~. The medicine according to claim ~~85~~, being a prophylactic or therapeutic drug for cancer.

~~118~~. Use of the compound according to claim 1, a salt thereof, a co-crystal, a hydrate or a solvate thereof in the manufacture of a medicament for the prophylaxis or treatment of cancer.

129. The compound according to claim 1, a salt thereof, a co-crystal, a hydrate or a solvate thereof for use in medicine.