

# SEQUENCE LISTING

<110> ARROWHEAD PHARMACEUTICALS, INC.

<120> RNAi Agents and Compositions for Inhibiting Expression of Apolipoprotein C-III (APOC3)

<130> 30655-W01

<150> 62/720,434

<151> 2018-08-21

<150> 62/643,927

<151> 2018-03-16

<150> 62/556,818

<151> 2017-09-11

<160> 837

<210> 1

<211> 533

<212> DNA

<213> Homo sapiens

<220>

<223> Homo Sapiens apolipoprotein C3 (APOC3) transcript,  
GenBank NM\_000040.1

<400> 1

|                                                                   |     |
|-------------------------------------------------------------------|-----|
| tgctcagttc atccctagag gcagctgctc caggaacaga ggtgccatgc agccccgggt | 60  |
| actccttggt gttgccctcc tggcgctcct ggcctctgcc cgagcttcag aggccgagga | 120 |
| tgcctccctt ctgagcttca tgcaggggta catgaagcac gccaccaaga ccgccaagga | 180 |
| tgcactgagc agcgtgcagg agtcccaggt ggcccagcag gccaggggct gggtgaccga | 240 |
| tggcttcagt tccctgaaag actactggag caccgttaag gacaagttct ctgagttctg | 300 |
| ggatttggac cctgaggtca gaccaacttc agccgtggct gcctgagacc tcaatacccc | 360 |
| aagtccacct gcctatccat cctgcgagct ccttgggtcc tgcaatctcc agggctgccc | 420 |
| ctgtaggttg cttaaaaggg acagtattct cagtgtcttc ctacccacc tcatgcctgg  | 480 |
| ccccctcca ggcattgctgg cctccaata aagctggaca agaagctgct atg         | 533 |

<210> 2

<211> 21

<212> RNA

<213> Artificial sequence

<220>  
 <223> RNAi agent antisense strand underlying base sequence  
  
 <400> 2  
 ucacugagaa uacugucccu c 21

<210> 3  
 <211> 21  
 <212> RNA  
 <213> Artificial sequence  
  
 <220>  
 <223> RNAi agent antisense strand underlying base sequence  
  
 <400> 3  
 ucacugagaa uacugucccu c 21

<210> 4  
 <211> 21  
 <212> RNA  
 <213> Artificial sequence  
  
 <220>  
 <223> RNAi agent antisense strand modified sequence  
  
 <400> 4  
 ucacugagaa uacugucccg u 21

<210> 5  
 <211> 21  
 <212> RNA  
 <213> Artificial sequence  
  
 <220>  
 <223> RNAi agent antisense strand underlying base sequence  
  
 <400> 5  
 ucacugagaa uacugucccg u 21

<210> 6  
 <211> 21  
 <212> RNA  
 <213> Artificial sequence  
  
 <220>  
 <223> RNAi agent antisense strand modified sequence  
  
 <400> 6  
 ucacugagaa uacugucccu c 21

<210> 7  
<211> 21  
<212> RNA  
<213> Artificial sequence  
  
<220>  
<223> RNAi agent antisense strand modified sequence  
  
<400> 7  
uucuugucca gcuuuauugg c 21

<210> 8  
<211> 21  
<212> RNA  
<213> Artificial sequence  
  
<220>  
<223> RNAi agent antisense strand underlying base sequence  
  
<400> 8  
uucuugucca gcuuuauugg c 21

<210> 9  
<211> 21  
<212> RNA  
<213> Artificial sequence  
  
<220>  
<223> RNAi agent antisense strand modified sequence  
  
<400> 9  
agaauacugu cccuuuuagg g 21

<210> 10  
<211> 21  
<212> RNA  
<213> Artificial sequence  
  
<220>  
<223> RNAi agent antisense strand underlying base sequence  
  
<400> 10  
agaauacugu cccuuuuagg g 21

<210> 11  
<211> 21  
<212> RNA  
<213> Artificial sequence

<220>  
 <223> RNAi agent antisense strand modified sequence  
  
 <400> 11  
 agaauacugu cccuuuaag c 21  
  
 <210> 12  
 <211> 21  
 <212> RNA  
 <213> Artificial sequence  
  
 <220>  
 <223> RNAi agent antisense strand underlying base sequence  
  
 <400> 12  
 agaauacugu cccuuuaag c 21  
  
 <210> 13  
 <211> 21  
 <212> RNA  
 <213> Artificial sequence  
  
 <220>  
 <223> RNAi agent antisense strand modified sequence  
  
 <400> 13  
 ugagaauacu gucccuuugc c 21  
  
 <210> 14  
 <211> 21  
 <212> RNA  
 <213> Artificial sequence  
  
 <220>  
 <223> RNAi agent antisense strand underlying base sequence  
  
 <400> 14  
 ugagaauacu gucccuuugc c 21  
  
 <210> 15  
 <211> 21  
 <212> RNA  
 <213> Artificial sequence  
  
 <220>  
 <223> RNAi agent sense strand modified sequence  
  
 <220>  
 <221> modified\_base

<222> 20  
<223> n = 2'-O-methylinosine-3'-phosphate  
  
<400> 15  
gagggacagu auucucagun a 21

<210> 16  
<211> 21  
<212> RNA  
<213> Artificial sequence  
  
<220>  
<223> RNAi agent sense strand underlying base sequence

<220>  
<221> modified\_base  
<222> 20  
<223> n = inosine (hypoxanthine)

<400> 16  
gagggacagu auucucagun a 21

<210> 17  
<211> 21  
<212> RNA  
<213> Artificial sequence  
  
<220>  
<223> RNAi agent sense strand modified sequence

<220>  
<221> modified\_base  
<222> 20  
<223> n = 2'-O-methylinosine-3'-phosphate

<400> 17  
acgggacagu auucucagun a 21

<210> 18  
<211> 21  
<212> RNA  
<213> Artificial sequence  
  
<220>  
<223> RNAi agent sense strand underlying base sequence

<220>  
<221> modified\_base  
<222> 20  
<223> n = inosine (hypoxanthine)

<400> 18  
acgggacagu auucucagun a 21

<210> 19  
<211> 21  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent sense strand modified sequence

<220>  
<221> modified\_base  
<222> 20  
<223> n = 2'-O-methylinosine-3'-phosphate

<400> 19  
gagggacagu auucucagun a 21

<210> 20  
<211> 21  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent sense strand modified sequence

<400> 20  
gagggacagu auucucagug a 21

<210> 21  
<211> 21  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent sense strand underlying base sequence

<400> 21  
gagggacagu auucucagug a 21

<210> 22  
<211> 21  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent sense strand modified sequence

<400> 22

gccaauaaaag cuggacaaga a 21

<210> 23  
<211> 21  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent sense strand underlying base sequence

<400> 23  
gccaauaaaag cuggacaaga a 21

<210> 24  
<211> 21  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent sense strand modified sequence

<220>  
<221> modified\_base  
<222> 10  
<223> n = 2'-O-methylinosine-3'-phosphate

<400> 24  
gccaauaaaan cuggacaaga a 21

<210> 25  
<211> 21  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent sense strand underlying base sequence

<220>  
<221> modified\_base  
<222> 10  
<223> n = inosine (hypoxanthine)

<400> 25  
gccaauaaaan cuggacaaga a 21

<210> 26  
<211> 21  
<212> RNA  
<213> Artificial sequence

<220>  
 <223> RNAi agent sense strand modified sequence  
  
 <400> 26  
 ccuuaaaagg gacaguauuc u 21  
  
 <210> 27  
 <211> 21  
 <212> RNA  
 <213> Artificial sequence  
  
 <220>  
 <223> RNAi agent sense strand underlying base sequence  
  
 <400> 27  
 ccuuaaaagg gacaguauuc u 21  
  
 <210> 28  
 <211> 21  
 <212> RNA  
 <213> Artificial sequence  
  
 <220>  
 <223> RNAi agent sense strand modified sequence  
  
 <400> 28  
 gcuuaaaagg gacaguauuc u 21  
  
 <210> 29  
 <211> 21  
 <212> RNA  
 <213> Artificial sequence  
  
 <220>  
 <223> RNAi agent sense strand underlying base sequence  
  
 <400> 29  
 gcuuaaaagg gacaguauuc u 21  
  
 <210> 30  
 <211> 21  
 <212> RNA  
 <213> Artificial sequence  
  
 <220>  
 <223> RNAi agent sense strand modified sequence  
  
 <400> 30  
 ggcaaaggga caguauucuc a 21

<210> 31  
 <211> 21  
 <212> RNA  
 <213> Artificial sequence  
  
 <220>  
 <223> RNAi agent sense strand underlying base sequence  
  
 <400> 31  
 ggcaaaggga caguauucuc a 21

<210> 32  
 <211> 19  
 <212> RNA  
 <213> Artificial sequence  
  
 <220>  
 <223> APOC3 gene transcript (mRNA) target sequence  
  
 <400> 32  
 gggacaguau ucucagugc 19

<210> 33  
 <211> 19  
 <212> RNA  
 <213> Artificial sequence  
  
 <220>  
 <223> APOC3 gene transcript (mRNA) target sequence  
  
 <400> 33  
 caauaaagcu ggacaagaa 19

<210> 34  
 <211> 19  
 <212> RNA  
 <213> Artificial sequence  
  
 <220>  
 <223> APOC3 gene transcript (mRNA) target sequence  
  
 <400> 34  
 uuaaaaggga caguauucu 19

<210> 35  
 <211> 19  
 <212> RNA  
 <213> Artificial sequence

<220>  
 <223> APOC3 gene transcript (mRNA) target sequence  
  
 <400> 35  
 cggguacucc uuguuguug 19

<210> 36  
 <211> 19  
 <212> RNA  
 <213> Artificial sequence

<220>  
 <223> APOC3 gene transcript (mRNA) target sequence  
  
 <400> 36  
 gguacuccuu guuguugcc 19

<210> 37  
 <211> 19  
 <212> RNA  
 <213> Artificial sequence

<220>  
 <223> APOC3 gene transcript (mRNA) target sequence  
  
 <400> 37  
 gcugggugac cgauggcuu 19

<210> 38  
 <211> 19  
 <212> RNA  
 <213> Artificial sequence

<220>  
 <223> APOC3 gene transcript (mRNA) target sequence  
  
 <400> 38  
 gaccgauggc uucaguucc 19

<210> 39  
 <211> 19  
 <212> RNA  
 <213> Artificial sequence

<220>  
 <223> APOC3 gene transcript (mRNA) target sequence  
  
 <400> 39  
 gcuucaguuc ccugaaaga 19

<210> 40  
 <211> 19  
 <212> RNA  
 <213> Artificial sequence  
  
 <220>  
 <223> APOC3 gene transcript (mRNA) target sequence  
  
 <400> 40  
 ucaguucccu gaaagacua 19

<210> 41  
 <211> 19  
 <212> RNA  
 <213> Artificial sequence  
  
 <220>  
 <223> APOC3 gene transcript (mRNA) target sequence  
  
 <400> 41  
 gacuacugga gcaccguua 19

<210> 42  
 <211> 19  
 <212> RNA  
 <213> Artificial sequence  
  
 <220>  
 <223> APOC3 gene transcript (mRNA) target sequence  
  
 <400> 42  
 acuacuggag caccguuaa 19

<210> 43  
 <211> 19  
 <212> RNA  
 <213> Artificial sequence  
  
 <220>  
 <223> APOC3 gene transcript (mRNA) target sequence  
  
 <400> 43  
 gcaccguuaa ggacaaguu 19

<210> 44  
 <211> 19  
 <212> RNA  
 <213> Artificial sequence

<220>  
 <223> APOC3 gene transcript (mRNA) target sequence  
  
 <400> 44  
 accguuaagg acaaguucu 19

<210> 45  
 <211> 19  
 <212> RNA  
 <213> Artificial sequence

<220>  
 <223> APOC3 gene transcript (mRNA) target sequence  
  
 <400> 45  
 ccguuaagga caaguucuc 19

<210> 46  
 <211> 19  
 <212> RNA  
 <213> Artificial sequence

<220>  
 <223> APOC3 gene transcript (mRNA) target sequence  
  
 <400> 46  
 ccucaauacc ccaagucca 19

<210> 47  
 <211> 19  
 <212> RNA  
 <213> Artificial sequence

<220>  
 <223> APOC3 gene transcript (mRNA) target sequence  
  
 <400> 47  
 aaaagggaca guauucua 19

<210> 48  
 <211> 19  
 <212> RNA  
 <213> Artificial sequence

<220>  
 <223> APOC3 gene transcript (mRNA) target sequence  
  
 <400> 48  
 aggacagua uucucagug 19

<210> 49  
<211> 19  
<212> RNA  
<213> Artificial sequence  
  
<220>  
<223> RNAi agent antisense strand core 19-mer base sequence  
  
<400> 49  
ucacugagaa uacuguccc 19

<210> 50  
<211> 19  
<212> RNA  
<213> Artificial sequence  
  
<220>  
<223> RNAi agent antisense strand core 19-mer base sequence  
  
<400> 50  
gcacugagaa uacuguccc 19

<210> 51  
<211> 19  
<212> RNA  
<213> Artificial sequence  
  
<220>  
<223> RNAi agent antisense strand core 19-mer base sequence  
  
<220>  
<221> modified\_base  
<222> 1  
<223> n =  
  
<400> 51  
ncacugagaa uacuguccc 19

<210> 52  
<211> 19  
<212> RNA  
<213> Artificial sequence  
  
<220>  
<223> RNAi agent antisense strand core 19-mer base sequence  
  
<220>  
<221> modified\_base  
<222> 1, 19  
<223> n = any nucleobase

<400> 52  
ncacugagaa uacuguccn 19

<210> 53  
<211> 19  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent antisense strand core 19-mer base sequence

<400> 53  
uucuugucca gcuuuauug 19

<210> 54  
<211> 19  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent antisense strand core 19-mer base sequence

<220>  
<221> modified\_base  
<222> 1  
<223> n = any nucleobase

<400> 54  
nucuugucca gcuuuauug 19

<210> 55  
<211> 19  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent antisense strand core 19-mer base sequence

<220>  
<221> modified\_base  
<222> 1, 19  
<223> n = any nucleobase

<400> 55  
nucuugucca gcuuuauun 19

<210> 56  
<211> 19  
<212> RNA

<213> Artificial sequence

<220>

<223> RNAi agent antisense strand core 19-mer base sequence

<400> 56

ugaauacugu cccuuuuuaa

19

<210> 57

<211> 19

<212> RNA

<213> Artificial sequence

<220>

<223> RNAi agent antisense strand core 19-mer base sequence

<400> 57

agaauacugu cccuuuuuaa

19

<210> 58

<211> 19

<212> RNA

<213> Artificial sequence

<220>

<223> RNAi agent antisense strand core 19-mer base sequence

<400> 58

agaauacugu cccuuuuuag

19

<210> 59

<211> 19

<212> RNA

<213> Artificial sequence

<220>

<223> RNAi agent antisense strand core 19-mer base sequence

<220>

<221> modified\_base

<222> 1

<223> n = any nucleobase

<400> 59

ngaauacugu cccuuuuuaa

19

<210> 60

<211> 19

<212> RNA

<213> Artificial sequence

<220>  
 <223> RNAi agent antisense strand core 19-mer base sequence  
  
 <220>  
 <221> modified\_base  
 <222> 1  
 <223> n = any nucleobase  
  
 <400> 60  
 ngaauacugu cccuuuuag 19

<210> 61  
 <211> 19  
 <212> RNA  
 <213> Artificial sequence  
  
 <220>  
 <223> RNAi agent antisense strand core 19-mer base sequence  
  
 <220>  
 <221> modified\_base  
 <222> 1, 19  
 <223> n = any nucleobase  
  
 <400> 61  
 ngaauacugu cccuuuuu 19

<210> 62  
 <211> 19  
 <212> RNA  
 <213> Artificial sequence  
  
 <220>  
 <223> RNAi agent antisense strand core 19-mer base sequence  
  
 <400> 62  
 uaacaacaag gaguacccg 19

<210> 63  
 <211> 19  
 <212> RNA  
 <213> Artificial sequence  
  
 <220>  
 <223> RNAi agent antisense strand core 19-mer base sequence  
  
 <400> 63  
 caacaacaag gaguacccg 19

<210> 64  
<211> 19  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent antisense strand core 19-mer base sequence

<220>  
<221> modified\_base  
<222> 1  
<223> n = any nucleobase

<400> 64  
naacaacaag gaguacccg 19

<210> 65  
<211> 19  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent antisense strand core 19-mer base sequence

<220>  
<221> modified\_base  
<222> 1, 19  
<223> n = any nucleobase

<400> 65  
naacaacaag gaguacccn 19

<210> 66  
<211> 19  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent antisense strand core 19-mer base sequence

<400> 66  
ugcaacaaca aggaguacc 19

<210> 67  
<211> 19  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent antisense strand core 19-mer base sequence

<400> 67  
ggcaacaaca aggaguacc 19

<210> 68  
<211> 19  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent antisense strand core 19-mer base sequence

<220>  
<221> modified\_base  
<222> 1  
<223> n = any nucleobase

<400> 68  
ngcaacaaca aggaguacc 19

<210> 69  
<211> 19  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent antisense strand core 19-mer base sequence

<220>  
<221> modified\_base  
<222> 1, 19  
<223> n = any nucleobase

<400> 69  
ngcaacaaca aggaguacn 19

<210> 70  
<211> 19  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent antisense strand core 19-mer base sequence

<400> 70  
uagccaucgg ucaccagc 19

<210> 71  
<211> 19  
<212> RNA  
<213> Artificial sequence

<220>  
 <223> RNAi agent antisense strand core 19-mer base sequence  
  
 <400> 71  
 aagccaucgg ucacccagc 19

<210> 72  
 <211> 19  
 <212> RNA  
 <213> Artificial sequence  
  
 <220>  
 <223> RNAi agent antisense strand core 19-mer base sequence  
  
 <220>  
 <221> modified\_base  
 <222> 1  
 <223> n = any nucleobase  
  
 <400> 72  
 nagccaucgg ucacccagc 19

<210> 73  
 <211> 19  
 <212> RNA  
 <213> Artificial sequence  
  
 <220>  
 <223> RNAi agent antisense strand core 19-mer base sequence  
  
 <220>  
 <221> modified\_base  
 <222> 1, 19  
 <223> n = any nucleobase  
  
 <400> 73  
 nagccaucgg ucacccagn 19

<210> 74  
 <211> 19  
 <212> RNA  
 <213> Artificial sequence  
  
 <220>  
 <223> RNAi agent antisense strand core 19-mer base sequence  
  
 <400> 74  
 ugaacugaag ccaucgguc 19

<210> 75  
<211> 19  
<212> RNA  
<213> Artificial sequence  
  
<220>  
<223> RNAi agent antisense strand core 19-mer base sequence  
  
<400> 75  
ggaacugaag ccaucgguc 19

<210> 76  
<211> 19  
<212> RNA  
<213> Artificial sequence  
  
<220>  
<223> RNAi agent antisense strand core 19-mer base sequence  
  
<220>  
<221> modified\_base  
<222> 1  
<223> n = any nucleobase  
  
<400> 76  
ngaacugaag ccaucgguc 19

<210> 77  
<211> 19  
<212> RNA  
<213> Artificial sequence  
  
<220>  
<223> RNAi agent antisense strand core 19-mer base sequence  
  
<220>  
<221> modified\_base  
<222> 1, 19  
<223> n = any nucleobase  
  
<400> 77  
ngaacugaag ccaucggun 19

<210> 78  
<211> 19  
<212> RNA  
<213> Artificial sequence  
  
<220>  
<223> RNAi agent antisense strand core 19-mer base sequence

<400> 78  
ucuuucaggg aacugaagc 19

<210> 79  
<211> 19  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent antisense strand core 19-mer base sequence

<220>  
<221> modified\_base  
<222> 1  
<223> n = any nucleobase

<400> 79  
ncuuucaggg aacugaagc 19

<210> 80  
<211> 19  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent antisense strand core 19-mer base sequence

<220>  
<221> modified\_base  
<222> 1, 19  
<223> n = any nucleobase

<400> 80  
ncuuucaggg aacugaagn 19

<210> 81  
<211> 19  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent antisense strand core 19-mer base sequence

<400> 81  
uagucuuuca gggaacuga 19

<210> 82  
<211> 19  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent antisense strand core 19-mer base sequence

<220>  
<221> modified\_base  
<222> 1  
<223> n = any nucleobase

<400> 82  
nagucuuuca gggaacuga 19

<210> 83  
<211> 19  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent antisense strand core 19-mer base sequence

<220>  
<221> modified\_base  
<222> 1, 19  
<223> n = any nucleobase

<400> 83  
nagucuuuca gggaacugn 19

<210> 84  
<211> 19  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent antisense strand core 19-mer base sequence

<400> 84  
uaacggugcu ccaguaguc 19

<210> 85  
<211> 19  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent antisense strand core 19-mer base sequence

<220>  
<221> modified\_base  
<222> 1  
<223> n = any nucleobase

<400> 85  
naacggugcu ccaguaguc 19

<210> 86  
<211> 19  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent antisense strand core 19-mer base sequence

<220>  
<221> modified\_base  
<222> 1, 19  
<223> n = any nucleobase

<400> 86  
naacggugcu ccaguagun 19

<210> 87  
<211> 19  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent antisense strand core 19-mer base sequence

<400> 87  
uuaacggugc uccaguagu 19

<210> 88  
<211> 19  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent antisense strand core 19-mer base sequence

<220>  
<221> modified\_base  
<222> 1  
<223> n = any nucleobase

<400> 88  
nuaacggugc uccaguagu 19

<210> 89  
<211> 19  
<212> RNA

<213> Artificial sequence

<220>

<223> RNAi agent antisense strand core 19-mer base sequence

<220>

<221> modified\_base

<222> 1, 19

<223> n = any nucleobase

<400> 89

nuaacggugc uccaguagn

19

<210> 90

<211> 19

<212> RNA

<213> Artificial sequence

<220>

<223> RNAi agent antisense strand core 19-mer base sequence

<400> 90

uacuuguccu uaacggugc

19

<210> 91

<211> 19

<212> RNA

<213> Artificial sequence

<220>

<223> RNAi agent antisense strand core 19-mer base sequence

<400> 91

aacuuguccu uaacggugc

19

<210> 92

<211> 19

<212> RNA

<213> Artificial sequence

<220>

<223> RNAi agent antisense strand core 19-mer base sequence

<220>

<221> modified\_base

<222> 1

<223> n = any nucleobase

<400> 92

nacuuguccu uaacggugc

19

<210> 93  
<211> 19  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent antisense strand core 19-mer base sequence

<220>  
<221> modified\_base  
<222> 1, 19  
<223> n = any nucleobase

<400> 93  
nacuuguccu uaacggugn 19

<210> 94  
<211> 19  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent antisense strand core 19-mer base sequence

<400> 94  
ugaacuuguc cuuaacggu 19

<210> 95  
<211> 19  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent antisense strand core 19-mer base sequence

<400> 95  
agaacuuguc cuuaacggu 19

<210> 96  
<211> 19  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent antisense strand core 19-mer base sequence

<220>  
<221> modified\_base  
<222> 1  
<223> n = any nucleobase

<400> 96  
ngaacuuguc cuuaacggu 19

<210> 97  
<211> 19  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent antisense strand core 19-mer base sequence

<220>  
<221> modified\_base  
<222> 1, 19  
<223> n = any nucleobase

<400> 97  
ngaacuuguc cuuaacggn 19

<210> 98  
<211> 19  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent antisense strand core 19-mer base sequence

<400> 98  
uagaacuugu ccuaaacgg 19

<210> 99  
<211> 19  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent antisense strand core 19-mer base sequence

<400> 99  
gagaacuugu ccuaaacgg 19

<210> 100  
<211> 19  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent antisense strand core 19-mer base sequence

<220>  
<221> modified\_base  
<222> 1  
<223> n = any nucleobase  
  
<400> 100  
nagaacuugu ccuuaacgg 19

<210> 101  
<211> 19  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent antisense strand core 19-mer base sequence

<220>  
<221> modified\_base  
<222> 1, 19  
<223> n = any nucleobase

<400> 101  
nagaacuugu ccuuaacgn 19

<210> 102  
<211> 19  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent antisense strand core 19-mer base sequence

<400> 102  
uggacuuggg guauugagg 19

<210> 103  
<211> 19  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent antisense strand core 19-mer base sequence

<220>  
<221> modified\_base  
<222> 1  
<223> n = any nucleobase

<400> 103  
nggacuuggg guauugagg 19

<210> 104  
<211> 19  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent antisense strand core 19-mer base sequence

<220>  
<221> modified\_base  
<222> 1, 19  
<223> n = any nucleobase

<400> 104  
nggacuuggg guauugagn 19

<210> 105  
<211> 19  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent antisense strand core 19-mer base sequence

<400> 105  
ugagaauacu guccuuuu 19

<210> 106  
<211> 19  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent antisense strand core 19-mer base sequence

<400> 106  
ugagaauacu guccuuug 19

<210> 107  
<211> 19  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent antisense strand core 19-mer base sequence

<220>  
<221> modified\_base  
<222> 1  
<223> n = any nucleobase

<400> 107  
ngagaauacu guccuuuu 19

<210> 108  
<211> 19  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent antisense strand core 19-mer base sequence

<220>  
<221> modified\_base  
<222> 1  
<223> n = any nucleobase

<400> 108  
ngagaauacu guccuuug 19

<210> 109  
<211> 19  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent antisense strand core 19-mer base sequence

<220>  
<221> modified\_base  
<222> 1, 19  
<223> n = any nucleobase

<400> 109  
ngagaauacu guccuuun 19

<210> 110  
<211> 19  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent antisense strand core 19-mer base sequence

<400> 110  
uacugagaau acuguccu 19

<210> 111  
<211> 19  
<212> RNA

<213> Artificial sequence

<220>

<223> RNAi agent antisense strand core 19-mer base sequence

<400> 111

cacugagaau acuguccu

19

<210> 112

<211> 19

<212> RNA

<213> Artificial sequence

<220>

<223> RNAi agent antisense strand core 19-mer base sequence

<220>

<221> modified\_base

<222> 1

<223> n = any nucleobase

<400> 112

nacugagaau acuguccu

19

<210> 113

<211> 19

<212> RNA

<213> Artificial sequence

<220>

<223> RNAi agent antisense strand core 19-mer base sequence

<220>

<221> modified\_base

<222> 1, 19

<223> n = any nucleobase

<400> 113

nacugagaau acuguccn

19

<210> 114

<211> 19

<212> RNA

<213> Artificial sequence

<220>

<223> RNAi agent sense strand core 19-mer base sequence

<400> 114

gggacaguau ucucaguga

19

<210> 115  
<211> 19  
<212> RNA  
<213> Artificial sequence  
  
<220>  
<223> RNAi agent sense strand core 19-mer base sequence  
  
<220>  
<221> modified\_base  
<222> 20  
<223> n = inosine (hypoxanthine)  
  
<400> 115  
gggacaguau ucucaguna 19

<210> 116  
<211> 19  
<212> RNA  
<213> Artificial sequence  
  
<220>  
<223> RNAi agent sense strand core 19-mer base sequence  
  
<400> 116  
gggacaguau ucucagugc 19

<210> 117  
<211> 19  
<212> RNA  
<213> Artificial sequence  
  
<220>  
<223> RNAi agent sense strand core 19-mer base sequence  
  
<220>  
<221> modified\_base  
<222> 19  
<223> n = any nucleobase  
  
<400> 117  
gggacaguau ucucagugn 19

<210> 118  
<211> 19  
<212> RNA  
<213> Artificial sequence  
  
<220>  
<223> RNAi agent sense strand core 19-mer base sequence

<220>  
<221> modified\_base  
<222> 1, 19  
<223> n = any nucleobase  
  
<400> 118  
nggacaguau ucucagugn 19

<210> 119  
<211> 19  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent sense strand core 19-mer base sequence  
  
<400> 119  
caauaaagcu ggacaagaa 19

<210> 120  
<211> 19  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent sense strand core 19-mer base sequence

<220>  
<221> modified\_base  
<222> 8  
<223> n = inosine (hypoxanthine)  
  
<400> 120  
caauaaancu ggacaagaa 19

<210> 121  
<211> 19  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent sense strand core 19-mer base sequence

<220>  
<221> modified\_base  
<222> 19  
<223> n = any nucleobase

<400> 121

caauaaagcu ggacaagan 19

<210> 122  
<211> 19  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent sense strand core 19-mer base sequence

<220>  
<221> modified\_base  
<222> 1, 19  
<223> n = any nucleobase

<400> 122  
naauaaagcu ggacaagan 19

<210> 123  
<211> 19  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent sense strand core 19-mer base sequence

<400> 123  
uuaaaaggga caguauuca 19

<210> 124  
<211> 19  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent sense strand core 19-mer base sequence

<400> 124  
uuaaaaggga caguauucu 19

<210> 125  
<211> 19  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent sense strand core 19-mer base sequence

<400> 125  
cuaaaaggga caguauucu 19

<210> 126  
<211> 19  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent sense strand core 19-mer base sequence

<220>  
<221> modified\_base  
<222> 19  
<223> n = any nucleobase

<400> 126  
uuaaaaggga caguauucn

19

<210> 127  
<211> 19  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent sense strand core 19-mer base sequence

<220>  
<221> modified\_base  
<222> 19  
<223> n = any nucleobase

<400> 127  
cuaaaaggga caguauucn

19

<210> 128  
<211> 19  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent sense strand core 19-mer base sequence

<220>  
<221> modified\_base  
<222> 1, 19  
<223> n = any nucleobase

<400> 128  
nuaaaaggga caguauucn

19

<210> 129

<211> 19  
 <212> RNA  
 <213> Artificial sequence  
  
 <220>  
 <223> RNAi agent sense strand core 19-mer base sequence  
  
 <400> 129  
 cggguacucc uuguuguua 19

<210> 130  
 <211> 19  
 <212> RNA  
 <213> Artificial sequence  
  
 <220>  
 <223> RNAi agent sense strand core 19-mer base sequence  
  
 <400> 130  
 cggguacucc uuguuguug 19

<210> 131  
 <211> 19  
 <212> RNA  
 <213> Artificial sequence  
  
 <220>  
 <223> RNAi agent sense strand core 19-mer base sequence  
  
 <220>  
 <221> modified\_base  
 <222> 19  
 <223> n = any nucleobase  
  
 <400> 131  
 cggguacucc uuguuguun 19

<210> 132  
 <211> 19  
 <212> RNA  
 <213> Artificial sequence  
  
 <220>  
 <223> RNAi agent sense strand core 19-mer base sequence  
  
 <220>  
 <221> modified\_base  
 <222> 1, 19  
 <223> n = any nucleobase  
  
 <400> 132

|                                                         |    |
|---------------------------------------------------------|----|
| ngggguacucc uuuguuguun                                  | 19 |
|                                                         |    |
| <210> 133                                               |    |
| <211> 19                                                |    |
| <212> RNA                                               |    |
| <213> Artificial sequence                               |    |
| <220>                                                   |    |
| <223> RNAi agent sense strand core 19-mer base sequence |    |
|                                                         |    |
| <400> 133                                               |    |
| ggguacuccuu guuguugca                                   | 19 |
|                                                         |    |
| <210> 134                                               |    |
| <211> 19                                                |    |
| <212> RNA                                               |    |
| <213> Artificial sequence                               |    |
| <220>                                                   |    |
| <223> RNAi agent sense strand core 19-mer base sequence |    |
|                                                         |    |
| <400> 134                                               |    |
| ggguacuccuu guuguugcc                                   | 19 |
|                                                         |    |
| <210> 135                                               |    |
| <211> 19                                                |    |
| <212> RNA                                               |    |
| <213> Artificial sequence                               |    |
| <220>                                                   |    |
| <223> RNAi agent sense strand core 19-mer base sequence |    |
|                                                         |    |
| <220>                                                   |    |
| <221> modified_base                                     |    |
| <222> 19                                                |    |
| <223> n = any nucleobase                                |    |
|                                                         |    |
| <400> 135                                               |    |
| ggguacuccuu guuguugcn                                   | 19 |
|                                                         |    |
| <210> 136                                               |    |
| <211> 19                                                |    |
| <212> RNA                                               |    |
| <213> Artificial sequence                               |    |
| <220>                                                   |    |
| <223> RNAi agent sense strand core 19-mer base sequence |    |
|                                                         |    |
| <220>                                                   |    |
| <221> modified_base                                     |    |

<222> 1, 19  
 <223> n = any nucleobase

<400> 136  
 nguacuccuu guuguugcn 19

<210> 137  
 <211> 19  
 <212> RNA  
 <213> Artificial sequence

<220>  
 <223> RNAi agent sense strand core 19-mer base sequence

<400> 137  
 gcugggugac cgauggcua 19

<210> 138  
 <211> 19  
 <212> RNA  
 <213> Artificial sequence

<220>  
 <223> RNAi agent sense strand core 19-mer base sequence

<400> 138  
 gcugggugac cgauggcuu 19

<210> 139  
 <211> 19  
 <212> RNA  
 <213> Artificial sequence

<220>  
 <223> RNAi agent sense strand core 19-mer base sequence

<220>  
 <221> modified\_base  
 <222> 19  
 <223> n = any nucleobase

<400> 139  
 gcugggugac cgauggcun 19

<210> 140  
 <211> 19  
 <212> RNA  
 <213> Artificial sequence

<220>

<223> RNAi agent sense strand core 19-mer base sequence

<220>

<221> modified\_base

<222> 1, 19

<223> n = any nucleobase

<400> 140

ncugggugac cgauggcun

19

<210> 141

<211> 19

<212> RNA

<213> Artificial sequence

<220>

<223> RNAi agent sense strand core 19-mer base sequence

<400> 141

gaccgauggc uucaguuca

19

<210> 142

<211> 19

<212> RNA

<213> Artificial sequence

<220>

<223> RNAi agent sense strand core 19-mer base sequence

<400> 142

gaccgauggc uucaguucc

19

<210> 143

<211> 19

<212> RNA

<213> Artificial sequence

<220>

<223> RNAi agent sense strand core 19-mer base sequence

<220>

<221> modified\_base

<222> 19

<223> n = any nucleobase

<400> 143

gaccgauggc uucaguucn

19

<210> 144

<211> 19

<212> RNA  
 <213> Artificial sequence  
  
 <220>  
 <223> RNAi agent sense strand core 19-mer base sequence  
  
 <220>  
 <221> modified\_base  
 <222> 1, 19  
 <223> n = any nucleobase  
  
 <400> 144  
 naccgauggc uucaguucn 19

<210> 145  
 <211> 19  
 <212> RNA  
 <213> Artificial sequence  
  
 <220>  
 <223> RNAi agent sense strand core 19-mer base sequence  
  
 <400> 145  
 gcuucaguuc ccugaaaga 19

<210> 146  
 <211> 19  
 <212> RNA  
 <213> Artificial sequence  
  
 <220>  
 <223> RNAi agent sense strand core 19-mer base sequence  
  
 <220>  
 <221> modified\_base  
 <222> 19  
 <223> n = any nucleobase  
  
 <400> 146  
 gcuucaguuc ccugaaagn 19

<210> 147  
 <211> 19  
 <212> RNA  
 <213> Artificial sequence  
  
 <220>  
 <223> RNAi agent sense strand core 19-mer base sequence  
  
 <220>  
 <221> modified\_base

<222> 1, 19  
 <223> n = any nucleobase

<400> 147  
 ncuucaguuc ccugaaagn 19

<210> 148  
 <211> 19  
 <212> RNA  
 <213> Artificial sequence

<220>  
 <223> RNAi agent sense strand core 19-mer base sequence

<400> 148  
 ucaguucccu gaaagacua 19

<210> 149  
 <211> 19  
 <212> RNA  
 <213> Artificial sequence

<220>  
 <223> RNAi agent sense strand core 19-mer base sequence

<220>  
 <221> modified\_base  
 <222> 19  
 <223> n = any nucleobase

<400> 149  
 ucaguucccu gaaagacun 19

<210> 150  
 <211> 19  
 <212> RNA  
 <213> Artificial sequence

<220>  
 <223> RNAi agent sense strand core 19-mer base sequence

<220>  
 <221> modified\_base  
 <222> 1, 19  
 <223> n = any nucleobase

<400> 150  
 ncaguucccu gaaagacun 19

<210> 151

<211> 19  
 <212> RNA  
 <213> Artificial sequence  
  
 <220>  
 <223> RNAi agent sense strand core 19-mer base sequence  
  
 <400> 151  
 gacuacugga gcaccguua 19

<210> 152  
 <211> 19  
 <212> RNA  
 <213> Artificial sequence  
  
 <220>  
 <223> RNAi agent sense strand core 19-mer base sequence  
  
 <220>  
 <221> modified\_base  
 <222> 19  
 <223> n = any nucleobase  
  
 <400> 152  
 gacuacugga gcaccguun 19

<210> 153  
 <211> 19  
 <212> RNA  
 <213> Artificial sequence  
  
 <220>  
 <223> RNAi agent sense strand core 19-mer base sequence  
  
 <220>  
 <221> modified\_base  
 <222> 1, 19  
 <223> n = any nucleobase  
  
 <400> 153  
 nacuacugga gcaccguun 19

<210> 154  
 <211> 19  
 <212> RNA  
 <213> Artificial sequence  
  
 <220>  
 <223> RNAi agent sense strand core 19-mer base sequence  
  
 <400> 154

acuacuggag caccguuaa 19

<210> 155  
<211> 19  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent sense strand core 19-mer base sequence

<220>  
<221> modified\_base  
<222> 19  
<223> n = any nucleobase

<400> 155  
acuacuggag caccguuan 19

<210> 156  
<211> 19  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent sense strand core 19-mer base sequence

<220>  
<221> modified\_base  
<222> 1, 19  
<223> n = any nucleobase

<400> 156  
ncuacuggag caccguuan 19

<210> 157  
<211> 19  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent sense strand core 19-mer base sequence

<400> 157  
gcaccguuaa ggacaagua 19

<210> 158  
<211> 19  
<212> RNA  
<213> Artificial sequence

<220>  
 <223> RNAi agent sense strand core 19-mer base sequence  
  
 <400> 158  
 gcaccguuaa ggacaaguu 19  
  
 <210> 159  
 <211> 19  
 <212> RNA  
 <213> Artificial sequence  
  
 <220>  
 <223> RNAi agent sense strand core 19-mer base sequence  
  
 <220>  
 <221> modified\_base  
 <222> 19  
 <223> n = any nucleobase  
  
 <400> 159  
 gcaccguuaa ggacaagun 19  
  
 <210> 160  
 <211> 19  
 <212> RNA  
 <213> Artificial sequence  
  
 <220>  
 <223> RNAi agent sense strand core 19-mer base sequence  
  
 <220>  
 <221> modified\_base  
 <222> 1, 19  
 <223> n = any nucleobase  
  
 <400> 160  
 ncaccguuaa ggacaagun 19  
  
 <210> 161  
 <211> 19  
 <212> RNA  
 <213> Artificial sequence  
  
 <220>  
 <223> RNAi agent sense strand core 19-mer base sequence  
  
 <400> 161  
 accguuaagg acaaguuca 19  
  
 <210> 162

<211> 19  
 <212> RNA  
 <213> Artificial sequence  
  
 <220>  
 <223> RNAi agent sense strand core 19-mer base sequence  
  
 <400> 162  
 accguuaagg acaaguucu 19

<210> 163  
 <211> 19  
 <212> RNA  
 <213> Artificial sequence  
  
 <220>  
 <223> RNAi agent sense strand core 19-mer base sequence  
  
 <220>  
 <221> modified\_base  
 <222> 19  
 <223> n = any nucleobase  
  
 <400> 163  
 accguuaagg acaaguucn 19

<210> 164  
 <211> 19  
 <212> RNA  
 <213> Artificial sequence  
  
 <220>  
 <223> RNAi agent sense strand core 19-mer base sequence  
  
 <220>  
 <221> modified\_base  
 <222> 1, 19  
 <223> n = any nucleobase  
  
 <400> 164  
 nccguuaagg acaaguucn 19

<210> 165  
 <211> 19  
 <212> RNA  
 <213> Artificial sequence  
  
 <220>  
 <223> RNAi agent sense strand core 19-mer base sequence  
  
 <400> 165

ccguuaagga caaguucua 19

<210> 166  
<211> 19  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent sense strand core 19-mer base sequence

<400> 166  
ccguuaagga caaguucuc 19

<210> 167  
<211> 19  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent sense strand core 19-mer base sequence

<220>  
<221> modified\_base  
<222> 19  
<223> n = any nucleobase

<400> 167  
ccguuaagga caaguucun 19

<210> 168  
<211> 19  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent sense strand core 19-mer base sequence

<220>  
<221> modified\_base  
<222> 1, 19  
<223> n = any nucleobase

<400> 168  
ncguuaagga caaguucun 19

<210> 169  
<211> 19  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent sense strand core 19-mer base sequence  
  
<400> 169  
ccucaauacc ccaagucca 19

<210> 170  
<211> 19  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent sense strand core 19-mer base sequence

<220>  
<221> modified\_base  
<222> 19  
<223> n = any nucleobase

<400> 170  
ccucaauacc ccaaguccn 19

<210> 171  
<211> 19  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent sense strand core 19-mer base sequence

<220>  
<221> modified\_base  
<222> 1, 19  
<223> n = any nucleobase

<400> 171  
ncucaauacc ccaaguccn 19

<210> 172  
<211> 19  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent sense strand core 19-mer base sequence

<400> 172  
aaaagggaca guauucua 19

<210> 173

<211> 19  
<212> RNA  
<213> Artificial sequence  
  
<220>  
<223> RNAi agent sense strand core 19-mer base sequence  
  
<400> 173  
caaaggaca guauucua 19

<210> 174  
<211> 19  
<212> RNA  
<213> Artificial sequence  
  
<220>  
<223> RNAi agent sense strand core 19-mer base sequence

<220>  
<221> modified\_base  
<222> 19  
<223> n = any nucleobase  
  
<400> 174  
aaaaggaca guauucucn 19

<210> 175  
<211> 19  
<212> RNA  
<213> Artificial sequence  
  
<220>  
<223> RNAi agent sense strand core 19-mer base sequence

<220>  
<221> modified\_base  
<222> 19  
<223> n = any nucleobase  
  
<400> 175  
caaaggaca guauucucn 19

<210> 176  
<211> 19  
<212> RNA  
<213> Artificial sequence  
  
<220>  
<223> RNAi agent sense strand core 19-mer base sequence

<220>

<221> modified\_base  
<222> 1, 19  
<223> n = any nucleobase

<400> 176  
naaagggaca guauucucn

19

<210> 177  
<211> 19  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent sense strand core 19-mer base sequence

<400> 177  
agggacagua uucucagua

19

<210> 178  
<211> 19  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent sense strand core 19-mer base sequence

<400> 178  
agggacagua uucucagug

19

<210> 179  
<211> 19  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent sense strand core 19-mer base sequence

<220>  
<221> modified\_base  
<222> 19  
<223> n = any nucleobase

<400> 179  
agggacagua uucucagun

19

<210> 180  
<211> 19  
<212> RNA  
<213> Artificial sequence

<220>  
 <223> RNAi agent sense strand core 19-mer base sequence  
  
 <220>  
 <221> modified\_base  
 <222> 1, 19  
 <223> n = any nucleobase  
  
 <400> 180  
 ngggacagua uucucagun 19  
  
  
 <210> 181  
 <211> 21  
 <212> RNA  
 <213> Artificial sequence  
  
 <220>  
 <223> RNAi agent antisense strand modified sequence  
  
 <400> 181  
 uaacaacaag gaguacccgu u 21  
  
  
 <210> 182  
 <211> 21  
 <212> RNA  
 <213> Artificial sequence  
  
 <220>  
 <223> RNAi agent antisense strand modified sequence  
  
 <400> 182  
 uaacaacaag gaguacccgu u 21  
  
  
 <210> 183  
 <211> 21  
 <212> RNA  
 <213> Artificial sequence  
  
 <220>  
 <223> RNAi agent antisense strand modified sequence  
  
 <400> 183  
 uaacaacaag gaguaccgg u 21  
  
  
 <210> 184  
 <211> 21  
 <212> RNA  
 <213> Artificial sequence  
  
 <220>

<223> RNAi agent antisense strand modified sequence

<400> 184  
uaacaacaag gaguacccgg g 21

<210> 185  
<211> 21  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent antisense strand modified sequence

<400> 185  
uaacaacaag gaguacccgg g 21

<210> 186  
<211> 21  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent antisense strand modified sequence

<400> 186  
ugcaacaaca aggaguaccu u 21

<210> 187  
<211> 21  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent antisense strand modified sequence

<400> 187  
ugcaacaaca aggaguaccu u 21

<210> 188  
<211> 21  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent antisense strand modified sequence

<400> 188  
ugcaacaaca aggaguaccc u 21

<210> 189  
<211> 21  
<212> RNA  
<213> Artificial sequence  
  
<220>  
<223> RNAi agent antisense strand modified sequence  
  
<400> 189  
ugcaacaaca aggaguaccc g 21

<210> 190  
<211> 21  
<212> RNA  
<213> Artificial sequence  
  
<220>  
<223> RNAi agent antisense strand modified sequence  
  
<400> 190  
ugcaacaaca aggaguaccc g 21

<210> 191  
<211> 21  
<212> RNA  
<213> Artificial sequence  
  
<220>  
<223> RNAi agent antisense strand modified sequence  
  
<400> 191  
uagccaucgg ucacccagcu u 21

<210> 192  
<211> 21  
<212> RNA  
<213> Artificial sequence  
  
<220>  
<223> RNAi agent antisense strand modified sequence  
  
<400> 192  
uagccaucgg ucacccagcu u 21

<210> 193  
<211> 21  
<212> RNA  
<213> Artificial sequence  
  
<220>

|                                                     |    |
|-----------------------------------------------------|----|
| <223> RNAi agent antisense strand modified sequence |    |
| <400> 193                                           |    |
| uagccaucgg ucacccagcc u                             | 21 |
|                                                     |    |
| <210> 194                                           |    |
| <211> 21                                            |    |
| <212> RNA                                           |    |
| <213> Artificial sequence                           |    |
| <220>                                               |    |
| <223> RNAi agent antisense strand modified sequence |    |
| <400> 194                                           |    |
| uagccaucgg ucacccagcc c                             | 21 |
|                                                     |    |
| <210> 195                                           |    |
| <211> 21                                            |    |
| <212> RNA                                           |    |
| <213> Artificial sequence                           |    |
| <220>                                               |    |
| <223> RNAi agent antisense strand modified sequence |    |
| <400> 195                                           |    |
| uagccaucgg ucacccagcc c                             | 21 |
|                                                     |    |
| <210> 196                                           |    |
| <211> 21                                            |    |
| <212> RNA                                           |    |
| <213> Artificial sequence                           |    |
| <220>                                               |    |
| <223> RNAi agent antisense strand modified sequence |    |
| <400> 196                                           |    |
| ugaacugaag ccaucggucu u                             | 21 |
|                                                     |    |
| <210> 197                                           |    |
| <211> 21                                            |    |
| <212> RNA                                           |    |
| <213> Artificial sequence                           |    |
| <220>                                               |    |
| <223> RNAi agent antisense strand modified sequence |    |
| <400> 197                                           |    |
| ugaacugaag ccaucggucu u                             | 21 |

<210> 198  
<211> 21  
<212> RNA  
<213> Artificial sequence  
  
<220>  
<223> RNAi agent antisense strand modified sequence  
  
<400> 198  
ugaacugaag ccaucgguca u 21

<210> 199  
<211> 21  
<212> RNA  
<213> Artificial sequence  
  
<220>  
<223> RNAi agent antisense strand modified sequence  
  
<400> 199  
ugaacugaag ccaucgguca c 21

<210> 200  
<211> 21  
<212> RNA  
<213> Artificial sequence  
  
<220>  
<223> RNAi agent antisense strand modified sequence  
  
<400> 200  
ugaacugaag ccaucgguca c 21

<210> 201  
<211> 21  
<212> RNA  
<213> Artificial sequence  
  
<220>  
<223> RNAi agent antisense strand modified sequence  
  
<400> 201  
ucuuucaggg aacugaagcu u 21

<210> 202  
<211> 21  
<212> RNA  
<213> Artificial sequence  
  
<220>

<223> RNAi agent antisense strand modified sequence

<400> 202  
ucuuucaggg aacugaagcu u 21

<210> 203  
<211> 21  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent antisense strand modified sequence

<400> 203  
ucuuucaggg aacugaagcc u 21

<210> 204  
<211> 21  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent antisense strand modified sequence

<400> 204  
ucuuucaggg aacugaagcc a 21

<210> 205  
<211> 21  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent antisense strand modified sequence

<400> 205  
ucuuucaggg aacugaagcc a 21

<210> 206  
<211> 21  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent antisense strand modified sequence

<400> 206  
uaacggugcu ccaguagucu u 21

<210> 207  
<211> 21  
<212> RNA  
<213> Artificial sequence  
  
<220>  
<223> RNAi agent antisense strand modified sequence  
  
<400> 207  
uaacggugcu ccaguagucu u 21

<210> 208  
<211> 21  
<212> RNA  
<213> Artificial sequence  
  
<220>  
<223> RNAi agent antisense strand modified sequence  
  
<400> 208  
uaacggugcu ccaguagucu u 21

<210> 209  
<211> 21  
<212> RNA  
<213> Artificial sequence  
  
<220>  
<223> RNAi agent antisense strand modified sequence  
  
<400> 209  
uaacggugcu ccaguagucu u 21

<210> 210  
<211> 21  
<212> RNA  
<213> Artificial sequence  
  
<220>  
<223> RNAi agent antisense strand modified sequence  
  
<400> 210  
uaacggugcu ccaguagucu u 21

<210> 211  
<211> 21  
<212> RNA  
<213> Artificial sequence  
  
<220>

|                                                     |    |
|-----------------------------------------------------|----|
| <223> RNAi agent antisense strand modified sequence |    |
| <400> 211                                           |    |
| uuaacggugc uccaguaguu u                             | 21 |
| <210> 212                                           |    |
| <211> 21                                            |    |
| <212> RNA                                           |    |
| <213> Artificial sequence                           |    |
| <220>                                               |    |
| <223> RNAi agent antisense strand modified sequence |    |
| <400> 212                                           |    |
| uuaacggugc uccaguaguu u                             | 21 |
| <210> 213                                           |    |
| <211> 21                                            |    |
| <212> RNA                                           |    |
| <213> Artificial sequence                           |    |
| <220>                                               |    |
| <223> RNAi agent antisense strand modified sequence |    |
| <400> 213                                           |    |
| uuaacggugc uccaguaguc u                             | 21 |
| <210> 214                                           |    |
| <211> 21                                            |    |
| <212> RNA                                           |    |
| <213> Artificial sequence                           |    |
| <220>                                               |    |
| <223> RNAi agent antisense strand modified sequence |    |
| <400> 214                                           |    |
| uuaacggugc uccaguaguc u                             | 21 |
| <210> 215                                           |    |
| <211> 21                                            |    |
| <212> RNA                                           |    |
| <213> Artificial sequence                           |    |
| <220>                                               |    |
| <223> RNAi agent antisense strand modified sequence |    |
| <400> 215                                           |    |
| uuaacggugc uccaguaguc u                             | 21 |

<210> 216  
<211> 21  
<212> RNA  
<213> Artificial sequence  
  
<220>  
<223> RNAi agent antisense strand modified sequence  
  
<400> 216  
uacuuguccu uaacggugcu u 21

<210> 217  
<211> 21  
<212> RNA  
<213> Artificial sequence  
  
<220>  
<223> RNAi agent antisense strand modified sequence  
  
<400> 217  
uacuuguccu uaacggugcu u 21

<210> 218  
<211> 21  
<212> RNA  
<213> Artificial sequence  
  
<220>  
<223> RNAi agent antisense strand modified sequence  
  
<400> 218  
uacuuguccu uaacggugcu u 21

<210> 219  
<211> 21  
<212> RNA  
<213> Artificial sequence  
  
<220>  
<223> RNAi agent antisense strand modified sequence  
  
<400> 219  
uacuuguccu uaacggugcu c 21

<210> 220  
<211> 21  
<212> RNA  
<213> Artificial sequence  
  
<220>

<223> RNAi agent antisense strand modified sequence

<400> 220  
uacuuguccu uaacggugcu c 21

<210> 221  
<211> 21  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent antisense strand modified sequence

<400> 221  
ugaacuuguc cuuaacgguu u 21

<210> 222  
<211> 21  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent antisense strand modified sequence

<400> 222  
ugaacuuguc cuuaacgguu u 21

<210> 223  
<211> 21  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent antisense strand modified sequence

<400> 223  
ugaacuuguc cuuaacggug u 21

<210> 224  
<211> 21  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent antisense strand modified sequence

<400> 224  
ugaacuuguc cuuaacggug c 21

<210> 225  
<211> 21  
<212> RNA  
<213> Artificial sequence  
  
<220>  
<223> RNAi agent antisense strand modified sequence  
  
<400> 225  
ugaacuuguc cuuaacggug c 21

<210> 226  
<211> 21  
<212> RNA  
<213> Artificial sequence  
  
<220>  
<223> RNAi agent antisense strand modified sequence  
  
<400> 226  
uagaacuugu ccuuaacggu u 21

<210> 227  
<211> 21  
<212> RNA  
<213> Artificial sequence  
  
<220>  
<223> RNAi agent antisense strand modified sequence  
  
<400> 227  
uagaacuugu ccuuaacggu u 21

<210> 228  
<211> 21  
<212> RNA  
<213> Artificial sequence  
  
<220>  
<223> RNAi agent antisense strand modified sequence  
  
<400> 228  
uagaacuugu ccuuaacggu u 21

<210> 229  
<211> 21  
<212> RNA  
<213> Artificial sequence  
  
<220>

<223> RNAi agent antisense strand modified sequence

<400> 229  
uagaacuugu ccuuaacggu g 21

<210> 230  
<211> 21  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent antisense strand modified sequence

<400> 230  
uagaacuugu ccuuaacggu g 21

<210> 231  
<211> 21  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent antisense strand modified sequence

<400> 231  
uggacuuggg guauugaggu u 21

<210> 232  
<211> 21  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent antisense strand modified sequence

<400> 232  
uggacuuggg guauugaggu u 21

<210> 233  
<211> 21  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent antisense strand modified sequence

<400> 233  
uggacuuggg guauugaggu u 21

<210> 234  
<211> 21  
<212> RNA  
<213> Artificial sequence  
  
<220>  
<223> RNAi agent antisense strand modified sequence  
  
<400> 234  
uggacuuggg guauugaggu c 21

<210> 235  
<211> 21  
<212> RNA  
<213> Artificial sequence  
  
<220>  
<223> RNAi agent antisense strand modified sequence  
  
<400> 235  
uggacuuggg guauugaggu c 21

<210> 236  
<211> 21  
<212> RNA  
<213> Artificial sequence  
  
<220>  
<223> RNAi agent antisense strand modified sequence  
  
<400> 236  
ugagaauacu gucccuuuuu u 21

<210> 237  
<211> 21  
<212> RNA  
<213> Artificial sequence  
  
<220>  
<223> RNAi agent antisense strand modified sequence  
  
<400> 237  
ugagaauacu gucccuuuuu u 21

<210> 238  
<211> 21  
<212> RNA  
<213> Artificial sequence  
  
<220>

<223> RNAi agent antisense strand modified sequence

<400> 238  
 ugagaauacu gucccuuuua u 21

<210> 239  
 <211> 21  
 <212> RNA  
 <213> Artificial sequence

<220>  
 <223> RNAi agent antisense strand modified sequence

<400> 239  
 ugagaauacu gucccuuuua a 21

<210> 240  
 <211> 21  
 <212> RNA  
 <213> Artificial sequence

<220>  
 <223> RNAi agent antisense strand modified sequence

<400> 240  
 ugagaauacu gucccuuuua a 21

<210> 241  
 <211> 21  
 <212> RNA  
 <213> Artificial sequence

<220>  
 <223> RNAi agent antisense strand modified sequence

<400> 241  
 uacugagaau acugucccuu u 21

<210> 242  
 <211> 21  
 <212> RNA  
 <213> Artificial sequence

<220>  
 <223> RNAi agent antisense strand modified sequence

<400> 242  
 uacugagaau acugucccuu u 21

<210> 243  
<211> 21  
<212> RNA  
<213> Artificial sequence  
  
<220>  
<223> RNAi agent antisense strand modified sequence  
  
<400> 243  
uacugagaau acugucccuu u 21

<210> 244  
<211> 21  
<212> RNA  
<213> Artificial sequence  
  
<220>  
<223> RNAi agent antisense strand modified sequence  
  
<400> 244  
uacugagaau acugucccuu u 21

<210> 245  
<211> 21  
<212> RNA  
<213> Artificial sequence  
  
<220>  
<223> RNAi agent antisense strand modified sequence  
  
<400> 245  
uacugagaau acugucccuu u 21

<210> 246  
<211> 21  
<212> RNA  
<213> Artificial sequence  
  
<220>  
<223> RNAi agent sense strand modified sequence  
  
<400> 246  
cggguacucc uuguuguuau u 21

<210> 247  
<211> 21  
<212> RNA  
<213> Artificial sequence  
  
<220>

<223> RNAi agent sense strand modified sequence  
 <400> 247  
 cggguacucc uuguuguau u 21

<210> 248  
 <211> 20  
 <212> RNA  
 <213> Artificial sequence  
 <220>  
 <223> RNAi agent sense strand modified sequence  
 <400> 248  
 ccggguacuc cuuguuguua 20

<210> 249  
 <211> 21  
 <212> RNA  
 <213> Artificial sequence  
 <220>  
 <223> RNAi agent sense strand modified sequence  
 <400> 249  
 cccggguacu ccuuguuguu a 21

<210> 250  
 <211> 21  
 <212> RNA  
 <213> Artificial sequence  
 <220>  
 <223> RNAi agent sense strand modified sequence  
 <400> 250  
 cccggguacu ccuuguuguu a 21

<210> 251  
 <211> 21  
 <212> RNA  
 <213> Artificial sequence  
 <220>  
 <223> RNAi agent sense strand modified sequence  
 <400> 251  
 gguacuccuu guuguugcau u 21

<210> 252  
 <211> 21  
 <212> RNA  
 <213> Artificial sequence  
  
 <220>  
 <223> RNAi agent sense strand modified sequence  
  
 <400> 252  
 gguacuccuu guuguugcau u 21

<210> 253  
 <211> 20  
 <212> RNA  
 <213> Artificial sequence  
  
 <220>  
 <223> RNAi agent sense strand modified sequence  
  
 <400> 253  
 ggguacuccu uguuguugca 20

<210> 254  
 <211> 21  
 <212> RNA  
 <213> Artificial sequence  
  
 <220>  
 <223> RNAi agent sense strand modified sequence  
  
 <400> 254  
 cgguacucc uuguuguugc a 21

<210> 255  
 <211> 21  
 <212> RNA  
 <213> Artificial sequence  
  
 <220>  
 <223> RNAi agent sense strand modified sequence  
  
 <400> 255  
 cgguacucc uuguuguugc a 21

<210> 256  
 <211> 21  
 <212> RNA  
 <213> Artificial sequence  
  
 <220>

<223> RNAi agent sense strand modified sequence  
 <400> 256  
 gcugggugac cgauggcuau u 21

<210> 257  
 <211> 21  
 <212> RNA  
 <213> Artificial sequence

<220>  
 <223> RNAi agent sense strand modified sequence  
 <400> 257  
 gcugggugac cgauggcuau u 21

<210> 258  
 <211> 20  
 <212> RNA  
 <213> Artificial sequence

<220>  
 <223> RNAi agent sense strand modified sequence  
 <400> 258  
 ggcuggguga ccgauggcua 20

<210> 259  
 <211> 21  
 <212> RNA  
 <213> Artificial sequence

<220>  
 <223> RNAi agent sense strand modified sequence  
 <400> 259  
 gggcugggug accgauggcu a 21

<210> 260  
 <211> 21  
 <212> RNA  
 <213> Artificial sequence

<220>  
 <223> RNAi agent sense strand modified sequence  
 <400> 260  
 gggcugggug accgauggcu a 21

<210> 261  
 <211> 21  
 <212> RNA  
 <213> Artificial sequence  
  
 <220>  
 <223> RNAi agent sense strand modified sequence  
  
 <400> 261  
 gaccgauggc uucagucau u 21

<210> 262  
 <211> 21  
 <212> RNA  
 <213> Artificial sequence  
  
 <220>  
 <223> RNAi agent sense strand modified sequence  
  
 <400> 262  
 gaccgauggc uucagucau u 21

<210> 263  
 <211> 20  
 <212> RNA  
 <213> Artificial sequence  
  
 <220>  
 <223> RNAi agent sense strand modified sequence  
  
 <400> 263  
 ugaccgaugg cuucaguuca 20

<210> 264  
 <211> 21  
 <212> RNA  
 <213> Artificial sequence  
  
 <220>  
 <223> RNAi agent sense strand modified sequence  
  
 <400> 264  
 gugaccgaug gcuucaguuc a 21

<210> 265  
 <211> 21  
 <212> RNA  
 <213> Artificial sequence  
  
 <220>

<223> RNAi agent sense strand modified sequence

<400> 265  
gugaccgaug gcuucaguuc a 21

<210> 266  
<211> 21  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent sense strand modified sequence

<400> 266  
gcuucaguuc ccugaaagau u 21

<210> 267  
<211> 21  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent sense strand modified sequence

<400> 267  
gcuucaguuc ccugaaagau u 21

<210> 268  
<211> 20  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent sense strand modified sequence

<400> 268  
ggcuucaguu cccugaaaga 20

<210> 269  
<211> 21  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent sense strand modified sequence

<400> 269  
uggcuucagu ucccugaaag a 21

<210> 270  
 <211> 21  
 <212> RNA  
 <213> Artificial sequence  
  
 <220>  
 <223> RNAi agent sense strand modified sequence  
  
 <400> 270  
 uggcuucagu ucccugaaag a 21

<210> 271  
 <211> 21  
 <212> RNA  
 <213> Artificial sequence  
  
 <220>  
 <223> RNAi agent sense strand modified sequence  
  
 <400> 271  
 gacuacugga gcaccguuau u 21

<210> 272  
 <211> 21  
 <212> RNA  
 <213> Artificial sequence  
  
 <220>  
 <223> RNAi agent sense strand modified sequence  
  
 <400> 272  
 gacuacugga gcaccguuau u 21

<210> 273  
 <211> 20  
 <212> RNA  
 <213> Artificial sequence  
  
 <220>  
 <223> RNAi agent sense strand modified sequence  
  
 <400> 273  
 agacuacugg agcaccguua 20

<210> 274  
 <211> 21  
 <212> RNA  
 <213> Artificial sequence  
  
 <220>

<223> RNAi agent sense strand modified sequence

<400> 274  
aagacuacug gagcaccguu a 21

<210> 275  
<211> 21  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent sense strand modified sequence

<400> 275  
aagacuacug gagcaccguu a 21

<210> 276  
<211> 21  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent sense strand modified sequence

<400> 276  
acuacuggag caccguuaau u 21

<210> 277  
<211> 21  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent sense strand modified sequence

<400> 277  
acuacuggag caccguuaau u 21

<210> 278  
<211> 20  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent sense strand modified sequence

<400> 278  
gacuacugga gcaccguuaa 20

<210> 279  
 <211> 21  
 <212> RNA  
 <213> Artificial sequence  
  
 <220>  
 <223> RNAi agent sense strand modified sequence  
  
 <400> 279  
 agacuacugg agcaccguua a 21

<210> 280  
 <211> 21  
 <212> RNA  
 <213> Artificial sequence  
  
 <220>  
 <223> RNAi agent sense strand modified sequence  
  
 <400> 280  
 agacuacugg agcaccguua a 21

<210> 281  
 <211> 21  
 <212> RNA  
 <213> Artificial sequence  
  
 <220>  
 <223> RNAi agent sense strand modified sequence  
  
 <400> 281  
 gcaccguuua ggacaaguau u 21

<210> 282  
 <211> 21  
 <212> RNA  
 <213> Artificial sequence  
  
 <220>  
 <223> RNAi agent sense strand modified sequence  
  
 <400> 282  
 gcaccguuua ggacaaguau u 21

<210> 283  
 <211> 20  
 <212> RNA  
 <213> Artificial sequence  
  
 <220>

|                                                 |    |
|-------------------------------------------------|----|
| <223> RNAi agent sense strand modified sequence |    |
| <400> 283                                       |    |
| agcaccguua aggacaagua                           | 20 |
| <210> 284                                       |    |
| <211> 21                                        |    |
| <212> RNA                                       |    |
| <213> Artificial sequence                       |    |
| <220>                                           |    |
| <223> RNAi agent sense strand modified sequence |    |
| <400> 284                                       |    |
| gagcaccguu aaggacaagu a                         | 21 |
| <210> 285                                       |    |
| <211> 21                                        |    |
| <212> RNA                                       |    |
| <213> Artificial sequence                       |    |
| <220>                                           |    |
| <223> RNAi agent sense strand modified sequence |    |
| <400> 285                                       |    |
| gagcaccguu aaggacaagu a                         | 21 |
| <210> 286                                       |    |
| <211> 21                                        |    |
| <212> RNA                                       |    |
| <213> Artificial sequence                       |    |
| <220>                                           |    |
| <223> RNAi agent sense strand modified sequence |    |
| <400> 286                                       |    |
| accguuaagg acaaguucau u                         | 21 |
| <210> 287                                       |    |
| <211> 21                                        |    |
| <212> RNA                                       |    |
| <213> Artificial sequence                       |    |
| <220>                                           |    |
| <223> RNAi agent sense strand modified sequence |    |
| <400> 287                                       |    |
| accguuaagg acaaguucau u                         | 21 |

<210> 288  
<211> 20  
<212> RNA  
<213> Artificial sequence  
  
<220>  
<223> RNAi agent sense strand modified sequence  
  
<400> 288  
caccguuaag gacaaguuca 20

<210> 289  
<211> 21  
<212> RNA  
<213> Artificial sequence  
  
<220>  
<223> RNAi agent sense strand modified sequence  
  
<400> 289  
gcaccguuaa ggacaaguuc a 21

<210> 290  
<211> 21  
<212> RNA  
<213> Artificial sequence  
  
<220>  
<223> RNAi agent sense strand modified sequence  
  
<400> 290  
gcaccguuaa ggacaaguuc a 21

<210> 291  
<211> 21  
<212> RNA  
<213> Artificial sequence  
  
<220>  
<223> RNAi agent sense strand modified sequence  
  
<400> 291  
ccguuaagga caaguucuau u 21

<210> 292  
<211> 21  
<212> RNA  
<213> Artificial sequence  
  
<220>

|                                                 |    |
|-------------------------------------------------|----|
| <223> RNAi agent sense strand modified sequence |    |
| <400> 292                                       |    |
| ccguuaagga caaguucuau u                         | 21 |
| <210> 293                                       |    |
| <211> 20                                        |    |
| <212> RNA                                       |    |
| <213> Artificial sequence                       |    |
| <220>                                           |    |
| <223> RNAi agent sense strand modified sequence |    |
| <400> 293                                       |    |
| accguuaagg acaaguucua                           | 20 |
| <210> 294                                       |    |
| <211> 21                                        |    |
| <212> RNA                                       |    |
| <213> Artificial sequence                       |    |
| <220>                                           |    |
| <223> RNAi agent sense strand modified sequence |    |
| <400> 294                                       |    |
| caccguuaag gacaaguucu a                         | 21 |
| <210> 295                                       |    |
| <211> 21                                        |    |
| <212> RNA                                       |    |
| <213> Artificial sequence                       |    |
| <220>                                           |    |
| <223> RNAi agent sense strand modified sequence |    |
| <400> 295                                       |    |
| caccguuaag gacaaguucu a                         | 21 |
| <210> 296                                       |    |
| <211> 21                                        |    |
| <212> RNA                                       |    |
| <213> Artificial sequence                       |    |
| <220>                                           |    |
| <223> RNAi agent sense strand modified sequence |    |
| <400> 296                                       |    |
| ccucaauacc ccaaguccau u                         | 21 |

<210> 297  
 <211> 21  
 <212> RNA  
 <213> Artificial sequence  
  
 <220>  
 <223> RNAi agent sense strand modified sequence  
  
 <400> 297  
 ccucaauacc ccaaguccau u 21

<210> 298  
 <211> 20  
 <212> RNA  
 <213> Artificial sequence  
  
 <220>  
 <223> RNAi agent sense strand modified sequence  
  
 <400> 298  
 accucaauac cccaagucca 20

<210> 299  
 <211> 21  
 <212> RNA  
 <213> Artificial sequence  
  
 <220>  
 <223> RNAi agent sense strand modified sequence  
  
 <400> 299  
 gaccucaaua cccaagucc a 21

<210> 300  
 <211> 21  
 <212> RNA  
 <213> Artificial sequence  
  
 <220>  
 <223> RNAi agent sense strand modified sequence  
  
 <400> 300  
 gaccucaaua cccaagucc a 21

<210> 301  
 <211> 21  
 <212> RNA  
 <213> Artificial sequence  
  
 <220>

<223> RNAi agent sense strand modified sequence  
 <400> 301  
 aaaagggaca guauucucau u 21

<210> 302  
 <211> 21  
 <212> RNA  
 <213> Artificial sequence  
 <220>  
 <223> RNAi agent sense strand modified sequence  
 <400> 302  
 aaaagggaca guauucucau u 21

<210> 303  
 <211> 20  
 <212> RNA  
 <213> Artificial sequence  
 <220>  
 <223> RNAi agent sense strand modified sequence  
 <400> 303  
 uaaaagggac aguauucuca 20

<210> 304  
 <211> 21  
 <212> RNA  
 <213> Artificial sequence  
 <220>  
 <223> RNAi agent sense strand modified sequence  
 <400> 304  
 uuaaaaggga caguauucuc a 21

<210> 305  
 <211> 21  
 <212> RNA  
 <213> Artificial sequence  
 <220>  
 <223> RNAi agent sense strand modified sequence  
 <400> 305  
 uuaaaaggga caguauucuc a 21

<210> 306  
 <211> 21  
 <212> RNA  
 <213> Artificial sequence  
  
 <220>  
 <223> RNAi agent sense strand modified sequence  
  
 <400> 306  
 aggacagua uucucaguau u 21

<210> 307  
 <211> 21  
 <212> RNA  
 <213> Artificial sequence  
  
 <220>  
 <223> RNAi agent sense strand modified sequence  
  
 <400> 307  
 aggacagua uucucaguau u 21

<210> 308  
 <211> 20  
 <212> RNA  
 <213> Artificial sequence  
  
 <220>  
 <223> RNAi agent sense strand modified sequence  
  
 <400> 308  
 aaggacagu auucucagua 20

<210> 309  
 <211> 21  
 <212> RNA  
 <213> Artificial sequence  
  
 <220>  
 <223> RNAi agent sense strand modified sequence  
  
 <400> 309  
 aaaggacag uauucucagu a 21

<210> 310  
 <211> 21  
 <212> RNA  
 <213> Artificial sequence  
  
 <220>

<223> RNAi agent sense strand modified sequence

<400> 310  
aaagggacag uauucucagu a 21

<210> 311  
<211> 21  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent antisense strand modified sequence

<400> 311  
uacuuguccu uaacggugcu u 21

<210> 312  
<211> 21  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent antisense strand modified sequence

<400> 312  
uacuuguccu uaacggugcu c 21

<210> 313  
<211> 21  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent antisense strand modified sequence

<400> 313  
aacuuguccu uaacggugcu u 21

<210> 314  
<211> 21  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent antisense strand modified sequence

<400> 314  
uggacuuggg guauugaggu u 21

<210> 315  
<211> 21  
<212> RNA  
<213> Artificial sequence  
  
<220>  
<223> RNAi agent antisense strand modified sequence  
  
<400> 315  
uggacuuggg guauugaggu c 21

<210> 316  
<211> 21  
<212> RNA  
<213> Artificial sequence  
  
<220>  
<223> RNAi agent antisense strand modified sequence  
  
<400> 316  
ucuuucaggg aacugaagcu u 21

<210> 317  
<211> 21  
<212> RNA  
<213> Artificial sequence  
  
<220>  
<223> RNAi agent antisense strand modified sequence  
  
<400> 317  
ucuuucaggg aacugaagcc u 21

<210> 318  
<211> 21  
<212> RNA  
<213> Artificial sequence  
  
<220>  
<223> RNAi agent antisense strand modified sequence  
  
<400> 318  
ugaacugaag ccaucggucu u 21

<210> 319  
<211> 21  
<212> RNA  
<213> Artificial sequence  
  
<220>

|                                                     |    |
|-----------------------------------------------------|----|
| <223> RNAi agent antisense strand modified sequence |    |
| <400> 319                                           |    |
| ugaacugaag ccaucgguca c                             | 21 |
| <210> 320                                           |    |
| <211> 21                                            |    |
| <212> RNA                                           |    |
| <213> Artificial sequence                           |    |
| <220>                                               |    |
| <223> RNAi agent antisense strand modified sequence |    |
| <400> 320                                           |    |
| ugagaauacu gucccuuuug g                             | 21 |
| <210> 321                                           |    |
| <211> 22                                            |    |
| <212> RNA                                           |    |
| <213> Artificial sequence                           |    |
| <220>                                               |    |
| <223> RNAi agent antisense strand modified sequence |    |
| <400> 321                                           |    |
| ugagaauacu gucccuuuug cg                            | 22 |
| <210> 322                                           |    |
| <211> 21                                            |    |
| <212> RNA                                           |    |
| <213> Artificial sequence                           |    |
| <220>                                               |    |
| <223> RNAi agent antisense strand modified sequence |    |
| <400> 322                                           |    |
| uaacggugcu ccaguagucu u                             | 21 |
| <210> 323                                           |    |
| <211> 21                                            |    |
| <212> RNA                                           |    |
| <213> Artificial sequence                           |    |
| <220>                                               |    |
| <223> RNAi agent antisense strand modified sequence |    |
| <400> 323                                           |    |
| uaacggugcu ccaguagucg u                             | 21 |

<210> 324  
<211> 21  
<212> RNA  
<213> Artificial sequence  
  
<220>  
<223> RNAi agent antisense strand modified sequence  
  
<400> 324  
uacugagaau acugucccu u 21

<210> 325  
<211> 21  
<212> RNA  
<213> Artificial sequence  
  
<220>  
<223> RNAi agent antisense strand modified sequence  
  
<400> 325  
uacugagaau acugucccug u 21

<210> 326  
<211> 21  
<212> RNA  
<213> Artificial sequence  
  
<220>  
<223> RNAi agent antisense strand modified sequence  
  
<400> 326  
uuaacggugc uccaguaguc u 21

<210> 327  
<211> 21  
<212> RNA  
<213> Artificial sequence  
  
<220>  
<223> RNAi agent antisense strand modified sequence  
  
<400> 327  
uuaacggugc uccaguaggc u 21

<210> 328  
<211> 21  
<212> RNA  
<213> Artificial sequence  
  
<220>

<223> RNAi agent antisense strand modified sequence

<400> 328  
uagccaucgg ucacccagcu u 21

<210> 329  
<211> 21  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent antisense strand modified sequence

<400> 329  
aagccaucgg ucacccagcu u 21

<210> 330  
<211> 21  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent antisense strand modified sequence

<400> 330  
uagaacuugu ccuaacggu u 21

<210> 331  
<211> 21  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent antisense strand modified sequence

<400> 331  
uagaacuugu ccuaacggu g 21

<210> 332  
<211> 21  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent antisense strand modified sequence

<400> 332  
ugaacuuguc cuuaacgguu u 21

<210> 333  
 <211> 21  
 <212> RNA  
 <213> Artificial sequence  
  
 <220>  
 <223> RNAi agent antisense strand modified sequence  
  
 <400> 333  
 agaacuuguc cuuaacgguu u 21

<210> 334  
 <211> 21  
 <212> RNA  
 <213> Artificial sequence  
  
 <220>  
 <223> RNAi agent antisense strand modified sequence  
  
 <400> 334  
 ugaacuuguc cuuaacggug c 21

<210> 335  
 <211> 21  
 <212> RNA  
 <213> Artificial sequence  
  
 <220>  
 <223> RNAi agent antisense strand modified sequence  
  
 <400> 335  
 ugcaacaaca aggaguaccu u 21

<210> 336  
 <211> 21  
 <212> RNA  
 <213> Artificial sequence  
  
 <220>  
 <223> RNAi agent antisense strand modified sequence  
  
 <400> 336  
 ugcaacaaca aggaguaccc g 21

<210> 337  
 <211> 21  
 <212> RNA  
 <213> Artificial sequence  
  
 <220>

|                                                     |    |
|-----------------------------------------------------|----|
| <223> RNAi agent antisense strand modified sequence |    |
| <400> 337                                           |    |
| uaacaacaag gaguacccgu u                             | 21 |
|                                                     |    |
| <210> 338                                           |    |
| <211> 22                                            |    |
| <212> RNA                                           |    |
| <213> Artificial sequence                           |    |
| <220>                                               |    |
| <223> RNAi agent antisense strand modified sequence |    |
| <400> 338                                           |    |
| ugcacugaga auacugucc uu                             | 22 |
|                                                     |    |
| <210> 339                                           |    |
| <211> 22                                            |    |
| <212> RNA                                           |    |
| <213> Artificial sequence                           |    |
| <220>                                               |    |
| <223> RNAi agent antisense strand modified sequence |    |
| <400> 339                                           |    |
| agcacugaga auacugucc uu                             | 22 |
|                                                     |    |
| <210> 340                                           |    |
| <211> 22                                            |    |
| <212> RNA                                           |    |
| <213> Artificial sequence                           |    |
| <220>                                               |    |
| <223> RNAi agent antisense strand modified sequence |    |
| <400> 340                                           |    |
| cuacuugucc uuaacggugc uu                            | 22 |
|                                                     |    |
| <210> 341                                           |    |
| <211> 21                                            |    |
| <212> RNA                                           |    |
| <213> Artificial sequence                           |    |
| <220>                                               |    |
| <223> RNAi agent antisense strand modified sequence |    |
| <400> 341                                           |    |
| aacuuguccu uaacggugcu c                             | 21 |

<210> 342  
<211> 19  
<212> RNA  
<213> Artificial sequence  
  
<220>  
<223> RNAi agent antisense strand modified sequence  
  
<400> 342  
uacuuguccu uaacggugc 19

<210> 343  
<211> 22  
<212> RNA  
<213> Artificial sequence  
  
<220>  
<223> RNAi agent antisense strand modified sequence  
  
<400> 343  
uacuuguccu uaacggugcu cc 22

<210> 344  
<211> 23  
<212> RNA  
<213> Artificial sequence  
  
<220>  
<223> RNAi agent antisense strand modified sequence  
  
<400> 344  
uacuuguccu uaacggugcu cuu 23

<210> 345  
<211> 23  
<212> RNA  
<213> Artificial sequence  
  
<220>  
<223> RNAi agent antisense strand modified sequence  
  
<400> 345  
uacuuguccu uaacggugcu cca 23

<210> 346  
<211> 19  
<212> RNA  
<213> Artificial sequence  
  
<220>

<223> RNAi agent antisense strand modified sequence

<400> 346  
aacuuguccu uaacggugc 19

<210> 347  
<211> 22  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent antisense strand modified sequence

<400> 347  
aacuuguccu uaacggugcu cc 22

<210> 348  
<211> 21  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent antisense strand modified sequence

<400> 348  
ugagaauacu guccuuuuu u 21

<210> 349  
<211> 21  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent antisense strand modified sequence

<400> 349  
ugagaauacu guccuuuug u 21

<210> 350  
<211> 21  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent antisense strand modified sequence

<400> 350  
ugagaauacu guccuuuug g 21

<210> 351  
<211> 21  
<212> RNA  
<213> Artificial sequence  
  
<220>  
<223> RNAi agent antisense strand modified sequence  
  
<400> 351  
agagaauacu gucccuuuug g 21

<210> 352  
<211> 19  
<212> RNA  
<213> Artificial sequence  
  
<220>  
<223> RNAi agent antisense strand modified sequence  
  
<400> 352  
ugcaacaaca aggaguacc 19

<210> 353  
<211> 21  
<212> RNA  
<213> Artificial sequence  
  
<220>  
<223> RNAi agent antisense strand modified sequence  
  
<400> 353  
ugcaacaaca aggaguaccc u 21

<210> 354  
<211> 21  
<212> RNA  
<213> Artificial sequence  
  
<220>  
<223> RNAi agent antisense strand modified sequence  
  
<400> 354  
ugcaacaaca aggaguaccu u 21

<210> 355  
<211> 21  
<212> RNA  
<213> Artificial sequence  
  
<220>

|                                                     |    |
|-----------------------------------------------------|----|
| <223> RNAi agent antisense strand modified sequence |    |
| <400> 355                                           |    |
| ugcaacaaca aggaguaccu u                             | 21 |
|                                                     |    |
| <210> 356                                           |    |
| <211> 21                                            |    |
| <212> RNA                                           |    |
| <213> Artificial sequence                           |    |
| <220>                                               |    |
| <223> RNAi agent antisense strand modified sequence |    |
| <400> 356                                           |    |
| ugcaacaaca aggaguaccu u                             | 21 |
|                                                     |    |
| <210> 357                                           |    |
| <211> 21                                            |    |
| <212> RNA                                           |    |
| <213> Artificial sequence                           |    |
| <220>                                               |    |
| <223> RNAi agent antisense strand modified sequence |    |
| <400> 357                                           |    |
| agcaacaaca aggaguaccu u                             | 21 |
|                                                     |    |
| <210> 358                                           |    |
| <211> 21                                            |    |
| <212> RNA                                           |    |
| <213> Artificial sequence                           |    |
| <220>                                               |    |
| <223> RNAi agent antisense strand modified sequence |    |
| <400> 358                                           |    |
| ucugaagcca ucggucaccc a                             | 21 |
|                                                     |    |
| <210> 359                                           |    |
| <211> 21                                            |    |
| <212> RNA                                           |    |
| <213> Artificial sequence                           |    |
| <220>                                               |    |
| <223> RNAi agent antisense strand modified sequence |    |
| <400> 359                                           |    |
| acugaagcca ucggucaccc a                             | 21 |

<210> 360  
<211> 21  
<212> RNA  
<213> Artificial sequence  
  
<220>  
<223> RNAi agent antisense strand modified sequence  
  
<400> 360  
uggaacugaa gccaucgguc a 21

<210> 361  
<211> 21  
<212> RNA  
<213> Artificial sequence  
  
<220>  
<223> RNAi agent antisense strand modified sequence  
  
<400> 361  
uggaacugaa gccaucgguc c 21

<210> 362  
<211> 21  
<212> RNA  
<213> Artificial sequence  
  
<220>  
<223> RNAi agent antisense strand modified sequence  
  
<400> 362  
uucuuucagg gaacugaagc c 21

<210> 363  
<211> 21  
<212> RNA  
<213> Artificial sequence  
  
<220>  
<223> RNAi agent antisense strand modified sequence  
  
<400> 363  
uuuaacggug cuccaguagu c 21

<210> 364  
<211> 21  
<212> RNA  
<213> Artificial sequence  
  
<220>

<223> RNAi agent antisense strand modified sequence

<400> 364  
uccuuaacgg ugcuccagua g 21

<210> 365  
<211> 21  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent antisense strand modified sequence

<400> 365  
uuccuuaacg ggcuccagu a 21

<210> 366  
<211> 21  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent antisense strand modified sequence

<400> 366  
uuccuuaacg ggcuccagu c 21

<210> 367  
<211> 21  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent antisense strand modified sequence

<400> 367  
uacuuguccu uaacggugcu c 21

<210> 368  
<211> 21  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent antisense strand modified sequence

<400> 368  
aacuuguccu uaacggugcu c 21

<210> 369  
 <211> 21  
 <212> RNA  
 <213> Artificial sequence  
  
 <220>  
 <223> RNAi agent antisense strand modified sequence  
  
 <400> 369  
 uugaggucuc aggcagccac u 21

<210> 370  
 <211> 21  
 <212> RNA  
 <213> Artificial sequence  
  
 <220>  
 <223> RNAi agent antisense strand modified sequence  
  
 <400> 370  
 uuauugaggu cucaggcagc c 21

<210> 371  
 <211> 21  
 <212> RNA  
 <213> Artificial sequence  
  
 <220>  
 <223> RNAi agent antisense strand modified sequence  
  
 <400> 371  
 uguauugagg ucucaggcag c 21

<210> 372  
 <211> 21  
 <212> RNA  
 <213> Artificial sequence  
  
 <220>  
 <223> RNAi agent antisense strand modified sequence  
  
 <400> 372  
 ucacugagaa uacugucccu u 21

<210> 373  
 <211> 21  
 <212> RNA  
 <213> Artificial sequence  
  
 <220>

|                                                     |    |
|-----------------------------------------------------|----|
| <223> RNAi agent antisense strand modified sequence |    |
| <400> 373                                           |    |
| ucacugagaa uacugucccu u                             | 21 |
| <210> 374                                           |    |
| <211> 21                                            |    |
| <212> RNA                                           |    |
| <213> Artificial sequence                           |    |
| <220>                                               |    |
| <223> RNAi agent antisense strand modified sequence |    |
| <400> 374                                           |    |
| ucuuuuuagc aaccuacagg g                             | 21 |
| <210> 375                                           |    |
| <211> 21                                            |    |
| <212> RNA                                           |    |
| <213> Artificial sequence                           |    |
| <220>                                               |    |
| <223> RNAi agent antisense strand modified sequence |    |
| <400> 375                                           |    |
| ugagaauacu gucccuuuuc c                             | 21 |
| <210> 376                                           |    |
| <211> 21                                            |    |
| <212> RNA                                           |    |
| <213> Artificial sequence                           |    |
| <220>                                               |    |
| <223> RNAi agent antisense strand modified sequence |    |
| <400> 376                                           |    |
| uuauugaggu cucaggcagc c                             | 21 |
| <210> 377                                           |    |
| <211> 21                                            |    |
| <212> RNA                                           |    |
| <213> Artificial sequence                           |    |
| <220>                                               |    |
| <223> RNAi agent antisense strand modified sequence |    |
| <400> 377                                           |    |
| ugagaauacu gucccuuuuc c                             | 21 |

<210> 378  
<211> 21  
<212> RNA  
<213> Artificial sequence  
  
<220>  
<223> RNAi agent antisense strand modified sequence  
  
<400> 378  
ugagaauacu gucccuuuuc u 21

<210> 379  
<211> 21  
<212> RNA  
<213> Artificial sequence  
  
<220>  
<223> RNAi agent antisense strand modified sequence  
  
<400> 379  
uucuugucca gcuuuauugg g 21

<210> 380  
<211> 21  
<212> RNA  
<213> Artificial sequence  
  
<220>  
<223> RNAi agent antisense strand modified sequence  
  
<400> 380  
uagucuuuca gggaacugaa g 21

<210> 381  
<211> 21  
<212> RNA  
<213> Artificial sequence  
  
<220>  
<223> RNAi agent antisense strand modified sequence  
  
<400> 381  
uagucuuuca gggaacugaa c 21

<210> 382  
<211> 21  
<212> RNA  
<213> Artificial sequence  
  
<220>

|                                                     |    |
|-----------------------------------------------------|----|
| <223> RNAi agent antisense strand modified sequence |    |
| <400> 382                                           |    |
| ucacugagaa uacugucccu u                             | 21 |
| <210> 383                                           |    |
| <211> 21                                            |    |
| <212> RNA                                           |    |
| <213> Artificial sequence                           |    |
| <220>                                               |    |
| <223> RNAi agent antisense strand modified sequence |    |
| <400> 383                                           |    |
| ucacugagaa uacuguccgu u                             | 21 |
| <210> 384                                           |    |
| <211> 21                                            |    |
| <212> RNA                                           |    |
| <213> Artificial sequence                           |    |
| <220>                                               |    |
| <223> RNAi agent antisense strand modified sequence |    |
| <400> 384                                           |    |
| uagucuuuca gggaacugac g                             | 21 |
| <210> 385                                           |    |
| <211> 21                                            |    |
| <212> RNA                                           |    |
| <213> Artificial sequence                           |    |
| <220>                                               |    |
| <223> RNAi agent antisense strand modified sequence |    |
| <400> 385                                           |    |
| uagucuuuca gggaacugag g                             | 21 |
| <210> 386                                           |    |
| <211> 21                                            |    |
| <212> RNA                                           |    |
| <213> Artificial sequence                           |    |
| <220>                                               |    |
| <223> RNAi agent antisense strand modified sequence |    |
| <400> 386                                           |    |
| uagucuuuca gggaacugac c                             | 21 |

<210> 387  
<211> 21  
<212> RNA  
<213> Artificial sequence  
  
<220>  
<223> RNAi agent antisense strand modified sequence  
  
<400> 387  
uagucuuuca gggaacugag c 21

<210> 388  
<211> 21  
<212> RNA  
<213> Artificial sequence  
  
<220>  
<223> RNAi agent antisense strand modified sequence  
  
<400> 388  
agaauacugu cccuuuuagg c 21

<210> 389  
<211> 21  
<212> RNA  
<213> Artificial sequence  
  
<220>  
<223> RNAi agent antisense strand modified sequence  
  
<400> 389  
agaauacugu cccuuuuag g 21

<210> 390  
<211> 21  
<212> RNA  
<213> Artificial sequence  
  
<220>  
<223> RNAi agent antisense strand modified sequence  
  
<400> 390  
ugcaacaaca aggaguaccc u 21

<210> 391  
<211> 21  
<212> RNA  
<213> Artificial sequence  
  
<220>

<223> RNAi agent antisense strand modified sequence

<400> 391  
uagucuuuca gggaacugaa g 21

<210> 392  
<211> 21  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent antisense strand modified sequence

<400> 392  
agaauacugu cccuuuuuag c 21

<210> 393  
<211> 21  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent antisense strand modified sequence

<400> 393  
ugagaauacu gucccuuugc c 21

<210> 394  
<211> 21  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent antisense strand modified sequence

<400> 394  
ucacugagaa uacuguccu c 21

<210> 395  
<211> 21  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent antisense strand modified sequence

<400> 395  
uucuugucca gcuuuauugg c 21

<210> 396  
<211> 21  
<212> RNA  
<213> Artificial sequence  
  
<220>  
<223> RNAi agent antisense strand modified sequence  
  
<400> 396  
agaauacugu cccuuuuagg u 21

<210> 397  
<211> 21  
<212> RNA  
<213> Artificial sequence  
  
<220>  
<223> RNAi agent antisense strand modified sequence  
  
<400> 397  
agaauacugu cccuuuuacg c 21

<210> 398  
<211> 21  
<212> RNA  
<213> Artificial sequence  
  
<220>  
<223> RNAi agent antisense strand modified sequence  
  
<400> 398  
agaauacugu cccuuuuaga c 21

<210> 399  
<211> 21  
<212> RNA  
<213> Artificial sequence  
  
<220>  
<223> RNAi agent antisense strand modified sequence  
  
<400> 399  
agaauacugu cccuuuuagg c 21

<210> 400  
<211> 21  
<212> RNA  
<213> Artificial sequence  
  
<220>

<223> RNAi agent antisense strand modified sequence

<400> 400  
uucuugucca gcuuuauugg c 21

<210> 401  
<211> 21  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent antisense strand modified sequence

<400> 401  
ucacugagaa uacugucccu g 21

<210> 402  
<211> 21  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent antisense strand modified sequence

<400> 402  
ucacugagaa uacugucccc u 21

<210> 403  
<211> 21  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent antisense strand modified sequence

<400> 403  
ucacugagaa uacugucccu c 21

<210> 404  
<211> 21  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent antisense strand modified sequence

<400> 404  
ucacugagaa uacugucccu c 21

<210> 405  
<211> 21  
<212> RNA  
<213> Artificial sequence  
  
<220>  
<223> RNAi agent antisense strand modified sequence  
  
<400> 405  
ucacugagaa uacugucccu c 21

<210> 406  
<211> 21  
<212> RNA  
<213> Artificial sequence  
  
<220>  
<223> RNAi agent antisense strand modified sequence  
  
<400> 406  
ucacugagaa uacugucccu c 21

<210> 407  
<211> 21  
<212> RNA  
<213> Artificial sequence  
  
<220>  
<223> RNAi agent antisense strand modified sequence  
  
<400> 407  
agugcauccu uggcggucuu u 21

<210> 408  
<211> 21  
<212> RNA  
<213> Artificial sequence  
  
<220>  
<223> RNAi agent antisense strand modified sequence  
  
<400> 408  
agugcauccu uggcggucuu u 21

<210> 409  
<211> 21  
<212> RNA  
<213> Artificial sequence  
  
<220>

<223> RNAi agent antisense strand modified sequence  
 <400> 409  
 aguagucuuu cagggaacug a 21

<210> 410  
 <211> 21  
 <212> RNA  
 <213> Artificial sequence

<220>  
 <223> RNAi agent antisense strand modified sequence  
 <400> 410  
 aguagucuuu cagggaacug a 21

<210> 411  
 <211> 21  
 <212> RNA  
 <213> Artificial sequence

<220>  
 <223> RNAi agent antisense strand modified sequence  
 <400> 411  
 uguagucuuu cagggaacug a 21

<210> 412  
 <211> 21  
 <212> RNA  
 <213> Artificial sequence

<220>  
 <223> RNAi agent antisense strand modified sequence  
 <400> 412  
 ucuuaacggu gcuccaguag u 21

<210> 413  
 <211> 21  
 <212> RNA  
 <213> Artificial sequence

<220>  
 <223> RNAi agent antisense strand modified sequence  
 <400> 413  
 uccuuuuuag caaccuacag g 21

<210> 414  
 <211> 21  
 <212> RNA  
 <213> Artificial sequence  
  
 <220>  
 <223> RNAi agent antisense strand modified sequence  
  
 <400> 414  
 uccuuuuuag caaccuacag c 21

<210> 415  
 <211> 21  
 <212> RNA  
 <213> Artificial sequence  
  
 <220>  
 <223> RNAi agent antisense strand modified sequence  
  
 <400> 415  
 uagucuuuca gggaacugac c 21

<210> 416  
 <211> 21  
 <212> RNA  
 <213> Artificial sequence  
  
 <220>  
 <223> RNAi agent sense strand modified sequence  
  
 <400> 416  
 gcaccguuua ggacaaguau u 21

<210> 417  
 <211> 21  
 <212> RNA  
 <213> Artificial sequence  
  
 <220>  
 <223> RNAi agent sense strand modified sequence  
  
 <400> 417  
 gagcaccguu aaggacaagu a 21

<210> 418  
 <211> 19  
 <212> RNA  
 <213> Artificial sequence  
  
 <220>

<223> RNAi agent sense strand modified sequence

<400> 418

gcaccguuaa ggacaagua

19

<210> 419

<211> 19

<212> RNA

<213> Artificial sequence

<220>

<223> RNAi agent sense strand modified sequence

<400> 419

gcaccguuaa ggacaaguu

19

<210> 420

<211> 19

<212> RNA

<213> Artificial sequence

<220>

<223> RNAi agent sense strand modified sequence

<400> 420

ccucaauacc ccaagucca

19

<210> 421

<211> 21

<212> RNA

<213> Artificial sequence

<220>

<223> RNAi agent sense strand modified sequence

<400> 421

gaccucaaua cccaagucc a

21

<210> 422

<211> 19

<212> RNA

<213> Artificial sequence

<220>

<223> RNAi agent sense strand modified sequence

<400> 422

gcuucaguuc ccugaaaga

19

<210> 423  
 <211> 20  
 <212> RNA  
 <213> Artificial sequence  
  
 <220>  
 <223> RNAi agent sense strand modified sequence  
  
 <400> 423  
 ggcuucaguu cccugaaaga 20

<210> 424  
 <211> 19  
 <212> RNA  
 <213> Artificial sequence  
  
 <220>  
 <223> RNAi agent sense strand modified sequence  
  
 <400> 424  
 gaccgauggc uucaguuca 19

<210> 425  
 <211> 21  
 <212> RNA  
 <213> Artificial sequence  
  
 <220>  
 <223> RNAi agent sense strand modified sequence  
  
 <400> 425  
 gugaccgaug gcuucaguuc a 21

<210> 426  
 <211> 21  
 <212> RNA  
 <213> Artificial sequence  
  
 <220>  
 <223> RNAi agent sense strand modified sequence  
  
 <400> 426  
 ccaaaaggga caguauucuc a 21

<210> 427  
 <211> 22  
 <212> RNA  
 <213> Artificial sequence  
  
 <220>

|                                                 |    |
|-------------------------------------------------|----|
| <223> RNAi agent sense strand modified sequence |    |
| <400> 427                                       |    |
| cgcaaaaggg acaguauucu ca                        | 22 |
|                                                 |    |
| <210> 428                                       |    |
| <211> 19                                        |    |
| <212> RNA                                       |    |
| <213> Artificial sequence                       |    |
| <220>                                           |    |
| <223> RNAi agent sense strand modified sequence |    |
| <400> 428                                       |    |
| gacuacugga gcaccguua                            | 19 |
|                                                 |    |
| <210> 429                                       |    |
| <211> 19                                        |    |
| <212> RNA                                       |    |
| <213> Artificial sequence                       |    |
| <220>                                           |    |
| <223> RNAi agent sense strand modified sequence |    |
| <400> 429                                       |    |
| gacuacugga gcacuguua                            | 19 |
|                                                 |    |
| <210> 430                                       |    |
| <211> 20                                        |    |
| <212> RNA                                       |    |
| <213> Artificial sequence                       |    |
| <220>                                           |    |
| <223> RNAi agent sense strand modified sequence |    |
| <400> 430                                       |    |
| cgacuacugg agcaccguua                           | 20 |
|                                                 |    |
| <210> 431                                       |    |
| <211> 19                                        |    |
| <212> RNA                                       |    |
| <213> Artificial sequence                       |    |
| <220>                                           |    |
| <223> RNAi agent sense strand modified sequence |    |
| <400> 431                                       |    |
| gacuacugga gcaucguua                            | 19 |

<210> 432  
 <211> 19  
 <212> RNA  
 <213> Artificial sequence  
  
 <220>  
 <223> RNAi agent sense strand modified sequence  
  
 <400> 432  
 agggacagua uucucagua 19

<210> 433  
 <211> 20  
 <212> RNA  
 <213> Artificial sequence  
  
 <220>  
 <223> RNAi agent sense strand modified sequence  
  
 <400> 433  
 caggacagu auucucagua 20

<210> 434  
 <211> 20  
 <212> RNA  
 <213> Artificial sequence  
  
 <220>  
 <223> RNAi agent sense strand modified sequence  
  
 <400> 434  
 gacuacugga gcaccguuaa 20

<210> 435  
 <211> 20  
 <212> RNA  
 <213> Artificial sequence  
  
 <220>  
 <223> RNAi agent sense strand modified sequence  
  
 <400> 435  
 gccuacugga gcaccguuaa 20

<210> 436  
 <211> 20  
 <212> RNA  
 <213> Artificial sequence  
  
 <220>

|                                                 |    |
|-------------------------------------------------|----|
| <223> RNAi agent sense strand modified sequence |    |
| <400> 436                                       |    |
| gccuacugga gcacuguuaa                           | 20 |
| <210> 437                                       |    |
| <211> 19                                        |    |
| <212> RNA                                       |    |
| <213> Artificial sequence                       |    |
| <220>                                           |    |
| <223> RNAi agent sense strand modified sequence |    |
| <400> 437                                       |    |
| gcugggugac cgauggcua                            | 19 |
| <210> 438                                       |    |
| <211> 19                                        |    |
| <212> RNA                                       |    |
| <213> Artificial sequence                       |    |
| <220>                                           |    |
| <223> RNAi agent sense strand modified sequence |    |
| <400> 438                                       |    |
| gcugggugac cgauggcua                            | 19 |
| <210> 439                                       |    |
| <211> 19                                        |    |
| <212> RNA                                       |    |
| <213> Artificial sequence                       |    |
| <220>                                           |    |
| <223> RNAi agent sense strand modified sequence |    |
| <400> 439                                       |    |
| gcugggugac cgaugacua                            | 19 |
| <210> 440                                       |    |
| <211> 19                                        |    |
| <212> RNA                                       |    |
| <213> Artificial sequence                       |    |
| <220>                                           |    |
| <223> RNAi agent sense strand modified sequence |    |
| <400> 440                                       |    |
| ccguuaagga caaguucua                            | 19 |

<210> 441  
 <211> 21  
 <212> RNA  
 <213> Artificial sequence  
  
 <220>  
 <223> RNAi agent sense strand modified sequence  
  
 <400> 441  
 caccguuaag gacaaguucu a 21

<210> 442  
 <211> 19  
 <212> RNA  
 <213> Artificial sequence  
  
 <220>  
 <223> RNAi agent sense strand modified sequence  
  
 <400> 442  
 accguuaagg acaaguuca 19

<210> 443  
 <211> 19  
 <212> RNA  
 <213> Artificial sequence  
  
 <220>  
 <223> RNAi agent sense strand modified sequence  
  
 <400> 443  
 accguuaagg acaaguucu 19

<210> 444  
 <211> 21  
 <212> RNA  
 <213> Artificial sequence  
  
 <220>  
 <223> RNAi agent sense strand modified sequence  
  
 <400> 444  
 gcaccguuaa ggacaaguuc a 21

<210> 445  
 <211> 19  
 <212> RNA  
 <213> Artificial sequence  
  
 <220>

<223> RNAi agent sense strand modified sequence

<400> 445  
gguacuccuu guuguugca 19

<210> 446  
<211> 21  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent sense strand modified sequence

<400> 446  
cgguacucc uuguugc a 21

<210> 447  
<211> 19  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent sense strand modified sequence

<400> 447  
cgguacucc uuguuguu 19

<210> 448  
<211> 20  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent sense strand modified sequence

<400> 448  
gggacaguau ucucagugca 20

<210> 449  
<211> 20  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent sense strand modified sequence

<400> 449  
gggacaguau ucucagugcu 20

<210> 450  
 <211> 21  
 <212> RNA  
 <213> Artificial sequence  
  
 <220>  
 <223> RNAi agent sense strand modified sequence  
  
 <400> 450  
 gcaccguuuaa ggacaaguuu u 21

<210> 451  
 <211> 21  
 <212> RNA  
 <213> Artificial sequence  
  
 <220>  
 <223> RNAi agent sense strand modified sequence  
  
 <400> 451  
 gagcaccguu aaggacaagu a 21

<210> 452  
 <211> 22  
 <212> RNA  
 <213> Artificial sequence  
  
 <220>  
 <223> RNAi agent sense strand modified sequence  
  
 <400> 452  
 ggagcaccgu uaaggacaag ua 22

<210> 453  
 <211> 21  
 <212> RNA  
 <213> Artificial sequence  
  
 <220>  
 <223> RNAi agent sense strand modified sequence  
  
 <400> 453  
 gagcaccguu aaggacaagu u 21

<210> 454  
 <211> 22  
 <212> RNA  
 <213> Artificial sequence  
  
 <220>

|                                                 |    |
|-------------------------------------------------|----|
| <223> RNAi agent sense strand modified sequence |    |
| <400> 454                                       |    |
| ggagcaccgu uaaggacaag uu                        | 22 |
| <210> 455                                       |    |
| <211> 21                                        |    |
| <212> RNA                                       |    |
| <213> Artificial sequence                       |    |
| <220>                                           |    |
| <223> RNAi agent sense strand modified sequence |    |
| <400> 455                                       |    |
| aaaagggaca guauucucau u                         | 21 |
| <210> 456                                       |    |
| <211> 20                                        |    |
| <212> RNA                                       |    |
| <213> Artificial sequence                       |    |
| <220>                                           |    |
| <223> RNAi agent sense strand modified sequence |    |
| <400> 456                                       |    |
| caaaagggac aguauucuca                           | 20 |
| <210> 457                                       |    |
| <211> 21                                        |    |
| <212> RNA                                       |    |
| <213> Artificial sequence                       |    |
| <220>                                           |    |
| <223> RNAi agent sense strand modified sequence |    |
| <400> 457                                       |    |
| ccaaaaggga caguauucuc a                         | 21 |
| <210> 458                                       |    |
| <211> 21                                        |    |
| <212> RNA                                       |    |
| <213> Artificial sequence                       |    |
| <220>                                           |    |
| <223> RNAi agent sense strand modified sequence |    |
| <400> 458                                       |    |
| ccaaaaggga caguauucuc u                         | 21 |

<210> 459  
<211> 21  
<212> RNA  
<213> Artificial sequence  
  
<220>  
<223> RNAi agent sense strand modified sequence  
  
<400> 459  
gguacuccuu guuguugcau u 21

<210> 460  
<211> 20  
<212> RNA  
<213> Artificial sequence  
  
<220>  
<223> RNAi agent sense strand modified sequence  
  
<400> 460  
ggguacuccu uguuguugca 20

<210> 461  
<211> 19  
<212> RNA  
<213> Artificial sequence  
  
<220>  
<223> RNAi agent sense strand modified sequence  
  
<400> 461  
gguacuccuu guuguugca 19

<210> 462  
<211> 19  
<212> RNA  
<213> Artificial sequence  
  
<220>  
<223> RNAi agent sense strand modified sequence  
  
<400> 462  
gguacuccuu guuguugcu 19

<210> 463  
<211> 21  
<212> RNA  
<213> Artificial sequence  
  
<220>

|                                                 |    |
|-------------------------------------------------|----|
| <223> RNAi agent sense strand modified sequence |    |
| <400> 463                                       |    |
| ugggugaccg auggcuucag a                         | 21 |
|                                                 |    |
| <210> 464                                       |    |
| <211> 21                                        |    |
| <212> RNA                                       |    |
| <213> Artificial sequence                       |    |
| <220>                                           |    |
| <223> RNAi agent sense strand modified sequence |    |
| <400> 464                                       |    |
| ugggugaccg auggcuucag u                         | 21 |
|                                                 |    |
| <210> 465                                       |    |
| <211> 21                                        |    |
| <212> RNA                                       |    |
| <213> Artificial sequence                       |    |
| <220>                                           |    |
| <223> RNAi agent sense strand modified sequence |    |
| <400> 465                                       |    |
| ugaccgaugg cuucaguucc a                         | 21 |
|                                                 |    |
| <210> 466                                       |    |
| <211> 21                                        |    |
| <212> RNA                                       |    |
| <213> Artificial sequence                       |    |
| <220>                                           |    |
| <223> RNAi agent sense strand modified sequence |    |
| <400> 466                                       |    |
| ggaccgaugg cuucaguucc a                         | 21 |
|                                                 |    |
| <210> 467                                       |    |
| <211> 21                                        |    |
| <212> RNA                                       |    |
| <213> Artificial sequence                       |    |
| <220>                                           |    |
| <223> RNAi agent sense strand modified sequence |    |
| <400> 467                                       |    |
| ggcuucaguu cccugaaaga a                         | 21 |

<210> 468  
 <211> 21  
 <212> RNA  
 <213> Artificial sequence  
  
 <220>  
 <223> RNAi agent sense strand modified sequence  
  
 <400> 468  
 gacuacugga gcaccguuaa a 21

<210> 469  
 <211> 21  
 <212> RNA  
 <213> Artificial sequence  
  
 <220>  
 <223> RNAi agent sense strand modified sequence  
  
 <400> 469  
 cuacuggagc accguuaagg a 21

<210> 470  
 <211> 21  
 <212> RNA  
 <213> Artificial sequence  
  
 <220>  
 <223> RNAi agent sense strand modified sequence  
  
 <400> 470  
 uacuggagca ccguuaagga a 21

<210> 471  
 <211> 21  
 <212> RNA  
 <213> Artificial sequence  
  
 <220>  
 <223> RNAi agent sense strand modified sequence  
  
 <400> 471  
 gacuggagca ccguuaagga a 21

<210> 472  
 <211> 21  
 <212> RNA  
 <213> Artificial sequence  
  
 <220>

<223> RNAi agent sense strand modified sequence  
 <400> 472  
 gagcaccguu aaggacaagu a 21

<210> 473  
 <211> 21  
 <212> RNA  
 <213> Artificial sequence

<220>  
 <223> RNAi agent sense strand modified sequence  
 <400> 473  
 gagcaccguu aaggacaagu u 21

<210> 474  
 <211> 21  
 <212> RNA  
 <213> Artificial sequence

<220>  
 <223> RNAi agent sense strand modified sequence  
 <400> 474  
 aguggcugcc ugagaccuca a 21

<210> 475  
 <211> 21  
 <212> RNA  
 <213> Artificial sequence

<220>  
 <223> RNAi agent sense strand modified sequence  
 <400> 475  
 ggcugccuga gaccucaaua a 21

<210> 476  
 <211> 21  
 <212> RNA  
 <213> Artificial sequence

<220>  
 <223> RNAi agent sense strand modified sequence  
 <400> 476  
 gcugccugag accucaauac a 21

<210> 477  
 <211> 21  
 <212> RNA  
 <213> Artificial sequence  
  
 <220>  
 <223> RNAi agent sense strand modified sequence  
  
 <400> 477  
 aagggacagu auucucagug a 21

<210> 478  
 <211> 21  
 <212> RNA  
 <213> Artificial sequence  
  
 <220>  
 <223> RNAi agent sense strand modified sequence  
  
 <400> 478  
 acgggacagu auucucagug a 21

<210> 479  
 <211> 21  
 <212> RNA  
 <213> Artificial sequence  
  
 <220>  
 <223> RNAi agent sense strand modified sequence  
  
 <400> 479  
 cccuguaggu ugcuuaaaag a 21

<210> 480  
 <211> 21  
 <212> RNA  
 <213> Artificial sequence  
  
 <220>  
 <223> RNAi agent sense strand modified sequence  
  
 <400> 480  
 ggaaaaggga caguauucuc a 21

<210> 481  
 <211> 21  
 <212> RNA  
 <213> Artificial sequence  
  
 <220>

<223> RNAi agent sense strand modified sequence

<400> 481  
ggaaaaggga caguauucuc a 21

<210> 482  
<211> 21  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent sense strand modified sequence

<400> 482  
gaggacagu auucucagug a 21

<210> 483  
<211> 21  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent sense strand modified sequence

<400> 483  
ggcaaaggga caguauucuc a 21

<210> 484  
<211> 21  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent sense strand modified sequence

<400> 484  
ggcaaaggga caguauucuc a 21

<210> 485  
<211> 21  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent sense strand modified sequence

<220>  
<221> modified\_base  
<222> 16  
<223> n = 2'-O-methylinosine-3'-phosphate

<400> 485  
ugaccgaugg cuucanuucc a 21

<210> 486  
<211> 21  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent sense strand modified sequence

<400> 486  
ugaccgaugg cuucaguucc a 21

<210> 487  
<211> 21  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent sense strand modified sequence

<220>  
<221> modified\_base  
<222> 16  
<223> n = 2'-O-methylinosine-3'-phosphate

<400> 487  
ugaccgaugg cuucanuucc a 21

<210> 488  
<211> 21  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent sense strand modified sequence

<400> 488  
gagggacagu auucucagug a 21

<210> 489  
<211> 21  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent sense strand modified sequence

<400> 489  
ggcugccuga gaccucaua a 21

<210> 490  
<211> 21  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent sense strand modified sequence

<220>  
<221> modified\_base  
<222> 3  
<223> n = 2'-O-methyl-2-aminoadenosine-3'-phosphate

<400> 490  
ggnaaaggga caguauucuc a 21

<210> 491  
<211> 21  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent sense strand modified sequence

<220>  
<221> modified\_base  
<222> 1  
<223> n = 2'-O-methyl-2-aminoadenosine-3'-phosphate

<400> 491  
ngaaaaggga caguauucuc a 21

<210> 492  
<211> 21  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent sense strand modified sequence

<220>  
<221> modified\_base  
<222> 1, 2  
<223> n = 2'-O-methyl-2-aminoadenosine-3'-phosphate

<400> 492  
nnaaaaggga caguauucuc a 21

<210> 493  
<211> 21  
<212> RNA  
<213> Artificial sequence  
  
<220>  
<223> RNAi agent sense strand modified sequence  
  
<400> 493  
cccauaaaag cuggacaaga a 21

<210> 494  
<211> 21  
<212> RNA  
<213> Artificial sequence  
  
<220>  
<223> RNAi agent sense strand modified sequence  
  
<400> 494  
gccaauaaag cuggacaaga a 21

<210> 495  
<211> 21  
<212> RNA  
<213> Artificial sequence  
  
<220>  
<223> RNAi agent sense strand modified sequence  
  
<400> 495  
cuucaguucc cugaaagacu a 21

<210> 496  
<211> 21  
<212> RNA  
<213> Artificial sequence  
  
<220>  
<223> RNAi agent sense strand modified sequence  
  
<400> 496  
guucaguucc cugaaagacu a 21

<210> 497  
<211> 21  
<212> RNA  
<213> Artificial sequence

<220>  
 <223> RNAi agent sense strand modified sequence  
  
 <400> 497  
 gcuuaaaagg gacaguauuc u 21  
  
 <210> 498  
 <211> 21  
 <212> RNA  
 <213> Artificial sequence  
  
 <220>  
 <223> RNAi agent sense strand modified sequence  
  
 <400> 498  
 gggacaguau ucucagugau u 21  
  
 <210> 499  
 <211> 21  
 <212> RNA  
 <213> Artificial sequence  
  
 <220>  
 <223> RNAi agent sense strand modified sequence  
  
 <220>  
 <221> modified\_base  
 <222> 1  
 <223> n = 2'-O-methyl-2-aminoadenosine-3'-phosphate  
  
 <400> 499  
 nagggacagu auucucagug a 21  
  
 <210> 500  
 <211> 21  
 <212> RNA  
 <213> Artificial sequence  
  
 <220>  
 <223> RNAi agent sense strand modified sequence  
  
 <220>  
 <221> modified\_base  
 <222> 18  
 <223> n = 2'-O-methylinosine-3'-phosphate  
  
 <400> 500  
 gagggacagu auucucanug a 21  
  
 <210> 501

<211> 21  
 <212> RNA  
 <213> Artificial sequence  
  
 <220>  
 <223> RNAi agent sense strand modified sequence  
  
 <220>  
 <221> modified\_base  
 <222> 20  
 <223> n = 2'-O-methylinosine-3'-phosphate  
  
 <400> 501  
 gagggacagu auucucagun a 21  
  
 <210> 502  
 <211> 21  
 <212> RNA  
 <213> Artificial sequence  
  
 <220>  
 <223> RNAi agent sense strand modified sequence  
  
 <400> 502  
 acgggacagu auucucagug a 21  
  
 <210> 503  
 <211> 21  
 <212> RNA  
 <213> Artificial sequence  
  
 <220>  
 <223> RNAi agent sense strand modified sequence  
  
 <400> 503  
 gggacaguau ucucagugau u 21  
  
 <210> 504  
 <211> 21  
 <212> RNA  
 <213> Artificial sequence  
  
 <220>  
 <223> RNAi agent sense strand modified sequence  
  
 <400> 504  
 cggacaguau ucucagugau u 21  
  
 <210> 505  
 <211> 21

<212> RNA  
 <213> Artificial sequence  
  
 <220>  
 <223> RNAi agent sense strand modified sequence  
  
 <400> 505  
 ggcaaaggga caguauucuc a 21

<210> 506  
 <211> 21  
 <212> RNA  
 <213> Artificial sequence  
  
 <220>  
 <223> RNAi agent sense strand modified sequence  
  
 <220>  
 <221> modified\_base  
 <222> 8  
 <223> n = 2'-O-methylinosine-3'-phosphate  
  
 <400> 506  
 ggcaaagnga caguauucuc a 21

<210> 507  
 <211> 21  
 <212> RNA  
 <213> Artificial sequence  
  
 <220>  
 <223> RNAi agent sense strand modified sequence  
  
 <220>  
 <221> modified\_base  
 <222> 7  
 <223> n = 2'-O-methylinosine-3'-phosphate  
  
 <400> 507  
 ggcaaangga caguauucuc a 21

<210> 508  
 <211> 21  
 <212> RNA  
 <213> Artificial sequence  
  
 <220>  
 <223> RNAi agent sense strand modified sequence  
  
 <400> 508  
 agguacucc uuguuguugc a 21

<210> 509  
 <211> 21  
 <212> RNA  
 <213> Artificial sequence  
  
 <220>  
 <223> RNAi agent sense strand modified sequence  
  
 <400> 509  
 cuucaguucu cugaaagacu a 21

<210> 510  
 <211> 21  
 <212> RNA  
 <213> Artificial sequence  
  
 <220>  
 <223> RNAi agent sense strand modified sequence  
  
 <400> 510  
 cuucaguuuc cugaaagacu a 21

<210> 511  
 <211> 21  
 <212> RNA  
 <213> Artificial sequence  
  
 <220>  
 <223> RNAi agent sense strand modified sequence  
  
 <400> 511  
 cgucaguucc cugaaagacu a 21

<210> 512  
 <211> 21  
 <212> RNA  
 <213> Artificial sequence  
  
 <220>  
 <223> RNAi agent sense strand modified sequence  
  
 <400> 512  
 ccucaguucc cugaaagacu a 21

<210> 513  
 <211> 21  
 <212> RNA  
 <213> Artificial sequence

<220>  
 <223> RNAi agent sense strand modified sequence  
  
 <400> 513  
 cgucaguucu cugaaagacu a 21

<210> 514  
 <211> 21  
 <212> RNA  
 <213> Artificial sequence

<220>  
 <223> RNAi agent sense strand modified sequence  
  
 <400> 514  
 ggucaguucc cugaaagacu a 21

<210> 515  
 <211> 21  
 <212> RNA  
 <213> Artificial sequence

<220>  
 <223> RNAi agent sense strand modified sequence  
  
 <400> 515  
 gcucaguucc cugaaagacu a 21

<210> 516  
 <211> 21  
 <212> RNA  
 <213> Artificial sequence

<220>  
 <223> RNAi agent sense strand modified sequence  
  
 <400> 516  
 gccuaaaagg gacaguauuc u 21

<210> 517  
 <211> 21  
 <212> RNA  
 <213> Artificial sequence

<220>  
 <223> RNAi agent sense strand modified sequence  
  
 <400> 517  
 ccuuaaaagg gacaguauuc u 21

<210> 518  
 <211> 21  
 <212> RNA  
 <213> Artificial sequence  
  
 <220>  
 <223> RNAi agent sense strand modified sequence  
  
 <220>  
 <221> modified\_base  
 <222> 11  
 <223> n = 2'-O-methylinosine-3'-phosphate  
  
 <400> 518  
 gcuuaaaagg nacaguauuc u 21

<210> 519  
 <211> 21  
 <212> RNA  
 <213> Artificial sequence  
  
 <220>  
 <223> RNAi agent sense strand modified sequence  
  
 <220>  
 <221> modified\_base  
 <222> 10  
 <223> n = 2'-O-methylinosine-3'-phosphate  
  
 <400> 519  
 gcuuaaaagn gacaguauuc u 21

<210> 520  
 <211> 21  
 <212> RNA  
 <213> Artificial sequence  
  
 <220>  
 <223> RNAi agent sense strand modified sequence  
  
 <220>  
 <221> modified\_base  
 <222> 9  
 <223> n = 2'-O-methylinosine-3'-phosphate  
  
 <400> 520  
 gcuuaaaang gacaguauuc u 21

<210> 521

|       |                                           |    |
|-------|-------------------------------------------|----|
| <211> | 21                                        |    |
| <212> | RNA                                       |    |
| <213> | Artificial sequence                       |    |
| <220> |                                           |    |
| <223> | RNAi agent sense strand modified sequence |    |
| <400> | 521                                       |    |
|       | cccuaaaagg gacaguauuc u                   | 21 |
|       |                                           |    |
| <210> | 522                                       |    |
| <211> | 21                                        |    |
| <212> | RNA                                       |    |
| <213> | Artificial sequence                       |    |
| <220> |                                           |    |
| <223> | RNAi agent sense strand modified sequence |    |
| <220> |                                           |    |
| <221> | modified_base                             |    |
| <222> | 19                                        |    |
| <223> | n = 2'-O-methylinosine-3'-phosphate       |    |
| <400> | 522                                       |    |
|       | aggguacucc uuguuguunc a                   | 21 |
|       |                                           |    |
| <210> | 523                                       |    |
| <211> | 21                                        |    |
| <212> | RNA                                       |    |
| <213> | Artificial sequence                       |    |
| <220> |                                           |    |
| <223> | RNAi agent sense strand modified sequence |    |
| <400> | 523                                       |    |
|       | aggguacucc uuguuguugc a                   | 21 |
|       |                                           |    |
| <210> | 524                                       |    |
| <211> | 21                                        |    |
| <212> | RNA                                       |    |
| <213> | Artificial sequence                       |    |
| <220> |                                           |    |
| <223> | RNAi agent sense strand modified sequence |    |
| <220> |                                           |    |
| <221> | modified_base                             |    |
| <222> | 19                                        |    |
| <223> | n = 2'-O-methylinosine-3'-phosphate       |    |
| <400> | 524                                       |    |

|                                                 |    |
|-------------------------------------------------|----|
| cuucaguucc cugaaaganu a                         | 21 |
|                                                 |    |
| <210> 525                                       |    |
| <211> 21                                        |    |
| <212> RNA                                       |    |
| <213> Artificial sequence                       |    |
| <220>                                           |    |
| <223> RNAi agent sense strand modified sequence |    |
|                                                 |    |
| <400> 525                                       |    |
| cuucaguucc cugaaagacu a                         | 21 |
|                                                 |    |
| <210> 526                                       |    |
| <211> 21                                        |    |
| <212> RNA                                       |    |
| <213> Artificial sequence                       |    |
| <220>                                           |    |
| <223> RNAi agent sense strand modified sequence |    |
| <220>                                           |    |
| <221> modified_base                             |    |
| <222> 20                                        |    |
| <223> n = 2'-O-methylinosine-3'-phosphate       |    |
|                                                 |    |
| <400> 526                                       |    |
| gcuuaaaagg gacaguauun u                         | 21 |
|                                                 |    |
| <210> 527                                       |    |
| <211> 21                                        |    |
| <212> RNA                                       |    |
| <213> Artificial sequence                       |    |
| <220>                                           |    |
| <223> RNAi agent sense strand modified sequence |    |
|                                                 |    |
| <400> 527                                       |    |
| gcuuaaaagg gacaguauuc u                         | 21 |
|                                                 |    |
| <210> 528                                       |    |
| <211> 21                                        |    |
| <212> RNA                                       |    |
| <213> Artificial sequence                       |    |
| <220>                                           |    |
| <223> RNAi agent sense strand modified sequence |    |
| <220>                                           |    |
| <221> modified_base                             |    |

<222> 20  
 <223> n = 2'-O-methylinosine-3'-phosphate

<400> 528  
 ggcaaaggga caguauucun a 21

<210> 529  
 <211> 21  
 <212> RNA  
 <213> Artificial sequence

<220>  
 <223> RNAi agent sense strand modified sequence

<400> 529  
 ggcaaaggga caguauucuc a 21

<210> 530  
 <211> 21  
 <212> RNA  
 <213> Artificial sequence

<220>  
 <223> RNAi agent sense strand modified sequence

<220>  
 <221> modified\_base  
 <222> 20  
 <223> n = 2'-O-methylinosine-3'-phosphate

<400> 530  
 gagggacagu auucucagun a 21

<210> 531  
 <211> 21  
 <212> RNA  
 <213> Artificial sequence

<220>  
 <223> RNAi agent sense strand modified sequence

<220>  
 <221> modified\_base  
 <222> 19  
 <223> n = 2'-O-methylinosine-3'-phosphate

<400> 531  
 gccaauaaag cuggacaana a 21

<210> 532

<211> 21  
 <212> RNA  
 <213> Artificial sequence  
  
 <220>  
 <223> RNAi agent sense strand modified sequence  
  
 <400> 532  
 gccaauaaag cuggacaaga a 21

<210> 533  
 <211> 21  
 <212> RNA  
 <213> Artificial sequence  
  
 <220>  
 <223> RNAi agent sense strand modified sequence  
  
 <220>  
 <221> modified\_base  
 <222> 11  
 <223> n = 2'-fluorinosine-3'-phosphate  
  
 <400> 533  
 aggguacucu nuguuguugc a 21

<210> 534  
 <211> 21  
 <212> RNA  
 <213> Artificial sequence  
  
 <220>  
 <223> RNAi agent sense strand modified sequence  
  
 <220>  
 <221> modified\_base  
 <222> 9  
 <223> n = 2'-fluorinosine-3'-phosphate  
  
 <400> 534  
 aggguacunc uuguuguugc a 21

<210> 535  
 <211> 21  
 <212> RNA  
 <213> Artificial sequence  
  
 <220>  
 <223> RNAi agent sense strand modified sequence  
  
 <220>

<221> modified\_base  
<222> 11  
<223> n = 2'-fluoroinosine-3'-phosphate  
  
<400> 535  
cuucaguucc nugaaagacu a 21

<210> 536  
<211> 21  
<212> RNA  
<213> Artificial sequence  
  
<220>  
<223> RNAi agent sense strand modified sequence

<220>  
<221> modified\_base  
<222> 10  
<223> n = 2'-fluoroinosine-3'-phosphate  
  
<400> 536  
cuucaguucn cugaaagacu a 21

<210> 537  
<211> 21  
<212> RNA  
<213> Artificial sequence  
  
<220>  
<223> RNAi agent sense strand modified sequence

<220>  
<221> modified\_base  
<222> 9  
<223> n = 2'-fluoroinosine-3'-phosphate  
  
<400> 537  
cuucaguunc cugaaagacu a 21

<210> 538  
<211> 21  
<212> RNA  
<213> Artificial sequence  
  
<220>  
<223> RNAi agent sense strand modified sequence

<220>  
<221> modified\_base  
<222> 11  
<223> n = 2'-fluoroinosine-3'-phosphate

|                                                 |    |
|-------------------------------------------------|----|
| <400> 538                                       |    |
| gcuuaaaagg nacaguauuc u                         | 21 |
|                                                 |    |
| <210> 539                                       |    |
| <211> 21                                        |    |
| <212> RNA                                       |    |
| <213> Artificial sequence                       |    |
| <220>                                           |    |
| <223> RNAi agent sense strand modified sequence |    |
| <220>                                           |    |
| <221> modified_base                             |    |
| <222> 10                                        |    |
| <223> n = 2'-fluorinosine-3'-phosphate          |    |
| <400> 539                                       |    |
| gcuuaaaagn gacaguauuc u                         | 21 |
|                                                 |    |
| <210> 540                                       |    |
| <211> 21                                        |    |
| <212> RNA                                       |    |
| <213> Artificial sequence                       |    |
| <220>                                           |    |
| <223> RNAi agent sense strand modified sequence |    |
| <220>                                           |    |
| <221> modified_base                             |    |
| <222> 9                                         |    |
| <223> n = 2'-fluorinosine-3'-phosphate          |    |
| <400> 540                                       |    |
| gcuuaaaang gacaguauuc u                         | 21 |
|                                                 |    |
| <210> 541                                       |    |
| <211> 21                                        |    |
| <212> RNA                                       |    |
| <213> Artificial sequence                       |    |
| <220>                                           |    |
| <223> RNAi agent sense strand modified sequence |    |
| <220>                                           |    |
| <221> modified_base                             |    |
| <222> 11                                        |    |
| <223> n = 2'-fluorinosine-3'-phosphate          |    |
| <400> 541                                       |    |
| ggcaaaggga naguauucuc a                         | 21 |

<210> 542  
 <211> 21  
 <212> RNA  
 <213> Artificial sequence  
  
 <220>  
 <223> RNAi agent sense strand modified sequence  
  
 <220>  
 <221> modified\_base  
 <222> 9  
 <223> n = 2'-fluorinosine-3'-phosphate

<400> 542  
 ggcaaaggna caguauucuc a 21

<210> 543  
 <211> 21  
 <212> RNA  
 <213> Artificial sequence  
  
 <220>  
 <223> RNAi agent sense strand modified sequence  
  
 <220>  
 <221> modified\_base  
 <222> 9  
 <223> n = 2'-fluorinosine-3'-phosphate

<220>  
 <221> modified\_base  
 <222> 20  
 <223> n = 2'-O-methylinosine-3'-phosphate

<400> 543  
 gagggacanu auucucagun a 21

<210> 544  
 <211> 21  
 <212> RNA  
 <213> Artificial sequence  
  
 <220>  
 <223> RNAi agent sense strand modified sequence  
  
 <220>  
 <221> modified\_base  
 <222> 11  
 <223> n = 2'-fluorinosine-3'-phosphate

<400> 544  
gccaauaaag nuggacaaga a 21

<210> 545  
<211> 21  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent sense strand modified sequence

<220>  
<221> modified\_base  
<222> 10  
<223> n = 2'-fluorinosine-3'-phosphate

<400> 545  
gccaauaaan cuggacaaga a 21

<210> 546  
<211> 21  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent sense strand modified sequence

<220>  
<221> modified\_base  
<222> 11  
<223> n = 2'-O-methylinosine-3'-phosphate

<400> 546  
gccuaaaagg nacaguauuc u 21

<210> 547  
<211> 21  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent sense strand modified sequence

<220>  
<221> modified\_base  
<222> 11  
<223> n = 2'-fluorinosine-3'-phosphate

<400> 547  
gccuaaaagg nacaguauuc u 21

<210> 548  
<211> 21  
<212> RNA  
<213> Artificial sequence  
  
<220>  
<223> RNAi agent sense strand modified sequence  
  
<400> 548  
accuaaaagg gacaguauuc u 21

<210> 549  
<211> 21  
<212> RNA  
<213> Artificial sequence  
  
<220>  
<223> RNAi agent sense strand modified sequence  
  
<400> 549  
gcguaaaagg gacaguauuc u 21

<210> 550  
<211> 21  
<212> RNA  
<213> Artificial sequence  
  
<220>  
<223> RNAi agent sense strand modified sequence  
  
<400> 550  
gucuaaaagg gacaguauuc u 21

<210> 551  
<211> 21  
<212> RNA  
<213> Artificial sequence  
  
<220>  
<223> RNAi agent sense strand modified sequence  
  
<400> 551  
gagggacagu auucucagug a 21

<210> 552  
<211> 21  
<212> RNA  
<213> Artificial sequence

<220>  
 <223> RNAi agent sense strand modified sequence  
  
 <220>  
 <221> modified\_base  
 <222> 18  
 <223> n = 2'-O-methylinosine-3'-phosphate  
  
 <400> 552  
 gggacaguau ucucagunau u 21  
  
  
 <210> 553  
 <211> 21  
 <212> RNA  
 <213> Artificial sequence  
  
 <220>  
 <223> RNAi agent sense strand modified sequence  
  
 <400> 553  
 gccaauaaag cuggacaaga a 21  
  
  
 <210> 554  
 <211> 21  
 <212> RNA  
 <213> Artificial sequence  
  
 <220>  
 <223> RNAi agent sense strand modified sequence  
  
 <400> 554  
 gccuaaaagg gacaguauuc u 21  
  
  
 <210> 555  
 <211> 21  
 <212> RNA  
 <213> Artificial sequence  
  
 <220>  
 <223> RNAi agent sense strand modified sequence  
  
 <220>  
 <221> modified\_base  
 <222> 11  
 <223> n = 2'-fluoroinosine-3'-phosphate  
  
 <400> 555  
 gccuaaaagg nacaguauuc u 21  
  
  
 <210> 556

|       |                                           |    |
|-------|-------------------------------------------|----|
| <211> | 21                                        |    |
| <212> | RNA                                       |    |
| <213> | Artificial sequence                       |    |
| <220> |                                           |    |
| <223> | RNAi agent sense strand modified sequence |    |
| <400> | 556                                       |    |
|       | gagggacagu auucucagug a                   | 21 |
|       |                                           |    |
| <210> | 557                                       |    |
| <211> | 21                                        |    |
| <212> | RNA                                       |    |
| <213> | Artificial sequence                       |    |
| <220> |                                           |    |
| <223> | RNAi agent sense strand modified sequence |    |
| <220> |                                           |    |
| <221> | modified_base                             |    |
| <222> | 20                                        |    |
| <223> | n = 2'-O-methylinosine-3'-phosphate       |    |
| <400> | 557                                       |    |
|       | gagggacagu auucucaguna                    | 21 |
|       |                                           |    |
| <210> | 558                                       |    |
| <211> | 21                                        |    |
| <212> | RNA                                       |    |
| <213> | Artificial sequence                       |    |
| <220> |                                           |    |
| <223> | RNAi agent sense strand modified sequence |    |
| <400> | 558                                       |    |
|       | gccaauaaag cuggacaaga a                   | 21 |
|       |                                           |    |
| <210> | 559                                       |    |
| <211> | 21                                        |    |
| <212> | RNA                                       |    |
| <213> | Artificial sequence                       |    |
| <220> |                                           |    |
| <223> | RNAi agent sense strand modified sequence |    |
| <400> | 559                                       |    |
|       | gccaauaaag cuggacaaga a                   | 21 |
|       |                                           |    |
| <210> | 560                                       |    |
| <211> | 21                                        |    |

<212> RNA  
 <213> Artificial sequence  
  
 <220>  
 <223> RNAi agent sense strand modified sequence  
  
 <400> 560  
 gccaauaaag cuggacaaga a 21

<210> 561  
 <211> 21  
 <212> RNA  
 <213> Artificial sequence  
  
 <220>  
 <223> RNAi agent sense strand modified sequence  
  
 <400> 561  
 gccaauaaag cuggacaaga a 21

<210> 562  
 <211> 21  
 <212> RNA  
 <213> Artificial sequence  
  
 <220>  
 <223> RNAi agent sense strand modified sequence  
  
 <400> 562  
 gccaauaaag cuggacaaga a 21

<210> 563  
 <211> 21  
 <212> RNA  
 <213> Artificial sequence  
  
 <220>  
 <223> RNAi agent sense strand modified sequence  
  
 <220>  
 <221> modified\_base  
 <222> 10  
 <223> n = 2'-fluorinosine-3'-phosphate  
  
 <400> 563  
 gccaauaaan cuggacaaga a 21

<210> 564  
 <211> 21  
 <212> RNA

<213> Artificial sequence  
 <220>  
 <223> RNAi agent sense strand modified sequence  
 <220>  
 <221> modified\_base  
 <222> 10  
 <223> n = 2'-fluorinosine-3'-phosphate  
 <400> 564  
 gccaauaaan cuggacaaga a 21

<210> 565  
 <211> 21  
 <212> RNA  
 <213> Artificial sequence  
 <220>  
 <223> RNAi agent sense strand modified sequence  
 <220>  
 <221> modified\_base  
 <222> 10  
 <223> n = 2'-O-methylinosine-3'-phosphate  
 <400> 565  
 gccaauaaan cuggacaaga a 21

<210> 566  
 <211> 21  
 <212> RNA  
 <213> Artificial sequence  
 <220>  
 <223> RNAi agent sense strand modified sequence  
 <220>  
 <221> modified\_base  
 <222> 13  
 <223> n = 2'-O-methylinosine-3'-phosphate  
 <400> 566  
 gccaauaaag cungacaaga a 21

<210> 567  
 <211> 21  
 <212> RNA  
 <213> Artificial sequence  
 <220>

<223> RNAi agent sense strand modified sequence

<220>

<221> modified\_base

<222> 14

<223> n = 2'-O-methylinosine-3'-phosphate

<400> 567

gccaaauaaag cugnacaaga a

21

<210> 568

<211> 21

<212> RNA

<213> Artificial sequence

<220>

<223> RNAi agent sense strand modified sequence

<400> 568

gccuaaaagg gacaguauuc u

21

<210> 569

<211> 21

<212> RNA

<213> Artificial sequence

<220>

<223> RNAi agent sense strand modified sequence

<400> 569

gccuaaaagg gacaguauuc u

21

<210> 570

<211> 21

<212> RNA

<213> Artificial sequence

<220>

<223> RNAi agent sense strand modified sequence

<220>

<221> modified\_base

<222> 11

<223> n = 2'-fluoroinosine-3'-phosphate

<400> 570

gccuaaaagg nacaguauuc u

21

<210> 571

<211> 21

<212> RNA  
 <213> Artificial sequence  
  
 <220>  
 <223> RNAi agent sense strand modified sequence  
  
 <220>  
 <221> modified\_base  
 <222> 11  
 <223> n = 2'-fluorinosine-3'-phosphate  
  
 <400> 571  
 gccuaaaagg nacaguuuc u 21

<210> 572  
 <211> 21  
 <212> RNA  
 <213> Artificial sequence  
  
 <220>  
 <223> RNAi agent sense strand modified sequence  
  
 <220>  
 <221> modified\_base  
 <222> 20  
 <223> n = 2'-O-methylinosine-3'-phosphate  
  
 <400> 572  
 acgggacagu auucucagun a 21

<210> 573  
 <211> 21  
 <212> RNA  
 <213> Artificial sequence  
  
 <220>  
 <223> RNAi agent sense strand modified sequence  
  
 <400> 573  
 cagggacagu auucucagug a 21

<210> 574  
 <211> 21  
 <212> RNA  
 <213> Artificial sequence  
  
 <220>  
 <223> RNAi agent sense strand modified sequence  
  
 <220>  
 <221> modified\_base

<222> 20  
 <223> n = 2'-O-methylinosine-3'-phosphate

<400> 574  
 caggacagu auucucagun a 21

<210> 575  
 <211> 21  
 <212> RNA  
 <213> Artificial sequence

<220>  
 <223> RNAi agent sense strand modified sequence

<400> 575  
 aggggacagu auucucagug a 21

<210> 576  
 <211> 21  
 <212> RNA  
 <213> Artificial sequence

<220>  
 <223> RNAi agent sense strand modified sequence

<220>  
 <221> modified\_base  
 <222> 20  
 <223> n = 2'-O-methylinosine-3'-phosphate

<400> 576  
 aggggacagu auucucagun a 21

<210> 577  
 <211> 21  
 <212> RNA  
 <213> Artificial sequence

<220>  
 <223> RNAi agent sense strand modified sequence

<400> 577  
 agaccgcaa ggaugcacuu u 21

<210> 578  
 <211> 21  
 <212> RNA  
 <213> Artificial sequence

<220>

<223> RNAi agent sense strand modified sequence

<220>

<221> modified\_base

<222> 15

<223> n = 2'-O-methylinosine-3'-phosphate

<400> 578

agaccgccaa ggauncacuu u

21

<210> 579

<211> 21

<212> RNA

<213> Artificial sequence

<220>

<223> RNAi agent sense strand modified sequence

<400> 579

ucaguucccu gaaagacuac u

21

<210> 580

<211> 21

<212> RNA

<213> Artificial sequence

<220>

<223> RNAi agent sense strand modified sequence

<400> 580

ucaguucccu gaaagacuac a

21

<210> 581

<211> 21

<212> RNA

<213> Artificial sequence

<220>

<223> RNAi agent sense strand modified sequence

<220>

<221> modified\_base

<222> 15

<223> n = 2'-O-methylinosine-3'-phosphate

<400> 581

acuacuggag cacnuuaag a

21

<210> 582

<211> 21

<212> RNA  
<213> Artificial sequence  
  
<220>  
<223> RNAi agent sense strand modified sequence  
  
<400> 582  
ccuguagguu gcuuaaaagg a 21

<210> 583  
<211> 21  
<212> RNA  
<213> Artificial sequence  
  
<220>  
<223> RNAi agent sense strand modified sequence  
  
<400> 583  
gcuguagguu gcuuaaaagg a 21

<210> 584  
<211> 21  
<212> RNA  
<213> Artificial sequence  
  
<220>  
<223> RNAi agent sense strand modified sequence  
  
<400> 584  
ggucaguucu cugaaagacu a 21

<210> 585  
<211> 21  
<212> RNA  
<213> Artificial sequence  
  
<220>  
<223> RNAi agent antisense strand underlying base sequence  
  
<400> 585  
uaacaacaag gaguacccgu u 21

<210> 586  
<211> 21  
<212> RNA  
<213> Artificial sequence  
  
<220>  
<223> RNAi agent antisense strand underlying base sequence

<400> 586  
uaacaacaag gaguacccgg u 21

<210> 587  
<211> 21  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent antisense strand underlying base sequence

<400> 587  
uaacaacaag gaguacccgg g 21

<210> 588  
<211> 21  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent antisense strand underlying base sequence

<400> 588  
ugcaacaaca aggaguaccu u 21

<210> 589  
<211> 21  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent antisense strand underlying base sequence

<400> 589  
ugcaacaaca aggaguaccc u 21

<210> 590  
<211> 21  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent antisense strand underlying base sequence

<400> 590  
ugcaacaaca aggaguaccc g 21

<210> 591  
<211> 21

<212> RNA  
<213> Artificial sequence  
  
<220>  
<223> RNAi agent antisense strand underlying base sequence  
  
<400> 591  
uagccaucgg ucacccagcu u 21

<210> 592  
<211> 21  
<212> RNA  
<213> Artificial sequence  
  
<220>  
<223> RNAi agent antisense strand underlying base sequence  
  
<400> 592  
uagccaucgg ucacccagcc u 21

<210> 593  
<211> 21  
<212> RNA  
<213> Artificial sequence  
  
<220>  
<223> RNAi agent antisense strand underlying base sequence  
  
<400> 593  
uagccaucgg ucacccagcc c 21

<210> 594  
<211> 21  
<212> RNA  
<213> Artificial sequence  
  
<220>  
<223> RNAi agent antisense strand underlying base sequence  
  
<400> 594  
ugaacugaag ccaucggucu u 21

<210> 595  
<211> 21  
<212> RNA  
<213> Artificial sequence  
  
<220>  
<223> RNAi agent antisense strand underlying base sequence

<400> 595  
ugaacugaag ccaucgguca u 21

<210> 596  
<211> 21  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent antisense strand underlying base sequence

<400> 596  
ugaacugaag ccaucgguca c 21

<210> 597  
<211> 21  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent antisense strand underlying base sequence

<400> 597  
ucuuucaggg aacugaagcu u 21

<210> 598  
<211> 21  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent antisense strand underlying base sequence

<400> 598  
ucuuucaggg aacugaagcc u 21

<210> 599  
<211> 21  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent antisense strand underlying base sequence

<400> 599  
ucuuucaggg aacugaagcc a 21

<210> 600  
<211> 21

<212> RNA  
<213> Artificial sequence  
  
<220>  
<223> RNAi agent antisense strand underlying base sequence  
  
<400> 600  
uaacggugcu ccaguagucu u 21

<210> 601  
<211> 21  
<212> RNA  
<213> Artificial sequence  
  
<220>  
<223> RNAi agent antisense strand underlying base sequence  
  
<400> 601  
uuaacggugc uccaguaguu u 21

<210> 602  
<211> 21  
<212> RNA  
<213> Artificial sequence  
  
<220>  
<223> RNAi agent antisense strand underlying base sequence  
  
<400> 602  
uuaacggugc uccaguaguc u 21

<210> 603  
<211> 21  
<212> RNA  
<213> Artificial sequence  
  
<220>  
<223> RNAi agent antisense strand underlying base sequence  
  
<400> 603  
uacuuguccu uaacggugcu u 21

<210> 604  
<211> 21  
<212> RNA  
<213> Artificial sequence  
  
<220>  
<223> RNAi agent antisense strand underlying base sequence

<400> 604  
uacuuguccu uaacggugcu c 21

<210> 605  
<211> 21  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent antisense strand underlying base sequence

<400> 605  
ugaacuuguc cuuaacgguu u 21

<210> 606  
<211> 21  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent antisense strand underlying base sequence

<400> 606  
ugaacuuguc cuuaacggug u 21

<210> 607  
<211> 21  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent antisense strand underlying base sequence

<400> 607  
ugaacuuguc cuuaacggug c 21

<210> 608  
<211> 21  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent antisense strand underlying base sequence

<400> 608  
uagaacuugu ccuaacgggu u 21

<210> 609  
<211> 21

<212> RNA  
<213> Artificial sequence  
  
<220>  
<223> RNAi agent antisense strand underlying base sequence  
  
<400> 609  
uagaacuugu ccuuaacggu g 21

<210> 610  
<211> 21  
<212> RNA  
<213> Artificial sequence  
  
<220>  
<223> RNAi agent antisense strand underlying base sequence  
  
<400> 610  
uggacuuggg guauugaggu u 21

<210> 611  
<211> 21  
<212> RNA  
<213> Artificial sequence  
  
<220>  
<223> RNAi agent antisense strand underlying base sequence  
  
<400> 611  
uggacuuggg guauugaggu c 21

<210> 612  
<211> 21  
<212> RNA  
<213> Artificial sequence  
  
<220>  
<223> RNAi agent antisense strand underlying base sequence  
  
<400> 612  
ugagaauacu guccuuuuu u 21

<210> 613  
<211> 21  
<212> RNA  
<213> Artificial sequence  
  
<220>  
<223> RNAi agent antisense strand underlying base sequence

<400> 613  
ugagaauacu gucccuuuua u 21

<210> 614  
<211> 21  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent antisense strand underlying base sequence

<400> 614  
ugagaauacu gucccuuuua a 21

<210> 615  
<211> 21  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent antisense strand underlying base sequence

<400> 615  
uacugagaau acugucccuu u 21

<210> 616  
<211> 21  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent sense strand underlying base sequence

<400> 616  
cgguacucc uuguuguau u 21

<210> 617  
<211> 20  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent sense strand underlying base sequence

<400> 617  
ccgguacuc cuuguuguua 20

<210> 618  
<211> 21

<212> RNA  
<213> Artificial sequence  
  
<220>  
<223> RNAi agent sense strand underlying base sequence  
  
<400> 618  
cccgguacu ccuuguugu a 21

<210> 619  
<211> 21  
<212> RNA  
<213> Artificial sequence  
  
<220>  
<223> RNAi agent sense strand underlying base sequence  
  
<400> 619  
gguacuccuu guuguugcau u 21

<210> 620  
<211> 20  
<212> RNA  
<213> Artificial sequence  
  
<220>  
<223> RNAi agent sense strand underlying base sequence  
  
<400> 620  
ggguacuccu uguuguugca 20

<210> 621  
<211> 21  
<212> RNA  
<213> Artificial sequence  
  
<220>  
<223> RNAi agent sense strand underlying base sequence  
  
<400> 621  
cgguacucc uguuguugc a 21

<210> 622  
<211> 21  
<212> RNA  
<213> Artificial sequence  
  
<220>  
<223> RNAi agent sense strand underlying base sequence

<400> 622  
gcugggugac cgauggcuau u 21

<210> 623  
<211> 20  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent sense strand underlying base sequence

<400> 623  
ggcuggguga ccgauggcua 20

<210> 624  
<211> 21  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent sense strand underlying base sequence

<400> 624  
gggcugggug accgauggcu a 21

<210> 625  
<211> 21  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent sense strand underlying base sequence

<400> 625  
gaccgauggc uucaguucau u 21

<210> 626  
<211> 20  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent sense strand underlying base sequence

<400> 626  
ugaccgaugg cuucaguuca 20

<210> 627  
<211> 21

|       |                                                  |    |
|-------|--------------------------------------------------|----|
| <212> | RNA                                              |    |
| <213> | Artificial sequence                              |    |
| <220> |                                                  |    |
| <223> | RNAi agent sense strand underlying base sequence |    |
| <400> | 627                                              |    |
|       | gugaccgaug gcuucaguuc a                          | 21 |
| <210> | 628                                              |    |
| <211> | 21                                               |    |
| <212> | RNA                                              |    |
| <213> | Artificial sequence                              |    |
| <220> |                                                  |    |
| <223> | RNAi agent sense strand underlying base sequence |    |
| <400> | 628                                              |    |
|       | gcuucaguuc ccugaaagau u                          | 21 |
| <210> | 629                                              |    |
| <211> | 20                                               |    |
| <212> | RNA                                              |    |
| <213> | Artificial sequence                              |    |
| <220> |                                                  |    |
| <223> | RNAi agent sense strand underlying base sequence |    |
| <400> | 629                                              |    |
|       | ggcuucaguu cccugaaaga                            | 20 |
| <210> | 630                                              |    |
| <211> | 21                                               |    |
| <212> | RNA                                              |    |
| <213> | Artificial sequence                              |    |
| <220> |                                                  |    |
| <223> | RNAi agent sense strand underlying base sequence |    |
| <400> | 630                                              |    |
|       | uggcuucagu ucccugaaag a                          | 21 |
| <210> | 631                                              |    |
| <211> | 21                                               |    |
| <212> | RNA                                              |    |
| <213> | Artificial sequence                              |    |
| <220> |                                                  |    |
| <223> | RNAi agent sense strand underlying base sequence |    |

<400> 631  
gacuacugga gcaccguuau u 21

<210> 632  
<211> 20  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent sense strand underlying base sequence

<400> 632  
agacuacugg agcaccguua 20

<210> 633  
<211> 21  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent sense strand underlying base sequence

<400> 633  
aagacuacug gagcaccguu a 21

<210> 634  
<211> 21  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent sense strand underlying base sequence

<400> 634  
acuacuggag caccguuaau u 21

<210> 635  
<211> 20  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent sense strand underlying base sequence

<400> 635  
gacuacugga gcaccguuaa 20

<210> 636  
<211> 21

|       |                                                  |    |
|-------|--------------------------------------------------|----|
| <212> | RNA                                              |    |
| <213> | Artificial sequence                              |    |
| <220> |                                                  |    |
| <223> | RNAi agent sense strand underlying base sequence |    |
| <400> | 636                                              |    |
|       | agacuacugg agcaccguua a                          | 21 |
| <210> | 637                                              |    |
| <211> | 21                                               |    |
| <212> | RNA                                              |    |
| <213> | Artificial sequence                              |    |
| <220> |                                                  |    |
| <223> | RNAi agent sense strand underlying base sequence |    |
| <400> | 637                                              |    |
|       | gcaccguuaa ggacaaguau u                          | 21 |
| <210> | 638                                              |    |
| <211> | 20                                               |    |
| <212> | RNA                                              |    |
| <213> | Artificial sequence                              |    |
| <220> |                                                  |    |
| <223> | RNAi agent sense strand underlying base sequence |    |
| <400> | 638                                              |    |
|       | agcaccguua aggacaagua                            | 20 |
| <210> | 639                                              |    |
| <211> | 21                                               |    |
| <212> | RNA                                              |    |
| <213> | Artificial sequence                              |    |
| <220> |                                                  |    |
| <223> | RNAi agent sense strand underlying base sequence |    |
| <400> | 639                                              |    |
|       | gagcaccguu aaggacaagu a                          | 21 |
| <210> | 640                                              |    |
| <211> | 21                                               |    |
| <212> | RNA                                              |    |
| <213> | Artificial sequence                              |    |
| <220> |                                                  |    |
| <223> | RNAi agent sense strand underlying base sequence |    |

<400> 640  
accguuaagg acaagucau u 21

<210> 641  
<211> 20  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent sense strand underlying base sequence

<400> 641  
caccguuaag gacaaguca 20

<210> 642  
<211> 21  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent sense strand underlying base sequence

<400> 642  
gcaccguuaa ggacaaguuc a 21

<210> 643  
<211> 21  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent sense strand underlying base sequence

<400> 643  
ccguuaagga caaguucuau u 21

<210> 644  
<211> 20  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent sense strand underlying base sequence

<400> 644  
accguuaagg acaaguucua 20

<210> 645  
<211> 21

<212> RNA  
<213> Artificial sequence  
  
<220>  
<223> RNAi agent sense strand underlying base sequence  
  
<400> 645  
caccguuaag gacaaguucu a 21

<210> 646  
<211> 21  
<212> RNA  
<213> Artificial sequence  
  
<220>  
<223> RNAi agent sense strand underlying base sequence  
  
<400> 646  
ccucaauacc ccaaguccau u 21

<210> 647  
<211> 20  
<212> RNA  
<213> Artificial sequence  
  
<220>  
<223> RNAi agent sense strand underlying base sequence  
  
<400> 647  
accucaauac cccaagucca 20

<210> 648  
<211> 21  
<212> RNA  
<213> Artificial sequence  
  
<220>  
<223> RNAi agent sense strand underlying base sequence  
  
<400> 648  
gaccucaaua cccaagucc a 21

<210> 649  
<211> 21  
<212> RNA  
<213> Artificial sequence  
  
<220>  
<223> RNAi agent sense strand underlying base sequence

<400> 649  
aaaagggaca guauucucau u 21

<210> 650  
<211> 20  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent sense strand underlying base sequence

<400> 650  
uaaaagggac aguauucuca 20

<210> 651  
<211> 21  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent sense strand underlying base sequence

<400> 651  
uuaaaaggga caguauucuc a 21

<210> 652  
<211> 21  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent sense strand underlying base sequence

<400> 652  
agggacagua uucucaguau u 21

<210> 653  
<211> 20  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent sense strand underlying base sequence

<400> 653  
aagggacagu auucucagua 20

<210> 654  
<211> 21

<212> RNA  
<213> Artificial sequence  
  
<220>  
<223> RNAi agent sense strand underlying base sequence  
  
<400> 654  
aaaggacag uauucucagu a 21

<210> 655  
<211> 21  
<212> RNA  
<213> Artificial sequence  
  
<220>  
<223> RNAi agent antisense strand underlying base sequence  
  
<400> 655  
aacuuguccu uaacggugcu u 21

<210> 656  
<211> 21  
<212> RNA  
<213> Artificial sequence  
  
<220>  
<223> RNAi agent antisense strand underlying base sequence  
  
<400> 656  
ugagaauacu guccuuuug g 21

<210> 657  
<211> 22  
<212> RNA  
<213> Artificial sequence  
  
<220>  
<223> RNAi agent antisense strand underlying base sequence  
  
<400> 657  
ugagaauacu guccuuuug cg 22

<210> 658  
<211> 21  
<212> RNA  
<213> Artificial sequence  
  
<220>  
<223> RNAi agent antisense strand underlying base sequence

<400> 658  
uaacggugcu ccaguagucg u 21

<210> 659  
<211> 21  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent antisense strand underlying base sequence

<400> 659  
uacugagaau acuguccug u 21

<210> 660  
<211> 21  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent antisense strand underlying base sequence

<400> 660  
uuaacggugc uccaguaggc u 21

<210> 661  
<211> 21  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent antisense strand underlying base sequence

<400> 661  
aagccaucgg ucacccagcu u 21

<210> 662  
<211> 21  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent antisense strand underlying base sequence

<400> 662  
agaacuuguc cuuaacgguu u 21

<210> 663  
<211> 22

<212> RNA  
<213> Artificial sequence  
  
<220>  
<223> RNAi agent antisense strand underlying base sequence  
  
<400> 663  
ugcacugaga auacugucc uu 22

<210> 664  
<211> 22  
<212> RNA  
<213> Artificial sequence  
  
<220>  
<223> RNAi agent antisense strand underlying base sequence  
  
<400> 664  
agcacugaga auacugucc uu 22

<210> 665  
<211> 22  
<212> RNA  
<213> Artificial sequence  
  
<220>  
<223> RNAi agent antisense strand underlying base sequence  
  
<400> 665  
cuacuugucc uuaacggugc uu 22

<210> 666  
<211> 21  
<212> RNA  
<213> Artificial sequence  
  
<220>  
<223> RNAi agent antisense strand underlying base sequence  
  
<400> 666  
aacuuguccu uaacggugcu c 21

<210> 667  
<211> 19  
<212> RNA  
<213> Artificial sequence  
  
<220>  
<223> RNAi agent antisense strand underlying base sequence

<400> 667  
uacuuguccu uaacggugc 19

<210> 668  
<211> 22  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent antisense strand underlying base sequence

<400> 668  
uacuuguccu uaacggugcu cc 22

<210> 669  
<211> 23  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent antisense strand underlying base sequence

<400> 669  
uacuuguccu uaacggugcu cuu 23

<210> 670  
<211> 23  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent antisense strand underlying base sequence

<400> 670  
uacuuguccu uaacggugcu cca 23

<210> 671  
<211> 19  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent antisense strand underlying base sequence

<400> 671  
aacuuguccu uaacggugc 19

<210> 672  
<211> 22

|       |                                                      |    |
|-------|------------------------------------------------------|----|
| <212> | RNA                                                  |    |
| <213> | Artificial sequence                                  |    |
| <220> |                                                      |    |
| <223> | RNAi agent antisense strand underlying base sequence |    |
| <400> | 672                                                  |    |
|       | aacuuguccu uaacggugcu cc                             | 22 |
| <210> | 673                                                  |    |
| <211> | 21                                                   |    |
| <212> | RNA                                                  |    |
| <213> | Artificial sequence                                  |    |
| <220> |                                                      |    |
| <223> | RNAi agent antisense strand underlying base sequence |    |
| <400> | 673                                                  |    |
|       | ugagaauacu gucccuuuug u                              | 21 |
| <210> | 674                                                  |    |
| <211> | 21                                                   |    |
| <212> | RNA                                                  |    |
| <213> | Artificial sequence                                  |    |
| <220> |                                                      |    |
| <223> | RNAi agent antisense strand underlying base sequence |    |
| <400> | 674                                                  |    |
|       | agagaauacu gucccuuuug g                              | 21 |
| <210> | 675                                                  |    |
| <211> | 19                                                   |    |
| <212> | RNA                                                  |    |
| <213> | Artificial sequence                                  |    |
| <220> |                                                      |    |
| <223> | RNAi agent antisense strand underlying base sequence |    |
| <400> | 675                                                  |    |
|       | ugcaacaaca aggaguacc                                 | 19 |
| <210> | 676                                                  |    |
| <211> | 21                                                   |    |
| <212> | RNA                                                  |    |
| <213> | Artificial sequence                                  |    |
| <220> |                                                      |    |
| <223> | RNAi agent antisense strand underlying base sequence |    |

<400> 676  
agcaacaaca aggaguaccu u 21

<210> 677  
<211> 21  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent antisense strand underlying base sequence

<400> 677  
ucugaagcca ucggucaccc a 21

<210> 678  
<211> 21  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent antisense strand underlying base sequence

<400> 678  
acugaagcca ucggucaccc a 21

<210> 679  
<211> 21  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent antisense strand underlying base sequence

<400> 679  
uggaacugaa gccaucgguc a 21

<210> 680  
<211> 21  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent antisense strand underlying base sequence

<400> 680  
uggaacugaa gccaucgguc c 21

<210> 681  
<211> 21

|       |                                                      |    |
|-------|------------------------------------------------------|----|
| <212> | RNA                                                  |    |
| <213> | Artificial sequence                                  |    |
| <220> |                                                      |    |
| <223> | RNAi agent antisense strand underlying base sequence |    |
| <400> | 681                                                  |    |
|       | uucuuucagg gaacugaagc c                              | 21 |
| <210> | 682                                                  |    |
| <211> | 21                                                   |    |
| <212> | RNA                                                  |    |
| <213> | Artificial sequence                                  |    |
| <220> |                                                      |    |
| <223> | RNAi agent antisense strand underlying base sequence |    |
| <400> | 682                                                  |    |
|       | uuuaacggug cuccaguagu c                              | 21 |
| <210> | 683                                                  |    |
| <211> | 21                                                   |    |
| <212> | RNA                                                  |    |
| <213> | Artificial sequence                                  |    |
| <220> |                                                      |    |
| <223> | RNAi agent antisense strand underlying base sequence |    |
| <400> | 683                                                  |    |
|       | uccuuaacgg ugcuccagua g                              | 21 |
| <210> | 684                                                  |    |
| <211> | 21                                                   |    |
| <212> | RNA                                                  |    |
| <213> | Artificial sequence                                  |    |
| <220> |                                                      |    |
| <223> | RNAi agent antisense strand underlying base sequence |    |
| <400> | 684                                                  |    |
|       | uuccuuaacg ggcuccagu a                               | 21 |
| <210> | 685                                                  |    |
| <211> | 21                                                   |    |
| <212> | RNA                                                  |    |
| <213> | Artificial sequence                                  |    |
| <220> |                                                      |    |
| <223> | RNAi agent antisense strand underlying base sequence |    |

<400> 685  
uuccuuaacg gugcuccagu c 21

<210> 686  
<211> 21  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent antisense strand underlying base sequence

<400> 686  
uugaggucuc aggcagccac u 21

<210> 687  
<211> 21  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent antisense strand underlying base sequence

<400> 687  
uuauugaggu cucaggcagc c 21

<210> 688  
<211> 21  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent antisense strand underlying base sequence

<400> 688  
uguauugagg ucucaggcag c 21

<210> 689  
<211> 21  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent antisense strand underlying base sequence

<400> 689  
ucacugagaa uacuguccu u 21

<210> 690  
<211> 21

<212> RNA  
<213> Artificial sequence  
  
<220>  
<223> RNAi agent antisense strand underlying base sequence  
  
<400> 690  
ucuuuuuagc aaccuacagg g 21

<210> 691  
<211> 21  
<212> RNA  
<213> Artificial sequence  
  
<220>  
<223> RNAi agent antisense strand underlying base sequence  
  
<400> 691  
ugagaauacu gucccuuuuc c 21

<210> 692  
<211> 21  
<212> RNA  
<213> Artificial sequence  
  
<220>  
<223> RNAi agent antisense strand underlying base sequence  
  
<400> 692  
ugagaauacu gucccuuuuc u 21

<210> 693  
<211> 21  
<212> RNA  
<213> Artificial sequence  
  
<220>  
<223> RNAi agent antisense strand underlying base sequence  
  
<400> 693  
uucuugucca gcuuuauugg g 21

<210> 694  
<211> 21  
<212> RNA  
<213> Artificial sequence  
  
<220>  
<223> RNAi agent antisense strand underlying base sequence

<400> 694  
uagucuuuca gggaacugaa g 21

<210> 695  
<211> 21  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent antisense strand underlying base sequence

<400> 695  
uagucuuuca gggaacugaa c 21

<210> 696  
<211> 21  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent antisense strand underlying base sequence

<400> 696  
ucacugagaa uacuguccgu u 21

<210> 697  
<211> 21  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent antisense strand underlying base sequence

<400> 697  
uagucuuuca gggaacugac g 21

<210> 698  
<211> 21  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent antisense strand underlying base sequence

<400> 698  
uagucuuuca gggaacugag g 21

<210> 699  
<211> 21

<212> RNA  
<213> Artificial sequence  
  
<220>  
<223> RNAi agent antisense strand underlying base sequence  
  
<400> 699  
uagucuuuca gggaacugac c 21

<210> 700  
<211> 21  
<212> RNA  
<213> Artificial sequence  
  
<220>  
<223> RNAi agent antisense strand underlying base sequence  
  
<400> 700  
uagucuuuca gggaacugag c 21

<210> 701  
<211> 21  
<212> RNA  
<213> Artificial sequence  
  
<220>  
<223> RNAi agent antisense strand underlying base sequence  
  
<400> 701  
agaauacugu cccuuuuagg c 21

<210> 702  
<211> 21  
<212> RNA  
<213> Artificial sequence  
  
<220>  
<223> RNAi agent antisense strand underlying base sequence  
  
<400> 702  
agaauacugu cccuuuuag g 21

<210> 703  
<211> 21  
<212> RNA  
<213> Artificial sequence  
  
<220>  
<223> RNAi agent antisense strand underlying base sequence

<400> 703  
agaauacugu cccuuuuuag c 21

<210> 704  
<211> 21  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent antisense strand underlying base sequence

<400> 704  
ugagaauacu gucccuuugc c 21

<210> 705  
<211> 21  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent antisense strand underlying base sequence

<400> 705  
ucacugagaa uacuguccu c 21

<210> 706  
<211> 21  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent antisense strand underlying base sequence

<400> 706  
uucuugucca gcuuuauugg c 21

<210> 707  
<211> 21  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent antisense strand underlying base sequence

<400> 707  
agaauacugu cccuuuuagg u 21

<210> 708  
<211> 21

<212> RNA  
<213> Artificial sequence  
  
<220>  
<223> RNAi agent antisense strand underlying base sequence  
  
<400> 708  
agaauacugu cccuuuuacg c 21

<210> 709  
<211> 21  
<212> RNA  
<213> Artificial sequence  
  
<220>  
<223> RNAi agent antisense strand underlying base sequence  
  
<400> 709  
agaauacugu cccuuuuaga c 21

<210> 710  
<211> 21  
<212> RNA  
<213> Artificial sequence  
  
<220>  
<223> RNAi agent antisense strand underlying base sequence  
  
<400> 710  
ucacugagaa uacugucccu g 21

<210> 711  
<211> 21  
<212> RNA  
<213> Artificial sequence  
  
<220>  
<223> RNAi agent antisense strand underlying base sequence  
  
<400> 711  
ucacugagaa uacugucccc u 21

<210> 712  
<211> 21  
<212> RNA  
<213> Artificial sequence  
  
<220>  
<223> RNAi agent antisense strand underlying base sequence

<400> 712  
agugcauccu uggcggucuu u 21

<210> 713  
<211> 21  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent antisense strand underlying base sequence

<400> 713  
aguagucuuu cagggaacug a 21

<210> 714  
<211> 21  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent antisense strand underlying base sequence

<400> 714  
uguagucuuu cagggaacug a 21

<210> 715  
<211> 21  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent antisense strand underlying base sequence

<400> 715  
ucuuuacggg gcuccaguag u 21

<210> 716  
<211> 21  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent antisense strand underlying base sequence

<400> 716  
uccuuuuuag caaccuacag g 21

<210> 717  
<211> 21

<212> RNA  
 <213> Artificial sequence  
  
 <220>  
 <223> RNAi agent antisense strand underlying base sequence  
  
 <400> 717  
 uccuuuuuag caaccuacag c 21

<210> 718  
 <211> 21  
 <212> RNA  
 <213> Artificial sequence  
  
 <220>  
 <223> RNAi agent sense strand underlying base sequence  
  
 <400> 718  
 gcaccguuua ggacaaguau u 21

<210> 719  
 <211> 21  
 <212> RNA  
 <213> Artificial sequence  
  
 <220>  
 <223> RNAi agent sense strand underlying base sequence  
  
 <400> 719  
 gagcaccguu aaggacaagu a 21

<210> 720  
 <211> 19  
 <212> RNA  
 <213> Artificial sequence  
  
 <220>  
 <223> RNAi agent sense strand underlying base sequence  
  
 <400> 720  
 gcaccguuua ggacaagua 19

<210> 721  
 <211> 19  
 <212> RNA  
 <213> Artificial sequence  
  
 <220>  
 <223> RNAi agent sense strand underlying base sequence

<400> 721  
gcaccguuaa ggacaaguu 19

<210> 722  
<211> 19  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent sense strand underlying base sequence

<400> 722  
ccucaauacc ccaagucca 19

<210> 723  
<211> 21  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent sense strand underlying base sequence

<400> 723  
gaccucaaua cccaagucc a 21

<210> 724  
<211> 19  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent sense strand underlying base sequence

<400> 724  
gcuucaguuc ccugaaaga 19

<210> 725  
<211> 20  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent sense strand underlying base sequence

<400> 725  
ggcuucaguu ccugaaaga 20

<210> 726  
<211> 19

|       |                                                  |    |
|-------|--------------------------------------------------|----|
| <212> | RNA                                              |    |
| <213> | Artificial sequence                              |    |
| <220> |                                                  |    |
| <223> | RNAi agent sense strand underlying base sequence |    |
| <400> | 726                                              |    |
|       | gaccgauggc uucaguuca                             | 19 |
| <210> | 727                                              |    |
| <211> | 21                                               |    |
| <212> | RNA                                              |    |
| <213> | Artificial sequence                              |    |
| <220> |                                                  |    |
| <223> | RNAi agent sense strand underlying base sequence |    |
| <400> | 727                                              |    |
|       | gugaccgaug gcuucaguuc a                          | 21 |
| <210> | 728                                              |    |
| <211> | 21                                               |    |
| <212> | RNA                                              |    |
| <213> | Artificial sequence                              |    |
| <220> |                                                  |    |
| <223> | RNAi agent sense strand underlying base sequence |    |
| <400> | 728                                              |    |
|       | ccaaaaggga caguauucuc a                          | 21 |
| <210> | 729                                              |    |
| <211> | 22                                               |    |
| <212> | RNA                                              |    |
| <213> | Artificial sequence                              |    |
| <220> |                                                  |    |
| <223> | RNAi agent sense strand underlying base sequence |    |
| <400> | 729                                              |    |
|       | cgcaaaaggg acaguauucu ca                         | 22 |
| <210> | 730                                              |    |
| <211> | 19                                               |    |
| <212> | RNA                                              |    |
| <213> | Artificial sequence                              |    |
| <220> |                                                  |    |
| <223> | RNAi agent sense strand underlying base sequence |    |

<400> 730  
gacuacugga gcaccguua 19

<210> 731  
<211> 19  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent sense strand underlying base sequence

<400> 731  
gacuacugga gcacuguua 19

<210> 732  
<211> 20  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent sense strand underlying base sequence

<400> 732  
cgacuacugg agcaccguua 20

<210> 733  
<211> 19  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent sense strand underlying base sequence

<400> 733  
gacuacugga gcaucguua 19

<210> 734  
<211> 19  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent sense strand underlying base sequence

<400> 734  
aggacagua uucucagua 19

<210> 735  
<211> 20

|       |                                                  |    |
|-------|--------------------------------------------------|----|
| <212> | RNA                                              |    |
| <213> | Artificial sequence                              |    |
| <220> |                                                  |    |
| <223> | RNAi agent sense strand underlying base sequence |    |
| <400> | 735                                              |    |
|       | caggacagu auucucagua                             | 20 |
| <210> | 736                                              |    |
| <211> | 20                                               |    |
| <212> | RNA                                              |    |
| <213> | Artificial sequence                              |    |
| <220> |                                                  |    |
| <223> | RNAi agent sense strand underlying base sequence |    |
| <400> | 736                                              |    |
|       | gacuacugga gcaccguuaa                            | 20 |
| <210> | 737                                              |    |
| <211> | 20                                               |    |
| <212> | RNA                                              |    |
| <213> | Artificial sequence                              |    |
| <220> |                                                  |    |
| <223> | RNAi agent sense strand underlying base sequence |    |
| <400> | 737                                              |    |
|       | gccuacugga gcaccguuaa                            | 20 |
| <210> | 738                                              |    |
| <211> | 20                                               |    |
| <212> | RNA                                              |    |
| <213> | Artificial sequence                              |    |
| <220> |                                                  |    |
| <223> | RNAi agent sense strand underlying base sequence |    |
| <400> | 738                                              |    |
|       | gccuacugga gcacuguuaa                            | 20 |
| <210> | 739                                              |    |
| <211> | 19                                               |    |
| <212> | RNA                                              |    |
| <213> | Artificial sequence                              |    |
| <220> |                                                  |    |
| <223> | RNAi agent sense strand underlying base sequence |    |

<400> 739  
gcugggugac cgauggcua 19

<210> 740  
<211> 19  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent sense strand underlying base sequence

<400> 740  
gcugggugac cgauggcuu 19

<210> 741  
<211> 19  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent sense strand underlying base sequence

<400> 741  
gcugggugac cgaugacua 19

<210> 742  
<211> 19  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent sense strand underlying base sequence

<400> 742  
ccguuaagga caaguucua 19

<210> 743  
<211> 21  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent sense strand underlying base sequence

<400> 743  
caccguuaag gacaaguucu a 21

<210> 744  
<211> 19

<212> RNA  
<213> Artificial sequence  
  
<220>  
<223> RNAi agent sense strand underlying base sequence  
  
<400> 744  
accguuaagg acaaguuca 19

<210> 745  
<211> 19  
<212> RNA  
<213> Artificial sequence  
  
<220>  
<223> RNAi agent sense strand underlying base sequence  
  
<400> 745  
accguuaagg acaaguucu 19

<210> 746  
<211> 21  
<212> RNA  
<213> Artificial sequence  
  
<220>  
<223> RNAi agent sense strand underlying base sequence  
  
<400> 746  
gcaccguuaa ggacaaguuc a 21

<210> 747  
<211> 19  
<212> RNA  
<213> Artificial sequence  
  
<220>  
<223> RNAi agent sense strand underlying base sequence  
  
<400> 747  
gguacuccuu guuguugca 19

<210> 748  
<211> 21  
<212> RNA  
<213> Artificial sequence  
  
<220>  
<223> RNAi agent sense strand underlying base sequence

<400> 748  
cggguacucc uuguuguc a 21

<210> 749  
<211> 19  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent sense strand underlying base sequence

<400> 749  
cggguacucc uuguuguua 19

<210> 750  
<211> 20  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent sense strand underlying base sequence

<400> 750  
gggacaguau ucucagugca 20

<210> 751  
<211> 20  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent sense strand underlying base sequence

<400> 751  
gggacaguau ucucagugcu 20

<210> 752  
<211> 21  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent sense strand underlying base sequence

<400> 752  
gcaccguuaa ggacaaguuu u 21

<210> 753  
<211> 22

<212> RNA  
 <213> Artificial sequence  
  
 <220>  
 <223> RNAi agent sense strand underlying base sequence  
  
 <400> 753  
 ggagcaccgu uaaggacaag ua 22

<210> 754  
 <211> 21  
 <212> RNA  
 <213> Artificial sequence  
  
 <220>  
 <223> RNAi agent sense strand underlying base sequence  
  
 <400> 754  
 gagcaccguu aaggacaagu u 21

<210> 755  
 <211> 22  
 <212> RNA  
 <213> Artificial sequence  
  
 <220>  
 <223> RNAi agent sense strand underlying base sequence  
  
 <400> 755  
 ggagcaccgu uaaggacaag uu 22

<210> 756  
 <211> 21  
 <212> RNA  
 <213> Artificial sequence  
  
 <220>  
 <223> RNAi agent sense strand underlying base sequence  
  
 <400> 756  
 aaaagggaca guauucucau u 21

<210> 757  
 <211> 20  
 <212> RNA  
 <213> Artificial sequence  
  
 <220>  
 <223> RNAi agent sense strand underlying base sequence

<400> 757  
caaaaaggac aguauucuca 20

<210> 758  
<211> 21  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent sense strand underlying base sequence

<400> 758  
ccaaaaggga caguauucuc u 21

<210> 759  
<211> 21  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent sense strand underlying base sequence

<400> 759  
gguacuccuu guuguugcau u 21

<210> 760  
<211> 20  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent sense strand underlying base sequence

<400> 760  
ggguacuccu uguuguugca 20

<210> 761  
<211> 19  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent sense strand underlying base sequence

<400> 761  
gguacuccuu guuguugcu 19

<210> 762  
<211> 21

|       |                                                  |    |
|-------|--------------------------------------------------|----|
| <212> | RNA                                              |    |
| <213> | Artificial sequence                              |    |
| <220> |                                                  |    |
| <223> | RNAi agent sense strand underlying base sequence |    |
| <400> | 762                                              |    |
|       | ugggugaccg auggcuucag a                          | 21 |
| <210> | 763                                              |    |
| <211> | 21                                               |    |
| <212> | RNA                                              |    |
| <213> | Artificial sequence                              |    |
| <220> |                                                  |    |
| <223> | RNAi agent sense strand underlying base sequence |    |
| <400> | 763                                              |    |
|       | ugggugaccg auggcuucag u                          | 21 |
| <210> | 764                                              |    |
| <211> | 21                                               |    |
| <212> | RNA                                              |    |
| <213> | Artificial sequence                              |    |
| <220> |                                                  |    |
| <223> | RNAi agent sense strand underlying base sequence |    |
| <400> | 764                                              |    |
|       | ugaccgaugg cuucaguucc a                          | 21 |
| <210> | 765                                              |    |
| <211> | 21                                               |    |
| <212> | RNA                                              |    |
| <213> | Artificial sequence                              |    |
| <220> |                                                  |    |
| <223> | RNAi agent sense strand underlying base sequence |    |
| <400> | 765                                              |    |
|       | ggaccgaugg cuucaguucc a                          | 21 |
| <210> | 766                                              |    |
| <211> | 21                                               |    |
| <212> | RNA                                              |    |
| <213> | Artificial sequence                              |    |
| <220> |                                                  |    |
| <223> | RNAi agent sense strand underlying base sequence |    |

<400> 766  
ggcuucaguu cccugaaaga a 21

<210> 767  
<211> 21  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent sense strand underlying base sequence

<400> 767  
gacuacugga gcaccguuaa a 21

<210> 768  
<211> 21  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent sense strand underlying base sequence

<400> 768  
cuacuggagc accguuaagg a 21

<210> 769  
<211> 21  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent sense strand underlying base sequence

<400> 769  
uacuggagca ccguuaagga a 21

<210> 770  
<211> 21  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent sense strand underlying base sequence

<400> 770  
gacuggagca ccguuaagga a 21

<210> 771  
<211> 21

|       |                                                  |    |
|-------|--------------------------------------------------|----|
| <212> | RNA                                              |    |
| <213> | Artificial sequence                              |    |
| <220> |                                                  |    |
| <223> | RNAi agent sense strand underlying base sequence |    |
| <400> | 771                                              |    |
|       | aguggcugcc ugagaccuca a                          | 21 |
| <210> | 772                                              |    |
| <211> | 21                                               |    |
| <212> | RNA                                              |    |
| <213> | Artificial sequence                              |    |
| <220> |                                                  |    |
| <223> | RNAi agent sense strand underlying base sequence |    |
| <400> | 772                                              |    |
|       | ggcugccuga gaccucaaua a                          | 21 |
| <210> | 773                                              |    |
| <211> | 21                                               |    |
| <212> | RNA                                              |    |
| <213> | Artificial sequence                              |    |
| <220> |                                                  |    |
| <223> | RNAi agent sense strand underlying base sequence |    |
| <400> | 773                                              |    |
|       | gcugccugag accucaauac a                          | 21 |
| <210> | 774                                              |    |
| <211> | 21                                               |    |
| <212> | RNA                                              |    |
| <213> | Artificial sequence                              |    |
| <220> |                                                  |    |
| <223> | RNAi agent sense strand underlying base sequence |    |
| <400> | 774                                              |    |
|       | aaggacagu auucucagug a                           | 21 |
| <210> | 775                                              |    |
| <211> | 21                                               |    |
| <212> | RNA                                              |    |
| <213> | Artificial sequence                              |    |
| <220> |                                                  |    |
| <223> | RNAi agent sense strand underlying base sequence |    |

<400> 775  
acgggacagu auucucagug a 21

<210> 776  
<211> 21  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent sense strand underlying base sequence

<400> 776  
cccuguaggu ugcuuaaaag a 21

<210> 777  
<211> 21  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent sense strand underlying base sequence

<400> 777  
ggaaaaggga caguauucuc a 21

<210> 778  
<211> 21  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent sense strand underlying base sequence

<220>  
<221> modified\_base  
<222> 7  
<223> n = inosine (hypoxanthine)

<400> 778  
ggcaaangga caguauucuc a 21

<210> 779  
<211> 21  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent sense strand underlying base sequence

<220>

<221> modified\_base  
<222> 10  
<223> n = inosine (hypoxanthine)  
  
<400> 779  
gcuuaaaagn gacaguauuc u 21

<210> 780  
<211> 21  
<212> RNA  
<213> Artificial sequence  
  
<220>  
<223> RNAi agent sense strand underlying base sequence

<220>  
<221> modified\_base  
<222> 16  
<223> n = inosine (hypoxanthine)  
  
<400> 780  
ugaccgaugg cuucanuucc a 21

<210> 781  
<211> 21  
<212> RNA  
<213> Artificial sequence  
  
<220>  
<223> RNAi agent sense strand underlying base sequence

<220>  
<221> modified\_base  
<222> 3  
<223> n = 2-aminoadenine  
  
<400> 781  
ggnaaaggga caguauucuc a 21

<210> 782  
<211> 21  
<212> RNA  
<213> Artificial sequence  
  
<220>  
<223> RNAi agent sense strand underlying base sequence

<220>  
<221> modified\_base  
<222> 1  
<223> n = 2-aminoadenine

<400> 782  
ngaaaaggga caguauucuc a 21

<210> 783  
<211> 21  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent sense strand underlying base sequence

<220>  
<221> modified\_base  
<222> 1, 2  
<223> n = 2-aminoadenine

<400> 783  
nnaaaaggga caguauucuc a 21

<210> 784  
<211> 21  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent sense strand underlying base sequence

<400> 784  
cccaauaaag cuggacaaga a 21

<210> 785  
<211> 21  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent sense strand underlying base sequence

<220>  
<221> modified\_base  
<222> 9  
<223> n = inosine (hypoxanthine)

<400> 785  
gcuuaaaang gacaguauuc u 21

<210> 786  
<211> 21  
<212> RNA

<213> Artificial sequence  
 <220>  
 <223> RNAi agent sense strand underlying base sequence  
 <400> 786  
 cuucaguucc cugaaagacu a 21

<210> 787  
 <211> 21  
 <212> RNA  
 <213> Artificial sequence  
 <220>  
 <223> RNAi agent sense strand underlying base sequence  
 <400> 787  
 guucaguucc cugaaagacu a 21

<210> 788  
 <211> 21  
 <212> RNA  
 <213> Artificial sequence  
 <220>  
 <223> RNAi agent sense strand underlying base sequence  
 <220>  
 <221> modified\_base  
 <222> 9  
 <223> n = inosine (hypoxanthine)  
 <400> 788  
 aggguacunc uuguuguugc a 21

<210> 789  
 <211> 21  
 <212> RNA  
 <213> Artificial sequence  
 <220>  
 <223> RNAi agent sense strand underlying base sequence  
 <400> 789  
 gggacaguau ucucagugau u 21

<210> 790  
 <211> 21  
 <212> RNA  
 <213> Artificial sequence

<220>  
<223> RNAi agent sense strand underlying base sequence

<220>  
<221> modified\_base  
<222> 1  
<223> n = 2-aminoadenine

<400> 790  
nagggacagu auucucagug a 21

<210> 791  
<211> 21  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent sense strand underlying base sequence

<220>  
<221> modified\_base  
<222> 18  
<223> n = inosine (hypoxanthine)

<400> 791  
gagggacagu auucucanug a 21

<210> 792  
<211> 21  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent sense strand underlying base sequence

<220>  
<221> modified\_base  
<222> 10  
<223> n = inosine (hypoxanthine)

<400> 792  
cuucaguucn cugaaagacu a 21

<210> 793  
<211> 21  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent sense strand underlying base sequence

<400> 793  
cggacaguau ucucagugau u 21

<210> 794  
<211> 21  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent sense strand underlying base sequence

<220>  
<221> modified\_base  
<222> 8  
<223> n = inosine (hypoxanthine)

<400> 794  
ggcaaagnga caguauucuc a 21

<210> 795  
<211> 21  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent sense strand underlying base sequence

<400> 795  
aggguacucc uuguuguugc a 21

<210> 796  
<211> 21  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent sense strand underlying base sequence

<400> 796  
cuucaguucu cugaaagacu a 21

<210> 797  
<211> 21  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent sense strand underlying base sequence

<400> 797  
cuucaguuuc cugaaagacu a 21

<210> 798  
<211> 21  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent sense strand underlying base sequence

<400> 798  
cgucaguucc cugaaagacu a 21

<210> 799  
<211> 21  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent sense strand underlying base sequence

<400> 799  
ccucaguucc cugaaagacu a 21

<210> 800  
<211> 21  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent sense strand underlying base sequence

<400> 800  
cgucaguucu cugaaagacu a 21

<210> 801  
<211> 21  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent sense strand underlying base sequence

<400> 801  
ggucaguucc cugaaagacu a 21

<210> 802  
<211> 21

<212> RNA  
<213> Artificial sequence  
  
<220>  
<223> RNAi agent sense strand underlying base sequence  
  
<400> 802  
gcucaguucc cugaaagacu a 21

<210> 803  
<211> 21  
<212> RNA  
<213> Artificial sequence  
  
<220>  
<223> RNAi agent sense strand underlying base sequence  
  
<400> 803  
gccuaaaagg gacaguauuc u 21

<210> 804  
<211> 21  
<212> RNA  
<213> Artificial sequence  
  
<220>  
<223> RNAi agent sense strand underlying base sequence  
  
<400> 804  
ccuuaaaagg gacaguauuc u 21

<210> 805  
<211> 21  
<212> RNA  
<213> Artificial sequence  
  
<220>  
<223> RNAi agent sense strand underlying base sequence  
  
<220>  
<221> modified\_base  
<222> 11  
<223> n = inosine (hypoxanthine)

<400> 805  
gcuuaaaagg nacaguauuc u 21

<210> 806  
<211> 21  
<212> RNA

<213> Artificial sequence

<220>

<223> RNAi agent sense strand underlying base sequence

<220>

<221> modified\_base

<222> 9

<223> n = inosine (hypoxanthine)

<400> 806

cuucaguunc cugaaagacu a

21

<210> 807

<211> 21

<212> RNA

<213> Artificial sequence

<220>

<223> RNAi agent sense strand underlying base sequence

<220>

<221> modified\_base

<222> 19

<223> n = inosine (hypoxanthine)

<400> 807

aggguacucc uuguuguunc a

21

<210> 808

<211> 21

<212> RNA

<213> Artificial sequence

<220>

<223> RNAi agent sense strand underlying base sequence

<220>

<221> modified\_base

<222> 19

<223> n = inosine (hypoxanthine)

<400> 808

cuucaguucc cugaaaganu a

21

<210> 809

<211> 21

<212> RNA

<213> Artificial sequence

<220>

<223> RNAi agent sense strand underlying base sequence

<220>

<221> modified\_base

<222> 20

<223> n = inosine (hypoxanthine)

<400> 809

gcuuaaaagg gacaguauun u

21

<210> 810

<211> 21

<212> RNA

<213> Artificial sequence

<220>

<223> RNAi agent sense strand underlying base sequence

<220>

<221> modified\_base

<222> 20

<223> n = inosine (hypoxanthine)

<400> 810

ggcaaaggga caguauucun a

21

<210> 811

<211> 21

<212> RNA

<213> Artificial sequence

<220>

<223> RNAi agent sense strand underlying base sequence

<220>

<221> modified\_base

<222> 19

<223> n = inosine (hypoxanthine)

<400> 811

gccaaauaaag cuggacaana a

21

<210> 812

<211> 21

<212> RNA

<213> Artificial sequence

<220>

<223> RNAi agent sense strand underlying base sequence

<220>

<221> modified\_base  
<222> 10  
<223> n = inosine (hypoxanthine)  
  
<400> 812  
aggguacucn uuguuguugc a 21

<210> 813  
<211> 21  
<212> RNA  
<213> Artificial sequence  
  
<220>  
<223> RNAi agent sense strand underlying base sequence

<220>  
<221> modified\_base  
<222> 11  
<223> n = inosine (hypoxanthine)  
  
<400> 813  
cuucaguucc nugaaagacu a 21

<210> 814  
<211> 21  
<212> RNA  
<213> Artificial sequence  
  
<220>  
<223> RNAi agent sense strand underlying base sequence

<220>  
<221> modified\_base  
<222> 11  
<223> n = inosine (hypoxanthine)  
  
<400> 814  
ggcaaaggga naguauucuc a 21

<210> 815  
<211> 21  
<212> RNA  
<213> Artificial sequence  
  
<220>  
<223> RNAi agent sense strand underlying base sequence

<220>  
<221> modified\_base  
<222> 9, 20  
<223> n = inosine (hypoxanthine)

<400> 815  
gagggacanu auucucagun a 21

<210> 816  
<211> 21  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent sense strand underlying base sequence

<220>  
<221> modified\_base  
<222> 11  
<223> n = inosine (hypoxanthine)

<400> 816  
gccaauaaag nuggacaaga a 21

<210> 817  
<211> 21  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent sense strand underlying base sequence

<220>  
<221> modified\_base  
<222> 10  
<223> n = inosine (hypoxanthine)

<400> 817  
gcuuaaaagn gacaguauuc u 21

<210> 818  
<211> 21  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent sense strand underlying base sequence

<220>  
<221> modified\_base  
<222> 11  
<223> n = inosine (hypoxanthine)

<400> 818  
gccuaaaagg nacaguauuc u 21

|       |                                                  |    |
|-------|--------------------------------------------------|----|
| <210> | 819                                              |    |
| <211> | 21                                               |    |
| <212> | RNA                                              |    |
| <213> | Artificial sequence                              |    |
| <220> |                                                  |    |
| <223> | RNAi agent sense strand underlying base sequence |    |
| <400> | 819                                              |    |
|       | accuaaaagg gacaguauuc u                          | 21 |
|       |                                                  |    |
| <210> | 820                                              |    |
| <211> | 21                                               |    |
| <212> | RNA                                              |    |
| <213> | Artificial sequence                              |    |
| <220> |                                                  |    |
| <223> | RNAi agent sense strand underlying base sequence |    |
| <400> | 820                                              |    |
|       | gcguaaaagg gacaguauuc u                          | 21 |
|       |                                                  |    |
| <210> | 821                                              |    |
| <211> | 21                                               |    |
| <212> | RNA                                              |    |
| <213> | Artificial sequence                              |    |
| <220> |                                                  |    |
| <223> | RNAi agent sense strand underlying base sequence |    |
| <400> | 821                                              |    |
|       | gucuaaaagg gacaguauuc u                          | 21 |
|       |                                                  |    |
| <210> | 822                                              |    |
| <211> | 21                                               |    |
| <212> | RNA                                              |    |
| <213> | Artificial sequence                              |    |
| <220> |                                                  |    |
| <223> | RNAi agent sense strand underlying base sequence |    |
| <220> |                                                  |    |
| <221> | modified_base                                    |    |
| <222> | 18                                               |    |
| <223> | n = inosine (hypoxanthine)                       |    |
| <400> | 822                                              |    |
|       | gggacaguau ucucagunau u                          | 21 |

<210> 823  
 <211> 21  
 <212> RNA  
 <213> Artificial sequence  
  
 <220>  
 <223> RNAi agent sense strand underlying base sequence  
  
 <220>  
 <221> modified\_base  
 <222> 13  
 <223> n = inosine (hypoxanthine)  
  
 <400> 823  
 gccaauaaaag cungacaaga a 21

<210> 824  
 <211> 21  
 <212> RNA  
 <213> Artificial sequence  
  
 <220>  
 <223> RNAi agent sense strand underlying base sequence  
  
 <220>  
 <221> modified\_base  
 <222> 9  
 <223> n = inosine (hypoxanthine)  
  
 <400> 824  
 gcuuaaaaang gacaguauuc u 21

<210> 825  
 <211> 21  
 <212> RNA  
 <213> Artificial sequence  
  
 <220>  
 <223> RNAi agent sense strand underlying base sequence  
  
 <400> 825  
 caggacagu auucucagug a 21

<210> 826  
 <211> 21  
 <212> RNA  
 <213> Artificial sequence  
  
 <220>  
 <223> RNAi agent sense strand underlying base sequence

<400> 826  
aggggacagu auucucagug a 21

<210> 827  
<211> 21  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent sense strand underlying base sequence

<220>  
<221> modified\_base  
<222> 20  
<223> n = inosine (hypoxanthine)

<400> 827  
aggggacagu auucucagun a 21

<210> 828  
<211> 21  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent sense strand underlying base sequence

<400> 828  
agaccgccaa ggaugcacuu u 21

<210> 829  
<211> 21  
<212> RNA  
<213> Artificial sequence

<220>  
<223> RNAi agent sense strand underlying base sequence

<220>  
<221> modified\_base  
<222> 20  
<223> n = inosine (hypoxanthine)

<400> 829  
agaccgccaa ggauncacuu u 21

<210> 830  
<211> 21  
<212> RNA

<213> Artificial sequence  
  
 <220>  
 <223> RNAi agent sense strand underlying base sequence  
  
 <400> 830  
 ucaguucccu gaaagacuac u 21

<210> 831  
 <211> 21  
 <212> RNA  
 <213> Artificial sequence  
  
 <220>  
 <223> RNAi agent sense strand underlying base sequence  
  
 <400> 831  
 ucaguucccu gaaagacuac a 21

<210> 832  
 <211> 21  
 <212> RNA  
 <213> Artificial sequence  
  
 <220>  
 <223> RNAi agent sense strand underlying base sequence  
  
 <220>  
 <221> modified\_base  
 <222> 15  
 <223> n = inosine (hypoxanthine)  
  
 <400> 832  
 acuacuggag caccnuuaag a 21

<210> 833  
 <211> 21  
 <212> RNA  
 <213> Artificial sequence  
  
 <220>  
 <223> RNAi agent sense strand underlying base sequence  
  
 <400> 833  
 ccuguagguu gcuuaaaagg a 21

<210> 834  
 <211> 21  
 <212> RNA  
 <213> Artificial sequence

<220>  
 <223> RNAi agent sense strand underlying base sequence  
  
 <400> 834  
 gcuguagguu gcuuaaaagg a 21

<210> 835  
 <211> 21  
 <212> RNA  
 <213> Artificial sequence  
  
 <220>  
 <223> RNAi agent sense strand underlying base sequence  
  
 <400> 835  
 ggucaguucu cugaaagacu a 21

<210> 836  
 <211> 21  
 <212> RNA  
 <213> Artificial sequence  
  
 <220>  
 <223> RNAi agent sense strand underlying base sequence  
  
 <220>  
 <221> modified\_base  
 <222> 14  
 <223> n = inosine (hypoxanthine)  
  
 <400> 836  
 gccaauaaag cugnacaaga a 21

<210> 837  
 <211> 21  
 <212> RNA  
 <213> Artificial sequence  
  
 <220>  
 <223> RNAi agent sense strand underlying base sequence  
  
 <220>  
 <221> modified\_base  
 <222> 20  
 <223> n = inosine (hypoxanthine)  
  
 <400> 837  
 cagggacagu auucucagun a 21