

Partial responders with MDD who want to switch and answered yes to the screening question
• MADRS ≥22 and ≤28
• QIDQ ≥50
Previous SSRI / SNRI treatment
VOR 10 mg/ day
Vortioxetine
Can remain 10 mg/day
or
increase to 20 mg/day
Open-label period
Safety follow-up
Baseline
Week -6
0
1
4
8
12
4 clinic visits
Safety clinic visit
(may be telephone contact)

FIGURE 1



Change from Baseline in ODQ Total Score (FAS, MMRM)
Baseline: VOR=39.4
LS Mean(SE)
0
-10
-20
-30
0
1
4
8
Week
VOR

FIGURE 2



HISTOGRAMS ODQ total score at baseline
Percent
0
5
10
15
20
25
40
60
80
100
120
140
Analysis Value
Normal

FIGURE 3



HISTOGRAMS MEI total score at baseline
Percent
25
20
15
10
5
0
0
25
50
75
100
Analysis Value
Normal

FIGURE 4



(a) Total score
Change from baseline
0
-10
-20
-30
-40
-9.6
-21.2
-29.8
***
1
4
8
Week
(b) Not Caring
Change from baseline
0
-2
-4
-6
-8
-10
-1.4
-3.9
-6.0
***
1
4
8
Week
(c) Emotional Detachment
Change from baseline
0
-2
-4
-6
-8
-10
-1.0
-3.1
-4.7
***
1
4
8
Week
(d) Positive Reduction
Change from baseline
0
-2
-4
-6
-8
-10
-2.6
-5.6
-7.8
***
1
4
8
Week
(e) General Reduction
Change from baseline
0
-2
-4
-6
-8
-10
-2.3
-4.5
-6.6
***
1
4
8
Week
(f) Antidepressant as cause
Change from baseline
0
-2
-4
-6
-8
-10
-2.5
-4.3
-5.1
***
1
4
8
Week

FIGURE 5



(a) Total score
Change from baseline
40
30
20
10
0
***
***
23.5
34.3
4
8
Week
(b) Mental or Cognitive Energy
Change from baseline
20
15
10
5
0
***
***
11.0
15.0
4
8
Week
(c) Social Motivation
Change from baseline
20
15
10
5
0
***
***
5.8
9.6
4
8
Week
(d) Physical Energy
Change from baseline
20
15
10
5
0
***
***
7.2
10.3
4
8
Week

FIGURE 6




FIGURE 7