

## DESCRIPTION

Title of Invention: MODIFIED Cas9 PROTEIN, AND USE THEREOF  
[Technical Field]  
[0001]

5       The present invention relates to a modified Cas9 protein that is miniaturized while maintaining a binding ability to guide RNA, and use thereof.

[Background Art]  
[0002]

10       Clustered Regularly Interspaced Short Palindromic Repeats (CRISPR) are known to compose the adaptive immune system that provides acquired resistance against invasive foreign nucleic acids in bacteria and archaea together with Cas (CRISPR-associated) genes. CRISPR frequently originate from phage or  
15       plasmid DNA and are composed of 24 bp to 48 bp short, conserved repeat sequences having unique variable DNA sequences referred to as spacers of similar size inserted there between. In addition, a group of genes encoding the Cas protein family is present in the vicinity of the repeat and spacer sequences.

20       [0003]

      In the CRISPR/Cas system, foreign DNA is cleaved into fragments of about 30 bp by the Cas protein family and inserted into CRISPR. Cas1 and Cas2 proteins, which are among the Cas protein family, recognize a base sequence referred to as proto-  
25       spacer adjacent motif (PAM) of foreign DNA, cut the upstream, and insert same into the CRISPR sequence of the host, which creates immune memory of bacteria. RNA generated by transcription of a CRISPR sequence including immune memory (referred to as pre-crRNA) is paired with a partially  
30       complementary RNA (trans-activating crRNA: tracrRNA) and incorporated into Cas9 protein which is one of the Cas protein family. The pre-crRNA and tracrRNA incorporated into Cas9 are cleaved by RNaseIII to form small RNA fragments (CRISPR-RNAs: crRNAs) containing a foreign sequence (guide sequence), and a  
35       Cas9-crRNA-tracrRNA complex is thus formed. The Cas9-crRNA-

tracrRNA complex binds to a foreign invasive DNA complementary to crRNA, and the Cas9 protein, which is an enzyme that cleaves the DNA (nuclease), cleaves the foreign invasive DNA, thereby suppressing and eliminating the function of the DNA that  
5 invaded from the outside.

[0004]

In recent years, techniques for applying the CRISPR/Cas system to genome editing have been actively developed. crRNA and tracrRNA are fused, expressed as a tracrRNA-crRNA chimera  
10 (hereinafter to be referred to as guide RNA: gRNA), and utilized. Using this, nuclease (RNA-guided nuclease: RGN) is then recruited to cleave genomic DNA at the target site.

[0005]

On the other hand, a system that can regulate the  
15 expression level of the target gene can be obtained by fusing a transcriptional regulator such as transcriptional activator (e.g., VP64, VP160 and the like), a transcriptional inhibitor (e.g., KRAB and the like), and the like with a variant (nuclease-null, dCas9) wherein the nuclease of the Cas9 protein  
20 in CRISPR/Cas9, which is one of the genome editing systems, is inactivated. For example, to further increase the efficiency of gene activation, it is fused with an activation factor (VP64-Rta) in which two transcriptional activators are linked or an activation factor (VP64-p65-Rta, VPR) in which three  
25 transcriptional activators are linked, and the fused dCas9 protein (dCas9-VPR; dCas9 fusion protein) strongly activates expression of the target gene without cleaving DNA.

[0006]

Various variants of Cas9 protein have been created and  
30 reported for the purpose of alleviating PAM specificity, modifying (activating/inactivating) nuclease activity, and miniaturizing size (patent documents 1 - 3).

[Document List]

[Patent documents]

35 [0007]

patent document 1: WO 2016/141224A1

patent document 2: WO 2017/010543A1

patent document 3: WO 2018/074979A1

[Summary of Invention]

5 [Technical Problem]

[0008]

Expression of dCas9 fusion protein in vivo requires an expression vector. In gene therapy, adeno-associated virus vector (AAV) is mainly used since it is highly safe and highly  
10 efficient. The mountable size of AAV is about 4.4 kb, while the dCas9 protein already occupies about 4 kb, and the constituent of fusion protein is extremely limited for mounting on AAV.

Therefore, the present inventors aim to provide a further  
15 miniaturized dCas9 protein variant having DNA binding affinity substantially equivalent to that of a full-length protein.

[Solution to Problem]

[0009]

The present inventors took note of a nuclease-null  
20 variant (dSaCas9) of Cas9 derived from *S. aureus* (to be also referred to as SaCas9 in the present description) as a Cas9 protein, and have conducted intensive studies in an attempt to solve the above-mentioned problems. As a result, they have found a specific region that has little influence on the  
25 ability to bind to guide RNA even if deleted, and succeeded in producing a miniaturized dSaCas9 protein while maintaining or enhancing the DNA binding affinity by substituting the amino acid at a predetermined position with a specific amino acid, which resulted in the completion of the present invention.

30 Deletion and substitution are also collectively referred to as mutation.

In the present description, dSaCas9 protein before introduction of mutation is sometimes to be referred to as wild-type dSaCas9 (protein), and dSaCas9 protein after  
35 introduction of mutation is sometimes to be referred to as

modified dSaCas9 variant (protein).

That is, the present invention provides the following.

[1] A protein having a binding ability to guide RNA and consisting of a sequence comprising an amino acid sequence

5 wherein a continuous deletion region is present between the 721-position and the 755-position in the amino acid sequence shown in SEQ ID NO: 2,

wherein amino acids adjacent to each of the deletion region are linked by a linker consisting of 3 to 10 amino acid residues.

10 [2] The protein of the above-mentioned [1], wherein the linker is a 5 - 9 amino acid length linker composed of glycine (G) and serine (S).

[3] The protein of the above-mentioned [2], wherein the linker is selected from the following:

15 -SGGGS-

-GGSGGS-

-SGSGSGSG-

-SGSGSGSGS-.

[4] The protein of any of the above-mentioned [1] to [3],  
20 wherein the deletion region is a region of the 721-position to the 745-position.

[5] The protein of the above-mentioned [4], wherein the protein is shown in SEQ ID NO: 4.

[6] The protein of any of the above-mentioned [1] to [3],  
25 wherein the deletion region is a region of the 721-position to the 755-position.

[7] The protein of the above-mentioned [6], wherein the protein is shown in SEQ ID NO: 6.

[8] The protein of any of the above-mentioned [1] to [7],  
30 wherein glutamic acid (E) at the 45-position and/or the 163-position are/is substituted with other amino acid(s).

[9] The protein of the above-mentioned [8], wherein said other amino acid is a basic amino acid.

[10] The protein of the above-mentioned [9], wherein the basic  
35 amino acid is lysine (K).

[11] The protein of any of the above-mentioned [1] to [10], having identity of 80% or more at a site other than the mutated and/or deleted positions in the SEQ ID NO: 2.

[12] The protein of any of the above-mentioned [1] to [10],  
5 wherein one to several amino acids are substituted, deleted, inserted and/or added at a site other than the mutated and/or deleted positions in the SEQ ID NO: 2.

[13] The protein of any of the above-mentioned [1] to [12], wherein a transcriptional regulator protein or domain is linked.

10 [14] The protein of the above-mentioned [13], wherein the transcriptional regulator is a transcriptional activator.

[15] The protein of the above-mentioned [13], wherein the transcriptional regulator is a transcriptional silencer or a transcriptional inhibitor.

15 [16] A nucleic acid encoding the protein of any of the above-mentioned [1] to [15].

[17] A protein-RNA complex provided with the protein of any of the above-mentioned [1] to [16] and a guide RNA comprising a polynucleotide composed of a base sequence complementary to a  
20 base sequence located 1 to 20 to 24 bases upstream from a proto-spacer adjacent motif (PAM) sequence in a target double-stranded polynucleotide.

[18] A method for site-specifically modifying a target double-stranded polynucleotide, including

25 a step of mixing and incubating a target double-stranded polynucleotide, a protein and a guide RNA, and

a step of having the aforementioned protein modify the aforementioned target double-stranded polynucleotide at a binding site located upstream of a PAM sequence; wherein,

30 the aforementioned protein is the protein of any of the above-mentioned [1] to [15], and

the aforementioned guide RNA contains a polynucleotide composed of a base sequence complementary to a base sequence located 1 to 20 to 24 bases upstream from the aforementioned  
35 PAM sequence in the aforementioned target double-stranded

polynucleotide.

[19] A method for increasing expression of a target gene in a cell, comprising expressing the protein of the above-mentioned [14] and one or plural guide RNAs for the aforementioned target  
5 gene in the aforementioned cell.

[20] A method for decreasing expression of a target gene in a cell, comprising expressing the protein of the above-mentioned [15] and one or plural guide RNAs for the aforementioned target gene in the aforementioned cell.

10 [21] The method of the above-mentioned [19] or [20], wherein the cell is a eukaryotic cell.

[22] The method of the above-mentioned [19] or [20], wherein the cell is a yeast cell, a plant cell or an animal cell.

[Advantageous Effects of Invention]

15 [0010]

According to the present invention, a dSaCas9 protein further miniaturized while having a binding ability to guide RNA can be obtained. The miniaturized dSaCas9 protein makes it possible to mount a larger number of genes into expression  
20 vectors limited in capacity.

[Brief Description of Drawings]

[0011]

Fig. 1 is a schematic showing of the structure of wild-type dSaCas9(FL) and dSaCas9 variants (T10 - T11). Both ends  
25 of the deletion region (721 - 745 positions) in T10 and both ends of the deletion region (721 - 755 positions) in T11 are linked by a linker peptide (SGGGS).

Fig. 2 is a graph showing the results of suppression of the expression of the MyD88 gene by guide RNA using A2 (SEQ ID  
30 NO: 12) as crRNA and a molecule in which wild-type dSaCas9 (FL) or dSaCas9 variant (T10, T11) is linked to the KRAB gene.

Fig. 3 is a graph showing the results of suppression of the expression of the MyD88 gene by guide RNA using A2 (SEQ ID  
NO: 12) or A3 (SEQ ID NO: 13) as crRNA and a molecule in which  
35 wild-type dSaCas9 (FL) or dSaCas9 variant (T10) is linked to

the KRAB gene.

[Description of Embodiments]

[0012]

The present invention is described below. Unless  
5 particularly indicated, the terms used in the present  
description have meanings generally used in the pertinent field.

[0013]

<dSaCas9 variant>

The dSaCas9 variant of the present invention is a dSaCas9  
10 protein further miniaturized while having a binding ability to  
guide RNA. Using the miniaturized dSaCas9 protein, a larger  
number of genes can be mounted into a vector.

[0014]

In the present description, "guide RNA" refers to that  
15 which mimics the hairpin structure of tracrRNA-crRNA, and  
contains in the 5'-terminal region thereof a polynucleotide  
composed of a base sequence complementary to a base sequence  
located from 1 to preferably 20 to 24 bases, and more  
preferably from 1 to preferably 22 to 24 bases, upstream from  
20 the PAM sequence in a target double-stranded polynucleotide.  
Moreover, guide RNA may contain one or more polynucleotides  
composed of a base sequence allowing the obtaining of a hairpin  
structure composed of base sequences non-complementary to a  
target double-stranded polynucleotide symmetrically arranged so  
25 as to form a complementary sequence having a single point as  
the axis thereof.

The guide RNA has a function of binding to the dSaCas9  
variant of the present invention and leading the protein to a  
target DNA. The guide RNA has a sequence at the 5'-terminal  
30 which is complementary to the target DNA, and binds to the  
target DNA via the complementary sequence, thereby leading the  
dSaCas9 variant of the present invention to the target DNA.  
Since the dSaCas9 variant does not have a DNA endonuclease, it  
does not cleave target DNA though it binds to the target DNA.

35 The guide RNA is designed and prepared based on the

sequence information of the target DNA. Specific examples include sequences such as those used in the Examples.

[0015]

In the present description, the terms "polypeptide",  
5 "peptide" and "protein" refer to polymers of amino acid  
residues and are used interchangeably. In addition, these  
terms also refer to amino acid polymers in which one or a  
plurality of amino acid residues are in the form of a chemical  
analog or modified derivative of the corresponding amino acids  
10 present in nature.

[0016]

In the present description, the "basic amino acid" refers  
to an amino acid having a residue showing basicity in addition  
to one amino group in a molecule such as lysine, arginine,  
15 histidine and the like.

[0017]

In the present description, a "sequence" refers to a  
nucleotide sequence of an arbitrary length, is a  
deoxyribonucleotide or ribonucleotide, and may be linear or  
20 branched and single-stranded or double-stranded.

In the present description, a "PAM sequence" refers to a  
sequence present in a target double-stranded polynucleotide  
that can be recognized by Cas9 protein, and the length and base  
sequence of the PAM sequence differs according to the bacterial  
25 species.

[0018]

Furthermore, in the present description, "N" refers to  
any one base selected from the group consisting of adenine,  
cytosine, thymine and guanine, "A" refers to adenine, "G" to  
30 guanine, "C" to cytosine, "T" to thymine, "R" to a base having  
a purine skeleton (adenine or guanine), and "Y" to a base  
having a pyrimidine skeleton (cytosine or thymine).

[0019]

In the present description, a "polynucleotide" refers to  
35 a deoxyribonucleotide or ribonucleotide polymer having linear

or cyclic coordination and may be single-stranded or double-stranded, and should not be interpreted as being restricted with respect to polymer length. In addition, polynucleotides include known analogs of naturally-occurring nucleotides as well as nucleotides in which at least one of the base moieties, sugar moieties and phosphate moieties thereof has been modified (such as a phosphorothioate backbone). In general, an analog of a specific nucleotide has the same base-pairing specificity, and for example, A analogs form base pairs with T.

10 [0020]

The present invention provides a protein having a binding ability to guide RNA and consisting of a sequence comprising an amino acid sequence wherein a continuous deletion region is present between the 721-position and the 755-position in the amino acid sequence shown in SEQ ID NO: 2, wherein amino acids adjacent to each of the deletion region are linked by a linker consisting of 3 to 10 amino acid residues (embodiment 1).

[0021]

20 SEQ ID NO: 2 is a full-length amino acid sequence of dSaCas9 protein. The dSaCas9 protein consists of two lobes of REC lobe (41 - 425 residues) and NUC lobe (1 - 40 residues and 435 - 1053 residues). The two lobes are linked via bridge helix (BH: 41 - 73 residues) rich in arginine and linker loop (426 - 434 residues). The NUC lobe is constituted of RuvC domain (1 - 40, 435 - 480 and 650 - 774 residues), HNH domain (520 - 628 residues), WED domain (788 - 909 residues) and PI domain (910 - 1053 residues). The PI domain is divided into topoisomerase homology (TOPO) domain and C-terminal domain (CTD). The RuvC domain is constituted of 3 separate motifs (RuvC-I - III) and is associated with the HNH domain and PI domain. The HNH domain is linked to RuvC-II and RuvC-III via L1 (481 - 519 residues) linker and L2 (629 - 649 residues) linker, respectively. The WED domain and RucV domain are 30 linked by "phosphate lock" loop (775 - 787 residues).

[0022]

In one embodiment of the present invention, the continuous deletion region present between the 721-position and the 755-position in the amino acid sequence shown in SEQ ID NO: 2 is a region of the 721- to 745-positions (embodiment 1-1).

Examples of the protein of embodiment 1-1 and the gene encoding the same respectively include a protein consisting of the amino acid sequence shown in SEQ ID NO: 4 and a gene consisting of the base sequence shown in SEQ ID NO: 3. The protein corresponds to the dSaCas9 variant T10 described below.

[0023]

In one embodiment of the present invention, the continuous deletion region present between the 721-position and the 755-position in the amino acid sequence shown in SEQ ID NO: 2 is a region of the 721- to 755-positions (embodiment 1-2).

Examples of the protein of embodiment 1-2 and the gene encoding the same respectively include a protein consisting of the amino acid sequence shown in SEQ ID NO: 6 and a gene consisting of the base sequence shown in SEQ ID NO: 5. The protein corresponds to the dSaCas9 variant T11 described below.

[0024]

In another embodiment of the present invention, the present invention provides a protein (embodiment 2) having binding ability to guide RNA and further having mutations at the 45-position and/or the 163-position in addition to the mutations in the aforementioned embodiments 1, 1-1 and 1-2.

The mutation(s) at the 45-position and/or the 163-position are/is specifically substitution of glutamic acid with basic amino acid, preferably with lysine, arginine or histidine, more preferably with lysine.

[0025]

As a method for optionally creating "a continuous deletion region between the 721-position and the 755-position" in the amino acid sequence shown in SEQ ID NO: 2, and a method for "substituting glutamic acid at the 45-position and/or the

163-position with other amino acid" in the amino acid sequence shown in SEQ ID NO: 2, a method including introducing a conventional site-specific mutation into a DNA encoding a predetermined amino acid sequence, and then expressing the DNA  
5 by a conventional method can be mentioned. Examples of the method for introducing a site-specific mutation include a method using amber mutation (gapped-duplex method, Nucleic Acids Res., 12, 9441-9456 (1984)), a method by PCR using a primer for mutagenesis, and the like. In addition, it can be  
10 easily performed according to the manual and using the Q5 Site-Directed Mutagenesis Kit (NEB).

[0026]

In another embodiment of the present invention, the present invention provides a protein (embodiment 3) that is  
15 functionally equivalent to the proteins of the aforementioned embodiments 1, 1-1, 1-2 and 2. To be functionally equivalent to the proteins of the aforementioned embodiments 1, 1-1, 1-2 and 2, the amino acid sequence has identity of 80% or more at a site other than the positions where the mutations have been  
20 applied in the SEQ ID NO: 2 in the aforementioned embodiments 1, 1-1, 1-2 and 2 and has a binding ability to guide RNA. When amino acids are increased or decreased due to mutation, the "site other than the position(s) where the mutation(s) has(have) been applied" can be interpreted to mean a "site  
25 other than the position(s) corresponding to the position(s) where the mutation(s) has(have) been applied". This identity is preferably 80% or more, more preferably 85% or more, even more preferably 90% or more, particularly preferably 95% or more, and most preferably 99% or more. The amino acid sequence  
30 identity can be determined by a method known per se. For example, amino acid sequence identity (%) can be determined using a program conventionally used in the pertinent field (e.g., BLAST, FASTA, etc.) by default. In another aspect, identity (%) is determined by any algorithm known in the  
35 pertinent field, such as algorithms of Needleman et al. (1970)

(J. Mol. Biol. 48: 444-453), Myers and Miller (CABIOS, 1988, 4: 11-17) and the like. The algorithm of Needleman et al. is incorporated into the GAP program in the GCG software package (available at [www.gcg.com](http://www.gcg.com)) and the identity (%) can be  
5 determined using, for example, any of BLOSUM 62 matrix and PAM250 matrix, as well as gap weight: 16, 14, 12, 10, 8, 6 or 4, and length weight: 1, 2, 3, 4, 5 or 6. The algorithm of Myers and Miller is incorporated into the ALIGN program that is a part of the GCG sequence alignment software package. When the  
10 ALIGN program is used to compare amino acid sequences, for example, PAM120 weight residue table, gap length penalty 12, and gap penalty 4 can be used.  
[0027]

As a protein functionally equivalent to the proteins of  
15 the aforementioned embodiments 1, 1-1, 1-2 and 2, a protein (embodiment 3-1) which comprises one to several amino acids substituted, deleted, inserted and/or added at site(s) other than the positions where the mutations have been applied in the SEQ ID NO: 2 in the aforementioned embodiment 1, 1-1, 1-2 and 2  
20 and having the binding ability to guide RNA is provided. When amino acids are increased or decreased due to mutation, the "site other than the position(s) where the mutation(s) has(have) been applied" can be interpreted to mean a "site other than the position(s) corresponding to the position(s)  
25 where the mutation(s) has(have) been applied".

As a technique for artificially performing "substitution, deletion, insertion and/or addition of amino acid", for example, a method including applying conventional site specific mutation introduction to DNA encoding a predetermined amino acid  
30 sequence, and thereafter expressing the DNA by a conventional method can be mentioned. Examples of the site specific mutation introduction method include a method using amber mutation (gapped duplex method, Nucleic Acids Res., 12, 9441-9456 (1984)), a PCR method using a mutation introduction primer  
35 and the like. In addition, it can be easily performed

according to the manual and using the Q5 Site-Directed Mutagenesis Kit (NEB).

The number of the amino acids modified above is at least one residue, specifically one or several, or more than that.

5 Among the aforementioned substitution, deletion, insertion and addition, substitution of amino acid is particularly preferred. The substitution is more preferably substitution with an amino acid having similar properties such as hydrophobicity, charge, pK, and characteristic of steric structure and the like.

10 Examples of the substitution include substitution within the groups of i) glycine, alanine; ii) valine, isoleucine, leucine; iii) aspartic acid, glutamic acid, asparagine, glutamine; iv) serine, threonine; v) lysine, arginine; vi) phenylalanine, tyrosine.

15 [0028]

In the dSaCas9 variant of the present invention, the dSaCas9 variant protein is in a state of being cleaved by the deletion mutation, and the both ends of the deletion region are linked by a linker. That is, in the dSaCas9 variant of the  
20 present invention, amino acids each adjacent to the deletion region are linked by a linker consisting of 3 to 10 amino acid residues. Due to the linkage, the dSaCas9 variant of the present invention has a continuous amino acid sequence.

[0029]

25 The linker is not particularly limited as long as it can link both ends of a cleaved protein and does not influence the function thereof. Preferably, it is a group capable of adopting an intrinsically disordered structure that binds to other protein while freely changing its own shape according to  
30 the protein, and more preferably a peptide residue having a length of 5 - 9 amino acids which is constituted of glycine (G) and serine (S). Specifically, the following residues can be mentioned.

-SGGGS- (SEQ ID NO: 7)

35 -GGSGGS- (SEQ ID NO: 8)

-SGSGSGSG- (SEQ ID NO: 9)

-SGSGSGSGS- (SEQ ID NO: 10)

In the dSaCas9 variants T10 and T11, -SGGGS- is used as the linker.

5 [0030]

The introduction of linker in each variant can also be performed by a method including performing conventional site-specific mutagenesis on the DNA encoding a predetermined amino acid sequence to insert a base sequence encoding the linker,  
10 and thereafter expressing the DNA by a conventional method. Examples of the method for site-specific mutagenesis include methods same as those described above.

[0031]

The dSaCas9 variant in the present embodiment can be  
15 produced according to, for example, the method indicated below. First, a host is transformed using a vector containing a nucleic acid that encodes the dSaCas9 variant of the present invention. The n, the host is cultured to express the aforementioned protein. Conditions such as medium composition,  
20 culture temperature, duration of culturing or addition of inducing agents can be determined by a person with ordinary skill in the art in accordance with known methods so that the transformant grows and the aforementioned protein is efficiently produced. In addition, in the case of having  
25 incorporated a selection marker in the form of an antibiotic resistance gene in an expression vector, the transformant can be selected by adding antibiotic to the medium. The n, dSaCas9 variant of the present invention is obtained by purifying the aforementioned protein expressed by the host according to a  
30 method known per se.

There are no particular limitations on the host, and examples thereof include animal cells, plant cells, insect cells and microorganisms such as Escherichia coli, Bacillus subtilis or yeast. Preferred host is an animal cell.

35 [0032]

#### <dSaCas9 variant-guide RNA complex>

In one embodiment thereof, the present invention provides a protein-RNA complex provided with the protein indicated in the previous section on <dSaCas9 variant> and guide RNA  
5 containing a polynucleotide composed of a base sequence complementary to a base sequence located 1 to 20 to 24 bases upstream from a proto-spacer adjacent motif (PAM) sequence in a target double-stranded polynucleotide.

[0033]

10 The aforementioned protein and the aforementioned guide RNA are able to form a protein-RNA complex by mixing in vitro and in vivo under mild conditions. Mild conditions refer to a temperature and pH of a degree that does not cause proteolysis or denaturation, and the temperature is preferably 4°C to 40°C,  
15 while the pH is preferably 4 to 10.

[0034]

In addition, the duration of mixing and incubating the aforementioned protein and the aforementioned guide RNA is preferably 0.5 hr to 1 hr. The complex formed by the  
20 aforementioned protein and the aforementioned guide RNA is stable and is able to maintain stability even if allowed to stand for several hours at room temperature.

[0035]

#### <CRISPR-Cas Vector System>

25 In one embodiment thereof, the present invention provides a CRISPR-Cas vector system provided with a first vector containing a gene encoding a protein indicated in the previous section on <dSaCas9 variant>, and a second vector containing a guide RNA containing a polynucleotide composed of a base  
30 sequence complementary to a base sequence located 1 to 20 to 24 bases upstream from PAM sequence in a target double-stranded polynucleotide.

In another embodiment, the present invention provides a CRISPR-Cas vector system in which a gene encoding a protein  
35 indicated in the previous section on <dSaCas9 variant>, and a

guide RNA containing a polynucleotide composed of a base sequence complementary to a base sequence located 1 to 20 to 24 bases upstream from PAM sequence in a target double-stranded polynucleotide are contained in the same vector.

5 [0036]

The guide RNA is suitably designed to contain in the 5'-terminal region thereof a polynucleotide composed of a base sequence complementary to a base sequence located from 1 to 20 to 24 bases, and preferably to 22 to 24 bases, upstream from a  
10 PAM sequence in a target double-stranded polynucleotide.

Moreover, the guide RNA may also contain one or more polynucleotides composed of a base sequence allowing the obtaining of a hairpin structure composed of base sequences non-complementary to a target double-stranded polynucleotide  
15 symmetrically arranged so as to form a complementary sequence having a single point as the axis thereof.

[0037]

The vector of the present embodiment is preferably an expression vector. Examples of the expression vector that can  
20 be used include E. coli-derived plasmids such as pBR322, pBR325, pUC12 or pUC13; B. subtilis-derived plasmids such as pUB110, pTP5 or pC194; yeast-derived plasmids such as pSH19 or pSH15; bacteriophages such as  $\lambda$ phages; viruses such as adenovirus, adeno-associated virus, lentivirus, vaccinia virus, baculovirus  
25 or cytomegalovirus; and modified vectors thereof. In view of the activation of gene expression in vivo, a virus vector, particularly an adeno-associated virus, is preferable.

[0038]

In the aforementioned expression vector, there are no  
30 particular limitations on the promoters for expression of the aforementioned dSaCas9 variant protein or the aforementioned guide RNA, and examples thereof that can be used include promoters for expression in animal cells such as EF1 $\alpha$  promoter, SR $\alpha$  promoter, SV40 promoter, LTR promoter, cytomegalovirus  
35 (CMV) promoter or HSV-tk promoter, promoters for expression in

plant cells such as the 35S promoter of cauliflower mosaic virus (CaMV) or rubber elongation factor (REF) promoter, and promoters for expression in insect cells such as polyhedrin promoter or p10 promoter. The se promoters can be suitably  
5 selected according to the aforementioned dSaCas9 variant protein and the aforementioned guide RNA, or the type of cells expressing the aforementioned Cas9 protein and the aforementioned guide RNA.

[0039]

10 The aforementioned expression vector may also further have a multi-cloning site, enhancer, splicing signal, polyadenylation signal, selection marker (drug resistant) and promoter thereof, or replication origin and the like.

[0040]

15 <Method for Site-Specifically Modifying Target Double-Stranded Polynucleotide>

[First Embodiment]

In one embodiment thereof, the present invention provides a method for site-specifically modifying a target double-  
20 stranded polynucleotide, provided with:

a step for mixing and incubating a target double-stranded polynucleotide, a protein and a guide RNA, and

a step for having the aforementioned protein modify the aforementioned target double-stranded polynucleotide at a  
25 binding site located upstream of a PAM sequence; wherein, the aforementioned target double-stranded polynucleotide has a PAM sequence,

the aforementioned protein is a protein shown in the aforementioned <dSaCas9 variant>, and

30 the aforementioned guide RNA contains a polynucleotide composed of a base sequence complementary to a base sequence located 1 to 20 to 24 bases upstream from the aforementioned PAM sequence in the aforementioned target double-stranded polynucleotide.

35 [0041]

In the present embodiment, the target double-stranded polynucleotide is not particular limited as long as it has a PAM sequence.

[0042]

5 In the present embodiment, the protein and guide RNA are as described in the aforementioned <dSaCas9 variant>.

[0043]

The following provides a detailed explanation of the method for site-specifically modifying a target double-stranded  
10 polynucleotide.

First, the aforementioned protein and the aforementioned guide RNA are mixed and incubated under mild conditions. Mild conditions are as previously described. The incubation time is preferably 0.5 hr to 1 hr. A complex formed by the  
15 aforementioned protein and the aforementioned guide RNA is stable and is able to maintain stability even if allowed to stand for several hours at room temperature.

Next, the aforementioned protein and the aforementioned guide RNA form a complex on the aforementioned target double-stranded polynucleotide. The aforementioned protein recognizes  
20 PAM sequences, and binds to the aforementioned target double-stranded polynucleotide at a binding site located upstream of the PAM sequence. Successively, a target double-stranded polynucleotide modified to meet the purpose can be obtained in  
25 a region determined by the complementary binding of the aforementioned guide RNA and the aforementioned double-stranded polynucleotide.

[0044]

In the present description, the "modification" means that  
30 the target double-stranded polynucleotide changes structurally or functionally. For example, structural or functional change of the target double-stranded polynucleotide by the addition of a functional protein or a base sequence can be mentioned. By the modification, the function of the target double-stranded  
35 polynucleotide can be altered, deleted, enhanced, or suppressed,

and a new function can be added.

Since the dSaCas9 variant of the present invention does not have endonuclease activity, the protein can bind to the aforementioned target double-stranded polynucleotide at the binding site located upstream of the PAM sequence bond, but stays there and cannot cleave the polynucleotide. Therefore, for example, when a labeled protein such as fluorescent protein (e.g., GFP) and the like is fused to the protein, the labeled protein can be bound to the target double-stranded polynucleotide via dSaCas9 variant protein-guide RNA. By appropriately selecting a substance to be bound to the dSaCas9 variant, various functions can be imparted to the target double-stranded polynucleotide.

Furthermore, transcriptional regulator protein or domain can be linked to the N-terminal or C-terminal of the dSaCas9 variant protein. Examples of the transcriptional regulator or domain thereof include transcriptional activator or domain thereof (e.g., VP64, VP160, NF- $\kappa$ B p65), transcriptional silencer or domain thereof (e.g., hetero chromatin protein 1(HP1)), and transcriptional inhibitor or domain thereof (e.g., Kruppel-associated box (KRAB), ERF repressor domain (ERD), mSin3A interaction domain (SID)).

It is also possible to link an enzyme that modifies the methylation state of DNA (e.g., DNA methyltransferase (DNMT), TET)), or an enzyme that modifies a histone subunit (e.g., histone acetyltransferase (HAT), histone deacetylase (HDAC), histone methyltransferase, histone demethylase).

[0045]

[Second Embodiment]

In the present embodiment, an expression step may be further provided prior to the incubation step in which the protein described in the previous section on <dSaCas9 variant> and guide RNA are expressed using the previously described CRISPR-Cas vector system.

[0046]

In the expression step of the present embodiment, dSaCas9 variant protein and guide RNA are first expressed using the aforementioned CRISPR-Cas vector system. A specific expression method includes transforming a host using an expression vector  
5 containing a gene that encodes dSaCas9 variant protein and an expression vector containing guide RNA, respectively (or expression vector simultaneously containing gene encoding dSaCas9 variant protein and guide RNA). The n, the host is cultured to express the dSaCas9 variant protein and guide RNA.  
10 Conditions such as medium composition, culture temperature, duration of culturing or addition of inducing agents can be determined by a person with ordinary skill in the art in accordance with known methods so that the transformant grows and the aforementioned protein is efficiently produced. In  
15 addition, in the case of having incorporated a selection marker in the form of an antibiotic resistance gene in the expression vector, the transformant can be selected by adding antibiotic to the medium. The n, the dSaCas9 variant protein and guide RNA are obtained by purifying the dSaCas9 variant protein and  
20 guide RNA expressed by the host according to a suitable method.  
[0047]

<Method for Site-Specifically Modifying Target Double-Stranded Polynucleotide in Cells>

In one embodiment thereof, the present invention provides  
25 a method for site-specifically modifying a target double-stranded polynucleotide in cells, provided with:

a step for introducing the previously described CRISPR-Cas vector system into a cell and expressing protein described in the previous section on <dSaCas9 variant> and guide RNA,

30 a step for having the aforementioned protein bind with the aforementioned target double-stranded polynucleotide at a binding site located upstream of a PAM sequence, and

a step for obtaining a modified target double-stranded polynucleotide in a region determined by complementary binding  
35 between the aforementioned guide RNA and the aforementioned

target double-stranded polynucleotide; wherein

the aforementioned guide RNA contains a polynucleotide composed of a base sequence complementary to a base sequence located 1 to 20 to 24 bases upstream from the aforementioned  
5 PAM sequence in the aforementioned target double-stranded polynucleotide.

[0048]

In the expression step of the present embodiment, first, dSaCas9 variant protein and guide RNA are expressed in a cell  
10 using the aforementioned CRISPR-Cas vector system.

[0049]

Examples of organisms serving as the origin of the cells targeted for application of the method of the present embodiment include prokaryote, yeast, animal, plant, insect  
15 and the like. There are no particular limitations on the aforementioned animals, and examples thereof include, but are not limited to, human, monkey, dog, cat, rabbit, swine, bovine, mouse, rat and the like. In addition, the type of organism serving as the source of the cells can be arbitrarily selected  
20 according to the desired type or objective of the target double-stranded polynucleotide.

[0050]

Examples of animal-derived cells targeted for application of the method of the present embodiment include, but are not  
25 limited to, germ cells (such as sperm or ova), somatic cells composing the body, stem cells, progenitor cells, cancer cells isolated from the body, cells isolated from the body that are stably maintained outside the body as a result of having become immortalized (cell line), and cells isolated from the body for  
30 which the nuclei have been artificially replaced.

[0051]

Examples of somatic cells composing the body include, but are not limited to, cells harvested from arbitrary tissue such as the skin, kidneys, spleen, adrenals, liver, lungs, ovaries,  
35 pancreas, uterus, stomach, small intestine, large intestine,

urinary bladder, prostate gland, testes, thymus, muscle, connective tissue, bone, cartilage, vascular tissue, blood, heart, eyes, brain or neural tissue. Specific examples of somatic cells include, but are not limited to, fibroblasts, 5 bone marrow cells, immunocytes (e.g., B lymphocytes, T lymphocytes, neutrophils, macrophages or monocytes etc.), erythrocytes, platelets, osteocytes, bone marrow cells, pericytes, dendritic cells, keratinocytes, adipocytes, mesenchymal cells, epithelial cells, epidermal cells, 10 endothelial cells, intravascular endothelial cells, lymphatic endothelial cells, hepatocytes, pancreatic islet cells (e.g.,  $\alpha$  cells,  $\beta$  cells,  $\delta$  cells,  $\epsilon$  cells or PP cells etc.), chondrocytes, cumulus cells, glia cells, nerve cells (neurons), oligodendrocytes, microglia cells, astrocytes, cardiomyocytes, 15 esophageal cells, muscle cells (e.g., smooth muscle cells or skeletal muscle cells etc.), melanocytes and mononuclear cells, and the like.

[0052]

Stem cells refer to cells having both the ability to 20 self-replicate as well as the ability to differentiate into a plurality of other cell lines. Examples of stem cells include, but are not limited to, embryonic stem cells (ES cells), embryonic tumor cells, embryonic germ stem cells, induced pluripotent stem cells (iPS cells), neural stem cells, 25 hematopoietic stem cells, mesenchymal stem cells, hepatic stem cells, pancreatic stem cells, muscle stem cells, germ stem cells, intestinal stem cells, cancer stem cells and hair follicle stem cells, and the like.

[0053]

30 Cancer cells are cells derived from somatic cells that have acquired reproductive integrity. Examples of the origins of cancer cells include, but are not limited to, breast cancer (e.g., invasive ductal carcinoma, ductal carcinoma in situ, inflammatory breast cancer etc.), prostate cancer (e.g., 35 hormone-dependent prostate cancer or non-hormone dependent

prostate cancer etc.), pancreatic cancer (e.g., pancreatic ductal carcinoma etc.), stomach cancer (e.g., papillary adenocarcinoma, mucinous carcinoma, adenosquamous carcinoma etc.), lung cancer (e.g., non-small cell lung cancer, small  
5 cell lung cancer, malignant mesothelioma etc.), colorectal cancer (e.g., gastrointestinal stromal tumor etc.), rectal cancer (e.g., gastrointestinal stromal tumor etc.), colorectal cancer (e.g., familial colorectal cancer, hereditary non-polyposis colorectal cancer, gastrointestinal stromal tumor  
10 etc.), small intestinal cancer (e.g., non-Hodgkin's lymphoma, gastrointestinal stromal tumor etc.), esophageal cancer, duodenal cancer, cancer of the tongue, pharyngeal cancer (e.g., nasopharyngeal carcinoma, oropharyngeal carcinoma, hypopharyngeal carcinoma etc.), head and neck cancer, salivary  
15 gland cancer, brain tumor (e.g., pineal astrocytoma, pilocytic astrocytoma, diffuse astrocytoma, anaplastic astrocytoma etc.), schwannoma, liver cancer (e.g., primary liver cancer, extrahepatic bile duct cancer etc.), kidney cancer (e.g., renal cell carcinoma, transitional cell carcinoma of the renal pelvis  
20 and ureter etc.), gall bladder cancer, bile duct cancer, pancreatic cancer, endometrial carcinoma, cervical cancer, ovarian cancer (e.g., epithelial ovarian cancer, extragonadal germ cell tumor, ovarian germ cell tumor, ovarian low malignant potential tumor etc.), bladder cancer, urethral cancer, skin  
25 cancer (e.g., intraocular (ocular) melanoma, Merkel cell carcinoma etc.), Hemangioma, malignant lymphoma (e.g., reticulum cell sarcoma, lymphosarcoma, Hodgkin's etc.), melanoma (malignant melanoma), thyroid cancer (e.g., medullary thyroid cancer etc.), parathyroid cancer, nasal cancer,  
30 paranasal cancer, bone tumor (e.g., osteosarcoma, Ewing's tumor, uterine sarcoma, soft tissue sarcoma etc.), metastatic medulloblastoma, vascular fibroma, protuberant dermatofibrosarcoma, retinal sarcoma, penile cancer, testicular cancer, pediatric solid tumor (e.g., Wilms tumor or pediatric  
35 kidney tumor etc.), Kaposi's sarcoma, AIDS-induced Kaposi's

sarcoma, maxillary sinus tumor, fibrous histiocytoma, leiomyosarcoma, rhabdomyosarcoma, chronic myeloproliferative disease and leukemia (e.g., acute myeloid leukemia, acute lymphoblastic leukemia etc.).

5 [0054]

Cell lines refer to cells that have acquired reproductive integrity through artificial manipulation ex vivo. Examples of cell lines include, but are not limited to, HCT116, Huh7, HEK293 (human embryonic kidney cells), HeLa (human cervical  
10 cancer cell line), HepG2 (human liver cancer cell line), UT7/TPO (human leukemia cell line), CHO (Chinese hamster ovary cell line), MDCK, MDBK, BHK, C-33A, HT-29, AE-1, 3D9, NsO/1, Jurkat, NIH3T3, PC12, S2, Sf9, Sf21, High Five and Vero.

[0055]

15 Introduction of the CRISPR-Cas vector system into cells can be carried out using a method suitable for the viable cells used, and examples thereof include electroporation method, heat shock method, calcium phosphate method, lipofection method, DEAE dextran method, microinjection method, particle gun method,  
20 methods using viruses, and methods using commercially available transfection reagents such as FuGENE (registered trade mark) 6 Transfection Reagent (manufactured by Roche), Lipofectamine 2000 Reagent (manufactured by Invitrogen Corp.), Lipofectamine LTX Reagent (manufactured by Invitrogen Corp.) or Lipofectamine  
25 3000 Reagent (manufactured by Invitrogen Corp.).

[0056]

The subsequent modification step is the same as the method shown in the aforementioned <Method for Site-Specifically Modifying Target Double-Stranded nucleotide>  
30 [First Embodiment].

By the modification of the target double-stranded polynucleotide in this embodiment, cells with modified target double-stranded polynucleotide can be obtained.

[0057]

35 While the present invention is explained in more detail

in the following by referring to Examples, they do not limit the scope of the present invention.

[Example]

[0058]

5 Example 1: Evaluation of DNA binding affinity of dSaCas9 variant  
(Method)

### 1. Cloning

Using NEB Q5 Site-Directed Mutagenesis Kit, a  
10 predetermined deletion region was made in dSaCas9 gene, a gene encoding a linker was introduced, and a KRAB gene as a transcriptional regulator was fused to produce various dSaCas9s (Fig. 1). The expression suppression activity of these dSaCas9s was examined using MYD88 gene. All gene constructs of  
15 dSaCas9 were incorporated into pX601 vectors (F. Ann Ran et al., Nature 2015; 520(7546); pp.186-191). Each vector expresses the following dSaCas9 constructs (FL, T10, T11) and sgRNA.

[dSaCas9 variants]

FL; wild-type dSaCas9 (SEQ ID NO: 1, SEQ ID NO: 2)  
20 T10; deletion variant (SEQ ID NO: 3, SEQ ID NO: 4) having a deletion region (721- to 745-positions) in wild-type dSaCas9  
T11; deletion variant (SEQ ID NO: 5, SEQ ID NO: 6) having a deletion region (721- to 755-positions) in wild-type dSaCas9

Both ends of the respective deletion regions in T10 and  
25 T11 are linked by a linker peptide.

dSaCas9 construct is expressed as a fusion protein of dSaCas9-KRAB-P2A-sfGFP or dSaCas9-VR-P2A-sfGFP.

[crRNA sequences]

C1; ACGGAGGCUAAGCGUCGCAA (SEQ ID NO: 11)  
30 A2; GGAGCCACAGUUCUCCACGG (SEQ ID NO: 12)  
A3; CUCUACCCUUGAGGUCUCGAG (SEQ ID NO: 13)

The above-mentioned crRNA sequence was fused with the following tracrRNA sequence to form sgRNA to be expressed from the vector.

35 [tracrRNA sequence]

GUUUUAGUACUCUGGAAACAGAAUCUACUAAAACAAGGC AAAAUGCCGUGUUUAUCACGUCAA  
CUUGUUGGCGAGAUUUUUUUU (SEQ ID NO: 14)

## 2. Cell transfection

HEK293FT cells were seeded in a 24-well plate at a  
5 density of 75,000 cells per well 24 hr before transfection and  
cultured in DMEM medium supplemented with 10% FBS, 2 mM fresh  
L-glutamine, 1 mM sodium pyruvate and non-essential amino acid.  
Each plasmid (500 ng) was transfected into cells according to  
the manual and using 1.5 µl of Lipofectamine 2000 (Life  
10 technologies). For the gene expression analysis, the cells  
were recovered at 48-72 hr after transfection, dissolved in RLT  
buffer (Qiagen), and the total RNA was extracted using RNeasy  
kit (Qiagen).

## 3. Gene expression analysis

15 For the Taqman analysis, cDNA was prepared from 1.5 µg of  
the total RNA by using 20 µl volume TaqMan™ High-Capacity RNA-  
to-cDNA Kit (Applied Biosystems). The prepared cDNA was  
diluted 20-fold and 6.33 µl was used for each Taqman reaction.  
The Taqman primers and probes for the MYD88 gene and HPRT gene  
20 were obtained from Applied Biosystems. In Roche LightCycler 96  
or LightCycler 480, the Taqman reaction was run using Taqman  
gene expression master mix (ThermoFisher), and the analysis was  
performed using LightCycler 96 analysis software.

Taqman probe product IDs:

25 MYD88: Hs01573837\_g1 (FAM)  
HPRT: Hs99999909\_m1 (FAM, VIC)

Taqman QPCR condition:

Step 1; 95°C 10 min  
30 Step 2; 95°C 15 sec  
Step 3; 60°C 30 sec  
Repeat Step 2 and 3; 40 times  
[0059]  
(Results)

35 HEK293FT cells were transfected with a plasmid vector

expressing pX601-dSaCas9 (FL, T10 or T11)-KRAB-P2A-sfGFP and sgRNA-A2. The cells transfected with a vector expressing sgRNA-C1 instead of sgRNA-A2 were used as a negative control. The transfected cells were harvested 3 days later and RNA was isolated. The expression of the MYD88 gene was analyzed by Tagman assay and standardized at the expression level of the HPRT gene. The results of the relative expression level of the MYD88 gene are shown in Fig. 2.

When compared with the control, the MYD88 gene expression level in the dSaCas9 variant of the present invention was as low as that of the wild-type dSaCas9. From the results, it was shown that the binding ability to the guide RNA, and further, the DNA binding affinity, were maintained even though the dSaCas9 variant of the present invention has a deletion region and is smaller than the full-length dSaCas9.

The binding affinity of T10 which showed particularly high DNA binding affinity in the above-mentioned results was confirmed using a different guide RNA. HEK293FT cells were transfected with a plasmid vector expressing pX601-dSaCas9 (FL or T10)-KRAB-P2A-sfGFP and sgRNA-A2 or sgRNA-A3. The cells transfected with a vector not expressing dSaCas9 variant were used as a negative control. The transfected cells were harvested 3 days later and RNA was isolated. The expression of the MYD88 gene was analyzed by Tagman assay and standardized at the expression level of the HPRT gene. The results of the relative expression level of the MYD88 gene are shown in Fig. 3. Even when sgRNA-A3 was used, an effect similar to that of sgRNA-A2 was confirmed.

When compared with the control, the MYD88 gene expression level in the dSaCas9 variant of the present invention was as low as that of the wild-type dSaCas9. From the results, it was shown that the binding ability to the guide RNA, and further, the DNA binding affinity, were maintained even though the dSaCas9 variant of the present invention has a deletion region and is smaller than the full-length dSaCas9.

[Industrial Applicability]

[0060]

According to the present invention, a dSaCas9 protein  
that is miniaturized while maintaining a DNA binding ability  
5 can be obtained. Use of the miniaturized dSaCas9 protein makes  
it possible to mount many genes into vectors, and thus provides  
various genome editing techniques.

[0061]

This application is based on a provisional patent  
10 application No. 62/749,855 filed in the US (filing date:  
October 24, 2018), the contents of which are incorporated in  
full herein.

# SEQUENCE LISTING

<110> Modalis Therapeutics Corporation  
 <120> Modified Cas9 protein and use thereof  
 <130> 092961  
 <150> US62/749855  
 <151> 2018-10-24  
 <160> 14  
 <170> PatentIn version 3.5  
 <210> 1  
 <211> 3162  
 <212> DNA  
 <213> Staphylococcus aureus

<220>  
 <221> CDS  
 <222> (1).. (3162)

<400> 1  
 atg aag cgg aac tac atc ctg ggc ctg gcc atc ggc atc acc agc gtg 48  
 Met Lys Arg Asn Tyr Ile Leu Gly Leu Ala Ile Gly Ile Thr Ser Val  
 1 5 10 15  
 ggc tac ggc atc atc gac tac gag aca cgg gac gtg atc gat gcc ggc 96  
 Gly Tyr Gly Ile Ile Asp Tyr Glu Thr Arg Asp Val Ile Asp Ala Gly  
 20 25 30  
 gtg cgg ctg ttc aaa gag gcc aac gtg gaa aac aac gag ggc agg cgg 144  
 Val Arg Leu Phe Lys Glu Ala Asn Val Glu Asn Asn Glu Gly Arg Arg  
 35 40 45  
 agc aag aga ggc gcc aga agg ctg aag cgg cgg agg cgg cat aga atc 192  
 Ser Lys Arg Gly Ala Arg Arg Leu Lys Arg Arg Arg Arg His Arg Ile  
 50 55 60  
 cag aga gtg aag aag ctg ctg ttc gac tac aac ctg ctg acc gac cac 240  
 Gln Arg Val Lys Lys Leu Leu Phe Asp Tyr Asn Leu Leu Thr Asp His  
 65 70 75 80  
 agc gag ctg agc ggc atc aac ccc tac gag gcc aga gtg aag ggc ctg 288  
 Ser Glu Leu Ser Gly Ile Asn Pro Tyr Glu Ala Arg Val Lys Gly Leu  
 85 90 95  
 agc cag aag ctg agc gag gaa gag ttc tct gcc gcc ctg ctg cac ctg 336  
 Ser Gln Lys Leu Ser Glu Glu Glu Phe Ser Ala Ala Leu Leu His Leu  
 100 105 110  
 gcc aag aga aga ggc gtg cac aac gtg aac gag gtg gaa gag gac acc 384  
 Ala Lys Arg Arg Gly Val His Asn Val Asn Glu Val Glu Glu Asp Thr  
 115 120 125

|                                                                                                                                                       |      |
|-------------------------------------------------------------------------------------------------------------------------------------------------------|------|
| ggc aac gag ctg tcc acc aaa gag cag atc agc cgg aac agc aag gcc<br>Gly Asn Glu Leu Ser Thr Lys Glu Gln Ile Ser Arg Asn Ser Lys Ala<br>130 135 140     | 432  |
| ctg gaa gag aaa tac gtg gcc gaa ctg cag ctg gaa cgg ctg aag aaa<br>Leu Glu Glu Lys Tyr Val Ala Glu Leu Gln Leu Glu Arg Leu Lys Lys<br>145 150 155 160 | 480  |
| gac ggc gaa gtg cgg ggc agc atc aac aga ttc aag acc agc gac tac<br>Asp Gly Glu Val Arg Gly Ser Ile Asn Arg Phe Lys Thr Ser Asp Tyr<br>165 170 175     | 528  |
| gtg aaa gaa gcc aaa cag ctg ctg aag gtg cag aag gcc tac cac cag<br>Val Lys Glu Ala Lys Gln Leu Leu Lys Val Gln Lys Ala Tyr His Gln<br>180 185 190     | 576  |
| ctg gac cag agc ttc atc gac acc tac atc gac ctg ctg gaa acc cgg<br>Leu Asp Gln Ser Phe Ile Asp Thr Tyr Ile Asp Leu Leu Glu Thr Arg<br>195 200 205     | 624  |
| cgg acc tac tat gag gga cct ggc gag ggc agc ccc ttc ggc tgg aag<br>Arg Thr Tyr Tyr Glu Gly Pro Gly Glu Gly Ser Pro Phe Gly Trp Lys<br>210 215 220     | 672  |
| gac atc aaa gaa tgg tac gag atg ctg atg ggc cac tgc acc tac ttc<br>Asp Ile Lys Glu Trp Tyr Glu Met Leu Met Gly His Cys Thr Tyr Phe<br>225 230 235 240 | 720  |
| ccc gag gaa ctg cgg agc gtg aag tac gcc tac aac gcc gac ctg tac<br>Pro Glu Glu Leu Arg Ser Val Lys Tyr Ala Tyr Asn Ala Asp Leu Tyr<br>245 250 255     | 768  |
| aac gcc ctg aac gac ctg aac aat ctc gtg atc acc agg gac gag aac<br>Asn Ala Leu Asn Asp Leu Asn Asn Leu Val Ile Thr Arg Asp Glu Asn<br>260 265 270     | 816  |
| gag aag ctg gaa tat tac gag aag ttc cag atc atc gag aac gtg ttc<br>Glu Lys Leu Glu Tyr Tyr Glu Lys Phe Gln Ile Ile Glu Asn Val Phe<br>275 280 285     | 864  |
| aag cag aag aag aag ccc acc ctg aag cag atc gcc aaa gaa atc ctc<br>Lys Gln Lys Lys Lys Pro Thr Leu Lys Gln Ile Ala Lys Glu Ile Leu<br>290 295 300     | 912  |
| gtg aac gaa gag gat att aag ggc tac aga gtg acc agc acc ggc aag<br>Val Asn Glu Glu Asp Ile Lys Gly Tyr Arg Val Thr Ser Thr Gly Lys<br>305 310 315 320 | 960  |
| ccc gag ttc acc aac ctg aag gtg tac cac gac atc aag gac att acc<br>Pro Glu Phe Thr Asn Leu Lys Val Tyr His Asp Ile Lys Asp Ile Thr<br>325 330 335     | 1008 |
| gcc cgg aaa gag att att gag aac gcc gag ctg ctg gat cag att gcc<br>Ala Arg Lys Glu Ile Ile Glu Asn Ala Glu Leu Leu Asp Gln Ile Ala<br>340 345 350     | 1056 |
| aag atc ctg acc atc tac cag agc agc gag gac atc cag gaa gaa ctg<br>Lys Ile Leu Thr Ile Tyr Gln Ser Ser Glu Asp Ile Gln Glu Glu Leu                    | 1104 |

| 355        |            |            |            |            | 360        |            |            |            |            | 365        |            |            |            |            |            |      |
|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------|
| acc<br>Thr | aat<br>Asn | ctg<br>Leu | aac<br>Asn | tcc<br>Ser | gag<br>Glu | ctg<br>Leu | acc<br>Thr | cag<br>Gln | gaa<br>Glu | gag<br>Glu | atc<br>Ile | gag<br>Glu | cag<br>Gln | atc<br>Ile | tct<br>Ser | 1152 |
|            | 370        |            |            |            |            | 375        |            |            |            |            | 380        |            |            |            |            |      |
| aat<br>Asn | ctg<br>Leu | aag<br>Lys | ggc<br>Gly | tat<br>Tyr | acc<br>Thr | ggc<br>Gly | acc<br>Thr | cac<br>His | aac<br>Asn | ctg<br>Leu | agc<br>Ser | ctg<br>Leu | aag<br>Lys | gcc<br>Ala | atc<br>Ile | 1200 |
|            | 385        |            |            |            | 390        |            |            |            |            | 395        |            |            |            |            | 400        |      |
| aac<br>Asn | ctg<br>Leu | atc<br>Ile | ctg<br>Leu | gac<br>Asp | gag<br>Glu | ctg<br>Leu | tgg<br>Trp | cac<br>His | acc<br>Thr | aac<br>Asn | gac<br>Asp | aac<br>Asn | cag<br>Gln | atc<br>Ile | gct<br>Ala | 1248 |
|            |            |            |            | 405        |            |            |            |            | 410        |            |            |            |            | 415        |            |      |
| atc<br>Ile | ttc<br>Phe | aac<br>Asn | cgg<br>Arg | ctg<br>Leu | aag<br>Lys | ctg<br>Leu | gtg<br>Val | ccc<br>Pro | aag<br>Lys | aag<br>Lys | gtg<br>Val | gac<br>Asp | ctg<br>Leu | tcc<br>Ser | cag<br>Gln | 1296 |
|            |            |            | 420        |            |            |            |            | 425        |            |            |            |            | 430        |            |            |      |
| cag<br>Gln | aaa<br>Lys | gag<br>Glu | atc<br>Ile | ccc<br>Pro | acc<br>Thr | acc<br>Thr | ctg<br>Leu | gtg<br>Val | gac<br>Asp | gac<br>Asp | ttc<br>Phe | atc<br>Ile | ctg<br>Leu | agc<br>Ser | ccc<br>Pro | 1344 |
|            |            | 435        |            |            |            |            | 440        |            |            |            |            | 445        |            |            |            |      |
| gtc<br>Val | gtg<br>Val | aag<br>Lys | aga<br>Arg | agc<br>Ser | ttc<br>Phe | atc<br>Ile | cag<br>Gln | agc<br>Ser | atc<br>Ile | aaa<br>Lys | gtg<br>Val | atc<br>Ile | aac<br>Asn | gcc<br>Ala | atc<br>Ile | 1392 |
|            | 450        |            |            |            |            | 455        |            |            |            |            | 460        |            |            |            |            |      |
| atc<br>Ile | aag<br>Lys | aag<br>Lys | tac<br>Tyr | ggc<br>Gly | ctg<br>Leu | ccc<br>Pro | aac<br>Asn | gac<br>Asp | atc<br>Ile | att<br>Ile | atc<br>Ile | gag<br>Glu | ctg<br>Leu | gcc<br>Ala | cgc<br>Arg | 1440 |
|            | 465        |            |            |            | 470        |            |            |            |            | 475        |            |            |            |            | 480        |      |
| gag<br>Glu | aag<br>Lys | aac<br>Asn | tcc<br>Ser | aag<br>Lys | gac<br>Asp | gcc<br>Ala | cag<br>Gln | aaa<br>Lys | atg<br>Met | atc<br>Ile | aac<br>Asn | gag<br>Glu | atg<br>Met | cag<br>Gln | aag<br>Lys | 1488 |
|            |            |            |            | 485        |            |            |            |            | 490        |            |            |            |            | 495        |            |      |
| cgg<br>Arg | aac<br>Asn | cgg<br>Arg | cag<br>Gln | acc<br>Thr | aac<br>Asn | gag<br>Glu | cgg<br>Arg | atc<br>Ile | gag<br>Glu | gaa<br>Glu | atc<br>Ile | atc<br>Ile | cgg<br>Arg | acc<br>Thr | acc<br>Thr | 1536 |
|            |            |            | 500        |            |            |            |            | 505        |            |            |            |            | 510        |            |            |      |
| ggc<br>Gly | aaa<br>Lys | gag<br>Glu | aac<br>Asn | gcc<br>Ala | aag<br>Lys | tac<br>Tyr | ctg<br>Leu | atc<br>Ile | gag<br>Glu | aag<br>Lys | atc<br>Ile | aag<br>Lys | ctg<br>Leu | cac<br>His | gac<br>Asp | 1584 |
|            | 515        |            |            |            |            |            | 520        |            |            |            |            | 525        |            |            |            |      |
| atg<br>Met | cag<br>Gln | gaa<br>Glu | ggc<br>Gly | aag<br>Lys | tgc<br>Cys | ctg<br>Leu | tac<br>Tyr | agc<br>Ser | ctg<br>Leu | gaa<br>Glu | gcc<br>Ala | atc<br>Ile | cct<br>Pro | ctg<br>Leu | gaa<br>Glu | 1632 |
|            | 530        |            |            |            |            | 535        |            |            |            |            | 540        |            |            |            |            |      |
| gat<br>Asp | ctg<br>Leu | ctg<br>Leu | aac<br>Asn | aac<br>Asn | ccc<br>Pro | ttc<br>Phe | aac<br>Asn | tat<br>Tyr | gag<br>Glu | gtg<br>Val | gac<br>Asp | cac<br>His | atc<br>Ile | atc<br>Ile | ccc<br>Pro | 1680 |
|            | 545        |            |            |            | 550        |            |            |            |            | 555        |            |            |            |            | 560        |      |
| aga<br>Arg | agc<br>Ser | gtg<br>Val | tcc<br>Ser | ttc<br>Phe | gac<br>Asp | aac<br>Asn | agc<br>Ser | ttc<br>Phe | aac<br>Asn | aac<br>Asn | aag<br>Lys | gtg<br>Val | ctc<br>Leu | gtg<br>Val | aag<br>Lys | 1728 |
|            |            |            |            | 565        |            |            |            |            | 570        |            |            |            |            | 575        |            |      |
| cag<br>Gln | gaa<br>Glu | gaa<br>Glu | gcc<br>Ala | agc<br>Ser | aag<br>Lys | aag<br>Lys | ggc<br>Gly | aac<br>Asn | cgg<br>Arg | acc<br>Thr | cca<br>Pro | ttc<br>Phe | cag<br>Gln | tac<br>Tyr | ctg<br>Leu | 1776 |
|            |            |            | 580        |            |            |            | 585        |            |            |            |            |            | 590        |            |            |      |

|                                                                                                                                                       |      |
|-------------------------------------------------------------------------------------------------------------------------------------------------------|------|
| agc agc agc gac agc aag atc agc tac gaa acc ttc aag aag cac atc<br>Ser Ser Ser Asp Ser Lys Ile Ser Tyr Glu Thr Phe Lys Lys His Ile<br>595 600 605     | 1824 |
| ctg aat ctg gcc aag ggc aag ggc aga atc agc aag acc aag aaa gag<br>Leu Asn Leu Ala Lys Gly Lys Gly Arg Ile Ser Lys Thr Lys Lys Glu<br>610 615 620     | 1872 |
| tat ctg ctg gaa gaa cgg gac atc aac agg ttc tcc gtg cag aaa gac<br>Tyr Leu Leu Glu Glu Arg Asp Ile Asn Arg Phe Ser Val Gln Lys Asp<br>625 630 635 640 | 1920 |
| ttc atc aac cgg aac ctg gtg gat acc aga tac gcc acc aga ggc ctg<br>Phe Ile Asn Arg Asn Leu Val Asp Thr Arg Tyr Ala Thr Arg Gly Leu<br>645 650 655     | 1968 |
| atg aac ctg ctg cgg agc tac ttc aga gtg aac aac ctg gac gtg aaa<br>Met Asn Leu Leu Arg Ser Tyr Phe Arg Val Asn Asn Leu Asp Val Lys<br>660 665 670     | 2016 |
| gtg aag tcc atc aat ggc ggc ttc acc agc ttt ctg cgg cgg aag tgg<br>Val Lys Ser Ile Asn Gly Gly Phe Thr Ser Phe Leu Arg Arg Lys Trp<br>675 680 685     | 2064 |
| aag ttt aag aaa gag cgg aac aag ggg tac aag cac cac gcc gag gac<br>Lys Phe Lys Lys Glu Arg Asn Lys Gly Tyr Lys His His Ala Glu Asp<br>690 695 700     | 2112 |
| gcc ctg atc att gcc aac gcc gat ttc atc ttc aaa gag tgg aag aaa<br>Ala Leu Ile Ile Ala Asn Ala Asp Phe Ile Phe Lys Glu Trp Lys Lys<br>705 710 715 720 | 2160 |
| ctg gac aag gcc aaa aaa gtg atg gaa aac cag atg ttc gag gaa aag<br>Leu Asp Lys Ala Lys Lys Val Met Glu Asn Gln Met Phe Glu Glu Lys<br>725 730 735     | 2208 |
| cag gcc gag agc atg ccc gag atc gaa acc gag cag gag tac aaa gag<br>Gln Ala Glu Ser Met Pro Glu Ile Glu Thr Glu Gln Glu Tyr Lys Glu<br>740 745 750     | 2256 |
| atc ttc atc acc ccc cac cag atc aag cac att aag gac ttc aag gac<br>Ile Phe Ile Thr Pro His Gln Ile Lys His Ile Lys Asp Phe Lys Asp<br>755 760 765     | 2304 |
| tac aag tac agc cac cgg gtg gac aag aag cct aat aga gag ctg att<br>Tyr Lys Tyr Ser His Arg Val Asp Lys Lys Pro Asn Arg Glu Leu Ile<br>770 775 780     | 2352 |
| aac gac acc ctg tac tcc acc cgg aag gac gac aag ggc aac acc ctg<br>Asn Asp Thr Leu Tyr Ser Thr Arg Lys Asp Asp Lys Gly Asn Thr Leu<br>785 790 795 800 | 2400 |
| atc gtg aac aat ctg aac ggc ctg tac gac aag gac aat gac aag ctg<br>Ile Val Asn Asn Leu Asn Gly Leu Tyr Asp Lys Asp Asn Asp Lys Leu<br>805 810 815     | 2448 |
| aaa aag ctg atc aac aag agc ccc gaa aag ctg ctg atg tac cac cac<br>Lys Lys Leu Ile Asn Lys Ser Pro Glu Lys Leu Leu Met Tyr His His                    | 2496 |

| 820                                                                                                                                                   | 825 | 830 |      |
|-------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----|------|
| gac ccc cag acc tac cag aaa ctg aag ctg att atg gaa cag tac ggc<br>Asp Pro Gln Thr Tyr Gln Lys Leu Lys Leu Ile Met Glu Gln Tyr Gly<br>835 840 845     |     |     | 2544 |
| gac gag aag aat ccc ctg tac aag tac tac gag gaa acc ggg aac tac<br>Asp Glu Lys Asn Pro Leu Tyr Lys Tyr Tyr Glu Glu Thr Gly Asn Tyr<br>850 855 860     |     |     | 2592 |
| ctg acc aag tac tcc aaa aag gac aac ggc ccc gtg atc aag aag att<br>Leu Thr Lys Tyr Ser Lys Lys Asp Asn Gly Pro Val Ile Lys Lys Ile<br>865 870 875 880 |     |     | 2640 |
| aag tat tac ggc aac aaa ctg aac gcc cat ctg gac atc acc gac gac<br>Lys Tyr Tyr Gly Asn Lys Leu Asn Ala His Leu Asp Ile Thr Asp Asp<br>885 890 895     |     |     | 2688 |
| tac ccc aac agc aga aac aag gtc gtg aag ctg tcc ctg aag ccc tac<br>Tyr Pro Asn Ser Arg Asn Lys Val Val Lys Leu Ser Leu Lys Pro Tyr<br>900 905 910     |     |     | 2736 |
| aga ttc gac gtg tac ctg gac aat ggc gtg tac aag ttc gtg acc gtg<br>Arg Phe Asp Val Tyr Leu Asp Asn Gly Val Tyr Lys Phe Val Thr Val<br>915 920 925     |     |     | 2784 |
| aag aat ctg gat gtg atc aaa aaa gaa aac tac tac gaa gtg aat agc<br>Lys Asn Leu Asp Val Ile Lys Lys Glu Asn Tyr Tyr Glu Val Asn Ser<br>930 935 940     |     |     | 2832 |
| aag tgc tat gag gaa gct aag aag ctg aag aag atc agc aac cag gcc<br>Lys Cys Tyr Glu Glu Ala Lys Lys Leu Lys Lys Ile Ser Asn Gln Ala<br>945 950 955 960 |     |     | 2880 |
| gag ttt atc gcc tcc ttc tac aac aac gat ctg atc aag atc aac ggc<br>Glu Phe Ile Ala Ser Phe Tyr Asn Asn Asp Leu Ile Lys Ile Asn Gly<br>965 970 975     |     |     | 2928 |
| gag ctg tat aga gtg atc ggc gtg aac aac gac ctg ctg aac cgg atc<br>Glu Leu Tyr Arg Val Ile Gly Val Asn Asn Asp Leu Leu Asn Arg Ile<br>980 985 990     |     |     | 2976 |
| gaa gtg aac atg atc gac atc acc tac cgc gag tac ctg gaa aac atg<br>Glu Val Asn Met Ile Asp Ile Thr Tyr Arg Glu Tyr Leu Glu Asn Met<br>995 1000 1005   |     |     | 3024 |
| aac gac aag agg ccc ccc agg atc att aag aca atc gcc tcc aag<br>Asn Asp Lys Arg Pro Pro Arg Ile Ile Lys Thr Ile Ala Ser Lys<br>1010 1015 1020          |     |     | 3069 |
| acc cag agc att aag aag tac agc aca gac att ctg ggc aac ctg<br>Thr Gln Ser Ile Lys Lys Tyr Ser Thr Asp Ile Leu Gly Asn Leu<br>1025 1030 1035          |     |     | 3114 |
| tat gaa gtg aaa tct aag aag cac cct cag atc atc aaa aag ggc<br>Tyr Glu Val Lys Ser Lys Lys His Pro Gln Ile Ile Lys Lys Gly<br>1040 1045 1050          |     |     | 3159 |

<210> 2  
 <211> 1053  
 <212> PRT  
 <213> Staphylococcus aureus

<400> 2

Met Lys Arg Asn Tyr Ile Leu Gly Leu Ala Ile Gly Ile Thr Ser Val  
 1 5 10 15

Gly Tyr Gly Ile Ile Asp Tyr Glu Thr Arg Asp Val Ile Asp Ala Gly  
 20 25 30

Val Arg Leu Phe Lys Glu Ala Asn Val Glu Asn Asn Glu Gly Arg Arg  
 35 40 45

Ser Lys Arg Gly Ala Arg Arg Leu Lys Arg Arg Arg Arg His Arg Ile  
 50 55 60

Gln Arg Val Lys Lys Leu Leu Phe Asp Tyr Asn Leu Leu Thr Asp His  
 65 70 75 80

Ser Glu Leu Ser Gly Ile Asn Pro Tyr Glu Ala Arg Val Lys Gly Leu  
 85 90 95

Ser Gln Lys Leu Ser Glu Glu Glu Phe Ser Ala Ala Leu Leu His Leu  
 100 105 110

Ala Lys Arg Arg Gly Val His Asn Val Asn Glu Val Glu Glu Asp Thr  
 115 120 125

Gly Asn Glu Leu Ser Thr Lys Glu Gln Ile Ser Arg Asn Ser Lys Ala  
 130 135 140

Leu Glu Glu Lys Tyr Val Ala Glu Leu Gln Leu Glu Arg Leu Lys Lys  
 145 150 155 160

Asp Gly Glu Val Arg Gly Ser Ile Asn Arg Phe Lys Thr Ser Asp Tyr  
 165 170 175

Val Lys Glu Ala Lys Gln Leu Leu Lys Val Gln Lys Ala Tyr His Gln  
 180 185 190

Leu Asp Gln Ser Phe Ile Asp Thr Tyr Ile Asp Leu Leu Glu Thr Arg  
195 200 205

Arg Thr Tyr Tyr Glu Gly Pro Gly Glu Gly Ser Pro Phe Gly Trp Lys  
210 215 220

Asp Ile Lys Glu Trp Tyr Glu Met Leu Met Gly His Cys Thr Tyr Phe  
225 230 235 240

Pro Glu Glu Leu Arg Ser Val Lys Tyr Ala Tyr Asn Ala Asp Leu Tyr  
245 250 255

Asn Ala Leu Asn Asp Leu Asn Asn Leu Val Ile Thr Arg Asp Glu Asn  
260 265 270

Glu Lys Leu Glu Tyr Tyr Glu Lys Phe Gln Ile Ile Glu Asn Val Phe  
275 280 285

Lys Gln Lys Lys Lys Pro Thr Leu Lys Gln Ile Ala Lys Glu Ile Leu  
290 295 300

Val Asn Glu Glu Asp Ile Lys Gly Tyr Arg Val Thr Ser Thr Gly Lys  
305 310 315 320

Pro Glu Phe Thr Asn Leu Lys Val Tyr His Asp Ile Lys Asp Ile Thr  
325 330 335

Ala Arg Lys Glu Ile Ile Glu Asn Ala Glu Leu Leu Asp Gln Ile Ala  
340 345 350

Lys Ile Leu Thr Ile Tyr Gln Ser Ser Glu Asp Ile Gln Glu Glu Leu  
355 360 365

Thr Asn Leu Asn Ser Glu Leu Thr Gln Glu Glu Ile Glu Gln Ile Ser  
370 375 380

Asn Leu Lys Gly Tyr Thr Gly Thr His Asn Leu Ser Leu Lys Ala Ile  
385 390 395 400

Asn Leu Ile Leu Asp Glu Leu Trp His Thr Asn Asp Asn Gln Ile Ala  
405 410 415

Ile Phe Asn Arg Leu Lys Leu Val Pro Lys Lys Val Asp Leu Ser Gln  
420 425 430

Gln Lys Glu Ile Pro Thr Thr Leu Val Asp Asp Phe Ile Leu Ser Pro  
435 440 445

Val Val Lys Arg Ser Phe Ile Gln Ser Ile Lys Val Ile Asn Ala Ile  
450 455 460

Ile Lys Lys Tyr Gly Leu Pro Asn Asp Ile Ile Ile Glu Leu Ala Arg  
465 470 475 480

Glu Lys Asn Ser Lys Asp Ala Gln Lys Met Ile Asn Glu Met Gln Lys  
485 490 495

Arg Asn Arg Gln Thr Asn Glu Arg Ile Glu Glu Ile Ile Arg Thr Thr  
500 505 510

Gly Lys Glu Asn Ala Lys Tyr Leu Ile Glu Lys Ile Lys Leu His Asp  
515 520 525

Met Gln Glu Gly Lys Cys Leu Tyr Ser Leu Glu Ala Ile Pro Leu Glu  
530 535 540

Asp Leu Leu Asn Asn Pro Phe Asn Tyr Glu Val Asp His Ile Ile Pro  
545 550 555 560

Arg Ser Val Ser Phe Asp Asn Ser Phe Asn Asn Lys Val Leu Val Lys  
565 570 575

Gln Glu Glu Ala Ser Lys Lys Gly Asn Arg Thr Pro Phe Gln Tyr Leu  
580 585 590

Ser Ser Ser Asp Ser Lys Ile Ser Tyr Glu Thr Phe Lys Lys His Ile  
595 600 605

Leu Asn Leu Ala Lys Gly Lys Gly Arg Ile Ser Lys Thr Lys Lys Glu  
610 615 620

Tyr Leu Leu Glu Glu Arg Asp Ile Asn Arg Phe Ser Val Gln Lys Asp  
625 630 635 640

Phe Ile Asn Arg Asn Leu Val Asp Thr Arg Tyr Ala Thr Arg Gly Leu  
645 650 655

Met Asn Leu Leu Arg Ser Tyr Phe Arg Val Asn Asn Leu Asp Val Lys  
660 665 670

Val Lys Ser Ile Asn Gly Gly Phe Thr Ser Phe Leu Arg Arg Lys Trp  
675 680 685

Lys Phe Lys Lys Glu Arg Asn Lys Gly Tyr Lys His His Ala Glu Asp  
690 695 700

Ala Leu Ile Ile Ala Asn Ala Asp Phe Ile Phe Lys Glu Trp Lys Lys  
705 710 715 720

Leu Asp Lys Ala Lys Lys Val Met Glu Asn Gln Met Phe Glu Glu Lys  
725 730 735

Gln Ala Glu Ser Met Pro Glu Ile Glu Thr Glu Gln Glu Tyr Lys Glu  
740 745 750

Ile Phe Ile Thr Pro His Gln Ile Lys His Ile Lys Asp Phe Lys Asp  
755 760 765

Tyr Lys Tyr Ser His Arg Val Asp Lys Lys Pro Asn Arg Glu Leu Ile  
770 775 780

Asn Asp Thr Leu Tyr Ser Thr Arg Lys Asp Asp Lys Gly Asn Thr Leu  
785 790 795 800

Ile Val Asn Asn Leu Asn Gly Leu Tyr Asp Lys Asp Asn Asp Lys Leu  
805 810 815

Lys Lys Leu Ile Asn Lys Ser Pro Glu Lys Leu Leu Met Tyr His His  
820 825 830

Asp Pro Gln Thr Tyr Gln Lys Leu Lys Leu Ile Met Glu Gln Tyr Gly  
835 840 845

Asp Glu Lys Asn Pro Leu Tyr Lys Tyr Tyr Glu Glu Thr Gly Asn Tyr  
850 855 860

Leu Thr Lys Tyr Ser Lys Lys Asp Asn Gly Pro Val Ile Lys Lys Ile  
865 870 875 880

Lys Tyr Tyr Gly Asn Lys Leu Asn Ala His Leu Asp Ile Thr Asp Asp  
885 890 895

Tyr Pro Asn Ser Arg Asn Lys Val Val Lys Leu Ser Leu Lys Pro Tyr  
 900 905 910

Arg Phe Asp Val Tyr Leu Asp Asn Gly Val Tyr Lys Phe Val Thr Val  
 915 920 925

Lys Asn Leu Asp Val Ile Lys Lys Glu Asn Tyr Tyr Glu Val Asn Ser  
 930 935 940

Lys Cys Tyr Glu Glu Ala Lys Lys Leu Lys Lys Ile Ser Asn Gln Ala  
 945 950 955 960

Glu Phe Ile Ala Ser Phe Tyr Asn Asn Asp Leu Ile Lys Ile Asn Gly  
 965 970 975

Glu Leu Tyr Arg Val Ile Gly Val Asn Asn Asp Leu Leu Asn Arg Ile  
 980 985 990

Glu Val Asn Met Ile Asp Ile Thr Tyr Arg Glu Tyr Leu Glu Asn Met  
 995 1000 1005

Asn Asp Lys Arg Pro Pro Arg Ile Ile Lys Thr Ile Ala Ser Lys  
 1010 1015 1020

Thr Gln Ser Ile Lys Lys Tyr Ser Thr Asp Ile Leu Gly Asn Leu  
 1025 1030 1035

Tyr Glu Val Lys Ser Lys Lys His Pro Gln Ile Ile Lys Lys Gly  
 1040 1045 1050

<210> 3  
 <211> 3102  
 <212> DNA  
 <213> Staphylococcus aureus

<220>  
 <221> CDS  
 <222> (1).. (3102)

<400> 3  
 atg aag cgg aac tac atc ctg ggc ctg gcc atc ggc atc acc agc gtg 48  
 Met Lys Arg Asn Tyr Ile Leu Gly Leu Ala Ile Gly Ile Thr Ser Val  
 1 5 10 15

ggc tac ggc atc atc gac tac gag aca cgg gac gtg atc gat gcc ggc 96

|     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |
|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| Gly | Tyr | Gly | Ile | Ile | Asp | Tyr | Glu | Thr | Arg | Asp | Val | Ile | Asp | Ala | Gly |     |
|     |     |     | 20  |     |     |     |     | 25  |     |     |     |     | 30  |     |     |     |
| gtg | cgg | ctg | ttc | aaa | gag | gcc | aac | gtg | gaa | aac | aac | gag | ggc | agg | cgg | 144 |
| Val | Arg | Leu | Phe | Lys | Glu | Ala | Asn | Val | Glu | Asn | Asn | Glu | Gly | Arg | Arg |     |
|     |     | 35  |     |     |     |     | 40  |     |     |     |     | 45  |     |     |     |     |
| agc | aag | aga | ggc | gcc | aga | agg | ctg | aag | cgg | cgg | agg | cgg | cat | aga | atc | 192 |
| Ser | Lys | Arg | Gly | Ala | Arg | Arg | Leu | Lys | Arg | Arg | Arg | Arg | His | Arg | Ile |     |
|     | 50  |     |     |     |     | 55  |     |     |     |     | 60  |     |     |     |     |     |
| cag | aga | gtg | aag | aag | ctg | ctg | ttc | gac | tac | aac | ctg | ctg | acc | gac | cac | 240 |
| Gln | Arg | Val | Lys | Lys | Leu | Leu | Phe | Asp | Tyr | Asn | Leu | Leu | Thr | Asp | His |     |
| 65  |     |     |     |     | 70  |     |     |     |     | 75  |     |     |     |     | 80  |     |
| agc | gag | ctg | agc | ggc | atc | aac | ccc | tac | gag | gcc | aga | gtg | aag | ggc | ctg | 288 |
| Ser | Glu | Leu | Ser | Gly | Ile | Asn | Pro | Tyr | Glu | Ala | Arg | Val | Lys | Gly | Leu |     |
|     |     |     |     | 85  |     |     |     |     | 90  |     |     |     |     | 95  |     |     |
| agc | cag | aag | ctg | agc | gag | gaa | gag | ttc | tct | gcc | gcc | ctg | ctg | cac | ctg | 336 |
| Ser | Gln | Lys | Leu | Ser | Glu | Glu | Glu | Phe | Ser | Ala | Ala | Leu | Leu | His | Leu |     |
|     |     |     | 100 |     |     |     |     | 105 |     |     |     |     | 110 |     |     |     |
| gcc | aag | aga | aga | ggc | gtg | cac | aac | gtg | aac | gag | gtg | gaa | gag | gac | acc | 384 |
| Ala | Lys | Arg | Arg | Gly | Val | His | Asn | Val | Asn | Glu | Val | Glu | Glu | Asp | Thr |     |
|     |     | 115 |     |     |     |     | 120 |     |     |     |     | 125 |     |     |     |     |
| ggc | aac | gag | ctg | tcc | acc | aaa | gag | cag | atc | agc | cgg | aac | agc | aag | gcc | 432 |
| Gly | Asn | Glu | Leu | Ser | Thr | Lys | Glu | Gln | Ile | Ser | Arg | Asn | Ser | Lys | Ala |     |
|     | 130 |     |     |     |     | 135 |     |     |     |     | 140 |     |     |     |     |     |
| ctg | gaa | gag | aaa | tac | gtg | gcc | gaa | ctg | cag | ctg | gaa | cgg | ctg | aag | aaa | 480 |
| Leu | Glu | Glu | Lys | Tyr | Val | Ala | Glu | Leu | Gln | Leu | Glu | Arg | Leu | Lys | Lys |     |
| 145 |     |     |     |     | 150 |     |     |     |     | 155 |     |     |     |     | 160 |     |
| gac | ggc | gaa | gtg | cgg | ggc | agc | atc | aac | aga | ttc | aag | acc | agc | gac | tac | 528 |
| Asp | Gly | Glu | Val | Arg | Gly | Ser | Ile | Asn | Arg | Phe | Lys | Thr | Ser | Asp | Tyr |     |
|     |     |     |     | 165 |     |     |     |     | 170 |     |     |     |     | 175 |     |     |
| gtg | aaa | gaa | gcc | aaa | cag | ctg | ctg | aag | gtg | cag | aag | gcc | tac | cac | cag | 576 |
| Val | Lys | Glu | Ala | Lys | Gln | Leu | Leu | Lys | Val | Gln | Lys | Ala | Tyr | His | Gln |     |
|     |     |     | 180 |     |     |     |     | 185 |     |     |     |     | 190 |     |     |     |
| ctg | gac | cag | agc | ttc | atc | gac | acc | tac | atc | gac | ctg | ctg | gaa | acc | cgg | 624 |
| Leu | Asp | Gln | Ser | Phe | Ile | Asp | Thr | Tyr | Ile | Asp | Leu | Leu | Glu | Thr | Arg |     |
|     |     | 195 |     |     |     |     | 200 |     |     |     |     | 205 |     |     |     |     |
| cgg | acc | tac | tat | gag | gga | cct | ggc | gag | ggc | agc | ccc | ttc | ggc | tgg | aag | 672 |
| Arg | Thr | Tyr | Tyr | Glu | Gly | Pro | Gly | Glu | Gly | Ser | Pro | Phe | Gly | Trp | Lys |     |
|     | 210 |     |     |     |     | 215 |     |     |     |     | 220 |     |     |     |     |     |
| gac | atc | aaa | gaa | tgg | tac | gag | atg | ctg | atg | ggc | cac | tgc | acc | tac | ttc | 720 |
| Asp | Ile | Lys | Glu | Trp | Tyr | Glu | Met | Leu | Met | Gly | His | Cys | Thr | Tyr | Phe |     |
| 225 |     |     |     |     | 230 |     |     |     |     | 235 |     |     |     |     | 240 |     |
| ccc | gag | gaa | ctg | cgg | agc | gtg | aag | tac | gcc | tac | aac | gcc | gac | ctg | tac | 768 |
| Pro | Glu | Glu | Leu | Arg | Ser | Val | Lys | Tyr | Ala | Tyr | Asn | Ala | Asp | Leu | Tyr |     |
|     |     |     |     | 245 |     |     |     |     | 250 |     |     |     |     | 255 |     |     |

|                                                                                                                                                       |      |
|-------------------------------------------------------------------------------------------------------------------------------------------------------|------|
| aac gcc ctg aac gac ctg aac aat ctc gtg atc acc agg gac gag aac<br>Asn Ala Leu Asn Asp Leu Asn Asn Leu Val Ile Thr Arg Asp Glu Asn<br>260 265 270     | 816  |
| gag aag ctg gaa tat tac gag aag ttc cag atc atc gag aac gtg ttc<br>Glu Lys Leu Glu Tyr Tyr Glu Lys Phe Gln Ile Ile Glu Asn Val Phe<br>275 280 285     | 864  |
| aag cag aag aag aag ccc acc ctg aag cag atc gcc aaa gaa atc ctc<br>Lys Gln Lys Lys Lys Pro Thr Leu Lys Gln Ile Ala Lys Glu Ile Leu<br>290 295 300     | 912  |
| gtg aac gaa gag gat att aag ggc tac aga gtg acc agc acc ggc aag<br>Val Asn Glu Glu Asp Ile Lys Gly Tyr Arg Val Thr Ser Thr Gly Lys<br>305 310 315 320 | 960  |
| ccc gag ttc acc aac ctg aag gtg tac cac gac atc aag gac att acc<br>Pro Glu Phe Thr Asn Leu Lys Val Tyr His Asp Ile Lys Asp Ile Thr<br>325 330 335     | 1008 |
| gcc cgg aaa gag att att gag aac gcc gag ctg ctg gat cag att gcc<br>Ala Arg Lys Glu Ile Ile Glu Asn Ala Glu Leu Leu Asp Gln Ile Ala<br>340 345 350     | 1056 |
| aag atc ctg acc atc tac cag agc agc gag gac atc cag gaa gaa ctg<br>Lys Ile Leu Thr Ile Tyr Gln Ser Ser Glu Asp Ile Gln Glu Glu Leu<br>355 360 365     | 1104 |
| acc aat ctg aac tcc gag ctg acc cag gaa gag atc gag cag atc tct<br>Thr Asn Leu Asn Ser Glu Leu Thr Gln Glu Glu Ile Glu Gln Ile Ser<br>370 375 380     | 1152 |
| aat ctg aag ggc tat acc ggc acc cac aac ctg agc ctg aag gcc atc<br>Asn Leu Lys Gly Tyr Thr Gly Thr His Asn Leu Ser Leu Lys Ala Ile<br>385 390 395 400 | 1200 |
| aac ctg atc ctg gac gag ctg tgg cac acc aac gac aac cag atc gct<br>Asn Leu Ile Leu Asp Glu Leu Trp His Thr Asn Asp Asn Gln Ile Ala<br>405 410 415     | 1248 |
| atc ttc aac cgg ctg aag ctg gtg ccc aag aag gtg gac ctg tcc cag<br>Ile Phe Asn Arg Leu Lys Leu Val Pro Lys Lys Val Asp Leu Ser Gln<br>420 425 430     | 1296 |
| cag aaa gag atc ccc acc acc ctg gtg gac gac ttc atc ctg agc ccc<br>Gln Lys Glu Ile Pro Thr Thr Leu Val Asp Asp Phe Ile Leu Ser Pro<br>435 440 445     | 1344 |
| gtc gtg aag aga agc ttc atc cag agc atc aaa gtg atc aac gcc atc<br>Val Val Lys Arg Ser Phe Ile Gln Ser Ile Lys Val Ile Asn Ala Ile<br>450 455 460     | 1392 |
| atc aag aag tac ggc ctg ccc aac gac atc att atc gag ctg gcc cgc<br>Ile Lys Lys Tyr Gly Leu Pro Asn Asp Ile Ile Ile Glu Leu Ala Arg<br>465 470 475 480 | 1440 |
| gag aag aac tcc aag gac gcc cag aaa atg atc aac gag atg cag aag                                                                                       | 1488 |

|     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |      |
|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|------|
| Glu | Lys | Asn | Ser | Lys | Asp | Ala | Gln | Lys | Met | Ile | Asn | Glu | Met | Gln | Lys |      |
|     |     |     |     | 485 |     |     |     |     | 490 |     |     |     |     | 495 |     |      |
| cgg | aac | cgg | cag | acc | aac | gag | cgg | atc | gag | gaa | atc | atc | cgg | acc | acc | 1536 |
| Arg | Asn | Arg | Gln | Thr | Asn | Glu | Arg | Ile | Glu | Glu | Ile | Ile | Arg | Thr | Thr |      |
|     |     |     | 500 |     |     |     |     | 505 |     |     |     |     | 510 |     |     |      |
| ggc | aaa | gag | aac | gcc | aag | tac | ctg | atc | gag | aag | atc | aag | ctg | cac | gac | 1584 |
| Gly | Lys | Glu | Asn | Ala | Lys | Tyr | Leu | Ile | Glu | Lys | Ile | Lys | Leu | His | Asp |      |
|     |     | 515 |     |     |     |     | 520 |     |     |     |     | 525 |     |     |     |      |
| atg | cag | gaa | ggc | aag | tgc | ctg | tac | agc | ctg | gaa | gcc | atc | cct | ctg | gaa | 1632 |
| Met | Gln | Glu | Gly | Lys | Cys | Leu | Tyr | Ser | Leu | Glu | Ala | Ile | Pro | Leu | Glu |      |
|     | 530 |     |     |     |     | 535 |     |     |     |     | 540 |     |     |     |     |      |
| gat | ctg | ctg | aac | aac | ccc | ttc | aac | tat | gag | gtg | gac | cac | atc | atc | ccc | 1680 |
| Asp | Leu | Leu | Asn | Asn | Pro | Phe | Asn | Tyr | Glu | Val | Asp | His | Ile | Ile | Pro |      |
| 545 |     |     |     |     | 550 |     |     |     |     | 555 |     |     |     |     | 560 |      |
| aga | agc | gtg | tcc | ttc | gac | aac | agc | ttc | aac | aac | aag | gtg | ctc | gtg | aag | 1728 |
| Arg | Ser | Val | Ser | Phe | Asp | Asn | Ser | Phe | Asn | Asn | Lys | Val | Leu | Val | Lys |      |
|     |     |     |     | 565 |     |     |     |     | 570 |     |     |     |     | 575 |     |      |
| cag | gaa | gaa | gcc | agc | aag | aag | ggc | aac | cgg | acc | cca | ttc | cag | tac | ctg | 1776 |
| Gln | Glu | Glu | Ala | Ser | Lys | Lys | Gly | Asn | Arg | Thr | Pro | Phe | Gln | Tyr | Leu |      |
|     |     |     | 580 |     |     |     |     | 585 |     |     |     |     | 590 |     |     |      |
| agc | agc | agc | gac | agc | aag | atc | agc | tac | gaa | acc | ttc | aag | aag | cac | atc | 1824 |
| Ser | Ser | Ser | Asp | Ser | Lys | Ile | Ser | Tyr | Glu | Thr | Phe | Lys | Lys | His | Ile |      |
|     |     | 595 |     |     |     |     | 600 |     |     |     |     | 605 |     |     |     |      |
| ctg | aat | ctg | gcc | aag | ggc | aag | ggc | aga | atc | agc | aag | acc | aag | aaa | gag | 1872 |
| Leu | Asn | Leu | Ala | Lys | Gly | Lys | Gly | Arg | Ile | Ser | Lys | Thr | Lys | Lys | Glu |      |
|     | 610 |     |     |     |     | 615 |     |     |     |     | 620 |     |     |     |     |      |
| tat | ctg | ctg | gaa | gaa | cgg | gac | atc | aac | agg | ttc | tcc | gtg | cag | aaa | gac | 1920 |
| Tyr | Leu | Leu | Glu | Glu | Arg | Asp | Ile | Asn | Arg | Phe | Ser | Val | Gln | Lys | Asp |      |
| 625 |     |     |     |     | 630 |     |     |     |     | 635 |     |     |     |     | 640 |      |
| ttc | atc | aac | cgg | aac | ctg | gtg | gat | acc | aga | tac | gcc | acc | aga | ggc | ctg | 1968 |
| Phe | Ile | Asn | Arg | Asn | Leu | Val | Asp | Thr | Arg | Tyr | Ala | Thr | Arg | Gly | Leu |      |
|     |     |     |     | 645 |     |     |     |     | 650 |     |     |     |     | 655 |     |      |
| atg | aac | ctg | ctg | cgg | agc | tac | ttc | aga | gtg | aac | aac | ctg | gac | gtg | aaa | 2016 |
| Met | Asn | Leu | Leu | Arg | Ser | Tyr | Phe | Arg | Val | Asn | Asn | Leu | Asp | Val | Lys |      |
|     |     |     | 660 |     |     |     | 665 |     |     |     |     |     | 670 |     |     |      |
| gtg | aag | tcc | atc | aat | ggc | ggc | ttc | acc | agc | ttt | ctg | cgg | cgg | aag | tgg | 2064 |
| Val | Lys | Ser | Ile | Asn | Gly | Gly | Phe | Thr | Ser | Phe | Leu | Arg | Arg | Lys | Trp |      |
|     |     | 675 |     |     |     |     | 680 |     |     |     |     | 685 |     |     |     |      |
| aag | ttt | aag | aaa | gag | cgg | aac | aag | ggg | tac | aag | cac | cac | gcc | gag | gac | 2112 |
| Lys | Phe | Lys | Lys | Glu | Arg | Asn | Lys | Gly | Tyr | Lys | His | His | Ala | Glu | Asp |      |
|     | 690 |     |     |     |     | 695 |     |     |     |     | 700 |     |     |     |     |      |
| gcc | ctg | atc | att | gcc | aac | gcc | gat | ttc | atc | ttc | aaa | gag | tgg | aag | aaa | 2160 |
| Ala | Leu | Ile | Ile | Ala | Asn | Ala | Asp | Phe | Ile | Phe | Lys | Glu | Trp | Lys | Lys |      |
| 705 |     |     |     |     | 710 |     |     |     |     | 715 |     |     |     |     | 720 |      |

|                                                                                                                                                       |      |
|-------------------------------------------------------------------------------------------------------------------------------------------------------|------|
| tcc ggc ggc ggt tgc acc gag cag gag tac aaa gag atc ttc atc acc<br>Ser Gly Gly Gly Ser Thr Glu Gln Glu Tyr Lys Glu Ile Phe Ile Thr<br>725 730 735     | 2208 |
| ccc cac cag atc aag cac att aag gac ttc aag gac tac aag tac agc<br>Pro His Gln Ile Lys His Ile Lys Asp Phe Lys Asp Tyr Lys Tyr Ser<br>740 745 750     | 2256 |
| cac cgg gtg gac aag aag cct aat aga gag ctg att aac gac acc ctg<br>His Arg Val Asp Lys Lys Pro Asn Arg Glu Leu Ile Asn Asp Thr Leu<br>755 760 765     | 2304 |
| tac tcc acc cgg aag gac gac aag ggc aac acc ctg atc gtg aac aat<br>Tyr Ser Thr Arg Lys Asp Asp Lys Gly Asn Thr Leu Ile Val Asn Asn<br>770 775 780     | 2352 |
| ctg aac ggc ctg tac gac aag gac aat gac aag ctg aaa aag ctg atc<br>Leu Asn Gly Leu Tyr Asp Lys Asp Asn Asp Lys Leu Lys Lys Leu Ile<br>785 790 795 800 | 2400 |
| aac aag agc ccc gaa aag ctg ctg atg tac cac cac gac ccc cag acc<br>Asn Lys Ser Pro Glu Lys Leu Leu Met Tyr His His Asp Pro Gln Thr<br>805 810 815     | 2448 |
| tac cag aaa ctg aag ctg att atg gaa cag tac ggc gac gag aag aat<br>Tyr Gln Lys Leu Lys Leu Ile Met Glu Gln Tyr Gly Asp Glu Lys Asn<br>820 825 830     | 2496 |
| ccc ctg tac aag tac tac gag gaa acc ggg aac tac ctg acc aag tac<br>Pro Leu Tyr Lys Tyr Tyr Glu Glu Thr Gly Asn Tyr Leu Thr Lys Tyr<br>835 840 845     | 2544 |
| tcc aaa aag gac aac ggc ccc gtg atc aag aag att aag tat tac ggc<br>Ser Lys Lys Asp Asn Gly Pro Val Ile Lys Lys Ile Lys Tyr Tyr Gly<br>850 855 860     | 2592 |
| aac aaa ctg aac gcc cat ctg gac atc acc gac gac tac ccc aac agc<br>Asn Lys Leu Asn Ala His Leu Asp Ile Thr Asp Asp Tyr Pro Asn Ser<br>865 870 875 880 | 2640 |
| aga aac aag gtc gtg aag ctg tcc ctg aag ccc tac aga ttc gac gtg<br>Arg Asn Lys Val Val Lys Leu Ser Leu Lys Pro Tyr Arg Phe Asp Val<br>885 890 895     | 2688 |
| tac ctg gac aat ggc gtg tac aag ttc gtg acc gtg aag aat ctg gat<br>Tyr Leu Asp Asn Gly Val Tyr Lys Phe Val Thr Val Lys Asn Leu Asp<br>900 905 910     | 2736 |
| gtg atc aaa aaa gaa aac tac tac gaa gtg aat agc aag tgc tat gag<br>Val Ile Lys Lys Glu Asn Tyr Tyr Glu Val Asn Ser Lys Cys Tyr Glu<br>915 920 925     | 2784 |
| gaa gct aag aag ctg aag aag atc agc aac cag gcc gag ttt atc gcc<br>Glu Ala Lys Lys Leu Lys Lys Ile Ser Asn Gln Ala Glu Phe Ile Ala<br>930 935 940     | 2832 |
| tcc ttc tac aac aac gat ctg atc aag atc aac ggc gag ctg tat aga                                                                                       | 2880 |

|     |      |     |     |     |     |      |      |     |     |     |      |      |     |     |     |      |
|-----|------|-----|-----|-----|-----|------|------|-----|-----|-----|------|------|-----|-----|-----|------|
| Ser | Phe  | Tyr | Asn | Asn | Asp | Leu  | Ile  | Lys | Ile | Asn | Gly  | Glu  | Leu | Tyr | Arg |      |
| 945 |      |     |     |     | 950 |      |      |     |     | 955 |      |      |     |     | 960 |      |
| gtg | atc  | ggc | gtg | aac | aac | gac  | ctg  | ctg | aac | cgg | atc  | gaa  | gtg | aac | atg | 2928 |
| Val | Ile  | Gly | Val | Asn | Asn | Asp  | Leu  | Leu | Asn | Arg | Ile  | Glu  | Val | Asn | Met |      |
|     |      |     |     | 965 |     |      |      |     | 970 |     |      |      |     | 975 |     |      |
| atc | gac  | atc | acc | tac | cgc | gag  | tac  | ctg | gaa | aac | atg  | aac  | gac | aag | agg | 2976 |
| Ile | Asp  | Ile | Thr | Tyr | Arg | Glu  | Tyr  | Leu | Glu | Asn | Met  | Asn  | Asp | Lys | Arg |      |
|     |      |     | 980 |     |     |      |      | 985 |     |     |      |      | 990 |     |     |      |
| ccc | ccc  | agg | atc | att | aag | aca  | atc  | gcc | tcc | aag | acc  | cag  | agc | att | aag | 3024 |
| Pro | Pro  | Arg | Ile | Ile | Lys | Thr  | Ile  | Ala | Ser | Lys | Thr  | Gln  | Ser | Ile | Lys |      |
|     |      | 995 |     |     |     |      | 1000 |     |     |     |      | 1005 |     |     |     |      |
| aag | tac  | agc | aca | gac | att | ctg  | ggc  | aac | ctg | tat | gaa  | gtg  | aaa | tct |     | 3069 |
| Lys | Tyr  | Ser | Thr | Asp | Ile | Leu  | Gly  | Asn | Leu | Tyr | Glu  | Val  | Lys | Ser |     |      |
|     | 1010 |     |     |     |     | 1015 |      |     |     |     | 1020 |      |     |     |     |      |
| aag | aag  | cac | cct | cag | atc | atc  | aaa  | aag | ggc | taa |      |      |     |     |     | 3102 |
| Lys | Lys  | His | Pro | Gln | Ile | Ile  | Lys  | Lys | Gly |     |      |      |     |     |     |      |
|     | 1025 |     |     |     |     | 1030 |      |     |     |     |      |      |     |     |     |      |

<210> 4  
 <211> 1033  
 <212> PRT  
 <213> Staphylococcus aureus

<400> 4

|     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |  |
|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|--|
| Met | Lys | Arg | Asn | Tyr | Ile | Leu | Gly | Leu | Ala | Ile | Gly | Ile | Thr | Ser | Val |  |
| 1   |     |     | 5   |     |     |     |     |     | 10  |     |     |     |     | 15  |     |  |
| Gly | Tyr | Gly | Ile | Ile | Asp | Tyr | Glu | Thr | Arg | Asp | Val | Ile | Asp | Ala | Gly |  |
|     |     |     | 20  |     |     |     |     | 25  |     |     |     |     | 30  |     |     |  |
| Val | Arg | Leu | Phe | Lys | Glu | Ala | Asn | Val | Glu | Asn | Asn | Glu | Gly | Arg | Arg |  |
|     |     | 35  |     |     |     |     | 40  |     |     |     |     | 45  |     |     |     |  |
| Ser | Lys | Arg | Gly | Ala | Arg | Arg | Leu | Lys | Arg | Arg | Arg | Arg | His | Arg | Ile |  |
|     | 50  |     |     |     | 55  |     |     |     |     | 60  |     |     |     |     |     |  |
| Gln | Arg | Val | Lys | Lys | Leu | Leu | Phe | Asp | Tyr | Asn | Leu | Leu | Thr | Asp | His |  |
| 65  |     |     |     |     | 70  |     |     |     |     | 75  |     |     |     | 80  |     |  |
| Ser | Glu | Leu | Ser | Gly | Ile | Asn | Pro | Tyr | Glu | Ala | Arg | Val | Lys | Gly | Leu |  |
|     |     |     | 85  |     |     |     |     | 90  |     |     |     |     |     | 95  |     |  |
| Ser | Gln | Lys | Leu | Ser | Glu | Glu | Glu | Phe | Ser | Ala | Ala | Leu | Leu | His | Leu |  |
|     |     | 100 |     |     |     |     |     | 105 |     |     |     |     | 110 |     |     |  |

Ala Lys Arg Arg Gly Val His Asn Val Asn Glu Val Glu Glu Asp Thr  
115 120 125

Gly Asn Glu Leu Ser Thr Lys Glu Gln Ile Ser Arg Asn Ser Lys Ala  
130 135 140

Leu Glu Glu Lys Tyr Val Ala Glu Leu Gln Leu Glu Arg Leu Lys Lys  
145 150 155 160

Asp Gly Glu Val Arg Gly Ser Ile Asn Arg Phe Lys Thr Ser Asp Tyr  
165 170 175

Val Lys Glu Ala Lys Gln Leu Leu Lys Val Gln Lys Ala Tyr His Gln  
180 185 190

Leu Asp Gln Ser Phe Ile Asp Thr Tyr Ile Asp Leu Leu Glu Thr Arg  
195 200 205

Arg Thr Tyr Tyr Glu Gly Pro Gly Glu Gly Ser Pro Phe Gly Trp Lys  
210 215 220

Asp Ile Lys Glu Trp Tyr Glu Met Leu Met Gly His Cys Thr Tyr Phe  
225 230 235 240

Pro Glu Glu Leu Arg Ser Val Lys Tyr Ala Tyr Asn Ala Asp Leu Tyr  
245 250 255

Asn Ala Leu Asn Asp Leu Asn Asn Leu Val Ile Thr Arg Asp Glu Asn  
260 265 270

Glu Lys Leu Glu Tyr Tyr Glu Lys Phe Gln Ile Ile Glu Asn Val Phe  
275 280 285

Lys Gln Lys Lys Lys Pro Thr Leu Lys Gln Ile Ala Lys Glu Ile Leu  
290 295 300

Val Asn Glu Glu Asp Ile Lys Gly Tyr Arg Val Thr Ser Thr Gly Lys  
305 310 315 320

Pro Glu Phe Thr Asn Leu Lys Val Tyr His Asp Ile Lys Asp Ile Thr  
325 330 335

Ala Arg Lys Glu Ile Ile Glu Asn Ala Glu Leu Leu Asp Gln Ile Ala

350

Arg Ser Val Ser Phe Asp Asn Ser Phe Asn Asn Lys Val Leu Val Lys  
565 570 575

Gln Glu Glu Ala Ser Lys Lys Gly Asn Arg Thr Pro Phe Gln Tyr Leu  
580 585 590

Ser Ser Ser Asp Ser Lys Ile Ser Tyr Glu Thr Phe Lys Lys His Ile  
595 600 605

Leu Asn Leu Ala Lys Gly Lys Gly Arg Ile Ser Lys Thr Lys Lys Glu  
610 615 620

Tyr Leu Leu Glu Glu Arg Asp Ile Asn Arg Phe Ser Val Gln Lys Asp  
625 630 635 640

Phe Ile Asn Arg Asn Leu Val Asp Thr Arg Tyr Ala Thr Arg Gly Leu  
645 650 655

Met Asn Leu Leu Arg Ser Tyr Phe Arg Val Asn Asn Leu Asp Val Lys  
660 665 670

Val Lys Ser Ile Asn Gly Gly Phe Thr Ser Phe Leu Arg Arg Lys Trp  
675 680 685

Lys Phe Lys Lys Glu Arg Asn Lys Gly Tyr Lys His His Ala Glu Asp  
690 695 700

Ala Leu Ile Ile Ala Asn Ala Asp Phe Ile Phe Lys Glu Trp Lys Lys  
705 710 715 720

Ser Gly Gly Gly Ser Thr Glu Gln Glu Tyr Lys Glu Ile Phe Ile Thr  
725 730 735

Pro His Gln Ile Lys His Ile Lys Asp Phe Lys Asp Tyr Lys Tyr Ser  
740 745 750

His Arg Val Asp Lys Lys Pro Asn Arg Glu Leu Ile Asn Asp Thr Leu  
755 760 765

Tyr Ser Thr Arg Lys Asp Asp Lys Gly Asn Thr Leu Ile Val Asn Asn  
770 775 780

Leu Asn Gly Leu Tyr Asp Lys Asp Asn Asp Lys Leu Lys Lys Leu Ile  
785 790 795 800

Asn Lys Ser Pro Glu Lys Leu Leu Met Tyr His His Asp Pro Gln Thr

| 805 |      |     |     |     |     |      |      |     |     | 810 |      |      |     |     | 815 |  |  |  |  |
|-----|------|-----|-----|-----|-----|------|------|-----|-----|-----|------|------|-----|-----|-----|--|--|--|--|
| Tyr | Gln  | Lys | Leu | Lys | Leu | Ile  | Met  | Glu | Gln | Tyr | Gly  | Asp  | Glu | Lys | Asn |  |  |  |  |
|     |      |     | 820 |     |     |      |      | 825 |     |     |      |      | 830 |     |     |  |  |  |  |
| Pro | Leu  | Tyr | Lys | Tyr | Tyr | Glu  | Glu  | Thr | Gly | Asn | Tyr  | Leu  | Thr | Lys | Tyr |  |  |  |  |
|     |      | 835 |     |     |     |      | 840  |     |     |     |      | 845  |     |     |     |  |  |  |  |
| Ser | Lys  | Lys | Asp | Asn | Gly | Pro  | Val  | Ile | Lys | Lys | Ile  | Lys  | Tyr | Tyr | Gly |  |  |  |  |
|     | 850  |     |     |     |     | 855  |      |     |     |     | 860  |      |     |     |     |  |  |  |  |
| Asn | Lys  | Leu | Asn | Ala | His | Leu  | Asp  | Ile | Thr | Asp | Asp  | Tyr  | Pro | Asn | Ser |  |  |  |  |
| 865 |      |     |     |     | 870 |      |      |     |     | 875 |      |      |     |     | 880 |  |  |  |  |
| Arg | Asn  | Lys | Val | Val | Lys | Leu  | Ser  | Leu | Lys | Pro | Tyr  | Arg  | Phe | Asp | Val |  |  |  |  |
|     |      |     |     | 885 |     |      |      |     | 890 |     |      |      |     | 895 |     |  |  |  |  |
| Tyr | Leu  | Asp | Asn | Gly | Val | Tyr  | Lys  | Phe | Val | Thr | Val  | Lys  | Asn | Leu | Asp |  |  |  |  |
|     |      |     | 900 |     |     |      |      | 905 |     |     |      |      | 910 |     |     |  |  |  |  |
| Val | Ile  | Lys | Lys | Glu | Asn | Tyr  | Tyr  | Glu | Val | Asn | Ser  | Lys  | Cys | Tyr | Glu |  |  |  |  |
|     |      | 915 |     |     |     |      | 920  |     |     |     |      | 925  |     |     |     |  |  |  |  |
| Glu | Ala  | Lys | Lys | Leu | Lys | Lys  | Ile  | Ser | Asn | Gln | Ala  | Glu  | Phe | Ile | Ala |  |  |  |  |
|     | 930  |     |     |     |     | 935  |      |     |     |     | 940  |      |     |     |     |  |  |  |  |
| Ser | Phe  | Tyr | Asn | Asn | Asp | Leu  | Ile  | Lys | Ile | Asn | Gly  | Glu  | Leu | Tyr | Arg |  |  |  |  |
| 945 |      |     |     |     | 950 |      |      |     |     | 955 |      |      |     |     | 960 |  |  |  |  |
| Val | Ile  | Gly | Val | Asn | Asn | Asp  | Leu  | Leu | Asn | Arg | Ile  | Glu  | Val | Asn | Met |  |  |  |  |
|     |      |     |     | 965 |     |      |      |     | 970 |     |      |      |     | 975 |     |  |  |  |  |
| Ile | Asp  | Ile | Thr | Tyr | Arg | Glu  | Tyr  | Leu | Glu | Asn | Met  | Asn  | Asp | Lys | Arg |  |  |  |  |
|     |      |     | 980 |     |     |      |      | 985 |     |     |      |      | 990 |     |     |  |  |  |  |
| Pro | Pro  | Arg | Ile | Ile | Lys | Thr  | Ile  | Ala | Ser | Lys | Thr  | Gln  | Ser | Ile | Lys |  |  |  |  |
|     |      | 995 |     |     |     |      | 1000 |     |     |     |      | 1005 |     |     |     |  |  |  |  |
| Lys | Tyr  | Ser | Thr | Asp | Ile | Leu  | Gly  | Asn | Leu | Tyr | Glu  | Val  | Lys | Ser |     |  |  |  |  |
|     | 1010 |     |     |     |     | 1015 |      |     |     |     | 1020 |      |     |     |     |  |  |  |  |
| Lys | Lys  | His | Pro | Gln | Ile | Ile  | Lys  | Lys | Gly |     |      |      |     |     |     |  |  |  |  |
|     | 1025 |     |     |     |     | 1030 |      |     |     |     |      |      |     |     |     |  |  |  |  |

<210> 5  
 <211> 3072  
 <212> DNA  
 <213> Staphylococcus aureus

<220>  
 <221> CDS  
 <222> (1).. (3072)

|                                                                 |     |
|-----------------------------------------------------------------|-----|
| <400> 5                                                         |     |
| atg aag cgg aac tac atc ctg ggc ctg gcc atc ggc atc acc agc gtg | 48  |
| Met Lys Arg Asn Tyr Ile Leu Gly Leu Ala Ile Gly Ile Thr Ser Val |     |
| 1 5 10 15                                                       |     |
| ggc tac ggc atc atc gac tac gag aca cgg gac gtg atc gat gcc ggc | 96  |
| Gly Tyr Gly Ile Ile Asp Tyr Glu Thr Arg Asp Val Ile Asp Ala Gly |     |
| 20 25 30                                                        |     |
| gtg cgg ctg ttc aaa gag gcc aac gtg gaa aac aac gag ggc agg cgg | 144 |
| Val Arg Leu Phe Lys Glu Ala Asn Val Glu Asn Asn Glu Gly Arg Arg |     |
| 35 40 45                                                        |     |
| agc aag aga ggc gcc aga agg ctg aag cgg cgg agg cgg cat aga atc | 192 |
| Ser Lys Arg Gly Ala Arg Arg Leu Lys Arg Arg Arg Arg His Arg Ile |     |
| 50 55 60                                                        |     |
| cag aga gtg aag aag ctg ctg ttc gac tac aac ctg ctg acc gac cac | 240 |
| Gln Arg Val Lys Lys Leu Leu Phe Asp Tyr Asn Leu Leu Thr Asp His |     |
| 65 70 75 80                                                     |     |
| agc gag ctg agc ggc atc aac ccc tac gag gcc aga gtg aag ggc ctg | 288 |
| Ser Glu Leu Ser Gly Ile Asn Pro Tyr Glu Ala Arg Val Lys Gly Leu |     |
| 85 90 95                                                        |     |
| agc cag aag ctg agc gag gaa gag ttc tct gcc gcc ctg ctg cac ctg | 336 |
| Ser Gln Lys Leu Ser Glu Glu Glu Phe Ser Ala Ala Leu Leu His Leu |     |
| 100 105 110                                                     |     |
| gcc aag aga aga ggc gtg cac aac gtg aac gag gtg gaa gag gac acc | 384 |
| Ala Lys Arg Arg Gly Val His Asn Val Asn Glu Val Glu Glu Asp Thr |     |
| 115 120 125                                                     |     |
| ggc aac gag ctg tcc acc aaa gag cag atc agc cgg aac agc aag gcc | 432 |
| Gly Asn Glu Leu Ser Thr Lys Glu Gln Ile Ser Arg Asn Ser Lys Ala |     |
| 130 135 140                                                     |     |
| ctg gaa gag aaa tac gtg gcc gaa ctg cag ctg gaa cgg ctg aag aaa | 480 |
| Leu Glu Glu Lys Tyr Val Ala Glu Leu Gln Leu Glu Arg Leu Lys Lys |     |
| 145 150 155 160                                                 |     |
| gac ggc gaa gtg cgg ggc agc atc aac aga ttc aag acc agc gac tac | 528 |
| Asp Gly Glu Val Arg Gly Ser Ile Asn Arg Phe Lys Thr Ser Asp Tyr |     |
| 165 170 175                                                     |     |
| gtg aaa gaa gcc aaa cag ctg ctg aag gtg cag aag gcc tac cac cag | 576 |
| Val Lys Glu Ala Lys Gln Leu Leu Lys Val Gln Lys Ala Tyr His Gln |     |

| 180               |                   |                   |                   |                   |                   | 185               |                   |                   |                   |                   |                   | 190               |                   |                   |                   |      |  |  |
|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|------|--|--|
| ctg<br>Leu        | gac<br>Asp        | cag<br>Gln<br>195 | agc<br>Ser        | ttc<br>Phe        | atc<br>Ile        | gac<br>Asp        | acc<br>Thr<br>200 | tac<br>Tyr        | atc<br>Ile        | gac<br>Asp        | ctg<br>Leu        | ctg<br>Leu<br>205 | gaa<br>Glu        | acc<br>Thr        | cgg<br>Arg        | 624  |  |  |
| cgg<br>Arg        | acc<br>Thr<br>210 | tac<br>Tyr        | tat<br>Tyr        | gag<br>Glu        | gga<br>Gly        | cct<br>Pro<br>215 | ggc<br>Gly        | gag<br>Glu        | ggc<br>Gly        | agc<br>Ser        | ccc<br>Pro<br>220 | ttc<br>Phe        | ggc<br>Gly        | tgg<br>Trp        | aag<br>Lys        | 672  |  |  |
| gac<br>Asp<br>225 | atc<br>Ile        | aaa<br>Lys        | gaa<br>Glu        | tgg<br>Trp        | tac<br>Tyr<br>230 | gag<br>Glu        | atg<br>Met        | ctg<br>Leu        | atg<br>Met        | ggc<br>Gly<br>235 | cac<br>His        | tgc<br>Cys        | acc<br>Thr        | tac<br>Tyr        | ttc<br>Phe<br>240 | 720  |  |  |
| ccc<br>Pro        | gag<br>Glu        | gaa<br>Glu        | ctg<br>Leu        | cgg<br>Arg<br>245 | agc<br>Ser        | gtg<br>Val        | aag<br>Lys        | tac<br>Tyr        | gcc<br>Ala<br>250 | tac<br>Tyr        | aac<br>Asn        | gcc<br>Ala        | gac<br>Asp        | ctg<br>Leu<br>255 | tac<br>Tyr        | 768  |  |  |
| aac<br>Asn        | gcc<br>Ala        | ctg<br>Leu        | aac<br>Asn<br>260 | gac<br>Asp        | ctg<br>Leu        | aac<br>Asn        | aat<br>Asn        | ctc<br>Leu<br>265 | gtg<br>Val        | atc<br>Ile        | acc<br>Thr        | agg<br>Arg        | gac<br>Asp<br>270 | gag<br>Glu        | aac<br>Asn        | 816  |  |  |
| gag<br>Glu        | aag<br>Lys        | ctg<br>Leu<br>275 | gaa<br>Glu        | tat<br>Tyr        | tac<br>Tyr        | gag<br>Glu        | aag<br>Lys<br>280 | ttc<br>Phe        | cag<br>Gln        | atc<br>Ile        | atc<br>Ile        | gag<br>Glu<br>285 | aac<br>Asn        | gtg<br>Val        | ttc<br>Phe        | 864  |  |  |
| aag<br>Lys        | cag<br>Gln<br>290 | aag<br>Lys        | aag<br>Lys        | aag<br>Lys        | ccc<br>Pro        | acc<br>Thr<br>295 | ctg<br>Leu        | aag<br>Lys        | cag<br>Gln        | atc<br>Ile        | gcc<br>Ala<br>300 | aaa<br>Lys        | gaa<br>Glu        | atc<br>Ile        | ctc<br>Leu        | 912  |  |  |
| gtg<br>Val<br>305 | aac<br>Asn        | gaa<br>Glu        | gag<br>Glu        | gat<br>Asp        | att<br>Ile<br>310 | aag<br>Lys        | ggc<br>Gly        | tac<br>Tyr        | aga<br>Arg        | gtg<br>Val<br>315 | acc<br>Thr        | agc<br>Ser        | acc<br>Thr        | ggc<br>Gly        | aag<br>Lys<br>320 | 960  |  |  |
| ccc<br>Pro        | gag<br>Glu        | ttc<br>Phe        | acc<br>Thr        | aac<br>Asn<br>325 | ctg<br>Leu        | aag<br>Lys        | gtg<br>Val        | tac<br>Tyr        | cac<br>His<br>330 | gac<br>Asp        | atc<br>Ile        | aag<br>Lys        | gac<br>Asp        | att<br>Ile<br>335 | acc<br>Thr        | 1008 |  |  |
| gcc<br>Ala        | cgg<br>Arg        | aaa<br>Lys        | gag<br>Glu<br>340 | att<br>Ile        | att<br>Ile        | gag<br>Glu        | aac<br>Asn        | gcc<br>Ala<br>345 | gag<br>Glu        | ctg<br>Leu        | ctg<br>Leu        | gat<br>Asp        | cag<br>Gln<br>350 | att<br>Ile        | gcc<br>Ala        | 1056 |  |  |
| aag<br>Lys        | atc<br>Ile        | ctg<br>Leu<br>355 | acc<br>Thr        | atc<br>Ile        | tac<br>Tyr        | cag<br>Gln        | agc<br>Ser<br>360 | agc<br>Ser        | gag<br>Glu        | gac<br>Asp        | atc<br>Ile        | cag<br>Gln<br>365 | gaa<br>Glu        | gaa<br>Glu        | ctg<br>Leu        | 1104 |  |  |
| acc<br>Thr        | aat<br>Asn<br>370 | ctg<br>Leu        | aac<br>Asn        | tcc<br>Ser        | gag<br>Glu        | ctg<br>Leu<br>375 | acc<br>Thr        | cag<br>Gln        | gaa<br>Glu        | gag<br>Glu        | atc<br>Ile<br>380 | gag<br>Glu        | cag<br>Gln        | atc<br>Ile        | tot<br>Ser        | 1152 |  |  |
| aat<br>Asn<br>385 | ctg<br>Leu        | aag<br>Lys        | ggc<br>Gly        | tat<br>Tyr        | acc<br>Thr<br>390 | ggc<br>Gly        | acc<br>Thr        | cac<br>His        | aac<br>Asn        | ctg<br>Leu<br>395 | agc<br>Ser        | ctg<br>Leu        | aag<br>Lys        | gcc<br>Ala        | atc<br>Ile<br>400 | 1200 |  |  |
| aac<br>Asn        | ctg<br>Leu        | atc<br>Ile        | ctg<br>Leu        | gac<br>Asp<br>405 | gag<br>Glu        | ctg<br>Leu        | tgg<br>Trp        | cac<br>His        | acc<br>Thr<br>410 | aac<br>Asn        | gac<br>Asp        | aac<br>Asn        | cag<br>Gln        | atc<br>Ile<br>415 | gct<br>Ala        | 1248 |  |  |

|                                                                                                                                                       |      |
|-------------------------------------------------------------------------------------------------------------------------------------------------------|------|
| atc ttc aac cgg ctg aag ctg gtg ccc aag aag gtg gac ctg tcc cag<br>Ile Phe Asn Arg Leu Lys Leu Val Pro Lys Lys Val Asp Leu Ser Gln<br>420 425 430     | 1296 |
| cag aaa gag atc ccc acc acc ctg gtg gac gac ttc atc ctg agc ccc<br>Gln Lys Glu Ile Pro Thr Thr Leu Val Asp Asp Phe Ile Leu Ser Pro<br>435 440 445     | 1344 |
| gtc gtg aag aga agc ttc atc cag agc atc aaa gtg atc aac gcc atc<br>Val Val Lys Arg Ser Phe Ile Gln Ser Ile Lys Val Ile Asn Ala Ile<br>450 455 460     | 1392 |
| atc aag aag tac ggc ctg ccc aac gac atc att atc gag ctg gcc cgc<br>Ile Lys Lys Tyr Gly Leu Pro Asn Asp Ile Ile Ile Glu Leu Ala Arg<br>465 470 475 480 | 1440 |
| gag aag aac tcc aag gac gcc cag aaa atg atc aac gag atg cag aag<br>Glu Lys Asn Ser Lys Asp Ala Gln Lys Met Ile Asn Glu Met Gln Lys<br>485 490 495     | 1488 |
| cgg aac cgg cag acc aac gag cgg atc gag gaa atc atc cgg acc acc<br>Arg Asn Arg Gln Thr Asn Glu Arg Ile Glu Glu Ile Ile Arg Thr Thr<br>500 505 510     | 1536 |
| ggc aaa gag aac gcc aag tac ctg atc gag aag atc aag ctg cac gac<br>Gly Lys Glu Asn Ala Lys Tyr Leu Ile Glu Lys Ile Lys Leu His Asp<br>515 520 525     | 1584 |
| atg cag gaa ggc aag tgc ctg tac agc ctg gaa gcc atc cct ctg gaa<br>Met Gln Glu Gly Lys Cys Leu Tyr Ser Leu Glu Ala Ile Pro Leu Glu<br>530 535 540     | 1632 |
| gat ctg ctg aac aac ccc ttc aac tat gag gtg gac cac atc atc ccc<br>Asp Leu Leu Asn Asn Pro Phe Asn Tyr Glu Val Asp His Ile Ile Pro<br>545 550 555 560 | 1680 |
| aga agc gtg tcc ttc gac aac agc ttc aac aac aag gtg ctc gtg aag<br>Arg Ser Val Ser Phe Asp Asn Ser Phe Asn Asn Lys Val Leu Val Lys<br>565 570 575     | 1728 |
| cag gaa gaa gcc agc aag aag ggc aac cgg acc cca ttc cag tac ctg<br>Gln Glu Glu Ala Ser Lys Lys Gly Asn Arg Thr Pro Phe Gln Tyr Leu<br>580 585 590     | 1776 |
| agc agc agc gac agc aag atc agc tac gaa acc ttc aag aag cac atc<br>Ser Ser Ser Asp Ser Lys Ile Ser Tyr Glu Thr Phe Lys Lys His Ile<br>595 600 605     | 1824 |
| ctg aat ctg gcc aag ggc aag ggc aga atc agc aag acc aag aaa gag<br>Leu Asn Leu Ala Lys Gly Lys Gly Arg Ile Ser Lys Thr Lys Lys Glu<br>610 615 620     | 1872 |
| tat ctg ctg gaa gaa cgg gac atc aac agg ttc tcc gtg cag aaa gac<br>Tyr Leu Leu Glu Glu Arg Asp Ile Asn Arg Phe Ser Val Gln Lys Asp<br>625 630 635 640 | 1920 |
| ttc atc aac cgg aac ctg gtg gat acc aga tac gcc acc aga ggc ctg<br>Phe Ile Asn Arg Asn Leu Val Asp Thr Arg Tyr Ala Thr Arg Gly Leu<br>645 650 655 660 | 1968 |

| 645               |                   |                   |                   |                   |                   |                   |                   | 650               |                   |                   |                   |                   | 655               |                   |                   |      |  |  |
|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|------|--|--|
| atg<br>Met        | aac<br>Asn        | ctg<br>Leu        | ctg<br>Leu<br>660 | cgg<br>Arg        | agc<br>Ser        | tac<br>Tyr        | ttc<br>Phe        | aga<br>Arg<br>665 | gtg<br>Val        | aac<br>Asn        | aac<br>Asn        | ctg<br>Leu        | gac<br>Asp<br>670 | gtg<br>Val        | aaa<br>Lys        | 2016 |  |  |
| gtg<br>Val        | aag<br>Lys        | tcc<br>Ser<br>675 | atc<br>Ile        | aat<br>Asn        | ggc<br>Gly        | ggc<br>Gly        | ttc<br>Phe<br>680 | acc<br>Thr        | agc<br>Ser        | ttt<br>Phe        | ctg<br>Leu        | cgg<br>Arg<br>685 | cgg<br>Arg        | aag<br>Lys        | tgg<br>Trp        | 2064 |  |  |
| aag<br>Lys        | ttt<br>Phe<br>690 | aag<br>Lys        | aaa<br>Lys        | gag<br>Glu        | cgg<br>Arg        | aac<br>Asn<br>695 | aag<br>Lys        | ggg<br>Gly        | tac<br>Tyr        | aag<br>Lys        | cac<br>His<br>700 | cac<br>His        | gcc<br>Ala        | gag<br>Glu        | gac<br>Asp        | 2112 |  |  |
| gcc<br>Ala<br>705 | ctg<br>Leu        | atc<br>Ile        | att<br>Ile        | gcc<br>Ala        | aac<br>Asn<br>710 | gcc<br>Ala        | gat<br>Asp        | ttc<br>Phe        | atc<br>Ile        | ttc<br>Phe<br>715 | aaa<br>Lys        | gag<br>Glu        | tgg<br>Trp        | aag<br>Lys        | aaa<br>Lys<br>720 | 2160 |  |  |
| tcc<br>Ser        | ggc<br>Gly        | ggc<br>Gly        | ggt<br>Gly        | tcc<br>Ser<br>725 | acc<br>Thr        | ccc<br>Pro        | cac<br>His        | cag<br>Gln        | atc<br>Ile<br>730 | aag<br>Lys        | cac<br>His        | att<br>Ile        | aag<br>Lys        | gac<br>Asp<br>735 | ttc<br>Phe        | 2208 |  |  |
| aag<br>Lys        | gac<br>Asp        | tac<br>Tyr        | aag<br>Lys<br>740 | tac<br>Tyr        | agc<br>Ser        | cac<br>His        | cgg<br>Arg        | gtg<br>Val<br>745 | gac<br>Asp        | aag<br>Lys        | aag<br>Lys        | cct<br>Pro        | aat<br>Asn<br>750 | aga<br>Arg        | gag<br>Glu        | 2256 |  |  |
| ctg<br>Leu        | att<br>Ile        | aac<br>Asn<br>755 | gac<br>Asp        | acc<br>Thr        | ctg<br>Leu        | tac<br>Tyr        | tcc<br>Ser<br>760 | acc<br>Thr        | cgg<br>Arg        | aag<br>Lys        | gac<br>Asp        | gac<br>Asp<br>765 | aag<br>Lys        | ggc<br>Gly        | aac<br>Asn        | 2304 |  |  |
| acc<br>Thr        | ctg<br>Leu<br>770 | atc<br>Ile        | gtg<br>Val        | aac<br>Asn        | aat<br>Asn        | ctg<br>Leu<br>775 | aac<br>Asn        | ggc<br>Gly        | ctg<br>Leu        | tac<br>Tyr        | gac<br>Asp<br>780 | aag<br>Lys        | gac<br>Asp        | aat<br>Asn        | gac<br>Asp        | 2352 |  |  |
| aag<br>Lys<br>785 | ctg<br>Leu        | aaa<br>Lys        | aag<br>Lys        | ctg<br>Leu        | atc<br>Ile<br>790 | aac<br>Asn        | aag<br>Lys        | agc<br>Ser        | ccc<br>Pro        | gaa<br>Glu<br>795 | aag<br>Lys        | ctg<br>Leu        | ctg<br>Leu        | atg<br>Met        | tac<br>Tyr<br>800 | 2400 |  |  |
| cac<br>His        | cac<br>His        | gac<br>Asp        | ccc<br>Pro        | cag<br>Gln<br>805 | acc<br>Thr        | tac<br>Tyr        | cag<br>Gln        | aaa<br>Lys        | ctg<br>Leu<br>810 | aag<br>Lys        | ctg<br>Leu        | att<br>Ile        | atg<br>Met        | gaa<br>Glu<br>815 | cag<br>Gln        | 2448 |  |  |
| tac<br>Tyr        | ggc<br>Gly        | gac<br>Asp        | gag<br>Glu<br>820 | aag<br>Lys        | aat<br>Asn        | ccc<br>Pro        | ctg<br>Leu        | tac<br>Tyr<br>825 | aag<br>Lys        | tac<br>Tyr        | tac<br>Tyr        | gag<br>Glu        | gaa<br>Glu<br>830 | acc<br>Thr        | ggg<br>Gly        | 2496 |  |  |
| aac<br>Asn        | tac<br>Tyr        | ctg<br>Leu<br>835 | acc<br>Thr        | aag<br>Lys        | tac<br>Tyr        | tcc<br>Ser        | aaa<br>Lys<br>840 | aag<br>Lys        | gac<br>Asp        | aac<br>Asn        | ggc<br>Gly        | ccc<br>Pro<br>845 | gtg<br>Val        | atc<br>Ile        | aag<br>Lys        | 2544 |  |  |
| aag<br>Lys        | att<br>Ile<br>850 | aag<br>Lys        | tat<br>Tyr        | tac<br>Tyr        | ggc<br>Gly        | aac<br>Asn<br>855 | aaa<br>Lys        | ctg<br>Leu        | aac<br>Asn        | gcc<br>Ala        | cat<br>His<br>860 | ctg<br>Leu        | gac<br>Asp        | atc<br>Ile        | acc<br>Thr        | 2592 |  |  |
| gac<br>Asp<br>865 | gac<br>Asp        | tac<br>Tyr        | ccc<br>Pro        | aac<br>Asn        | agc<br>Ser<br>870 | aga<br>Arg        | aac<br>Asn        | aag<br>Lys        | gtc<br>Val        | gtg<br>Val<br>875 | aag<br>Lys        | ctg<br>Leu        | tcc<br>Ser        | ctg<br>Leu        | aag<br>Lys<br>880 | 2640 |  |  |

ccc tac aga ttc gac gtg tac ctg gac aat ggc gtg tac aag ttc gtg 2688  
Pro Tyr Arg Phe Asp Val Tyr Leu Asp Asn Gly Val Tyr Lys Phe Val  
885 890 895

acc gtg aag aat ctg gat gtg atc aaa aaa gaa aac tac tac gaa gtg 2736  
Thr Val Lys Asn Leu Asp Val Ile Lys Lys Glu Asn Tyr Tyr Glu Val  
900 905 910

aat agc aag tgc tat gag gaa gct aag aag ctg aag aag atc agc aac 2784  
Asn Ser Lys Cys Tyr Glu Glu Ala Lys Lys Leu Lys Lys Ile Ser Asn  
915 920 925

cag gcc gag ttt atc gcc tcc ttc tac aac aac gat ctg atc aag atc 2832  
Gln Ala Glu Phe Ile Ala Ser Phe Tyr Asn Asn Asp Leu Ile Lys Ile  
930 935 940

aac ggc gag ctg tat aga gtg atc ggc gtg aac aac gac ctg ctg aac 2880  
Asn Gly Glu Leu Tyr Arg Val Ile Gly Val Asn Asn Asp Leu Leu Asn  
945 950 955 960

cgg atc gaa gtg aac atg atc gac atc acc tac cgc gag tac ctg gaa 2928  
Arg Ile Glu Val Asn Met Ile Asp Ile Thr Tyr Arg Glu Tyr Leu Glu  
965 970 975

aac atg aac gac aag agg ccc ccc agg atc att aag aca atc gcc tcc 2976  
Asn Met Asn Asp Lys Arg Pro Pro Arg Ile Ile Lys Thr Ile Ala Ser  
980 985 990

aag acc cag agc att aag aag tac agc aca gac att ctg ggc aac ctg 3024  
Lys Thr Gln Ser Ile Lys Lys Tyr Ser Thr Asp Ile Leu Gly Asn Leu  
995 1000 1005

tat gaa gtg aaa tct aag aag cac cct cag atc atc aaa aag ggc 3069  
Tyr Glu Val Lys Ser Lys Lys His Pro Gln Ile Ile Lys Lys Gly  
1010 1015 1020

taa 3072

<210> 6  
<211> 1023  
<212> PRT  
<213> Staphylococcus aureus

<400> 6

Met Lys Arg Asn Tyr Ile Leu Gly Leu Ala Ile Gly Ile Thr Ser Val  
1 5 10 15

Gly Tyr Gly Ile Ile Asp Tyr Glu Thr Arg Asp Val Ile Asp Ala Gly  
20 25 30

Val Arg Leu Phe Lys Glu Ala Asn Val Glu Asn Asn Glu Gly Arg Arg  
35 40 45

Ser Lys Arg Gly Ala Arg Arg Leu Lys Arg Arg Arg Arg His Arg Ile  
50 55 60

Gln Arg Val Lys Lys Leu Leu Phe Asp Tyr Asn Leu Leu Thr Asp His  
65 70 75 80

Ser Glu Leu Ser Gly Ile Asn Pro Tyr Glu Ala Arg Val Lys Gly Leu  
85 90 95

Ser Gln Lys Leu Ser Glu Glu Glu Phe Ser Ala Ala Leu Leu His Leu  
100 105 110

Ala Lys Arg Arg Gly Val His Asn Val Asn Glu Val Glu Glu Asp Thr  
115 120 125

Gly Asn Glu Leu Ser Thr Lys Glu Gln Ile Ser Arg Asn Ser Lys Ala  
130 135 140

Leu Glu Glu Lys Tyr Val Ala Glu Leu Gln Leu Glu Arg Leu Lys Lys  
145 150 155 160

Asp Gly Glu Val Arg Gly Ser Ile Asn Arg Phe Lys Thr Ser Asp Tyr  
165 170 175

Val Lys Glu Ala Lys Gln Leu Leu Lys Val Gln Lys Ala Tyr His Gln  
180 185 190

Leu Asp Gln Ser Phe Ile Asp Thr Tyr Ile Asp Leu Leu Glu Thr Arg  
195 200 205

Arg Thr Tyr Tyr Glu Gly Pro Gly Glu Gly Ser Pro Phe Gly Trp Lys  
210 215 220

Asp Ile Lys Glu Trp Tyr Glu Met Leu Met Gly His Cys Thr Tyr Phe  
225 230 235 240

Pro Glu Glu Leu Arg Ser Val Lys Tyr Ala Tyr Asn Ala Asp Leu Tyr  
245 250 255

Asn Ala Leu Asn Asp Leu Asn Asn Leu Val Ile Thr Arg Asp Glu Asn  
260 265 270

Glu Lys Leu Glu Tyr Tyr Glu Lys Phe Gln Ile Ile Glu Asn Val Phe  
275 280 285

Lys Gln Lys Lys Lys Pro Thr Leu Lys Gln Ile Ala Lys Glu Ile Leu  
290 295 300

Val Asn Glu Glu Asp Ile Lys Gly Tyr Arg Val Thr Ser Thr Gly Lys  
305 310 315 320

Pro Glu Phe Thr Asn Leu Lys Val Tyr His Asp Ile Lys Asp Ile Thr  
325 330 335

Ala Arg Lys Glu Ile Ile Glu Asn Ala Glu Leu Leu Asp Gln Ile Ala  
340 345 350

Lys Ile Leu Thr Ile Tyr Gln Ser Ser Glu Asp Ile Gln Glu Glu Leu  
355 360 365

Thr Asn Leu Asn Ser Glu Leu Thr Gln Glu Glu Ile Glu Gln Ile Ser  
370 375 380

Asn Leu Lys Gly Tyr Thr Gly Thr His Asn Leu Ser Leu Lys Ala Ile  
385 390 395 400

Asn Leu Ile Leu Asp Glu Leu Trp His Thr Asn Asp Asn Gln Ile Ala  
405 410 415

Ile Phe Asn Arg Leu Lys Leu Val Pro Lys Lys Val Asp Leu Ser Gln  
420 425 430

Gln Lys Glu Ile Pro Thr Thr Leu Val Asp Asp Phe Ile Leu Ser Pro  
435 440 445

Val Val Lys Arg Ser Phe Ile Gln Ser Ile Lys Val Ile Asn Ala Ile  
450 455 460

Ile Lys Lys Tyr Gly Leu Pro Asn Asp Ile Ile Ile Glu Leu Ala Arg  
465 470 475 480

Glu Lys Asn Ser Lys Asp Ala Gln Lys Met Ile Asn Glu Met Gln Lys  
485 490 495

Arg Asn Arg Gln Thr Asn Glu Arg Ile Glu Glu Ile Ile Arg Thr Thr  
500 505 510

Gly Lys Glu Asn Ala Lys Tyr Leu Ile Glu Lys Ile Lys Leu His Asp  
515 520 525

Met Gln Glu Gly Lys Cys Leu Tyr Ser Leu Glu Ala Ile Pro Leu Glu  
530 535 540

Asp Leu Leu Asn Asn Pro Phe Asn Tyr Glu Val Asp His Ile Ile Pro  
545 550 555 560

Arg Ser Val Ser Phe Asp Asn Ser Phe Asn Asn Lys Val Leu Val Lys  
565 570 575

Gln Glu Glu Ala Ser Lys Lys Gly Asn Arg Thr Pro Phe Gln Tyr Leu  
580 585 590

Ser Ser Ser Asp Ser Lys Ile Ser Tyr Glu Thr Phe Lys Lys His Ile  
595 600 605

Leu Asn Leu Ala Lys Gly Lys Gly Arg Ile Ser Lys Thr Lys Lys Glu  
610 615 620

Tyr Leu Leu Glu Glu Arg Asp Ile Asn Arg Phe Ser Val Gln Lys Asp  
625 630 635 640

Phe Ile Asn Arg Asn Leu Val Asp Thr Arg Tyr Ala Thr Arg Gly Leu  
645 650 655

Met Asn Leu Leu Arg Ser Tyr Phe Arg Val Asn Asn Leu Asp Val Lys  
660 665 670

Val Lys Ser Ile Asn Gly Gly Phe Thr Ser Phe Leu Arg Arg Lys Trp  
675 680 685

Lys Phe Lys Lys Glu Arg Asn Lys Gly Tyr Lys His His Ala Glu Asp  
690 695 700

Ala Leu Ile Ile Ala Asn Ala Asp Phe Ile Phe Lys Glu Trp Lys Lys  
705 710 715 720

Ser Gly Gly Gly Ser Thr Pro His Gln Ile Lys His Ile Lys Asp Phe  
725 730 735

Lys Asp Tyr Lys Tyr Ser His Arg Val Asp Lys Lys Pro Asn Arg Glu  
740 745 750

Leu Ile Asn Asp Thr Leu Tyr Ser Thr Arg Lys Asp Asp Lys Gly Asn  
755 760 765

Thr Leu Ile Val Asn Asn Leu Asn Gly Leu Tyr Asp Lys Asp Asn Asp  
770 775 780

Lys Leu Lys Lys Leu Ile Asn Lys Ser Pro Glu Lys Leu Leu Met Tyr  
785 790 795 800

His His Asp Pro Gln Thr Tyr Gln Lys Leu Lys Leu Ile Met Glu Gln  
805 810 815

Tyr Gly Asp Glu Lys Asn Pro Leu Tyr Lys Tyr Tyr Glu Glu Thr Gly  
820 825 830

Asn Tyr Leu Thr Lys Tyr Ser Lys Lys Asp Asn Gly Pro Val Ile Lys  
835 840 845

Lys Ile Lys Tyr Tyr Gly Asn Lys Leu Asn Ala His Leu Asp Ile Thr  
850 855 860

Asp Asp Tyr Pro Asn Ser Arg Asn Lys Val Val Lys Leu Ser Leu Lys  
865 870 875 880

Pro Tyr Arg Phe Asp Val Tyr Leu Asp Asn Gly Val Tyr Lys Phe Val  
885 890 895

Thr Val Lys Asn Leu Asp Val Ile Lys Lys Glu Asn Tyr Tyr Glu Val  
900 905 910

Asn Ser Lys Cys Tyr Glu Glu Ala Lys Lys Leu Lys Lys Ile Ser Asn  
915 920 925

Gln Ala Glu Phe Ile Ala Ser Phe Tyr Asn Asn Asp Leu Ile Lys Ile  
930 935 940

Asn Gly Glu Leu Tyr Arg Val Ile Gly Val Asn Asn Asp Leu Leu Asn  
945 950 955 960

Arg Ile Glu Val Asn Met Ile Asp Ile Thr Tyr Arg Glu Tyr Leu Glu  
965 970 975

Asn Met Asn Asp Lys Arg Pro Pro Arg Ile Ile Lys Thr Ile Ala Ser  
 980 985 990

Lys Thr Gln Ser Ile Lys Lys Tyr Ser Thr Asp Ile Leu Gly Asn Leu  
 995 1000 1005

Tyr Glu Val Lys Ser Lys Lys His Pro Gln Ile Ile Lys Lys Gly  
 1010 1015 1020

<210> 7  
 <211> 5  
 <212> PRT  
 <213> Artificial Sequence

<220>  
 <223> Linker

<400> 7

Ser Gly Gly Gly Ser  
 1 5

<210> 8  
 <211> 6  
 <212> PRT  
 <213> Artificial Sequence

<220>  
 <223> Linker

<400> 8

Gly Gly Ser Gly Gly Ser  
 1 5

<210> 9  
 <211> 8  
 <212> PRT  
 <213> Artificial Sequence

<220>  
 <223> Linker

<400> 9

Ser Gly Ser Gly Ser Gly Ser Gly  
 1 5

<210> 10  
 <211> 9  
 <212> PRT  
 <213> Artificial Sequence

<220>  
 <223> Linker  
 <400> 10  
 Ser Gly Ser Gly Ser Gly Ser Gly Ser  
 1 5

<210> 11  
 <211> 20  
 <212> RNA  
 <213> Artificial Sequence

<220>  
 <223> crRNA (C1)

<400> 11  
 acggaggcua agcgucgcaa 20

<210> 12  
 <211> 21  
 <212> RNA  
 <213> Artificial Sequence

<220>  
 <223> crRNA (A2)

<400> 12  
 ggagccacag uucuuaccag g 21

<210> 13  
 <211> 21  
 <212> RNA  
 <213> Artificial Sequence

<220>  
 <223> crRNA (A3)

<400> 13  
 cucuacccuu gaggucucga g 21

<210> 14  
 <211> 83  
 <212> RNA  
 <213> Artificial Sequence

<220>  
 <223> tracrRNA

<400> 14  
 guuuuaguac ucuggaaaca gaauacuua aaacaaggca aaaugccgug uuuaucacgu 60

caacuuguug gcgagauuuu uuu 83

## CLAIMS

1. A protein having a binding ability to guide RNA and consisting of a sequence comprising an amino acid sequence  
5 wherein a continuous deletion region is present between the 721-position and the 755-position in the amino acid sequence shown in SEQ ID NO: 2,  
wherein amino acids adjacent to each of the deletion region are linked by a linker consisting of 3 to 10 amino acid residues.
- 10 2. The protein according to claim 1, wherein the linker is a 5 - 9 amino acid length linker composed of glycine (G) and serine (S).
- 15 3. The protein according to claim 2, wherein the linker is selected from the following:  
-SGGGS-  
-GGSGGS-  
-SGSGSGSG-  
20 -SGSGSGSGS-.
4. The protein according to any one of claims 1 to 3, wherein the deletion region is a region of the 721-position to the 745-position.
- 25 5. The protein according to claim 4, wherein the protein is shown in SEQ ID NO: 4.
6. The protein according to any one of claims 1 to 3, wherein  
30 the deletion region is a region of the 721-position to the 755-position.
7. The protein according to claim 6, wherein the protein is shown in SEQ ID NO: 6.

35

8. The protein according to any one of claims 1 to 7, wherein glutamic acid (E) at the 45-position and/or the 163-position are/is substituted with other amino acid(s).

5 9. The protein according to claim 8, wherein said other amino acid is a basic amino acid.

10. The protein according to claim 9, wherein the basic amino acid is lysine (K).

10

11. The protein according to any one of claims 1 to 10, having identity of 80% or more at a site other than the mutated and/or deleted positions in the SEQ ID NO: 2.

15 12. The protein according to any one of claims 1 to 10, wherein one to several amino acids are substituted, deleted, inserted and/or added at a site other than the mutated and/or deleted positions in the SEQ ID NO: 2.

20 13. The protein according to any one of claims 1 to 12, wherein a transcriptional regulator protein or domain is linked.

14. The protein according to claim 13, wherein the transcriptional regulator is a transcriptional activator.

25

15. The protein according to claim 13, wherein the transcriptional regulator is a transcriptional silencer or a transcriptional inhibitor.

30 16. A nucleic acid encoding the protein according to any one of claims 1 to 15.

17. A protein-RNA complex provided with the protein according to any one of claims 1 to 16 and a guide RNA comprising a  
35 polynucleotide composed of a base sequence complementary to a

base sequence located 1 to 20 to 24 bases upstream from a proto-spacer adjacent motif (PAM) sequence in a target double-stranded polynucleotide.

5 18. A method for site-specifically modifying a target double-stranded polynucleotide, including  
a step of mixing and incubating a target double-stranded polynucleotide, a protein and a guide RNA, and  
a step of having the aforementioned protein modify the  
10 aforementioned target double-stranded polynucleotide at a binding site located upstream of a PAM sequence; wherein,  
the aforementioned protein is the protein according to any one of claims 1 to 15, and  
the aforementioned guide RNA contains a polynucleotide  
15 composed of a base sequence complementary to a base sequence located 1 to 20 to 24 bases upstream from the aforementioned PAM sequence in the aforementioned target double-stranded polynucleotide.

20 19. A method for increasing expression of a target gene in a cell, comprising expressing the protein according to claim 14 and one or plural guide RNAs for the aforementioned target gene in the aforementioned cell.

25 20. A method for decreasing expression of a target gene in a cell, comprising expressing the protein according to claim 15 and one or plural guide RNAs for the aforementioned target gene in the aforementioned cell.

30 21. The method according to claim 19 or 20, wherein the cell is a eukaryotic cell.

22. The method according to claim 19 or 20, wherein the cell is a yeast cell, a plant cell or an animal cell.