

SEQUENCE LISTING

<110> Bayer Aktiengesellschaft

<120> Cyclic chemerin-9 derivatives

<130> BHC201036

<160> 20

<170> PatentIn version 3.5

<210> 1

<211> 9

<212> PRT

<213> Artificial Sequence

<220>

<223> Chemerin-9

<400> 1

Tyr Phe Pro Gly Gln Phe Ala Phe Ser
1 5

<210> 2

<211> 9

<212> PRT

<213> Artificial Sequence

<220>

<223> peptide derived from chemerin-9

<220>

<221> MISC_FEATURE

<222> (1)..(1)

<223> Tam (= 6-carboxytetramethylrhodamine) modification @ aa position
1

<400> 2

Tyr Phe Pro Gly Gln Phe Ala Phe Ser
1 5

<210> 3

<211> 9

<212> PRT

<213> Artificial Sequence

<220>

<223> peptide derived from chemerin-9

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Tam-EG(4) modification @ aa position 1

<400> 3

Tyr Phe Pro Gly Gln Phe Ala Phe Ser
1 5

<210> 4
<211> 9
<212> PRT
<213> Artificial Sequence

<220>
<223> peptide derived from chemerin-9

<220>
<221> DISULFID
<222> (4)..(9)

<220>
<221> MISC_FEATURE
<222> (4)..(4)
<223> D-cysteine @ aa position 4

<400> 4

Tyr Phe Pro Cys Gln Phe Ala Phe Cys
1 5

<210> 5
<211> 9
<212> PRT
<213> Artificial Sequence

<220>
<223> peptide derived from chemerin-9

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Tam (= 6-carboxytetramethylrhodamine) modification @ aa position 1

<220>
<221> DISULFID

<222> (4)..(9)

<220>

<221> MISC_FEATURE

<222> (4)..(4)

<223> D-cysteine @ aa position 4

<400> 5

Tyr Phe Pro Cys Gln Phe Ala Phe Cys
1 5

<210> 6

<211> 9

<212> PRT

<213> Artificial Sequence

<220>

<223> peptide derived from chemerin-9

<220>

<221> DISULFID

<222> (4)..(7)

<220>

<221> MISC_FEATURE

<222> (4)..(4)

<223> D-cysteine @ aa position 4

<400> 6

Tyr Phe Pro Cys Gln Phe Cys Phe Ser
1 5

<210> 7

<211> 9

<212> PRT

<213> Artificial Sequence

<220>

<223> peptide derived from chemerin-9

<220>

<221> MISC_FEATURE

<222> (4)..(9)

<223> Amino acid side chains @ aa positions 4 and 9 connected via CH2 group

<220>

<221> MISC_FEATURE

<222> (4)..(4)
<223> D-cysteine @ aa position 4

<400> 7

Tyr Phe Pro Cys Gln Phe Ala Phe Cys
1 5

<210> 8
<211> 9
<212> PRT
<213> Artificial Sequence

<220>
<223> peptide derived from chemerin-9

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Tam (= 6-carboxytetramethylrhodamine) modification @ aa position 1

<220>
<221> MISC_FEATURE
<222> (4)..(9)
<223> Amino acid side chains @ aa positions 4 and 9 connected via CH2 group

<220>
<221> MISC_FEATURE
<222> (4)..(4)
<223> D-cysteine @ aa position 4

<400> 8

Tyr Phe Pro Cys Gln Phe Ala Phe Cys
1 5

<210> 9
<211> 9
<212> PRT
<213> Artificial Sequence

<220>
<223> peptide derived from chemerin-9

<220>
<221> MISC_FEATURE
<222> (4)..(4)
<223> D-cysteine @ aa position 4

<220>
<221> MISC_FEATURE
<222> (4)..(9)
<223> Amino acids side chains at positions 4 and 9 connected via CH2 group

<220>
<221> MISC_FEATURE
<222> (9)..(9)
<223> Xaa @ aa position 9 is D-homocysteine

<400> 9

Tyr Phe Pro Cys Gln Phe Ala Phe Xaa
1 5

<210> 10
<211> 9
<212> PRT
<213> Artificial Sequence

<220>
<223> peptide derived from chemerin-9

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Tam (= 6-carboxytetramethylrhodamine) modification @ aa position 1

<220>
<221> MISC_FEATURE
<222> (4)..(4)
<223> D-cysteine @ aa position 4

<220>
<221> MISC_FEATURE
<222> (4)..(9)
<223> Amino acid side chains at positions 4 and 9 connected via CH2 group

<220>
<221> MISC_FEATURE
<222> (9)..(9)
<223> Xaa @ aa position 9 is D-homocysteine

<400> 10

Tyr Phe Pro Cys Gln Phe Ala Phe Xaa
1 5

<210> 11
<211> 9
<212> PRT
<213> Artificial Sequence

<220>
<223> peptide derived from chemerin-9

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> D-tyrosine @ aa position 1

<220>
<221> MISC_FEATURE
<222> (4)..(4)
<223> D-cysteine @ aa position 4

<220>
<221> MISC_FEATURE
<222> (4)..(9)
<223> Amino acid side chains at positions 4 and 9 connected via CH2 group

<220>
<221> MISC_FEATURE
<222> (9)..(9)
<223> Xaa @ aa position 9 is D-homocysteine

<400> 11

Tyr Phe Pro Cys Gln Phe Ala Phe Xaa
1 5

<210> 12
<211> 9
<212> PRT
<213> Artificial Sequence

<220>
<223> peptide derived from chemerin-9

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> D-tyrosine @ aa position 1

<220>
<221> MISC_FEATURE
<222> (4)..(4)

<223> D-cysteine @ aa position 4

<220>

<221> DISULFID

<222> (4)..(9)

<220>

<221> MISC_FEATURE

<222> (7)..(7)

<223> Lys side chain @ aa position 7 modified with Tam

<400> 12

Tyr Phe Pro Cys Gln Phe Lys Phe Cys

1 5

<210> 13

<211> 9

<212> PRT

<213> Artificial Sequence

<220>

<223> peptide derived from chemerin-9

<220>

<221> MISC_FEATURE

<222> (4)..(4)

<223> Xaa @ aa position 4 is D-homocysteine

<220>

<221> DISULFID

<222> (4)..(9)

<400> 13

Tyr Phe Pro Xaa Gln Phe Ala Phe Cys

1 5

<210> 14

<211> 9

<212> PRT

<213> Artificial Sequence

<220>

<223> peptide derived from chemerin-9

<220>

<221> MISC_FEATURE

<222> (4)..(4)

<223> Xaa @ aa position 4 is D-homocysteine

<220>

<221> DISULFID

<222> (4)..(9)

<400> 14

Tyr Phe Pro Xaa Gln Phe Ala Trp Cys
1 5

<210> 15

<211> 9

<212> PRT

<213> Artificial Sequence

<220>

<223> peptide derived from chemerin-9

<220>

<221> MISC_FEATURE

<222> (1)..(1)

<223> D-tyrosine @ aa position 1

<220>

<221> MISC_FEATURE

<222> (4)..(4)

<223> Xaa @ aa position 4 is D-homocysteine

<220>

<221> DISULFID

<222> (4)..(9)

<400> 15

Tyr Phe Pro Xaa Gln Phe Ala Trp Cys
1 5

<210> 16

<211> 9

<212> PRT

<213> Artificial Sequence

<220>

<223> peptide derived from chemerin-9

<220>

<221> MISC_FEATURE

<222> (1)..(1)

<223> EG(4) modification @ aa position 1

<220>
<221> MISC_FEATURE
<222> (4)..(4)
<223> Xaa @ aa position 4 is D-homocysteine

<220>
<221> DISULFID
<222> (4)..(9)

<400> 16

Tyr Phe Pro Xaa Gln Phe Ala Phe Cys
1 5

<210> 17
<211> 9
<212> PRT
<213> Artificial Sequence

<220>
<223> peptide derived from chemerin-9

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Tam-EG(4) modification @ aa position 1

<220>
<221> MISC_FEATURE
<222> (4)..(4)
<223> Xaa @ aa position 4 is D-homocysteine

<220>
<221> DISULFID
<222> (4)..(9)

<400> 17

Tyr Phe Pro Xaa Gln Phe Ala Phe Cys
1 5

<210> 18
<211> 9
<212> PRT
<213> Artificial Sequence

<220>
<223> peptide derived from chemerin-9

<220>

<221> MISC_FEATURE
<222> (1)..(1)
<223> EG(4) modification @ aa position 1

<220>
<221> MISC_FEATURE
<222> (4)..(4)
<223> Xaa @ aa position 4 is D-homocysteine

<220>
<221> DISULFID
<222> (4)..(9)

<400> 18

Tyr Phe Pro Xaa Gln Phe Ala Trp Cys
1 5

<210> 19
<211> 9
<212> PRT
<213> Artificial Sequence

<220>
<223> peptide derived from chemerin-9

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Tam-EG(4) modification @ aa position 1

<220>
<221> MISC_FEATURE
<222> (4)..(4)
<223> Xaa @ aa position 4 is D-homocysteine

<220>
<221> DISULFID
<222> (4)..(9)

<400> 19

Tyr Phe Pro Xaa Gln Phe Ala Trp Cys
1 5

<210> 20
<211> 13
<212> PRT
<213> Artificial Sequence

<220>

<223> peptide derived from chemerin-9

<220>

<221> MOD_RES

<222> (1)..(1)

<223> ACETYLATION

<220>

<221> MISC_FEATURE

<222> (8)..(8)

<223> Xaa @ aa position 8 is D-homocysteine

<220>

<221> DISULFID

<222> (8)..(13)

<400> 20

Gly	Phe	Leu	Gly	Tyr	Phe	Pro	Xaa	Gln	Phe	Ala	Phe	Cys
1				5					10			