
Claims

1. A compound having the structure of Formula (I):



(I)

or a pharmaceutically acceptable salt, solvate, stereoisomer, isotopic variant, or N-oxide thereof, wherein

R^1 is H, halo, or CH_3;


Ar^1 is selected from the group consisting of:

(a) phenyl substituted with one member selected from the group consisting of: halo, $C_{1\text{-}6}$alkyl, $OC_{1\text{-}6}$alkyl, $C_{1\text{-}6}$perhaloalkyl, $OC_{1\text{-}6}$perhaloalkyl, CN, and $C_{3\text{-}6}$cycloalkyl;


(b) phenyl substituted with two or three members each independently selected from the group consisting of: halo, $C_{1\text{-}6}$alkyl, $C_{1\text{-}6}$perhaloalkyl, $OC_{1\text{-}6}$alkyl, $OC_{1\text{-}6}$perhaloalkyl, and $(C{=}O)CH_3$; and

(c) thienyl substituted with one or two members independently selected from: halo, $C_{1\text{-}6}$alkyl, and $C_{1\text{-}6}$perhaloalkyl; and pyridine substituted with CF_3;

R^2 is selected from the group consisting of:






(a)  ; wherein


each R^a is independently selected from the group consisting of: H, halo, OH, $C_{1\text{-}6}$alkyl, $C_{1\text{-}6}$haloalkyl, $C_{2\text{-}6}$alkenyl, $C_{2\text{-}6}$haloalkenyl, $C_{2\text{-}6}$alkynyl, CH_2OH, $CH(OH)(CH_3)$, CH_2OCH_3, $OC_{1\text{-}6}$haloalkyl, $OC_{1\text{-}6}$alkyl, $NH(CH_3)$, $NHCO_2CH_3$, $NHC(=O)CH_3$, $NHC(=O)CF_3$, NHC(=O)cyclopropyl, $N(CH_3)C(=O)CH_3$, $C(=O)N(CH_3)_2$, $C(=O)CH_3$, CN, $NHSO_2CH_3$, SO_2CH_3, 1H-imidazol-2-yl, 2-pyridyl, 3-pyridyl, 4-pyridyl, pyrimidin-4-yl, and pyrrolidin-2-on-1-yl; or two R^a members combine to form a $C_{3\text{-}6}$cycloalkyl or heterocycloalkyl, wherein the cycloalkyl and heterocycloalkyl are optionally substituted one or two F members;

(b)  ; wherein

each R^b is independently selected from the group consisting of: H, OH, F, OCH_3, CH_2OCH_3, and $NHC(=O)CH_3$; or two R^b members come together to form =O;

(c)






and



(d) , wherein

R^d is selected from the group consisting of: $C_{1\text{-}6}$alkyl; $C_{2\text{-}6}$alkenyl; $C_{1\text{-}6}$haloalkyl; $CH_2CH_2OCH_3$; CH_2CH_2OH; CH_2CN; NH_2; NH-C(=O)CH_3; $C_{3\text{-}6}$cycloalkyl; $C_{3\text{-}6}$cycloalkyl substituted with two F members; 1-methylazetidin-3-yl; and oxetan-3-yl;

R^e is H or CH_3;

n is 1 or 2; and

m is 1 or 2.


2. The compound of claim 1 or a pharmaceutically acceptable salt, solvate, stereoisomer, isotopic variant, or N-oxide thereof, wherein R^1 is H.

3. The compound of claim 1 or a pharmaceutically acceptable salt, solvate, stereoisomer, isotopic variant, or N-oxide thereof, wherein R^1 is F.

4. The compound of claim 1 or a pharmaceutically acceptable salt, solvate, stereoisomer, isotopic variant, or N-oxide thereof, wherein R^1 is CH_3.


5. The compound of any one of claims 1 to 4, or a pharmaceutically acceptable salt, solvate, stereoisomer, isotopic variant, or N-oxide thereof, wherein Ar^1 is phenyl substituted with one member selected from the group consisting of: Cl, F, CH_3, OCH_3, CH_2F, CHF_2, CF_3, CHF_2CH_3, $OCHF_2$, CN, and cyclopropyl.

6. The compound of any one of claims 1 to 4, or a pharmaceutically acceptable salt, solvate, stereoisomer, isotopic variant, or N-oxide thereof, wherein Ar^1 is selected from the group consisting of:




7. The compound of any one of claims 1 to 4, or a pharmaceutically acceptable salt, solvate, stereoisomer, isotopic variant, or N-oxide thereof, wherein Ar^1 is phenyl substituted with two members each independently selected from the group consisting of: Cl, F, CH_3, CHF_2, CF_3, CHF_2CH_3, OCH_3, $OCHF_2$, and $(C=O)CH_3$.

8. The compound of any one of claims 1 to 4, or a pharmaceutically acceptable salt, solvate, stereoisomer, isotopic variant, or N-oxide thereof, wherein Ar^1 is selected from the group consisting of:




9. The compound of any one of claims 1 to 4, or a pharmaceutically acceptable salt, solvate, stereoisomer, isotopic variant, or N-oxide thereof, wherein Ar^1 is phenyl substituted with three members each independently selected from the group consisting of: halo and CH_3.

10. The compound of any one of claims 1 to 4 or a pharmaceutically acceptable salt, solvate, stereoisomer, isotopic variant, or N-oxide thereof, wherein Ar^1 is selected from the group consisting of:




11. The compound of any one of claims 1 to 4, or a pharmaceutically acceptable salt, solvate, stereoisomer, isotopic variant, or N-oxide thereof, wherein Ar^1 is thienyl substituted with one or two members independently selected from: Cl, CH_3, CF_3, and CHF_2.


12. The compound of any one of claims 1 to 4, or a pharmaceutically acceptable salt, solvate, stereoisomer, isotopic variant, or N-oxide thereof, wherein Ar^1 is selected from the group consisting of:



13. The compound of any one of claims 1 to 4, or a pharmaceutically acceptable salt, solvate, stereoisomer, isotopic variant, or N-oxide thereof, wherein Ar^1 is selected from the group consisting of:



14. ~~The~~ A compound ~~of any one of claims 1 to 13,~~ having the structure of Formula (I):



(I)

or a pharmaceutically acceptable salt, solvate, stereoisomer, isotopic variant, or N-oxide thereof, wherein:


R^1 is H, halo, or CH_3;

Ar^1 is selected from the group consisting of:

(a) phenyl substituted with one member selected from the group consisting of: halo, $C_{1\text{-}6}$alkyl, $OC_{1\text{-}6}$alkyl, $C_{1\text{-}6}$perhaloalkyl, $OC_{1\text{-}6}$perhaloalkyl, CN, and $C_{3\text{-}6}$cycloalkyl;

(b) phenyl substituted with two or three members each independently selected from the group consisting of: halo, C_{1-6}alkyl, C_{1-6}perhaloalkyl, OC_{1-6}alkyl, OC_{1-6}perhaloalkyl, and $(C=O)CH_3$; and


(c) thienyl substituted with one or two members independently selected from: halo, C_{1-6}alkyl, and C_{1-6}perhaloalkyl; and pyridine substituted with CF_3;

R^2 is  ; wherein

each R^a is independently selected from the group consisting of: H, Cl, F, OH, CH_3, CH_2CH_3, CH_2F, CHF_2, CF_3, $=CH_2$, $CH=CH_2$, $CH=CH(CH_3)$, CH=CH(F), CH=CF(F), C≡CH~~C≡CH~~, CH_2OH, $CH(OH)(CH_3)$, CH_2OCH_3, $OCHF_2$, OCF_3, OCH_3, OCH_2CH_3, $NH(CH_3)$, $NHCO_2CH_3$, $NHC(=O)CH_3$, $NHC(=O)CF_3$, NHC(=O)cyclopropyl, $N(CH_3)C(=O)CH_3$, $C(=O)N(CH_3)_2$, $C(=O)CH_3$, CN, $NHSO_2CH_3$, SO_2CH_3, 1H-imidazol-2-yl, 2-pyridyl, 3-pyridyl, 4-pyridyl, pyrimidin-4-yl, and pyrrolidin-2-on-1-yl; or two R^a members combine to form a cyclopropyl, cyclobutyl, or oxetanyl; wherein the cyclopropyl is optionally substituted one or two F members;

and *n* is 1 or 2.

15. ~~The~~ A compound ~~of any one of claims 1 to 13,~~ having the structure of Formula (I):



(I)

or a pharmaceutically acceptable salt, solvate, stereoisomer, isotopic variant, or N-oxide thereof, wherein:

R^1 is H, halo, or CH_3;


Ar^1 is selected from the group consisting of:

(a) phenyl substituted with one member selected from the group consisting of: halo, C_{1-6}alkyl, OC_{1-6}alkyl, C_{1-6}perhaloalkyl, OC_{1-6}perhaloalkyl, CN, and C_{3-6}cycloalkyl;


(b) phenyl substituted with two or three members each independently selected from the group consisting of: halo, C_{1-6}alkyl, C_{1-6}perhaloalkyl, OC_{1-6}alkyl, OC_{1-6}perhaloalkyl, and $(C=O)CH_3$; and

(c) thienyl substituted with one or two members independently selected from: halo, C_{1-6}alkyl, and C_{1-6}perhaloalkyl; and pyridine substituted with CF_3; and


R^2 is selected from the group consisting of:




16. The compound of any one of claims 1 to 13, or a pharmaceutically acceptable salt, solvate, stereoisomer, isotopic variant, or N-oxide thereof, wherein R^2 is selected from the group consisting of:




17. The compound of any one of claims 1 to 13, or a pharmaceutically acceptable salt, solvate, stereoisomer, isotopic variant, or N-oxide thereof, wherein R^2 is selected from the group consisting of:



18. The compound of any one of claims 1 to 13, or a pharmaceutically acceptable salt, solvate, stereoisomer, isotopic variant, or N-oxide thereof, wherein R^2 is selected from the group consisting of:



19. ~~The~~ A compound ~~of any one of claims 1 to 13~~ having the structure of Formula (I):



(I)

or a pharmaceutically acceptable salt, solvate, stereoisomer, isotopic variant, or N-oxide thereof, wherein:

R^1 is H, halo, or CH_3;


Ar^1 is selected from the group consisting of:

(a) phenyl substituted with one member selected from the group consisting of: halo, C_{1-6}alkyl, OC_{1-6}alkyl, C_{1-6}perhaloalkyl, OC_{1-6}perhaloalkyl, CN, and C_{3-6}cycloalkyl;


(b) phenyl substituted with two or three members each independently selected from the group consisting of: halo, C_{1-6}alkyl, C_{1-6}perhaloalkyl, OC_{1-6}alkyl, OC_{1-6}perhaloalkyl, and $(C=O)CH_3$; and

(c) thienyl substituted with one or two members independently selected from: halo, C_{1-6}alkyl, and C_{1-6}perhaloalkyl; and pyridine substituted with CF_3; and


R^2 is selected from the group consisting of:




20. The compound of any one of claims 1 to 13, or a pharmaceutically acceptable salt, solvate, stereoisomer, isotopic variant, or N-oxide thereof, wherein R^2 is selected from the group consisting of:




21. The compound of any one of claims 1 to 13, or a pharmaceutically acceptable salt, solvate, stereoisomer, isotopic variant, or N-oxide thereof, wherein R^2 is selected from the group consisting of:



22. The compound of any one of claims 1 to 13, or a pharmaceutically acceptable salt, solvate, stereoisomer, isotopic variant, or N-oxide thereof, wherein R^2 is selected from the group consisting of:



23. The compound of claim 1 having the structure of Formula (IA):



(IA)

or a pharmaceutically acceptable salt, solvate, stereoisomer, isotopic variant, or N-oxide thereof, wherein:

R^1 is H, F, or CH_3;

Ar^1 is selected from the group consisting of:

(a) phenyl substituted with one member selected from the group consisting of: halo, C_{1-6}alkyl, OC_{1-6}alkyl, C_{1-6}perhaloalkyl, OC_{1-6}perhaloalkyl, CN, and C_{3-6}cycloalkyl;


(b) phenyl substituted with two or three members each independently selected from the group consisting of: halo, C_{1-6}alkyl, C_{1-6}perhaloalkyl, OC_{1-6}alkyl, OC_{1-6}perhaloalkyl, and $(C=O)CH_3$; and

(c) thienyl substituted with one or two members independently selected from: halo, C_{1-6}alkyl, and C_{1-6}perhaloalkyl; and pyridine substituted with CF_3;

each R^a is independently selected from the group consisting of: H, halo, OH, C_{1-6}alkyl, C_{1-6}haloalkyl, C_{2-6}alkenyl, C_{2-6}haloalkenyl, C_{2-6}alkynyl, CH_2OH, $CH(OH)(CH_3)$, CH_2OCH_3, OC_{1-6}haloalkyl, OC_{1-6}alkyl, $NH(CH_3)$, $NHCO_2CH_3$, $NHC(=O)CH_3$, $NHC(=O)CF_3$, NHC(=O)cyclopropyl, $N(CH_3)C(=O)CH_3$, $C(=O)N(CH_3)_2$, $C(=O)CH_3$, CN, $NHSO_2CH_3$, SO_2CH_3, 1H-imidazol-2-yl, 2-pyridyl, 3-pyridyl, 4-pyridyl, pyrimidin-4-yl, and pyrrolidin-2-on-1-yl; or two R^a members combine to form a C_{3-6}cycloalkyl or heterocycloalkyl, wherein the C_{3-6}cycloalkyl and heterocycloalkyl is optionally substituted one or two F members; and

n is 1 or 2.

24. ~~The~~ A compound ~~of claim 23~~ having the structure of Formula (IA):



(IA)

or a pharmaceutically acceptable salt, solvate, stereoisomer, isotopic variant, or N-oxide thereof, wherein:

R^1 is H, F, or CH_3;


Ar^1 is phenyl substituted with two or three members each independently selected from the group consisting of: halo, C_{1-4}alkyl, C_{1-4}perhaloalkyl, OC_{1-4}alkyl, and OC_{1-4}perhaloalkyl;

each R^a is independently selected from the group consisting of: H, Cl, F, OH, CH_3, CH_2CH_3, CH_2F, CHF_2, CF_3, $=CH_2$, $CH=CH_2$, $CH=CH(CH_3)$, $CH=CH(F)$, $CH=CF(F)$, $C\equiv CHC\equiv CH$, CH_2OH, $CH(OH)(CH_3)$, CH_2OCH_3, $OCHF_2$, OCF_3, OCH_3, OCH_2CH_3, $NH(CH_3)$, $NHCO_2CH_3$, $NHC(=O)CH_3$, $NHC(=O)CF_3$, NHC(=O)cyclopropyl, $N(CH_3)C(=O)CH_3$, $C(=O)CH_3$, CN, $NHSO_2CH_3$, 1H-imidazol-2-yl, 2-pyridyl, 3-pyridyl, 4-pyridyl, pyrimidin-4-yl, and pyrrolidine-2-one; or two R^a members combine to form a cyclopropyl, cyclobutyl, or oxetanyl; wherein the cyclopropyl is optionally substituted one or two F members;

and *n* is 1 or 2.

25. The compound of claim 23 or a pharmaceutically acceptable salt, solvate, stereoisomer, isotopic variant, or N-oxide thereof, wherein R^1 is H.

26. The compound of claim 1 having the structure of Formula (IB):



(IB)

,

or a pharmaceutically acceptable salt, solvate, stereoisomer, isotopic variant, or N-oxide thereof, wherein:


Ar^1 is selected from the group consisting of:

(a) phenyl substituted with one member selected from the group consisting of: halo, and C_{1-6}perhaloalkyl;

(b) phenyl substituted with two or three members each independently selected from the group consisting of: halo, C_{1-6}alkyl, C_{1-6}perhaloalkyl, OC_{1-6}perhaloalkyl; and

(c) thienyl independently substituted with one or two members selected from: halo, C_{1-6}alkyl, and C_{1-6}perhaloalkyl; and pyridine substituted with CF_3;

Ring (A) is selected from the group consisting of:




each R^b is independently selected from the group consisting of: H, OH, F, OCH_3, CH_2OCH_3, and $NHC(=O)CH_3$; or two R^b members come together to form =O;


n is 1 or 2; and

m is 1 or 2.

27. The compound of claim 26 or a pharmaceutically acceptable salt, solvate, stereoisomer, isotopic variant, or N-oxide thereof, wherein Ring (A) is



28. The compound of claim 1 having the structure of Formula (IC):



(IC)

or a pharmaceutically acceptable salt, solvate, stereoisomer, isotopic variant, or N-oxide thereof, wherein:

R^1 is H, F, or CH_3;

Ar^1 is selected from the group consisting of:

(a) phenyl substituted with one member selected from the group consisting of: halo, and C_{1-6}perhaloalkyl;


(b) phenyl substituted with two or three members each independently selected from the group consisting of: halo, C_{1-6}alkyl, C_{1-6}perhaloalkyl, OC_{1-6}perhaloalkyl; and

(c) thienyl independently substituted with one or two members selected from: halo, C_{1-6}alkyl, and C_{1-6}perhaloalkyl; and pyridine substituted with CF_3;

R^d is selected from the group consisting of: C_{1-6}alkyl; $CH_2CH{=}CH_2$; C_{1-6}haloalkyl; $CH_2CH_2OCH_3$; CH_2CH_2OH; CH_2CN; NH_2; NH-C(=O)CH_3; cyclopropyl; cyclobutyl; 3-bicyclo[1.1.1]pentanyl; 3,3-difluorocyclobutyl; 1-methylazetidin-3-yl; and oxetan-3-yl; and

R^e is H or CH_3.

29. The compound of claim 28 or a pharmaceutically acceptable salt, solvate, stereoisomer, isotopic variant, or N-oxide thereof, wherein Ar^1 is



30. A compound selected from the group consisting of:

2-[6-[3-(Difluoromethyl)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]-1-[3-hydroxy-3-(trifluoromethyl)azetidin-1-yl]ethanone;

2-[6-[3-(Difluoromethyl)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]-1-(3-methyleneazetidin-1-yl)ethanone;

2-[6-[3-(Difluoromethyl)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]-1-[3-(methylamino)azetidin-1-yl]ethanone;

N-[1-[2-[6-[3-(Difluoromethyl)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]acetyl]azetidin-3-yl]-N-methyl-acetamide;

2-[6-[3-(Difluoromethyl)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]-1-(3-fluoroazetidin-1-yl)ethanone;

2-[6-[3-(Difluoromethyl)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]-N,N-dimethyl-acetamide;

2-[6-(4-Fluoro-3-methyl-phenyl)pyrazolo[4,3-b]pyridin-1-yl]-N,N-dimethyl-acetamide;

N,N-Dimethyl-2-[6-[6-(trifluoromethyl)-2-pyridyl]pyrazolo[4,3-b]pyridin-1-yl]acetamide;

2-[6-[4-Chloro-3-(difluoromethoxy)phenyl]pyrazolo[4,3-b]pyridin-1-yl]-1-(3-fluoroazetidin-1-yl)ethanone;

2-[6-[4-Chloro-3-(difluoromethoxy)phenyl]pyrazolo[4,3-b]pyridin-1-yl]-N,N-dimethyl-acetamide;

N,N-Dimethyl-2-[6-[3-(trifluoromethyl)phenyl]pyrazolo[4,3-b]pyridin-1-yl]acetamide;

2-[6-[3-(Difluoromethyl)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]-1-morpholino-ethanone;

1-Morpholino-2-[6-[3-(trifluoromethyl)phenyl]pyrazolo[4,3-b]pyridin-1-yl]ethanone;

N-Cyclopropyl-2-[6-[3-(trifluoromethyl)phenyl]pyrazolo[4,3-b]pyridin-1-yl]acetamide;

N-(1-Methylazetidin-3-yl)-2-[6-[3-(trifluoromethyl)phenyl]pyrazolo[4,3-b]pyridin-1-yl]acetamide;

1-(3-Fluoroazetidin-1-yl)-2-[6-[3-(trifluoromethyl)phenyl]pyrazolo[4,3-b]pyridin-1-yl]ethanone;

1-(3,3-Difluoroazetidin-1-yl)-2-[6-(2,4-difluorophenyl)pyrazolo[4,3-b]pyridin-1-yl]ethanone;

1-(Azetidin-1-yl)-2-[6-(5-chloro-2-thienyl)-3-fluoro-pyrazolo[4,3-b]pyridin-1-yl]ethanone;

1-(Azetidin-1-yl)-2-[6-[5-(difluoromethyl)-2-thienyl]-3-fluoro-pyrazolo[4,3-b]pyridin-1-yl]ethanone;

1-(Azetidin-1-yl)-2-[3-fluoro-6-[5-(trifluoromethyl)-2-thienyl]pyrazolo[4,3-b]pyridin-1-yl]ethanone;

1-(Azetidin-1-yl)-2-[6-(4-fluorophenyl)pyrazolo[4,3-b]pyridin-1-yl]ethanone;

1-(Azetidin-1-yl)-2-[6-(3-chlorophenyl)pyrazolo[4,3-b]pyridin-1-yl]ethanone;

1-(Azetidin-1-yl)-2-[6-[3-(fluoromethyl)phenyl]pyrazolo[4,3-b]pyridin-1-yl]ethanone;

1-(Azetidin-1-yl)-2-[6-[3-(difluoromethyl)phenyl]pyrazolo[4,3-b]pyridin-1-yl]ethanone;

1-(Azetidin-1-yl)-2-[6-[3-(1,1-difluoroethyl)phenyl]pyrazolo[4,3-b]pyridin-1-yl]ethanone;

1-(Azetidin-1-yl)-2-[6-[3-(1,1-difluoroethyl)phenyl]-3-fluoro-pyrazolo[4,3-b]pyridin-1-yl]ethanone;

1-(Azetidin-1-yl)-2-[6-[3-(trifluoromethyl)phenyl]pyrazolo[4,3-b]pyridin-1-yl]ethanone;

1-(Azetidin-1-yl)-2-[3-methyl-6-[3-(trifluoromethyl)phenyl]pyrazolo[4,3-b]pyridin-1-yl]ethanone;

1-(Azetidin-1-yl)-2-[6-(3,4-dichlorophenyl)pyrazolo[4,3-b]pyridin-1-yl]ethanone;

1-(Azetidin-1-yl)-2-[6-(2,3-dichlorophenyl)pyrazolo[4,3-b]pyridin-1-yl]ethanone;

1-(Azetidin-1-yl)-2-[6-(3-chloro-2-fluoro-phenyl)pyrazolo[4,3-b]pyridin-1-yl]ethanone;
1-(Azetidin-1-yl)-2-[6-(3,4-difluorophenyl)pyrazolo[4,3-b]pyridin-1-yl]ethanone;
1-(Azetidin-1-yl)-2-[6-[2-fluoro-3-(trifluoromethyl)phenyl]pyrazolo[4,3-b]pyridin-1-yl]ethanone;
1-(Azetidin-1-yl)-2-[6-[3-(1,1-difluoroethyl)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]ethanone;
1-(Azetidin-1-yl)-2-[6-[3-(difluoromethyl)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]ethanone;
1-(Azetidin-1-yl)-2-[6-[3-(difluoromethyl)-4-fluoro-phenyl]-3-fluoro-pyrazolo[4,3-b]pyridin-1-yl]ethanone;
1-(Azetidin-1-yl)-2-[6-[3-(difluoromethyl)-4-fluoro-phenyl]-3-methyl-pyrazolo[4,3-b]pyridin-1-yl]ethanone;
1-(Azetidin-1-yl)-2-[6-(4-chloro-3-methylphenyl)pyrazolo[4,3-b]pyridin-1-yl]ethanone;
1-(Azetidin-1-yl)-2-[6-(4-chloro-3-methylphenyl)-3-methyl-pyrazolo[4,3-b]pyridin-1-yl]ethanone;
1-(Azetidin-1-yl)-2-[6-(2-fluoro-3-methyl-phenyl)pyrazolo[4,3-b]pyridin-1-yl]ethanone;
1-(Azetidin-1-yl)-2-[6-[3-(difluoromethoxy)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]ethanone;
1-(Azetidin-1-yl)-2-[6-[3-(difluoromethoxy)-4-fluoro-phenyl]-3-fluoro-pyrazolo[4,3-b]pyridin-1-yl]ethanone;
1-(Azetidin-1-yl)-2-[6-[4-chloro-3-(difluoromethoxy)phenyl]pyrazolo[4,3-b]pyridin-1-yl]ethanone;
1-(Azetidin-1-yl)-2-[6-[4-chloro-3-(difluoromethoxy)phenyl]-3-fluoro-pyrazolo[4,3-b]pyridin-1-yl]ethanone;
1-(Azetidin-1-yl)-2-[6-(4-fluoro-2-methoxy-phenyl)pyrazolo[4,3-b]pyridin-1-yl]ethanone;
2-[6-(3-Acetyl-4-fluoro-phenyl)pyrazolo[4,3-b]pyridin-1-yl]-1-(azetidin-1-yl)ethanone;
1-(Azetidin-1-yl)-2-[6-(3,4,5-trifluorophenyl)pyrazolo[4,3-b]pyridin-1-yl]ethanone;
1-(Azetidin-1-yl)-2-[6-[2-(trifluoromethyl)-4-pyridyl]pyrazolo[4,3-b]pyridin-1-yl]ethanone;
2-[6-(5-Chloro-2-thienyl)pyrazolo[4,3-b]pyridin-1-yl]-1-(3-fluoroazetidin-1-yl)ethanone;
2-[6-(5-Chloro-2-thienyl)-3-fluoro-pyrazolo[4,3-b]pyridin-1-yl]-1-(3-fluoroazetidin-1-yl)ethanone;
2-[6-[5-(Difluoromethyl)-2-thienyl]pyrazolo[4,3-b]pyridin-1-yl]-1-(3-fluoroazetidin-1-yl)ethanone;
2-[6-[5-(Difluoromethyl)-2-thienyl]-3-fluoro-pyrazolo[4,3-b]pyridin-1-yl]-1-(3-fluoroazetidin-1-yl)ethanone;
1-(3-Fluoroazetidin-1-yl)-2-[6-[5-(trifluoromethyl)-2-thienyl]pyrazolo[4,3-b]pyridin-1-yl]ethanone;
1-(3-Fluoroazetidin-1-yl)-2-[3-fluoro-6-[5-(trifluoromethyl)-2-thienyl]pyrazolo[4,3-b]pyridin-1-yl]ethanone;
1-(3-Fluoroazetidin-1-yl)-2-[6-(3-fluorophenyl)pyrazolo[4,3-b]pyridin-1-yl]ethanone;
1-(3-Fluoroazetidin-1-yl)-2-[6-(4-fluorophenyl)pyrazolo[4,3-b]pyridin-1-yl]ethanone;
2-[6-(3-Chlorophenyl)pyrazolo[4,3-b]pyridin-1-yl]-1-(3-fluoroazetidin-1-yl)ethanone;
1-(3-Fluoroazetidin-1-yl)-2-[6-(m-tolyl)pyrazolo[4,3-b]pyridin-1-yl]ethanone;
1-(3-Fluoroazetidin-1-yl)-2-[6-[3-(fluoromethyl)phenyl]pyrazolo[4,3-b]pyridin-1-yl]ethanone;
2-[6-[3-(Difluoromethyl)phenyl]pyrazolo[4,3-b]pyridin-1-yl]-1-(3-fluoroazetidin-1-yl)ethanone;
2-[6-[3-(1,1-Difluoroethyl)phenyl]pyrazolo[4,3-b]pyridin-1-yl]-1-(3-fluoroazetidin-1-yl)ethanone;

2-[6-[3-(Difluoromethoxy)phenyl]pyrazolo[4,3-b]pyridin-1-yl]-1-(3-fluoroazetidin-1-yl)ethanone;
2-[6-(2,3-Difluorophenyl)pyrazolo[4,3-b]pyridin-1-yl]-1-(3-fluoroazetidin-1-yl)ethanone;
2-[6-(2,4-Difluorophenyl)pyrazolo[4,3-b]pyridin-1-yl]-1-(3-fluoroazetidin-1-yl)ethanone;
2-[6-(3,4-Difluorophenyl)pyrazolo[4,3-b]pyridin-1-yl]-1-(3-fluoroazetidin-1-yl)ethanone;
2-[6-(3,5-Difluorophenyl)pyrazolo[4,3-b]pyridin-1-yl]-1-(3-fluoroazetidin-1-yl)ethanone;
2-[6-(3-Chloro-2-fluoro-phenyl)pyrazolo[4,3-b]pyridin-1-yl]-1-(3-fluoroazetidin-1-yl)ethanone;
2-[6-(3-Chloro-4-fluorophenyl)pyrazolo[4,3-b]pyridin-1-yl]-1-(3-fluoroazetidin-1-yl)ethanone;
1-(3-Chloroazetidin-1-yl)-2-[6-[3-(difluoromethyl)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]ethanone;
2-[6-[3-(Difluoromethyl)-4-fluoro-phenyl]-3-fluoro-pyrazolo[4,3-b]pyridin-1-yl]-1-(3-fluoroazetidin-1-yl)ethanone;
2-[6-[3-(Difluoromethyl)-4-fluoro-phenyl]-3-methyl-pyrazolo[4,3-b]pyridin-1-yl]-1-(3-fluoroazetidin-1-yl)ethanone;
2-[6-[3-(1,1-Difluoroethyl)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]-1-(3-fluoroazetidin-1-yl)ethanone;
2-[6-[3-(1,1-Difluoroethyl)-4-fluoro-phenyl]-3-fluoro-pyrazolo[4,3-b]pyridin-1-yl]-1-(3-fluoroazetidin-1-yl)ethanone;
2-[6-[4-Chloro-3-(1,1-difluoroethyl)phenyl]pyrazolo[4,3-b]pyridin-1-yl]-1-(3-fluoroazetidin-1-yl)ethanone;
2-[6-[4-Chloro-3-(1,1-difluoroethyl)phenyl]-3-fluoro-pyrazolo[4,3-b]pyridin-1-yl]-1-(3-fluoroazetidin-1-yl)ethanone;
2-[6-[4-Chloro-3-(difluoromethyl)phenyl]pyrazolo[4,3-b]pyridin-1-yl]-1-(3-fluoroazetidin-1-yl)ethanone;
2-[6-(4-Chloro-3-methyl-phenyl)pyrazolo[4,3-b]pyridin-1-yl]-1-(3-fluoroazetidin-1-yl)ethanone;
1-(3-Fluoroazetidin-1-yl)-2-[6-(4-fluoro-2-methoxy-phenyl)pyrazolo[4,3-b]pyridin-1-yl]ethanone;
2-[6-[3-(Difluoromethoxy)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]-1-(3-fluoroazetidin-1-yl)ethanone;
2-[6-[3-(Difluoromethoxy)-4-fluoro-phenyl]-3-fluoro-pyrazolo[4,3-b]pyridin-1-yl]-1-(3-fluoroazetidin-1-yl)ethanone;
2-[6-[4-Chloro-3-(difluoromethoxy)phenyl]-3-fluoro-pyrazolo[4,3-b]pyridin-1-yl]-1-(3-fluoroazetidin-1-yl)ethanone;
2-[6-(2,4-Difluoro-3-methyl-phenyl)pyrazolo[4,3-b]pyridin-1-yl]-1-(3-fluoroazetidin-1-yl)ethanone;
2-[6-(3,4-Difluoro-5-methyl-phenyl)pyrazolo[4,3-b]pyridin-1-yl]-1-(3-fluoroazetidin-1-yl)ethanone;
1-(3-Fluoroazetidin-1-yl)-2-[6-(3,4,5-trifluorophenyl)pyrazolo[4,3-b]pyridin-1-yl]ethanone;
1-(3-Fluoroazetidin-1-yl)-2-[6-[2-(trifluoromethyl)-4-pyridyl]pyrazolo[4,3-b]pyridin-1-yl]ethanone;
1-(3-Methylazetidin-1-yl)-2-[6-[3-(trifluoromethyl)phenyl]pyrazolo[4,3-b]pyridin-1-yl]ethanone;

(Racemic) 1-(2-Methylazetidin-1-yl)-2-[6-[3-(trifluoromethyl)phenyl]pyrazolo[4,3-b]pyridin-1-yl]ethanone;

2-[6-[3-(Difluoromethyl)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]-1-(3-methylazetidin-1-yl)ethanone;

2-[6-[3-(Difluoromethyl)-4-fluoro-phenyl]-3-fluoro-pyrazolo[4,3-b]pyridin-1-yl]-1-(3-methylazetidin-1-yl)ethanone;

(Racemic) 2-[6-[3-(Difluoromethyl)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]-1-(2-methylazetidin-1-yl)ethanone;

2-[6-[3-(Difluoromethoxy)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]-1-(3-methylazetidin-1-yl)ethanone;

2-[6-[3-(Difluoromethoxy)-4-fluoro-phenyl]-3-fluoro-pyrazolo[4,3-b]pyridin-1-yl]-1-(3-methylazetidin-1-yl)ethanone;

2-[6-[4-Chloro-3-(difluoromethoxy)phenyl]-3-fluoro-pyrazolo[4,3-b]pyridin-1-yl]-1-(3-methylazetidin-1-yl)ethanone;

2-[6-[3-(Difluoromethyl)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]-1-(3-ethynylazetidin-1-yl)ethanone;

2-[6-[3-(Difluoromethyl)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]-1-(3-vinylazetidin-1-yl)ethanone;

2-[6-[3-(Difluoromethyl)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]-1-[3-[(Z)-prop-1-enyl]azetidin-1-yl]ethanone;

2-[6-[3-(Difluoromethyl)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]-1-[3-(fluoromethyl)azetidin-1-yl]ethanone;

1-[3-(Difluoromethyl)azetidin-1-yl]-2-[6-[3-(difluoromethyl)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]ethanone;

1-[3-(Trifluoromethyl)azetidin-1-yl]-2-[6-[3-(trifluoromethyl)phenyl]pyrazolo[4,3-b]pyridin-1-yl]ethanone;

2-[6-[3-(Difluoromethyl)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]-1-[3-(trifluoromethyl)azetidin-1-yl]ethanone;

2-[6-[3-(Difluoromethyl)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]-1-[3-[(Z)-2-fluorovinyl]azetidin-1-yl]ethanone;

2-[6-[3-(Difluoromethyl)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]-1-[3-(2,2-difluorovinyl)azetidin-1-yl]ethanone;

1-(3-Methoxyazetidin-1-yl)-2-[6-[3-(trifluoromethyl)phenyl]pyrazolo[4,3-b]pyridin-1-yl]ethanone;

2-[6-[3-(Difluoromethyl)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]-1-(3-methoxyazetidin-1-yl)ethanone;

2-[6-[3-(Difluoromethyl)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]-1-(3-ethoxyazetidin-1-yl)ethanone;

2-[6-[3-(Difluoromethyl)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]-1-[3-(methoxymethyl)azetidin-1-yl]ethanone;

1-[3-(Methoxymethyl)azetidin-1-yl]-2-[6-[3-(trifluoromethyl)phenyl]pyrazolo[4,3-b]pyridin-1-yl]ethanone;

(Racemic) 2-[6-[3-(Difluoromethyl)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]-1-[3-(1-hydroxyethyl)azetidin-1-yl]ethanone;

1-[3-(Difluoromethoxy)azetidin-1-yl]-2-[6-[3-(difluoromethyl)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]ethanone;

2-[6-[3-(Difluoromethyl)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]-1-[3-(trifluoromethoxy)azetidin-1-yl]ethanone;

2-[6-[3-(Difluoromethyl)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]-1-(3-hydroxyazetidin-1-yl)ethanone;

2-[6-[3-(Difluoromethyl)-4-fluoro-phenyl]-3-fluoro-pyrazolo[4,3-b]pyridin-1-yl]-1-(3-hydroxyazetidin-1-yl)ethanone;

1-(3-Hydroxyazetidin-1-yl)-2-[6-[3-(trifluoromethyl)phenyl]pyrazolo[4,3-b]pyridin-1-yl]ethanone;

2-[6-[3-(Difluoromethyl)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]-1-[3-(hydroxymethyl)azetidin-1-yl]ethanone;

1-(3,3-Difluoroazetidin-1-yl)-2-[6-(4-methyl-2-thienyl)pyrazolo[4,3-b]pyridin-1-yl]ethanone;

1-(3,3-Difluoroazetidin-1-yl)-2-[6-(4-fluorophenyl)pyrazolo[4,3-b]pyridin-1-yl]ethanone;

2-[6-(3-Chlorophenyl)pyrazolo[4,3-b]pyridin-1-yl]-1-(3,3-difluoroazetidin-1-yl)ethanone;

1-(3,3-Difluoroazetidin-1-yl)-2-[6-(m-tolyl)pyrazolo[4,3-b]pyridin-1-yl]ethanone;

1-(3,3-Difluoroazetidin-1-yl)-2-[6-[3-(difluoromethyl)phenyl]pyrazolo[4,3-b]pyridin-1-yl]ethanone;

1-(3,3-Difluoroazetidin-1-yl)-2-[6-[3-(trifluoromethyl)phenyl]pyrazolo[4,3-b]pyridin-1-yl]ethanone;

3-[1-[2-(3,3-Difluoroazetidin-1-yl)-2-oxo-ethyl]pyrazolo[4,3-b]pyridin-6-yl]benzonitrile;

1-(3,3-Difluoroazetidin-1-yl)-2-[6-[6-(trifluoromethyl)-2-pyridyl]pyrazolo[4,3-b]pyridin-1-yl]ethanone;

1-(3,3-Difluoroazetidin-1-yl)-2-[6-[2-(trifluoromethyl)-4-pyridyl]pyrazolo[4,3-b]pyridin-1-yl]ethanone;

1-(3,3-Difluoroazetidin-1-yl)-2-[6-[5-(trifluoromethyl)-3-pyridyl]pyrazolo[4,3-b]pyridin-1-yl]ethanone;

1-(3,3-Difluoroazetidin-1-yl)-2-[6-(3,4-difluorophenyl)pyrazolo[4,3-b]pyridin-1-yl]ethanone;

1-(3,3-Difluoroazetidin-1-yl)-2-[6-(3,5-difluorophenyl)pyrazolo[4,3-b]pyridin-1-yl]ethanone;

2-[6-(3-Chloro-4-fluoro-phenyl)pyrazolo[4,3-b]pyridin-1-yl]-1-(3,3-difluoroazetidin-1-yl)ethanone;

2-[6-(3-Chloro-2-fluoro-phenyl)pyrazolo[4,3-b]pyridin-1-yl]-1-(3,3-difluoroazetidin-1-yl)ethanone;

1-(3,3-Difluoroazetidin-1-yl)-2-[6-(4-fluoro-3-methyl-phenyl)pyrazolo[4,3-b]pyridin-1-yl]ethanone;

1-(3,3-Difluoroazetidin-1-yl)-2-[6-(4-fluoro-2-methyl-phenyl)pyrazolo[4,3-b]pyridin-1-yl]ethanone;

1-(3,3-Difluoroazetidin-1-yl)-2-[6-(2-fluoro-3-methyl-phenyl)pyrazolo[4,3-b]pyridin-1-yl]ethanone;

1-(3,3-Difluoroazetidin-1-yl)-2-[6-[2-fluoro-3-(trifluoromethyl)phenyl]pyrazolo[4,3-b]pyridin-1-yl]ethanone;

1-(3,3-Difluoroazetidin-1-yl)-2-[6-[4-fluoro-3-(trifluoromethyl)phenyl]pyrazolo[4,3-b]pyridin-1-yl]ethanone;

1-(3,3-Difluoroazetidin-1-yl)-2-[6-[2-fluoro-5-(trifluoromethyl)phenyl]pyrazolo[4,3-b]pyridin-1-yl]ethanone;

1-(3,3-Difluoroazetidin-1-yl)-2-[6-[2-methyl-3-(trifluoromethyl)phenyl]pyrazolo[4,3-b]pyridin-1-yl]ethanone;

1-(3,3-Difluoroazetidin-1-yl)-2-[6-(4-fluoro-2-methoxy-phenyl)pyrazolo[4,3-b]pyridin-1-yl]ethanone;

1-(3,3-Difluoroazetidin-1-yl)-2-[6-(3,4,5-trifluorophenyl)pyrazolo[4,3-b]pyridin-1-yl]ethanone;

1-(3,3-Dimethylazetidin-1-yl)-2-[6-[3-(trifluoromethyl)phenyl]pyrazolo[4,3-b]pyridin-1-yl]ethanone;

1-(3-Fluoro-3-methyl-azetidin-1-yl)-2-[6-[3-(trifluoromethyl)phenyl]pyrazolo[4,3-b]pyridin-1-yl]ethanone;

2-[6-[3-(Difluoromethyl)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]-1-(3,3-dimethylazetidin-1-yl)ethanone;

2-[6-[3-(Difluoromethyl)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]-1-(3-fluoro-3-methyl-azetidin-1-yl)ethanone;

2-[6-[3-(Difluoromethyl)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]-1-(3-ethyl-3-fluoro-azetidin-1-yl)ethanone;

2-[6-[3-(Difluoromethyl)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]-1-[3-fluoro-3-(fluoromethyl)azetidin-1-yl]ethanone;

2-[6-[3-(Difluoromethyl)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]-1-(3-methoxy-3-methyl-azetidin-1-yl)ethanone;

2-[6-[3-(Difluoromethyl)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]-1-(3-ethyl-3-hydroxy-azetidin-1-yl)ethanone;

2-[6-[3-(Difluoromethyl)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]-1-(3-hydroxy-3-methyl-azetidin-1-yl)ethanone;

2-[6-[3-(Difluoromethyl)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]-1-[3-fluoro-3-(hydroxymethyl)azetidin-1-yl]ethanone;

2-[6-[3-(Difluoromethyl)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]-1-[3-fluoro-3-(methoxymethyl)azetidin-1-yl]ethanone;

[6-[3-(Difluoromethyl)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]-1-(3-hydroxy-2-methyl-azetidin-1-yl)ethanone;

1-[2-[6-[3-(Trifluoromethyl)phenyl]pyrazolo[4,3-b]pyridin-1-yl]acetyl]azetidine-3-carbonitrile;

1-[2-[6-[3-(Difluoromethyl)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]acetyl]azetidine-3-carbonitrile;

1-[2-[6-[3-(Difluoromethyl)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]acetyl]-3-methyl-azetidine-3-carbonitrile;

1-(3-Acetylazetidin-1-yl)-2-[6-[3-(difluoromethyl)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]ethanone;

N-[1-[2-[6-[3-(Difluoromethyl)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]acetyl]azetidin-3-yl]acetamide;

1-[2-[6-[3-(Difluoromethyl)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]acetyl]-N,N-dimethyl-azetidine-3-carboxamide;

MethylN-[1-[2-[6-[3-(difluoromethyl)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]acetyl]azetidin-3-yl]carbamate;

N-[1-[2-[6-[3-(Difluoromethyl)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]acetyl]azetidin-3-yl]-2,2,2-trifluoro-acetamide;

N-[1-[2-[6-[3-(Difluoromethyl)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]acetyl]azetidin-3-yl]cyclopropanecarboxamide;

N-[1-[2-[6-[3-(Difluoromethyl)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]acetyl]azetidin-3-yl]methanesulfonamide;

2-[6-[3-(Difluoromethyl)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]-1-(3-methylsulfonylazetidin-1-yl)ethanone;

1-[1-[2-[6-[3-(Difluoromethyl)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]acetyl]azetidin-3-yl]pyrrolidin-2-one;

2-[6-[3-(Difluoromethyl)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]-1-[3-(1H-imidazol-2-yl)azetidin-1-yl]ethanone;

2-[6-[3-(Difluoromethyl)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]-1-[3-(4-pyridyl)azetidin-1-yl]ethanone;

2-[6-[3-(Difluoromethyl)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]-1-(3-pyrimidin-4-ylazetidin-1-yl)ethanone;

1-(5-Azaspiro[2.3]hexan-5-yl)-2-[6-[3-(difluoromethyl)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]ethanone;

1-(2,2-Difluoro-5-azaspiro[2.3]hexan-5-yl)-2-[6-[3-(difluoromethyl)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]ethanone;

1-(6-Azaspiro[3.3]heptan-6-yl)-2-[6-[3-(difluoromethyl)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]ethanone;

2-[6-[3-(Difluoromethyl)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]-1-(3-oxa-6-azaspiro[3.3]heptan-6-yl)ethanone;

1-(6-Oxa-2-azaspiro[3.3]heptan-2-yl)-2-[6-[3-(trifluoromethyl)phenyl]pyrazolo[4,3-b]pyridin-1-yl]ethanone;

2-[6-(4-Fluorophenyl)pyrazolo[4,3-b]pyridin-1-yl]-1-pyrrolidin-1-yl-ethanone;

1-Pyrrolidin-1-yl-2-[6-[3-(trifluoromethyl)phenyl]pyrazolo[4,3-b]pyridin-1-yl]ethanone;
2-[6-(3-Cyclopropylphenyl)pyrazolo[4,3-b]pyridin-1-yl]-1-pyrrolidin-1-yl-ethanone;
2-[6-[3-(Difluoromethoxy)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]-1-pyrrolidin-1-yl-ethanone;
2-[6-[3-(Difluoromethyl)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]-1-pyrrolidin-1-yl-ethanone;
2-[6-(3,5-Difluoro-4-methyl-phenyl)pyrazolo[4,3-b]pyridin-1-yl]-1-pyrrolidin-1-yl-ethanone;
1-[(3R)-3-Fluoropyrrolidin-1-yl]-2-[6-[3-(trifluoromethyl)phenyl]pyrazolo[4,3-b]pyridin-1-yl]ethanone;
1-[(3S)-3-Fluoropyrrolidin-1-yl]-2-[6-[3-(trifluoromethyl)phenyl]pyrazolo[4,3-b]pyridin-1-yl]ethanone;
(Racemic) (R,S)-2-[6-[3-(Difluoromethoxy)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]-1-(3-fluoropyrrolidin-1-yl)ethanone;
(Racemic) (R,S)-2-[6-[3-(Difluoromethyl)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]-1-(3-fluoropyrrolidin-1-yl)ethanone;
2-[6-[3-(Difluoromethyl)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]-1-[(3R)-3-fluoropyrrolidin-1-yl]ethanone;
2-[6-[3-(Difluoromethyl)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]-1-[(3S)-3-fluoropyrrolidin-1-yl]ethanone;
(Racemic) (R,S)-2-[6-[3-(Difluoromethoxy)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]-1-(3-hydroxypyrrolidin-1-yl)ethanone;
(Racemic) (R,S)-2-[6-[3-(Difluoromethyl)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]-1-(3-hydroxypyrrolidin-1-yl)ethanone;
(Racemic) 2-[6-[3-(Difluoromethyl)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]-1-(3-methoxypyrrolidin-1-yl)ethanone;
2-[6-[3-(Difluoromethyl)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]-1-[(2R)-2-(methoxymethyl)pyrrolidin-1-yl]ethanone;
2-[6-[3-(Difluoromethyl)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]-1-[(2S)-2-(methoxymethyl)pyrrolidin-1-yl]ethanone;
N-[(3S)-1-[2-[6-[3-(Difluoromethyl)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]acetyl]pyrrolidin-3-yl]acetamide;
N-[(3R)-1-[2-[6-[3-(Difluoromethyl)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]acetyl]pyrrolidin-3-yl]acetamide;
1-(3,3-Difluoropyrrolidin-1-yl)-2-[6-[3-(trifluoromethyl)phenyl]pyrazolo[4,3-b]pyridin-1-yl]ethanone;
2-[6-[3-(Difluoromethoxy)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]-1-(3,3-difluoropyrrolidin-1-yl)ethanone;
2-[6-[3-(Difluoromethyl)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]-1-(3,3-difluoropyrrolidin-1-yl)ethanone;

(Racemic) 2-[6-[3-(Difluoromethyl)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]-1-(3-hydroxy-3-methyl-pyrrolidin-1-yl)ethanone;

(Racemic) Trans-2-[6-[3-(Difluoromethyl)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]-1-(3-fluoro-4-hydroxy-pyrrolidin-1-yl)ethanone;

1-[2-[6-[3-(Difluoromethyl)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]acetyl]pyrrolidin-3-one;

1-[2-[6-[3-(Difluoromethoxy)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]acetyl]pyrrolidin-3-one;

1-(1-Piperidyl)-2-[6-[3-(trifluoromethyl)phenyl]pyrazolo[4,3-b]pyridin-1-yl]ethanone;

1-(4,4-Difluoro-1-piperidyl)-2-[6-[3-(trifluoromethyl)phenyl]pyrazolo[4,3-b]pyridin-1-yl]ethanone;

N-[1-[2-[6-[3-(Difluoromethyl)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]acetyl]-4-piperidyl]acetamide;

2-[6-(4-Fluorophenyl)pyrazolo[4,3-b]pyridin-1-yl]-1-morpholino-ethanone;

1-[(1R,5S)-3-Azabicyclo[3.1.0]hexan-3-yl]-2-[6-[3-(difluoromethyl)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]ethanone;

2-[6-[3-(Difluoromethyl)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]-1-[(1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptan-5-yl]ethanone;

2-[6-[3-(Difluoromethyl)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]-1-[(1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptan-5-yl]ethanone;

(Racemic) Cis-5-[2-[6-[3-(Difluoromethyl)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]acetyl]-3a,4,6,6a-tetrahydro-3H-pyrrolo[3,4-d]oxazol-2-one;

(Racemic) Cis-5-[2-[6-[3-(Difluoromethyl)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]acetyl]-1,3,3a,4,6,6a-hexahydropyrrolo[2,3-c]pyrrol-2-one;

2-[6-[5-(Difluoromethyl)-2-thienyl]pyrazolo[4,3-b]pyridin-1-yl]-N,N-dimethyl-acetamide;

N,N-Dimethyl-2-[6-[5-(trifluoromethyl)-2-thienyl]pyrazolo[4,3-b]pyridin-1-yl]acetamide;

2-[6-(5-Chloro-2-thienyl)pyrazolo[4,3-b]pyridin-1-yl]-N,N-dimethyl-acetamide;

2-[6-(5-Chloro-4-methyl-2-thienyl)pyrazolo[4,3-b]pyridin-1-yl]-N,N-dimethyl-acetamide;

2-[6-[3-(Difluoromethyl)phenyl]pyrazolo[4,3-b]pyridin-1-yl]-N,N-dimethyl-acetamide;

2-[6-[3-(Difluoromethyl)phenyl]-3-fluoro-pyrazolo[4,3-b]pyridin-1-yl]-N,N-dimethyl-acetamide;

2-[3-Fluoro-6-(4-fluorophenyl)pyrazolo[4,3-b]pyridin-1-yl]-N,N-dimethyl-acetamide;

2-[3-Fluoro-6-(3-fluorophenyl)pyrazolo[4,3-b]pyridin-1-yl]-N,N-dimethyl-acetamide;

2-[6-(3-Chlorophenyl)pyrazolo[4,3-b]pyridin-1-yl]-N,N-dimethyl-acetamide;

N,N-Dimethyl-2-[6-[2-(trifluoromethyl)-4-pyridyl]pyrazolo[4,3-b]pyridin-1-yl]acetamide;

2-[6-[3-(Difluoromethyl)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]-N-methyl-acetamide;

2-[6-[3-(Difluoromethyl)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]-N-ethyl-acetamide;

2-[6-[3-(Difluoromethyl)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]-N-ethyl-N-methyl-acetamide;

2-[6-[3-(Difluoromethyl)-4-fluoro-phenyl]-3-fluoro-pyrazolo[4,3-b]pyridin-1-yl]-N,N-dimethyl-acetamide;

2-[6-[3-(Difluoromethyl)-4-fluoro-phenyl]-3-methyl-pyrazolo[4,3-b]pyridin-1-yl]-N,N-dimethyl-acetamide;

2-[6-[4-Chloro-3-(difluoromethyl)phenyl]pyrazolo[4,3-b]pyridin-1-yl]-N,N-dimethyl-acetamide;

2-[6-[3-(1,1-Difluoroethyl)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]-N,N-dimethyl-acetamide;

2-[6-(4-Fluoro-3-methyl-phenyl)pyrazolo[4,3-b]pyridin-1-yl]-N-methyl-acetamide;

2-[3-Fluoro-6-(4-fluoro-3-methyl-phenyl)pyrazolo[4,3-b]pyridin-1-yl]-N,N-dimethyl-acetamide;

2-[6-(4-Chloro-3-methyl-phenyl)pyrazolo[4,3-b]pyridin-1-yl]-N,N-dimethyl-acetamide;

2-[6-(3-Chloro-4-fluoro-phenyl)pyrazolo[4,3-b]pyridin-1-yl]-N,N-dimethyl-acetamide;

2-[6-(3,4-Dichlorophenyl)pyrazolo[4,3-b]pyridin-1-yl]-N,N-dimethyl-acetamide;

2-[6-(3,5-Difluorophenyl)-3-fluoro-pyrazolo[4,3-b]pyridin-1-yl]-N,N-dimethyl-acetamide;

2-[6-(3,4-Difluorophenyl)-3-fluoro-pyrazolo[4,3-b]pyridin-1-yl]-N,N-dimethyl-acetamide;

2-[6-[3-(1,1-Difluoroethyl)phenyl]pyrazolo[4,3-b]pyridin-1-yl]-N,N-dimethyl-acetamide;

2-[6-[3-(1,1-Difluoroethyl)phenyl]-3-fluoro-pyrazolo[4,3-b]pyridin-1-yl]-N,N-dimethyl-acetamide;

2-[6-[3-(Difluoromethoxy)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]-N,N-dimethyl-acetamide;

2-[6-[3-(Difluoromethoxy)-4-fluoro-phenyl]-3-fluoro-pyrazolo[4,3-b]pyridin-1-yl]-N,N-dimethyl-acetamide;

2-[6-[2-Fluoro-3-(trifluoromethyl)phenyl]pyrazolo[4,3-b]pyridin-1-yl]-N,N-dimethyl-acetamide;

2-[6-[3-(Difluoromethyl)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]-N-(2-methoxyethyl)-N-methyl-acetamide;

2-[6-[3-(Difluoromethyl)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]-N-(2-hydroxyethyl)-N-methyl-acetamide;

2-[6-[3-(Difluoromethyl)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]-N-methyl-N-(2,2,2-trifluoroethyl)acetamide;

N-(Cyanomethyl)-2-[6-[3-(difluoromethyl)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]-N-methyl-acetamide;

N-Allyl-2-[6-[3-(difluoromethyl)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]-N-methyl-acetamide;

N,N-Dimethyl-2-[6-(3,4,5-trifluorophenyl)pyrazolo[4,3-b]pyridin-1-yl]acetamide;

2-[6-(3,4-Difluoro-5-methyl-phenyl)pyrazolo[4,3-b]pyridin-1-yl]-N,N-dimethyl-acetamide;

2-[6-(2,4-Difluoro-3-methyl-phenyl)pyrazolo[4,3-b]pyridin-1-yl]-N,N-dimethyl-acetamide;

N-Cyclopropyl-N-methyl-2-[6-[3-(trifluoromethyl)phenyl]pyrazolo[4,3-b]pyridin-1-yl]acetamide;

N-Cyclopropyl-2-[6-[3-(difluoromethyl)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]acetamide;

N-Cyclopropyl-2-[6-[3-(difluoromethyl)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]-N-methyl-acetamide;

N-Cyclopropyl-2-[3-methyl-6-[3-(trifluoromethyl)phenyl]pyrazolo[4,3-b]pyridin-1-yl]acetamide;

N-Cyclopropyl-2-[6-[3-(difluoromethoxy)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]acetamide;

N-Cyclobutyl-2-[6-[3-(difluoromethyl)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]acetamide;

N-Cyclobutyl-2-[6-[3-(difluoromethyl)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]-N-methyl-acetamide;

N-Cyclobutyl-2-[6-[3-(trifluoromethyl)phenyl]pyrazolo[4,3-b]pyridin-1-yl]acetamide;

N-(3,3-Difluorocyclobutyl)-2-[6-[3-(trifluoromethyl)phenyl]pyrazolo[4,3-b]pyridin-1-yl]acetamide;

N-(3,3-Difluorocyclobutyl)-2-[6-[3-(difluoromethyl)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]acetamide;

N-(3-Bicyclo[1.1.1]pentanyl)-2-[6-[3-(difluoromethyl)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]-N-methyl-acetamide;

N-(Oxetan-3-yl)-2-[6-[3-(trifluoromethyl)phenyl]pyrazolo[4,3-b]pyridin-1-yl]acetamide;

2-(6-(3-(Difluoromethyl)-4-fluorophenyl)-1H-pyrazolo[4,3-b]pyridin-1-yl)-1-(3-(pyridin-3-yl)azetidin-1-yl)ethan-1-one;

2-(6-(3-(Difluoromethyl)-4-fluorophenyl)-1H-pyrazolo[4,3-b]pyridin-1-yl)-1-(3-(pyridin-2-yl)azetidin-1-yl)ethan-1-one;

Methyl (1-(2-(6-(3-(Difluoromethyl)-4-fluorophenyl)-3-fluoro-1H-pyrazolo[4,3-b]pyridin-1-yl)acetyl)azetidin-3-yl)carbamate;

(S)-N-(1-(2-(6-(3-(Difluoromethyl)-4-fluorophenyl)-3-fluoro-1H-pyrazolo[4,3-b]pyridin-1-yl)acetyl)pyrrolidin-3-yl)acetamide;

(R)-N-(1-(2-(6-(3-(Difluoromethyl)-4-fluorophenyl)-3-fluoro-1H-pyrazolo[4,3-b]pyridin-1-yl)acetyl)pyrrolidin-3-yl)acetamide;

1-(3-(Fluoro-18F)azetidin-1-yl)-2-(6-(3-(trifluoromethyl)phenyl)-1H-pyrazolo[4,3-b]pyridin-1-yl)ethan-1-one;

and pharmaceutically acceptable salts, solvates, stereoisomers, isotopic variants, and N-oxides thereof.

31. A compound selected from the group consisting of:

2-[6-[3-(Difluoromethyl)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]-1-(3-fluoroazetidin-1-yl)ethanone;

2-[6-[3-(Difluoromethyl)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]-N,N-dimethyl-acetamide;

2-[6-(4-Fluoro-3-methyl-phenyl)pyrazolo[4,3-b]pyridin-1-yl]-N,N-dimethyl-acetamide;

2-[6-[4-Chloro-3-(difluoromethoxy)phenyl]pyrazolo[4,3-b]pyridin-1-yl]-1-(3-fluoroazetidin-1-yl)ethanone;

1-(Azetidin-1-yl)-2-[6-[3-(difluoromethyl)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]ethanone;

1-(Azetidin-1-yl)-2-[6-[3-(difluoromethoxy)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]ethanone;

2-[6-[3-(Difluoromethyl)-4-fluoro-phenyl]-3-fluoro-pyrazolo[4,3-b]pyridin-1-yl]-1-(3-fluoroazetidin-1-yl)ethanone;

2-[6-[4-Chloro-3-(difluoromethyl)phenyl]pyrazolo[4,3-b]pyridin-1-yl]-1-(3-fluoroazetidin-1-yl)ethanone;

2-[6-[3-(Difluoromethoxy)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]-1-(3-fluoroazetidin-1-yl)ethanone;

2-[6-[3-(Difluoromethyl)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]-1-(3-fluoro-3-methyl-azetidin-1-yl)ethanone;

and pharmaceutically acceptable salts, solvates, stereoisomers, isotopic variants, and N-oxides thereof.

32. A pharmaceutical composition comprising a compound according to any one of claims 1 to 31 or a pharmaceutically acceptable salt, solvate, stereoisomer, isotopic variant, or N-oxide thereof, and a pharmaceutically acceptable excipient.

33. A compound according to any one of claims 1 to 31 or a pharmaceutically acceptable salt, solvate, stereoisomer, isotopic variant, or N-oxide thereof for use in a method of treating a subject suffering from or diagnosed with a disease, disorder, or medical condition mediated by GluN2B receptor activity selected from the group consisting of: bipolar disorder, major depressive disorder, treatment-resistant depression, post-partum depression, seasonal affective disorder, Alzheimer's disease, Parkinson's disease, Huntington's chorea, multiple sclerosis, cognitive impairment, head injury, spinal cord injury, stroke, epilepsy, dyskinesias, amyotrophic lateral sclerosis, neurodegeneration associated with a bacterial or chronic infection, pain, diabetic neuropathy, migraine, cerebral ischemia, schizophrenia, encephalitis, autism and an autism spectrum disorder, a memory and learning disorder, obsessive compulsive disorder, attention deficit hyperactivity disorder (ADHD), and an addictive illness.

~~34. The compound or a pharmaceutically acceptable salt, solvate, stereoisomer, isotopic variant, or N-oxide thereof for use according to claim 33, wherein the disease, disorder, or medical condition mediated by GluN2B receptor activity is selected from the group consisting of: bipolar disorder, major depressive disorder, treatment-resistant depression, post-partum depression, seasonal affective disorder, Alzheimer's disease, Parkinson's disease, Huntington's chorea, multiple sclerosis, cognitive impairment, head injury, spinal cord injury, stroke, epilepsy, dyskinesias, amyotrophic lateral sclerosis, neurodegeneration associated with a bacterial or chronic infection, pain, diabetic neuropathy, migraine, cerebral ischemia, schizophrenia, encephalitis, autism and an autism spectrum disorder, a memory and learning disorder, obsessive compulsive disorder, attention deficit hyperactivity disorder (ADHD), and an addictive illness.~~

~~35.~~34. The compound or a pharmaceutically acceptable salt, solvate, stereoisomer, isotopic variant, or N-oxide thereof for use according to claim 33, wherein the disease, disorder, or medical condition is selected from the group consisting of treatment-resistant depression, major depressive disorder, and bipolar disorder.

~~36.~~35. Use of a compound according to any one of claims 1 to 31 or a pharmaceutically acceptable salt, solvate, stereoisomer, isotopic variant, or N-oxide thereof in the manufacture of a medicament for treating a subject suffering from or diagnosed with a disease, disorder, or medical condition mediated by GluN2B receptor activity selected from the group consisting of: bipolar disorder, major depressive disorder, treatment-resistant depression, post-partum depression, seasonal affective disorder, Alzheimer's disease, Parkinson's disease, Huntington's chorea, multiple sclerosis, cognitive impairment, head injury, spinal cord injury, stroke, epilepsy, dyskinesias, amyotrophic lateral sclerosis, neurodegeneration associated with a bacterial or chronic infection, pain, diabetic neuropathy, migraine, cerebral ischemia, schizophrenia, encephalitis, autism and an autism spectrum disorder, a memory and learning disorder, obsessive compulsive disorder, attention deficit hyperactivity disorder (ADHD), and an addictive illness.

~~37. The use of claim 36, wherein the disease, disorder, or medical condition mediated by GluN2B receptor activity is selected from the group consisting of: bipolar disorder, major depressive disorder, treatment-resistant depression, post-partum depression, seasonal affective disorder, Alzheimer's disease, Parkinson's disease, Huntington's chorea, multiple sclerosis, cognitive impairment, head injury, spinal cord injury, stroke, epilepsy, dyskinesias, amyotrophic lateral sclerosis, neurodegeneration associated with a bacterial or chronic infection, pain, diabetic neuropathy, migraine, cerebral ischemia, schizophrenia, encephalitis, autism and an autism spectrum disorder, a memory and learning disorder, obsessive compulsive disorder, attention deficit hyperactivity disorder (ADHD), and an addictive illness.~~

~~38.~~36. The use of claim 35, wherein the disease, disorder, or medical condition is selected from the group consisting of treatment-resistant depression, major depressive disorder, and bipolar disorder.