


What is Claimed:

1. A compound of Formula (III), or a pharmaceutically acceptable salt thereof:




wherein:


R^2 is F, Cl, OH, NH_2 , CN, and N_3 ;

R^3 is selected from the group of CN, N_3 , methyl, ethyl, propyl, vinyl, propenyl, ethynyl, CH_2F , CHF_2 , CH_2Cl , CH_2SMe , and CH_2OMe ; and

R^4 is H or group of the formula:



wherein W^1 and W^2 are each, independently, OH or a group of the Formula Ia:



Formula Ia

wherein:


each Y is independently a bond or O;

m is 0, 1, 2, or 3;

each R^x is H, halogen or OH;

or

R⁴ is selected from H and:




wherein:

n' is selected from 1, 2, 3, and 4;

R⁷ is selected from C₁-C₈ alkyl, -O-C₁-C₈ alkyl, benzyl, -O-benzyl, -CH₂-C₃-C₆ cycloalkyl, -O-CH₂-C₃-C₆ cycloalkyl, and CF₃;

R⁸ is selected from phenyl, 1-naphthyl, 2-naphthyl,




R^9 is selected from H and CH_3 ;

R^{10} is selected from H or C_1-C_6 alkyl;

R^{11} is selected from H, C_1-C_8 alkyl, benzyl, C_3-C_6 cycloalkyl, and $-CH_2-C_3-C_6$ cycloalkyl.

2. A compound of Formula (IX):



wherein:


R^1 is selected from the group of H, CH_3 , F, Cl, and NH_2 ;

R^2 is selected from the group of F, Cl, OH, NH_2 , CN, and N_3 ; and


R^3 is selected from the group of CN, N_3 , methyl, ethyl, propyl, vinyl, propenyl, ethynyl, CH_2F , CHF_2 , CH_2Cl , CH_2SMe , and CH_2OMe ;

or a pharmaceutically acceptable salt thereof.

3. A compound of Claim 2, or a pharmaceutically acceptable salt thereof, wherein R¹ is H.
4. A compound of Claim 2, or a pharmaceutically acceptable salt thereof, wherein R¹ is F.
5. A compound of any of Claims 2 to 4, or a pharmaceutically acceptable salt thereof, wherein R² is F.
6. A compound of any of Claims 2 to 4, or a pharmaceutically acceptable salt thereof, wherein R² is Cl.
7. A compound of any of Claims 2 to 4, or a pharmaceutically acceptable salt thereof, wherein R² is N₃.
8. A compound of any of Claims 2 to 7, or a pharmaceutically acceptable salt thereof, wherein R³ is selected from the group of CN and N₃.
9. A compound of any of Claims 2 to 7, or a pharmaceutically acceptable salt thereof, wherein R³ is selected from the group of methyl, ethyl, and propyl.
10. A compound of any of Claims 2 to 7, or a pharmaceutically acceptable salt thereof, wherein R³ is selected from the group of CH₂F, CHF₂, and CH₂Cl.
11. A compound of Claim 1, or a pharmaceutically acceptable salt thereof, wherein R⁴ is selected from the group of:




12. A compound of Claim 1, or a pharmaceutically acceptable salt thereof, wherein R⁴ is:




wherein R⁸, R⁹, R¹⁰, and R¹¹ are as defined in Claim 1.

13. A compound of Claim 1, or a pharmaceutically acceptable salt thereof, wherein R⁴ is:




wherein R⁸, R⁹, R¹⁰, and R¹¹ are as defined in Claim 1.


14. A compound of Claim 1, or a pharmaceutically acceptable salt thereof, wherein R⁴ is:



wherein n' is selected from 1, 2, 3, and 4; and R⁷ is selected from the group of C₁-C₈ alkyl, -O-C₁-C₈ alkyl, benzyl, -O-benzyl, -CH₂-C₃-C₆ cycloalkyl, -O-CH₂-C₃-C₆ cycloalkyl, and CF₃.

15. A compound of Claim 1 or Claim 2, or a pharmaceutically acceptable salt thereof, selected from the group of:





16. A pharmaceutical composition comprising a compound any of Claims 1 to 15, or a pharmaceutically acceptable salt thereof, and a pharmaceutically acceptable carrier or excipient.

17. A compound of any of Claims 1 to 15, or a pharmaceutically acceptable salt thereof, for use in the treatment of a *Pneumovirinae* virus infection or a respiratory syncytial virus infection in a human.

18. The use of a compound of any of Claims 1 to 15, or a pharmaceutically acceptable salt thereof, in the preparation of a medicament for treatment of a *Pneumovirinae* virus infection or a respiratory syncytial virus infection in a human.