PATENT CLAIMS

1. A urinal comprising

   a basin for collecting a stream of urine and

   a shower head designed for delivering a water jet for washing the penis after and/or during urination.

2. The urinal according to claim 1, furthermore comprising a cover that is designed in the form of a privacy shield for protecting the penis from glances of the user of an adjacent urinal.

3. The urinal according to claim 2, wherein the cover is arranged above the basin in such a way that an upper edge of the basin and a lower edge of the cover are arranged at a distance from one another and/or at an angle to one another.

4. The urinal according to claim 2 or 3, wherein the shower head is arranged on an underside of the cover.

5. The urinal according to one of claims 1 to 3, wherein the shower head is arranged within the basin.

6. The urinal according to claim 5, wherein the shower head is designed for delivering an upwardly directed water jet.

7. The urinal according to one of claims 1 to 6, wherein
   the shower head can be manually activated by the user,

wherein the activation preferably takes place in a contactless manner.

8. The urinal according to one of claims 1 to 7, wherein

the shower head is automatically activated as soon as the urinal is used.

9. The urinal according to one of claims 1 to 8, wherein

the water jet is deactivated automatically after a predefined period of time and/or

the water jet is deactivated automatically upon departure of the user from the urinal.

10. The urinal according to one of claims 1 to 9, furthermore comprising a splashback protection that is designed for preventing splashback of the stream of urine.

11. The urinal according to claim 10, wherein the splashback protection is formed by a body with rounded surfaces, preferably by a sphere.

12. The urinal according to one of claims 1 to 11, wherein

the basin is supported by a column that rests on a floor.

13. The urinal according to claim 12, furthermore comprising a drain pipe that leads into the floor through the column.

14. The urinal according to one of claims 1 to 12, furthermore comprising a drain pipe that leads into a wall, on which the urinal is mounted.

15. The urinal according to one of claims 1 to 14, furthermore comprising at least one light source, wherein

the at least one light source preferably is formed by light-emitting diodes for producing luminous spots or luminous bands and/or

the at least one light source preferably is arranged on the upper edge of the basin and/or the lower edge of the cover.