

(I)

wherein W, X, A and B are as defined herein, or forms and compositions thereof.

In particular, the present description relates to a use of a compound of Formula (I) or a form or composition thereof in a method for treating or ameliorating HD in a subject in need thereof comprising, administering an effective amount of the compound or a form or composition thereof, to the subject.

The present description further relates to the use of a compound of Formula (I) or a form thereof in combination with agents having additive or synergistic activity, thus providing a combination product for the treatment of HD.

In one aspect of the present disclosure, there is provided a use of a compound or a form thereof in the manufacture of a medicament for the treatment or amelioration of Huntington's Disease, wherein the compound is selected from the group consisting of:

6-(naphthalen-2-yl)-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine  
 6-(benzo[b]thiophen-2-yl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine  
 2-(6-(2,2,6,6-tetramethylpiperidin-4-yl-amino)-pyridazin-3-yl)phenol  
 2-(6-(methyl-(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)benzo[b]-thiophene-5-carbonitrile  
 6-(quinolin-3-yl)-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine  
 3-(benzo[b]-thiophen-2-yl)-6-(2,2,6,6-tetramethylpiperidin-4-yl-oxy)pyridazine  
 2-(6-(methyl-(2,2,6,6-tetramethylpiperidin-4-yl)amino)-pyridazin-3-yl)phenol  
 6-(6-(methyl-(2,2,6,6-tetramethylpiperidin-4-yl)amino)-pyridazin-3-yl)naphthalen-2-ol  
 6-(benzo[b]-thiophen-2-yl)-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine  
 7-(6-((2,2,6,6-tetramethylpiperidin-4-yl)oxy)pyridazin-3-yl)isoquinoline  
 6-(6-((2,2,6,6-tetramethylpiperidin-4-yl)oxy)pyridazin-3-yl)isoquinoline  
 N-methyl-6-(quinolin-7-yl)-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine  
 N-methyl-6-(quinolin-6-yl)-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine  
 6-(isoquinolin-7-yl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine  
 6-(isoquinolin-6-yl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine  
 6-(imidazo[1,2-a]pyridin-6-yl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine  
 methyl-(6-quinoxalin-2-yl-pyridazin-3-yl)-(2,2,6,6-tetramethylpiperidin-4-yl)-amine

methyl-(6-quinolin-3-yl-pyridazin-3-yl)-(2,2,6,6-tetramethylpiperidin-4-yl)-amine  
 N-methyl-6-(phthalazin-6-yl)-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine  
 6-(benzo[c][1,2,5]oxa-diazol-5-yl)-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine  
 6-(benzo[d]thiazol-5-yl)-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine  
 6-(2-methylbenzo-[d]oxazol-6-yl)-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine  
 3-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)naphthalen-2-ol  
 5-chloro-2-(6-(methyl(1,2,2,6,6-pentamethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol  
 3-(6-(2,2,6,6-tetramethylpiperidin-4-yl-amino)pyridazin-3-yl)naphthalen-2-ol  
 5-chloro-2-(6-(1,2,2,6,6-pentamethylpiperidin-4-ylamino)pyridazin-3-yl)phenol  
 4-hydroxy-3-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)benzonitrile  
 3-(6-((2,2,6,6-tetramethylpiperidin-4-yl)oxy)pyridazin-3-yl)naphthalen-2-ol  
 2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-4-(trifluoromethyl)phenol  
 2-fluoro-6-(6-(methyl-(2,2,6,6-tetramethylpiperidin-4-yl)-amino)-pyridazin-3-yl)phenol  
 3,5-dimethoxy-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol  
 4,5-dimethoxy-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol  
 5-methoxy-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol  
 4,5-difluoro-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol  
 5-fluoro-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol  
 3-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)benzonitrile  
 1-allyl-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)naphthalen-2-ol  
 6-(benzo[b]thiophen-2-yl)-N-(1,2,2,6,6-pentamethylpiperidin-4-yl)pyridazin-3-amine  
 2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol  
 5-(5-methyl-oxazol-2-yl)-2-(6-(methyl-(2,2,6,6-tetramethylpiperidin-4-yl)-amino)-pyridazin-3-yl)phenol  
 5-(4-(hydroxymethyl)-1H-pyrazole-1-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol  
 5-(1H-imidazol-1-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol  
 5-(4-amino-1H-pyrazole-1-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol  
 2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1H-pyrazol-4-yl)phenol

5-(3-amino-1H-pyrazol-1-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol  
 2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1-(2-morpholinoethyl)-1H-pyrazol-4-yl)phenol  
 2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1-methyl-1H-pyrazol-4-yl)phenol  
 5-(5-amino-1H-pyrazol-1-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol  
 2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-4-(1H-pyrazol-1-yl)phenol  
 2-(((6-((2-hydroxy-ethyl)-(2,2,6,6-tetramethylpiperidin-4-yl)-amino)-pyridazin-3-yl)-5-pyrazol-1-yl)phenol  
 2-(6-(piperidin-4-yloxy)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol  
 2-(6-(((2S,4R,6R)-2,6-dimethylpiperidin-4-yl)oxy)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol  
 2-(6-((-2,6-dimethylpiperidin-4-yl)oxy)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol  
 5-(1H-pyrazol-1-yl)-2-(6-(pyrrolidin-3-yl-oxy)pyridazin-3-yl)phenol  
 2-(6-(((2S,4S)-2-methylpiperidin-4-yl)oxy)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol  
 2-(6-((3-fluoropiperidin-4-yl)oxy)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol  
 2-(6-(1,2,2,6,6-pentamethyl-piperidin-4-yl-oxy)-pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol  
 5-1H-pyrazol-1-yl-2-(6-(2,2,6,6-tetramethylpiperidin-4-yl-oxy)-pyridazin-3-yl)phenol  
 5-(1H-pyrazol-4-yl)-2-(6-((2,2,6,6-tetramethylpiperidin-4-yl)oxy)pyridazin-3-yl)phenol  
 2-(6-piperazin-1-yl-pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol  
 3-(6-(azetidin-3-ylamino)-pyridazin-3-yl)naphthalen-2-ol  
 2-(6-(azetidin-3-ylamino)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol  
 2-(6-(3,5-dimethylpiperazin-1-yl)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol  
 2-(6-(1,4-diazepan-1-yl)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol  
 2-(6-(4-(2-hydroxyethyl)piperazin-1-yl)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol  
 2-(6-(3-(hydroxymethyl)piperazin-1-yl)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol  
 2-(6-(4-amino-4-methylpiperidin-1-yl)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol  
 2-(6-(3-(dimethylamino)piperidin-1-yl)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol  
 2-(6-(1,2,2,6,6-pentamethylpiperidin-4-ylamino)-pyridazin-3-yl)-5-1H-pyrazol-1-yl-phenol  
 2-(6-(3,3-dimethylpiperazin-1-yl)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol  
 3-(6-(piperazin-1-yl)pyridazin-3-yl)naphthalene-2,7-diol  
 5-(1H-pyrazol-1-yl)-2-(6-(1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl)phenol  
 2-(6-piperidin-4-yl-pyridazin-3-yl)-5-1H-pyrazol-1-yl-phenol  
 3-(6-(1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl)naphthalen-2-ol

3-(6-(1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl)naphthalene-2,7-diol  
 3-(6-(2,2,6,6-tetramethyl-1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl)naphthalene-2,7-diol  
 3-(6-(1-methyl-1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl)naphthalene-2,7-diol  
 3-(6-(piperidin-4-yl)pyridazin-3-yl)naphthalene-2,7-diol  
 3-(6-((2,2,6,6-tetramethylpiperidin-4-yl)oxy)pyridazin-3-yl)naphthalene-2,7-diol  
 3-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)naphthalene-2,7-diol  
 3-(6-((2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)naphthalene-2,7-diol  
 tert-butyl (3-((7-hydroxy-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)naphthalen-2-yl)oxy)propyl)carbamate  
 7-(3-amino-propoxy)-3-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)-amino)-pyridazin-3-yl)naphthalen-2-ol  
 N-(3-((7-hydroxy-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)naphthalen-2-yl)oxy)propyl)acetamide  
 7-(3-hydroxypropoxy)-3-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)naphthalen-2-ol  
 7-(3-methoxypropoxy)-3-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)naphthalen-2-ol  
 7-(2-morpholinoethoxy)-3-(6-((2,2,6,6-tetramethylpiperidin-4-yl)oxy)pyridazin-3-yl)naphthalen-2-ol  
 3-(6-(piperidin-4-ylmethyl)pyridazin-3-yl)naphthalen-2-ol  
 5-(1H-pyrazol-1-yl)-2-(6-((2,2,6,6-tetramethylpiperidin-4-yl)methyl)pyridazin-3-yl)phenol  
 3-methoxy-2-(6-(methyl(2,2,6-trimethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(5-methyloxazol-2-yl)phenol  
 2-(6-((6S)-6-((S)-1-hydroxyethyl)-2,2-dimethylpiperidin-4-yloxy)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol  
 7-hydroxy-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-2-naphthonitrile  
 3-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-7-(piperidinylmethyl)naphthalen-2-ol  
 3-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-7-(pyrrolidinylmethyl)naphthalen-2-ol  
 1-bromo-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)naphthalene-2,7-diol  
 1-chloro-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)naphthalene-2,7-diol  
 7-methoxy-3-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)naphthalene-2-ol

7-methoxy-3-(6-(methyl(1,2,2,6,6-pentamethylpiperidin-4-yl)amino)pyridazin-3-yl)naphthalen-2-ol  
 7-(3,6-dihydro-2H-pyran-4-yl)-3-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)naphthalen-2-ol  
 3-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-7-(tetrahydro-2H-pyran-4-yl)naphthalene-2-ol  
 7-(difluoromethyl)-3-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)naphthalen-2-ol  
 2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1H-pyrazol-4-yl)benzene-1,3-diol  
 3-methoxy-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1H-pyrazol-4-yl)phenol  
 5-(1H-pyrazol-4-yl)-2-(6-((2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-3-(trifluoromethoxy)phenol  
 2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1-methyl-1H-pyrazol-4-yl)-3-(trifluoromethoxy)phenol  
 2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1H-pyrazol-4-yl)-3-(trifluoromethoxy)phenol  
 4-(3-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(trifluoromethoxy)phenyl)-1-methylpyridin-2(1H)-one  
 3-methoxy-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1-methyl-1H-pyrazol-4-yl)phenol  
 3-methoxy-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(5,6,7,8-tetrahydroimidazo[1,2-a]pyridin-3-yl)phenol  
 3-methoxy-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(pyridine-3-yl)phenol  
 5-(1-cyclopentyl-1H-pyrazol-4-yl)-3-methoxy-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol  
 3',5-dimethoxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-(1,1'-biphenyl)-3-ol  
 3-(benzyloxy)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(5-methyloxazol-2-yl)phenol  
 3-ethoxy-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(5-methyloxazol-2-yl)phenol  
 3-(cyclopropylmethoxy)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)-pyridazin-3-yl)-5-(5-methyloxazol-2-yl)phenol  
 5-chloro-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol  
 5-(1H-pyrazol-1-yl)-2-(6-((2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol  
 3-hydroxy-4-(6-((2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)benzonitrile  
 2-(6-((2,2-dimethylpiperidin-4-yl)oxy)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol

2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-4-(1H-pyrazol-4-yl)phenol

2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-4-(4,5,6,7-tetrahydropyrazolo[1,5-a]pyridin-3-yl)phenol

2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-4-(4,5,6,7-tetrahydropyrazolo[1,5-a]pyrazin-3-yl)phenol

4-(1H-indol-2-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

4-(cyclopent-1-en-1-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-4-(1H-pyrazol-3-yl)phenol

4-(4-hydroxy-3-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenyl)pyridin-2-ol

4-(4-hydroxy-3-(6-((2,2,6,6-tetramethylpiperidin-4-yl)oxy)pyridazin-3-yl)phenyl)-1-methylpyridin-2(1H)-one

4-(4-hydroxy-3-(6-((2,2,6,6-tetramethylpiperidin-4-yl)oxy)pyridazin-3-yl)phenyl)pyridin-2-ol

5-(1H-indazol-7-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

4-chloro-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1H-pyrazol-4-yl)phenol

4-fluoro-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1H-pyrazol-4-yl)phenol

5-fluoro-4-(1H-imidazol-4-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

5-fluoro-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-4-(1H-pyrazol-4-yl)phenol

5-fluoro-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-4-(1H-pyrazol-5-yl)phenol

4-hydroxy-3-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-N-((1-methyl-1H-pyrazol-4-yl)methyl)benzamide

4-(4-(hydroxymethyl)-1H-pyrazol-1-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

5-(1H-pyrazol-4-yl)-2-(6-((2,2,6,6-tetramethylpiperidin-4-yl)methyl)pyridazin-3-yl)phenol

6-(3-(benzyloxy)isoquinolin-6-yl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine

6-(1-(benzyloxy)isoquinolin-7-yl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine

3-fluoro-5-(2-methoxypyridin-4-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol  
 4-(3-fluoro-5-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenyl)pyridin-2(1H)-one  
 4-(3-fluoro-5-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenyl)-1-methylpyridin-2(1H)-one  
 5-(3-fluoro-5-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenyl)-1-methylpyridin-2(1H)-one  
 3-fluoro-5-(1H-pyrazol-4-yl)-2-(6-((2,2,6,6-tetramethylpiperidin-4-yl)oxy)pyridazin-3-yl)phenol  
 5-chloro-3-fluoro-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol  
 3-fluoro-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1H-pyrazol-4-yl)phenol  
 3-fluoro-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1-methyl-1H-pyrazol-4-yl)phenol  
 5-(5-methoxypyridin-3-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol  
 5-(3-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenyl)pyridin-2-ol  
 4-(3-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenyl)pyridin-2-ol  
 5-(6-methoxypyridin-3-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol  
 5-(3-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenyl)-1-methylpyridin-2(1H)-one  
 4-(3-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenyl)-1-methylpyridin-2(1H)-one  
 5-(2-methoxypyridin-4-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol  
 4-(3-hydroxy-4-(6-((2,2,6,6-tetramethylpiperidin-4-yl)oxy)pyridazin-3-yl)phenyl)pyridin-2-ol  
 5-(6-(dimethylamino)pyridin-3-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol  
 4-(3-hydroxy-4-(6-((2,2,6,6-tetramethylpiperidin-4-yl)oxy)pyridazin-3-yl)phenyl)-1-methylpyridin-2(1H)-one  
 2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(pyrimidin-5-yl)phenol  
 5-(3-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenyl)pyridin-3-ol

1-cyclopropyl-4-(3-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenyl)pyridin-2(1H)-one  
 2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1,2,3,6-tetrahydropyridin-4-yl)phenol  
 5-(3,6-dihydro-2H-pyran-4-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol  
 5-(imidazo[1,5-a]pyridin-7-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol  
 5-(imidazo[1,2-a]pyridin-7-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol  
 2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(2-methylpyridin-4-yl)phenol  
 5-(1H-imidazol-2-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol  
 5-(1H-imidazol-4-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol  
 5-(imidazo[1,2-a]pyrazin-3-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol  
 2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(5,6,7,8-tetrahydroimidazo[1,2-a]pyrazin-3-yl)phenol  
 2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(4-methyl-1H-imidazol-2-yl)phenol  
 2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1-methyl-1H-imidazol-4-yl)phenol  
 2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1-methyl-1H-imidazol-5-yl)phenol  
 2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(4-nitro-1H-imidazol-2-yl)phenol  
 2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(2-methyl-1H-imidazol-4-yl)phenol  
 5-(1,2-dimethyl-1H-imidazol-4-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol  
 1-(3-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenyl)-1H-pyrazole-4-carboxamide  
 5-(1H-pyrazol-4-yl)-2-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)amino]pyridazin-3-yl}phenol  
 5-(1-methyl-1H-pyrazol-4-yl)-2-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazin-3-yl}phenol  
 5-(5-methyl-1H-pyrazol-4-yl)-2-{6-[methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino]pyridazin-3-yl}phenol  
 5-(1H-imidazol-1-yl)-2-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazin-3-yl}phenol

5-(5-methyl-1H-pyrazol-4-yl)-2-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazin-3-yl}phenol  
 2-{6-[methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino]pyridazin-3-yl}-5-(4-nitro-1H-pyrazol-1-yl)phenol  
 5-(4-amino-1H-pyrazol-1-yl)-2-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazin-3-yl}phenol  
 2-[6-(1-methyl-1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)phenol  
 5-(4-nitro-1H-pyrazol-1-yl)-2-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazin-3-yl}phenol  
 5-(1H-pyrazol-4-yl)-2-[6-(1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl]phenol  
 2-[6-(1-ethyl-1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)phenol  
 2-{6-[methyl(piperidin-4-yl)amino]pyridazin-3-yl}-5-(1H-pyrazol-4-yl)phenol  
 2-[6-(piperidin-4-ylamino)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)phenol  
 2-[6-(piperidin-4-yloxy)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)phenol  
 2-{6-[(2,6-dimethylpiperidin-4-yl)oxy]pyridazin-3-yl}-5-(1H-pyrazol-4-yl)phenol  
 3-[4-(1-methyl-1H-pyrazol-4-yl)thiophen-2-yl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine  
 3-fluoro-4-{6-[methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino]pyridazin-3-yl}phenol  
 2-{6-[(2,6-dimethylpiperidin-4-yl)oxy]pyridazin-3-yl}-5-(1H-pyrazol-1-yl)phenol  
 N-methyl-6-(2-methyl-2H-indazol-5-yl)-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine  
 2-methyl-5-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazin-3-yl}-2H-indazole  
 N-methyl-6-(2-methylpyrazolo[1,5-a]pyridin-3-yl)-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine  
 6-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazin-3-yl}imidazo[1,2-a]pyridine  
 3-[5-(1H-pyrazol-4-yl)thiophen-2-yl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine  
 3-[5-(1-methyl-1H-pyrazol-4-yl)thiophen-2-yl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine  
 3-[4-(1H-pyrazol-4-yl)thiophen-2-yl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine  
 5-(3,5-dimethyl-1H-pyrazol-4-yl)-2-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazin-3-yl}phenol  
 3-methoxy-4-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazin-3-yl}phenol  
 4-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazin-3-yl}benzene-1,3-diol and  
 2-(1H-pyrazol-4-yl)-4-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazin-3-yl}pyrimidin-5-amine

wherein a form of the compound is selected from the group consisting of a salt, hydrate, solvate, clathrate, isotopologue, racemate, enantiomer, diastereomer, stereoisomer, polymorph and tautomer form thereof.

In another aspect of the present disclosure, there is provided a use of a compound salt or a form thereof in the manufacture of a medicament for treating or ameliorating Huntington's Disease, wherein the compound salt is selected from the group consisting of:

2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-4-(trifluoromethyl)phenol hydrochloride  
2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-4-(1H-pyrazol-1-yl)phenol hydrochloride  
3-(6-(piperazin-1-yl)pyridazin-3-yl)naphthalene-2,7-diol trifluoroacetate  
3-(6-(1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl)naphthalene-2,7-diol trifluoroacetate  
3-(6-(1-methyl-1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl)naphthalene-2,7-diol trifluoroacetate  
3-(6-(piperidin-4-yl)pyridazin-3-yl)naphthalene-2,7-diol trifluoroacetate  
3-fluoro-5-(2-methoxypyridin-4-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol hydrochloride  
4-(3-fluoro-5-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenyl)pyridin-2(1H)-one hydrochloride  
4-(3-fluoro-5-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenyl)-1-methylpyridin-2(1H)-one hydrochloride  
5-(3-fluoro-5-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenyl)-1-methylpyridin-2(1H)-one hydrochloride  
3-fluoro-5-(1H-pyrazol-4-yl)-2-(6-((2,2,6,6-tetramethylpiperidin-4-yl)oxy)pyridazin-3-yl)phenol hydrochloride  
5-chloro-3-fluoro-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol hydrochloride  
3-fluoro-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1H-pyrazol-4-yl)phenol hydrochloride  
3-fluoro-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1-methyl-1H-pyrazol-4-yl)phenol hydrochloride  
5-(1H-pyrazol-4-yl)-2-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)amino]pyridazin-3-yl}phenol hydrochloride  
2-{6-[methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino]pyridazin-3-yl}-5-(4-nitro-1H-pyrazol-1-yl)phenol dihydrochloride  
2-[6-(1-methyl-1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)phenol trihydrochloride  
5-(1H-pyrazol-4-yl)-2-[6-(1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl]phenol trihydrochloride

2-[6-(1-ethyl-1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)phenol trihydrochloride  
 2-{6-[methyl(piperidin-4-yl)amino]pyridazin-3-yl}-5-(1H-pyrazol-4-yl)phenol tetrahydrochloride  
 2-[6-(piperidin-4-ylamino)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)phenol tetrahydrochloride  
 2-{6-[(2,6-dimethylpiperidin-4-yl)oxy]pyridazin-3-yl}-5-(1H-pyrazol-4-yl)phenol trihydrochloride  
 3-[5-(1H-pyrazol-4-yl)thiophen-2-yl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine hydrochloride and  
 3-[4-(1H-pyrazol-4-yl)thiophen-2-yl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine hydrochloride

wherein a form of the compound salt is selected from the group consisting of a hydrate, solvate, clathrate, isotopologue, racemate, enantiomer, diastereomer, stereoisomer, polymorph and tautomer form thereof.

In a further aspect of the present disclosure, there is provided a use of a compound in the manufacture of a medicament for the treatment or amelioration of Huntington's Disease, wherein the compound is selected from the group consisting of:

6-(naphthalen-2-yl)-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine  
 6-(benzo[b]thiophen-2-yl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine  
 2-(6-(2,2,6,6-tetramethylpiperidin-4-yl-amino)-pyridazin-3-yl)phenol  
 2-(6-(methyl-(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)benzo[b]-thiophene-5-carbonitrile  
 6-(quinolin-3-yl)-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine  
 3-(benzo[b]-thiophen-2-yl)-6-(2,2,6,6-tetramethylpiperidin-4-yl-oxy)pyridazine  
 2-(6-(methyl-(2,2,6,6-tetramethylpiperidin-4-yl)amino)-pyridazin-3-yl)phenol  
 6-(6-(methyl-(2,2,6,6-tetramethylpiperidin-4-yl)amino)-pyridazin-3-yl)naphthalen-2-ol  
 6-(benzo[b]-thiophen-2-yl)-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine  
 7-(6-((2,2,6,6-tetramethylpiperidin-4-yl)oxy)pyridazin-3-yl)isoquinoline  
 6-(6-((2,2,6,6-tetramethylpiperidin-4-yl)oxy)pyridazin-3-yl)isoquinoline  
 N-methyl-6-(quinolin-7-yl)-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine  
 N-methyl-6-(quinolin-6-yl)-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine

6-(isoquinolin-7-yl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine  
 6-(isoquinolin-6-yl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine  
6-(imidazo[1,2-a]pyridin-6-yl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine  
 N-methyl-6-(6-phenylpyridin-3-yl)-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine  
 6-(6-(1H-pyrrol-1-yl)pyridin-3-yl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine  
 6-(6-(1H-pyrazol-1-yl)pyridin-3-yl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine  
 methyl-(6-quinoxalin-2-yl-pyridazin-3-yl)-(2,2,6,6-tetramethylpiperidin-4-yl)-amine  
 methyl-(6-quinolin-3-yl-pyridazin-3-yl)-(2,2,6,6-tetramethylpiperidin-4-yl)-amine  
 N-methyl-6-(phthalazin-6-yl)-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine  
 6-(benzo[c][1,2,5]oxa-diazol-5-yl)-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine  
 6-(benzo[d]thiazol-5-yl)-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine  
 6-(2-methylbenzo-[d]oxazol-6-yl)-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine  
 3-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)naphthalen-2-ol  
 5-chloro-2-(6-(methyl(1,2,2,6,6-pentamethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol  
 3-(6-(2,2,6,6-tetramethylpiperidin-4-yl-amino)pyridazin-3-yl)naphthalen-2-ol  
 5-chloro-2-(6-(1,2,2,6,6-pentamethylpiperidin-4-ylamino)pyridazin-3-yl)phenol  
 4-hydroxy-3-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)benzonitrile  
 3-(6-((2,2,6,6-tetramethylpiperidin-4-yl)oxy)pyridazin-3-yl)naphthalen-2-ol  
 2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-4-(trifluoromethyl)phenol  
 2-fluoro-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)-amino)-pyridazin-3-yl)phenol  
 3,5-dimethoxy-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol  
 4,5-dimethoxy-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol  
 5-methoxy-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol  
 4,5-difluoro-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol  
 5-fluoro-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol  
 3-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)benzonitrile  
 1-allyl-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)naphthalen-2-ol  
 6-(benzo[b]thiophen-2-yl)-N-(1,2,2,6,6-pentamethylpiperidin-4-yl)pyridazin-3-amine  
 N-allyl-3-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)benzamide

2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol

5-(5-methyl-oxazol-2-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)-amino)-pyridazin-3-yl)phenol

5-(4-(hydroxymethyl)-1H-pyrazole-1-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

5-(1H-imidazol-1-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

5-(4-amino-1H-pyrazole-1-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1H-pyrazol-4-yl)phenol

5-(3-amino-1H-pyrazol-1-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1-(2-morpholino-ethyl)-1H-pyrazol-4-yl)phenol

2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1-methyl-1H-pyrazol-4-yl)phenol

5-(5-amino-1H-pyrazol-1-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-4-(1H-pyrazol-1-yl)phenol

2-(((6-((2-hydroxy-ethyl)-(2,2,6,6-tetramethylpiperidin-4-yl)-amino)-pyridazin-3-yl)-5-pyrazol-1-yl)phenol

2-(6-(piperidin-4-yloxy)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol

2-(6-(((2S,4R,6R)-2,6-dimethylpiperidin-4-yl)oxy)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol

2-(6-((-2,6-dimethylpiperidin-4-yl)oxy)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol

5-(1H-pyrazol-1-yl)-2-(6-(pyrrolidin-3-yl-oxy)pyridazin-3-yl)phenol

2-(6-(((2S,4S)-2-methylpiperidin-4-yl)oxy)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol

(5-(1H-pyrazol-1-yl)-2-(6-(pyrrolidin-3-ylmethoxy)pyridazin-3-yl)phenol

2-(6-((3-fluoropiperidin-4-yl)oxy)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol

2-(6-(1,2,2,6,6-pentamethyl-piperidin-4-yl-oxy)-pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol

5-1H-pyrazol-1-yl-2-(6-(2,2,6,6-tetramethylpiperidin-4-yl-oxy)-pyridazin-3-yl)phenol

5-(1H-pyrazol-4-yl)-2-(6-((2,2,6,6-tetramethylpiperidin-4-yl)oxy)pyridazin-3-yl)phenol

2-(6-piperazin-1-yl-pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol

3-(6-(azetidin-3-ylamino)-pyridazin-3-yl)naphthalen-2-ol  
 2-(6-(azetidin-3-ylamino)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol  
 2-(6-(3,5-dimethylpiperazin-1-yl)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol  
 2-(6-(7-methyl-2,7-diazaspiro[4.4]nonan-2-yl)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol  
 2-(6-(1,4-diazepan-1-yl)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol  
 2-(6-(4-(2-hydroxyethyl)piperazin-1-yl)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol  
 2-(6-(3,6-diazabicyclo[3.2.1]octan-3-yl)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol  
 2-(6-(2,7-diazaspiro[3.5]nonan-7-yl)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol  
 2-(6-(3-(hydroxymethyl)piperazin-1-yl)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol  
 2-(6-(1,7-diazaspiro[4.4]nonan-7-yl)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol  
 2-(6-(4-amino-4-methylpiperidin-1-yl)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol  
 2-(6-(3-(dimethylamino)piperidin-1-yl)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol  
 2-(6-(1,2,2,6,6-pentamethylpiperidin-4-ylamino)-pyridazin-3-yl)-5-1H-pyrazol-1-yl-phenol  
 2-(6-(3,3-dimethylpiperazin-1-yl)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol  
 2-(6-(7-(2-hydroxyethyl)-2,7-diazaspiro[4.4]-nonan-2-yl)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol  
 2-(6-((3aR,6aS)-hexahydropyrrolo[3,4-c]pyrrol-2(1H)-yl)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol  
 3-(6-(piperazin-1-yl)pyridazin-3-yl)naphthalene-2,7-diol  
 5-(1H-pyrazol-1-yl)-2-(6-(1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl)phenol  
 2-(6-piperidin-4-yl-pyridazin-3-yl)-5-1H-pyrazol-1-yl-phenol  
 3-(6-(1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl)naphthalen-2-ol  
 3-(6-(1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl)naphthalene-2,7-diol  
 3-(6-(2,2,6,6-tetramethyl-1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl)naphthalene-2,7-diol  
 3-(6-(1-methyl-1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl)naphthalene-2,7-diol  
 3-(6-(piperidin-4-yl)pyridazin-3-yl)naphthalene-2,7-diol  
 3-(6-((2,2,6,6-tetramethylpiperidin-4-yl)oxy)pyridazin-3-yl)naphthalene-2,7-diol  
 3-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)naphthalene-2,7-diol  
 3-(6-((2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)naphthalene-2,7-diol  
 tert-butyl (3-((7-hydroxy-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)naphthalen-2-yl)oxy)propyl)carbamate  
 7-(3-amino-propoxy)-3-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)-amino)-pyridazin-3-yl)naphthalen-2-ol

N-(3-((7-hydroxy-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)naphthalen-2-yl)oxy)propyl)acetamide  
 7-(3-hydroxypropoxy)-3-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)naphthalen-2-ol  
 7-(3-methoxypropoxy)-3-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)naphthalen-2-ol  
 7-(2-morpholinoethoxy)-3-(6-((2,2,6,6-tetramethylpiperidin-4-yl)oxy)pyridazin-3-yl)naphthalen-2-ol  
 3-(6-(piperidin-4-ylmethyl)pyridazin-3-yl)naphthalen-2-ol  
 5-(1H-pyrazol-1-yl)-2-(6-((2,2,6,6-tetramethylpiperidin-4-yl)methyl)pyridazin-3-yl)phenol  
 3-methoxy-2-(6-(methyl(2,2,6-trimethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(5-methyloxazol-2-yl)phenol  
 2-(6-((6S)-6-((S)-1-hydroxyethyl)-2,2-dimethylpiperidin-4-yloxy)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol  
 7-hydroxy-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-2-naphthonitrile  
 3-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-7-(piperidinylmethyl)naphthalen-2-ol  
 3-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-7-(pyrrolidinylmethyl)naphthalen-2-ol  
 1-bromo-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)naphthalene-2,7-diol  
 1-chloro-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)naphthalene-2,7-diol  
 7-methoxy-3-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)naphthalene-2-ol  
 7-methoxy-3-(6-(methyl(1,2,2,6,6-pentamethylpiperidin-4-yl)amino)pyridazin-3-yl)naphthalen-2-ol  
 7-(3,6-dihydro-2H-pyran-4-yl)-3-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)naphthalen-2-ol  
 3-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-7-(tetrahydro-2H-pyran-4-yl)naphthalene-2-ol  
 7-(difluoromethyl)-3-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)naphthalen-2-ol  
 7-((4-hydroxy-2-methylbutan-2-yl)oxy)-3-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)naphthalen-2-ol  
 7-(3-hydroxy-3-methylbutoxy)-3-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)naphthalen-2-ol

2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1H-pyrazol-4-yl)benzene-1,3-diol

3-methoxy-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1H-pyrazol-4-yl)phenol

5-(1H-pyrazol-4-yl)-2-(6-((2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-3-(trifluoromethoxy)phenol

2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1-methyl-1H-pyrazol-4-yl)-3-(trifluoromethoxy)phenol

2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1H-pyrazol-4-yl)-3-(trifluoromethoxy)phenol

4-(3-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(trifluoromethoxy)phenyl)-1-methylpyridin-2(1H)-one

3-methoxy-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1-methyl-1H-pyrazol-4-yl)phenol

3-methoxy-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(5,6,7,8-tetrahydroimidazo[1,2-a]pyridin-3-yl)phenol

3-methoxy-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(pyridine-3-yl)phenol

5-(1-cyclopentyl-1H-pyrazol-4-yl)-3-methoxy-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

3',5-dimethoxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-(1,1'-biphenyl)-3-ol

3-(benzyloxy)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(5-methyloxazol-2-yl)phenol

3-ethoxy-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(5-methyloxazol-2-yl)phenol

3-(cyclopropylmethoxy)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(5-methyloxazol-2-yl)phenol

2-methyl-5-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-1H-benzo[d]imidazol-6-ol

5-chloro-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

5-(1H-pyrazol-1-yl)-2-(6-((2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

3-hydroxy-4-(6-((2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)benzonitrile

2-(6-((2,2-dimethylpiperidin-4-yl)oxy)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol

2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-4-(1H-pyrazol-4-yl)phenol

2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridin-3-yl)-4-(4,5,6,7-tetrahydropyrazolo[1,5-a]pyridin-3-yl)phenol

2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-4-(4,5,6,7-tetrahydropyrazolo[1,5-a]pyrazin-3-yl)phenol

4-(1H-indol-2-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

4-(cyclopent-1-en-1-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-4-(1H-pyrazol-3-yl)phenol

4-(4-hydroxy-3-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenyl)pyridin-2-ol

4-(4-hydroxy-3-(6-((2,2,6,6-tetramethylpiperidin-4-yl)oxy)pyridazin-3-yl)phenyl)-1-methylpyridin-2(1H)-one

4-(4-hydroxy-3-(6-((2,2,6,6-tetramethylpiperidin-4-yl)oxy)pyridazin-3-yl)phenyl)pyridin-2-ol

5-(1H-indazol-7-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

4-chloro-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1H-pyrazol-4-yl)phenol

4-fluoro-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1H-pyrazol-4-yl)phenol

5-fluoro-4-(1H-imidazol-4-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

5-fluoro-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-4-(1H-pyrazol-4-yl)phenol

5-fluoro-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-4-(1H-pyrazol-5-yl)phenol

6-hydroxy-5-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-2,3-dihydro-1H-inden-1-one

6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-1,4-dihydroindeno[1,2-c]-1H-pyrazol-7-ol

6-hydroxy-5-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-2,3-dihydro-1H-inden-1-one oxime

5-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-2,3-dihydro-1H-indene-1,6-diol

2-amino-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-8H-indeno[1,2-d]thiazol-5-ol

9-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5,6-dihydroimidazo[5,1-a]isoquinolin-8-ol

4-hydroxy-3-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-N-((1-methyl-1H-pyrazol-4-yl)methyl)benzamide

4-(4-(hydroxymethyl)-1H-pyrazol-1-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

5-(1H-pyrazol-4-yl)-2-(6-((2,2,6,6-tetramethylpiperidin-4-yl)methyl)pyridazin-3-yl)phenol

6-(3-(benzyloxy)isoquinolin-6-yl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine

6-(1-(benzyloxy)isoquinolin-7-yl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine

3-fluoro-5-(2-methoxypyridin-4-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

4-(3-fluoro-5-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenyl)pyridin-2(1H)-one

4-(3-fluoro-5-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenyl)-1-methylpyridin-2(1H)-one

5-(3-fluoro-5-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenyl)-1-methylpyridin-2(1H)-one

3-fluoro-5-(1H-pyrazol-4-yl)-2-(6-((2,2,6,6-tetramethylpiperidin-4-yl)oxy)pyridazin-3-yl)phenol

5-chloro-3-fluoro-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

3-fluoro-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1H-pyrazol-4-yl)phenol

3-fluoro-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1-methyl-1H-pyrazol-4-yl)phenol

5-(5-methoxypyridin-3-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

5-(3-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenyl)pyridin-2-ol

4-(3-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenyl)pyridin-2-ol

5-(6-methoxypyridin-3-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

5-(3-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenyl)-3-(trifluoromethyl)pyridin-2-ol

5-(3-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenyl)-1-methylpyridin-2(1H)-one

4-(3-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenyl)-1-methylpyridin-2(1H)-one

5-(2-methoxypyridin-4-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

4-(3-hydroxy-4-(6-((2,2,6,6-tetramethylpiperidin-4-yl)oxy)pyridazin-3-yl)phenyl)pyridin-2-ol

5-(6-(dimethylamino)pyridin-3-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

4-(3-hydroxy-4-(6-((2,2,6,6-tetramethylpiperidin-4-yl)oxy)pyridazin-3-yl)phenyl)-1-methylpyridin-2(1H)-one

2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(pyrimidin-5-yl)phenol

5-(3-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenyl)pyridin-3-ol

1-cyclopropyl-4-(3-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenyl)pyridin-2(1H)-one

2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1,2,3,6-tetrahydropyridin-4-yl)phenol

5-(cyclopent-1-en-1-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

5-(3,6-dihydro-2H-pyran-4-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

5-(imidazo[1,5-a]pyridin-7-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

5-(imidazo[1,2-a]pyridin-7-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(2-methylpyridin-4-yl)phenol

5-(1H-imidazol-2-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

5-(1H-imidazol-4-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

5-(imidazo[1,2-a]pyrazin-3-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(5,6,7,8-tetrahydroimidazo[1,2-a]pyrazin-3-yl)phenol

2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(4-methyl-1H-imidazol-2-yl)phenol

2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1-methyl-1H-imidazol-4-yl)phenol

2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1-methyl-1H-imidazol-5-yl)phenol

2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(4-nitro-1H-imidazol-2-yl)phenol

2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(2-methyl-1H-imidazol-4-yl)phenol

5-(1,2-dimethyl-1H-imidazol-4-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

1-(3-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenyl)-1H-pyrazole-4-carboxamide

2-(6-((3aR,6aS)-5-(2-hydroxyethyl)hexahydropyrrolo[3,4-c]pyrrol-2(1H)-yl)pyridazin-3-yl)-5-(1H-pyrazol-4-yl)phenol

2-(6-((3aR,6aS)-hexahydropyrrolo[3,4-c]pyrrol-2(1H)-yl)pyridazin-3-yl)-5-(1H-pyrazol-4-yl)phenol

2-(6-((3aR,6aS)-5-methylhexahydropyrrolo[3,4-c]pyrrol-2(1H)-yl)pyridazin-3-yl)-5-(1H-pyrazol-4-yl)phenol

4-(3-hydroxy-4-(6-(5-methylhexahydropyrrolo[3,4-c]pyrrol-2(1H)-yl)pyridazin-3-yl)phenyl)-1-methylpyridin-2(1H)-one

4-(3-hydroxy-4-(6-((3aR,6aR)-1-methylhexahydropyrrolo[3,4-b]pyrrol-5(1H)-yl)pyridazin-3-yl)phenyl)-1-methylpyridin-2(1H)-one

2-(6-(2,7-diazaspiro[4.5]decan-2-yl)pyridazin-3-yl)-5-(1H-pyrazol-4-yl)phenol

4-(4-(6-(2,7-diazaspiro[4.5]decan-2-yl)pyridazin-3-yl)-3-hydroxyphenyl)-1-methylpyridin-2(1H)-one

2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)-amino)-pyridazin-3-yl)phenol

6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-7-ol

6-(6-(methyl(1,2,2,6,6-pentamethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-7-ol

6-(6-((3aR,6aS)-5-methylhexahydropyrrolo[3,4-c]pyrrol-2(1H)-yl)pyridazin-3-yl)quinolin-7-ol

2-methyl-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-7-ol

7-(6-(methyl(1,2,2,6,6-pentamethylpiperidin-4-yl)amino)pyridazin-3-yl)isoquinolin-6-ol

7-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)isoquinolin-6-ol

7-(6-((2,2,6,6-tetramethylpiperidin-4-yl)oxy)pyridazin-3-yl)isoquinoline-6-ol

7-(6-((3aR,6aS)-5-methylhexahydropyrrolo[3,4-c]pyrrol-2(1H)-yl)pyridazin-3-yl)isoquinolin-6-ol  
 1-cyclopropyl-7-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)isoquinolin-6-ol  
 7-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)isoquinoline-1,6-diol  
 6-hydroxy-7-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)isoquinoline-1-carbonitrile  
 6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)isoquinolin-7-ol  
 8-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-7-ol  
 6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-6-ol  
 2-methyl-7-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-6-ol  
 3-chloro-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-7-ol  
 3-bromo-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-7-ol  
 7-hydroxy-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinoline-3-carbonitrile  
 6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-3-(1-methyl-1H-imidazol-4-yl)quinolin-7-ol  
 3-(1H-imidazol-1-yl)-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-7-ol  
 6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinoline-3,7-diol  
 3-ethyl-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-7-ol  
 3-isopropyl-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-7-ol  
 7-hydroxy-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-2(1H)-one  
 7-hydroxy-1-methyl-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-2(1H)-one  
 4-methoxy-2-methyl-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-7-ol  
 2-methyl-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-4-(pyrrolidin-1-yl)quinolin-7-ol  
 2-methyl-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-4-morpholinoquinolin-7-ol  
 4-(dimethylamino)-2-methyl-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-7-ol

4-ethoxy-2-methyl-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-7-ol

2-methyl-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-4-(1-methyl-1H-pyrazol-4-yl)quinolin-7-ol

4-methoxy-7-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-6-ol

7-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinoxalin-6-ol

6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-3-(tetrahydro-2H-pyran-4-yl)quinolin-7-ol

3-chloro-7-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-6-ol

3-bromo-7-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-6-ol

3-methyl-7-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-6-ol

5-bromo-3-methyl-7-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-6-ol

6-hydroxy-1-methyl-7-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-4(1H)-one

2,3-dimethyl-7-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-6-ol

2-methyl-7-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinoxalin-6-ol

3-methyl-7-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinoxalin-6-ol

4-methoxy-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-7-ol

4-(azetidin-1-yl)-2-methyl-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-7-ol

7-hydroxy-2-methyl-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolone-4-carbonitrile

4-cyclopropyl-2-methyl-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-quinolin-7-ol

4-(3,6-dihydro-2H-pyran-4-yl)-2-methyl-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-7-ol

2-methyl-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-4-(tetrahydro-2H-pyran-4-yl)quinolin-7-ol

2-methyl-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-4-(oxetan-3-yl)quinolin-7-ol

4-(dimethylamino)-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-quinolin-7-ol

7-hydroxy-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinazolin-4(1H)-one

6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinazolin-7-ol

7-hydroxy-1-methyl-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-3,4-dihydroquinolin-2(1H)-one

2-methyl-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinazolin-7-ol

7-hydroxy-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)isoquinoline-1-carbonitrile

7-hydroxy-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinoline-2-carbonitrile

6-hydroxy-7-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-2-carbonitrile

6-hydroxy-7-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)isoquinoline-1-carboxamide

7-hydroxy-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-2-carboxamide

6-hydroxy-7-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinoline-2-carboxamide

methyl 6-hydroxy-7-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinoline-2-carboxylate

6-hydroxy-7-(6-(piperazin-1-yl)pyridazin-3-yl)quinoline-2-carbonitrile

7-hydroxy-6-(6-(piperazin-1-yl)pyridazin-3-yl)quinoline-2-carbonitrile

7-(6-(piperazin-1-yl)pyridazin-3-yl)isoquinolin-6-ol

7-(6-(1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl)quinolin-6-ol

1-methyl-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)isoquinolin-7-ol

1-methyl-7-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)isoquinolin-6-ol

1,3-dimethyl-7-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)isoquinolin-6-ol

7-hydroxy-3-methyl-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)isoquinoline-1-carbonitrile

1-amino-7-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)isoquinolin-6-ol

7-hydroxy-1,3-dimethyl-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinazoline-2,4(1H,3H)-dione

6-hydroxy-5-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)benzo[d]oxazol-2(3H)-one

2-methyl-5-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-2H-indazol-6-ol

1-methyl-5-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-1H-indazol-6-ol

6-hydroxy-2-methyl-7-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)isoquinolin-1(2H)-one

2-ethyl-6-hydroxy-7-(6-((2,2,6,6-tetramethylpiperidin-4-yl)oxy)pyridazin-3-yl)isoquinolin-1(2H)-one

1-ethoxy-7-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)isoquinolin-6-ol

7-(6-((2,2,6,6-tetramethylpiperidin-4-yl)oxy)pyridazin-3-yl)isoquinoline-1,6-diol

7-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)-pyridazin-3-yl)-3-phenylisoquinolin-6-ol

3-methyl-7-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)isoquinolin-6-ol

3-cyclopropyl-7-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)isoquinolin-6-ol

3-isopropyl-7-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)isoquinolin-6-ol

3-propyl-7-(6-((2,2,6,6-tetramethylpiperidin-4-yl)oxy)-pyridazin-3-yl)isoquinolin-6-ol

3-isopropyl-7-(6-((2,2,6,6-tetramethylpiperidin-4-yl)oxy)-pyridazin-3-yl)isoquinolin-6-ol

3-methyl-7-(6-(piperazin-1-yl)pyridazin-3-yl)isoquinolin-6-ol

6-(3-(benzyloxy)isoquinolin-6-yl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine

3-chloro-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-7-ol

3-isopropyl-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-7-ol

3-methyl-7-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinoxalin-6-ol

4-chloro-2-methyl-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-7-ol

4-chloro-7-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-6-ol

7-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-6-ol

2-{6-[(1R,5S)-8-azabicyclo[3.2.1]oct-3-yl(methyl)amino]pyridazin-3-yl}-5-(1H-pyrazol-4-yl)phenol

2-[6-((1R,5S)-8-azabicyclo[3.2.1]oct-3-ylamino)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)phenol

5-(1H-pyrazol-4-yl)-2-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)amino]pyridazin-3-yl}phenol

5-(1-methyl-1H-pyrazol-4-yl)-2-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazin-3-yl}phenol

2-[6-((1R,5S)-8-azabicyclo[3.2.1]oct-3-yloxy)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)phenol

5-(5-methyl-1H-pyrazol-4-yl)-2-{6-[methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino]pyridazin-3-yl}phenol

5-(1H-imidazol-1-yl)-2-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazin-3-yl}phenol

5-(5-methyl-1H-pyrazol-4-yl)-2-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazin-3-yl}phenol

2-{6-[methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino]pyridazin-3-yl}-5-(4-nitro-1H-pyrazol-1-yl)phenol

6-[2-methoxy-4-(4-nitro-1H-pyrazol-1-yl)phenyl]-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine

5-(4-amino-1H-pyrazol-1-yl)-2-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazin-3-yl}phenol

2-[6-(1-methyl-1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)phenol

5-(4-nitro-1H-pyrazol-1-yl)-2-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazin-3-yl}phenol

5-(1H-pyrazol-4-yl)-2-[6-(1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl]phenol

2-[6-(1-ethyl-1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)phenol

2-{6-[methyl(piperidin-4-yl)amino]pyridazin-3-yl}-5-(1H-pyrazol-4-yl)phenol

2-[6-(piperidin-4-ylamino)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)phenol

6-[2,5-difluoro-4-(1H-pyrazol-4-yl)phenyl]-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine

2-[6-(8-azabicyclo[3.2.1]oct-2-en-3-yl)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)phenol

6-[2,3-difluoro-4-(1H-pyrazol-4-yl)phenyl]-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine

3-[2,5-difluoro-4-(1H-pyrazol-4-yl)phenyl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine

2-[6-(piperidin-4-yloxy)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)phenol

2-{6-[(1R,5S)-8-azabicyclo[3.2.1]oct-3-ylamino]pyridazin-3-yl}-5-(1H-pyrazol-4-yl)phenol

6-[2-methoxy-6-(1H-pyrazol-4-yl)pyridin-3-yl]-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine

3-[4-(1H-pyrazol-4-yl)phenyl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine  
 2-{6-[(2,6-dimethylpiperidin-4-yl)oxy]pyridazin-3-yl}-5-(1H-pyrazol-4-yl)phenol  
 3-[2-fluoro-4-(1H-pyrazol-4-yl)phenyl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine  
 3-[4-(1-methyl-1H-pyrazol-4-yl)thiophen-2-yl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine  
 2-[6-(2,7-diazaspiro[3.5]non-2-yl)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)phenol  
 3-fluoro-4-{6-[methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino]pyridazin-3-yl}phenol  
 2-{6-[(2,6-dimethylpiperidin-4-yl)oxy]pyridazin-3-yl}-5-(1H-pyrazol-1-yl)phenol  
 N-methyl-6-(2-methyl-2H-indazol-5-yl)-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine  
 2-methyl-5-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazin-3-yl}-2H-indazole  
 3-(4-chloro-2-methoxyphenyl)-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine  
 N-methyl-6-(2-methylpyrazolo[1,5-a]pyridin-3-yl)-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine  
 6-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazin-3-yl}imidazo[1,2-a]pyridine  
 3-[2-methoxy-4-(1H-pyrazol-1-yl)phenyl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine  
 3-[5-(1H-pyrazol-4-yl)thiophen-2-yl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine  
 3-[5-(1-methyl-1H-pyrazol-4-yl)thiophen-2-yl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine  
 3-[4-(1H-pyrazol-4-yl)thiophen-2-yl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine  
 5-(3,5-dimethyl-1H-pyrazol-4-yl)-2-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazin-3-yl}phenol  
 6-[2-fluoro-4-(1H-pyrazol-4-yl)phenyl]-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine  
 3-methoxy-4-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazin-3-yl}phenol  
 3-[2-methoxy-4-(4-nitro-1H-pyrazol-1-yl)phenyl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine  
 4-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazin-3-yl}benzene-1,3-diol  
 6-[2-chloro-4-(1H-pyrazol-4-yl)phenyl]-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine  
 2-(1H-pyrazol-4-yl)-4-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazin-3-yl}pyrimidin-5-amine  
 3-[2,6-difluoro-4-(1H-pyrazol-4-yl)phenyl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine  
 2-[6-(2,6-diazaspiro[3.4]oct-2-yl)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)phenol

3-{6-[methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino]pyridazin-3-yl}-6-(1H-pyrazol-4-yl)pyridin-2-ol

6-(1H-pyrazol-4-yl)-3-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazin-3-yl}pyridin-2-ol


3-[2-(difluoromethyl)-4-(1H-pyrazol-4-yl)phenyl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine and

6-[2-(difluoromethyl)-4-(1H-pyrazol-4-yl)phenyl]-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine;

wherein a form of the compound is selected from the group consisting of a salt, racemate, enantiomer, diastereomer, stereoisomer, and tautomer form thereof.

### DETAILED DESCRIPTION

The present description relates to a method or use of a compound for treating or ameliorating HD in a subject in need thereof comprising administering to the subject an effective amount of a compound of Formula (I):



or a form thereof, wherein

W is CH=CH or S;

X is CH<sub>2</sub>, CH(C<sub>1-4</sub>alkyl), C(C<sub>1-4</sub>alkyl)<sub>2</sub>, CH=CH, O, NR<sub>5</sub>, or a bond;

A is aryl, heteroaryl, heterocyclyl, or C<sub>9-10</sub>cycloalkyl,

wherein aryl is selected from phenyl and naphthyl, each optionally substituted with 1, 2, 3, or 4 substituents each selected from R<sub>1</sub>,

wherein heteroaryl is a monocyclic, bicyclic or polycyclic aromatic carbon atom ring structure radical in which one or more carbon atom ring members have been replaced, where allowed by structural stability, with one or more heteroatoms, such as an O, or S, or N atom, each optionally substituted with 1, 2, 3, 4, or 5 substituents each selected from R<sub>1</sub>,

What is claimed is:

1. Use of a compound or a form thereof in the manufacture of a medicament for the treatment or amelioration of Huntington's Disease, wherein the compound is selected from the group consisting of:

6-(naphthalen-2-yl)-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine  
6-(benzo[b]thiophen-2-yl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine  
2-(6-(2,2,6,6-tetramethylpiperidin-4-yl-amino)-pyridazin-3-yl)phenol  
2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)benzo[b]-thiophene-5-carbonitrile  
6-(quinolin-3-yl)-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine  
3-(benzo[b]-thiophen-2-yl)-6-(2,2,6,6-tetramethylpiperidin-4-yl-oxy)pyridazine  
2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)-pyridazin-3-yl)phenol  
6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)-pyridazin-3-yl)naphthalen-2-ol  
6-(benzo[b]-thiophen-2-yl)-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine  
7-(6-((2,2,6,6-tetramethylpiperidin-4-yl)oxy)pyridazin-3-yl)isoquinoline  
6-(6-((2,2,6,6-tetramethylpiperidin-4-yl)oxy)pyridazin-3-yl)isoquinoline  
N-methyl-6-(quinolin-7-yl)-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine  
N-methyl-6-(quinolin-6-yl)-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine  
6-(isoquinolin-7-yl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine  
6-(isoquinolin-6-yl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine  
6-(imidazo[1,2-a]pyridin-6-yl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine  
methyl-(6-quinoxalin-2-yl-pyridazin-3-yl)-(2,2,6,6-tetramethylpiperidin-4-yl)-amine  
methyl-(6-quinolin-3-yl-pyridazin-3-yl)-(2,2,6,6-tetramethylpiperidin-4-yl)-amine  
N-methyl-6-(phthalazin-6-yl)-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine  
6-(benzo[c][1,2,5]oxa-diazol-5-yl)-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine  
6-(benzo[d]thiazol-5-yl)-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine  
6-(2-methylbenzo-[d]oxazol-6-yl)-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine  
3-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)naphthalen-2-ol  
5-chloro-2-(6-(methyl(1,2,2,6,6-pentamethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol  
3-(6-(2,2,6,6-tetramethylpiperidin-4-yl-amino)pyridazin-3-yl)naphthalen-2-ol  
5-chloro-2-(6-(1,2,2,6,6-pentamethylpiperidin-4-ylamino)pyridazin-3-yl)phenol  
4-hydroxy-3-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)benzonitrile

3-(6-((2,2,6,6-tetramethylpiperidin-4-yl)oxy)pyridazin-3-yl)naphthalen-2-ol  
 2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-4-(trifluoromethyl)phenol  
 2-fluoro-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)-amino)-pyridazin-3-yl)phenol  
 3,5-dimethoxy-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol  
 4,5-dimethoxy-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol  
 5-methoxy-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol  
 4,5-difluoro-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol  
 5-fluoro-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol  
 3-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)benzonitrile  
 1-allyl-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)naphthalen-2-ol  
 6-(benzo[b]thiophen-2-yl)-N-(1,2,2,6,6-pentamethylpiperidin-4-yl)pyridazin-3-amine  
  
 2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol  
 5-(5-methyl-oxazol-2-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)-amino)-pyridazin-3-yl)phenol  
 5-(4-(hydroxymethyl)-1H-pyrazole-1-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol  
 5-(1H-imidazol-1-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol  
 5-(4-amino-1H-pyrazole-1-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol  
 2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1H-pyrazol-4-yl)phenol  
 5-(3-amino-1H-pyrazol-1-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol  
 2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1-(2-morpholino-ethyl)-1H-pyrazol-4-yl)phenol  
 2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1-methyl-1H-pyrazol-4-yl)phenol  
 5-(5-amino-1H-pyrazol-1-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol  
 2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-4-(1H-pyrazol-1-yl)phenol  
 2-((6-((2-hydroxy-ethyl)-(2,2,6,6-tetramethylpiperidin-4-yl)-amino)-pyridazin-3-yl)-5-pyrazol-1-yl)phenol  
 2-(6-(piperidin-4-yloxy)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol

2-(6-(((2S,4R,6R)-2,6-dimethylpiperidin-4-yl)oxy)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol  
 2-(6-((-2,6-dimethylpiperidin-4-yl)oxy)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol  
 5-(1H-pyrazol-1-yl)-2-(6-(pyrrolidin-3-yl-oxy)pyridazin-3-yl)phenol  
 2-(6-(((2S,4S)-2-methylpiperidin-4-yl)oxy)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol  
 2-(6-((3-fluoropiperidin-4-yl)oxy)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol  
 2-(6-(1,2,2,6,6-pentamethyl-piperidin-4-yl-oxy)-pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol  
 5-1H-pyrazol-1-yl-2-(6-(2,2,6,6-tetramethylpiperidin-4-yl-oxy)-pyridazin-3-yl)phenol  
 5-(1H-pyrazol-4-yl)-2-(6-((2,2,6,6-tetramethylpiperidin-4-yl)oxy)pyridazin-3-yl)phenol  
 2-(6-piperazin-1-yl-pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol  
 3-(6-(azetidin-3-ylamino)-pyridazin-3-yl)naphthalen-2-ol  
 2-(6-(azetidin-3-ylamino)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol  
 2-(6-(3,5-dimethylpiperazin-1-yl)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol  
 2-(6-(1,4-diazepan-1-yl)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol  
 2-(6-(4-(2-hydroxyethyl)piperazin-1-yl)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol  
 2-(6-(3-(hydroxymethyl)piperazin-1-yl)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol  
 2-(6-(4-amino-4-methylpiperidin-1-yl)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol  
 2-(6-(3-(dimethylamino)piperidin-1-yl)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol  
 2-(6-(1,2,2,6,6-pentamethylpiperidin-4-ylamino)-pyridazin-3-yl)-5-1H-pyrazol-1-yl-phenol  
 2-(6-(3,3-dimethylpiperazin-1-yl)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol  
 3-(6-(piperazin-1-yl)pyridazin-3-yl)naphthalene-2,7-diol  
 5-(1H-pyrazol-1-yl)-2-(6-(1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl)phenol  
 2-(6-piperidin-4-yl-pyridazin-3-yl)-5-1H-pyrazol-1-yl-phenol  
 3-(6-(1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl)naphthalen-2-ol  
 3-(6-(1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl)naphthalene-2,7-diol  
 3-(6-(2,2,6,6-tetramethyl-1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl)naphthalene-2,7-diol  
 3-(6-(1-methyl-1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl)naphthalene-2,7-diol  
 3-(6-(piperidin-4-yl)pyridazin-3-yl)naphthalene-2,7-diol  
 3-(6-((2,2,6,6-tetramethylpiperidin-4-yl)oxy)pyridazin-3-yl)naphthalene-2,7-diol  
 3-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)naphthalene-2,7-diol  
 3-(6-((2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)naphthalene-2,7-diol  
 tert-butyl 3-(((7-hydroxy-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)naphthalen-2-yl)oxy)propyl)carbamate  
 7-(3-amino-propoxy)-3-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)-amino)-pyridazin-3-yl)naphthalen-2-ol

N-(3-((7-hydroxy-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)naphthalen-2-yl)oxy)propyl)acetamide  
 7-(3-hydroxypropoxy)-3-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)naphthalen-2-ol  
 7-(3-methoxypropoxy)-3-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)naphthalen-2-ol  
 7-(2-morpholinoethoxy)-3-(6-((2,2,6,6-tetramethylpiperidin-4-yl)oxy)pyridazin-3-yl)naphthalen-2-ol  
 3-(6-(piperidin-4-ylmethyl)pyridazin-3-yl)naphthalen-2-ol  
 5-(1H-pyrazol-1-yl)-2-(6-((2,2,6,6-tetramethylpiperidin-4-yl)methyl)pyridazin-3-yl)phenol  
 3-methoxy-2-(6-(methyl(2,2,6-trimethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(5-methyloxazol-2-yl)phenol  
 2-(6-((6S)-6-((S)-1-hydroxyethyl)-2,2-dimethylpiperidin-4-yloxy)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol  
 7-hydroxy-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-2-naphthonitrile  
 3-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-7-(piperidinylmethyl)naphthalen-2-ol  
 3-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-7-(pyrrolidinylmethyl)naphthalen-2-ol  
 1-bromo-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)naphthalene-2,7-diol  
 1-chloro-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)naphthalene-2,7-diol  
 7-methoxy-3-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)naphthalene-2-ol  
 7-methoxy-3-(6-(methyl(1,2,2,6,6-pentamethylpiperidin-4-yl)amino)pyridazin-3-yl)naphthalen-2-ol  
 7-(3,6-dihydro-2H-pyran-4-yl)-3-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)naphthalen-2-ol  
 3-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-7-(tetrahydro-2H-pyran-4-yl)naphthalene-2-ol  
 7-(difluoromethyl)-3-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)naphthalen-2-ol  
 2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1H-pyrazol-4-yl)benzene-1,3-diol  
 3-methoxy-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1H-pyrazol-4-yl)phenol  
 5-(1H-pyrazol-4-yl)-2-(6-((2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-3-(trifluoromethoxy)phenol

2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1-methyl-1H-pyrazol-4-yl)-3-(trifluoromethoxy)phenol

2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1H-pyrazol-4-yl)-3-(trifluoromethoxy)phenol

4-(3-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(trifluoromethoxy)phenyl)-1-methylpyridin-2(1H)-one

3-methoxy-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1-methyl-1H-pyrazol-4-yl)phenol

3-methoxy-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(5,6,7,8-tetrahydroimidazo[1,2-a]pyridin-3-yl)phenol

3-methoxy-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(pyridine-3-yl)phenol

5-(1-cyclopentyl-1H-pyrazol-4-yl)-3-methoxy-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

3',5-dimethoxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-(1,1'-biphenyl)-3-ol

3-(benzyloxy)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(5-methyloxazol-2-yl)phenol

3-ethoxy-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(5-methyloxazol-2-yl)phenol

3-(cyclopropylmethoxy)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)-pyridazin-3-yl)-5-(5-methyloxazol-2-yl)phenol

5-chloro-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

5-(1H-pyrazol-1-yl)-2-(6-((2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

3-hydroxy-4-(6-((2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)benzonitrile

2-(6-((2,2-dimethylpiperidin-4-yl)oxy)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol

2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-4-(1H-pyrazol-4-yl)phenol

2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-4-(4,5,6,7-tetrahydropyrazolo[1,5-a]pyridin-3-yl)phenol

2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-4-(4,5,6,7-tetrahydropyrazolo[1,5-a]pyrazin-3-yl)phenol

4-(1H-indol-2-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

4-(cyclopent-1-en-1-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-4-(1H-pyrazol-3-yl)phenol

4-(4-hydroxy-3-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenyl)pyridin-2-ol

4-(4-hydroxy-3-(6-((2,2,6,6-tetramethylpiperidin-4-yl)oxy)pyridazin-3-yl)phenyl)-1-methylpyridin-2(1H)-one

4-(4-hydroxy-3-(6-((2,2,6,6-tetramethylpiperidin-4-yl)oxy)pyridazin-3-yl)phenyl)pyridin-2-ol

5-(1H-indazol-7-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

4-chloro-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1H-pyrazol-4-yl)phenol

4-fluoro-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1H-pyrazol-4-yl)phenol

5-fluoro-4-(1H-imidazol-4-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

5-fluoro-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-4-(1H-pyrazol-4-yl)phenol

5-fluoro-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-4-(1H-pyrazol-5-yl)phenol

4-hydroxy-3-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-N-((1-methyl-1H-pyrazol-4-yl)methyl)benzamide

4-(4-(hydroxymethyl)-1H-pyrazol-1-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

5-(1H-pyrazol-4-yl)-2-(6-((2,2,6,6-tetramethylpiperidin-4-yl)methyl)pyridazin-3-yl)phenol

6-(3-(benzyloxy)isoquinolin-6-yl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine

6-(1-(benzyloxy)isoquinolin-7-yl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine

3-fluoro-5-(2-methoxypyridin-4-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

4-(3-fluoro-5-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenyl)pyridin-2(1H)-one

4-(3-fluoro-5-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenyl)-1-methylpyridin-2(1H)-one

5-(3-fluoro-5-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenyl)-1-methylpyridin-2(1H)-one

3-fluoro-5-(1H-pyrazol-4-yl)-2-(6-((2,2,6,6-tetramethylpiperidin-4-yl)oxy)pyridazin-3-yl)phenol

5-chloro-3-fluoro-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

3-fluoro-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1H-pyrazol-4-yl)phenol

3-fluoro-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1-methyl-1H-pyrazol-4-yl)phenol  
 5-(5-methoxypyridin-3-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol  
 5-(3-hydroxy-4-(6-methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenyl)pyridin-2-ol  
 4-(3-hydroxy-4-(6-methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenyl)pyridin-2-ol  
 5-(6-methoxypyridin-3-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol  
 5-(3-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenyl)-1-methylpyridin-2(1H)-one  
 4-(3-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenyl)-1-methylpyridin-2(1H)-one  
 5-(2-methoxypyridin-4-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol  
 4-(3-hydroxy-4-(6-((2,2,6,6-tetramethylpiperidin-4-yl)oxy)pyridazin-3-yl)phenyl)pyridin-2-ol  
 5-(6-(dimethylamino)pyridin-3-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol  
 4-(3-hydroxy-4-(6-((2,2,6,6-tetramethylpiperidin-4-yl)oxy)pyridazin-3-yl)phenyl)-1-methylpyridin-2(1H)-one  
 2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(pyrimidin-5-yl)phenol  
 5-(3-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenyl)pyridin-3-ol  
 1-cyclopropyl-4-(3-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenyl)pyridin-2(1H)-one  
 2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1,2,3,6-tetrahydropyridin-4-yl)phenol  
 5-(3,6-dihydro-2H-pyran-4-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol  
 5-(imidazo[1,5-a]pyridin-7-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol  
 5-(imidazo[1,2-a]pyridin-7-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol  
 2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(2-methylpyridin-4-yl)phenol  
 5-(1H-imidazol-2-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

5-(1H-imidazol-4-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol  
 5-(imidazo[1,2-a]pyrazin-3-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol  
 2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(5,6,7,8-tetrahydroimidazo[1,2-a]pyrazin-3-yl)phenol  
 2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(4-methyl-1H-imidazol-2-yl)phenol  
 2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1-methyl-1H-imidazol-4-yl)phenol  
 2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1-methyl-1H-imidazol-5-yl)phenol  
 2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(4-nitro-1H-imidazol-2-yl)phenol  
 2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(2-methyl-1H-imidazol-4-yl)phenol  
 5-(1,2-dimethyl-1H-imidazol-4-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol  
 1-(3-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenyl)-1H-pyrazole-4-carboxamide  
 5-(1H-pyrazol-4-yl)-2-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)amino]pyridazin-3-yl}phenol  
 5-(1-methyl-1H-pyrazol-4-yl)-2-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazin-3-yl}phenol  
 5-(5-methyl-1H-pyrazol-4-yl)-2-{6-[methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino]pyridazin-3-yl}phenol  
 5-(1H-imidazol-1-yl)-2-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazin-3-yl}phenol  
 5-(5-methyl-1H-pyrazol-4-yl)-2-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazin-3-yl}phenol  
 2-{6-[methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino]pyridazin-3-yl}-5-(4-nitro-1H-pyrazol-1-yl)phenol  
 5-(4-amino-1H-pyrazol-1-yl)-2-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazin-3-yl}phenol  
 2-[6-(1-methyl-1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)phenol  
 5-(4-nitro-1H-pyrazol-1-yl)-2-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazin-3-yl}phenol  
 5-(1H-pyrazol-4-yl)-2-[6-(1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl]phenol  
 2-[6-(1-ethyl-1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)phenol  
 2-{6-[methyl(piperidin-4-yl)amino]pyridazin-3-yl}-5-(1H-pyrazol-4-yl)phenol  
 2-[6-(piperidin-4-ylamino)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)phenol

2-[6-(piperidin-4-yloxy)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)phenol  
 2-{6-[(2,6-dimethylpiperidin-4-yl)oxy]pyridazin-3-yl}-5-(1H-pyrazol-4-yl)phenol  
 3-[4-(1-methyl-1H-pyrazol-4-yl)thiophen-2-yl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine  
 3-fluoro-4-{6-[methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino]pyridazin-3-yl}phenol  
 2-{6-[(2,6-dimethylpiperidin-4-yl)oxy]pyridazin-3-yl}-5-(1H-pyrazol-1-yl)phenol  
 N-methyl-6-(2-methyl-2H-indazol-5-yl)-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine  
 2-methyl-5-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazin-3-yl}-2H-indazole  
 N-methyl-6-(2-methylpyrazolo[1,5-a]pyridin-3-yl)-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine  
 6-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazin-3-yl}imidazo[1,2-a]pyridine  
 3-[5-(1H-pyrazol-4-yl)thiophen-2-yl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine  
 3-[5-(1-methyl-1H-pyrazol-4-yl)thiophen-2-yl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine  
 3-[4-(1H-pyrazol-4-yl)thiophen-2-yl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine  
 5-(3,5-dimethyl-1H-pyrazol-4-yl)-2-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazin-3-yl}phenol  
 3-methoxy-4-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazin-3-yl}phenol  
 4-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazin-3-yl}benzene-1,3-diol and  
 2-(1H-pyrazol-4-yl)-4-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazin-3-yl}pyrimidin-5-amine

wherein a form of the compound is selected from the group consisting of a salt, hydrate, solvate, clathrate, isotopologue, racemate, enantiomer, diastereomer, stereoisomer, polymorph and tautomer form thereof.

2. Use of a compound salt or a form thereof in the manufacture of a medicament for treating or ameliorating Huntington's Disease, wherein the compound salt is selected from the group consisting of:

2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-4-(trifluoromethyl)phenol hydrochloride  
 2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-4-(1H-pyrazol-1-yl)phenol hydrochloride  
 3-(6-(piperazin-1-yl)pyridazin-3-yl)naphthalene-2,7-diol trifluoroacetate  
 3-(6-(1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl)naphthalene-2,7-diol trifluoroacetate

3-(6-(1-methyl-1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl)naphthalene-2,7-diol trifluoroacetate

3-(6-(piperidin-4-yl)pyridazin-3-yl)naphthalene-2,7-diol trifluoroacetate

3-fluoro-5-(2-methoxypyridin-4-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol hydrochloride

4-(3-fluoro-5-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenyl)pyridin-2(1H)-one hydrochloride

4-(3-fluoro-5-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenyl)-1-methylpyridin-2(1H)-one hydrochloride

5-(3-fluoro-5-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenyl)-1-methylpyridin-2(1H)-one hydrochloride

3-fluoro-5-(1H-pyrazol-4-yl)-2-(6-((2,2,6,6-tetramethylpiperidin-4-yl)oxy)pyridazin-3-yl)phenol hydrochloride

5-chloro-3-fluoro-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol hydrochloride

3-fluoro-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1H-pyrazol-4-yl)phenol hydrochloride

3-fluoro-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1-methyl-1H-pyrazol-4-yl)phenol hydrochloride

5-(1H-pyrazol-4-yl)-2-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)amino]pyridazin-3-yl}phenol hydrochloride

2-{6-[methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino]pyridazin-3-yl}-5-(4-nitro-1H-pyrazol-1-yl)phenol dihydrochloride

2-[6-(1-methyl-1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)phenol trihydrochloride

5-(1H-pyrazol-4-yl)-2-[6-(1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl]phenol trihydrochloride

2-[6-(1-ethyl-1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)phenol trihydrochloride

2-{6-[methyl(piperidin-4-yl)amino]pyridazin-3-yl}-5-(1H-pyrazol-4-yl)phenol tetrahydrochloride

2-[6-(piperidin-4-ylamino)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)phenol tetrahydrochloride

2-{6-[(2,6-dimethylpiperidin-4-yl)oxy]pyridazin-3-yl}-5-(1H-pyrazol-4-yl)phenol trihydrochloride

3-[5-(1H-pyrazol-4-yl)thiophen-2-yl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine hydrochloride and

3-[4-(1H-pyrazol-4-yl)thiophen-2-yl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine hydrochloride

wherein a form of the compound salt is selected from the group consisting of a hydrate, solvate, clathrate, isotopologue, racemate, enantiomer, diastereomer, stereoisomer, polymorph and tautomer form thereof.

3. The use of claim 1, wherein the compound is:

5-(1H-pyrazol-4-yl)-2-(6-((2,2,6,6-tetramethylpiperidin-4-yl)oxy)pyridazin-3-yl)phenol.

4. Use of a compound in the manufacture of a medicament for the treatment or amelioration of Huntington's Disease, wherein the compound is selected from the group consisting of:

6-(naphthalen-2-yl)-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine

6-(benzo[b]thiophen-2-yl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine

2-(6-(2,2,6,6-tetramethylpiperidin-4-yl-amino)-pyridazin-3-yl)phenol

2-(6-(methyl-(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)benzo[b]-thiophene-5-carbonitrile

6-(quinolin-3-yl)-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine

3-(benzo[b]-thiophen-2-yl)-6-(2,2,6,6-tetramethylpiperidin-4-yl-oxy)pyridazine

2-(6-(methyl-(2,2,6,6-tetramethylpiperidin-4-yl)amino)-pyridazin-3-yl)phenol

6-(6-(methyl-(2,2,6,6-tetramethylpiperidin-4-yl)amino)-pyridazin-3-yl)naphthalen-2-ol

6-(benzo[b]-thiophen-2-yl)-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine

7-(6-((2,2,6,6-tetramethylpiperidin-4-yl)oxy)pyridazin-3-yl)isoquinoline

6-(6-((2,2,6,6-tetramethylpiperidin-4-yl)oxy)pyridazin-3-yl)isoquinoline

N-methyl-6-(quinolin-7-yl)-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine

N-methyl-6-(quinolin-6-yl)-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine

6-(isoquinolin-7-yl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine

6-(isoquinolin-6-yl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine

6-(imidazo[1,2-a]pyridin-6-yl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine

N-methyl-6-(6-phenylpyridin-3-yl)-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine

6-(6-(1H-pyrrol-1-yl)pyridin-3-yl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine

6-(6-(1H-pyrazol-1-yl)pyridin-3-yl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine  
 methyl-(6-quinoxalin-2-yl-pyridazin-3-yl)-(2,2,6,6-tetramethylpiperidin-4-yl)-amine  
 methyl-(6-quinolin-3-yl-pyridazin-3-yl)-(2,2,6,6-tetramethylpiperidin-4-yl)-amine  
 N-methyl-6-(phthalazin-6-yl)-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine  
 6-(benzo[c][1,2,5]oxa-diazol-5-yl)-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine  
 6-(benzo[d]thiazol-5-yl)-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine  
 6-(2-methylbenzo-[d]oxazol-6-yl)-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine  
 3-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)naphthalen-2-ol  
 5-chloro-2-(6-(methyl(1,2,2,6,6-pentamethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol  
 3-(6-(2,2,6,6-tetramethylpiperidin-4-yl-amino)pyridazin-3-yl)naphthalen-2-ol  
 5-chloro-2-(6-(1,2,2,6,6-pentamethylpiperidin-4-ylamino)pyridazin-3-yl)phenol  
 4-hydroxy-3-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)benzonitrile  
 3-(6-((2,2,6,6-tetramethylpiperidin-4-yl)oxy)pyridazin-3-yl)naphthalen-2-ol  
 2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-4-(trifluoromethyl)phenol  
 2-fluoro-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)-amino)-pyridazin-3-yl)phenol  
 3,5-dimethoxy-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol  
 4,5-dimethoxy-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol  
 5-methoxy-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol  
 4,5-difluoro-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol  
 5-fluoro-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol  
 3-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)benzonitrile  
 1-allyl-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)naphthalen-2-ol  
 6-(benzo[b]thiophen-2-yl)-N-(1,2,2,6,6-pentamethylpiperidin-4-yl)pyridazin-3-amine  
 N-allyl-3-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)benzamide  
 2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol  
 5-(5-methyl-oxazol-2-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)-amino)-pyridazin-3-yl)phenol  
 5-(4-(hydroxymethyl)-1H-pyrazole-1-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

5-(1H-imidazol-1-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol  
 5-(4-amino-1H-pyrazole-1-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol  
 2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1H-pyrazol-4-yl)phenol  
 5-(3-amino-1H-pyrazol-1-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol  
 2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1-(2-morpholinoethyl)-1H-pyrazol-4-yl)phenol  
 2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1-methyl-1H-pyrazol-4-yl)phenol  
 5-(5-amino-1H-pyrazol-1-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol  
 2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-4-(1H-pyrazol-1-yl)phenol  
 2-(((6-((2-hydroxy-ethyl)-(2,2,6,6-tetramethylpiperidin-4-yl)-amino)-pyridazin-3-yl)-5-pyrazol-1-yl)phenol  
 2-(6-(piperidin-4-yloxy)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol  
 2-(6-(((2S,4R,6R)-2,6-dimethylpiperidin-4-yl)oxy)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol  
 2-(6-((-2,6-dimethylpiperidin-4-yl)oxy)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol  
 5-(1H-pyrazol-1-yl)-2-(6-(pyrrolidin-3-yl-oxy)pyridazin-3-yl)phenol  
 2-(6-(((2S,4S)-2-methylpiperidin-4-yl)oxy)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol  
 (5-(1H-pyrazol-1-yl)-2-(6-(pyrrolidin-3-ylmethoxy)pyridazin-3-yl)phenol  
 2-(6-((3-fluoropiperidin-4-yl)oxy)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol  
 2-(6-(1,2,2,6,6-pentamethyl-piperidin-4-yl-oxy)-pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol  
 5-1H-pyrazol-1-yl-2-(6-(2,2,6,6-tetramethylpiperidin-4-yl-oxy)-pyridazin-3-yl)phenol  
 5-(1H-pyrazol-4-yl)-2-(6-((2,2,6,6-tetramethylpiperidin-4-yl)oxy)pyridazin-3-yl)phenol  
 2-(6-piperazin-1-yl-pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol  
 3-(6-(azetidin-3-ylamino)-pyridazin-3-yl)naphthalen-2-ol  
 2-(6-(azetidin-3-ylamino)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol  
 2-(6-(3,5-dimethylpiperazin-1-yl)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol  
 2-(6-(7-methyl-2,7-diazaspiro[4.4]nonan-2-yl)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol  
 2-(6-(1,4-diazepan-1-yl)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol

2-(6-(4-(2-hydroxyethyl)piperazin-1-yl)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol  
 2-(6-(3,6-diazabicyclo[3.2.1]octan-3-yl)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol  
 2-(6-(2,7-diazaspiro[3.5]nonan-7-yl)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol  
 2-(6-(3-(hydroxymethyl)piperazin-1-yl)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol  
 2-(6-(1,7-diazaspiro[4.4]nonan-7-yl)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol  
 2-(6-(4-amino-4-methylpiperidin-1-yl)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol  
 2-(6-(3-(dimethylamino)piperidin-1-yl)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol  
 2-(6-(1,2,2,6,6-pentamethylpiperidin-4-ylamino)-pyridazin-3-yl)-5-1H-pyrazol-1-yl-phenol  
 2-(6-(3,3-dimethylpiperazin-1-yl)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol  
 2-(6-(7-(2-hydroxyethyl)-2,7-diazaspiro[4.4]-nonan-2-yl)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol  
 2-(6-((3aR,6aS)-hexahydropyrrolo[3,4-c]pyrrol-2(1H)-yl)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol  
 3-(6-(piperazin-1-yl)pyridazin-3-yl)naphthalene-2,7-diol  
 5-(1H-pyrazol-1-yl)-2-(6-(1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl)phenol  
 2-(6-piperidin-4-yl-pyridazin-3-yl)-5-1H-pyrazol-1-yl-phenol  
 3-(6-(1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl)naphthalen-2-ol  
 3-(6-(1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl)naphthalene-2,7-diol  
 3-(6-(2,2,6,6-tetramethyl-1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl)naphthalene-2,7-diol  
 3-(6-(1-methyl-1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl)naphthalene-2,7-diol  
 3-(6-(piperidin-4-yl)pyridazin-3-yl)naphthalene-2,7-diol  
 3-(6-((2,2,6,6-tetramethylpiperidin-4-yl)oxy)pyridazin-3-yl)naphthalene-2,7-diol  
 3-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)naphthalene-2,7-diol  
 3-(6-((2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)naphthalene-2,7-diol  
 tert-butyl (3-((7-hydroxy-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)naphthalen-2-yl)oxy)propyl)carbamate  
 7-(3-amino-propoxy)-3-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)-amino)-pyridazin-3-yl)naphthalen-2-ol  
 N-(3-((7-hydroxy-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)naphthalen-2-yl)oxy)propyl)acetamide  
 7-(3-hydroxypropoxy)-3-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)naphthalen-2-ol  
 7-(3-methoxypropoxy)-3-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)naphthalen-2-ol

7-(2-morpholinoethoxy)-3-(6-((2,2,6,6-tetramethylpiperidin-4-yl)oxy)pyridazin-3-yl)naphthalen-2-ol  
 3-(6-(piperidin-4-ylmethyl)pyridazin-3-yl)naphthalen-2-ol  
 5-(1H-pyrazol-1-yl)-2-(6-((2,2,6,6-tetramethylpiperidin-4-yl)methyl)pyridazin-3-yl)phenol  
 3-methoxy-2-(6-(methyl(2,2,6-trimethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(5-methyloxazol-2-yl)phenol  
 2-(6-((6S)-6-((S)-1-hydroxyethyl)-2,2-dimethylpiperidin-4-yloxy)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol  
 7-hydroxy-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-2-naphthonitrile  
 3-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-7-(piperidinylmethyl)naphthalen-2-ol  
 3-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-7-(pyrrolidinylmethyl)naphthalen-2-ol  
 1-bromo-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)naphthalene-2,7-diol  
 1-chloro-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)naphthalene-2,7-diol  
 7-methoxy-3-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)naphthalene-2-ol  
 7-methoxy-3-(6-(methyl(1,2,2,6,6-pentamethylpiperidin-4-yl)amino)pyridazin-3-yl)naphthalen-2-ol  
 7-(3,6-dihydro-2H-pyran-4-yl)-3-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)naphthalen-2-ol  
 3-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-7-(tetrahydro-2H-pyran-4-yl)naphthalene-2-ol  
 7-(difluoromethyl)-3-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)naphthalen-2-ol  
 7-((4-hydroxy-2-methylbutan-2-yl)oxy)-3-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)naphthalen-2-ol  
 7-(3-hydroxy-3-methylbutoxy)-3-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)naphthalen-2-ol  
 2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1H-pyrazol-4-yl)benzene-1,3-diol  
 3-methoxy-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1H-pyrazol-4-yl)phenol  
 5-(1H-pyrazol-4-yl)-2-(6-((2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-3-(trifluoromethoxy)phenol

2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1-methyl-1H-pyrazol-4-yl)-3-(trifluoromethoxy)phenol

2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1H-pyrazol-4-yl)-3-(trifluoromethoxy)phenol

4-(3-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(trifluoromethoxy)phenyl)-1-methylpyridin-2(1H)-one

3-methoxy-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1-methyl-1H-pyrazol-4-yl)phenol

3-methoxy-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(5,6,7,8-tetrahydroimidazo[1,2-a]pyridin-3-yl)phenol

3-methoxy-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(pyridine-3-yl)phenol

5-(1-cyclopentyl-1H-pyrazol-4-yl)-3-methoxy-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

3',5-dimethoxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-(1,1'-biphenyl)-3-ol

3-(benzyloxy)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(5-methyloxazol-2-yl)phenol

3-ethoxy-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(5-methyloxazol-2-yl)phenol

3-(cyclopropylmethoxy)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)-pyridazin-3-yl)-5-(5-methyloxazol-2-yl)phenol

2-methyl-5-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-1H-benzo[d]imidazol-6-ol

5-chloro-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

5-(1H-pyrazol-1-yl)-2-(6-((2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

3-hydroxy-4-(6-((2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)benzonitrile

2-(6-((2,2-dimethylpiperidin-4-yl)oxy)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol

2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-4-(1H-pyrazol-4-yl)phenol

2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-4-(4,5,6,7-tetrahydropyrazolo[1,5-a]pyridin-3-yl)phenol

2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-4-(4,5,6,7-tetrahydropyrazolo[1,5-a]pyrazin-3-yl)phenol

4-(1H-indol-2-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

4-(cyclopent-1-en-1-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-4-(1H-pyrazol-3-yl)phenol

4-(4-hydroxy-3-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenyl)pyridin-2-ol

4-(4-hydroxy-3-(6-((2,2,6,6-tetramethylpiperidin-4-yl)oxy)pyridazin-3-yl)phenyl)-1-methylpyridin-2(1H)-one

4-(4-hydroxy-3-(6-((2,2,6,6-tetramethylpiperidin-4-yl)oxy)pyridazin-3-yl)phenyl)pyridin-2-ol

5-(1H-indazol-7-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

4-chloro-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1H-pyrazol-4-yl)phenol

4-fluoro-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1H-pyrazol-4-yl)phenol

5-fluoro-4-(1H-imidazol-4-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

5-fluoro-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-4-(1H-pyrazol-4-yl)phenol

5-fluoro-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-4-(1H-pyrazol-5-yl)phenol

6-hydroxy-5-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-2,3-dihydro-1H-inden-1-one

6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-1,4-dihydroindeno[1,2-c]-1H-pyrazol-7-ol

6-hydroxy-5-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-2,3-dihydro-1H-inden-1-one oxime

5-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-2,3-dihydro-1H-indene-1,6-diol

2-amino-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-8H-indeno[1,2-d]thiazol-5-ol

9-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5,6-dihydroimidazo[5,1-a]isoquinolin-8-ol

4-hydroxy-3-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-N-((1-methyl-1H-pyrazol-4-yl)methyl)benzamide

4-(4-(hydroxymethyl)-1H-pyrazol-1-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

5-(1H-pyrazol-4-yl)-2-(6-((2,2,6,6-tetramethylpiperidin-4-yl)methyl)pyridazin-3-yl)phenol  
 6-(3-(benzyloxy)isoquinolin-6-yl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine  
 6-(1-(benzyloxy)isoquinolin-7-yl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine  
 3-fluoro-5-(2-methoxypyridin-4-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol  
 4-(3-fluoro-5-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenyl)pyridin-2(1H)-one  
 4-(3-fluoro-5-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenyl)-1-methylpyridin-2(1H)-one  
 5-(3-fluoro-5-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenyl)-1-methylpyridin-2(1H)-one  
 3-fluoro-5-(1H-pyrazol-4-yl)-2-(6-((2,2,6,6-tetramethylpiperidin-4-yl)oxy)pyridazin-3-yl)phenol  
 5-chloro-3-fluoro-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol  
 3-fluoro-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1H-pyrazol-4-yl)phenol  
 3-fluoro-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1-methyl-1H-pyrazol-4-yl)phenol  
 5-(5-methoxypyridin-3-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol  
 5-(3-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenyl)pyridin-2-ol  
 4-(3-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenyl)pyridin-2-ol  
 5-(6-methoxypyridin-3-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol  
 5-(3-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenyl)-3-(trifluoromethyl)pyridin-2-ol  
 5-(3-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenyl)-1-methylpyridin-2(1H)-one  
 4-(3-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenyl)-1-methylpyridin-2(1H)-one  
 5-(2-methoxypyridin-4-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

4-(3-hydroxy-4-(6-((2,2,6,6-tetramethylpiperidin-4-yl)oxy)pyridazin-3-yl)phenyl)pyridin-2-ol

5-(6-(dimethylamino)pyridin-3-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

4-(3-hydroxy-4-(6-((2,2,6,6-tetramethylpiperidin-4-yl)oxy)pyridazin-3-yl)phenyl)-1-methylpyridin-2(1H)-one

2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(pyrimidin-5-yl)phenol

5-(3-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenyl)pyridin-3-ol

1-cyclopropyl-4-(3-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenyl)pyridin-2(1H)-one

2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1,2,3,6-tetrahydropyridin-4-yl)phenol

5-(cyclopent-1-en-1-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

5-(3,6-dihydro-2H-pyran-4-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

5-(imidazo[1,5-a]pyridin-7-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

5-(imidazo[1,2-a]pyridin-7-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(2-methylpyridin-4-yl)phenol

5-(1H-imidazol-2-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

5-(1H-imidazol-4-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

5-(imidazo[1,2-a]pyrazin-3-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(5,6,7,8-tetrahydroimidazo[1,2-a]pyrazin-3-yl)phenol

2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(4-methyl-1H-imidazol-2-yl)phenol

2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1-methyl-1H-imidazol-4-yl)phenol

2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1-methyl-1H-imidazol-5-yl)phenol

2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(4-nitro-1H-imidazol-2-yl)phenol

2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(2-methyl-1H-imidazol-4-yl)phenol

5-(1,2-dimethyl-1H-imidazol-4-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

1-(3-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenyl)-1H-pyrazole-4-carboxamide

2-(6-((3aR,6aS)-5-(2-hydroxyethyl)hexahydropyrrolo[3,4-c]pyrrol-2(1H)-yl)pyridazin-3-yl)-5-(1H-pyrazol-4-yl)phenol

2-(6-((3aR,6aS)-hexahydropyrrolo[3,4-c]pyrrol-2(1H)-yl)pyridazin-3-yl)-5-(1H-pyrazol-4-yl)phenol

2-(6-((3aR,6aS)-5-methylhexahydropyrrolo[3,4-c]pyrrol-2(1H)-yl)pyridazin-3-yl)-5-(1H-pyrazol-4-yl)phenol

4-(3-hydroxy-4-(6-(5-methylhexahydropyrrolo[3,4-c]pyrrol-2(1H)-yl)pyridazin-3-yl)phenyl)-1-methylpyridin-2(1H)-one

4-(3-hydroxy-4-(6-((3aR,6aR)-1-methylhexahydropyrrolo[3,4-b]pyrrol-5(1H)-yl)pyridazin-3-yl)phenyl)-1-methylpyridin-2(1H)-one

2-(6-(2,7-diazaspiro[4.5]decan-2-yl)pyridazin-3-yl)-5-(1H-pyrazol-4-yl)phenol

4-(4-(6-(2,7-diazaspiro[4.5]decan-2-yl)pyridazin-3-yl)-3-hydroxyphenyl)-1-methylpyridin-2(1H)-one

2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)-amino)-pyridazin-3-yl)phenol

6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-7-ol

6-(6-(methyl(1,2,2,6,6-pentamethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-7-ol

6-(6-((3aR,6aS)-5-methylhexahydropyrrolo[3,4-c]pyrrol-2(1H)-yl)pyridazin-3-yl)quinolin-7-ol

2-methyl-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-7-ol

7-(6-(methyl(1,2,2,6,6-pentamethylpiperidin-4-yl)amino)pyridazin-3-yl)isoquinolin-6-ol

7-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)isoquinolin-6-ol

7-(6-((2,2,6,6-tetramethylpiperidin-4-yl)oxy)pyridazin-3-yl)isoquinoline-6-ol

7-(6-((3aR,6aS)-5-methylhexahydropyrrolo[3,4-c]pyrrol-2(1H)-yl)pyridazin-3-yl)isoquinolin-6-ol

1-cyclopropyl-7-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)isoquinolin-6-ol

7-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)isoquinoline-1,6-diol

6-hydroxy-7-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)isoquinoline-1-carbonitrile  
 6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)isoquinolin-7-ol  
 8-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-7-ol  
 6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-6-ol  
 2-methyl-7-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-6-ol  
 3-chloro-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-7-ol  
 3-bromo-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-7-ol  
 7-hydroxy-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinoline-3-carbonitrile  
 6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-3-(1-methyl-1H-imidazol-4-yl)quinolin-7-ol  
 3-(1H-imidazol-1-yl)-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-7-ol  
 6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinoline-3,7-diol  
 3-ethyl-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-7-ol  
 3-isopropyl-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-7-ol  
 7-hydroxy-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-2(1H)-one  
 7-hydroxy-1-methyl-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-2(1H)-one  
 4-methoxy-2-methyl-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-7-ol  
 2-methyl-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-4-(pyrrolidin-1-yl)quinolin-7-ol  
 2-methyl-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-4-morpholinoquinolin-7-ol  
 4-(dimethylamino)-2-methyl-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-7-ol  
 4-ethoxy-2-methyl-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-7-ol  
 2-methyl-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-4-(1-methyl-1H-pyrazol-4-yl)quinolin-7-ol  
 4-methoxy-7-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-6-ol

7-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinoxalin-6-ol  
 6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-3-(tetrahydro-2H-pyran-4-yl)quinolin-7-ol  
 3-chloro-7-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-6-ol  
 3-bromo-7-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-6-ol  
 3-methyl-7-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-6-ol  
 5-bromo-3-methyl-7-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-6-ol  
 6-hydroxy-1-methyl-7-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-4(1H)-one  
 2,3-dimethyl-7-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-6-ol  
 2-methyl-7-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinoxalin-6-ol  
 3-methyl-7-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinoxalin-6-ol  
 4-methoxy-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-7-ol  
 4-(azetidin-1-yl)-2-methyl-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-7-ol  
 7-hydroxy-2-methyl-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolone-4-carbonitrile  
 4-cyclopropyl-2-methyl-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-quinolin-7-ol  
 4-(3,6-dihydro-2H-pyran-4-yl)-2-methyl-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-7-ol  
 2-methyl-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-4-(tetrahydro-2H-pyran-4-yl)quinolin-7-ol  
 2-methyl-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-4-(oxetan-3-yl)quinolin-7-ol  
 4-(dimethylamino)-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-quinolin-7-ol  
 7-hydroxy-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinazolin-4(1H)-one  
 6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinazolin-7-ol  
 7-hydroxy-1-methyl-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-3,4-dihydroquinolin-2(1H)-one

2-methyl-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinazolin-7-ol

7-hydroxy-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)isoquinoline-1-carbonitrile

7-hydroxy-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinoline-2-carbonitrile

6-hydroxy-7-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-2-carbonitrile

6-hydroxy-7-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)isoquinoline-1-carboxamide

7-hydroxy-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-2-carboxamide

6-hydroxy-7-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinoline-2-carboxamide

methyl 6-hydroxy-7-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinoline-2-carboxylate

6-hydroxy-7-(6-(piperazin-1-yl)pyridazin-3-yl)quinoline-2-carbonitrile

7-hydroxy-6-(6-(piperazin-1-yl)pyridazin-3-yl)quinoline-2-carbonitrile

7-(6-(piperazin-1-yl)pyridazin-3-yl)isoquinolin-6-ol

7-(6-(1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl)quinolin-6-ol

1-methyl-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)isoquinolin-7-ol

1-methyl-7-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)isoquinolin-6-ol

1,3-dimethyl-7-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)isoquinolin-6-ol

7-hydroxy-3-methyl-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)isoquinoline-1-carbonitrile

1-amino-7-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)isoquinolin-6-ol

7-hydroxy-1,3-dimethyl-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinazoline-2,4(1H,3H)-dione

6-hydroxy-5-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)benzo[d]oxazol-2(3H)-one

2-methyl-5-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-2H-indazol-6-ol

1-methyl-5-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-1H-indazol-6-ol  
 6-hydroxy-2-methyl-7-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)isoquinolin-1(2H)-one  
 2-ethyl-6-hydroxy-7-(6-((2,2,6,6-tetramethylpiperidin-4-yl)oxy)pyridazin-3-yl)isoquinolin-1(2H)-one  
 1-ethoxy-7-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)isoquinolin-6-ol  
 7-(6-((2,2,6,6-tetramethylpiperidin-4-yl)oxy)pyridazin-3-yl)isoquinoline-1,6-diol  
 7-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)-pyridazin-3-yl)-3-phenylisoquinolin-6-ol  
 3-methyl-7-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)isoquinolin-6-ol  
 3-cyclopropyl-7-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)isoquinolin-6-ol  
 3-isopropyl-7-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)isoquinolin-6-ol  
 3-propyl-7-(6-((2,2,6,6-tetramethylpiperidin-4-yl)oxy)-pyridazin-3-yl)isoquinolin-6-ol  
 3-isopropyl-7-(6-((2,2,6,6-tetramethylpiperidin-4-yl)oxy)-pyridazin-3-yl)isoquinolin-6-ol  
 3-methyl-7-(6-(piperazin-1-yl)pyridazin-3-yl)isoquinolin-6-ol  
 6-(3-(benzyloxy)isoquinolin-6-yl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine  
 3-chloro-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-7-ol  
 3-isopropyl-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-7-ol  
 3-methyl-7-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinoxalin-6-ol  
 4-chloro-2-methyl-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-7-ol  
 4-chloro-7-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-6-ol  
 7-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-6-ol  
 2-{6-[(1R,5S)-8-azabicyclo[3.2.1]oct-3-yl(methyl)amino]pyridazin-3-yl}-5-(1H-pyrazol-4-yl)phenol  
 2-[6-((1R,5S)-8-azabicyclo[3.2.1]oct-3-ylamino)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)phenol  
 5-(1H-pyrazol-4-yl)-2-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)amino]pyridazin-3-yl}phenol

5-(1-methyl-1H-pyrazol-4-yl)-2-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazin-3-yl}phenol  
 2-[6-((1R,5S)-8-azabicyclo[3.2.1]oct-3-yloxy)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)phenol  
 5-(5-methyl-1H-pyrazol-4-yl)-2-{6-[methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino]pyridazin-3-yl}phenol  
 5-(1H-imidazol-1-yl)-2-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazin-3-yl}phenol  
 5-(5-methyl-1H-pyrazol-4-yl)-2-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazin-3-yl}phenol  
 2-{6-[methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino]pyridazin-3-yl}-5-(4-nitro-1H-pyrazol-1-yl)phenol  
 6-[2-methoxy-4-(4-nitro-1H-pyrazol-1-yl)phenyl]-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine  
 5-(4-amino-1H-pyrazol-1-yl)-2-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazin-3-yl}phenol  
 2-[6-(1-methyl-1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)phenol  
 5-(4-nitro-1H-pyrazol-1-yl)-2-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazin-3-yl}phenol  
 5-(1H-pyrazol-4-yl)-2-[6-(1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl]phenol  
 2-[6-(1-ethyl-1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)phenol  
 2-{6-[methyl(piperidin-4-yl)amino]pyridazin-3-yl}-5-(1H-pyrazol-4-yl)phenol  
 2-[6-(piperidin-4-ylamino)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)phenol  
 6-[2,5-difluoro-4-(1H-pyrazol-4-yl)phenyl]-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine  
 2-[6-(8-azabicyclo[3.2.1]oct-2-en-3-yl)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)phenol  
 6-[2,3-difluoro-4-(1H-pyrazol-4-yl)phenyl]-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine  
 3-[2,5-difluoro-4-(1H-pyrazol-4-yl)phenyl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine  
 2-[6-(piperidin-4-yloxy)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)phenol  
 2-{6-[(1R,5S)-8-azabicyclo[3.2.1]oct-3-ylamino]pyridazin-3-yl}-5-(1H-pyrazol-4-yl)phenol  
 6-[2-methoxy-6-(1H-pyrazol-4-yl)pyridin-3-yl]-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine  
 3-[4-(1H-pyrazol-4-yl)phenyl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine  
 2-{6-[(2,6-dimethylpiperidin-4-yl)oxy]pyridazin-3-yl}-5-(1H-pyrazol-4-yl)phenol  
 3-[2-fluoro-4-(1H-pyrazol-4-yl)phenyl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine

3-[4-(1-methyl-1H-pyrazol-4-yl)thiophen-2-yl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine  
 2-[6-(2,7-diazaspiro[3.5]non-2-yl)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)phenol  
 3-fluoro-4-{6-[methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino]pyridazin-3-yl}phenol  
 2-{6-[(2,6-dimethylpiperidin-4-yl)oxy]pyridazin-3-yl}-5-(1H-pyrazol-1-yl)phenol  
 N-methyl-6-(2-methyl-2H-indazol-5-yl)-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine  
 2-methyl-5-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazin-3-yl}-2H-indazole  
 3-(4-chloro-2-methoxyphenyl)-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine  
 N-methyl-6-(2-methylpyrazolo[1,5-a]pyridin-3-yl)-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine  
 6-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazin-3-yl}imidazo[1,2-a]pyridine  
 3-[2-methoxy-4-(1H-pyrazol-1-yl)phenyl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine  
 3-[5-(1H-pyrazol-4-yl)thiophen-2-yl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine  
 3-[5-(1-methyl-1H-pyrazol-4-yl)thiophen-2-yl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine  
 3-[4-(1H-pyrazol-4-yl)thiophen-2-yl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine  
 5-(3,5-dimethyl-1H-pyrazol-4-yl)-2-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazin-3-yl}phenol  
 6-[2-fluoro-4-(1H-pyrazol-4-yl)phenyl]-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine  
 3-methoxy-4-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazin-3-yl}phenol  
 3-[2-methoxy-4-(4-nitro-1H-pyrazol-1-yl)phenyl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine  
 4-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazin-3-yl}benzene-1,3-diol  
 6-[2-chloro-4-(1H-pyrazol-4-yl)phenyl]-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine  
 2-(1H-pyrazol-4-yl)-4-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazin-3-yl}pyrimidin-5-amine  
 3-[2,6-difluoro-4-(1H-pyrazol-4-yl)phenyl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine  
 2-[6-(2,6-diazaspiro[3.4]oct-2-yl)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)phenol  
 3-{6-[methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino]pyridazin-3-yl}-6-(1H-pyrazol-4-yl)pyridin-2-ol

6-(1H-pyrazol-4-yl)-3-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazin-3-yl}pyridin-2-ol

3-[2-(difluoromethyl)-4-(1H-pyrazol-4-yl)phenyl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine and

6-[2-(difluoromethyl)-4-(1H-pyrazol-4-yl)phenyl]-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine;

wherein a form of the compound is selected from the group consisting of a salt, racemate, enantiomer, diastereomer, stereoisomer, and tautomer form thereof.

5. The use of claim 4, wherein the compound is a compound salt selected from the group consisting of:

2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-4-(trifluoromethyl)phenol hydrochloride

2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-4-(1H-pyrazol-1-yl)phenol hydrochloride

2-(6-piperazin-1-yl-pyridazin-3-yl)-5-1H-pyrazol-1-yl-phenol hydrochloride

3-(6-(piperazin-1-yl)pyridazin-3-yl)naphthalene-2,7-diol trifluoroacetate

3-(6-(1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl)naphthalene-2,7-diol trifluoroacetate

3-(6-(1-methyl-1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl)naphthalene-2,7-diol trifluoroacetate

3-(6-(piperidin-4-yl)pyridazin-3-yl)naphthalene-2,7-diol trifluoroacetate

6-hydroxy-5-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-2,3-dihydro-1H-inden-1-one oxime hydrochloride

2-amino-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-8H-indeno[1,2-d]thiazol-5-ol hydrochloride

9-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5,6-dihydroimidazo[5,1-a]isoquinolin-8-ol hydrochloride

3-fluoro-5-(2-methoxypyridin-4-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol hydrochloride

4-(3-fluoro-5-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenyl)pyridin-2(1H)-one hydrochloride

4-(3-fluoro-5-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenyl)-1-methylpyridin-2(1H)-one hydrochloride

5-(3-fluoro-5-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenyl)-1-methylpyridin-2(1H)-one hydrochloride

3-fluoro-5-(1H-pyrazol-4-yl)-2-(6-((2,2,6,6-tetramethylpiperidin-4-yl)oxy)pyridazin-3-yl)phenol hydrochloride

5-chloro-3-fluoro-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol hydrochloride

3-fluoro-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1H-pyrazol-4-yl)phenol hydrochloride

3-fluoro-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1-methyl-1H-pyrazol-4-yl)phenol hydrochloride

3-(1H-imidazol-1-yl)-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-7-ol hydrochloride

6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinoline-3,7-diol formate

7-hydroxy-1-methyl-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-2(1H)-one hydrochloride

4-methoxy-7-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-6-ol formate

7-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinoxalin-6-ol hydrochloride

2-methyl-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-4-(tetrahydro-2H-pyran-4-yl)quinolin-7-ol formate

4-(dimethylamino)-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-quinolin-7-ol formate

6-hydroxy-2-methyl-7-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)isoquinolin-1(2H)-one hydrochloride

2-{6-[(1R,5S)-8-azabicyclo[3.2.1]oct-3-yl(methyl)amino]pyridazin-3-yl}-5-(1H-pyrazol-4-yl)phenol hydrochloride

2-[6-((1R,5S)-8-azabicyclo[3.2.1]oct-3-ylamino)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)phenol hydrochloride

5-(1H-pyrazol-4-yl)-2-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)amino]pyridazin-3-yl}phenol hydrochloride

2-[6-((1R,5S)-8-azabicyclo[3.2.1]oct-3-yloxy)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)phenol hydrochloride

2-{6-[methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino]pyridazin-3-yl}-5-(4-nitro-1H-pyrazol-1-yl)phenol dihydrochloride

2-[6-(1-methyl-1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)phenol trihydrochloride

5-(1H-pyrazol-4-yl)-2-[6-(1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl]phenol trihydrochloride

2-[6-(1-ethyl-1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)phenol trihydrochloride

2-{6-[methyl(piperidin-4-yl)amino]pyridazin-3-yl}-5-(1H-pyrazol-4-yl)phenol tetrahydrochloride

2-[6-(piperidin-4-ylamino)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)phenol tetrahydrochloride

6-[2,5-difluoro-4-(1H-pyrazol-4-yl)phenyl]-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine tetrahydrochloride

2-[6-(8-azabicyclo[3.2.1]oct-2-en-3-yl)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)phenol hydrochloride

6-[2,3-difluoro-4-(1H-pyrazol-4-yl)phenyl]-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine hydrochloride

3-[2,5-difluoro-4-(1H-pyrazol-4-yl)phenyl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine trihydrochloride

2-{6-[(1R,5S)-8-azabicyclo[3.2.1]oct-3-ylamino]pyridazin-3-yl}-5-(1H-pyrazol-4-yl)phenol hydrochloride

6-[2-methoxy-6-(1H-pyrazol-4-yl)pyridin-3-yl]-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine hydrochloride

2-{6-[(2,6-dimethylpiperidin-4-yl)oxy]pyridazin-3-yl}-5-(1H-pyrazol-4-yl)phenol trihydrochloride

3-[2-fluoro-4-(1H-pyrazol-4-yl)phenyl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine hydrochloride

2-[6-(2,7-diazaspiro[3.5]non-2-yl)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)phenol tetrahydrochloride

3-[5-(1H-pyrazol-4-yl)thiophen-2-yl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine hydrochloride

3-[4-(1H-pyrazol-4-yl)thiophen-2-yl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine hydrochloride

6-[2-chloro-4-(1H-pyrazol-4-yl)phenyl]-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine trihydrochloride

3-[2,6-difluoro-4-(1H-pyrazol-4-yl)phenyl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine trihydrochloride

3-{6-[methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino]pyridazin-3-yl}-6-(1H-pyrazol-4-yl)pyridin-2-ol hydrochloride

3-[2-(difluoromethyl)-4-(1H-pyrazol-4-yl)phenyl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine hydrochloride and

6-[2-(difluoromethyl)-4-(1H-pyrazol-4-yl)phenyl]-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine hydrochloride;

wherein a form of the compound salt is selected from the group consisting of a racemate, enantiomer, diastereomer, stereoisomer, and tautomer form thereof.