



FIG. 1**FIG. 2**

FIG. 3




FIG. 4




FIG. 5

video_parameter_set_rbsp() {	Descriptor
video_parameter_set_id	u(4)
vps_temporal_id_nesting_flag	u(1)
vps_reserved_zero_2bits	u(2)
vps_reserved_zero_6bits	u(6)
vps_max_sub_layers_minus1	u(3)
profile_and_level(1, vps_max_sub_layers_minus1)	
vps_reserved_zero_12bits	u(12)
for(i = 0; i <= vps_max_sub_layers_minus1; i++) {	
vps_max_dec_pic_buffering[i]	ue(v)
vps_max_num_reorder_pics[i]	ue(v)
vps_max_latency_increase[i]	ue(v)
}	
vps_num_hrd_parameters	ue(v)
for(i = 0; i < vps_num_hrd_parameters; i++) {	
if(i > 0)	
op_point(i)	
hrd_parameters(i == 0, vps_max_sub_layers_minus1)	
}	
vps_extension_flag	u(1)
if(vps_extension_flag)	
while(more_rbsp_data())	
vps_extension_data_flag	u(1)
}	
rbsp_trailing_bits()	
}	

FIG. 6




FIG. 7





FIG. 8

video_parameter_set_rbsp() {	Descriptor
video_parameter_set_id	u(4)
vps_temporal_id_nesting_flag	u(1)
vps_reserved_zero_2bits	u(2)
vps_reserved_zero_6bits	u(6)
max_layer_minus1	u(3)
vps_max_sub_layers_minus1	u(3)
for(i = 1; i <= max_layer_minus1; i++)	
max_sub_layer_for_inter_layer_prediction[i]	u(3)
profile_and_level(1, vps_max_sub_layers_minus1)	
vps_reserved_zero_12bits	u(12)
for(i = 0; i <= vps_max_sub_layers_minus1; i++) {	
vps_max_dec_pic_buffering[i]	ue(v)
vps_max_num_reorder_pics[i]	ue(v)
vps_max_latency_increase[i]	ue(v)
}	
vps_num_hrd_parameters	ue(v)
for(i = 0; i < vps_num_hrd_parameters; i++) {	
if(i > 0)	
op_point(i)	
hrd_parameters(i == 0, vps_max_sub_layers_minus1)	
}	
vps_extension_flag	u(1)
if(vps_extension_flag)	
while(more_rbsp_data())	
vps_extension_data_flag	u(1)
}	
rbp_trailing_bits()	
}	

FIG. 9



127




FIG. 11




FIG. 12




FIG. 13





FIG. 14

FIG. 15





FIG. 16

FIG. 17





FIG. 18

FIG. 19




FIG. 20




FIG. 22




FIG. 23





FIG. 24


FIG. 25


FIG. 26


FIG. 27

FIG. 28




FIG. 29

video_parameter_set_rbsp() {	Descriptor
video_parameter_set_id	u(4)
vps_temporal_id_nesting_flag	u(1)
vps_reserved_zero_2bits	u(2)
vps_reserved_zero_6bits	u(6)
max_layer_minus1	u(3)
for(i = 0; i <= max_layers_minus1; i++)	
vps_num_sub_layers_minus1[i]	u(3)
for(i = 1; i <= max_layers_minus1; i++)	
max_sub_layer_for_inter_layer_prediction[i]	u(3)
profile_and_level(1, vps_max_sub_layers_minus1)	
vps_reserved_zero_12bits	u(12)
for(i = 0; i <= vps_max_sub_layers_minus1; i++) {	
vps_max_dec_pic_buffering[i]	ue(v)
vps_max_num_reorder_pics[i]	ue(v)
vps_max_latency_increase[i]	ue(v)
}	
vps_num_hrd_parameters	ue(v)
for(i = 0; i < vps_num_hrd_parameters; i++) {	
if(i > 0)	
op_point(i)	
hrd_parameters(i == 0, vps_max_sub_layers_minus1)	
}	
vps_extension_flag	u(1)
if(vps_extension_flag)	
while(more_rbsp_data())	
vps_extension_data_flag	u(1)
}	
rbsp_trailing_bits()	
}	

FIG. 30




FIG. 31




FIG. 32





FIG. 33

FIG. 34





FIG. 35

FIG. 36

video_parameter_set_rbsp() {	Descriptor
video_parameter_set_id	u(4)
vps_temporal_id_nesting_flag	u(1)
vps_reserved_zero_2bits	u(2)
vps_reserved_zero_6bits	u(6)
max_layer_minus1	u(3)
vps_max_sub_layers_minus1	u(3)
unified_max_sub_layer_for_inter_layer_prediction_flag	u(1)
if(unified_max_sub_layer_for_inter_prediction_flag)	
unified_max_sub_layer_for_inter_layer_prediction	u(3)
else	
for(i = 1; i <= max_layers_minus1; i++)	
max_sub_layer_for_inter_layer_prediction[i]	u(3)
profile_and_level(1, vps_max_sub_layers_minus1)	
vps_reserved_zero_12bits	u(12)
for(i = 0; i <= vps_max_sub_layers_minus1; i++) {	
vps_max_dec_pic_buffering[i]	ue(v)
vps_max_num_reorder_pics[i]	ue(v)
vps_max_latency_increase[i]	ue(v)
}	
vps_num_hrd_parameters	ue(v)
for(i = 0; i < vps_num_hrd_parameters; i++) {	
if(i > 0)	
op_point(i)	
hrd_parameters(i == 0, vps_max_sub_layers_minus1)	
}	
vps_extension_flag	u(1)
if(vps_extension_flag)	
while(more_rbsp_data())	
vps_extension_data_flag	u(1)
}	
rbp_trailing_bits()	
}	

FIG. 37




FIG. 38




FIG. 39




FIG. 40





FIG. 41

FIG. 42





FIG. 43







FIG. 45

FIG. 46




FIG. 47




FIG. 48




FIG. 49





FIG. 50





FIG. 52


FIG. 53


FIG. 54

FIG. 55




FIG. 56




FIG. 57

seq_parameter_set_rbsp() {	Descriptor
sps_video_parameter_set_id	u(4)
sps_max_sub_layers_minus1	u(3)
sps_temporal_id_nesting_flag	u(1)
profile_tier_level(sps_max_sub_layers_minus1)	
sps_seq_parameter_set_id	ue(v)
chroma_format_idc	ue(v)
if(chroma_format_idc == 3)	
separate_colour_plane_flag	u(1)
pic_width_in_luma_samples	ue(v)
pic_height_in_luma_samples	ue(v)
conformance_window_flag	u(1)
if(conformance_window_flag) {	
conf_win_left_offset	ue(v)
conf_win_right_offset	ue(v)
conf_win_top_offset	ue(v)
conf_win_bottom_offset	ue(v)
}	
bit_depth_luma_minus8	ue(v)
bit_depth_chroma_minus8	ue(v)
log2_max_pic_order_cnt_lsb_minus4	ue(v)
sps_sub_layer_ordering_info_present_flag	u(1)
for(i=(sps_sub_layer_ordering_info_present_flag?0:sps_max_sub_layers_minus1);	
i<=sps_max_sub_layers_minus1;i++) {	
sps_max_dec_pic_buffering_minus1[i]	ue(v)
sps_max_num_reorder_pics[i]	ue(v)
sps_max_latency_increase_plus1[i]	ue(v)
}	
log2_min_luma_coding_block_size_minus3	ue(v)
log2_diff_max_min_luma_coding_block_size	ue(v)
log2_min_transform_block_size_minus2	ue(v)
log2_diff_max_min_transform_block_size	ue(v)
max_transform_hierarchy_depth_inter	ue(v)
max_transform_hierarchy_depth_intra	ue(v)
scaling_list_enabled_flag	u(1)
if(scaling_list_enabled_flag) {	
sps_scaling_list_data_present_flag	u(1)
if(sps_scaling_list_data_present_flag)	
scaling_list_data()	
}	
amp_enabled_flag	u(1)
sample_adaptive_offset_enabled_flag	u(1)
pcm_enabled_flag	u(1)
if(pcm_enabled_flag) {	

FIG. 58

pcm_sample_bit_depth_luma_minus1	u(4)
pcm_sample_bit_depth_chroma_minus1	u(4)
log2_min_pcm_luma_coding_block_size_minus3	ue(v)
log2_diff_max_min_pcm_luma_coding_block_size	ue(v)
pcm_loop_filter_disabled_flag	u(1)
}	
num_short_term_ref_pic_sets	ue(v)
for(i=0;i<num_short_term_ref_pic_sets;i++)	
short_term_ref_pic_set(i)	
long_term_ref_pics_present_flag	u(1)
if(long_term_ref_pics_present_flag){	
num_long_term_ref_pics_sps	ue(v)
for(i=0;i<num_long_term_ref_pics_sps;i++){	
lt_ref_pic_poc_lsb_sps[i]	u(v)
used_by_curr_pic_lt_sps_flag[i]	u(1)
}	
}	
sps_temporal_mvp_enabled_flag	u(1)
strong_intra_smoothing_enabled_flag	u(1)
vui_parameters_present_flag	u(1)
if(vui_parameters_present_flag)	
vui_parameters()	
sps_extension_flag	u(1)
if(sps_extension_flag){	
inter_view_mv_vert_constraint_flag	u(1)
sps_inter_layer_mfm_enable_flag	u(1)
while(more_rbsp_data())	
sps_extension_data_flag	u(1)
rbsp_trailing_bits()	
}	
}	

FIG. 59

slice_segment_header() {	Descriptor
first_slice_segment_in_pic_flag	u(1)
if(nal_unit_type >= BLA_W_LP && nal_unit_type <= RSV_IRAP_VGL23)	
no_output_of_prior_pics_flag	u(1)
slice_pic_parameter_set_id	ue(v)
if(!first_slice_segment_in_pic_flag) {	
if(dependent_slice_segments_enabled_flag)	
dependent_slice_segment_flag	u(1)
slice_segment_address	u(v)
}	
if(!dependent_slice_segment_flag) {	
for(i=0; i<num_extra_slice_header_bits; i++)	
slice_reserved_flag[i]	u(1)
slice_type	ue(v)
if(output_flag_present_flag)	
pic_output_flag	u(1)
if(separate_colour_plane_flag == 1)	
colour_plane_id	u(2)
if(nal_unit_type != IDR_W_RADL && nal_unit_type != IDR_N_LP) {	
slice_pic_order_cnt_lsb	u(v)
short_term_ref_pic_set_sps_flag	u(1)
if(!short_term_ref_pic_set_sps_flag)	
short_term_ref_pic_set(num_short_term_ref_pic_sets)	
else if(num_short_term_ref_pic_sets>1)	
short_term_ref_pic_set_idx	u(v)
if(long_term_ref_pics_present_flag) {	
if(num_long_term_ref_pics_sps>0)	
num_long_term_sps	ue(v)
num_long_term_pics	ue(v)
for(i=0; i<num_long_term_sps + num_long_term_pics; i++) {	
if(i<num_long_term_sps) {	
if(num_long_term_ref_pics_sps>1)	
lt_idx_sps[i]	u(v)
} else {	
poc_lsb_lt[i]	u(v)
used_by_curr_pic_lt_flag[i]	u(1)
}	
delta_poc_msb_present_flag[i]	u(1)
if(delta_poc_msb_present_flag[i])	
delta_poc_msb_cycle_lt[i]	ue(v)
}	
}	
}	
}	
if(sps_temporal_mvp_enabled_flag)	

FIG. 60

slice_temporal_mvp_enabled_flag	u(1)
}	
if(sample_adaptive_offset_enabled_flag){	
slice_sao_luma_flag	u(1)
slice_sao_chroma_flag	u(1)
}	
if(slice_type == P slice_type == B){	
num_ref_idx_active_override_flag	u(1)
if(num_ref_idx_active_override_flag){	
num_ref_idx_l0_active_minus1	ue(v)
if(slice_type == B)	
num_ref_idx_l1_active_minus1	ue(v)
}	
if(lists_modification_present_flag && NumPocTotalCurr>1)	
ref_pic_lists_modification()	
if(slice_type == B)	
mvd_l1_zero_flag	u(1)
if(cabac_init_present_flag)	
cabac_init_flag	u(1)
if(slice_temporal_mvp_enabled_flag){	
if(slice_type == B)	
collocated_from_l0_flag	u(1)
if((collocated_from_l0_flag && num_ref_idx_l0_active_minus1>0)	
(!collocated_from_l0_flag && num_ref_idx_l1_active_minus1>0))	
collocated_ref_idx	ue(v)
}	
if((weighted_pred_flag && slice_type == P)	
(weighted_bipred_flag && slice_type == B))	
pred_weight_table()	
five_minus_max_num_merge_cand	ue(v)
}	
slice_qp_delta	se(v)
if(pps_slice_chroma_qp_offsets_present_flag){	
slice_cb_qp_offset	se(v)
slice_cr_qp_offset	se(v)
}	
if(deblocking_filter_override_enabled_flag)	
deblocking_filter_override_flag	u(1)
if(deblocking_filter_override_flag){	
slice_deblocking_filter_disabled_flag	u(1)
if(!slice_deblocking_filter_disabled_flag){	
slice_beta_offset_div2	se(v)
slice_tc_offset_div2	se(v)
}	

FIG. 61

}	
if(pps_loop_filter_across_slices_enabled_flag && (slice_sao_luma_flag slice_sao_chroma_flag !slice_deblocking_filter_disabled_flag))	
slice_loop_filter_across_slices_enabled_flag	u(1)
}	
if(tiles_enabled_flag entropy_coding_sync_enabled_flag) {	
num_entry_point_offsets	ue(v)
if(num_entry_point_offsets>0) {	
offset_len_minus1	ue(v)
for(i=0; i<num_entry_point_offsets; i++)	
entry_point_offset_minus1[i]	u(v)
}	
}	
if(slice_segment_header_extension_present_flag) {	
slice_segment_header_extension_length	ue(v)
for(i=0; i<slice_segment_header_extension_length; i++)	
slice_segment_header_extension_data_byte[i]	u(8)
}	
byte_alignment()	
}	

FIG. 62





FIG. 63



62/101





FIG. 65

FIG. 66





FIG. 67

FIG. 68




FIG. 69





FIG. 70

FIG. 71




FIG. 72




FIG. 73





FIG. 74


FIG. 75


FIG. 76


FIG. 77

FIG. 78




FIG. 79




FIG. 80




FIG. 81




FIG. 82




FIG. 83




FIG. 84




FIG. 85




FIG. 86




FIG. 87




FIG. 88




FIG. 89




FIG. 90




FIG. 91




FIG. 92




FIG. 93




FIG. 94




FIG. 95




FIG. 96

```

<?xml version="1.0"?>
<MPD
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xmlns="urn:mpeg:DASH:schema:MPD:2011"
  xsi:schemaLocation="urn:mpeg:DASH:schema:MPD:2011 DASH-MPD.xsd"
  type="static"
  mediaPresentationDuration="PT3256S"
  minBufferTime="PT1.2S"
  profiles="urn:mpeg:dash:profile:isoff-on-demand:2011">
  <BaseURL>http://cdn1.example.com/</BaseURL>
  <BaseURL>http://cdn2.example.com/</BaseURL>
  <Period>
    <!--English Audio-->
    <AdaptationSet mimeType="audio/mp4" codecs="mp4a.0x40" lang="en" subsegmentAlignment="true" subsegmentStartsWithSAP="1">
      <ContentProtection schemeIdUri="urn:uuid:70006953-6560-5244-4048-656164657221"/>
      <Representation id="1" bandwidth="64000">
        <BaseURL>7657412348.mp4</BaseURL>
      </Representation>
      <Representation id="2" bandwidth="32000">
        <BaseURL>3463646346.mp4</BaseURL>
      </Representation>
    </AdaptationSet>
    <!--Video-->
    <AdaptationSet mimeType="video/mp4" codecs="avc1.4d0728" subsegmentAlignment="true" subsegmentStartsWithSAP="2">
      <ContentProtection schemeIdUri="urn:uuid:70006953-6560-5244-4048-656164657221"/>
      <Representation id="6" bandwidth="256000" width="320" height="240">
        <BaseURL>8663456473.mp4</BaseURL>
      </Representation>
      <Representation id="7" bandwidth="512000" width="320" height="240">
        <BaseURL>56363634.mp4</BaseURL>
      </Representation>
      <Representation id="8" bandwidth="1024000" width="640" height="480">
        <BaseURL>562465736.mp4</BaseURL>
      </Representation>
      <Representation id="9" bandwidth="1384000" width="640" height="480">
        <BaseURL>41325645.mp4</BaseURL>
      </Representation>
      <Representation id="A" bandwidth="1536000" width="1280" height="720">
        <BaseURL>89045625.mp4</BaseURL>
      </Representation>
      <Representation id="B" bandwidth="2048000" width="1280" height="720">
        <BaseURL>23535745734.mp4</BaseURL>
      </Representation>
    </AdaptationSet>
  </Period>
</MPD>

```

FIG. 97




FIG. 98





FIG. 99



98/101

FIG. 100





FIG. 101

FIG. 102




FIG. 103