

1/30





FIG. 1

2/30





FIG. 1 (Cont.)

3/30




FIG. 2




FIG. 3

4/30



SO3 Monolith Load HMW1: 5.39% Load HMW2: 0.77%**Mustang S** Load HMW1: 5.44% Load HMW2: 0.83%

FIG. 4

5/30






FIG. 4 (Cont.)

**FIG. 5**

7/30




FIG. 5 (Cont.)

8/30





FIG. 6

9/30

6C

Sample ID	Anti-CD11a Collected (g/L CV)	HMW%
Load	-	4.83
2	2.20	n.a.
4	40.9	0.05
6	109	0.10
8	179	0.32
10	250	0.85
15	424	1.89
20	597	2.49
24	681	2.76
Strip	-	35.3

FIG. 6 (Cont.)

10/30




FIG. 7

11/30





FIG. 7 (Cont.)

12/30




FIG. 8




FIG. 9

13/30




FIG. 10




FIG. 11

14/30




FIG. 12

15/30




FIG. 13

16/30




FIG. 14

17/30




FIG. 15




FIG. 16

18/30




FIG. 17






FIG. 18

19/30**FIG. 19**

20/30




FIG. 20




FIG. 21

21/30




FIG. 22





FIG. 23

22/30



Normalized to anti-VEGF antibody load amount

FIG. 24





FIG. 25

24/30




FIG. 26




FIG. 27

25/30




FIG. 28

26/30




FIG. 29




FIG. 30

27/30




FIG. 31

28/30




FIG. 32




FIG. 33

30/30




FIG. 34