FIG. 1

```
1 line: <o-ex:rights
2 line:          xmlns:o-ex="http://odrl.net/1.1/ODRL-EX"
3 line:            xmlns:o-dd="http://odrl.net/1.1/ODRL-DD"
4 line:          xmlns:ds="http://www.w3.org/2000/09/xmldsig#/"
5 line: >
6 line:  <o-ex:context>
7 line:     <o-dd:version>1.0</o-dd:version>
8 line:  </o-ex:context>
9 line:  <o-ex:agreement>
10 line:    <o-ex:asset>
11 line:      <o-ex:context>
12 line:        <o-dd:uid>cid:4567829547@foo.com</o-dd:uid>
13 line:      </o-ex:context>
14 line:      <ds:KeyInfo>
15 line:        <ds:KeyValue>vUEwR8LzEJoeiC+dgT1mgg== </ds:KeyValue>
16 line:      </ds:KeyInfo>
17 line:    </o-ex:asset>
18 line:    <o-ex:permission>
19 line       <o-dd:play/>
20 line:    </o-ex:permission>
21 line: </o-ex:agreement>
22 line:</o-ex: rights>
```

FIG. 2

```
1  line:  <o-ex:rights
2  line:            xmlns:o-ex="http://odrl.net/1.1/ODRL-EX"
3  line:               xmlns:o-dd="http://odrl.net/1.1/ODRL-DD"
4  line:            xmlns:ds="http://www.w3.org/2000/09/xmldsig#/"
5  line:  >
6  line:   <o-ex:context>
7  line:      <o-dd:version>1.0</o-dd:version>
8  line:   </o-ex:context>
9  line:   <o-ex:agreement>
10 line:     <o-ex:asset>
11 line:       <o-ex:context>
12 line:         <o-dd:uid>cid:4567829547@foo.com</o-dd:uid>
13 line:       </o-ex:context>
14 line:       <ds:KeyInfo>
15 line:         <ds:KeyValue>vUEwR8LzEJoeiC+dgT1mgg== </ds:KeyValue>
16 line:       </ds:KeyInfo>
17 line:     </o-ex:asset>
18 line:     <o-ex:permission>
19 line:       <o-dd:display>
20 line:         <o-ex:constraint>
21 line:           <o-dd:count>1</o-dd:/count>
22 line:         </o-ex:constraint>
23 line:       <o-dd:display>
20 line:     </o-ex:permission>
21 line:  </o-ex:agreement>
22 line:</o-ex: rights>
```

FIG. 3A

```
Rights{
Device_ID1; Device_ID2; Device_ID3; ...
}
```

FIG. 3B




FIG. 4A

```
Rights{
Domain-ID;
}
```

FIG. 4B




FIG. 4C



TRANSMIT CONTENT INCLUDING LICENSE INFORMATION TO DEVICE
S30
EXTRACT INFORMATION REGARDING NUMBER OF REPRODUCTION TIMES
S31
DETERMINE IF CONTENT CAN BE REPRODUCED BASED ON EXTRACTED INFORMATION
S32
REPRODUCE CONTENT IF IT IS DETERMINED CONTENT CAN BE REPRODUCED
S33
TRANSMIT MODIFIED INFORMATION REGARDING NUMBER OF REPRODUCTION TIMES
S34

FIG. 5A



500
device
device
Domain
510
Rights Issuer
(DRM Service provider)
530
540
device
550
DRM
server
520
Rights
560

FIG. 5B



RECEIVE CONTENT INCLUDING LICENSE INFORMATION AT SERVER
S40
EXTRACT LICENSE INFORMATION
S41
DETERMINE WHETHER A DEVICE REQUESTING TO REPRODUCE THE CONTENT IS AUTHORIZED IS BASED ON EXTRACTED INFORMATION
S42
PROVIDE CONTENT TO DEVICE IF IT IS DETERMINED DEVICE IS AUTHORIZED
S43
MODIFY STATUS VALUES OF LICENSE INFORMATION
S44

FIG. 5C



RECEIVE CONTENT INCLUDING LICENSE INFORMATION AT SERVER
S50
DIVIDE LICENSE INFORMATION INTO ACCESS RIGHTS AND ASSIGN ACCESS RIGHTS TO DEVICE(S)
S51
TRANSMIT ACCESS RIGHTS TO DEVICE(S)
S52
REPRODUCE CONTENT AT DEVICE(S)
S53

FIG. 6A

```
Rights{
Device 5;
}
```

FIG. 6B

